

80micro

October 1982
USA \$2.95 (UK £1.80)

A WAYNE GREEN PUBLICATION

the magazine for TRS-80[®] users

Micros in Business

- Your Color Computer and the IRS
- QuickCalc—
an alternative to VisiCalc
- Getting the most
from an IRA

A Primer on Color Computer Graphics

A Basic Compiler in Basic



\$2495 PUTS YOU IN BUSINESS.

FREE SOFTWARE

Accounting Package:

Accounts Receivable, Accounts Payable, General Ledger, Inventory/Sales Analysis, Payroll, Audio Self-Learning Cassette, Games, Education Software, DOS Plus 3.3.

Word Processing:

Discount certificate entitling the purchaser to NEW SCRIPT by Pro Soft, complete word processing software.

Introducing the M.T.I.® BUSINESS Computer. We believe in offering you the best in complete, low cost computing.

M.T.I. MOD III PLUS B/140. We have taken the basic MODEL III, expanded the memory to 48K and added our M.T.I. double density, dual drive system. All M.T.I. BUSINESS computers include 4 Mhz speed-up for remarkable fast processing, a RS-232 Interface, Anti-Glare screen and cooling unit.

LOW PRICE. M.T.I. BUSINESS computers are priced from \$2495. As an added incentive, we will give you a business software package **FREE** with the purchase of a MOD III PLUS BUSINESS computer. The software package has a retail value of \$1588.00

All of this for \$2495.

Other Models Available:

MOD III PLUS 240-B. Same as the MOD III-B/140 but has double storage capacity and dual headed 40 track drives.

MOD III PLUS 280-B. Has 1.5 Megabytes storage and 2 dual headed 80 track double density disk drives.

MOD III/WINCHESTER-B. Our largest business computer system. 8.2 megabytes of storage. Includes a 7.5 megabyte Winchester hard disk and 80-track dual head disk head.

OPTIONS:

- ★ LETTER QUALITY PRINTER
- ★ WINCHESTER CP/M 2.2

WANT MORE? For more information call any of our authorized sales centers.



- Immediate Availability
- 90 Day Warranty
- One Year Extended Warranty Available
- Local Dealer Service

U.S. PRICES F.O.B. SANTA ANA CALIFORNIA AND MAY VARY BY AREA.

CP/M is registered trademark of Digital Research, Inc.
TRS-80® is a registered trademark of Tandy, Corp.
M.T.I. is a registered trademark of Microcomputer Technology, Inc.



MICROCOMPUTER TECHNOLOGY INC. 247
3304 W. MACARTHUR, SANTA ANA, CA 92704
(714) 979-9923 • TWX 910-595-1902 MTISNA

So Far, So Good...



**Your Model III is a fine computer.
So why settle for less than
a fine disk storage system?**

A fast, reliable disk storage system — no other device is so vital to the satisfactory performance of your computer. At Percom we build quality, high-performance disk drive systems. From gold-plated connector contacts to goldcad metal chassis structures. From proven design through 100% reliability testing. Percom disk systems are the standard by which others are judged — the industry's "gold standard," in a sense. And since Percom is the largest independent manufacturer of disk systems for microcomputers, you get Percom quality at very competitive prices. Add-on drives for TRS-80* computers start as low as \$399. Complete first-drive systems for the Model III start at only \$599. Put a quality Percom mini-disk storage system in your Model III. And save.

#1 For Your Model III

Percom TFD drives for your TRS-80* Model III computer are available in 40- and 80-track versions with single or dual heads. Single-head 40-track drives store 180 Kbytes; dual-head 40-track drives store 360 Kbytes. Eighty-track drives store slightly over twice these amounts. Of course these are formatted capacities. The Percom Model III controller handles up to four drives so it's possible to access almost three million bytes of on-line program and data files. You get Percom's OS-80/III Basic language DOS with each first-drive system, and your first drive may be either internal (add-in) or external (add-on). Percom TFD drives work with Model III TRSDOS and other Model III disk-operating systems. First-drive systems are pre-assembled. Installation is accomplished with simple tools.

#1 For Your Model I, Too

Percom TFD add-on drives for the TRS-80* Model I computer are available with the same features and the same quality control measures as TFD Model III drives. As for Model III drives, all Percom Model I drives are double-density rated. Install Percom's popular DOUBLER II in your Model I Expansion Interface and upgrade your Model I to provide the same storage capacity as the Model III.



Watch for Announcement of Percom's Low-Cost Hard Disk System for the Model III!

To order, or for the name of your authorized Percom retailer,
call toll free **1-800-527-1222**.



PERCOM DATA COMPANY, INC.
11220 Pagemill Road • Dallas, Texas 75243
(214) 340-7081

PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

*TRS-80 is a trademark of Tandy Radio Shack Corporation which has no relationship to Percom Data Company, Inc.
PERCOM, DOUBLER II and OS-80/III are trademarks of Percom Data Company, Inc.

Yes... I'd like to know more about
the best for my TRS-80 computer.
Send me free literature about
quality Percom products.

☐ MODEL I ☐ MODEL III

Send to
PERCOM DATA COMPANY, INC. Dept. 8-M
11220 Pagemill Road, Dallas, TX, 75243

NAME _____

STREET _____

CITY _____

STATE _____

ZIP _____

PHONE NUMBER _____

80 Contents

Features

82. The Color Computer on Parade—Part I

There are color machines with better graphics and resolution than Tandy's Color Computer, but for the price it's still a good deal. With this installment, author Barden will explain why.

William Barden Jr.

114. QuickCalc

LOAD 80 Since its inception, VisiCalc has been heralded as *the* financial applications program. Its clones would outnumber a Roman cohort and are usually priced below the original. But even VisiCalc's imitators can't beat the price of this clone.

Kurt Leafstand

122. A Basic Compiler in Basic

LOAD 80 You can buy a Basic to machine-language compiler for \$190 or you can key this one into your 80 and write the fastest Basic programs on your block.

Dimitri P. Bertsekas

140. You're in the Money

Visualize the wonderful effects of compound interest and learn about the importance of sheltering them from Uncle Sam.

Robert Montgomery

80 Micro (ISSN-0744-7866) is published 12 times a year by 1001001 Inc., 80 Pine St., Peterborough, NH 03458. Phone: 603-924-9471. Second class postage paid at Peterborough, NH, and additional mailing offices. Subscription rates in U.S. are \$25 for one year and \$53 for three years. In Canada and Mexico \$27.97—one year only, U.S. funds drawn on a U.S. bank. Canadian distributor: Micro Distributing, 409 Queen St. West, Toronto, Ontario, Canada M5V 2A5. BC Canadian distributor: Graymar Data Services, Ltd., #4258 E. 1st Ave., Vancouver, BC V5T 1A6. Foreign subscriptions (surface mail), \$44.97—one year only, U.S. funds drawn on a U.S. bank. Foreign subscriptions (air mail), please inquire. In South Africa contact: 80 Micro, P.O. Box 782815, Sandton, South Africa 2146. All U.S. and Canadian subscription correspondence should be addressed to 80 Micro, Subscription Department, P.O. Box 981, Farmingdale, NY 11737. Please include your address label with any correspondence. Postmaster: Send form 3579 to 80 Micro, Subscription Services, P.O. Box 981, Farmingdale, NY 11737.



Manuscripts are welcome at 80 Micro. We will consider publication of any TRS-80 oriented material. Guidelines for budding authors are available. Please send a self-addressed envelope and ask for "How to Write for 80 Micro." 80 Micro is published monthly by 1001001 Inc., a subsidiary of Wayne Green Inc. Entire contents copyright 1982 Wayne Green Inc. No part of this publication may be reprinted, or reproduced by any means, without prior written permission from the publisher. All programs are published for personal use only. All rights reserved.

Cover by Ray Maher

*TRS-80, Scripsit and TRSDOS are trademarks of Tandy Corp.

156. Industry Saver

How a plastics plant in Georgia monitors production with an 80 and smart box.

Kerry Leichtman



168. Income Tax Estimator

You may not want to think about it, but income tax time is closing in on you. This program will let you say hello computer, good-bye H & R Block.

Peter A. Stark

203. Autotrak

LOAD 80 Being a captain of industry and captain of an auto fleet can be a taxing problem. So let your creative juices be channeled into getting down to business while your 80 handles the fleet.

Robert James Lloyd

316. Production Learning Curve

You know your widgets will boost the GNP. The only question you have is how much will the 123rd one cost when it comes off the assembly line?

J.R. Jeffery

342. Invoice

LOAD 80 Bills are the businessman's bread and butter. Here's a program to let your 80 not only print your invoices, but keep track of them as well.

J.L. Hackman

Articles

88. Shopping with Uncle Sam

A look at the federal data-processing exposition in Washington, DC.

Bud Stolker

96. Bit Smitten—Part III

An answer to the universal question: What's a baud rate?

Jay Chidsey

101. Radio Shack Repairs

What to do when your 80 starts misbehavin'?

Terry Kepner

104. Trick or TRS-80?

Some good-natured fright with the help of your 80 and mirrors.

Mike Keller

154. QCS Hard Disk

Hard disks may be the storage medium of the future, but if you're thinking of entering the major leagues, be prepared to pay the price.

G. Michael Vose

160. MZAL


An editor/assembler using a modular approach.

Bruce Powel Douglass

184. G.E.A.P.

Draw graphics displays within your text.

Richard C. McGarvey



190. Cybernetics and Jelly Bean Detection

A chance to make your 80 sing "Hail to the Sweet!"

Stephen Davids

80 Contents

216. Hardware Hacker—Part I

Learn how to build a hardware support system for your Model I—a piece at a time.

Philip M. Van Praag

228. Programming Pitch—Part III

LOAD 80 Better timing and harmonic clarity from your 80-turned-clavier.

Merton L. Davis

244. DOSPLUS 3.4

This third-generation operating system has some new features that put it at the top of its class.

John Ratzlaff

246. Technological Destiny—Part V

Using what you learned in parts I-IV, you're ready to prepare flowcharts and docs of your programs.

Gary DiIillio

254. The Colorful Computer—Part III


Twenty graphics programs to end this series on the wonderful CC and you.

Franklyn D. Miller

262. Birthday Party

Simon says: Party down with your 80.

Simon Zuckerbraun



266. Data Ace

This author has spent a lot of time in quest of the grail of data-base managers. This isn't it, but it's very close.

Tim Daniel

276. Inside Scripsit—Part II

LOAD 80 Learn how to modify this popular word-processing program.

Craig A. Lindley

296. I Have a Secret

LOAD 80 You will too when you learn how to use the Vernam Algorithm for data encryption.

James T. Demberger

304. LP VIII Patch for the CC

Eight bits are better than seven.

Roger L. Degler

308. Profile III+

A new version of an old data-base manager.

Wynne Keller

324. High Finance

Tracking your earnings from All Savers Certificates.

Ted Byrne

332. Homebrew Data-Base Management—Part III

After this installment, you'll be ready to run your tape-based data-base manager.

Karl Townsend

Departments

8. Remarks

Applause for Sen. Kennedy. A deluge of calls and letters on the piracy issue. The desperate need for TRS-80 service.

Wayne Green

14. Proof Notes

In business, money is time and time is money. An 80 can help you save both.

18. Input

Selling software. Another Neatlist correction. Protected software and 80-track drives. Bit Smitten's historical inaccuracies. Disk RAM test. Model 16: savior of Model II. Mod for a Scripsit mod. BIPED error. Wiener's credibility questioned. Gunn rapped.


30. Debug

Fixes for Straight Shooter, Sargon Saver, and Space Chase.

32. Reviews

Maxprint printer-driver utility. Lablmakr for custom labels. Personal finance package from Tandy. Newtalk memory exam utility. Powerdraw screen graphics utility. Color Scripsit. Colorterm Color Computer terminal program. Newscrip 7.0. Visigraph: charts and graphs from VisiCalc data. Dynamic Report

Generator for columnar reports. Tandy Six-Pen Plotter. MDX-3 Interface PC Board for Model III disk upgrade and RS-232.



68. Review Digest

A sampling of product reviews appearing in industry media.

70. Soft Bits

Level I keyboard routine discussion.

Roger Fuller

74. Kitchen Table Inc.

More inventive products from Sri Lanka's finest: the black phosphor screen and Random Basic.

David Busch

78. Commander 80

Microcomputer users, you don't know how lucky you are.

Jake Commander

354. Calendar

356. Applications

It took a lot of headscratching, 40 hours of close work and 12 hours of troubleshooting, but putting an LNW-80 together was worth the effort.

Dennis Kitz

371. Index to Advertisers

372. News

Midwest data base uses Tandy computers. Who's afraid of the Big Bad 80? Think tank wants to network Am-

80 Contents

PUBLISHER/EDITOR
Wayne Green
EXECUTIVE VICE PRESIDENT
Sherry Smythe
ASSISTANT TO PRESIDENT
Matt Smith
GENERAL MANAGER
Debra Wetherbee
ASSISTANT PUBLISHER
Jeff DeTray
FINANCIAL COORDINATOR
Roger Murphy
CIRCULATION COORDINATOR
603-924-9471
Patricia Ferrante

BULK & NEWSSTAND SALES MANAGER
Ginnie Boudrieau
ADVERTISING, 603-924-7138
David Schissler: Advertising Manager;
Susan Martin, Piergiorgio Saluti: Sales; Penny
Brooks: Ad Coordinator.
New England Advertising Representative:
John A. Garland, Garland Associates, Inc.,
Box 314 SHS, Duxbury, MA 02332
617-934-6464

PRODUCTION
Nancy Salmon, Manager; Michael Murphey,
Assistant. Frances Benton, Phil Geraci,
Theresa Ostebo, Scott Philbrick, Anne
Rocchio, Dianne Ritson, Mary Seaver,
Deborah Stone, Irene Vail; Ad Coordinators:
David Wozmak, Judy Wimberly; Advertising
Production: Steve Baldwin, Fiona Davies,
Bruce Hedin, Jane Preston

PHOTOGRAPHY
Sandra Dukette, Bryan Hastings, Elizabeth
Libby, John R. Schweigert, Thomas
Villeneuve, Robert M. Villeneuve

TYPESETTING
Melody Bedell, Sara Bedell, Michele
DesRochers, Jennifer Fay, Lynn Haines,
Debbie Nutting, Ellen Schwartz,
Karen Stewart

DESIGN
Denzel Dyer, Howard Happ, Dion LeGros,
Laurie MacMillan, Joyce Pillarella, Susan
Stevens, Donna Wohlfarth

erica's leaders. Teacher drain in
Golden Horseshoe. \$225,000 video-
text study.



392. Beneath the Keyboard


Computer astrology: a computer-
based home business with a reason-
able potential for profit.

Paul Wiener

396. Medical Opinion

Model II TRSDOS 2.0-2.0a quirks.
Model 16 experiences. Model II Ver-
satile.

Phillip R. Mills, M.D.



400. Feedback Loop

No lowercase without Model I hard
mod. Repeat function in Basic.
Power supply problems. \$669 repair
bill for a Model I. Need for more than
48K in Model III. Some basic poop on
disk drives and Assembly language
listings.


Terry Kepner

408. MONEY DOS

A fail-safe stock market program.
J.M. Keynes

410. Fun House

Games using Point(X,Y).
Richard Ramella



418. Copernica Mathematica

Math and science software and
books for the TRS-80.

Bruce Powell Douglass

422. RELOAD 80

Practice modifying machine-lan-
guage-subroutine POKes by modify-
ing some past Load 80 programs.

Art Huston



424. New Products

Portable Model III. Model III package
with word processor, mailing list
manager, payroll record system and
more. Coin Tracker. Mass mail sys-
tem. School administration system.
Checkbook manager for Color Com-
puter. Ribbon cartridge for MX-80.
Hurricane tracking program. Copy
utility for one-drive users. Church
management system. Tax Master
federal income tax manager. Model
III terminal program. Stock market
simulation game. Dataman data
base manager for users with no pro-
gramming experience. Griffin I hard
disk drive.

The left bracket, [, replaces the up arrow
used by Radio Shack to indicate exponen-
tiation on our printouts. When entering
programs published in *80 Micro*, you
should make this change.

80 formats its program listings to run
64-characters wide, the way they look on
your video screen. This accounts for the
occasional wrap-around you will notice in
our program listings. Don't let it throw
you, particularly when entering assembly
listings.

Article submissions from our readers
are welcomed and encouraged. Inquiries
should be addressed to: Submissions
Editor, 80 Pine Street, Peterborough, NH
03458. Include an SASE for a copy of our
writers' guidelines. Payment for accepted
articles is made at a rate of approximately
\$50 per printed page; all rights are pur-
chased. Authors of reviews should con-
tact the Review Editor, 80 Pine Street,
Peterborough, NH 03458.

THE SWITCH

SWITCH TO 5¹/₈" DOUBLE DENSITY

LNDoubler 5/8

FEATURES

- 5- and 8-inch* disk drives
- Single- & double-density
- Any size and density in any mix
- Read Model I, II* and III disks
- 5- or 8-inch* system disk
- Single & double sided disk drives
- DOS+ 3.3.9 included, with Disk BASIC.
- 6 month warranty
- Up to 3.75 megabytes online
- Easy installation - plug-in & run
- Analog phase lock loop data separation
- Precision write precompensation
- Regulated power supply
- Guaranteed operation at 4MHz
- All contacts gold plated
- Solder masked & silk screened
- Runs under DOS+ 3.3.9, TRSDOS 2.3, NEWDOS 2.1, NEWDOS/80 1.0, LDOS, NEWDOS/80 2.0, and ULTRADOS
- Reads 40- and 35-track disks on 80-track drives
- FD1791 controller + your FD1771
- Fits Model I expansion interfaces
- Fits LNW expansion interfaces
- Track configurations to 80-tracks
- 5 inch disk storage increased to:
 - 161,280 bytes - 35-track SS/DD
 - 322,560 bytes - 35-track DS/DD
 - 184,320 bytes - 40-track SS/DD
 - 368,640 bytes - 40-track DS/DD
 - 368,640 bytes - 80-track SS/DD
 - 737,280 bytes - 80-track DS/DD
- 8 inch disk storage increased to:

591,360 bytes - 77-track SS/DD
1,182,720 bytes - 77-track DS/DD
SS: single-sided DS: double-sided
SD: single-density DD: double-density

COMPLETE - The LNDoubler 5/8, switches your Model I or LNW-80 into the most versatile computer you can own. The LNDoubler's switch allows you to boot from 5- or 8-inch system disks, and it's accessible from outside the interface. The LNDoubler 5/8 comes with a double-density disk operating system (DOS+ 3.3.9), complete with BASIC and utility programs . . . ready to run your software NOW!

VERSATILE - Whether you want single-sided, double-sided, single- or double-density, 5- or 8-inch operation, complete versatility is here today! Any combination of 5- and 8-inch disk storage is possible with the LNDoubler 5/8. Each of your present 40-track, single-sided 5-inch drives will store up to 184,320 bytes (formatted storage) - that's an 80% increase in storage capacity for only half the cost of just one disk drive. With three 8-inch double-density, double-sided drives your Model I will have 3.75 Megabytes of online storage - that's more storage than a Model II or Model III!

ADVANCED - The LNDoubler 5/8 is the most technically advanced, tested and reliable double-density

board you can buy. The LNDoubler 5/8 has more features, more options and more software support than any other product of its kind.



EASY TO INSTALL - The LNDoubler 5/8 is easy to install. There are no traces to cut, no wiring to do, just a screwdriver and a few minutes of your time is all that is required. The instructions are fully illustrated for all interfaces. In minutes you will be 'up-and-running', and enjoying your computer as never before.

COMPARE - Compare features, compare quality, compare value, and make the SWITCH today!

Immediate delivery from stock - at your dealer NOW for only

\$ 219.95

DEALERS - You too can make The Switch.



LNW RESEARCH CORPORATION

2620 WALNUT Tustin, CA. 92680 (714) 544-5744 (714) 641-8850

*8" drive operation requires special cable, 8" double-density requires 3.55MHz CPU speed-up modification or LNW-80 4MHz computer.

TRS-80 is a trademark of Tandy Corporation.

Disney vs. VCRs

The court decision to uphold the Disney Studio request that the sale of video cassette recorders be stopped since they are usable to copy copyright movies has resulted in a rash of proposed laws in Congress.

Senator Kennedy and some other liberal senators have proposed a law that would put a tax on the sale of recorders *and* tape. . . and that would include audio recorders and tape too! Well, if they are going to do that I would suggest that they are derelict in their efforts to protect industry if they do not include both floppy and hard disks.

The aim is to have the government collect this royalty in the form of a tax on recorders and tape and then distribute this to the royalty holding firms. For perhaps the first time in history I find myself applauding Senator Kennedy.

Instant Software is paying a royalty of 20 percent to the authors of programs published and distributed by that firm. Recent estimates of the market show that at least 90 percent of the copies of Instant Software programs are illegally copied. I would assume that the government will take this into consideration and put a royalty tax on each audio cassette, which will reimburse Instant Software for the lost royalties on all copies of the program made . . . which would run to about \$24 per cassette.

But that's nothing compared to the losses on disk copies of Instant Software programs. Let's say that each disk has 20 programs, each with an average retail price of \$25. At wholesale then we are looking at \$300 worth of programs, or royalties of \$60. I can't see where we should be entitled to any less than this for each disk sold. Okay, okay, not *all* disks are used for program storage. . . some are used for data storage. I'll split the difference with you. . . \$30 royalty per disk. No problem. I certainly don't want to be difficult to get along with.

Where do I get in line for my payments?

Exaggeration?

A recent deluge of letters and phone calls from concerned computerists would seem to indicate that my estimates of program theft are conservative.



Massive theft of programs must cease

For instance, I got a call a couple of days ago from a computer camper who wanted to know if he was in any trouble. He'd been at camp two days and already filled over 100 disks with programs, all at no charge. . . and all copyrighted. Many, he explained, were from Instant Software. He wondered how we could make money with this sort of thing going on. We don't.

An Instant Software dealer recently told me that a well known chain of computer stores was buying one copy of Instant Software programs and then making copies for all their area stores. . . which were, in turn, passed along to customers as an added incentive to buy a computer. He estimated that the loss of sales to him was on the order of 5,000 of each program.

In talking with other software firms I

find that their experience is the same as that of Instant Software. Newly released programs sell for a few weeks and then sales peter out. The only rational explanation of that is massive theft.

A letter from a computer club member in Texas claimed that the only real reason for the local user club was the free swapping of copyright programs. He said that he had already gotten over \$100,000 worth of programs from club members and that often he was able to fill up dozens of disks with new programs. . . often programs just barely announced on the market. He said he had copies of just about everything Microsoft and VisiCorp has out, plus plenty of programs running into the hundreds of dollars each. . . and even a couple retailing over a thousand.

A chap on Long Island is selling just about any program on the market for 50% of retail.

A teacher on Long Island is bootlegging VIC-20 software, according to a ham friend of mine. In Chicago a software pirate has a quarter million dollar program inventory he is copying for peanuts. A user club member in San Diego says that he got over \$5,000 worth of software at the first meeting he attended. A chap in Manchester, NH brags that he has copies of over 7,000 copyrighted programs and will swap any of them with anyone interested.

Are there any user clubs where massive program theft is not taking place? To judge from the phone calls and letters I get, not many. After adding up the estimated losses of Instant Software and figuring from that what the rest of the industry must be losing, the number comes to well over \$2 billion.

Yes, I recognize that many computerists are copying far more programs than they can ever use and that calculating the value of unused programs is like Vietnam body counts. But if we make a realistic estimate of the actual sales losses due to software theft, whether it be from one friend to another, via an unscrupulous dealer, a club swap, or summer camp copying, the theft of programs that are probably being used still is most significant.

The theft of Instant Software programs alone. . . of programs which are actually used. . . must come to well over \$20 million in the last year. If we



META TECHNOLOGIES

26111 Brush Avenue, Euclid Ohio 44132
CALL TOLL FREE 1-800-321-3552 TO ORDER
 IN OHIO, call (216) 289-7500 (COLLECT)

participating
 organization

 joint
 marketing
 services

WE'RE NOT JOKING WHEN WE TELL YOU THESE ARE GREAT "ONE-LINERS"...

Let's get down to the bottom line. Sure, we could tell you that we have scores of thousands of satisfied customers. Or that we're in our fifth year of serving the microcomputer industry. We could invite you to call your local Better Business Bureau and check us out (we're a member organization). But we think that one look at these prices will convince you there is more to MTC than great service. ... we also have a great sense of humor.

MODEMS

NOVATION CAT (acoustic coupled)	\$ 139.95
NOVATION D-CAT (direct connect)	\$ 159.95
NOVATION AUTO-CAT (auto answer)	\$ 209.95

PRINTERS

OKIDATA ML80 (80 col., 80 cps)	\$ 349.95
OKIDATA ML82A (80 col., 120 cps)	\$ 469.95
OKIDATA ML83A (132 col., 120 cps, tract.)	\$ 719.95
OKIDATA ML84 (132 col., 200 cps, 1200 bd)	\$ 999.95
OKIDATA ML84S (132 col., 200 cps, 9600 bd)	\$1119.95

MODEL I/III SOFTWARE

ACCESSORIES

APPARAT'S NEWDOS/80-V2 + MTC QUE CARD™	\$ 129.95
PRACTICAL PERIPHERALS MICROBUFFER™	\$ 149.95

Introducing ... SCOREPAC™

Get a SCORE of diskettes in a sturdy, new PAC and SAVE! MTC's innovative, unique packaging concept for diskettes offers the best value in magnetic media today. You get 20 Paragon Magnetics™ 5 1/4-inch diskettes, complete with envelopes, labels and write-protect tabs, packaged in an extra-heavy duty, reusable, storage box/shipping carton. The convenient, thumb-notched, top-closure design of the SCOREPAC™ box provides convenient, temporary storage ... and saves you money. Isn't it time that you scored ... with SCOREPAC™?

SCOREPAC™ w/20 Paragon Plain Jane™ Diskettes	\$39.95
SCOREPAC™ w/20 Paragon Gold Diskettes	\$46.95

"OTHER MYSTERIES" VOLUME III

by Dennis Kitsz

More than 300 pages of practical hardware and software modifications and projects. Discover the mysteries of "THE CUSTOM TRS-80™"!

THE CUSTOM TRS-80™	\$28.95
--------------------------	---------

"OTHER MYSTERIES" VOLUME IV

BASIC FASTER AND BETTER

Time-tested and proven techniques and routines that can be used in hundreds of ways to make your programs smaller, faster and better.

BASIC FASTER & BETTER	\$26.95
BFBLIB subroutines diskette	\$19.95
BFBDEM demonstration diskette	\$19.95

"TRS-80™ DISK AND OTHER MYSTERIES"

by Harvard C. Pennington

132 pages written in PLAIN ENGLISH packed with HOW TO information with details, examples and in-depth explanations. Recover lost files and directories, remove file protection, make BASIC programs unlistable. How to use SUPERZAP recover from DOS errors and MORE!

TRS-80™ DISK	\$19.95
--------------------	---------

"OTHER MYSTERIES" VOLUME II

by James Favour

"MICROSOFT™ BASIC DECODED & OTHER MYSTERIES for the TRS-80™" is a primer for the internal workings of cassette and disk BASIC. More than 300 pages of explanations, examples and comments about the Level II ROM.

MICROSOFT™ BASIC DECODED	\$26.95
--------------------------------	---------

PARAGON

Gold ^{magnetics™} DISKETTES

MTC's

premium Single-Sided, Soft-Sector
 DOUBLE-DENSITY, 5 1/4-inch diskettes with
 reinforcing HUB-RINGS. Individually 100%
 ERROR-FREE certified. Invest in GOLD!

PARAGON MAGNETICS GOLD	\$24.95
------------------------------	---------

Scotch®

Soft-Sector Diskettes

5-1/4" 1S/Dden (744-0)	\$28.95
5-1/4" 1S/DDden (744D-0)	\$31.95
5-1/4" 2S/DDden (745-0)	\$39.95
8" 1S/Dden (740-0)	\$29.95
8" 1S/DDden (741-0)	\$37.95
8" 2S/DDden (743-0)	\$49.95

Hard-Sector Diskettes

5-1/4" 1S/DDden 10-sector (744-10)	\$28.95
5-1/4" 1S/DDden 10-sector (744D-10)	\$32.95
5-1/4" 2S/DDden 10-sector (745-10)	\$39.95
5-1/4" 1S/Dden 16-sector (744-16)	\$28.95
5-1/4" 1S/DDden 16-sector (744D-16)	\$32.95
5-1/4" 2S/DDden 16-sector (745-16)	\$39.95
8" 1S/Dden 32-sector (740-32)	\$33.95
8" 1S/DDden 32-sector (741-32)	\$39.95
8" 2S/DDden 32-sector (743-32)	\$49.95

Supplies

5-1/4" Head cleaning kit	\$29.95
8" Head cleaning kit	\$29.95

Authorized Distributor
 Information Processing Products



VERBATIM

Soft-Sector Diskettes

5-1/4" 1S/DDden (MD525-01)	\$26.95
5-1/4" 2S/DDden (MD550-01)	\$39.95
5-1/4" 2S/4Den (MD557-01)	\$51.50
8" 1S/DDden (FD34-8000)	\$43.95

Hard-Sector Diskettes

5-1/4" 1S/DDden 10-sector (MD525-10)	\$26.95
5-1/4" 2S/DDden 10-sector (MD550-10)	\$39.95
5-1/4" 2S/4Den 10-sector (MD557-10)	\$51.50

'RINGS' & THINGS

HUB RING KIT for 5 1/4" disks	\$10.95
HUB RING KIT for 8" disks	\$12.95
REFILLS (50 Hub Rings)	\$ 5.95
CLEANING KIT for 5 1/4" drives	\$24.95
5 1/4-inch diskette case	\$3.50
8-inch diskette case	\$3.95
5 1/4-inch File Box for 50 diskettes	\$24.95
8-inch File Box for 50 diskettes	\$29.95

TRS-80 is a trademark of the
 Radio Shack Division of Tandy
 Corporation. DATA LIFE is a
 trademark of VERBATIM. PLAIN
 JANE, PARAGON MAGNETICS,
 are trademarks of MTC.
 © 1982 by Meta Technologies
 Corporation

**MOST ORDERS
 SHIPPED WITHIN
 ONE BUSINESS DAY**


24 Hr. Bulletin Board
 (216) 289-8689

**PRICES IN EFFECT
 THRU
 October 31, 1982**
 Prices, Specifications,
 and Offerings subject to
 change without notice
 8210

WE ACCEPT
 • VISA
 • MASTER CHARGE
 • CHECKS
 • MONEY ORDERS
 • C.O.D.

• Add \$3.00 for shipping
 & handling.
 • \$2.00 EXTRA for U.S.
 Mail delivery.
 • \$3.00 EXTRA for C.O.D.
 • Ohio residents add 6.5%
 sales tax.

Butch Brown believed "logic seeking heads" lived in the hippie district.



Until he became an Orange Micro Printer Expert.

Printers Can Be Confusing. Sometimes, even the informed personal computer owner is caught short by the mound of technical differences in printers. After one visit to Orange Micro, Butch learned a logic-seeking print head skips over blank spaces and seeks the fastest path to the next printable character—for quick stock record printouts.

We Educate

First. With so many different printers out there with as many different features, we feel a printer education is in order. We take what you already know about computers and explain printers in the same terms. Our current customers seem to like that because of the friends they refer. (Nearly 50% of our business is referral.)

It's Easy To Be An Expert. Orange Micro printer specialists are there to make you feel comfortable with your newfound printer knowledge. And when you decide on the printer right for you, you'll know exactly why you picked it from all the rest. With over 35



popular models to choose from, and a complete selection of cables, options and interface accessories, we have everything you need to get your new printer up and operating in minutes.

We Have The Right Printer For You. Bring along your toughest printer questions. Our salespeople will answer them honestly and practically. In less time than you'd imagine possible, you'll be a printer expert too! After all, printers are our only business, so we always do a better job at finding the right one for you.

Orange Micro Printer Stores

3150 E. La Palma, Suite 1
Anaheim, CA 92806 (714) 630-3622

13604 Ventura Boulevard
Sherman Oaks, CA 91423 (213) 501-3486

3216 Scott Boulevard
Santa Clara, CA 95051 (408) 980-1213

1104 Van Ness
San Francisco, CA, 94109 (415) 673-0170



Limited Franchise Opportunities Now Available. Call (714) 630-3620

REMARKS

figure that Instant Software had only 2 percent of the total software market we are looking at \$1 billion in theft.

This is the theft of massive royalties for the programmers involved. This explains why it is getting more and more difficult to get programmers to write the needed programs for microcomputers. That's at least a half million dollar loss for every computer store and about \$150 million loss in programmer royalties.


It may be time to consider doing something about this.

Service Debacles

I hate to keep harping on this subject, but there is such a desperate need for service for TRS-80 computers that I have to keep bringing it up. It's my understanding that the service aspect of the Radio Shack Computer Centers is a separate entity from the centers and thus not under their management. This explains, perhaps, why these centers have so little control over the servicing.

Typical of what I'm hearing was from a firm that bought the hard disk drive and wanted it mated to its Model II. The computer center checked with their resident service people and gave a guaranteed delivery date for the update on the Model II. When the time came for the promised delivery, the system had not even been touched. The customer, who had made further plans around the delivery date, was furious and took the system home and made the modifications himself in a couple of hours. That's fine if you are expert enough to do this; otherwise, you are helpless at the hands of the Tandy service people, who seem to have little responsibility to the stores that work with them—or to the customers.

Considering all of the service work that has to be done, this is a golden opportunity. The disks, in particular, seem to break down with agonizing regularity. And each time they break down, a business can be stopped for days to many weeks. Businesses just can't live with that. There is a serious need for independent service firms that can fix these computers within hours of when they break. Unless Radio Shack makes some major changes in their approach to this, they are providing a fantastic opportunity for some enterprising people to just plain take over this lucrative business. ■



META TECHNOLOGIES

participating
organization



26111 Brush Avenue, Euclid Ohio 44132

CALL TOLL FREE 1-800-321-3552 TO ORDER

IN OHIO, call (216) 289-7500 (COLLECT)

NEW! MTC AIDS-III™ NEW! VERSION 2.0

Specify Model I or Model III\$79.95

** CALL REGARDING UPGRADE POLICY **

The BEST data management system just got BETTER! Introducing MTC AIDS-III™/Version 2.0. Faster, easier to use, better documentation than the original favorite of thousands of users. Jointly developed by SofTrends, Inc. and the author of the AIDS series. VisiCalc® -compatible when used with optional interface module.

- Up to 20 USER-DEFINED FIELDS of either numeric- or character-type.
- CHARACTER-type fields may be any length (total: up to 254 characters).
- NUMERIC-type fields feature automatic formatting, rounding, decimal alignment and validation.
- Full feature EDITING when adding or changing records:
 - ENTER FIELD (can't type-in more characters than specified).
 - BACKSPACE (delete last character typed).
 - DELETE FIELD contents.
 - RESTORE FIELD contents.
 - RIGHT-JUSTIFY FIELD contents.
 - SKIP FIELD (to next or previous field).
 - SKIP RECORD (to next or previous record).
- SORTING of records is MACHINE CODE assisted.
 - 200 RECORDS (40 characters) in about 1.5 SECONDS.
 - ANY COMBINATION of fields (including numerics) with each field in ascending or descending order.
- SELECTION of records for Loading, Updating, Deleting, Printing and Saving is MACHINE CODE assisted.
 - Specify up to 4 CRITERIA, each using one of 6 RELATIONAL COMPARISONS.
 - LOAD or SAVE selected records using MULTIPLE FILES.
 - Example: Select records representing those people who live in the state of Colorado, but not in the city of Denver, whose last names begin with "F" and whose incomes exceed \$9000.00.
 - Example: Select records representing those sales made to XYZ COMPANY that exceed \$25.00, between the dates 03/15 and 04/10.

CALCS-III (CALCULATION SUBSYSTEM), included at no charge, has the following features:

- Prints user-specified fields in titled, columnar REPORT FORMAT, automatically generating column headings, paging and (optionally) indentation.
- Can create a single report from MULTIPLE FILES.
- Computes user-specified COLUMNAR TOTALS and BALANCE FORWARD values.
- Computes columnar values using CONSTANTS and/or COLUMN VALUES.

MAPS-III (MTC AIDS PRINT SUBSYSTEM), included at no charge, has the following features:

- Full AIDS-III SELECTION capabilities.
- Prints user-specified fields DOWN THE PAGE.
- Prints user-specified fields in titled, columnar REPORT FORMAT, automatically generating column headings, paging, and (optionally) indentation.
- Can create a single report from MULTIPLE FILES.
- Prints user-defined formats for CUSTOM LABELS, custom forms, etc.

MERGE-III (FILE MERGE/PURGE SUBSYSTEM), included at no charge, has the following features:

- Merges up to 14 AIDS-created data files into a single, large file.
- Optionally PURGES duplicate entries while performing merge operation, including single file operation.
- Machine-code assisted for HIGH-SPEED performance.

CALCS-IV (ADVANCED CALCULATION SUBSYSTEM) has the following features:

- All the capabilities of CALCS-III.
- SAVE REPORT FORMATS on disk for EDITING, as required.
- More than TWICE the COMPUTATIONAL POWER of CALCS-III.
- Non-interpretive report execution for FASTER EXECUTION.
- Reports can be run by a NOVICE.

ONLY \$20 when purchased with AIDS-III/Version 2.0!

Specify Model I or Model III\$39.95

NEW AIDS SUBSYSTEMS by SofTrends, Inc. VISAPLEX™

Interfaces AIDS-III and VisiCalc®. Use AIDS-III for data entry, sorting and selection. Then load the data into VisiCalc®, perform computations, summations, etc. Like what you see? Change the data back into AIDS-III format for future processing. Remarkably easy to use. Comprehensive documentation complete with examples.

Specify Model I or Model III\$39.95

ADEPT™

This module is ideal for entering large batches of data into AIDS-III. Features include pre-defined field values, definition and expansion of abbreviations, transposition of entries, range checking, entry of data from previous record, expanded validation and more! Type as fast as you can... no problem! Use with VISAPLEX™(above) to provide a comprehensive data entry facility for VisiCalc®. Complete documentation with examples.

Specify Model I or Model III\$29.95

If you own Apparat's
NEWDOS/80-Version 2.0
you need

BREVI-T™

by SofTrends, Inc.

If you have trouble remembering command formats, want to simplify use of DOS, do a lot of program development or just want to be more effective with your TRS-80™, then BREVI-T is for you. Abbreviations can be defined for both DOS and BASIC. These are automatically expanded as part of the command line processor. Optionally, parameters may be defined as part of an abbreviation. For example, "F 1" might be used to FORMAT drive 1. Change the 1 to a 2 and FORMAT drive 2. It's that simple. Complete with easy-to-follow instructions, examples and a sample abbreviation file.

Specify Model I or Model III\$16.95

Let your TRS-80™ Test Itself With THE FLOPPY DOCTOR & MEMORY DIAGNOSTIC

by David Stambaugh

A complete checkup for your MODEL I or MODEL III. THE FLOPPY DOCTOR-Version 3 completely checks every sector of single or double density 35-, 40-, 77-, or 80-track disk drives. Tests motor speed, head positioning, controller functions, status bits and provides complete error logging. THE MEMORY DIAGNOSTIC checks for proper write/read, refresh, executability and exclusivity of all address locations. Includes both diagnostics and complete instruction manual.

SYSTEM DIAGNOSTICS\$24.95
For MODEL III\$29.95

TRS-80 is a trademark of the
Radio Shack Division of Tandy
Corporation. VisiCalc is a
trademark of Visi Corp. PLAIN
JANE, AIDS-I, AIDS-III, CALCS-III,
CALCS-IV, MERGE-III are
trademarks of MTC.
©1982 by Meta Technologies
Corporation

**MOST ORDERS
SHIPPED WITHIN
ONE BUSINESS DAY**

24 Hr. Bulletin Board
(216) 289-8689

**PRICES IN EFFECT
THRU
October 31, 1982**
Prices, Specifications,
and Offerings subject to
change without notice
8210

WE ACCEPT
• VISA
• MASTER CHARGE
• CHECKS
• MONEY ORDERS
• C.O.D.

• Add \$3.00 for shipping
& handling.
• \$2.00 EXTRA for U.S.
Mail delivery.
• \$3.00 EXTRA for C.O.D.
• Ohio residents add 6.5%
sales tax.

Our yellow pages make the competition go green.

✓ 11

There's no recession at Alpha Byte. Our business is booming.

In the past year alone, our sales have increased ten-fold. And they're still on the rise.

We believe it's because we offer a unique combination of low prices and outstanding service — a package of knowledgeable salespeople, quick and efficient shipping, convenient payment options and a guarantee of satisfaction — at below-competitive prices!

Our satisfied customers are spreading the word.

We built a reputation, and a booming business, on our prices and your satisfaction. It's no wonder the competition is envious.

PRINTERS

ANADIX DP 9500	1295.00
ANADIX DP 9501	1295.00
C-ITOH F-10 40 CPS PARALLEL	1545.00
C-ITOH 45 CPS PARALLEL	1770.00
C-ITOH 40 CPS SERIAL	1295.00
C-ITOH 8510 PROWRITER PARALLEL	549.00
C-ITOH 8510 PROWRITER SERIAL	695.00
EPSON MX-80 III W/GRAFTRAX PLUS	SCALL
EPSON MX-80 III F/T W/GRAFTRAX PLUS	SCALL
EPSON MX-100 III W/GRAFTRAX PLUS	SCALL
IDS PRISM 80 W/O COLOR	1099.00
IDS PRISM 80 W/COLOR	1599.00
IDS PRISM 132 W/COLOR	1799.00
NEC 8023A	485.00
NEC SPINWRITER 3530 P. RO.	1995.00
NEC SPINWRITER 7710 S. RO.	2595.00
NEC SPINWRITER 7730 P. RO.	2595.00
NEC SPINWRITER 3500 SELLUM	2295.00
OKIDATA MICROLINE 80	389.00
OKIDATA MICROLINE 82A	469.00

OKIDATA MICROLINE 83A	720.00
OKIDATA MICROLINE 84	1199.00
OKIGRAPH 82	33.95
OKIGRAPH 83	33.95

EPSON ACCESSORIES

MICROBUFFER MBS-8K	159.00
MICROBUFFER MBP-16K	159.00
GRAFTRAX PLUS	60.00
MX-80 RIBBONS	13.00
MX-80 PRINthead	40.00
MX-100 RIBBONS	24.00
MX-100 PRINthead	49.00
EPSON SERVICE MANUAL	30.00

16K RAM SPECIAL 13.95

Set of 8 NEC 4116 200ns. Guaranteed one full year.

MODEL I, III SOFTWARE

LAZY WRITER MOD I	169.00
LAZY WRITER MOD III	169.00
MICROPROOF SPELLING CHECK	84.95
PROSOFT NEWSOFT MOD I, III	99.00
PROSOFT MAILING LABELS MOD I, III	29.95
PROSOFT NEWSOFT/LABELS MOD I, III	115.00
SPECIAL DELIVERY MOD I, III	119.00
X-TRA SPECIAL DELIVERY MOD I, III	179.00
TRAKCESS MOD I	24.95
OMNITERM. SMART TERMINAL MOD I, III	89.95
MAXI-MANAGER MOD I, III	89.95
DOS PLUS 3.4 MOD I	89.00
DOS PLUS 3.4 MOD III	89.00
LDOS 5.1 MOD I, III	119.00
MICROSOFT EDITOR ASSEMBLER + MOD I (DISK)	44.95
MICROSOFT FORTRAN MOD I	165.00

DISKETTES

ALPHA DISKS 21.95

Single sided, certified Double Density 40 Tracks, with Hub-Ring. Box of 10. Guaranteed one full year.

VERBATIM

MD 525-01, 10, 16	26.50
MD 550-01, 10, 16	44.50
MD 557-01, 10, 16	45.60
FD 32 or 34-9000	36.00
FD 32 or 34-8000	45.60
FD 34-4001	48.60

DYSAN

5 1/4, SS/DD, BOX OF 10	45.00
-------------------------	-------

DISKETTE STORAGE

5 1/4" PLASTIC LIBRARY CASE	2.50
-----------------------------	------

8" PLASTIC LIBRARY CASE	3.50
PLASTIC STORAGE BINDER WITH INSERTS	9.95
PROTECTOR 5 1/4"	21.95
PROTECTOR 8"	24.95

TRS-80 MOD I HARDWARE

PERCOM DATA SEPARATOR	27.00
PERCOM DOUBLER II	159.00
TANDON 80 TRACK DISK DRIVE	345.00
TANDON 40 TRACK DISK DRIVE	289.00
LNW DOUBLER WITH DOSPLUS 3.3	138.00
LNW DOUBLER 5/8 WITH DOSPLUS 3.4	171.00

ISOLATORS

ISO-1 3-SOCKET	53.95
ISO-2 6-SOCKET	53.95

MODEMS

NOVATION CAT ACOUSTIC	135.00
NOVATION D-CAT DIRECT CONNECT	156.00
NOVATION AUTO-CAT AUTO ANSWER	219.00
UDS 103 LP DIRECT CONNECT	175.00
UDS 103 JLP AUTO ANSWER	209.00
D.C. HAYES STACK SMART MODEM	227.00
LEXICON LEX-11	109.00

CP/M® SOFTWARE FOR MOD II

MICROSOFT

MICROSOFT BASIC-80	285.00
MICROSOFT BASIC COMPILER	315.00
MICROSOFT FORTRAN-80	345.00
COBOL 80	568.00

MICRO PRO

WORDSTAR*	285.00
MAILMERGE (REQUIRES WORDSTAR)*	103.00
SPELLSTAR (REQUIRES WORDSTAR)*	155.00
SUPERSORT*	168.00
DATASORT*	235.00
CALCSTAR*	199.00

OTHER CP/M® SOFTWARE

SPELLGUARD	209.00
SUPERCALC	229.00
COMM X TERMINAL SOFTWARE	82.00
dBASE II	599.00
P & T CP/M® MOD II TRS-80	175.00
C BASIC 2	115.00
PASCAL Z	349.00
PASCAL *MT +	439.00
PASCAL/M	295.00
SYSTEMS PLUS —	
G/L, A/R, A/P, P/R	1799.00
CONDOR I	579.00
CONDOR II	849.00

SUPPLIES

AVERY TABULABLES

1,000 3 1/2 x 15/16	8.49
3,000 3 1/2 x 15/16	14.95
5,000 3 1/2 x 15/16	19.95

FAN FOLD PAPER (Prices F.O.B. S.P.)

9 1/2 x 11 18lb WHITE 3,000 ct.	29.00
14 7/8 x 11 18lb WHITE 3,000 ct.	39.00

CORVUS

TRS-80 MOD I, II, III

Controller, Case/P.S., Operating System, A&T

5 MEGABYTES	3245.00
10 MEGABYTES	4645.00
20 MEGABYTES	5545.00
MIRROR BACK-UP	725.00

SPECIALS

SPECIAL NO. 1

TRS-80 DISK AND OTHER MYSTERIES, BOX OF VERBATIM DISKS, PLASTIC LIBRARY CASE	44.50
--	-------

SPECIAL NO. 3

NEWDOS/80 2.0, BOX OF VERBATIM DISKS, PLASTIC LIBRARY CASE	149.00
--	--------

SPECIAL NO. 4

MICROSOFT BASIC COMPILER, BOX OF VERBATIM DISKS, PLASTIC LIBRARY CASE	179.00
---	--------

SPECIAL NO. 5

MICROSOFT BASIC DECODED AND OTHER MYSTERIES, BOX OF VERBATIM DISKS, PLASTIC LIBRARY CASE	49.95
--	-------

DOUBLE DENSITY SPECIAL

PERCOM DOUBLER II, NEWDOS/80, BOX OF VERBATIM DISKS, PLASTIC LIBRARY CASE	279.00
---	--------

COMMUNICATION SPECIAL MOD I & III

NOVATION MODEM, OMNITERM TERMINAL SOFTWARE.	
ACOUSTIC SPECIAL (CAT)	219.00
DIRECT CONNECT SPECIAL (D-CAT)	239.00
SERIAL CABLE	25.00

DISK LIBRARY SPECIAL

RACET DISKCAT CATALOGING PROGRAM, FLIP SORT (50 DISK CAPACITY), 50 STICK-ON DISK LABELS	59.95
---	-------

TWO NEW 'OTHER MYSTERIES' BOOKS

THE CUSTOM TRS-80	24.95
MICROSOFT BASIC FASTER AND BETTER	24.95

TRS-80 GAMES

All games are disk versions. Cassette versions may not be available.

TEMPLE OF APSHAH	34.95
HELLFIRE WARRIOR	34.95
STAR WARRIOR	34.95
RESCUE AT RIGEL	24.95
CRUSH, CRUMBLE & CHOMP	24.95
INVADERS FROM SPACE	17.95
PINBALL	17.95
STAR TREK 3.5	17.95
MISSILE ATTACK	18.95
STAR FIGHTER	24.95
Z-CHESS III	24.95
ADVENTURE NO. 1, 2, & 3	34.95
ADVENTURE NO. 4, 5, & 6	34.95
ADVENTURE NO. 7, 8, & 9	34.95
DUEL-N-DROIDS	17.95
STARFLEET ORION	21.95
INVASION ORION	21.95
OLYMPIC DECATHLON	24.95
MONTY PLAYS MONOPOLY	31.95
SARGON II	31.95
BLACKJACK MASTER	27.95
ROBOT ATTACK	17.95
GALAXY INVASION	17.95
SUPER NOVA	17.95
TUESDAY MORNING QUARTERBACK	26.95
LUNAR LANDER	18.95
THE MEAN CHECKER MACHINE	21.95
SPACE ROCKS	18.95
PIGSKIN	17.95
ZOSSED IN SPACE	18.95
ARCADE-80	21.95
COMBAT	18.95
SPACE INTRUDERS	17.95
SILVER FLASH	17.95
MORTON'S FORK	26.95
PROJECT OMEGA	21.95
SCARFMAN	17.95

Now you can use your Epson printer without wasting computer time.

Alpha Byte is proud to introduce the Microbuffer.™

Improve efficiency by adding a Microbuffer to your Epson printer.

Your computer is capable of sending data much faster than your Epson is capable of printing it. Because of this you and your computer spend a lot of time just waiting for the Epson to finish printing one line before the next can be sent.

You can recover this wasted time by installing the Microbuffer buffered Centronics-compatible parallel interface, from Practical Peripherals, Inc. It will allow you to print and process simultaneously by storing computer output in an external RAM buffer until the printer is ready for it. You regain control of the computer and may continue processing while the Epson is still printing.

MBP-16K PARALLEL INTERFACE - 16,394 BYTE BUFFER.....159.00

The MBP-16K Centronics-com-

patible parallel interface features a 16,394 byte buffer for data storage and is compatible with standard Epson cables. The MBP-16K supports all Epson printer commands and GRAFTRAX-80.

MBS-8K RS-232C SERIAL INTERFACE - 8,192 BYTE BUFFERING.....159.00

The MBS-8K is an RS-232 serial interface with an 8,192 byte buffer. The MBS-8K supports seven baud rates (300 to 19,200), hardware and X-On/X-Off handshaking, and user selectable UART settings. The MBS-8K supports all Epson printer commands and GRAFTRAX-80.

Both the Microbuffer MBP-16K and Microbuffer MBS-8K are easy to install, they simply plug into the existing auxiliary interface connector inside the Epson MX-80, MX-80 F/T, and MX-100 printers. It requires no special user software for control.

Alpha Byte

COMPUTER PRODUCTS

31245 LA BAYA DRIVE, WESTLAKE VILLAGE, CALIFORNIA 91362

We guarantee everything for 30 days. If anything is wrong, return the item and we'll make it right. And we'll pay the shipping charges.

We accept Visa and Master Card on all orders; COD orders, up to \$300.00.

Add \$2.00 for standard UPS shipping and handling on orders under 50 lbs. delivered in continental U.S. Call for shipping charges over 50 lbs. Foreign, FPO and APO orders, add 15% for shipping. Californians add 6% sales tax.

Prices quoted are for stock on hand and are subject to change without notice.

To order or for information call
(213) 706-0333
Modem order line: (213) 883-8976

PROOF NOTES

MANAGING EDITOR
Eric Maloney
SENIOR COPY EDITOR
Michael Nadeau
NEWS EDITOR
John P. Mello Jr.
REVIEW EDITOR
Janet Fiderio
NEW PRODUCT EDITOR
Steven Frann
EDITORS
Lynn Rognsvoog, Carolyn Nolan,
Kerry Leichtman, Caron Taylor,
Deborah Sargent
TECHNICAL CONSULTANT
Jake Commander
TECHNICAL EDITORS
G. Michael Vose (Features, Editor)
Art Huston (Editor)
PRODUCTION EDITOR
Susan Gross
LAYOUT EDITORS
Joan Ahern, Bob Dukette,
Sue Hays, Anne Vadeboncoeur
PROOFREADERS
Peter Bjornsen, Vinoy Laughner,
Peg LePage, Louis Marini
EDITORIAL ADMINISTRATIVE
Pat Graham, Nancy Noyd

Subscriptions:

Problems with Subscriptions: Send a description of the problem and your current and/or most recent address to: *80 Micro*, Subscription Department, P.O. Box 981, Farmingdale, NY 11737.

Change of Address: Send old label or copy of old address and new address to: *80 Micro*, P.O. Box 981, Farmingdale, NY 11737. Please give eight weeks advance notice.

Microfilm: This publication is available in microform from University Microfilms International. United States address: 300 North Zeeb Road, Dept. P.R., Ann Arbor, MI 48106. Foreign address: 18 Bedford Row, Dept. P.R., London, WC1R4EJ, England.

Dealers: Contact Ginnie Boudrieau, Bulk Sales Manager, *80 Micro*, Pine St., Peterborough, NH 03458. (800) 343-0728.

Power. Psychologists analyze it, sociologists observe it, historians record its progress. The word means many things but its most positive definition is the ability to do, the capacity to act, and the capability of performing or producing. It's nothing more than an entrepreneur's motto.

The businessman must be able to gather, access, and interpret data, make well-thought-out decisions quickly, and act on the moment. Microcomputers, with the correct software, compile, file, graph, plot, calculate, and store data. They can simplify difficult tasks and alleviate repetitive ones.

In a business, money is time and time is money. Micros save time, and free time for the more creative side of running a business. If used correctly and to their best potential, micros are suited for the business setting and are powerful tools.

To the Future

In the near future, micros will further increase the small businessman's power to organize, evaluate, and efficiently use business data.

When perfected, 16-bit microtechnology, featuring multi-user operating systems, will let the user create a comprehensive data file that can be accessed simultaneously by more than one terminal. The information stored could be totally or partially accessed by different programs depending on the application. Currently, most software store their data files on disk or cassette, usually not accessible to other software. One of the exceptions is VisiCalc's DIF format, which allows other DIF-compatible software to access its data base—for example, Visigraph, marketed by Micro Software Systems of Fullerton, CA.

As the differences among micros, minis, and mainframes decrease, the business uses that were once out of the average business's reach will soon be available. So will the storage devices.

It would be difficult to ignore the faster access time and increased storage that hard disks provide. Thirty companies began manufacturing hard disks in the last six months in the United States. Prices will drop dramat-

ically, making them more affordable and service more accessible.

If you have been noticing new printer advertisements, it will not surprise you that quality machines are available at reasonable prices. Low-cost letter-quality dot-matrix printers are not far off.

Portability will also be a factor. Just recently released is a conversion that turns the Model III into a portable computer with a nine-inch CRT and two disk drives. The Model 3000, by Adcock and Johnson of Fort Worth, TX, features options prime for business use: a 10 megabyte hard disk and modem.

Increased memory storage and access time, better software, more sophisticated hardware, letter-quality dot matrix printers—small business will benefit from them all.

In this Issue

This issue contains articles that you can use now in your business. QuickCalc is a VisiCalc look alike for the Models I and III for sales projections and other calculations. Written by Kurt Leafstand, QuickCalc features an 8 by 14 matrix and is designed for numeric values. If you are contemplating an IRA account, Robert Montgomery's article will help you visualize your long range financial status. For Color Computer users, Peter Stark's Income Tax Estimator will help you calculate a rough estimate of your tax liability.

Additional feature material includes information on computing learning and production curves, invoicing, keeping track of vehicle expenses, and a unique application in computer-aided manufacture (CAM) monitoring with the Model III written by staff writer Kerry Leichtman. Also, Bill Barden's Color Computer Primer and the Basic Compiler by Dimitri Bertsekas will interest many.

If you don't have sound business practices these programs won't make you successful. Software must have meaningful data to have effective results. If you have a good business head, though, this issue will be a welcome addition to your tool box. ■

—J.F.



WAYNE GREEN INC.

PETERBOROUGH, NEW HAMPSHIRE 03458 USA

To: 80 Micro readers

From: Eric Maloney

Re: Our Anniversary Issue

Dear Reader,

I want to tell you about our Third-Anniversary Issue. Because when it comes out next month, it's going to be more than just another magazine. It's going to be an event.

When you see this special 500-page monster, you will turn into a raving maniac. You will laugh, scream, jump up and down on your kitchen table, punch a hole in your wall, throw your furniture into the nearest lake. You will then slip into a berserk computing frenzy.

You think I'm being hyperbolic. You want to know what makes this special issue so special. Well, part of it's a secret. But I can give you some of the highlights.

For starters, we've got Bill Barden writing an introduction to Assembly language. Nobody knows the subject better than Bill. If you've always wanted to get into Assembly language, now's the time. Bill even covers the CC.

Tom Quindry had an idea: Why not combine some of the better utilities we've published into a mini-operating system? We gave him the go-ahead, and NODOS 80 is the result.

If you're a CC fan, you'll get an assortment of games, utilities, and programming techniques, plus a unique (and secret) graphics program that'll knock your socks off.

And if you own a Model II, you'll want to read Charles Perelman's crackerjack disk indexing program.

What else is on tap? A 6502-to-Z80 program converter, a spooler for the I/III, a guide to printers and how they work, an intro to encryption--the list is virtually endless. We've lined up over 75 all-new programs and features.

And then there's the big surprise. You probably wouldn't believe me if I told you what it is. I'm not even sure that I believe it. What'll they think of next?

You can order this special issue with the card facing p. 163. (It's not part of your regular subscription, so be sure you mail in the card.) And be ready to crank up the old TRS-80--you're going to be burning a lot of midnight oil this winter.

Yours,

Eric Maloney
Managing Editor
80 Micro

73 MAGAZINE
KILOBAUD MICROCOMPUTING
80 MICROCOMPUTING
DESKTOP COMPUTING
MICROCOMPUTING INDUSTRY
INSTANT SOFTWARE
LOAD 80
WAYNE GREEN BOOKS
WAYNE GREEN INTERNATIONAL


WHY

IS THE ALPHA JOYSTICK SUCH A SUCCESS ?

Because of games like these.

THE LATEST BLAST FROM BIG FIVE...

NEW! DEFENSE COMMAND



Actual unretouched photos


DEFENSE COMMAND



Big Five has done it again! Now the most popular arcade game of all time has a fascinating new twist. The Invaders are back! You are alone, valiantly defending the all important nuclear fuel cannister stockpile from a convoy of thieving aliens who repeatedly break off and attack in precision formations. An alien passes your guard, swiftly snatching up a cannister and flying straight off. Quick! you have one last chance to blast him out of the sky. Great action and sound!

BEST SELLER

SCARFMAN



SCARFMAN



THE LATEST ARCADE CRAZE now runs on your TRS-80.


It's eat or be eaten. You control Scarfman around the maze, gobbing up everything in your path. You attempt to eat it all before the monsters devour you. Difficulty increases as game progresses. Excellent high speed machine language action game. From The Cornsoft Group. With sound.

CAUTION: Played with the Alpha Joystick, Scarfman may become addictive.




SUPER NOVA®

Asteroids float ominously around the screen. You must destroy the asteroids before they destroy you! (Big asteroids break into little ones.) Your ship will respond to thrust, rotate, hyperspace and fire. Watch out for that saucer with the laser! As reviewed in May 1981 Byte Magazine.




LUNAR LANDER

As a vast panorama moonscape scrolls by, select one of many landing sights. The more perilous the spot, the more points scored —if you can land safely. You control LEM main engines and side thrusters. Absolutely the best use of TRS-80 graphics we have ever seen! From Adventure International. With sound.




ATTACK FORCE®

As your ship appears on the bottom of the maze, eight alien ships appear on the top, all traveling directly at you! You move toward them and fire missiles. But the more aliens you destroy, the faster the remaining ones become. If you get too good you must endure the "Flagship" ... With sound effects!



COSMIC FIGHTER®

Your ship comes out of hyperspace under a convoy of aliens. You destroy every one. But another set appears. These seem more intelligent. You eliminate them, too. Your fuel supply is diminishing. You must destroy two more sets before you can dock. The space station is now on your scanner... With sound!



METEOR MISSION II®


As you look down on your view, astronauts cry out for rescue. You must maneuver through the asteroids & meteors. (Can you get back to the space station?) Fire lasers to destroy the asteroids, but watch out, there could be an alien FLAGSHIP lurking. Includes sound effects!

TALKING ROBOT ATTACK

INCREDIBLE! This amazing game actually **TALKS** without a speech synthesizer, through the cassette AUX plug.

You are armed with just a hand held laser. In a remote section of the space station you encounter armed robots, some march towards you, some wait around corners. Watch out, the walls are electrified. Zap as many robots as you dare before escaping into a new section where more robots await you. The struggle continues. With Joystick action and **VOICE OUTPUT**, this game will amaze you.

VOICE OUTPUT!



GAME PRICES

16K Level 2, Mod 1 + Mod 3 Cassette: \$15.95
32K Level 2, Mod 1 + Mod 3 Diskette: \$19.95
All games on this page are "Alpha Joystick Compatible." They may be played with or without joystick (using arrow keys).

**Toll Free
Order Line
(800)
221-0916**


ALPHA Products

79-04 Jamaica Ave., Woodhaven, N.Y. 11421

(212) 296-5916


ADD \$2.00 PER ORDER FOR SHIPPING AND HANDLING.
WE ACCEPT VISA, MASTERCARD, CHECKS, M.O.
C.O.D. ADD \$3.00 EXTRA.
NY RESIDENTS ADD SALES TAX.
OVERSEAS, FPO, APO: ADD 10%.
DEALER DISCOUNTS AVAILABLE.





A Sweet Deal:

When you buy
an Alpha Joystick
and games together,
deduct up to \$14.00
from your order.



(Model I
version
shown)

MODEL 1 OR 3

ONLY
\$39.95

MODEL I OR III. SPECIFY WHEN ORDER-
ING. PRICE INCLUDES ATARI JOYSTICK +
ALPHA INTERFACE + INSTRUCTIONS +
DEMO PROGRAM LISTING.

THE ALPHA JOYSTICK

Joystick + 1 game : Deduct \$ 6.00
Joystick + 2 games: Deduct \$12.00
Joystick + 3 games: Deduct \$14.00

The Alpha Joystick gives you real arcade action. Game producers know that it makes great games better. That's why each month more games from more producers are "Alpha Joystick Compatible."

There has never been a better time to get your Alpha Joystick. With so many excellent action games to choose from it's time to step up to joystick power.

You will find the Alpha Joystick simple to use. Just plug it in. No modification, wiring or batteries are required, and it's fully compatible with any other TRS-80 accessories. The instructions are clear and complete, we even show you how easy it is to experiment in

BASIC (A = INP(0) reads stick) and to convert BASIC programs for joystick control.

MODEL I - Plugs into any Level II keyboard (40 pin card edge in the back) or expansion interface (left side, next to printer port). Our latest design has a "mode" switch for compatibility with the many different producers of joystick compatible games.

MODEL III - Works with any Model III BASIC system. It plugs into the 50 pin I/O bus (largest edge connector underneath, centered toward the rear). It will work with "Joystick Compatible" Model III games from any producer.

"If you purchase Alpha's Joystick you get the exquisite pleasure of enjoying (action games) to the limit of arcade-style realism."

- 80 Microcomputing
80 Reviews, Jan '82

**14 DAY MONEY BACK
GUARANTEE:** If you are not
delighted, return it within 14
days for a prompt and
courteous refund.

**Toll Free
Order Line**

ORDERS ONLY. HOURS: 9 AM - 5:30 PM, E.S.T.
FOR INFO CALL: (212) 296-5916

800-221-0916

ADD \$2.00 PER ORDER FOR SHIPPING AND HANDLING.
WE ACCEPT VISA, MASTERCARD, CHECKS, M.O.
C.O.D. ADD \$3.00 EXTRA.
NY RESIDENTS ADD SALES TAX.
OVERSEAS, FPO, APO: ADD 10%.
DEALER DISCOUNTS AVAILABLE



ALPHA Products

79-04 Jamaica Ave., Woodhaven, N.Y. 11421 (212) 296-5916

Marketing Software

I've recently begun developing software packages which I consider marketable. I have not previously written any commercial software and don't know how to sell what I write.

I consider your magazine a reliable and excellent source of information for TRS-80 users. Can you supply some information on how to get TRS-80 software marketed successfully?

John J. Szucs
495 W. 12th St.
Chicago Heights, IL 60411

We've been thinking about all our readers with software to sell, John. Our January 1983 issue will feature topics which should interest you—marketing, copyrighting, and tax breaks are just a sample of what you can expect.—L.R.

Just One

Upon rereading my recent article "Extended Color Basic" (80 Micro, June/July 1982), I noticed that I neglected to mention an important point. The instruction DEFFN is not the same as that in TRSDOS. DEFFNX(A,B) is illegal. Only one argument can be used, for example, DEFFNX(A). This seriously limits the instruction's utility.

Franklyn D. Miller
8871 Falmouth Drive
Cincinnati, OH 45231


Neatlist—Take Two

Well, I guess it's true—no matter how hard we try, something still goes wrong.

In reference to my letter on Neatlist ("Neatlist for Disk," 80 Input, June 1982), there is a small error in Program Listing 2 (page 16). In retyping from my listing, the variables I3 or I4 were incorrectly shown as 13 or 14 three times in statement 65505. It should read: ...LN!=PEEK(13)+256*PEEK(I4) ...and...I=14...

These are small errors but when typing or proofreading any computer text I-I and O-O transpositions are the first thing to look out for.

80 Micro is not completely to blame and there are a few things that potential



writers to 80 Micro can learn from this:

- When submitting even the smallest of programs (or modifications) to 80 Micro, give them a break and send a tape or a disk. If you want it back include a self-addressed label and postage. I can just imagine the huge number of listings they have to look at.
- When naming variables (especially for a fix as complex as this), don't get so locked in on a clever naming convention like I3 (for I + 3), that you overlook the poor guy trying to read that tiny listing.
- Avoid the use of I, 1, O and 0 in variable names.
- Don't over-compress to save space (unless you really have to). Remember that readability is more important than anything. You want the reader to be able to type from your listing.

James H. Gates
4316 Bannister Road
Fair Oaks, CA 95628

We couldn't have said it better. We also suggest that authors get our writer's guidelines before submitting. A properly prepared manuscript has a much greater chance of being accepted.—Eds.

Help the Consumer

On several occasions I've ordered software from ads in 80 Micro. I can't use much of the software I receive because the vendor distributes it on protected disks.

I have two 80-track disk drives. Most software is recorded on 35 or 40-track format. If the software is not on a protected disk, I can easily copy it onto an 80-track disk, and store the original disk in a safe place.

However, I can't copy protected software, and protected 35 or 40-track disks will not work in my 80-track drives. I'm forced to return the protected software to the vendor, and wait forever for a refund of my money.

The software vendor has his own interests at heart when he uses the protected software. The magazine, which is dependent on advertising revenues, has the vendor's interests at heart. Who's looking out for the subscriber/consumer?

It would be too much to expect 80 Micro (and others) to approach vendors and ask them to do away with protected software. But is it too much to ask that 80 Micro consider a policy to identify such software in the advertising prints?

Jeff Briner
Route 1, Box 260
Hickory, NC 28601

Jeff, if you possess a non-standard hardware or software configuration, the responsibility for determining if a specific software product will run on your system is up to you, not the manufacturer. If you have any doubts as to whether a program will load on your system, call the manufacturer before you place your order. If he really wants to make a sale, he'll make sure you get a copy you can use.

Terry Kepner aids a reader with a problem almost identical to yours in this month's Feedback Loop. We suggest you look it up.—Eds.

Historical Misinformation

Although I don't have a TRS-80 computer and I'm not a novice, the program Mr. Chidsey provided in his article "For the Novice—Part I" (80 Micro, June/July 1982, page 148) seems to be a sophisticated and useful one which most novices should be able to implement.

However, I write to protest the incredible amount of misinformation given under the form of a historical aside. Deforest patented the triode, not the diode. ENIAC was a decimal calculator, not a binary computer. Bits used to be represented by flip-flop circuits, not single tubes or transistors. Using the term printed circuit to describe a chip is misleading at best. And anyone who can describe a chip as a cockroach has not lived in Gainesville.

Because ENIAC was our first stab at a computer (but not designed as a com-


NOW MODEL I AND MODEL III!

Now Model III users can take advantage of the ALPHA I/O system too. Our new MOD III/I BUS CONVERTER allows most port based Model I accessories (such as our ANALOG-80, INTERFACER 2 and INTERFACER-80) to connect to the Model III bus. MOD III/I BUS CONVERTER, complete with all connectors, only \$39.95.



PRINTSWITCH

Have 2 printers on line at all times and select printer 1 or 2 by means of a conveniently located switch. End the problem of constantly plugging and unplugging printer cables. PRINTSWITCH is a compact module that plugs onto the parallel printer port of your TRS-80 and provides an edge connector for each of your two printers. It works with any two types of printers: dot matrix, daisy wheel, plotters, TRS-80 converted selectrics, etc. Assembled, tested, ready to use with connector and instructions. For Model I or III (please specify). ONLY \$59.00



SUPERIOR QUALITY REPLACEMENT & EXTENSION CABLES

Highest quality cable and high force, gold plated contacts ensure the utmost in connection reliability.

- 1. KEYBOARD TO EXPANSION INTERFACE \$21.
- 2. DISK DRIVE CABLE FOR 1 OR 2 DRIVES \$32.
- 3. DISK DRIVE CABLE FOR 3 OR 4 DRIVES \$45.
- 4. DISK DRIVE CABLE EXTENDER \$22.
- 5. PRINTER CABLE EXTENDER \$24.
- 6. 40 PIN BUS EXTENDER - 2 ft. ... \$22 4 ft. ... \$24.

Custom cable configurations are also available. Call us.



YOU ASKED FOR IT: "EXPANDABUS" X1, X2, X3 AND X4. CONNECT ALL YOUR TRS-80 DEVICES SIMULTANEOUSLY on the 40 pin TRS-80 bus. Any device that normally plugs into the keyboard edge connector will also plug into the "EXPANDABUS". The "X4" is shown with protective covers (included). The TRS-80 keyboard contains the bus drivers (74LS367) for up to 20 devices, more than you will ever need. Using the E/I, it plugs either between KB and E/I or in the Screen Printer port. Professional quality, gold plated contacts. Computer grade 40 conductor ribbon cable. X2, \$29. X3, \$44. X4, \$59. X5, \$74. Custom configurations are also available. call us.



ANALOG-80: A WORLD OF NEW APPLICATIONS POSSIBLE.

8 DIGITAL MULTIMETERS PLUGGED INTO YOUR TRS-80!!! Measure Temperature, Voltage, Current, Light, Pressure, etc. Very easy to use: for example, let's read input channel #4 10 OUT 0.4 Selects input #4 and also starts the conversion 20 A=INP(I) Puts the result in variable 'A' Voila! Specifications: Input range: 0-5V to 0-500V. Each channel can be set to a different scale. Resolution: 20mV (on 5V range). Accuracy: 8 bits (.5%). Port Address: jumper selectable. Plugs into keyboard bus or E/I (screen printer port). Assembled and tested, 90 day warranty. Complete with power supply, connector, manual. \$139.



TIMEDATE 80: REAL-TIME CLOCK/CALENDAR MODULE

Keeps quartz accurate time for 3 years on 2 replaceable AAA batteries (not included). Gives MO/DATE/YR, DAY OF WEEK, HR MIN SEC and AM/PM. Features INTELLIGENT CALENDAR and even provides for Leap Year. This compact module simply plugs into rear of Keyboard or side of Expansion Interface (may be slipped inside E/I). Includes cassette software for setting clock and patching to any DOS (including NEWDOS 80 2.0). Optional "Y" connector allows for further expansion. For Model I. Fully assembled and tested. Complete with instructions and cassette. ONLY \$95.00 "Y" option, add \$12.00

GREEN SCREEN WARNING

IBM and all the "biggies" are using green screen monitors. Its advantages are now widely advertised. We feel that every TRS-80 user should enjoy the benefits it provides. But **WARNING:** all Green Screens are not created equal. Here is what we found:

- Several are just a flat piece of standard colored Lucite. The green tint was not made for this purpose and is judged by many to be too dark. Increasing the brightness control will result in a fuzzy display.
- Some are simply a piece of thin plastic film taped onto a cardboard frame. The color is satisfactory but the wobbly film gives it a poor appearance.
- One "optical filter" is in fact plain acrylic sheeting.
- False claim: A few pretend to "reduce glare". In fact, their flat and shiny surfaces (both film and Lucite type) ADD their own reflections to the screen.
- A few laughs: One ad claims to "reduce screen contrast". Sorry gentleman but it's just the opposite. One of the Green Screen's major benefits is to increase the contrast between the text and the background.
- Drawbacks: Most are using adhesive strips to fasten their screen to the monitor. This method makes it awkward to remove for necessary periodical cleaning. All (except ours) are flat. Light pens will not work reliably because of the big gap between the screen and the tube. Many companies have been manufacturing video filters for years. We are not the first (some think they are), but we have done our homework and we think we manufacture the best Green Screen. Here is why:
- It fits right onto the picture tube like a skin because it is the only **CURVED** screen **MOLDED** exactly to the picture tube curvature. It is Cut precisely to cover the exposed area of the picture tube. The fit is such that the static electricity is sufficient to keep it in place! We also include some invisible reusable tape for a more secure fastening.
- The filter material that we use is just right, not too dark nor too light. The result is a really eye pleasing display.
- We are so sure that you will never take your Green screen off that we offer an unconditional money-back guaranty: try our Green Screen for 14 days. If for any reason you are not delighted with it, return it for a prompt refund.

A last word: We think that companies, like ours, who are selling mainly by mail should list their street address have a phone number (for questions and orders) accept CODs, not every one likes to send checks to a PO box offer the convenience of charging their purchase to major credit cards. How come we are the only green screen people doing it? Order your **ALPHA GREEN SCREEN** today... \$12.50

SPECIAL THIS MONTH!




DISK DRIVE EXTENDER CABLE. FREE YOUR MINI-DRIVES.

End the daisy-chain mess once and for all. Fits all mini-drives: Percom, Aerocomp, Shugart, Micropolis, MTI, Vista, Pertec, Siemens, BASF. Easy to install: just remove the drive cover, plug in the EXTENDER CABLE and replace the cover.

Now you can change and move your drives without disassembly. Keep the cover on and the dust out. High reliability gold plated contacts, computer grade 34 conductor cable. Tested and guaranteed.

Get one for each drive... ONLY \$8.95

8 power relays under your control



INTERFACER-80: the most powerful Sense/Control module.

- 8 industrial grade relays: single pole, double throw isolated contacts: 2 Amp. @ 125 Volts. TTL latched outputs are also accessible to drive external solid state relays.
- 8 convenient LEDs constantly display the relay states. Simple "OUT" commands (in basic) control the 8 relays.
- 8 optically-isolated inputs for easy direct interfacing to external switches, photocells, keypads, sensors, etc. Simple "INP" commands read the status of the 8 inputs. Selectable port address. Clean, compact enclosed design. Assembled, tested, 90 days warranty. Price includes power supply, cable, connector, superb user's manual. \$159.

ALPHA Products

79-04 Jamaica Ave., Woodhaven, N.Y. 11421

Info and order: (212) 296-5916

ADD \$2.50 PER ORDER FOR SHIPPING AND HANDLING
ALL ORDERS SHIPPED FIRST CLASS MAIL
WE ACCEPT VISA, MASTER CHARGE, CHECKS, M.O.
COD: ADD \$2.00 EXTRA
QUANTITY DISCOUNTS AVAILABLE
N.Y. RESIDENTS ADD SALES TAX.


```

10 ' 3-D DOT GRAPHICS BY BOB BOOTHE. FROM 80 MICROCOMPUTING,
12 ' APRIL 1981 ISSUE, PAGE 122. MODIFIED FOR USE WITH
14 ' C. ITOH 8510 AND NEC 8023A PRINTERS. DIP SWITCH SHOULD
16 ' BE SET FOR UNIDIRECTIONAL PRINT.
18 '
20 ' MODIFIED LINES ARE: 30,50,60,270,290,300, AND 310
22 '
30 LPRINTCHR$(27);"Q";CHR$(27);"T16" 'CHAR SIZE & LINE SPACING
40 CLS
50 DEFINT H,L,M,I,Q,X,Y,F,A: LP=14312 'LINE PRINTER ADDRESS
60 DIM A(8,576) 'USES ALL 8 PINS AVAILABLE FOR GRAPHICS
70 A1=0
80 FOR X1=1 TO 484
90 A1=A1+1
100 H=-2000: L=2000
110 N1=.09: N2=.0001
120 FOR Y=1 TO 320
130 X=(X1-Y)*2
140 IF X<1 THEN 270
150 IF X>320 THEN 260
160 D1=SQR((X-240)^2+(Y-80)^2)*N1+N2
170 D2=SQR((Y-240)^2+(X-80)^2)*N1+N2
180 M=X+180-SIN(D1)/D1*320-SIN(D2)/D2*220
190 IF M>H THEN 220
200 IF M<L THEN 240
210 GOTO 260
220 H=M
230 IF M>L THEN 250
240 L=M
250 A(A1,M)=1
260 NEXT Y
270 IF A1=8 THEN 290
280 NEXT X1
290 LPRINT CHR$(27);"S0576";: FOR Q=1 TO 576
300 IF PEEK(LP)<>63 THEN 300 ELSE POKE LP,(A(1,Q)+A(2,Q)*2+A(3,Q)
) *4+A(4,Q)*8+A(5,Q)*16+A(6,Q)*32+A(7,Q)*64+A(8,Q)*128)
310 FOR A1=1 TO 8: A(A1,Q)=0: NEXT A1
320 NEXT Q
330 LPRINT
340 A1=0: GOTO 280

```

Program Listing 1

puter; it was originally hard-wired for each problem, a process which usually took a week or two) its pre-Neumann architecture should be of interest. Most importantly, the accumulators (20) each held 10 digits and each digit was held in a ring counter composed of 10 flip-flops, each flip-flop being basically a 6SN7 dual triode vacuum tube. This idea was apparently due to John Atanasoff and one of the reasons that the Mauchley patents were disallowed in the famous lawsuit in the early seventies.

The article is good and useful; I'm sorry though that an editor didn't catch the historical misinformation.

David Block
P.O. Box 12473
Gainesville, FL 32604

80 Micro Is Here To Stay

I hope you aren't planning to keep the new title, *80 Micro*, for long. It sounds like an incomplete sentence. 80

Microcomputing sounds much better and was one reason why I subscribed to it rather than another magazine. So here's a big YEEECK for the guys in the old think tank at, ugh!, *80 Micro*.

James Tripiiano
P.O. Box 175
Vero Beach, FL 32960

Sorry, James. *80 Micro*, like rock and roll, is here to stay.—Eds.

3D Dot Graphics

Following my review of the C. Itoh 8510 printer (*80 Micro*, May 1982) I've received a lot of correspondence from owners who want to produce Bob Boothe's three-dimensional drawing on their printers.

The modified version of Bob's program from his article "A Turn of the Screw" (*80 Micro*, April 1981) is shown in Program Listing 1. It takes a long time to run, so I recommend that users

plan to let it run overnight. The key modification is in line 300. It now POKES an 8-bit value to the printer, making use of all eight graphics pins available on the 8510 and the NEC 8023A. Line 290 is a control code sequence that prepares the printer for the 576 graphic bytes which make up each print line.

Several readers have also requested my machine-language program to reproduce the TRS-80 Model I screen graphics on the 8510. I'm making it available for \$13 to anyone who sends me a blank disk. For \$17 I will supply the disk.

Mike Keller
13423 Desert Hills NE
Albuquerque, NM 87111

RAM Test for Disk

I've received a number of inquiries from Model III users attempting to run the Model III RAM test program ("Expand It—Burn It In," *80 Micro*, June/July 1982, page 344) under Disk Basic. Here are a few suggestions for those who'd like to modify the program for disk use.

I wrote the program under Model III ROM Basic for a cassette-based TRS-80. With the excellent RAM test programs available for disk systems, I didn't feel it necessary to provide changes for using the program under Disk Basic. Disk Basic reserves a significant portion of RAM for extended features and DOS overlays. ROM Basic makes no such demands and permits access to many more RAM addresses.

You must change the PEEK and POKE values in lines 260, 415, 425, 700, 800 and 900 for DOS compatibility. Addresses 16561 and 16562 contain the LSB and MSB values for memory reservation. For my 48K Model III under TRSDOS 1.3 Disk Basic, the values on power-up for 16561 and 16562 are 249 and 255 respectively. If you have a system with a smaller RAM configuration you should check your system addresses for the correct values. To avoid RAM addresses used for Disk Basic and TRSDOS, change all occurrences of PEEK or POKE 20000 to 22075 and 20005 to 22080. These are values for TRSDOS 1.3. If you're using another DOS, you'll have to do some exploration. Also, since disk operating systems unconditionally reserve RAM space for

HAPPINESS IS...NEWSSCRIPT™

THE WORD PROCESSOR FOR BUSINESSMEN AND PROFESSIONALS

We offer you ongoing support by answering your questions and providing reasonably priced enhancements.

A FEW OF NEWSSCRIPT'S STANDARD FEATURES:

- *Form Letters with merging of names and addresses
- *Gives superb appearance to your final documents
- *Comprehensive manual with hundreds of examples
- *Centering, top/bottom titles, indents, pagination
- *Underlining, boldface, double-width, italics†
- *Sub-scripts, super-scripts, proportional pitch†
- *Generates Table of Contents, sorted Index
- *Allows block graphics, special symbols†
- *Search and replace globally or within a range
- *Block move, copy, delete, insert from other file
- *AUTOSAVE, WHOOPS, DIRECTORY, KILL, REPEAT
- *Based on IBM's "EDGAR" and "SCRIPT" systems
- *Supplied ready-to-run on "tiny" DOSPLUS
- *Easily transferred to NEWDOS, NEWDOS/80, LDOS, TRSDOS
- *Includes handy Quick Reference Card

NEWSSCRIPT CONTROLS THESE PRINTERS:

- *EPSON MX-80, MX-100: all 12 fonts, plus underlining and block graphics; italics with GRAFTRAX
- *Centronics 737, 739; Radio Shack L.P. IV, L.P. VIII, Prowriter, Daisy Wheel II, NEC PC-8023A, TEC 8500R, C.I.TOH 8510: Right-justified true proportional printing
- *Good support for: Diablo, Spinwriter, Starwriter, QUME, Microline, Anadex, modified Selectric, standard line printers

NOW AVAILABLE: right-justified true proportional support for Diablo, Spinwriter, Starwriter, and Qume (DaisyWheel Option)**

TYPICAL USER AND REVIEWER COMMENTS:

"There is a new word processor on the market that will change the way people think about the capabilities of the TRS-80. Imagine a powerful mainframe text editor running on a TRS-80, with virtual compatibility between the two versions...on-going support second to none, with superb documentation." (Jim Klaproth, 80-U.S. JOURNAL February, 1982)

the manual:

"It definitely rates the first '10' given to any documentation reviewed in this column." (A.A. Wicks, COMPUTRONICS, October, 1981)

the software: "An excellent Word Processor" (D.H.); "Absolutely fantastic" (S.E.S.); "You have features that I cannot duplicate on my \$14,000 system" (J.B.)

the support: "Your phone information system and the prompt and courteous staff that you provide to help your clients...are worth the cost of the system." (V.H.H.)

REQUIRED CONFIGURATION: 48K TRS-80 with one disk drive. Specify Model I or Model III.

† Some features work only if your printer has the mechanical capability.

** DaisyWheel proportional is extra-cost option.

TO ORDER, CALL NOW, TOLL-FREE:

(800) 824-7888, Operator 422
CALIF: (800) 852-7777, Oper. 422
ALASKA/HAWAII: (800) 824-7919

FOR TECHNICAL INFORMATION CALL:
(213) 764-3131, or write to us.

Order from your Software dealer, or from:

PROSOFT™

DEPT. C, BOX 560 • NO. HOLLYWOOD, CA 91603



NEWSSCRIPT 7.0:	\$124.95
MAILING LABELS OPTION:	29.95
Special: NEWSSCRIPT + LABELS:	139.95
Daisywheel Proportional Option:	49.95
"PENCIL"/"SCRIPTSIT" File Converter:	14.95
Manual Only (180 pages):	30.00
Reference Card Only:	2.50
Electric Webster + Correction Feature:	149.50
Graphics Editor and Programmer:	45.95
GEAP & Dotwriter (Hi-Res. letters):	74.95
DOSPLUS 3.4:	149.95

TEHMS: We accept VISA, Mastercard, checks, Money Orders, C.O.D. and even cash. We pay shipping via surface UPS inside U.S.A. Please add \$3.00 for Blue Label, 6% tax in California, and 15% outside North America (air shipment).

their own use when you turn on the computer, the RAM available to the user is smaller. Therefore, change line 418 to reflect accurate MEM values.

A very informative article on employing the memory reservation technique I used in the RAM test program can be found on page 50 of the October 1981 issue of *80 Micro*.

Colin Alexander
28 Gladys
San Francisco, CA 94110

Crabby Old Wayne

I suggest you fire crabby old Wayne Green as a writer. Pay him his regular fees but don't publish his tripe. He hates Tandy with a passion, and must sit up nights dreaming new ways to submarine them. We *80 Micro* readers should not be subjected to his monthly hate messages to Tandy. Further, his writings are subjective, not objective. They represent irresponsible journalism at its worst.

Fred E. Guth
831 South Bemiston
Clayton, MO 63105

Of course Wayne's column is subjective. That's what it's for, to give opinions, create controversy, and stimulate discussion. We suggest that your reaction is far more vituperative than any of Wayne's observations.—Eds.

Marketing Genius

I disagree with Wayne Green's assessment of the Model 16 ("80 Remarks," June/July 1982, page 6). I don't believe Radio Shack is deliberately attempting to orphan the Model II. I believe the Model 16 is a stroke of marketing genius.

Far from putting the Model II out of business the Model 16 gives it a new lease on life. Buy a Model II now to use all the available software and when your business needs more power (and Model 16 software becomes available) upgrade your Model II to a Model 16. The advertising clearly states that the Model II can be upgraded to Model 16 specs. Although the maximum memory is only 256K, this is still quite a bit more than the 64K that the Model II ordinarily addresses.

Yes, Radio Shack has been and will be slow in bringing out Model 16 software, but this is nothing new. It gives all

those private software houses a chance to make money—they generally do a better job anyway.

Andrew Shorter
2578 Sylvan Road
Cuyahoga Falls, OH 44221

Too Many Little Letters

Among the many goodies in the February issue, John R. Olsen, Jr.'s utility for converting upper to lowercase in Basic Print statements ("Lots of Little Letters to Litter Your Listings") was one of the most welcome. However, users may find it almost too effective since nearly every alphabetic character to the right of an open quote mark is changed, including the initial letter of every first sentence, and the "Y" in string comparisons such as, IF A\$="Y" THEN... To reduce the editing you must do after running the program, you need to add only one line and make minor changes in three others (Program Listing 2). With these modifications, John Olsen's program will leave the first character to the right of an open quote mark completely untouched.

Michael M. Finefrock
The College of Charleston
Charleston, SC 29401

Tab Extender

The TRS-80 doesn't allow you to print past TAB(63). Why? The value you specify for Tab is ANDed with 3F

hex in ROM. This truncates any value to a max of 63. The ROM was cut like this so Print and LPRINT could both use the same Tab routine. There are numerous ways around this limitation.

You can LPRINT past position 63 in an orderly fashion. Forget using Tab and create your own tab function using the Disk Basic statement DEF FN. The code shown in Program Listing 3 does the trick. As line 100 shows, you use this FNT function just like Tab. It works for any value through maximum line length of your printer—80, 132, or whatever (up to 255).

Phil Lawson
P.O. Box 766
Richardson, TX 75080

See also "Tab Extender" (80 Micro, February 1982, page 248).—Eds.

A Patch for Scrip Patch

One of the many gems published in *80 Micro* was "Scrip Patch" by Daniel Allred (March 1981). This has become a valuable tool for getting out of and back into Scripsit without losing or having to reload data.

I recently started converting all my disks from TRSDOS to NEWDOS80 V2 and was dismayed to find Scrip Patch didn't work. Part of the problem is the Basic program in line 30. Change the address 66DFH to 26335 decimal.

The other part of the problem is caused by the reboot of NEWDOS when exiting Scripsit. Using Tasmon

```
465 IFI=JGOTO520
480 FOR Z=I+1 TO J
490 IF J>I THEN A=ASC(MID$(L$,Z,1))
500 IF J>1 AND (A>64)*(A<91) THEN MID$(L$,Z)=CHR$(A+32)
```

Program Listing 2

```
5 CLEAR 500
10 DEFSTR T:DEF FNT(X)=STRING$(X-PEEK(16539)," ")
.
.
.
100 LPRINT FNT(30)"POS-30"FNT(75)"PAGE 2"
```

Program Listing 3

Slaying Monsters Is No Game.

Role-playing games are a serious business. They take thought and strategy, skill and luck. Your computer role-playing games should help you, not slow you down. In this day and age, there is no excuse for games written in BASIC. No reason to put up with endless delays for disk I/O. No tolerance for looking up data in books. That's why Med Systems does role-playing right. The Warrior of RAS games are entirely implemented in 48K, with machine language speed and dungeon-master complexity. If you take your gaming seriously, why settle for anything less? The Warrior of RAS trilogy. Don't just play games. Master a universe.

Each volume of the Warrior of RAS trilogy is a self-contained game. Characters from one game can be loaded into all others. They require 48K of RAM on the TRS-80 Model I or Model III.



Volume I: DUNZHIN

Tape or Disk..... \$29.95

Volume II: KAIV

Tape or Disk..... \$29.95

Volume III: THE WYLDE

Tape or Disk..... \$29.95

MED SYSTEMS SOFTWARE • P.O. Box 3558 • Chapel Hill, NC 27514
To order call 1-800-334-5470

Please add \$2.00 for first class postage, \$4.00 for overseas orders. Mastercard and VISA accepted.

from The Alternate Source, I found the reboot command (C3 00 00) at 6594H. I changed these three bytes to read C3 2D 40 (JP 402D). Now Scripsit goes directly into NEWDOS without rebooting.

Bill Geib
8185 State Road
North Royalton, OH 44133

Clean Bill of Health

This letter is to retract my previous letter to you ("Z80 Microprocessor Bugs," 80 Input, September 1982) related to a problem with the Z80 microprocessor.

Further research indicates that the problem is caused by DDT using stack at the point specified by the entry and exit values specified by the user (see Fig. 1). I set the stack pointer (SP) to 444AH and then ran the program listed in the figure. The stack area is displayed at the bottom line.

Point 1 is where the SP was set prior to running the program. It shows that DDT uses the stack upon entry to DDT (with the G command), and again upon

exit from the user program as at point 2. No use of the stack area has occurred in the user program, since the SP was set to 4445H prior to the LHLD instruction, contrary to my earlier suppositions.

Thus the Z80 still has a clean bill of health!

Gavin Brickell
P.O. Box 38155
Howick
Auckland, New Zealand

Sorry, Gavin, that the timing was such that we printed your first letter before receiving your second one. As we mentioned in our reply to your first letter, monitors like DDT and T-Bug must use the stack as a repository for information about the program being altered in order to give the monitor control over the target while the monitor executes its own functions. Remember, it's not the monitor that pushes the program counter or other register information onto the stack; it is the Z80 itself responding to a Call instruction.—80 Micro Tech Staff

BIPED and State Government

I read with interest and dismay the recent article on BIPED by Kerry Leichtman (80 Micro, April 1982). Mr. Leichtman's statement that "BIPED receives no government financial assistance" and that "every aspect...is funded with corporate dollars" is erroneous.

The Connecticut State Department of Education, Division of Vocational Rehabilitation (DVR) has played a significant role in the assessment, preparation, placement, and continual guidance of their BIPED students. Due to confidentiality no names can be specifically mentioned. However, thousands of dollars in conjunction with coordination efforts of counselors have been extended to our BIPED clients so that they could participate in this program. DVR counselors were the first to contact clients from the Stamford community and advise them about the formation of BIPED and to keep them encouraged during a 15-month waiting period prior to matriculation.


Evaluation costs for our agency to have a client psychologically and physically assessed for this program as required by the BIPED admissions procedures exceed \$500 in most cases. Ad-

Error Trap

The correct price for Procopy as featured in the New Products column (80 Micro, August 1982, p. 393) is \$50.


Copy-Tape (\$9.95) from Modtec, 4144 N. Via Villas, Tucson, AZ 85719, was omitted from the Buyer's Guide to Utilities (80 Micro, April 1982).

Our Readers' Choice Awards listings in August (p. 378) included several errors. Micro Proof and Hexspell were listed under I/III—Word Processing instead of under I/III—Spelling Checkers. VisiCalc should be number 16 under I/III—Business.



QUALITY SOFTWARE FOR TRS-80 COLOR AND OSI

ADVENTURES AND QUEST ALSO FOR SINCLAIR AND VIC-20



ADVENTURES!!!

For TRS-80 COLOR and OSI. These Adventures are written in BASIC, are full featured, fast action, full plotted adventures that take 30-50 hours to play. (Adventures are inter-active fantasies. It's like reading a book except that you are the main character as you give the computer commands like "Look in the Coffin" and "Light the torch.")

Adventures require 16k on TRS80, TRS80 color, and Sinclair. They require 8k on OSI and 13k on Vic-20. Derelict takes 12k on OSI. \$14.95 each.

ESCAPE FROM MARS

(by Rodger Olsen)

This ADVENTURE takes place on the RED PLANET. You'll have to explore a Martian city and deal with possibly hostile aliens to survive this one. A good first adventure.

PYRAMID (by Rodger Olsen)

This is our most challenging ADVENTURE. It is a treasure hunt in a pyramid full of problems. Exciting and tough!

TREK ADVENTURE (by Bob Retelle)

This one takes place aboard a familiar starship. The crew has left for good reasons — but they forgot to take you, and now you are in deep trouble.

HAUNTED HOUSE (by Bob Anderson)

It's a real adventure—with ghosts and ghouls and goblins and treasures and problems — but it is for kids. Designed for the 8 to 12 year old population and those who haven't tried Adventure before and want to start out real easy.

DERELICT

(by Rodger Olsen & Bob Anderson)

New winner in the toughest adventure from Aardvark sweepstakes. This one takes place on an alien ship that has been deserted for a thousand years — and is still dangerous!



VENTURER!—A fast action all machine code Arcade game that feels like an adventure. Go berserk as you sneak past the DREADED HALL MONSTERS to gather treasure in room after room, killing the NASTIES as you go. Great color, high res graphics, sound and Joystick game for the TRS-80 Color or OSI machines. (black and white and silent on OSI.) Tape only. \$19.95.

BASIC THAT ZOOOMMS!!

AT LAST AN AFFORDABLE COMPILER FOR OSI AND TRS-80 COLOR MACHINES!!!


The compiler allows you to write your programs in easy BASIC and then automatically generates a machine code equivalent that runs 50 to 150 times faster.

It does have some limitations. It takes at least 8K of RAM to run the compiler and it does only support a subset of BASIC—about 20 commands including FOR, NEXT, END, GOSUB, GOTO, IF, THEN, RETURN, END, PRINT, STOP, USR (X), PEEK, POKE, *, /, +, -, >, <, =, VARIABLE NAMES A-Z, SUBSCRIPTED VARIABLES, and INTEGER NUMBERS FORM 0-64K.

TINY COMPILER is written in BASIC. It generates native, relocatable 6502 or 6809 code. It comes with a 20 page manual and can be modified or augmented by the user. \$24.95 on tape or disk for OSI or TRS-80 Color.


LABYRINTH — 16K EXTENDED COLOR BASIC

With amazing 3D graphics, you fight your way through a maze facing real time monsters. The graphics are real enough to cause claustrophobia. The most realistic game that I have ever seen on either system. \$14.95. (8K on OSI)



QUEST — A NEW IDEA IN ADVENTURE GAMES!

Different from all the others. Quest is played on a computer generated map of Alesia. Your job is to gather men and supplies by combat, bargaining, exploration of ruins and temples and outright banditry. When your force is strong enough, you attack the Citadel of Moorlock in a life or death battle to the finish. Playable in 2 to 5 hours, this one is different every time. 16k TRS-80, TRS-80 Color, and Sinclair. 13K VIC-20. \$14.95 each.



NEW!!

BREAKAWAY — ALL MACHINE CODE — Every computer has some form of BREAKAWAY available. Ours is fast, smooth, has 15 levels of difficulty — and is a bargain!! 16k TRS-80 Color only \$9.95.

PROGRAMMERS!

SEE YOUR PROGRAM IN THIS SPACE!!

Aardvark traditionally pays the highest commissions in the industry and gives programs the widest possible coverage. Quality is the keyword. If your program is good and you want it presented by the best, send it to Aardvark.

Please specify system on all orders

ALSO FROM AARDVARK — This is only a partial list of what we carry. We have a lot of other games (particularly for the TRS-80 Color and OSI), business programs, blank tapes and disks and hardware. Send \$1.00 for our complete catalog.

AARDVARK - 80

2352 S. Commerce, Walled Lake, MI 48088

(313) 669-3110

Phone Orders Accepted 8:00 a.m. to 4:00 p.m. EST. Mon.-Fri.

✓ 107

TRS-80 COLOR

SINCLAIR

OSI

VIC-20

ditional costs for needed equipment, such as wheelchairs or transportation travel expenses, are subsidized by DVR. Two clients are now being evaluated to drive and will require van modification equipment in excess of \$20,000 each. Without such equipment these BIPED clients will be unable to establish independence in driving to and from their working sites allowing for a tax return on these potential taxpayers. Also, DVR pays for medical and vocational supplies needed by clients through the duration of their program not covered by similar benefits.

I believe in giving credit where credit is due. Mr. Leichtman's article ignored the large contribution made by many people in our state government at all levels. Severely handicapped individuals do not just enter training programs unaided. It sometimes takes years of professional rehabilitation efforts to prepare our disabled clientele for successful completion of a program. Virginia's Woodrow Wilson Computer Programming Course, the New Haven Easter Seal's Computer Training Program and other similar ones throughout the United States have been so established through the joint efforts of the State Departments of Vocational Rehabilitation. I'm not sure if there would even be a BIPED if not for the government assistance extended through DVR.

*Kieren M. Hambley, M.S.
Senior Counselor
Connecticut State Department
of Education
Division of Vocational Rehabilitation
26 Palmer Hill Road
Stamford, CT 06902*

BIPED Support

I also believe in giving credit where credit is due. And, according to your letter, some ought to be thrown your way. But while we're tossing praise and criticism about, I'm afraid we'll have to pass some of the latter BIPED's way. Had anyone mentioned Connecticut's Department of Vocational Rehabilitation to me, either as an aid or a hindrance to BIPED's conception and continuation, I would have been happy to include it in the article. I went into great detail explaining who is in BIPED, who is responsible for BIPED's existence, and what the pro-

gram means to its participants. We at 80 Micro thought BIPED's approach and aims deserved special attention, and so devoted twice the space we normally give to a non-TRS-80 subject.

Some of the students mentioned counselors as being responsible for them knowing about the program, others told me the state helps them convert vans so they can drive, and I was told of New York State's refusal to cooperate in the program. But no one told me that their counselors did more than tell them about BIPED, and no one told me that converting a van to a handicapped vehicle is something the state does not do for its other handicapped citizens.

I am sorry your generous support was omitted from the article and am glad you took the time to set the record straight.—Kerry Leichtman

Unbiased Reviews?

I have a question about some of Paul Wiener's "Notes from Beneath the Keyboard" columns. For how many products that he has reviewed has he been on a beta type test team? In the column where he discussed Super Utility Plus I noticed that he was on Kim Watt's team. How can he give an unbiased opinion of a product he helped to develop? How much faith can I put in his column?

I am on several pre-release-give-him-a-copy-to-try lists. I think it's unfair to the readers and the manufacturers to write about these products. I will never review a product that I tested.

By the way, his article on MULTIDOS expressed my sentiments exactly. It could become a contender especially for those who develop Basic programs.

*Jerry Latham
Midwest City, OK*

Paul Wiener Replies

Thanks for your letter, Jerry. You brought up some interesting points.

First, to answer your immediate question, Super Utility Plus is the only product for which I have been an officially designated beta test site. However, I have been what amounts to the same thing with other products. For instance, I have passed several suggestions about MULTIDOS to

Vernon Hester. He was generous enough to mention my name in his documentation supplement.

For two years I was a software editor. Even now in my "retirement," I tend to pass constructive criticism on what I consider worthwhile software to the programmers. In the process I often develop a working or friendly relationship with the authors. I have many software friends whom I've never met in person.

Since I normally review only software I am enthusiastic about, it is likely I will have already developed some kind of rapport with its author as described above. Also, I like to contact authors of material I'm reviewing to make sure I'm not about to make myself look stupid due to ignorance or misunderstanding.

I do my best to not let my relationship with software authors affect my objectivity. I have never reviewed software by any author or publisher with whom I had any business transactions (i.e., my getting money or other compensation from them). Only after my review of Super Utility Plus appeared in 80 Micro, did Powersoft ask me to do a book for them. It came as quite a surprise. I have never received any compensation for any review I've written, except for the (sometimes) free review copy of the program, and the magazine's payment for the piece.

I have always shied away from doing reviews in which an honorarium is involved. For instance, a company that sells a popular version of Forth won't give away review copies of Forth. But they indicate that they'll send other software goodies to anyone who has purchased and written a good review of their Forth. They say they need to know the reviewer has a commitment to Forth, because a reviewer without Forth savvy was likely to do an unsatisfactory review.

I bought their Forth, but haven't given much thought to reviewing it, even though I'd like a free review copy of, say, their Forth-based word processor. If I ever do do a review under those circumstances, it will only be after conducting a reader's forum to see how they'd feel about it.

I hope the fact that my report on MULTIDOS echoed your own impressions helps to maintain my credibility in your eyes.—Paul Wiener

Learn it in a **FLASH**

michael shrayer's

ELECTRIC

pencil

word processing system

- **Easy to Learn** – Like lightning you will be up and running with a comprehensive and sophisticated word processor. Our manual says you can be an expert in one hour, our users tell us it takes less than 30 minutes. The manual's 128 pages are packed with figures, illustrations and examples for the beginner and "old pro".
- **Easy to Use** – With the ELECTRIC PENCIL you process words, not commands. ELECTRIC PENCIL's menus and simple two keystroke commands keeps your mind on your work, NOT on your manual. ELECTRIC PENCIL is so easy to use your secretary will WANT to use it... so sophisticated you'll be glad she did. David Ahl, the editor of Creative Computing says, "ELECTRIC PENCIL 2.0 is the most user friendly word processing package available."
- **Features** – ELECTRIC PENCIL has a 36k+ text buffer (48k disk system), supports disk, tape and Stringy Floppy files (disk version)* and has every major feature you want in a word processor. It is "bullet proof" – Data recovery is a built-in feature. The exclusive DICT-A-MATIC feature gives your office the flexibility of dictation-word processing without fancy equipment. Your dictation playback is controlled from the computer keyboard.
- **Flexible** – It is the only word processing system that is designed like an operating system. You can add new programs and features to ELECTRIC PENCIL, such as RED and BLUE PENCIL dictionary/correction – with a 50,000 word dictionary (sold separately) – without patches and upgrades. Simply press one of the control key combinations and new additions to your system are instantly available. Add automatic proofing, spelling correction, dynamic print formatting, proportional printing, communications, graphics and typesetting and many other add-on features when you need them.
- **Versatile** – ELECTRIC PENCIL runs on TRS-80 model I and model III computers under all versions of TRSDOS, and NEWDOS without modification or patching (Patches required for other operating systems). It also supports parallel and serial printers as well as single and double density disk systems.

ELECTRIC PENCIL is the choice of thousands - make it yours for only \$89.95 (disk version) or \$79.95 (tape and Stringy Floppy versions). Manual only \$24.95.

ELECTRIC PENCIL is available at computer stores, selected B. Dalton Booksellers and selected independent book dealers. If your dealer is out of stock, order direct (specify disk tape or Stringy Floppy version). Include \$4.00 for shipping and handling. Foreign residents add \$11.00 plus purchase price, in U.S. funds.

*Tape and Stringy Floppy versions support tape and stringy files only

Stringy Floppy trademark EXATRON Corp.
NEWDOS trademark APPARAT, Inc.

TRS80, TRSDOS trademark TANDY Corp.



1953 West
11th Street
Upland, CA
91786 (714)
946-5805

† trademark IJG, Inc.

Philly Phiasco—Take 2

The article titled "The Philly Phiasco" (80 Micro, May 1982) has to be one of the most destructive, uninformed, and childish dissertations I have ever seen in a computer publication.

I think the problem is that the author came to the Small Computers in the Arts Symposium expecting to hear and see high caliber art being done and instead heard and saw the tools with which art may be done. The symposium was after all sponsored by IEEE, not ASCAP. For the most part he was meeting the creative engineers and programmers who develop these tools, not the creative artists who will be using them in the future.

He also seemed to miss entirely that the symposium addressed techniques suitable for small computers and unfranchised individuals, not university mainframes and corporate fellows. I would be hard pressed to find any application of small computers today that

wasn't done 10 or 15 years ago on an IBM 360 in some research lab somewhere. Innovation in microland is doing those things on hardware that can be bought with a month's wages, not millions in tax write-offs! If you want to see something truly new, go to the International Computer Music conference in Italy this fall.

I must also protest the innuendo-loaded description of my own contribution to the symposium. Yes, I gave four sessions: Fundamentals of Software Synthesis, Advanced Software Synthesis, NOTRAN Delayed Playback Synthesis Workshop, and a question/answer discussion session. Much of what I said in the first two of these can be found somewhere in my book and the natural discussion topics in the last session centered on statements and philosophies found in the same book. If Mr. Gunn thinks this is bad, then he must believe there is no need for teachers in this world.

He also got the coding date for the Bach piece wrong—it was coded in 1970 for a large synthesis program that ran on a 30-bit word campus computer with ½-inch digital tape. The significance is that the same program now runs on an 8-bit micro with floppy disks used for the digital audio playback.

I thought the concert was very well balanced. It simultaneously showed a wide variety of musical styles and a wide variety of synthesis techniques performed on synthesis hardware ranging in cost from perhaps \$50 to several thousand. I scanned my program and was unable to find anyone who played 10 tunes. Frank Covitz and Cliff Ashcraft performed the shortest selections but these probably had the greatest timbral variety of any of the performances. In the second annual concert (this was the fourth), New England Digital, Crumar, Fairlight, and other professional groups were invited. The result was an evening of very good (but not revolutionary) music yet a comparative feeling of detachment as nobody in attendance could picture themselves ever using the \$30K and up hardware involved.

It is probably good to have an occasional skeptical expression about this or any other computer application. However, we don't need uninformed mockery devoid of any constructive substance. Now that I have ridiculed Mr. Gunn about as much as he ridiculed

the symposium, further discussion should be restricted to intelligent, constructive exchanges.

Hal Chamberlin
Route 1, Box 365
Wake Forest, NC 27587

Hal Chamberlin is the author of the book Musical Applications of Microcomputing, reviewed on p. 22 of the September 1981 issue.—Eds.

David Gunn Replies

According to the catalogue published for the Symposium, the "real purpose... (was) to bring out the applications which rely on computers, those that involve the computer directly in the creative task and involve the artist with the media in a new way." Sorry, Mr. Chamberlin, no new artistic directions or applications were present at the tutorials which I attended (including three of yours). And I stand by my review of the utter futility I witnessed at the concert, regardless of your idea of what constitutes breaking new musical ground.

David Gunn
106 Midway
Riverton, NJ 08077

Wordsmith Update

Hugh Ruppensburg's review of our Wordsmith word-processing program (80 Micro, June/July 1982, page 63) was an excellent one. He indicated that his roots were in writing and bookkeeping, so he may have had different expectations than our Basic word-processing program could meet.

Wordsmith is indeed slower and has little to offer when compared to expensive, more sophisticated word-processing programs. Wordsmith is in a different category and cannot be fairly compared with them. Because machine-language programs run about 300 times faster than Basic programs, Wordsmith presents marginal utility to the person who types rapidly.

We promote Wordsmith as a trainer for word processing as well as a programmer's tool. As a Basic program, Wordsmith is not suited to the business environment.

DC/CMD DISK CATALOGUE

Finally, after more than nine months of development, a universal diskette management system. A software package designed to keep track of all of your diskettes and programs.

\$39.95

Contains...

- ★ Quick sort routine for sorting by program name, or program extension, or disk number, or a combination of inter-woven sorts.
- ★ 255 Disk/510 side storage capacity per data file.
- ★ Virtually unlimited printing and data access parameters.
- ★ Pays for itself the first week.
(TRS MODELS I & III Only)

Rainbow TM

P & P CORPORATION

PO Box 362 • HADDONFIELD, N.J. 08033

CALL **800-257-6170**

in New Jersey 609-428-3900

Wordsmith's instructions are clearly written and accurate. They are easy to master because there are only 12 commands to learn (14 for disk version). Once the commands are learned, you are prompted by the menu for the feature you desire. You don't have to constantly refer to the manual.

Given the constraints of Basic, the hobbyist will find Wordsmith easy to use. It provides an environment to make text retention and revision easier. I consider it to be the best Basic word-processing program you can buy. The reviewer indicated that Wordsmith was intended for slower typists and most computerists fall into this category. Wordsmith was not intended to compete with the more expensive word-processing packages now available. There are already several excellent ones being sold.

As a trainer, Wordsmith provides the skeletal features most others have. With it you can rapidly acquire the insight for how word processing works. Because Wordsmith is written in Basic users can modify the program to better meet their needs. This is especially true of our Print command which was written for the MX-80 printer. If you don't have an MX-80 printer, just replace our print routine with one that uses Basic code to drive your printer. This lets you customize your Wordsmith for your non-MX-80 printer.

It is unfortunate that the reviewer, a user, was called upon to evaluate a product intended for the hobbyist market of doers.

Thomas Wnorowski
ABS Suppliers
3352 Chelsea Circle
Ann Arbor, MI 48104

Hugh Ruppensburg Replies

Mr. Wnorowski's opinion of Wordsmith generally reflects my own. As his letter states, and as my review stated, Wordsmith is suitable for the hobbyist (but not the professional), simple to use, and accompanied by clearly written instructions. The slow typing speed of this Basic word-processing program would not pose a problem for slow typists.

In evaluating Wordsmith, I set out to determine whether it really made writing easier, and whether its promise of making such writing projects as


term papers and books easier was valid. My answer to these questions, as expressed in my review, was that though there is much to be said in favor of Wordsmith, the disadvantages of slow typing and cumbersome editing did not justify these claims.

As for Mr. Wnorowski's contention that Wordsmith is intended as a trainer for word processing, I wonder whether word processing is really such a complicated procedure that it requires a trainer to begin with.


I stand by my review, which I believe is a fair and accurate assessment of the program in question. Contrary to what Mr. Wnorowski implies in his final paragraph, my status as a user eminently qualifies me to judge his program. Word processing is for writers, and writing is no less a process of doing than any other activity, including computer programming, that I can think of.

Hugh M. Ruppensburg
186 Clyde Road
Athens, GA 30605


A FULL LINE OF SEMIDISKS



S-100



TRS 80 Model 2



IBM Personal Computer

Do you use your computer? Or does your computer "use" you? Face it, if you're using floppies, your time is being wasted. Because a floppy is an inefficient random access storage device. Each time the processor wants to transfer data, it has to wait an eternity for the disk to rotate and the head to move.

So what do you do? Get a SemiDisk, quick. It's a large capacity semiconductor memory board that is driven by software to operate like a disk drive. Without all the waiting. Do everything you'd do on a floppy or hard disk, with no modifications to your software or hardware. Two board sizes are available: 512K and 1 Megabyte. (the highest density microcomputer memory board in the world) And you can put up to 8 megabytes in a system by adding more storage boards.

What do you need to use it? Just an S-100 system with CP/M 2.2. Or a TRS-80 Model 2 system with CP/M 2.2. Or an IBM Personal Computer. That's it. No special processors, DMA, I/O, or disk controllers are required. Plug it in and run the installation program, and you're on your way. Fast! Even better, we supply full source code to the driver software, in case you'd like to do your own interfacing.

Best of all, the SemiDisk's price won't warp your wallet. Compare specs, cost/megabyte, storage capacity, and compatibility with the competition. You'll see that the SemiDisk is a disk emulator truly worthy of the name. SemiDisk has battery-backup capability, too.

Consider our limited warranty: A full year, covering all parts and labor. Consider our liberal 15 day return policy. Price? \$1995 for 512K byte SemiDisk, \$2995 for 1 Megabyte SemiDisk. Both from stock. \$10.00 for manual. VISA, Mastercard, COD orders accepted. Dealer and OEM inquiries welcomed. (Specify system type and disk format when ordering.)

Someday, you'll get a SemiDisk.
Until then, you'll just have to wait.

**SemiDisk
SYSTEMS**

P.O. Box GG
Beaverton, OR 97075

(503)-642-3100

Call (503)-646-5510 for CBBS®/NW, a Semi-Disk-equipped computer bulletin board.
SemiDisk trademark of SemiDisk Systems; TRS-80 trademark of Radio Shack



TM

Straight Shooter Fix

Following are corrections for two of my recent programs which appeared in *80 Micro*.

In my article "The Straight Shooter" (*80 Micro*, January 1982), there is an error in line 30 of the program listing. It should be 30 DEFINT A-Z.

In my article "The Sargon Saver—Part II" (*80 Micro*, December 1981), the following comments apply:

Since publication of my article giving modifications to Sargon II, distributed by Hayden Book Company Inc., they have come out with a Model I/III version of Sargon II. The loader for that program has a one byte difference from the original version. In order to make MODIIB work with the Model I/III version (Model I only), change the following lines:

```
1580 LD (4499H),A
1600 LD (449AH),HL
```

Though it is not really necessary for the original version, a better address than that published for these lines would be:

```
1580 LD (449AH),A
1600 LD (449BH),A
```


This enables you to hit reset on your Model I and gain control of the computer rather than go back to Sargon.

The magazine version of MODIIB still will not work on the Model III with either version of Sargon II distributed by Hayden. I am still offering a version of MODIIB for \$4.50 which will work with either of Hayden's distributions of Sargon II and for either the Model I or Model III. Also I am still offering the disk conversion program for \$4.50 which allows you to load the program with modifications to disk. Send an SASE for prices and details.

Thomas L. Quindry
6237 Windward Drive
Burke, VA 22015

Space Chase Fixes

There are two minor bugs in my "Space Chase" program (*80 Micro*, May 1982). Line 1280 fails to award the expected bonus after a safe landing because the variable "HS" is wrongly



used in the phrase BONUS OF "HS" SOLS PAID. Change this HS to HB. I forgot to list the HS variable in Table 1. It represents the number of humans saved during the trip.

The other bug is that a plasma bomb found during one trip (the BB flag is set to 1) also appears on the next flight as

The Key Box for the Cube-80 program (80 Micro, August 1982, pages 106-110) states that it requires 16K RAM. The correct figure is 32K for Disk and Cassette Basic. Also, lines 1670-2150 were missing from the listing. They appear below.—Eds.

```
1670 IF (B(2)=BB(8)ORB(8)=BB(18)ORB(18)=BB(2))AND(B(2)<>BB(2)AND
B(8)<>BB(8)ANDB(18)<>BB(18)) THEN GOSUB1880 :RETURN
1680 IF (B(8)=BB(2)ORB(18)=BB(8)ORB(2)=BB(18))AND(B(8)<>BB(8)AND
B(2)<>BB(2)ANDB(18)<>BB(18)) THEN GOSUB1890 :RETURN
1690 IF (B(4)=BB(10)ORB(10)=BB(8)ORB(8)=BB(4))AND(B(4)<>BB(4)AND
B(10)<>BB(10)ANDB(8)<>BB(8)) THEN GOSUB1940 :RETURN
1700 IF (B(10)=BB(4)ORB(8)=BB(10)ORB(4)=BB(8))AND(B(10)<>BB(10)A
NDB(4)<>BB(4)ANDB(8)<>BB(8)) THEN GOSUB1950 :RETURN
1710 IF (B(4)=BB(18)ORB(18)=BB(8)ORB(8)=BB(4))AND(B(4)<>BB(4)AND
B(18)<>BB(18)ANDB(8)<>BB(8)) THEN GOSUB1960 :RETURN
1720 IF (B(18)=BB(4)ORB(8)=BB(18)ORB(4)=BB(8))AND(B(4)<>BB(4)AND
B(18)<>BB(18)ANDB(8)<>BB(8)) THEN GOSUB1970 :RETURN
1730 IF (B(4)=BB(16)ORB(16)=BB(8)ORB(8)=BB(4))AND(B(4)<>BB(4)AND
B(16)<>BB(16)ANDB(8)<>BB(8)) THEN GOSUB2000 :RETURN
1740 IF (B(16)=BB(4)ORB(8)=BB(16)ORB(4)=BB(8))AND(B(16)<>BB(16)A
NDB(4)<>BB(4)ANDB(8)<>BB(8)) THEN GOSUB2010 :RETURN
1750 IF (B(2)=BB(8)ORB(8)=BB(6)ORB(6)=BB(2))AND(B(2)<>BB(2)ANDB(
8)<>BB(8)ANDB(6)<>BB(6)) THEN GOSUB2020 :RETURN
1760 IF (B(8)=BB(2)ORB(6)=BB(8)ORB(2)=BB(6))AND(B(8)<>BB(8)ANDB(
2)<>BB(2)ANDB(6)<>BB(6)) THEN GOSUB2030 :RETURN
1770 IF B(6)=BB(6)ANDB(8)=BB(8)ANDC(5)<>C(6)ANDC(5)<>C(8) THEN G
OSUB2040 :RETURN
1780 IF B(2)=BB(2)ANDB(8)=BB(8)ANDC(5)<>C(2)ANDC(5)<>C(8) THEN G
OSUB2050 :RETURN
1790 K$="22":GOSUB2100 :NEXT:RETURN
1800 K$="111117171111171711111717111117171111171711111717":GOS
UB2100 :RETURN
1810 K$="11111717111117171111171711111717":GOSUB2100 :RETURN
1820 K$="100505100505050101":GOSUB2100 :RETURN
1830 K$="1010050501050501":GOSUB2100 :RETURN
1840 K$="14100505100505010105":GOSUB2100 :RETURN
1850 K$="14101005050105050105":GOSUB2100 :RETURN
1860 K$="021410050510050501010511":GOSUB2100 :RETURN
1870 K$="021410100505010505010511":GOSUB2100 :RETURN
1880 K$="111410100505010505010502":GOSUB2100 :RETURN
1890 K$="111410050510050501010502":GOSUB2100 :RETURN
1900 K$="1200031005051005050101120903":GOSUB2100 :RETURN
1910 K$="1200121005051005050101030903":GOSUB2100 :RETURN
1920 K$="0302121005051005050101031112":GOSUB2100 :RETURN
1930 K$="0302031005051005050101121112":GOSUB2100 :RETURN
1940 K$="1003061005051005050101151201":GOSUB2100 :RETURN
1950 K$="1003061010050501050501151201":GOSUB2100 :RETURN
1960 K$="020200001505101014101141401140600001111":GOSUB2100 :RE
TURN
1970 K$="0202090915051005051005050101140609091111":GOSUB2100 :RE
TURN
1980 K$="021210050510050501010311":GOSUB2100 :RETURN
1990 K$="020310050510050501011211":GOSUB2100 :RETURN
2000 K$="090500000610050510050501011500001400":GOSUB2100 :RETURN
2010 K$="0905000006100505010505011500001400":GOSUB2100 :RETURN
2020 K$="1111140200121211091717051111":GOSUB2100 :RETURN
2030 K$="1111141005051005050101050202":GOSUB2100 :RETURN
2040 K$="08131317170408121713171704041703":GOSUB2100 :RETURN
2050 K$="0611081313171704081217131717040417030215":GOSUB2100 :RE
TURN
2060 K$="0202081313171704081217131717040417031111":GOSUB2100 :RE
TURN
2070 K$="171313171704081217131717040417031717":GOSUB2100 :RETURN
2080 K$="1107110711071107":GOSUB2100 :60250:RETURN
2090 K$="0517131317170408121713171704041703171714":GOSUB2100 :RE
TURN
```

Program continues

well. To resolve this bug simply add BB=0 in line 190.

Some people may find the game too difficult because of the distance to be covered on each flight. This can easily be changed in line 190: Initialize the variable G to a lesser value. I find that $G = 50 + \text{RND}(50)$ works quite well.

The subroutine at line 2010 prints five blank lines to erase the text at the bottom of the screen. The same effect can be obtained more economically by `PRINT@704,CHR$(31);RETURN`.

I've also modified the machine-language routine of the game. The modified program should work equally well on Models I and III, tape or disk, and in any memory size configuration.

Make the following changes to the published listing. Delete line 120, the old sound routine. Delete CLS from line 100. Delete CLEAR 400 from line 110. Add the two new lines shown in Program Listing 1.

Charles E. Gillen
1458 Greenmont Court
Reston, VA 22090

Program continued

```
2100 SD=1:FOR G=1 TO LEN(K$)-1 STEP2:Y=VAL(MID$(K$,G,2))
2110 IF Y>17ANDSD=1 THEN 2150
2120 IF SD=1 THEN GOSUB340 :PRINT@576,"CAREFULLY POSITION CUBE
AS SHOWN"
2130 IF SD=1ANDINKEY$="" THEN OUT255,RND(2):GOTO2130
2140 SD=0:PRINT@576,STRING$(40,32):PRINT@576,"TURN ";M$(Y);" (MO
VE";Y")":FOR D=1 TO 100*DD:NEXTD:GOSUB210 :GOSUB340 :NEXTG:K$=
"":RETURN
2150 GOSUB210 :NEXTG:K$="" :RETURN
```

```
50 CLS:CLEAR400:ZZ$=STRING$(29,0):ZZ=VARPTR(ZZ$):Z1=PEEK(ZZ+1):Z
2=PEEK(ZZ+2):IFZ2>127THENZ2=Z2-256
60 Z3=Z2*256+Z1:FORZZ=Z3TOZ3+28:READZ4:POKEZZ,Z4:NEXT:IFZ01=PEEK
(16396)POKE16526,Z1:POKE16527,Z2ELSECMD"T":DEFUSR0=Z3:POKE14308,
0:DATA 205,127,10,62,1,14,0,237,91,61,64,69,47,230,3,179,211,255
,13,40,4,16,246,24,242,37,32,241,201
```

Program Listing 1

Program Listings 4 and 5 in the article "Four in One Plus Another" (80 Micro, August 1982, page 202) were printed incorrectly. Listing 4, "Pixprint" on page 207, should only include lines 100-540. Listing 5,

"Tank-Gunner," has lines 0-540 on page 208. Lines 550-1180 were accidentally included on page 207 at the end of "Pixprint." Lines 1190-1640 are included at the top of page 208.—Eds.

ULTIMATE SOFTWARE

Ability:

- Library Commands
 1. All of TRS-DOS commands
 2. Lower case options
 3. Variable track support (35-80)
 4. Plus many more . . .

Utility Command

- 1. All of TRS-DOS commands
- 2. Purge all files not needed
- 3. Terminal control as to communication with another terminal
- 4. Plus many more . . .

Languages

- 1. Extended basic
- 2. Edtase - Editor/Assembly
- 3. Plus many more . . .

Write or call us now for the best investment of your life.
POS MODEL I, II, and III . \$85.00



THE GREATEST OPERATING SYSTEM UNDER THE SUN

All application program provide introductory discount - 20% off.

POS is truly the operating system that has the other DOS beat in price and ability.

Other available Software for MOD I, II, and III

- 1. A/R Osborne \$350
- 2. A/P Osborne \$350.
- 3. G/L Osborne \$350.
- 4. P/R Osborne \$400.
- 5. ACT I - A/R, A/P, G/L \$850.
- 6. ACT II - A/R, A/P, G/L, P/R 1200
- 7. Inventory Control I . \$150.
- 8. Inventory Control II \$250
- 9. F/M (creates programs) \$80.
- 10. Wordit (mailing list and word processing) . \$150.
- 11. Letterit (word processor) \$35.
- 12. Sort \$45.
- 13. And much more Call

As an introductory offer you can try POS for 10 days for only \$25.00. If your not satisfied, return the Diskette and manual for a refund, or send \$60.00 for the Master Diskette which can be backed up.

10 day trial Diskette w/manual \$25.
Master POS \$60.
Or just pay \$85.

USAGE SOFTWARE GROUP

SOFTWARE with SUPPORT

1008 Shadow Run Drive
Lakeland, FL 33803

✓509



The TRS-80 Means Business

Ted Lewis

Wiley and Son Publishers

603 3rd Ave.

New York, NY 10016

Softcover, 195 pp.

by Tim Daniel

Ted Lewis, author of *The TRS-80 Means Business*, outlines three goals for his book. According to the preface, readers will learn how suitable Radio Shack's Model II is for their particular business application, develop Basic programs, and select the necessary hardware and software for a complete system. However, once the business-minded reader progresses beyond the enticing cover and preface, he or she is in for a big surprise.

The first-time buyer of a small business computer system is reassured by only one thing: the fact that computers have helped businesses with similar needs. Real life or practical examples sell computers, not the system-analyst approach that dominates the early chapters of *The TRS-80 Means Business*. In one of the book's few detailed examples, an ice cream parlor with 11 employees buys a Model II and reduces its payroll chore to a two-hour-per-week job. Fine, I believe that. What I don't believe is the claim that this small business previously needed 60 hours per week of manual labor for payroll. Selling computers to the small, cash-conscious business requires believability, not fairy-tale examples like this one.

After addressing why you should buy a computer, the author tackles the job of programming. Never mind the fact that there are hundreds of programs already available; you'll be able to do it yourself. I don't know about you, but most business folks I've met could care less about direct access, hash functions or binary search trees. If you have a yearn to try programming, there are a number of examples waiting for you in *The TRS-80 Means Business*. Watch out, though; the water gets deep quickly and there are pitfalls like missing program listings. To save time and aggravation the programs are available on disk, something you don't find out until the end

of the book.

Hardware selection hints consist of a thumbnail sketch of the Model II technical parameters and brief mention of printers. The most useful feature for the would-be computer buyer is a two-page list of questions concerning software purchases. By fol-

lowing the Radio Shack company line, the book fails to mention possibilities offered by CP/M or the growing collection of non-Tandy peripherals.

The TRS-80 Model II does mean business, but this book remains trapped in the generalities common to the old school of computing. ■

How to Make Money With Your Microcomputer
Carl Townsend and Merl Miller
Dilithium Press
Beaverton, OR
Softcover, 154 pp.
\$12.95

by Silvia Burnes

How to Make Money With Your Microcomputer is an excellent starting point for cashing in on the money-making potential of your computer. Not merely a list of money-making ideas, *How to Make Money* is a guide to developing ideas into profitable businesses. Enough information is given for the reader to start seriously planning his business and, in some cases, to start making money immediately.

The breadth of opportunities appeal to a wide variety of computer enthusiasts with varying levels of expertise. By giving an inside look into the details of operating many different kinds of microcomputer businesses, the reader can select a feasible business that matches his skill and interests.

Most of the book deals with the business of selling microcomputer products or services. Individual chapters cover a specific type of business such as how to operate a service bureau or a computer-repair business, how to develop and sell software or hardware, how to sell systems as a consultant, and how to open a computer store.

For each business the authors state the minimum experience required and possible monetary rewards. Although most of the opportunities discussed require experience in either software, hardware, or some specialized knowledge in another field, a few require only a little computer knowledge.

For example, operating a service bureau that offers accounting or word-processing services requires minimal computer skills, while operating a repair business requires extensive knowledge of computer electronics and some experience working with small systems.

Several chapters are devoted strictly to business considerations: how to market your product or services, how to establish a business, and how to manage it. Appendices contain valuable information regarding grants and proposals, and show sample service and software license agreements. References where more in-depth material can be found are included.

If you enjoy sharing your knowledge, you can make money selling information. The first two chapters explain how to write articles and books on microcomputers and how to get them published. The names and addresses of 41 computer magazines and 11 book publishers as well as references of books to aid the article writer are listed in appendices. In addition, the book tells how to make money teaching others about computers and how to hold a computer show.

How to Make Money With Your Microcomputer is not exhaustive, but does serve as a good starting point for both the novice and the experienced microcomputerist. Its non-technical language and its coverage of diverse types of microcomputer businesses make it an excellent choice for public and users' group libraries.

It is particularly valuable for the experienced microcomputerist interested in starting his first business and for the professional looking to publish. The thorough coverage of article writing is justification enough for the price of the book. ■

Maxprint
Peggytronics
381 First Street—Suite 5147
Los Altos, CA 94022
\$27.95

by E. M. Collins

It is one thing to have a versatile printer such as the Epson MX-80, but it is yet another to be able to harness that versatility and use the printer in the manner for which it was designed.

C. E. Krehbiel of Peggytronics has the solution to this situation with Maxprint. Designed for use with Models I and III, 32K or 48K with one disk, Maxprint is a printer-driver utility consisting of over 3K of Z80 Assembly language. It offers support of all MX-80 print styles, total control from text, partial control from menu, proportional justification, underlines, subscripts, superscripts, horizontal centering, and line spacing (1/72-inch increments).

Besides being more than pleasantly content with my copy of Maxprint, I find a couple features of the package very impressive. First, it comes with a manual that contains approximately 40 pages of usable instruction material with most of the special print commands listed on the back cover.

Second, the source code for both the Scripsit conversion as well as Maxprint itself is printed in the instruction manual. As if that weren't enough, an editor/assembler provides easy access to the source code on the disk, providing you with all the flexibility needed for customizing your version.

Although Maxprint was created primarily for use with Scripsit, it can be used with other word-processing programs; you need only advise Peggytronics prior to purchase what your system is.

Once inserted into your system, Maxprint is a powerful, easy-to-use utility. My biggest problem came when trying to understand the process of combining it with my DOS. Armed with the instructions and a lot of trial and error, this was ultimately accomplished. In that regard, the manual could have been more helpful by providing a simpler step-by-step procedure.

Maxprint does provide a menu mode for setting up certain parameters such as margins, character size, and so on. I

A black and white illustration for the Cyborg game. At the top, the word "CYBORG" is written in a large, stylized, blocky font. Below it, a large, cylindrical, metallic structure, possibly a space station or a robot's body, dominates the upper half of the image. A small, humanoid figure with a helmet and a device on its head is perched on top of this structure. In the lower right, a more detailed robot figure is shown, wearing a helmet with a visor and holding a rectangular control panel with a screen and buttons. The background is dark with some light streaks, suggesting a space environment. The overall style is reminiscent of 1980s sci-fi comic book art.

The Sport of Cyborg occurs in a future time and place — an interstellar space station-arena.

Movement is effortless as the screen slides smoothly in all directions. Scanners can also display instantly a view of the entire complex. This is the first TRS-80 Arcade Game to have screen movement in all directions.

The object of Cyborg is to collect a given amount of signal modules, and then go on to more difficult complexes. A constant supply of frenzied robots threaten you and try to keep you from attaining the modules. Robots may be avoided or chased down and destroyed.

Incredibly smooth & fast graphics, arcade quality sound, and Original concept make this machine language game the most exciting arcade game on the market for the TRS-80 computer!

Cyborg is compatible with the Alph Joystick and Stick-80. Disk versions automatically save high scores.

Written by Bill Dunlevy & Douglas Frayer.

16k TRS-80 Model I/III cassette . . . **\$15.95**
32k TRS-80 Model I/III diskette . . . **\$19.95**

COMPUTER SHACK

1691 Eason • Pontiac, Michigan 48054 (313) 673-2224

Master charge and Visa OK. Please add \$3.00 for Shipping in U.S.A. - \$5.00 for Canada or Mexico - Proper postage outside of U.S.-Canada - Mexico.

DEALERS: We are distributors for all items in this ad. Write for our catalog and price list.

found the only time I used it exclusively was in a business or personal letter where not many of the special features of the MX-80 were needed. Other times, you will find it just as easy to use the flexibility of inserting the special commands in the body of the text.

The only thing that disappointed me involved the hardware. Certain cables (mine) make it necessary to break into one of the pins and add a SPST switch to allow Maxprint to call for its own line feeds. The switch is used so the printer can be switched back to the

normal mode for use with standard printing chores outside the word-processor mode.

If you own an Epson MX-80, use it for word processing, and want to get everything out of the printer that it was designed for, look into Maxprint. ■

Lablmakr
ETS Center
Box 651 35026-A Turtle Trail
Willoughby, OH 44094
\$19.50 disk, Model I or III

by Mark Sprague

Every once in a while I come across a software package that is actually enjoyable to evaluate. Lablmakr is one such program.

Lablmakr is designed to create custom labels and should not be confused with mail-list-type label programs that are used for mass mailings. This program is most useful for generating customized labels such as return addresses or disk labels, or for generating a mailing list if your list numbers just a few hundred. The package can be used with an Epson printer with or without grafrax.

The program has sixteen different label formats (for the standard 15/16 by 3 1/2-inch label) that run the gamut from the compressed (50 characters per line) to the jumbo mode (13 characters per line). Most of the labels utilize two or three modes so you can choose the combination that best suits your needs.

The documentation was easy to use. The instructions take you through a step-by-step procedure for setting up an auto-booting disk for the various DOSes the program works with (TRSDOS 2.3, NEWDOS 2.1, and NEWDOS80 1.0 and 2.0). It will also run under TRSDOS 2.3 for the Model III if you run the convert utility first. You will need a lowercase driver if your DOS does not already have one.

The program is menu driven with four user options. The first option allows you to sample the files that come with the program or the files that you have created with option number four. You can visually access each label at any point, and scroll backwards or forwards to view what is stored on disk.

The second option allows you to print, correct, or add a new label. While using this option you can also scroll through your files (as in option one). One handy function I liked was the program's ability to correct any label without having to retype the information from scratch. You can also correct information stored on disk and then resave it—nice when you want to make a minor change on an existing label.

Option three enables you to print the sample labels included on the program or your own personal creations. It is possible to print up to 99 copies of each label.

The fourth option is for adding new labels. This allows you to create or correct a label, save it to disk, print it, or abort operation. Though the program does not provide any graphic capabilities, I was able to create borders and underlining by using the percent, asterisk, and equal characters. Some of the labels were quite striking when borders were created using the double-size or jumbo modes.

The program does allow auto-centering of each line, but the instructions

were somewhat vague. However, after figuring it out it was relatively simple to use. There is a fifth option of sorts that allows you to access a second or third data-file disk when the original is full.

A minor problem with the package appears when you first initialize a data disk. You must break the program and type GOTO 1300; this accesses a routine that allows you to name the disk for future reference. It's a good feature, but I feel it should be menu-driven. Also, the program does not have an insert, delete, and reorder function. If, for example, you have a disk filled with unwanted labels, the only way to replace them is by using the correction mode in option two. This makes it impossible to keep an up-to-date alphabetized mailing list. The ability to alphabetically reorder, insert, or delete labels would certainly be a plus, but in no way detracts from the package.

I found the program to be self-prompting, easy to use, adequately error trapped, and very versatile. Lablmakr is a good value for the money. ■

Qwerty
Med Systems Software
P.O. Box 2674
Chapel Hill, NC 27514
Model I or III
\$74.95 disk

by D. Wilson Cooke

Can your word processing software make your printer do all the things it is capable of doing? Qwerty is a patch that expands Scripsit's word processing capabilities. It is the best word processing package I have used for typing technical documents and general-purpose manuscripts.

Qwerty is a machine-language program and comes in several versions for various printers. The supplier claims the program works with either TRSDOS or NEWDOS and possibly other DOSes. I reviewed the Qwerty for the Line Printer IV (Centronics 737). Figure 1 shows an example of the output that can be generated. Med Systems reports that versions are now, or will soon be available for the Daisy Wheel II, the Line Printer VIII, and the new NEC printer.

The Qwerty Patch

QWERTY was developed because its author, Walter L. Smith, wanted a word processor to type technical

papers on a Line Printer IV using a Model I. He devised a program to modify Scripsit to take advantage of most of the hardware capabilities of the printer. Qwerty is useless without a copy of Scripsit/LC (the version written for the lowercase-modified Model I computer). Qwerty uses it for both the Model I and Model III machines.

Commands and Features

Qwerty uses most Scripsit commands. Four additional special purpose keys are added to those of Scripsit with the odd names of UND, YEN, QUAD and MOD. UND (shift, up arrow) starts and stops underlining in the text. YEN (shift, break) and MOD (shift, down arrow) generate special characters not on the keyboard and to replace the tab function of Scripsit. QUAD (shift, enter) is a control key for several special functions. I made some small labels to stick on the keys similar to those supplied with Scripsit.

For the Line Printer IV, the default type font used by Qwerty is proportional spacing without right-justification. The default margin values of Scripsit are modified to give a pleasing page of double-spaced text. You can select any of the six type fonts or mix them all on the same line.

Right-justification is possible only with mono-spaced 10 characters per inch or 16.7 characters per inch (cpi). Some users, like myself, would like right-justification with proportional spacing, but Qwerty cannot provide it. You can ignore the margin settings and print a character, or start a line to the left of the usual margin, or past the right margin. This is handy for such things as numbering paragraphs or calling attention to a special item.

It is also possible to compose pages with a two or three-column format (similar to the way magazines are printed) using either a proportional or 16.7-cpi font. This is convenient to get a maximum of readable material on a single page. The index of the Qwerty manual uses this format.

Another handy format feature of Qwerty is the ability to check the format of the text without printing anything. The Print command in Scripsit first checks to see if a printer is ready, then formats the text and prints it. Qwerty formats the text, then checks to see if a printer is ready. All you have to do to check for format errors is to

COMPUTER SHACK -SUPER DIRECTORY-



- Automatic density recognition -
- Automatic track count -
- recognition -
- Automatic dos recognition -
- The Best Directory -
- On The Market! -
- By Mark Feldman -

A Great new Directory program with its own operating system written by Vernon Hestor. This one program will read any dos as it is delivered by it's publishers except for Tandy's new model I double density operating system. There is even compatibility between Model I and III. The Model I SuperDir can read most Model III disks and the Model III SuperDir can read most Model I disks. SuperDir can even read double density 80 track disks.

Now with version 23 You can SEARCH the catalog by program name, disc number, extension (/cmd), or even do a STRING SEACH (find all occurrences of any combination of letters). It will SORT (in seconds) on disc number, program name, remarks, extensions, or catagories. You can even add a 25 character description of each program. SPECIAL PRINT ROUTINES for Different printers. DISPLAY SCROLLS up and down by line or by the entire screen.

It has a direct SCREEN EDITOR that almost eliminates typing. SuperDir keeps track of the FREE SPACE on your disks. SuperDir is the FASTEST, the EASIEST to use and the ONLY directory able to read multiple dos's on the market.

Small Business Programs

CHECKING ACCOUNT Mod. I or III, 48k disk \$39.00
Excellent check writing program for small business, man or for personal use. Menu operated for easy use. Has Screen editor, 99 catagories of expenses, sorts on payee, check number, or date. It can print your checks on the printer.

BILLING SYSTEM Mod. I or III, 48k disk \$39.00
A billing system written by a businessman for his own use. It is simple, fast and easy to use. Has a screen editor for quick error correction. Prints out invoices, then will send a monthly bill to each customer. It will add interest or carrying charges. This is not a complicated accounts receivable it is a simple but effective way to keep track of who owes you money for the company that doesn't do a lot of credit business.

INVOICE PROGRAMS
Prints out invoice with your name at the top on 8 1/2" X 11 paper or on NEBS forms.
ONLY \$24.95

SUPER UTILITY PLUS

List Price \$75.95 **CS PRICE \$44.95**

Z BASIC

The only compiler we will recommend
Disk and tape List \$99.95
CS PRICE \$89.95
Disk only List \$89.95
CS PRICE \$79.95
Tape Version List \$79.95
CS PRICE \$69.95

EP-SET-80

If you have a EPSON Printer you need EP-Set. A series of programs that help you use all the features of the Epson printer. One merges with a basic program to help drive the printer. One is a machine language subroutine to give your keyboard access to the printer. (example: type control c to get the compressed mode. Control E to get emphasized characters). Use EP-SET to set the line spacing, character modes, strike modes etc. Throw your manual away. Happiness is here with EP-SET.

Disk or Tape **\$18.95**

FAMILY TREE

Excellent family genology program works on both the model I or model III. Along with the normal documentation we send a manual with over 200 pages of instructions on how to research your family tree. You can get three different printouts, a family tree or a family report of each person, or a birthday printout. Sorts on Birthdays. The Nebraska State Genealogical Society tested our program and said "Your program will help form a valuable data source that may be accessed an used in different ways. The printouts are excellent."

Disk or Tape **\$29.00**

DOWNLOAD & BULLETIN BOARD

A new host system thats just super. It's faster then a bullet and more error free than a forum. Write for more details. List price \$149.95
CS PRICE \$99.95

COMPUTER SHACK

1691 Eason • Pontiac, Michigan 48054 (313) 673-2224

Master charge and Visa OK. Please add \$3.00 for Shipping in U.S.A. - \$5.00 for Canada or Mexico - Proper postage outside of U.S. - Canada - Mexico.

DEALERS: We are distributors for all items in this ad. Write for our catalog and price list.

109

turn the printer off and issue a Print command. Any errors found are displayed and can be corrected prior to printing. Qwerty can also mark on the video monitor exactly where each page of a printed document ends. This reduces the number of trial printing to get the final version to look as desired.

Qwerty provides for the printing of superscripts and subscripts. Simple equations with exponents are easily done, and rather complicated fractions are possible with a little programming practice. The manual suggests that the writing of ratios be learned last, and I can see why after trying it. It is not hard, but does take a little practice. The manual claims that a PhD dissertation in statistics was accepted directly from the Line Printer IV using Qwerty, an indication of its powerful symbolic capabilities.

About 76 special characters can be generated from the keyboard. This includes the ASCII characters not on the keyboard, part of the Greek alphabet,

and a variety of mathematic and scientific symbols. The special symbols are generated by overstriking standard characters, but only two keystrokes are necessary even when the printer has to print several overstrikes to get a symbol.

Scripsit has the capability of placing the same header or footer on each page of text, but it is not easy to place a single footnote of the kind used in research papers at the bottom of a page. The writer must count lines and place the footnote in exactly the correct location. If the page is edited, then the footnote location must be revised. Qwerty makes it possible to type the footnote anywhere on the page, the computer takes care of putting it where it belongs.

Footnotes of up to about 800 characters of text are possible using the 48K version of Qwerty and 400 characters using the 32K version. Qwerty accomplishes this by introducing a footnote block similar to the blocks in Scripsit. One footnote block is permitted per

page, but several footnotes are permitted in the block. Format lines can be introduced into the footnote block for a different format than the regular text. Since it is easy to see where pages begin and end with Qwerty, footnote placement is not difficult.

The tab function of Scripsit doesn't work well with proportional characters. Some strange looking columns can result! Qwerty replaces the standard tab function with another function called Tables, which permits the printing of any character at any horizontal position on the paper including outside the specified margins. The writer specifies by a prefix control code where the particular character is to be printed. Med Systems Software supplied a sticker to place on the printer, so a glance at the printer is all that is necessary to determine a specific print location.

The program was supplied on a disk with versions for machines with 32K and 48K of RAM. It is shipped on a data disk without a DOS. Qwerty works fine with a single-drive system when copied onto a DOS disk, but a single-drive user will have to find a friend or a friendly Radio Shack dealer to make the copy.

Performance

I checked the program for both Model I and Model III machines on a Line Printer IV, and each works equally well. I also checked it on the Line Printers VII and VIII even though it was not written for them. Some features worked, and some gave garbage output since the printer control codes are different. The Qwerty user must specify the printer when ordering.

The Manual

The 73-page manual supplied with Qwerty describes each feature in detail. It is well written and complete, but assumes the reader is familiar with Scripsit. Each function in Qwerty is discussed in a separate chapter of the manual. A two-page summary of all the commands provides a quick check on how a particular function is performed. A detailed index is also provided. While there were a few passages that were unclear at first reading, I had no real trouble with the manual. I suggest that a few examples of complex functions might be a welcome addi-

SAMPLE OF QWERTY PRINTED OUTPUT.

This page illustrates some of the things QWERTY can do on a Line Printer

IV. It is possible to underline words without underlining the spaces or it is possible to underline words and spaces. It is the programmer's choice.

Footnotes¹ are possible with QWERTY, also. It is only necessary to type them on the page in any location, and QWERTY will count lines and place them at the bottom of the page in the correct location.

It is also possible to print superscripts and subscripts using QWERTY. This makes possible the printing of math expressions such as:

$$f_1(x) = 5x^2 + 3x - 4.$$

Sometimes it is desired to print ratios such as the following:

$$\lim_{x \rightarrow 2} f(x) = \frac{x^2 - 4}{x - 2} = 4.$$

At times it is helpful to print some special symbols, Greek letters, etc.

A few of the many possible special symbols are illustrated below:

$\alpha \quad \beta \quad \phi \quad \pi \quad \Pi \quad \omega \quad \S \quad \Sigma \quad \{ \} \quad \square.$

QWERTY is indeed a useful word processing program that takes better advantage of the printer than SCRIPSIT without loosing any of the advantages of SCRIPSIT. Once a person learns it and uses it, it would be difficult to return to pre-QWERTY days.

¹This is an example of a footnote at the bottom of the page. Note that the type style in the footnote can be different from the style in the text proper, though this is not necessary. All the format features of SCRIPSIT-QWERTY are available for use in footnotes.

Possible Qwerty Math Expressions, Print Ratios, and Special Symbols.

tion. The manual provides the memory addresses of a few points in the program and offers suggestions for changes in the machine code. Such things as cursor speed control and default format settings are easy to change.

Problems

I encountered a problem with TRSDOS incompatibility with the Model III. Qwerty was supplied for use with 1.1 or 1.2, but I wanted to use the newer DOS 1.3. I also wanted to use Qwerty to edit some old text files created by another program. A few things did not work quite right. A letter to Med Systems Software brought a quick reply and a replacement disk that cured my problem. I feel that the problem was with Scripsit and my old files rather than with Qwerty. Radio Shack has since brought out a TRSDOS 1.3 version of Scripsit for the Model III. This problem does not exist for Model I users.

*"Like any useful skill
Qwerty must be practiced
to be appreciated."*

The horizontal centering function from Scripsit doesn't work well with proportional spacing unless the writer supplies extra spaces to adjust for the variations in letter width. Switching to either of the mono-spaced type fonts sometimes gets the computer confused as to character counts. The result is uncentered text. I tried several different format statements to correct this, but did not succeed. I called Med Systems but was not able to get any help or suggestions for solving the problem.

Because Qwerty is a flexible and powerful word-processing program, it does take some practice to learn the commands. I recommend that potential users feel comfortable with Scripsit before attempting to learn Qwerty. Don't be discouraged if the first few times you try typing some complex charts or formulas the printouts look rather strange. Like any useful skill Qwerty must be practiced to be appreciated. ■

COMPUTER SHACK

ALL GAMES AT DISCOUNT

10% off on two or more games

You must ask for discount at the time order is placed.

Simon and Merfunkle

A new game by Kyle Hoyt... An excellent game for kids from 6 to 60. Easy to learn fun to play. Based on the game Simon. Play music with flashing graphics and you must repeat the graphics or the music. Two different games **\$15.95 / 19.95**

New Games!

OUTHOUSE a hilarious new arcade game by SoftSector. The first funny arcade game. You must zap the bad guys before they steal the toilet paper out of your outhouse. Highly recommended

CYBORG

Our reviewers all said it is the best arcade game they have played.

VENTURE a great new arcade type game from Horizon software. Exciting and fun to play. Great graphics and sound.

PENETRATOR what was the best arcade game until Cyborg came along. **HOPPY** a great new game based on the game **FROGGER**.

Oldies but goodies!

ALIEN DEFENSE Has exciting graphics. was the fastest game for the TRS-80 until Cyborg. A must for any serious gamer.

GREYMOON if arcade games aren't your style try **GREYMOON** this is a thinking man's game based on your being the ruler of a Middle age kingdom. Fun, interesting and very well written.

DEFENSE COMMAND protect your fuel cans from invading monsters. Good graphics and well written

SCARFMAN still the best PacMan™ for the TRS-80 by far.

OCTOBER TOP TEN

- | | |
|---------------------------|------------------|
| 1.) CYBORG | Computer Shack |
| 2.) PENETRATOR | Melborne House |
| 3.) CATAPILLAR | Soft Sector |
| 4.) ALIEN DEFENSE | Soft Sector |
| 5.) VENTURE | Horizon Software |
| 6.) SCARFMAN | Cornsoft Group |
| 7.) ELIMINATOR | Adventure Int |
| 8.) DEFENSE COMMAND | Big Five |
| 9.) HOPPY | Dubois & Mac |
| 10.) DUNGEON ESCAPE | Computer Shack |

We have a panel of expert game players who will give a monthly rating of the best games on the market. It will change monthly, so look every month. If you would like to send in your top ten games we would be glad to have it

Dungeon Escape

A truly exciting game based on Dungeon and Dragons™ it has real time action, graphics, great sound and best of all it has a totally random drawn dungeon so the game is completely different every time you play. Rated in the top ten for the last three months (*This is Computer Shacks best selling game*).

NEW LOWER PRICE only \$15.95 for tape and \$19.95 for disk.

All our games are \$15.95 for Tape \$19.95 for disk except the Penetrator that is \$24.95 for both disk and tape. Remember you get 10% off all of your games if you purchase two or more programs from us at the same time. You must ask for discount! All above games for Model I & III only!

★ COLOR TAPE COPY ★

This tape will copy any tape machine language, basic or data files on the color computer. Only **\$15.95**

COLOR SCARFMAN

New 4K Color Scarfman Tape..... **\$19.50**

MASTER CONTROL

For Color Computer only **\$19.95**

COLOR BONANZA

50 Programs from SoftSector LIST \$49.95 **SALE \$39.95**

STARFIRE Our favorite game for the COCO based on the arcade game **DEFENDER**™ only..... **\$19.95**

GHOST GOBBERS **\$19.50**
A very good PacMan™ type game

DFT now for the COCO see our add in the Modem section, a terminal program for only \$19.95

Color Intensifier for Color TV Makes Colors on Color games deeper & brighter 13 X 10 size **\$19.95**
Other sizes by special order.

COMPUTER SHACK

1691 Eason • Pontiac, Michigan 48054 (313) 673-2224

Master charge and Visa OK. Please add \$3.00 for Shipping in U.S.A. - \$5.00 for Canada or Mexico - Proper postage outside of U.S. -Canada- Mexico.

DEALERS: We are distributors for all items in this ad. Write for our catalog and price list.

Personal Finance
Tandy/Radio Shack
Fort Worth, TX
Color Computer
cat. #26-3101
\$39.95, Program Pack

by Carlos Calle

The Personal Finance Program Pack for the Color Computer is one of the best answers to the perennial question, "Nice, but what else does it do?"

The Personal Finance Pack is just that—a program that helps you to keep track of 26 personal-budget categories.

The program loads instantly when you turn on the computer after inserting the ROM Pack in the slot. After typing Y in response to the new-user query, you are ready to personalize the program. The screen immediately displays a listing of 26 budget categories common to the average person. The list can be personalized and remains in effect every time you load your stored data from cassette tape to begin a new session. You can change categories at any time.

Your next step is to assign values to each one of the budget categories. To some categories, Auto for example, you might want to set up equal amounts for each month. For others where you don't pay a fixed amount every month, the amount can vary to reflect the months when premium payments are due.

Next, enter the names of your banks and the account numbers. The program accommodates up to three separate bank accounts and balances. You can select the first check number and the program remembers to start counting from there. If you cancel one check, merely type X.

Your expenses can be recorded as they occur or at a convenient regularly scheduled time. Roughly once a week you can comfortably sit at the computer, insert the Personal Finance cartridge, load your previously stored data from the cassette tape, and begin entering your recent purchases from your checkbook register or monthly bank statement.

I have developed a system to easily keep track of my cash or credit-card purchases. I keep an envelope in my desk where slips from credit-card purchases and the cash receipts can be

placed. When the credit-card statements arrive, I identify each purchase listed by matching it with the store slip. After I write the check to the bank for the amount on the statement, I enter the information on the program. By pressing the @ key for the budget category, Credit Card automatically appears on the screen. After entering the amount, the program asks for the budget category and amount for each item on the credit-card statement.

Cash purchases can also be recorded in your budget. I quickly jot down the budget category on the cash receipts before putting them into the envelope. Periodically, when I enter new checks into the program, I retrieve the cash receipts and enter them. After pressing the \$ key the word Cash appears. The budget category and amount can now be copied from your receipts.

The program has one-key commands to move up or down the screen to list the budget categories, to change from one menu to the next, replace check numbers, advance to the next check number, and to cancel checks and deposits. You can record auto-

matic withdrawals, enter interest and finance charges in your checking account, balance each of your checkbooks, make corrections, and review all budget categories for a specific month and any budget category for the entire year. After each session, the data can be stored on cassette tape by selecting option 7 from the main menu. Every time new information is added, both the old and the new data are stored; you can store up to 1,918 checks on a Color Computer with 16K of memory. Three copies are automatically made on the same tape to reduce chances of loading errors.

This program is very easy to use and is well documented. Its one drawback, though, is major; you can't print your budget. You can save it on cassette, look at it on the screen whenever you want to, but you can't get a printed copy. Nevertheless, for \$39.95 it is a good buy. The Personal Finance Pack may pay for itself many times over when you consider that setting up your budget will help you organize your priorities and understand your spending habits. ■

Newtalk
Star-Kits
P.O. Box 209
Mt. Kisco, NY 10549
\$20

by Scott L. Norman

Newtalk is an ingenious addition to the toolkit of anyone doing machine-language or Assembly-language programming on a 6800 or 6809 system, including the Color Computer. Peter Stark's Newtalk is a memory-examination utility with audio readout. It is by no means a full-featured monitor, but a helpful assistant for such chores as comparing the actual contents of memory with a printed listing.

Newtalk is written in relocatable machine code, and the brief manual contains complete details for putting the program anywhere in memory. It goes much further, in fact, and includes a complete assembly listing—a commendable gesture at a time when some vendors are reluctant to supply data needed for making legitimate backups. Star-Kits also includes a completed registration coupon plus an SASE entitling you to automatic noti-

fication of any future updates and fixes. There are some differences between the versions intended for the Color Computer and for SS-50 bus systems, and these are spelled out in detail. Naturally, the SS-50 systems require appropriate interface boards to be installed (MP-L, MP-LA, and MP-C are mentioned), while the Color Computer's audio output capability is used. I tested the Color Computer disk version although cassettes are standard.

Newtalk requires just over 6,500 bytes; 6,000 are used for the digitized representations of the 16 hex digits. (These aren't included in the documentation.) The speech samples are not synthesized from scratch, but are derived from actual voice recordings by sampling and storing the zero-crossings of the audio waveforms. The resulting intelligibility is quite good, although a price is paid in terms of the amount of memory required. Newtalk can use this technique because of its limited vocabulary.

Loading and initiation follow standard practice for machine-language programs. The Color Computer ver-

sion generates a text request for the first address to be examined, while the SS-50 versions just prompt you with a colon. All addresses are interpreted as being in hex notation. As soon as the four digits of the first address are specified, Newtalk pronounces them, followed by the two bytes of data contained there. Now you are off and running. There are only three commands, and their keys are conveniently grouped together at the lower right corner of the keyboard:

- A comma causes the next address and its contents to be pronounced and printed on the screen.
- A period causes the address and contents of the next location to be printed, but only the data is pronounced.
- Finally, a slash causes the address and contents of the current location to be repeated.

There is no command for scanning back toward lower addresses. To back up, or to jump ahead for that matter, hit any key other than the three just mentioned. This puts you back in Basic, and another EXEC gets the prompt for a new starting address.

The male voice is quite intelligible, although some characters are rather buzzy; the fact that you know the limits of its vocabulary undoubtedly helps. The quality is considerably higher than that of Spectral Associates' Compuvoice synthesizer, for example, although not as good as that from the Votrax chip used in Type 'N Talk and some other hardware synthesizers. If you are experimentally inclined, the pitch of Newtalk's voice can be altered by changing the contents of a particular delay counter location.

Usefulness

Newtalk is something of a novelty and should not be thought of as replacing a real monitor in any programmer's toolkit. By itself, it doesn't even have a facility for altering the contents of a memory location.

I have found it useful, however, to help follow machine code entered from the keyboard. Newtalk has proven to be of real value in reading out code to me while I follow the listing. It is much faster and more pleasant than visually scanning from printed page to video screen. If you think this sounds like a convenient way to work, and if you can spare the 6,500 bytes, then pick up a copy. ■

COMPUTER SHACK

MULTI DOS

Quotes from 80 Micro, May 1982.

"MULTIDOS'S" Super Basic is more feature packed than any other TRS-80 basic" ... "It has many practical and Unique features" ... "MULTIDOS is exceptionally fast" ... "MULTIDOS is OUTSTANDING" ... "MULTIDOS'S Basic is unequalled" ... "These days the big buzz phrase is userfriendly. That description is probably more applicable to MULTIDOS than to any other DOS".

Why pay twice as much for a operating system that's complicated and hard to use. Multi Do's is the Dos written for the average TRS-80 user.

MULTI DOS \$79.95

SPECIALS

MULTI DOS with Aerocomp Doubler	\$209.95	MULTI DOS with Super Directory	\$99.95
MULTI DOS with Super D & Doubler	\$229.95	DOS PLUS 3.4	\$129.95
L DOS	\$119.95	AEROCOMP DOUBLER	\$139.95

DOUBLE DENSITY DISKS FOR ONLY \$1.48 A SIDE


You read right. When you buy our Wabash Flippy disks on sale at two boxes for only \$29.95 each, you are actually getting your disks for only \$1.48 a side. These are special disks put out by Wabash, one of the largest manufacturers of magnetic media in the United States, with two write protect tabs and two read holes so you can insert them into your drives and read both sides.

Order some Wabash disks today if you don't like them for any reason return them within 30 days and we will give you a prompt refund. If you have any problems with them in the next two years return the disk and we will send you a new one. No other company can match that offer at our LOW Prices.

Single Density 35/40 tracks	\$25.95 (2 or more \$23.95)
Double Density 35/40 tracks	\$32.95 (2 or more \$28.95)
Double Density 77/80 tracks	\$34.95 (2 or more \$31.95)
Density 80 tracks 2 sided	\$42.95 (2 or more \$39.95)
Double Density 40 tracks Flippy	\$35.95 (2 or more \$29.95)

INFO-EX BULLETIN BOARD

..... intro price \$99.00



TAPE DOWNLOAD SYSTEM (TDS)

Ability to download and upload machine language, basic and text files with no conversion, and save them on tape or disk. Full parallel printer support. Full access to all BASIC and DISK commands while in terminal mode at the touch of a key. Prompt mode transmission capability. Best Tape Smart Term Program on the Market. Write for complete details.

DDS (disk) \$75.95 TDS (Tape) \$39.95 TRS-80 Model I or III

Direct File Transfer (DFT) for COCO, I or III

Direct File Transfer (DFT) is a modem program which will handle the direct uploading and downloading of machine language and basic programs directly from disk to disk. DFT also has a chat mode, and has software controlled half and/or full duplex. Disk version \$24.95 Tape version \$19.95.

The version for the Color Computer can download programs from bulletin boards designed for the Model I and III and converts them to COCO use.

Hayes Smart Modem \$239.95

ULTRA TERM

It can upload (send) ASCII files, basic programs, text files, or machine language programs directly from disk to disk. It can even send multiple programs to a unattended computer! It will auto dial any auto dial modem even Radio Shack's. It has a split screen so you can type out on the bottom and read what is coming in on the top. You can talk to Mainframes and it even includes a Host program so if you have a computer at work and one at home you can send programs and information back and forth for the price of one program. UT/TERM list price \$79.00 special introductory price only \$59.00

COMPUTER SHACK

1691 Eason • Pontiac, Michigan 48054 (313) 673-2224

Master charge and Visa OK. Please add \$3.00 for Shipping in U.S. - \$5.00 for Canada or Mexico - Proper postage outside of U.S. - Canada - Mexico.

DEALERS: We are distributors for all items in this ad. Write for our catalog and price list.

Powerdraw

Powersoft

11500 Stemmons Exp., Suite 125

Dallas, TX 75229

Model I or III

\$39.95

by Mark E. Renne

Powerdraw is one of the new generation of screen graphics utilities for the TRS-80. The program allows creating graphic screens and either printing them or using them in your programs. It's easy to use and you can save your creations in any of six different formats on disk or tape.

The program is in machine language and uses either joystick or cursor controls. There are two different modes: text and graphics; all commands may be used during either mode. The graphics mode allows you to draw on the screen using the arrow keys. Erasing is possible and you can move the cursor without destroying any of the graphics. There are eight different directions supported, the K, L, O, and I keys are used for moving in a diagonal direction. Movement at an angle may be changed to allow a variety of angles and shapes. Powerdraw supports the 32 character mode.

There are several special functions in the graphics mode including mirror image top-bottom and right-left, reverse, flip sides, display grid, and move. Figure 1 is an example of a drawing created with Powerdraw. Figure 2 is the same drawing after using the mirror-image, right-left mode. The reverse mode was used to compose Fig. 3.

The display-grid mode presents a pattern on the screen that can be used for centering your artwork. The flip-sides mode shows all locations during 32-character operation.

Move is a very powerful command that can make animation seem effortless. By entering the move mode and pressing a direction key, you can change the location of the entire screen in any direction. Text is entered by simply typing at the locations desired and may be screen edited. Screens may be sent to the printer using any of the three screen-printer drivers within the program.

When you are finished designing a screen, save it into a buffer. Powerdraw provides 34 buffers to work with. Several buffers together make up a file




Figure 1



Figure 2




Figure 3

and several files can be merged together to create long animation. Buffers may be merged with each other or exchanged easily. You might draw a design, save it to buffer one, move it to the left five spaces, save it to buffer two, move, save, and so on. By using the watch-buffer command, you can

watch all the buffers played back to back. Creating motion with this system is very easy.

You can save files and several screen buffers only by using the Powersoft compressed format. They may then be seen from either Basic or TRSDOS by using the play utilities. Individual screens may be saved in either EDAS assembler code or EDTASM code for all of the machine-language folks. For Basic users the screen can be converted either to data statements or print statements. The screen may also be stored as a TRSDOS command.

The documentation is excellent and all commands are explained in great detail. Files may be transferred off the original disk as many times as you wish. There is a 23-buffer file included for demonstration and experimenting.

The program makes designing program covers very easy as well as creating cartoons to reward children using educational software. There are very few drawing assignments that could not be handled easily by this program.

The only thing missing from the program is a way to convert the screen into a string-pack format. If you try to edit the existing code and change PRINTS to A\$=; the line will no longer execute. I'm sure this is a minor bug.

The overall performance of the program is great; I recommend it to anyone interested in a screen editor. ■

Color Scripsit

Tandy/Radio Shack

Fort Worth, TX

cat. #26-3105

\$39.95

by Stephen G. Stone, III

At \$40 a copy, Color Scripsit is a good value. As can be expected, however, of any \$40 product in a market where \$100 is considered cheap, some compromises have been made.

The program allows maximum use of your memory because of its ROM pack location. It is accompanied by a good 40-page manual that's biggest failing is its lack of caution regarding the program's limitations.

After you have inserted your ROM cartridge and turned on your machine, you are presented with a menu listing the six basic functions of Scripsit. The

choices are: clear memory, edit text, save on tape, load from tape, print and change standards. Clear memory does just that, so be careful. Scripsit does give you a chance to change your mind before any damage is done.

The text editing mode is probably what you'll use the most. Text editing is accomplished by several facilities that make the job relatively painless. The arrow keys position the cursor within the text in memory. The left and right arrows move the cursor one position to the right or left. The up and down arrows move the cursor up or down one line.

Used in conjunction with the shift key, the arrow keys move the cursor to the start or end of the text (up and down arrows), to the next occurrence of a tab, or the start or end of a line (left and right arrow).

Text can be inserted and characters,

words, or blocks of text can be moved or deleted. Character strings can be located and changed. All these operations are easily accomplished.

There is one, however, that can lead to disaster if not executed carefully. When inserting text, pressing both the shift and the left arrow cause spaces to be inserted until the next tab location. This works well unless there is no tab between the point of insertion and the end of the line. If you press the shift and left arrow to insert spaces to the end of the line, the machine hangs up and the only way to recover is to hit the reset button. Unfortunately, when the reset button is hit, you lose the document in memory. To avoid this, use the enter key to space out to the end of a line.

Saving on Tape

Save on tape dumps the entire contents of your memory. After requesting this function, you get a new screen display that allows you to key in the name of the document you are saving and the name of the document on the tape which the one in memory should follow. If you don't key in a document name for the saved document to follow, the new document is saved starting at the current position on the tape. This is fine, just be careful that you are not writing over a good document. You can avoid this by specifying the name of the last document already on the tape.

Make very sure that you spell the name of the document on the tape correctly. If you should misspell the name, the processor goes merrily looking for a document that isn't there and continues to do so even after the end of the tape is reached. The only way I have found to regain control of the computer in this situation is to hit the reset button, losing all the text in memory.

Also important is to make sure when searching for the end of the last document on the tape, that you have only the play button engaged on the cassette deck. Do not place the deck in the record mode until Scripsit tells you to! If you use the record mode prematurely you risk the potential erasure of a document already on the tape.

Loading from Tape

The load from tape function displays a screen that asks you to key in the name of the document you wish to

COMPUTER SHACK

1st TRS-80 SWEEPSTAKES / GIVEAWAY

Dozens of Gifts!

Lazy Writer

Super Utility

Z BASIC

To Celebrate Computer Shacks 1st anniversary, we have tested many hardware and software products and have selected these outstanding values to be given away in a drawing on December 15th. All gifts will be delivered by Christmas.

Our Grand Prize will be a Super Spooler by COMPULINK. The best 16k print buffer on the market. (List price \$349.00) The next two lucky winners will receive copies of LazyWriter, the finest word processor for the TRS-80. (List price \$175.00). We also have two copies of MULTIDOS, the Dos with the BEST BASIC (List price \$79.95). Two Copies of SUPERUTILITY PLUS The original disk fixer upper (Retail \$79) One copy of Z Basic the best compiler. Four copies of SuperDirectory the best Directory. Boxes of WABASH FLIPPY DISKS the first flip-flops made by a Major disk manufacture. Plus many games and other programs.

Thousands of Dollars worth of gifts!

Multi Dos

Wabash Disks

Super Directory

Any person who buys a product from Computer Shack between now and December 15 has a chance to receive some of these great prizes.

We are Computer Shack are trying to be the best mail order computer supplier there is. During the month of July we filled over 90% of our orders within 24 hours. We strive to give you good service, good quality and good prices. We will never advertise or sell any product unless we test it and it meets our standards. All of our products are sold with a money back guarantee to work as advertised and you must be happy with it or you can send it back. (10% charge for restocking).

TERS... PRINTERS... PRINTERS... PRIN

Due to Popular request we at Computer Shack have tested many brands of printers and have picked four different printers to carry.

The EPSON MX-80 The most popular and best selling printer in American History. What can we say about success.

CS PRICE \$459.95

Now if you want a BETTER dot matrix for just a few more dollars we recommend the C. ITOH PROWRITER. This is the same printer as the NEC but with a newer and better ROM chips. This enables the printer to print at 120 cps (MX-80 is 80cps, the NEC 100cps). It has print quality comparable to the MX-80 and three different styles of type. Pica, Elite, or Proportional, along with condensed, emphasised, or double size type. And then the PROWRITER has FRICTION FEED at no extra cost. REVERSE LINE FEED, true PROPORTIONAL SPACING, excellent dot addressable graphics and a replaceable print head. WE think that for the extra \$40 the PROWRITER is the better buy. List price \$795.00 CS PRICE only \$499.95

15 INCH PROWRITER

List price \$995.00 CS PRICE \$799.95

For those who want the best in DAISY WHEEL printers we recommend the CITO H F10. A true 40 CPS with excellent quality.

List Price \$1995.00 CS PRICE \$1399.95

All the C. Itoh printers are GUARANTEED for 1 full year. That's 9 months longer than most other printers.

PRINT BUFFERS

These two items will pay for themselves in a very short while in time saved. Why tie up a \$4000 computer waiting for the printer to finish the printout?

Practical Peripherals Epson 16K buffer only \$149.95

The Compulink SuperSpooler with 16k memory, LED readout, space compression and more only \$329.00

COMPUTER SHACK

1691 Eason • Pontiac, Michigan 48054 (313) 673-2224

Master charge and Visa OK. Please add \$3.00 for Shipping in U.S.A. - \$5.00 for Canada or Mexico - Proper postage outside of U.S. - Canada - Mexico.

DEALERS: We are distributors for all items in this ad. Write for our catalog and price list.

load. If there is already something in memory, the new document is loaded in behind it, allowing you to edit both.

The print function allows you to direct the contents of memory to the printer or to print to tape. Printing to tape saves the text so it can be read by a Basic program. You can print less than the entire contents of memory when using the print function, by pressing the break key when you want printing to stop. By pressing both the break and 4 keys, you can print the line the cursor is on. Several contiguous lines can be printed by holding the keys down until you have printed the desired lines.

Standards

When you elect to change a page's format a screen listing the standards and their current values is shown. The seven standards are:

- Text width may range from 32 columns (screen width) to 132 columns (standard 14 7/8-inch paper width). The default is 32.
- The margin size allows you to specify the left margin size. The right margin will be the line width of your printer minus the total of the left margin size and text width. The default is zero.
- Hyphenation minimum allows you to specify the minimum number of letters a word segment can be after hyphenation. This value can be two or greater; three is the default.

● Lines per page allows you to select the number of printed lines per page. This value can range from 5-255. The default is 66. When using this parameter, you are determining the number of actually printed lines on the page. Blank lines in the text, such as those resulting from double or triple spacing, have to be taken into account. Thus, if you are printing double-spaced text on 11-inch paper, specify 33 lines per page.

● First page number allows you to specify the starting page number that is printed when using headings. This can range from 0-255. The default is one.

● Print spacing allows you to indicate the type of spacing (double, triple and so on) you want in the printed document. Acceptable values are 1-255. One is the default. Always make sure the value in lines per page is compatible with the value you have chosen for print spacing.

● All capitals allows you to specify whether you want your printed text to be all caps. An N enables upper and lowercase. A Y causes the text to be printed in all caps, regardless of how it is stored in memory. The default is N.

Color Scripsit operates quickly on documents not exceeding 5K or 6K. Documents larger than this cause a noticeable delay between the key stroke and the action on the screen. For personal or limited business use Color Scripsit is a good package. ■

**Newtrieve
Unique Printing and
Stationery Co., Inc.
11 Maiden Lane
New York, NY 10038
\$49.95**

by Bruce Powel Douglass

Newtrieve is advertised as "the programmer's program." It is an in-memory, recursive, sequential-search program of an array of 500 by 40 characters. It is meant to be used by programmers in data-base management systems for in-memory data structures. It performs very fast sequential searches of your data by key words. In fact, a 25,000-character array of data can be sequentially read in about one second.

The program disk contains a demonstration program called NT/DEM, a machine-language driver (which is the main part of the package), and two empty data bases of 500 entries of 40 characters each. A routine called ENHAN/BAS is provided and can be merged with NT/DEM to give additional commands.

The Manual

The manual is about 30 pages long, a large portion of which is devoted to listings of the two Basic programs. It does have a usable table of contents and is fairly complete in terms of providing enough information to operate the program. Some examples of using the program NT/DEM are given.

The program listing is complemented with a listing of the USR functions

Percom Disk Storage

Quality Percom products are available from the following authorized Percom retailers. If a retailer is not listed for your area, call Percom toll free at **1-800-527-1222** for the address of a nearby retailer, or to order directly from Percom.

ARKANSAS		
MICROCOMPUTER SYSTEMS, INC.	Hot Springs	(501) 623-5209
ARIZONA		
SIMUTEK	Tucson	(602) 323-9391
CALIFORNIA		
ALPHA BYTE STORES	Calabasas	(213) 883-8594
BERKELEY MICRO COMPUTERS	Berkeley	(415) 848-7122
COMPUTER INFORMATION EXCHANGE	San Luis Rey	(714) 757-4849
HOBBYWORLD	Northridge	(213) 886-9200
RAY'S AND DON'S COMPUTERS	Whittier	(213) 695-3248
DISTRICT OF COLUMBIA		
THE PROGRAM STORE	Washington	(202) 337-4691
FLORIDA		
EN TRON, INC.	Largo	(813) 586-5012
GEORGIA		
COMMERCIAL DATA PRODUCTS	Atlanta	(404) 325-7800
HAWAII		
COMPUTER CENTER	Honolulu	(808) 488-2171
IDAHO		
OFFICE MAGIC COMPUTERS	Borise	(208) 376-4613
IDAHO MICROCOMPUTER	Buhl	(208) 543-6292
KANSAS		
BESCO ELECTRONICS	Shawnee	(913) 268-7633
SALES DATA	Hutchinson	(316) 665-3611
DATA SERVICES, INC.	Wichita	(316) 838-9021
MASSACHUSETTS		
OMNITEK	Tewksbury	(617) 851-4580
MARYLAND		
DAMASCUS C B	Damascus	(301) 253-2101
MICHIGAN		
ALTERNATE SOURCE	Lansing	(517) 487-3358
MINNESOTA		
THE CODE ROOM	Eden Prairie	(612) 934-1826
MISSOURI		
LEMBERGER CO	Vienna	(314) 422-3353
NEBRASKA		
CURTRONICS	Lincoln	(402) 423-7771
NEW HAMPSHIRE		
THINK TANK	Portsmouth	(603) 431-1077
TSE HARDSIDE	Milford	(603) 673-5144
NEW JERSEY		
CHANNEL 1 RADIO SHACK	Medford	(609) 654-7454
DA & D SALES	Bloomfield	(201) 751-8444
NEW YORK		
H & E COMPUTRONICS	Spring Valley	(914) 425-1535
MICRO 80 SYSTEMS	Brooklyn	(212) 748-3236
PROGRAMS UNLIMITED	Jericho	(800) 645-6038
STONY CLOVE	New York City	(212) 675-1046
DATASCAN COMPUTER SYSTEMS, INC.	Farmingville	(516) 698-6285
NORTH CAROLINA		
HOLLIDAY MFG.	Greensboro	(919) 274-6346
OHIO		
FELDMAN ENTERPRISES	Akron	(216) 724-5583
OKLAHOMA		
ONLINE COMPUTER CENTER	Oklahoma City	(405) 751-2796
OREGON		
PIONEER ELECTRONICS	Sandy	(503) 668-8666
PENNSYLVANIA		
COMPUTER ANALYSTS	New Brighton	(412) 846-9323
SUNRISE ELECTRONICS	Chambersburg	(717) 264-8214
TEXAS		
PERCOM COMPUTER CENTER	Richardson	(214) 690-0207
COMPUTER TO GO	Austin	(512) 472-8926
BREEZE QSD, INC.	Dallas	(214) 484-2976
TEXAS COMPUTER SYSTEMS	Arlington	(817) 274-5625
UTAH		
MICRO MNEMONICS	Sunset	(801) 825-9317
VIRGINIA		
BURCO DISTRIBUTORS	Richmond	(804) 222-1481
WASHINGTON		
COMPUTER SERVICES	Kennewick	(509) 582-9759
NORTHWEST COMPUTER SERVICE	Bellvue	(206) 454-4979
WEST VIRGINIA		
BURCO DISTRIBUTORS	Huntington	(304) 453-6387
WISCONSIN		
BYTE SHOP MILWAUKEE	Greenfield	(414) 281-7004
FOREIGN DEALERS		
AUSTRALIA		
DICK SMITH ELECTRONICS	P.O. Box 321 North Ryde NSW2113	
CANADA		
ALPHA ONE	Edmonton	(403) 454-8409
VALERIOE AND ASSOC.	Guelph Ontario	(416) 624-4899
DRV COMPUTERS, LTD.	Surrey B.C.	(604) 576-8535
COTS MICROSYSTEMS, LTD.	Ottawa	(613) 741-7937
MICRO COMP ENTERPRISES, INC.	Pickering	(416) 839-4561
MICRO MART	Montreal	(514) 731-9486
MEXICO		
COMPUTADORAS Y ASESORAMIENTO	Rio Panuco 14 Mexico 5 D.F.	
DOMINICAN REPUBLIC		
RADIO SHACK	Santo Domingo	(809) 565-9121

Percom's DOUBLER II™ tolerates wide variations in media, drives

GARLAND, TEXAS — May 22, 1981 — Harold Mauch, president of Percom Data Company, announced here today that an improved version of the Company's innovative DOUBLER™ adapter, a double-density plug-in module for TRS-80* Model I computers, is now available.

Reflecting design refinements based on both theoretical analyses and field testing, the DOUBLER II™, so named, permits even greater tolerance in variations among media and drives than the previous design.

Like the original DOUBLER, the DOUBLER II plugs into the drive controller IC socket of a TRS-80 Model I Expansion Interface and permits a user to run either single- or double-density diskettes on a Model I.


With a DOUBLER II installed, over four times more formatted data — as much as 364 Kbytes — can be stored on one side of a five-inch diskette than can be stored using a standard Tandy Model I drive system.

Moreover, a DOUBLER II equips a Model I with the hardware required to run Model III diskettes.

(Ed. Note: See "OS-80™: Bridging the TRS-80* software compatibility gap" elsewhere on this page.)

The critical clock-data separation circuitry of the DOUBLER II is a proprietary design called a ROM-programmed digital phase-lock loop data separator.

According to Mauch, this design is more tolerant of differences from diskette to diskette and drive to drive, and also provides immunity to performance degradation caused by circuit component aging.



Percom DOUBLER II™

Mauch said "A DOUBLER II will operate just as reliably two years after it is installed as it will two days after installation."

The digital phase-lock loop also eliminates the need for trimmer adjustments typical of analog phase-lock loop circuits.

"You plug in a Percom DOUBLER II and then forget it," he said.

The DOUBLER II also features a refined Write Precompensation circuit that more effectively minimizes the phenomena of bit- and peak-shifting, a reliability-impairing characteristic of magnetic data recording.

The DOUBLER II, which is fully software compatible with the previous DOUBLER, is supplied with DBLDOS™, a TRSDOS* compatible disk operating system.

The DOUBLER II sells for \$219.95, including the DBLDOS diskette.

~~\$219.95~~
Now \$169.95!

The Percom DOUBLER II is available from authorized Percom retailers, or may be ordered direct from the factory. The factory toll-free order number is 1-800-527-1222.

Ed. note: Opening the TRS-80 Expansion Interface may void the Tandy limited 90-day warranty.

All that glitters is not gold

OS-80™ Bridging the TRS-80* software compatibility gap

Compatibility between TRS-80* Model I diskettes and the new Model III is about as genuine as a gold-plated lead Krugerrand.

True, Model I TRSDOS* diskettes can be read on a Model III. But first they must be converted and re-recorded for Model III operation.

And you cannot write to a Model I TRSDOS* diskette. Not with a Model III. You cannot add a file. Delete a file. Or in any way modify a Model I TRSDOS diskette with a Model III computer.

Furthermore, your converted TRSDOS diskettes cannot be converted back for Model I operation.

TRSDOS is a one-way street. And there's no re-treating. A point to consider before switching the company's payroll to your new Model III.

Real software compatibility should allow the direct, immediate interchangeability of Model I and Model III diskettes. No read-only limitations, no conversion/re-recording steps and no chance to be left high and dry with Model III diskettes that can't be run on a Model I.

What's the answer? The answer is Percom's OS-80™ family of TRS-80 disk operating systems.

OS-80 programs allow direct, immediate interchangeability of Model I and Model III diskettes.

You can run Model I single-density diskettes on a Model III; install Percom's plug-in DOUBLER™ adapter in your Model I, and you can run double-density Model III diskettes on a Model I.

There's no conversion, no re-recording.

Slip an OS-80 diskette out of your Model I and insert it directly in a Model III.

And vice-versa.

Just have the correct OS-80 disk operating system — OS-80, OS-80D or OS-80/III — in each computer.

Moreover, with OS-80 systems, you can add, delete, and update files. You can read and write diskettes regardless of the system of origin.

OS-80 is the original Percom TRS-80 DOS for BASIC programmers.

Even OS-80 utilities are written in BASIC.

OS-80 is the Percom system about which a user wrote, in Creative Computing magazine, "... the best \$30.00 you will ever spend."

Requiring only seven Kbytes of memory, OS-80 disk operating systems reside completely in RAM. There's no need to dedicate a drive exclusively for a system diskette.

And, unlike TRSDOS, you can work at the track sector level, defining and controlling data formats — in BASIC — to create simple or complex data structures that execute more quickly than TRSDOS files.

The Percom OS-80 DOS supports single-density operation of the Model I computer — price is \$29.95; the OS-80D supports double-density operation of Model I computers equipped with a DOUBLER or DOUBLER II; and, OS-80/III — for the Model III of course — supports both single- and double-density operation. OS-80D and OS-80/III each sell for \$49.95.

Circuit misapplication causes diskette read, format problems. High resolution key to reliable data separation

GARLAND, TEXAS — The Percom SEPARATOR™ does very well for the Radio Shack TRS-80* Model I computer what the Tandy disk controller does poorly at best: reliably separates clock and data signals during disk-read operations.

Unreliable data-clock separation causes format verification failures and repeated read retries.

CRC ERROR—TRACK LOCKED OUT

The problem is most severe on high-number (high-density) inner file tracks.

As reported earlier, the clock-data separation problem was traced by Percom to misapplication of the internal separator of the 1771 drive controller IC used in the Model I.

The Percom Separator substitutes a high-resolution digital data separator circuit, one which operates at 16 megahertz, for the low-resolution one-megahertz circuit of the Tandy design.

Separator circuits that operate at lower frequencies — for example, two- or four-

megahertz — were found by Percom to provide only marginally improved performance over the original Tandy circuit.

The Percom solution is a simple adapter that plugs into the drive controller of the Expansion Interface (EI).

Not a kit — some vendors supply an untested separator kit of resistors, ICs and other paraphernalia that may be installed by modifying the computer — the Percom SEPARATOR is a fully assembled, fully tested plug-in module.

Installation involves merely plugging the SEPARATOR into the Model I EI disk controller chip socket, and plugging the controller chip into a socket on the SEPARATOR.

The SEPARATOR, which sells for only \$29.95, may be purchased from authorized Percom retailers or ordered directly from the factory. The factory toll-free order number is 1-800-527-1222.

Ed. note: Opening the TRS-80 Expansion Interface may void the Tandy limited 90-day warranty.

NEW!
ESF III
NOW AVAILABLE!

SIMPLY AMAZING!

How else can you describe the *Exatron Stringy Floppy* system? You could say that it's an under \$300, compact, reliable, robust, high-speed, computer-controlled, easy-to-use, well-supported alternative to disk drives, for a Model I or III TRS-80—*simply amazing!*

Amazing Technology

Based on a special endless-loop tape cartridge, called a Wafer, the ESF system was designed specifically for computer data storage. The direct-drive transport mechanism has only one moving part, and data is transferred to and from the tape at a rate of 7200 baud.

Amazing System

Thousands of ESF buyers have been amazed by 16K programs loading in less than 20 seconds; automatic verification of saved programs; up to 70K bytes, and 99 files, on a single Wafer; a ROM operating system (RAM based in Model III); no need for an expansion interface; and 1-year parts and labor warranty.

Amazing Support

With an ESF system you don't just get a piece of hardware, you get total support with hundreds of user workshops; dozens of high-quality, reasonably priced programs (such as Electrical Pencil 2.0, Electric Spreadsheet, File Management System and Technical Word Processor); access to hundreds of FREE public-domain programs; an @NEWS user column in 80-US; @LOAD program magazine; and a toll-free information line.

Amaze Yourself

To see for yourself how amazing the ESF system is, or for more detailed information, call us toll-free at **800-538-8559** (inside California **408-737-7111**) and take advantage of our 30-day money-back return policy. Copies of the 80-page manual are available for \$4.95 (which you can credit towards an ESF), and while you're on the line ask about our equally amazing 64K RAM/ROM board for the Model I.



excellence in electronics

exatron

TRS-80 is a trademark of Tandy Corporation.
Stringy Floppy is a trademark of Exatron Corporation.

181 Commercial Street,
Sunnyvale, CA 94086

used to call the various functions from the machine-language routine, as well as a cross reference of variables and line numbers. The manual also lists the various optional data bases available from Unique Stationery. However, more specific information on interfacing Newtrieve with preexisting data bases and output for other purposes, such as a sorted printout of the index, would have been welcome.

One point that deserves mention is that since this program is directed to programmers, it is interesting that only a single license is purchased. It appears, therefore, that Newtrieve is meant only for in-house applications, and not for programmers to develop marketable products.

The Program

Newtrieve is composed of two parts: an index and a Basic program that references the index via USR calls. The index must all reside in memory at once. Additional power is added with the ENHAN/BAS module, which can be merged with the main Basic program. The Basic program is easy to use and reasonably powerful. It is also well documented, so the in-house programmer can see how the various parts of Newtrieve work, and develop his own application programs.

The index provided with Newtrieve allows 500 records with entries up to 40 characters. As mentioned, other indexes of varying character length (but limited to 20,000 characters total) are available from Newtrieve. Contact Newtrieve for price information on these optional indexes.

When you run Newtrieve, you will be presented with a menu. The top line of the screen shows the current load module (e.g., index) in memory, and the limit on the number of characters. The second line shows how to change the entry of the index at record "...". For example, if you wish to change the entry at record 100, enter 100. The program will display the record entry and ask you if you wish to change it. To make it empty, you merely enter X, and it becomes "EMPTY.....". Pressing the enter key leaves it as is, and entering a string of characters changes its entry to be the entered string.

By entering G, you may search the index for *all* occurrences of the search key. When you do this, an asterisk ap-

pears by the G. Entering S causes the program to stop at the first occurrence of the search key and query you to continue with the search, return to the menu, or change the entry of the record.

The E option is very powerful. It allows a simple Boolean logical Not in your search. For example, suppose you wish to find all occurrences that have Length 34 but not those with Width 40. The E option enables searching for Length 34 with an Exclude for Width 40. Only those records that meet both

*"It appears, therefore,
that Newtrieve is
meant only for
in-house applications. . ."*

the criteria are displayed. Your search key has an automatic And in that you may specify more than one word in your search key and it will return only the records with all the search words in them, although they do not have to be in consecutive order. Thus, a search of "pants long" would find "pants that are very long" as well as finding "long pants are good."

B allows you to browse through your index. It displays the index beginning at some user-specified record number and continues displaying until it reaches the end. You may stop the

scrolling by pressing the S key. The R key returns you to the menu, F continues scrolling forward, and B scrolls backwards.

Entering a 0 ends the program, 1 divides the index into two parts (250 records in each), and entering a 2 allows you to load another index into memory.

You get also a merge module with Newtrieve that provides two additional commands. The first command is used if a search does not find an entry, and provides you with the opportunity to enter it into the data base. The second command allows you to include data into the search string to execute a more specific search.

Limitations include the lack of a sort for printout, and the lack of specific information on interfacing the indexes with preexisting data bases, for both input and output. A few sentences are provided, but are rather incomplete. It would also be very nice to have a program to generate the custom data bases along with Newtrieve, rather than be stuck with the 500 records, 40 characters long, or one of the optional ones that you can buy from Unique.

The searches are very fast and do allow simple Boolean logical operators (And and Not) to be used. The program is easy to use and well documented. I would not recommend it for a general-purpose data-base referencing system for non-programmers, but a programmer should be able to use Newtrieve to his advantage in designing a data-base referencing system. ■

Microcomputer Data-Base Management

E.G. Brooner

Howard W. Sams & Co. Inc

4300 West 62nd St.

P.O. Box 7092

Indianapolis, IN 46206

Blacksburg Continuing Education Series

Softcover, 158 pp.

\$12.95

by Suzanne L. Foster

Microcomputer Data-Base Management is an introduction, definition and explanation of microcomputer data-based systems written for all experience levels. As in his first book, *Basic Business Software*, Mr.

Brooner writes in a practical, down-to-earth manner that conveys complicated ideas without intimidating the reader.

The first two chapters prepare the reader for the rest of the book, which describes and analyzes several commercial data-base software packages. These chapters are helpful to anyone needing to evaluate commercial software and an asset to those wishing to write their own data-base programs.

Chapter 1 is a review of data bases and their distinctive characteristics. The differences between small and large systems and their pros and cons are noted, followed by a partial list of software and terminology definitions. Management of small data bases and

types of file material are covered, as well as the composition of disk files (hard and flexible), file mapping, and variations in operating systems.

Chapter 2 introduces sorting techniques and the methods used to search files. The discussion of sequential, random access, and binary search methods is thorough and well written. An introduction and explanation of hashing, using some easily understood examples, is given. This leads into linking of fields in hash files and their use as field pointers. Merge, Shell and bubble sorts are introduced, compared and explained. The author briefly introduces updating and renaming files, plus using key files.

Chapter 3 covers sequential reading and searching of unsorted files, using sorts to put keys in order, merging files, and saving the order of unsorted files within key files. Programs and sample printouts of data reinforce topics under consideration, enhancing the presentation of this material.

An in-depth discussion of file mani-

pulation (hashing) is informative in chapter 4. Flexibility gain or loss is covered thoroughly, as is the structure of random-access files, preplanning file organization around a key field, and speed of record retrieval.

This portion of the book concentrates on the double table method, followed by a demonstration of the principles used. Hash data files and linking of lists are described concisely as is mapping data files. Programs, flowcharts and the sample printouts greatly enhance the material. Information on program applications and limitations assist in the comprehension of this material.

Chapter 5 contains an in-depth discussion of three different commercial data bases; Whatsit, Profile and Selector. These programs are presented as examples not to be directly compared, since each was designed for a different market and purpose.

For the real-estate executive, chapter 6 looks at a sophisticated, custom appraisal program adapted for the Selec-

tor package. Search criteria, file structure and sorted listings are discussed, as well as printouts with different formats, command sets and keyfiles. A 10-point plan is offered to convert Selector to this program or any other similar application.

The remaining chapters contain information including a multiple-file software package (not a data-base system), two applications for Profile, and an overview of QSORT and sort utilities.

There are three appendices, including a glossary, an ASCII table chart, and a list of addresses for software vendors. This is followed by the index.

This is an excellent tutorial book packed with information on data-base systems and their software applications. It is helpful for everyone from beginning computer-science students and small business owners, to those who already own or use computers. It is a valuable reference since many of the chapters include self-help test questions and exercises. ■

★ COLOR COMPUTER ★

★ ACTION GAMES ★

★ FAST=EFFICIENT=MACHINE LANGUAGE ★

★ ARCADE GAMES ★

★ ASTRO BLAST ★



A new super hi-res space game. Wave after wave of alien attackers... each one a different and unique challenge to your skills.

CASSETTE (16K) ... \$24.95
DISC (32K) ... \$29.95

★ COLOR BERSERK ★



They're calling this one a "classic". You'll have hours of fast-paced fun zapping robots. Super hi-res action!

CASSETTE (16K) ... \$24.95
DISC (32K) ... \$29.95

★ CAVE HUNTER ★



Outsmart the creatures that pursue you as you hunt for treasure in a maze of cave passages. Lots of colors and sounds!

CASSETTE (16K) ... \$24.95
DISC (32K) ... \$29.95

"Finally... software worthy of the Color Computer." K.C. Westerly, RI
"The ads and reviews were right. Great stuff!" R.S. Los Angeles, CA

SEND FOR OUR LATEST FLYER.
GET ON OUR MAILING LIST.

 **BUY DIRECT**

We pay shipping on all orders in the continental U.S. and Canada. Overseas add \$3.00. California residents please add 6% sales tax.

We are always looking for quality machine language programs. Contact us for details.

★ Calixto Island ★



A challenging puzzle with an occasional twist of humor. There's a treasure waiting to be discovered!

CASSETTE (16K) ... \$19.95

★ ADVENTURE GAMES ★

The Black Sanctum



For the player who enjoys suspense. You'll encounter the forces of black magic in this spooky adventure.

CASSETTE (16K) ... \$19.95

MARK DATA PRODUCTS

23802 BARQUILLA, MISSION VIEJO, CA 92691 • (714) 768-1551

Hayes Stack Smartmodem
Hayes Microcomputer Products Inc.
5835 Peachtree Corners East
Norcross, GA 30092
\$279

Automated Communications
Exchange

Ace Computer Products
1640 NW 3rd St.

Deerfield Beach, FL 33441

\$79 alone, \$39 with purchase of Smart-
modem

by Bruce Powel Douglass
and Doris Christine Minnerath

What makes this modem think it's so smart? It's the Smartmodem's special Z8 processor, programmable in any language by ASCII character strings. The command buffer holds 40 characters that specify the modem's program. Eight DIP switches define the default parameters for the modem upon turning it on, but may be overridden by the modem's programming.

These capabilities open up some

convenient options, of which Ace Computer Products of Florida took full advantage in their Automated Communication Exchange (ACE) software package.

The Smartmodem

The Smartmodem is an attractive 9.5 by 5.5-inch square by 1.5-inch high unit. Your phone or other Hayes Stack hardware, such as the Hayes Stack Cronograph, fit comfortably on top of the modem, merging compactness with attractiveness. The front of the Smartmodem sports seven LED indicators to show the state of the modem at any time. These include modem ready, send data, carrier detected, off hook, and others.

The Smartmodem has a two-year limited warranty (for you computer neophytes, that is virtually unprecedented in the computer industry). It is a direct-connect modem, which means that it is "cleaner" than other acoustical modems that require transmission through a microphone, and it is fully approved by the FCC.

The Smartmodem requires an RS-232C cable and interfacing software. It has an adjustable rate of 0-300 baud. The Ace software requires a 48K Model I or III with one disk drive.

The documentation for the Hayes Stack Smartmodem is a 70-page, wire-bound manual. It is well written and attractively reproduced on heavy 5 by 7.5-inch paper. Helpful diagrams, a detachable quick-reference card, and nine appendices all attest to the completeness of the manual. There is a good table of contents, although it lacks an index. The severity of this omission is mitigated by chapter 7, in which all of the commands and their parameters, default values, and ranges are listed and explained in alphabetical order.

Because of the excellent documentation, setting up the modem should be a breeze for even the greenest electronic communicator. To use it, you simply plug the modular phone cord into the back of the modem, connect the RS-232C cable to the modem, and you're in business.

WHY \$ IN DI\$K ... WE'VE PUT SENSE IN \$ASSETTES

TAPE ... RELIABLE, EASY, FAST!

SPEED, RELIABILITY, VERSATILITY

KWICOS: (Mod 1) A programmer's program... for novice or expert. Not just a simple speed-up (2x to 6x keyboard select) but an easy to use operating system that fully supports your cassette recorder. Features: save, load, verify, search, chain-load, catalog, and test-read of both BASIC and machine code programs: passwords, long titles, debounce, self 'backup' capability, and more..... **\$24**

KOS3: (Mod 3) All 'KWICOS' features at 2200 baud, plus KWIK set of: clock and date, cassette high/low, I/O routing, etc..... **\$24**

KWIKIT: (mini-system, BASIC programs only) EasyLoad double-speed for Mod 1, 2200 baud for Mod 3. Many 'KWICOS' features and upward compatible.....(add \$2 for debounce) **\$9.50**

KWINK: (mod 1) 'SYSTEM' copier supreme. Makes stand-alone fast-loading KWIK format (2x to 6x baud) copy of any standard 500 baud SYSTEM program. (At 6x, 3 min pgm loads in 44 sec!)... **\$12**

KLOAN: (Mod 3) Makes standard 500 or 1500 baud copy of any standard 500 or 1500 baud 'SYSTEM' program..... **\$10**

KLOAD: (Mod 1) Makes stand-alone fast-loading copy of BASIC programs. Similar to KWINK, but for BASIC programs..... **\$12**



KWIK SOFTWARE

816 E. Maupin Street
P.O. Box 328
Bolivar, Mo. 65613
(417) 326-7154




TAKE THE (Model 1) LOADS OFF YOUR MIND!

FLAWLESS REGULAR AND HIGH SPEED TAPE LOADS

Plug in a LEMON-AID Loader...in seconds...turn your CTR volume full up...and END Model 1 tape 'finickies' for good. But that's not all! Load high speed copies just as flawlessly (ad at left). For example, a KWINKed copy of SCRIPSIT • (12k) loads in just 44 seconds...and without a bobble!

HERE'S THE BEST
 The LemonAid Pro-Loader
 ...a MUST for MODEL 1...
 Compatible with Mod III...
 Speaker/earphone jack for
 audio monitoring without
 plug pulling. Special mode
 for weak tapes and rcdrs.
 Model LPL.....\$24



NEW! Model LSS. Pushbutton CTR motor controller with 'soft' solid state switching to eliminate switch hits. 'Cushion' motor-off delay pulls program past pinch rollers to prevent pinch hits on loads and for automatic gaps between programs on saves. No plug pulling. Saves CPU relay contacts. Works with all RS and most other recorders...with any computer. \$16.99 (special: \$12.50 when purchased with LPL Loader)

LEMONS TECH SERVICES

325 N. Highway 65 P.O. Box 0429
Buffalo, MO. 65622

(417) 345-7643

✓ 358

Call either number for any information or order. U.S. orders postage paid, add \$3 for COD or overseas; Missouri residents add sales tax. Special: Free on request with order, or \$1 and SASE... parts and instructions to easily add 'arcade' sound capability to CTR 80 or CTR 41.

The modem is always in one of two states; it is either in command state, in which case it can be programmed; or in on-line state, in which case the modem performs its classical function—transmission and receipt of data across phone lines.

For a simple example of modem operation, to tell the modem to dial a number, give the command AT D555-1212. The AT clears the command buffer and the D tells the modem to dial. The number that follows is the number dialed (at an amazing speed).

Several features contribute to the flexibility of the system. For example, the Hayes Stack Smartmodem incorporates auto-answer and auto-dial capabilities; no additional equipment is required for these tasks. With most modems, it is necessary to dial the number, and once you hear a carrier wave, to connect the phone line to the modem. This modem is so smart that in the event that it does not hear a carrier wave (indicating an on-line computer is responding) within a (programmable) length of time, it hangs up.

The modem cannot detect a busy signal, or a person talking over the phone line, but if a connection with another computer is not made within a certain length of time, the modem hangs up. The modem also has a redial option. If it receives a command A/, it automatically repeats the last command. If the last command is a dial command, the A/ causes the modem to redial the number and keep on redialing until an AT is received, informing the modem to give up by clearing the command buffer.

Either touch-tone, pulse dialing, or a combination may be used. A special group of Set commands allow control of dial-and-answer parameters. These parameters include dialing speed, number of rings before hanging up (0-255 rings), the number of rings before answering the phone when in auto-answer mode (0 means don't answer the phone), and others.

Programmability

Of course, the single feature that adds the most flexibility to the system is its programmability. With the right software you can program the modem to dial or answer, and send or receive ASCII files at some future time, even when you will *not* be there! One obvious application would be to program

the modem to dial an information network and receive data during the low-telephone-rate evening hours, while you are sleeping.

If you are going to be present during the operation, the Smartmodem contains a two-inch speaker audio monitor (with adjustable volume) that allows you to listen to the progress of a call. This monitor cannot be used to speak to someone at the other end of the line, but in the event you would want to, you simply pick up the phone, and the Smartmodem will wait for a carry wave and then hang up (since it cannot hear voices). Or one command forces the Smartmodem to hang up immediately. Going the other direction, you can also initiate the call, and after you are finished speaking, transfer the call to the modem with the touch of a single key. In fact, the Smartmodem can go back and forth between on-line and command state within the same call session any number of times. This is convenient for entering ID numbers and other information required by bank services or information networks.

One sin of omission with the Smartmodem is the lack of ability to connect your phone to the modem in series. The Radio Shack modem, dumb as it may be, at least allows the phone line to connect to the modem and then from the modem to the phone itself. This allows you to pick up the phone in the event that a person, rather than a computer, answers the phone. This is possible with the Smartmodem by purchasing a signal splitter to divide a single phone line into two, connecting one to the modem and one to the phone. It would be nice to be able to avoid the additional cords.

The Hayes Stack Smartmodem is a great device, and I have had no problems with it. It is simple to program (much easier even than Basic), easy to use, and comes with good documentation. I highly recommend it for reliable and simple, yet sophisticated data communication.

Automated Communications Exchange

The Automated Communications Exchange (ACE) was designed exclusively for the Hayes Stack Smartmodem. ACE is a collection of interconnected programs designed to give you communication ease and power when used with the Smartmodem. The soft-

ware requires a 48K Model I or III with at least one disk drive.

ACE allows some unprecedented clout for communication across the phone lines. It can look up a phone number, dial it, log on to the system, upload ASCII files, download ASCII files, log off, wait until another day and time and call another system, download a few files, and so on—all from a completely unattended TRS-80!

The system is easy to use, once you become familiar with it. The author, Mike Moore, thoughtfully included JCL (also known as DO) files, for those DOSes that support it, to allow the user to easily boot up ACE. Different files are provided for NEWDOS80 and DOSPLUS, since the protocol is slightly different for the two operating systems. To run the system, you first must set the DIP switches correctly on the Smartmodem. Once set, they do not have to be altered. These switches merely set the default parameters for the modem's operation, and ACE expects them to be set in a certain position.

Switch is a Basic program that loads the machine code driver GO/CMD and initializes the system for date and time. This is important for sending and receiving files. Once initialized, control passes to AHP, the automated host program. From here, the computer awaits the carrier signal of an incoming call or a keyboard command. You may transfer control to the ATP (automated terminal program) by pressing the space bar.


When you are in the host mode (AHP), you may call up your computer from a distant location. You will be asked for a log-on identification. If you fail to give an appropriate ID three times in a row, the program hangs up on you. After you log on, you may upload or download (save or receive) a call from the host computer. If you save the file, then AHP saves the file to disk using the name NOddhhmm, with dd = date, hh = hour, mm = minutes.

A list of outgoing calls from the host are kept in a disk file with the date, time, and file name to be sent. At the designated time, the AHP program transmits the ASCII file. What could be easier?

The ATP program puts you into the terminal mode. This allows you to talk to other computers as a terminal rather than a host; in this mode you may talk on the network systems and bulletin

From Computer Plus to YOU...


PLUS after PLUS after PLUS




Model 16 128K
1 Drive \$4199
2 Drive \$4799




Color Computer 16K \$305
w/16K Ext. Basic \$399
w/32K Ext. Basic \$499



Model III 16K \$799
Model III 48K
2 Disk & RS232 c \$1949



Okidata 82A \$425



Color Computer Disk Drive
Drive 0 \$470 Drive 1 \$315



Smith Corona TPI
Daisy Wheel \$599

BUY DIRECT Here are just a few of our fine offers...
call TOLL FREE for full information.

COMPUTERS

Model II 64K	\$3100
Model III 4K LEV I	599
MODEL III 16K	799
MODEL III 32K	856.50
*MODEL III 32K	831.50
MODEL III 48K	914
*MODEL III 48K	864
Model III 48K	
2 Disk & RS232 c	1949
†Model III 48K	
2 Disk No RS232 c	1749
Color Computer 16K	305
Color Computer 16K	
w/extended basic	399
Color Computer 32K	
w/extended basic	499
‡Color Computer 32K-64K	
w/extended basic	510
Pocket Computer 2	230
Model 16 1DR 128K	4199
Model 16 2DR 128K	4799
DT-1 Data Terminal	599

MODEMS

Lynx Direct Connect MI/MIII	235
Auto Ans./Dial	
Telephone Interface II	169
R.S. Modem I D.C.	130
R.S. Modem II D.C.	210

PRINTERS

Daisy Wheel II	1695
Smith Corona TPI Daisy Wheel	599
Epson MX80	CALL
Epson MX80 FT	CALL
Epson MX100	CALL
Line Printer VII	249
Line Printer VIII	620
Line Printer V	1610
Microline 80	325
Microline 82A	425
Microline 83A	699
Microline 84 Parallel	1090
P. C. Plotter Printer	199

*Computer Plus New Equipment,
with NEC RAM installed.
180 Day Computer Plus Warranty.

DISK DRIVES

R.S. Model III 1ST-Drive	679
Traxx Tandon 40 Track MI	289
Color Computer Drive 1	315
Color Computer Drive 0	470
Primary Hard Disk	3999

ETC.

Verbatim 5" Double Density	32
Verbatim 8" Data Life	49.95
Ctr-80A recorder	52
C. C Joysticks	22
16K RAM N.E.C. 200 N.S. chips	15
64K Ram Chips	75
Color Computer Flex D.O.S.	99
R.S. Software 10% off list	

†MIII R.S. Drive 0 Tandon Drive 1

‡Color Computer 64K requires
Disk 0 and Flex D.O.S.

**We have the lowest possible
Fully Warranted Prices AND
a full complement of Radio Shack
Software.**

Prices subject to change without notice.
Not responsible for typographical errors.
TRS-80 is a registered trademark of Tandy Corp.



call TOLL FREE 1-800-343-8124

computer plus

480 King Street
Littleton, MA 01460
617-486-3193

Write for your
free catalog

18

MAXI STAT Is The Most Versatile Statistical Analysis Program Available . . . On Any Micro.

Dr. Steven E. Mayer, PhD., Industrial Psychologist — Maxi User

Focus On: Maxi Stat

Who can use Maxi Stat?

Anyone who needs an analysis of statistical data. MaxiStat has successfully replaced dedicated mainframe and time-sharing statistics programs for business, financial and marketing researchers, educational administrators, hospitals, medical schools and medical research facilities, agricultural testing, and social scientists.

What does it do?

If you're familiar with SPSS (Statistical Package for the Social Sciences) and what it can do on a mainframe, you have a good idea of what Maxi Stat will do for your TRS-80.

Maxi Stat offers many of the best features of SPSS (modified for microcomputers) as well as features you can't get in any other system, at any price. Maxi Stat is one of the most useful analysis packages available — anywhere.


Read on to discover what this remarkable new tool can do for you . . .

Maxi Stat offers:

- menu-driven operation
- user-created codebook
- the ability to handle up to 255 variables
- machine language code allowing speedy data entry
- fast and easy editing
- hundreds of tasks performed at one time
- reports you can custom design for your specific needs
- ample screen prompts to guide user
- frequent automatic backup of data to help protect against power failures and system crashes
- all phases of research analysis, including:
 - write subfiles
 - frequency distribution
 - descriptive statistics
 - crosstabs & chi-square
 - correlation and linear regression
 - t-test
 - multiple linear regression
 - analysis of variance
 - multiple variable response

Summary

See for yourself what hundreds of other professionals have already discovered — Maxi Stat is THE solution to your analysis problems, and it's never further away than your TRS-80. Pull the plug on your time-sharing system and discover the power and convenience of Maxi Stat today!



A Subsidiary of Scott Adams, Inc.

By David Walonick

Maxi Stat is available now for TRS-80 Models I and III with 2 disk drives, 48K RAM, and printer.

\$199.95


Soon to be available for IBM PC

ORDER FROM YOUR FAVORITE DEALER or CALL TOLL FREE (800) 327-7172 (ORDERS ONLY PLEASE)
SHIPPING & HANDLING ARE EXTRA - PRICES SUBJECT TO CHANGE WITHOUT NOTICE
BOX 3435, LONGWOOD, FL 32750, (305) 830-8194 (QUESTIONS)

Look who's already using it!

University of Alaska, Fairbanks, AK. • Florida Hospital, Orlando, FL. • Capital Research Services, Topeka, KA. • Center for Financial Studies and Development, Claremont, CA. • U.S. Army Psychological Testing Unit, Wahiawa, HI. • University of Nottingham Dept. of Social Administration, Nottingham, U.K. • Defense Intelligence School, Washington, D.C. • Dept. of Recreation and Park Administration, University of Missouri, Columbia, MO. • Children's Hospital of Philadelphia, Philadelphia, PA. • Kingston City Schools, Kingston, N.Y. • Universidad de Monterrey, Monterrey, Mexico • University of Michigan, Dept. of Pediatrics, Ann Arbor, MI. • Kodak Camera (Australia, Asia), Coburg, Victoria, Australia • The Williams Group Advertising and P.R., Dallas, TX. • Medical College of Pennsylvania, Philadelphia, PA. • Parkway Day School, Philadelphia, PA. • University of Illinois, Chicago, IL. • Selkirk Health District, Nelson, B.C. Canada • Human Communications Systems, Reston, VA. • California Research Center, Los Angeles, CA. • Plan-Test Associates, Phoenix, AZ. • General Mills Corporation, Minneapolis, MN. • Shearson, Hayden Stone Investments, Hollywood, CA. • Energy Systems Research Institute, Raleigh, N.C. • Minnesota Historical Society, St. Paul, MN. • Purdue University, W. Lafayette, ID. • Nova Scotia Agricultural College, Truro, N.S., Canada • Agrico-Chemical Co., Wilmington, DL. • Marketing Associates, Charlotte, N.C. • University of Ottawa, School of Psychology, Ottawa, Ont., Canada • Rock House Publishing, Kowloon, Hong Kong • Center for Applied Social Sciences, Boston, MA. • Blake and Dickinson Marketing Research, Manchester, N.H. • United Nations, New York, N.Y., and hundreds more!

Maxi Stat prints many different report styles.



PLEASE ANSWER THESE 5 QUESTIONS

1. Do you have information that must be kept organized and accessible?
2. Do you ever need to perform statistical analyses?
3. Would you like to have a tool that will allow you greater flexibility in managing your own or your company's money?
4. Could you use a mail list program that will be easy to use, maintain an unlimited number of names, allow you great sorting flexibility, and even interact with a word processor?
5. Do you own or have access to a TRS-80 microcomputer?

YES NO

<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>

If you answered "yes" to any of these questions, we can be of assistance to you. Our Maxi Series of applications programs are designed to give you maximum versatility with a minimum of hassle. These programs were created for business use, but you'll find yourself using them for personal applications as well.

Thorough support — Of course, each program comes with in-depth, user-oriented documentation, and is menu-driven to make it easy to use. When necessary, the Maxi programs are compatible with each other, and, whenever pertinent, are interactive with the major word processing and spreadsheet programs published by other manufacturers. Also, we maintain a telephone support line to provide you with any assistance you might require.

Maxi Manager by Dale Kubler

Maxi Manager is a remarkable data base manager. Its fast machine language sort complements its large data storage capacity. The sophistication of its data entry, management, and printing capabilities makes Maxi Manager a versatile tool for many applications.

The program now includes Maxi Utility, which allows you to rescue files on diskettes that have been damaged by excessive wear or misuse and lets you expand, add, or delete fields from an existing data base. Let the unmatched capabilities of Maxi Manager handle your data management!

Model I & Model III. Minimum 1 disk drive required . 012-0196 \$149.99

Maxi Mail by Dale Kubler

Maxi Mail is a powerful mail list management system that:

1. Is easy to use.
2. Has virtually unlimited storage capacity.
3. Interfaces with the major word processors to generate form letters and other text.
4. Prints mailing labels up to four-across in any format desired.
5. Has virtually unlimited coding capabilities with thirteen fields of information for each record.

Maxi Mail is the most sophisticated user-oriented mail list program available.

TRS-80 Model III only. 2 disk drives required . 012-0148 \$99.95

Maxi Cras by Dale Kubler

(Check Register Accounting System)

Maxi Cras is a system that will computerize check writing, recording and analysis for business and personal finance. The system features 223 income and expense accounts, each of which will handle an unlimited number of transactions. Extensive register and report printing capabilities make Maxi CRAS an indispensable tool for managing money effectively.

Model I & Model III. Minimum 2 drives required . 012-0145 \$99.95


Maxi Stat by David Walonick

Maxi Stat is the most useful statistical analysis package on the market today. It was developed to allow maximum flexibility in designing customized analysis. Maxi Stat handles the three main components of statistical analysis:

1. Complete menu-driven codebook creation and editing.
2. Menu-assisted data entry.
3. User-created control files to describe the statistical analyses to be performed and printed out on the variables of your choice.

Model I & Model III. Minimum 2 drives required . 012-0153 \$199.95

A Division of
Scott Adams, Inc.



Send \$1.00 for our 16 page booklet
"Getting The Most From Your
Micro" All 16 pages are packed with
indepth explanations and printout
samples from the Maxi Series of ap-
plications programs.

THE BUSINESS DIVISION

BOX 3435
LONGWOOD, FL 32750
(305) 830-8194

boards. ACE is designed to allow single-command transfer of control from AHP to ATP, and when done, to revert control back to AHP (back to host mode). In ATP you may abort to AHP, dial a phone number, enter the live-keyboard mode, or transmit a file. In the live-keyboard mode, the characters you type are transmitted—this is the interactive mode normally used in communications networks.

The PFM program is used to edit the Call file. The Call file is used to indicate the time, date, phone number, transmission speed, prompt delay, and names of files to be transmitted. You may search by any of these fields for the appropriate record to edit, and this record will be displayed on the screen. You may then change any of the entries of the record. The Call file is the file

used by AHP to find when and where files are supposed to be sent.

Documentation

The documentation for ACE is nicely printed and bound. It is somewhat lacking in its cross-referencing and is at times ambiguous. A new manual that remedies these problems is now being prepared. It does contain all the information needed and is reasonably well written.

Once you have played with the program and understand its operation, ACE is a joy to work with. It is simple to operate, and control flows smoothly among programs when necessary with a minimum of user interference. The programs function exactly as they are supposed to, and I have had no trouble

with the package after taking the time to understand its operation.

The ACE software is excellent overall and takes full advantage of the Hayes Stack Smartmodem's unique characteristics. In fact, I am hard put to find anything that I would want a modem to do that this package will not do! The modem itself is simple to use, reliable, and has all the features I want in a modem except the serial connection of the phone to the modem.

The ACE software does everything I want a data-communications package to do—it sends, receives, auto-answers and auto-dials, it requires log-on identification, and it operates even when totally unattended. The Smartmodem and Automated Communications Exchange software together make an excellent communications system. ■

Newsprint 7.0

Prosoft

Box 839

North Hollywood, CA 91603

\$124.95

by Bruce Powel Douglass

Newsprint is the best word-processing package I have seen. The well written manual references chapters divided into Edit commands and Script (formatting) commands. The manual includes chapters on installing Newsprint for your computer and printer and how to create indices, titles, tables, and points (bullets).

Because of Newsprint's power and flexibility, it will take a little while to get the hang of it but once you do you will find it to be a powerful word processor.

Newsprint is written in Basic and machine language. Version 6.2 was fast, but you could sometimes tell when Basic was at work. This version has more of the program machine language. The editor is fast: no matter how fast you type, you won't lose keystrokes (except during disk I/O). The upper limit is 750 characters per second. Basic is used primarily for I/O and to install the front ends of Newsprint.

Newsprint is broken up into several programs. Control is automatically passed among them as needed freeing the user from the hassles of remembering which programs to run. Newsprint is, for the most part, menu-driven

and optionally integrates with Microproof's spelling checker, and the G.E.A.P. graphics editor. Control is easily passed to these programs. Newsprint supports many printers, and provided your printer can handle it, supports double and single-width, italics, bold face, super and subscripts, underlining, and backspacing. Placing ASCII characters in your text will send the proper control characters to your printer. Further, various fonts are supported including 10, 12, 16 cpi (characters per inch) and proportional spacing for both dot-matrix and daisy-wheel printers.

Newsprint is unsurpassed in printer control. The Itoh 8510 has a Greek character set. For my Statistical Package for Microcomputers (SPM), I needed to write an appendix of mathematical methods. It was simple to enter in the codes for the Greek characters and to super and subscript my mathematical expressions.

The editor is fine, but where Newsprint shines is in how it formats the words on the printed page. Newsprint easily creates tables, indices, tables of contents, form letters (with either keyboard entry allowed at format time, or selectively read data from disk files according to key words), change fonts, multiple top and bottom titles, center text, turn formatting on and off, and append and embed files together for long documents. No other TRS-80 word processor can match Newsprint's ability to format text.

Newsprint comes on a single disk for Model III users, and both sides of a floppy disk for Model I users. It is supplied on a TDOS system disk (an abbreviated version of DOSPLUS.) which is also quite good. Newsprint can then use TBASIC, (a small Basic) leaving maximum space for your documents. The manual contains information of how to use TDOS, such as for backing up and formatting disks. Other DOSes are supported by Newsprint, but TDOS does as well as any of them for Newsprint's purposes, and it is certainly better than TRSDOS.

Newsprint is for professional writing. It would be overkill for lesser needs.

Edit

Edit allows you to prepare and change documents. It does not format text. You embed the format commands for script within the text, but the editor will not format by itself.

The Edit screen is divided up into three areas. The top of the screen is the command line. On it you enter global or I/O commands. The left portion of the screen is called the LIMA (line manipulation area) and is used to enter line-oriented commands. The majority of the screen is taken up with the data area (columns 5 to 64 or more).

Think of the Edit commands as three categories. The character-oriented commands allow you to change a character by moving the cur-

sor to the offending letter and typing over it. You can insert or delete characters with the clear-key commands. Enter formatting commands by beginning the line with a period and the command, such as .pp to start a new paragraph.

The clear key functions as a control key in Newscript. Commands are activated by pressing it. You need only one hand to operate these commands since the clear key does not need to be held down while pressing the other command key. You can toggle the repeatability of the keys and send the current screen to the printer (no formatting takes place however), and you may enter any 8-bit code as an ASCII character.

With the LIMA commands you can label lines for block moves, copies, or deletes. You can also tell Edit to insert a number of lines or to replicate (make immediate copies) a line—useful in creating displays for the printed page. To enter LIMA, press the shift and left-arrow keys.

Global commands are entered on the command line ended with an enter. This is where you enter the global commands, such as (F)ind and (C)hange, as well as the I/O commands, such as (SA)ve and (GE)t.

There are a number of ways to find a string of characters. The simplest is to go to the command line by pressing shift, up arrow, followed by /string/ enter. The characters entered between the slash (/) delimiters will be searched for throughout the text in memory. You can repeat the command with a / enter on the command line, or a clear / from elsewhere on the screen. The Change options allow you to change one string to another. You can set the command to globally perform the change or confine it to the current line. To globally delete a string from the text, change it to a null string. The format of this command is C /string 1/string 2/.

Alter is an interesting command. It allows you to change one character to another in a manner similar to Change. You can change characters not included in the normal ASCII set by specifying the ASCII ordinal of the character. For example, AL /x/10/ will change x into an ASCII 10 character.

I/O

Pressing clear/S, saves the file with

the current file name. You can save the file to another file name by entering SA file name. You can save the file to another disk by specifying the drive number. SA :3, for example, saves the file with its current name to drive 3. The Get function retrieves text from within a file and places it after the current (top of page) line. You may also specify a block of lines with the LIMA commands, and Put these lines into a separate file on disk. Other commands allow you to get a directory from any drive, repeat the last command, join lines, and assign limited macro definitions to global commands X and Y.

Newscript's editor is fast, easy, and powerful. It is similar to the IBM mainframe word-processor editors such as Waterloo Script, except that you have a repeating delete key and operation is much more interactive. After completing your document, save your changes and exit to a mini-menu from which you can Script the file or do a variety of other things. Control passes easily among the various parts on Newscript.

Script

Script formats the text and outputs it to the printer. When you enter Script you are asked for the name of the file to be Scripted. The file does not remain in memory—the various parts of Newscript are too large for that. The default name is the name of the last file operated on. After the file name is entered, you can enter any of a number of run-time Script options.

These options control the formatting of the text for this run only. The run-time options include the number of copies of the document to be made, single or double spacing, format to video only, enter a mini-edit format to edit a file while it is being formatted, specify the range of pages to be printed, indicate the number of the first page to be printed, print all lines in boldface, print only the table of contents, or do not generate a table of contents, and ignore any append commands within the text. I particularly like being able to specify a range of lines to be printed. Suppose that page 15 doesn't come out well. This option allows you to print only page 15. If you print long documents, this option is particularly nice.

Script recognizes the formatting commands because they all begin the

line with a period (.) and have two letter codes. To center five lines of text, use .ce 5. To change to a font of 16 cpi, use the command .bf 16. The commands are many, but they are all fairly simple. The index and table of contents are built as the document is printed.

Controlling page parameters is easy. You can specify or change the left, right, top, or bottom margins, as well as turn formatting on or off and change the page length. You can specify several titles, top and bottom, and can even have different titles on the even-numbered pages as on the odd-numbered pages.

There are also commands for underlining and to permit keyboard entry of information into the document at format time. Superscripts and subscripts, as well as dark face, double width, italics, and backspacing are all done with escape sequences. An escape sequence is a pair of character pairs used to bracket a string of characters. For example, to print the string xxxx xxx in double width, type !(xxx xxx)! and the bracketed characters print in double width.

Form Letter

One of the most interesting and powerful attributes of Newscript is its ability to create form letters. You can create a data file and in it place a line of key symbols, a block of lines, followed by a number of variables.

When you use the Read .rd command, you can tell Script which key words to search for, and Newscript prints the documents for those entries with the keyword in its identifier list. You can then print out a number of lines in your text from the document, such as a name and address. In the body of your text, you can reference variables defined within the data-record entry, such as name or price information, and it is formatted as if it had been typed there! This is a very useful option.

I can use letter a for those folks that haven't paid for products. I merely specify the code word "unpaid" in my identifier list and it prints the letter for all those entries in the file. It prints out their names and addresses in standard form. Then in the body of the text, I reference their names (using variables), the product shipped, the date shipped, and the amount due. This is done for all entries in the data file, even though

the products, dates and prices may all be different for each entry in the data file.

Another thing Newsript does well is link different files together to create finished documents. If you want Script to format the text from another file and then return to the current position in the current file, just use an .im file name (imbed command). Another way to do that is to transfer control to a file never to return, with an .ap file name (append). The .im control word is used to insert text into a document at format time, while the .ap control word is used to link the end of one file to the start of another.

Between these two control constructs, Newsript makes it very easy to

link files together into a finished document. A 100-page manual can be put comfortably into about 23 different files. The .st message command also allows you to stop the formatting and display a message, such as "go get disk #17,"; to continue formatting press the enter key. Thus, you may have any number of files linked together on any number of disks.

Other Programs

GENINDEX, another of Newsript's programs, allows you to create a list of words to be indexed. It actually takes a document and indexes all the words it is composed of. FITLINE breaks up large files into smaller files and links them together with .ap commands.

Newsript 7.0 is an excellent product. The documentation is great and sets new standards of excellence. The system itself is large, but needs to be to allow for the power packed by the Newsript package. Unless you are familiar with Wordstar or with main-frame word processors, it will take you a few days before you can put out any sizable documents, but the result will be well worth it.

Version 7 features even more machine language, and the speed is as fast as any program on the market. Newsript keeps a keyboard type-ahead buffer of 128 keys so that it never loses keystrokes, and can keep up with any printer I have seen attached to a micro. ■

Visigraph
Micro Software Systems
1815 Smokewood Ave.
Fullerton, CA 92631
\$79 Model I
\$89 Model III

by G. Michael Vose
80 Micro staff

In a business, information is crucial to success, and gathering, organizing, and analyzing information is where computers make a significant contribution. With information, however, there is an intrinsic problem: What is the best way to look at it, to see quickly what it has to say? More and more businessmen will tell you the answer is graphs and charts.

Visigraph is a TRS-80 program intended primarily to produce graphs and charts from data generated by the popular VisiCalc program. Designed to work with the Epson MX-80 and MX-100 printers (Model III), or the Epsoms plus the IDS Paper Tiger 440-G or 445-G printers (Model I), Visigraph offers high resolution, the ability to title and label graphs and charts, and a user-definable character set of plotting symbols.

Visigraph also permits the graphing of your own program's data, using VisiCalc's DIF (data interchange format) format.

Visigraph is distributed for the Model I on single-density, 35-track, NEWDOS-formatted disks. Model III disks are available for the TRSDOS 1.3 or the DOSPLUS 3.4 user. Both the

Model I and Model III versions require 48K of memory.

The Whys and Wherefores

Once you've got all the Visigraph modules on your VisiCalc work disk, use this procedure to graph or plot a VisiCalc file. First, store your worksheet using the DIF format. Next, load a Visigraph graphform file, enter the graph features and the coordinates of the data to be plotted, and save the Graphform (now called a graphfile). Now load Visigraph, enter the name of the graphfile, and the graph is printed. If desired, you can even edit the graphfile to use different line and symbol shapes for plotting data.

"Visigraph is a TRS-80 program intended primarily to produce graphs and charts from data generated... by VisiCalc."

It all sounds quite simple, and it is, once you work with the program for a while. However, this is not a program for the novice computer user. Visigraph requires a working knowledge of the computer system and VisiCalc. Installation takes some time, and each graphform takes some time to set up. This program will *not* allow the plot-

ting of VisiCalc files at the mere touch of a button.

But the program has many excellent features that make it a valuable tool for the VisiCalc user.

Advanced Features


There are two major features that make Visigraph so interesting—symbol definition and auto scaling.

The program uses 12 different symbols for making its graphs and charts. These symbols include simple periods, small squares (totally black or with a blank space in the middle), large squares, lines, a simulated circle, and others, including two Greek letters, epsilon and psi.

If you would prefer a symbol not offered, you can create your own (within limits) and save your symbols in a symbol table with a unique file name. You create these new symbols by filling in the individual blocks on a 7-by-7-block matrix printed on your screen. When you finish drawing a symbol, you add it to a symbol table and it will be available any time you want it. You can delete symbols from a table to make room for new ones. It is a nice program feature.

The auto-scaling function automatically calculates the most readable increment for any scale you attempt to plot. For example, if your horizontal scale starts at 1.34 and goes up to 56.7 with 7 increments showing, the program calculates those increments to be eight units each to give you the most easily read scale. (The mathematically correct value is 7.9044, which would

TALKING ADVENTURES ADVANCE ON HW



FANTASTIC SOFTWARE

Defiance

Defiance, the first talking space simulation, talks to you through the cassette port! You have been given command of the U.S.S. Defiance, a constitution class MK-IXA heavy cruiser. A state of war exists between the United Federation and the Klingon Empire. Hostile forces have been reported advancing on Starbase Twelve. You are authorized to take any action you think appropriate to defend yourself and Federation interests in your area but Captain Kirk's not there to help!

Cat. No. 4172 Model I & III, Disk **\$24⁹⁵**

FANTASTIC SOFTWARE

Hyperlight Patrol

Hyperlight Patrol beams you into a new dimension in adventure games. You, in your single star cruiser, must locate and destroy a fleet consisting of unknown numbers of four different classes of enemy ships.

THE KEY DIFFERENCE IN HYPERLIGHT PATROL?

Unlike the Klingons, Cylons, etc. of most space games, these enemy ships maneuver intelligently in the three dimensional space around you— and can move as you do— by hyperlight jumps!

Cat. No. 4171 Model I & III, Disk **\$19⁹⁵**

BOOKS! BOOKS! BOOKS!

WAYNE GREEN BOOKS

The Encyclopedia for the TRS-80, Vol. 1-10

The Encyclopedia for the TRS-80, Vol's 1-10, is probably the most complete reference series for today's TRS-80 enthusiast now available. These books contain programming techniques, business language, hardware, games, graphics, tutorials, education, utilities and interfaces.

Volumes reflect the latest developments and discoveries making this series a must for the serious TRS-80 user.

\$10.95

FREE SHIPPING ON ALL ORDERS

Special discounts are now available!

3-5 books: **5% OFF**

6-9 books: **10% OFF**

Or take the complete series of 10
20% discount

Cat. No. 4207	Volume 1	Cat. No. 4212	Volume 6
Cat. No. 4208	Volume 2	Cat. No. 4213	Volume 7
Cat. No. 4209	Volume 3	Cat. No. 4214	Volume 8
Cat. No. 4210	Volume 4	Cat. No. 4215	Volume 9
Cat. No. 4211	Volume 5	Cat. No. 4216	Volume 10

Disk Protector Cases

- Holds 50 diskettes
- Hi-impact smoked plastic
- Desktop-perfect for home or office

Cat. No. 2956 **\$26⁹⁵**

Verbatim Datalife Diskettes

- Single sided, double density
- 40 track tested
- Built-in hub rings

Cat. No. 1147 (box of 10) **\$29⁰⁰**

HOW TO ORDER

Write or phone. Pay by check, M/C, VISA, or COD (add \$1.50 for COD). CREDIT CARD CUSTOMERS - please include your daytime phone number.

Outside Calif. (800) 423-5387

Inside Calif. (213) 886-9200

Offer expires Oct. 31, 1982

Mention this ad and WE PAY SHIPPING!
(UPS ground only)

**19511 Business Center Dr.
Dept. V10
Northridge, CA 91324**

HW ELECTRONICS

WHEN IN SOUTHERN CALIFORNIA, VISIT OUR RETAIL STORES

**19511 Business Center Dr.
Northridge, CA 91324**

**2301 Artesia Blvd.
Redondo Beach, CA 90277**

**444 S. Indian Ave.
Palm Springs, CA 92262**

produce a difficult-to-read graph.)

Most of Visigraph's features are similarly well planned and executed. The documentation, produced on an MX-80 and photocopied, is well written and complete. Micro Software Systems promises service after the sale and someone has always been there when I called. They have a patch to make the

program compatible with Epson's MX-100 printer for users who bought a copy of Visigraph before June 1, 1982.

If Visigraph has a fault, it is simply that it works with only certain printers. I had to borrow an MX-80 to test the program because I have a Radio Shack Line Printer VIII. However, since it is written mostly in Basic, it is possible to

make alterations that will allow the program to drive any printer that recognizes CHR\$ codes. ■

Eds. Note: Visigraph is now available for the NEC 8023 and the Line Printer VIII printers for both the Models I and III.

Dynamic Report Generator

Dynamic Software

58-04 208 St.

Bayside, NY 11364

\$14.95

by Bruce Powel Douglass

The Dynamic Report Generator (DRG) is an inexpensive program to generate columnar reports of data within specified parameters.

For your \$14.95 you receive a program disk and manual. The disk has two programs—RUN/CMD, a runtime module for the compiled program, and DRG/CHN.

The manual is 4 by 5 inches and 44 pages long. The program is easy to use and the manual is composed primarily of a long example that uses all of the program's commands. The manual, although quite good for its limited scope, is rather poorly xeroxed.

The program is menu driven and allows little flexibility in the form of the data output. This makes manual writing easier. The flexibility is limited to varying the number of columns of data, their titles, data type (string, numeric or result), and the relationships among them.

To run the program, you enter the line RUN DRG from DOS, rather than Basic. DOS loads and executes the program RUN/CMD. RUN/CMD then checks the command line and finds that you want to run DRG/CHN. It then loads DRG/CHN and executes it. You are next presented with a command menu.

The first option, Create, allows you to create your data-base structure. The second allows you to add entries to it. The third allows you to change either data within the data base or the names or type of the data columns. The fourth allows you to delete records. The fifth sends the list of the data base to the

printer. The X option allows you to exchange columns in your data base (to allow you to index your data by any entry). The last updates and sorts the data file and exits back to DOS.

In the Create mode, you may have up to 10 data columns, with a combined total of 132 characters. Each data column is a user-selected width and data type. The data types supported are string, numeric, and result. The string type may be any string of characters less than or equal to the length of the data column width.

"In the Create mode, you may have up to 10 data columns, with a combined total of 132 characters."

The numeric type is a decimal number. In the width for numerical type data, you must allow three places for a decimal point and two trailing digits even if you enter only integers. The most interesting data type is that of result. It is automatically numerical, but allows you to choose an arithmetic operator (+ - / *) and operands. You may use a constant operand and combine it with a data column to come up with a new data column, or you may use two data columns and combine them into a third.

You must remember to add two extra spaces to your columns or you may well run out of room when printing your data. If this occurs, the data is printed with as many digits as space allows, and a % at the left of the number.

When you create a data column, you are asked to specify its name, width,

and type. If you exceed the number of columns specified in your response to "print width," the program tells you a mistake has been made. I found this routine a little clumsy to use, particularly if your typing is not too accurate. You may edit your column names and types later with the Edit option, but you may not change their width. Once the data is set into a specific format, it stays there!

When you have created your column structure, you may add data with the Add option. One nice thing is that it prompts you to input values for each of the columns except for the result columns (since these will be calculated by the program). It displays a graphics block out to the right of your cursor, to mark the limit of the width of that particular column. It does not prevent you from typing over it, but it won't accept a line that is too long.

Each record is stored on disk as you enter it. The Terminate option merges it with the previous cumulative data base, performs the sort by the first column, and then exits to DOS. It would be nicer if this could all be done while still in the program.

The first data column is the index column. You are required to use a unique index entry for each record. The data will be sorted by the index column with the Terminate option. You may use the Exchange option to exchange the index data column with any other string-type data column in your data base. This enables you to sort by any string (non-numeric) field. To have it sort by the new index, just use the Terminate option again.

The program lists your data sent to the printer as well. To do so, you are asked for the number of print lines per page, then if you would like to list today's entries, or all except today's. Press the appropriate number and you will be asked for the print title. This ti-



NEW
FROM THE MAKERS OF
SCARFMAN
for TRS-80® Models I & III

Bounceoids

WHOMMP!

Includes exclusive challenge mode.

Bounceoids come crashing down from space — and rebound across the screen. Blast them or they will smash you. You have a shield but its lifespan is limited so use it sparingly.

The commotion will attract alien natives with poison darts, off-world snakes and shaking bugs. Be on your guard. The longer you survive the harder it is to simply exist. Bounceoids start dropping from the sky in tiny

clusters or with constantly changing outer dimensions.

Reach the exclusive challenge level and face the flying space flock in a tense challenge of strategy, coordination and targeting skills.

\$15.95 tape, \$19.95 disc plus \$1.50 shipping and handling charges.

The Cornsoft Group

6008 N. Keystone Ave., Indianapolis, IN 46220 • (317) 257-3227

308

tle, along with the page number, appears on each sheet of the output. Next, you are asked to ready the printer and away you go.

The program is not perfect, but quite good considering the cost. A few things that might be added include better error-trapping, a sort command independent of the Terminate option, and a way to browse through the data

without sending it to the printer. The program bombs on several types of input errors, requiring you to reload the program. The manual doesn't even mention errors. It should tell you which entry number you are currently entering when you are adding data. The program is not case-blind. That is, it won't accept an a for an A. It does not support any printer options other than

number of lines per page, a title, and page numbers.

Overall, the program is quite a good deal for the money. There is nothing of which I know that can compare for the low cost. If you need simple reports of the specific type that DRG can generate, you certainly would be hard put to find a better way to spend your \$14.95. ■

Tandy Six-Pen Plotter
Radio Shack
Fort Worth, TX
\$1995

by Bruce Powel Douglass

A plotter is a device specifically designed to plot functions and data, rather than print text. A printer is designed to print text. Assuming adequate hardware capability, one may be forced into the role of the other, but usually with limited success. It is difficult to get the resolution necessary for data and function plots with a printer, and with many printers it's impossible. A plotter can simulate a printer by creating and drawing characters, usually with several angles of rotation, but it is not very efficient at text printing, even though it is very efficient at drawing lines and circles.

There are two types of plotters. Some plotters fit the paper on a drum and then roll the drum during the graph's creation. A flat-bed plotter holds the paper on a flat surface and plots by moving a pen over the paper. The Tandy six-pen plotter is a flat-bed plotter that handles up to 8.5 by 11 inches. It can plot graphs of up to 7 by 10 inches.

The resolution of a plotter refers to the fineness of its drawing capability. The Tandy plotter can plot 200 points per inch, which, although not extremely fine resolution, is adequate for most purposes. It plots at 2.8 inches per second. As with most plotters, the Tandy plotter requires special pens that may be purchased separately. With special felt-tipped pens, you can easily create overhead transparencies with the plotter, for those impressive professional presentations.

The Tandy plotter allows relative or absolute coordinate addressing, several line-type patterns for drawing, cir-

cle, and arc patterns; 93 ASCII characters with variable sizes; four rotational angles for plotting; and some special marker symbols for use in creating graphs.


The plotter allows the use of up to six different pens, allowing for the easy creation of multicolored graphs. It features a touch control panel to allow manual or remote control of the plotter. In manual control mode, you may move the pen by pressing an arrow key on the control panel, raise or lower the pen, or reset the plotter. Since it requires an RS-232C interface, most computers can drive this plotter, including the Models I, II, and III as well as the Color Computer. I reviewed the plotter using a Model I.

The plotter is rather small (13.5 by 10.5 by 6 inches), yet attractive and it seems rugged. Its buffer can hold 768

bytes of instructions. The plotter has its own Z80 microprocessor and operating system. It has 1K of RAM and 6K of ROM for use in the generation of lines and characters. It accepts ASCII codes at 2,400 baud as instruction and data.

The Tandy six-pen plotter is easy to program. It lacks some of the flexibility of the HP 7225B plotter, but its use is simpler. Single characters comprise the plotter language (called DM/PL), and they allow a great deal of control over the plotter. Some of these commands are plotter select or deselect, plotter reset or test, pen up or pen down, new pen, home position, set plot origin, set line type, position pen (absolute or relative), plot characters or special markers, and plot arcs or circles.

A plotter allows drawing of a line



Convert to CP/M and Save.

Unprecedented Sale for the First 200 Customers. Call for Details.

The Trouble with TRS-DOS.

Although TRS-DOS is an excellent operating system, it has one major disadvantage. When compared with CP/M, TRS-DOS locks you into a limited and possibly dead-end course. When you are ready to upgrade to a new computer, it is likely that none of your present software will run on the new machine. All of the time and money you have invested in TRS-DOS software will be lost.

CP/M for the TRS-80.

Converting to CP/M offers the TRS-80 owner many advantages. The TRS-80 immediately becomes capable of running twice the software of any other computer on the market. Perhaps more importantly, CP/M permits software portability. Unlike TRS-DOS programs, CP/M programs can be directly transferred to your next computer. The savings in time and software costs can be quite significant. CP/M conversion can easily pay for itself with the money saved on one or two software purchases. The sooner you convert to CP/M, the more you stand to save.

CP/M Acquires Unprecedented Support.

Over the past year, a number of powerful competitors have introduced new microcomputers. Most people will instantly recognize the names of Xerox, IBM, Hewlett-Packard, Digital Equipment and Zenith. The Japanese companies, Sony, NEC, Sanyo, Toshiba and Sharp, are equally well-known. Together, these companies have committed over a billion dollars to compete effectively in the micro market. TRS-80 owners should be aware that every one of these companies has chosen CP/M for their standard operating system. Over the next few years, these companies will sell millions of CP/M computers. Considering these facts, it is clear that CP/M is the operating system of the future.

Apple and Commodore Offer CP/M.

In a recent press conference, the Apple Computer Company stated, "The largest installed base CP/M system in the world today is the Apple II with the Z80 card from Microsoft." In a recent full page ad in the Wall Street Journal, Apple announced CP/M for the Apple III. Commodore, refusing to be left behind, has recently announced their "Emulator" series of computers that support CP/M. There are even rumors that the new Tandy 16 will support a version of CP/M.

Plan Ahead.

The Omikron "Mapper" offers the ideal step to upgrading to a newer, more powerful computer. With the "Mapper," your TRS-80 can run both CP/M programs and TRS-DOS. With CP/M, you can build a software library that's fully compatible with the newest CP/M business computers. All of the time and money you spend on selecting, purchasing, and learning CP/M software can be considered an investment in the future. In addition, your old TRS-80 can gain a new lease on life as a fully compatible back-up unit. Consider all these points carefully. The Omikron "Works" package offers the best solution for protecting your investment in the TRS-80. By choosing the "Works," you can purchase a "Mapper" and also receive over \$1,000 worth of top-quality CP/M software. Value, Utility, performance — Omikron offers you more than ever before.

COUGAR... Omikron's Users Group.

CP/M has always been the standard for business and professional use. This market has always demanded high quality and high performance. The high prices for CP/M programs reflect the additional effort required to develop top-quality software products. To help our customers afford CP/M software, Omikron has formed Cougar, our official users group. Through Cougar, Omikron can purchase software products in large volume. This allows us to offer our customers some of the best CP/M software in the industry at greatly reduced prices.

Omikron Puts It All Together.

Omikron has sold more CP/M conversions than all of our competitors combined. Omikron was the first in the market with a CP/M conversion. Omikron has continued to lead the market for one simple reason — our total commitment to our customers. Only Omikron offers a "Works" type introductory package. Only Omikron has a "Cougar" type users group for long-term savings. Our hardware has always been designed with reliability first. Our software is well designed, complete, and bug free. Our technical hot line assists those with problems. Finally, our exchange policy has enabled our customers to upgrade to our new designs for much less than the cost to new customers. When you buy from Omikron, you buy from a company with a proven record of dedication and success.

OMIKRON

Products that set Precedents

1127 Hearst Street, Berkeley, CA 94702 (415) 845-8013

TRS-80™ Radio Shack/Tandy Corporation

↗50

Wordstar™ Micro Pro

CBASICII, CP/M™ Digital Research

between points by dropping the pen onto the paper and moving the pen to the end point of the line. The Tandy plotter supports 10 types of lines, which make it useful for multiple-line graphs. The default is a solid line, but various types of dotted and dashed lines can be software selected. With a plotter, you can draw lines either with absolute or relative addressing. This means that you draw a line to x, y or you may draw a line up three and over 10 from the present position.

The New Pen command allows software selection of a different pen. The pen holder replaces the current pen into its place in the pen changer and grabs the next pen for use. It's nice to watch your plotter grab the various pens it needs, draw with them, and put them back. Now if we could just get it to put the caps back on the pens when it is through!

To print characters on your plot, the plotter must draw them. The Tandy plotter sports 93 ASCII characters in its character set, as well as four special marker symbols for use in graphs. Plotters allow you to specify virtually any size characters to be drawn, from too small to read up to big enough to fill the page. You can also rotate the characters and print them at a number of angles. The Tandy plotter is limited to four angles (0, 90, 180, and 270 degrees). This makes for easy labeling of graph axes. That is impossible to duplicate with a normal printer!

Many plotters cannot directly plot arcs and circles. Usually, this must be

done by the plotting program, but the Tandy plotter has commands for directly specifying arcs and angles to be drawn. To draw a circle use CCx,y where x and y specify the center of the circle. The current pen position is on the circle circumference, and is used as the starting point for drawing the circle. To draw an arc, you use the command CA x,y d where d is the number of degrees of the arc to be plotted. One obvious use of these commands is the production of pie charts.

"Tandy-Graph is a software package that allows you to draw simple line, bar, and pie charts."

Tandy-Graph

Tandy-Graph is a software package that allows you to draw simple line, bar, and pie charts. The disk containing Tandy-Graph contains a curious problem. The sample files provided for examples cannot be read directly by the main program Tandy. They have an extension not supported by the program. It was trivial for me to change the program so that it could read the sample files, but a newcomer to computers would be stymied. The Tandy program works simply and easily for

the creation of good looking graphs and plots.

The manual is a thin 50 pages, but it contains enough information to operate your plotter even if you don't know much about computers. Tandy generally has good manuals, and this one is not bad. It lacks an index, which it could use, but the organization of the manual makes it relatively easy to find what you need to know without too much thumbing through. The manual is printed and written understandably. It presumes a certain familiarity with computers that a novice might not have, but anyone who has played with a TRS-80 for a few weeks will be able to follow the manual quite easily.

The software provided works well and is menu driven for ease of use. It is not the most powerful software package imaginable, but it is serviceable and creates some very attractive graphs and does so with a minimum of pain. The plotter itself is simple enough to control, eliminating a great deal of the creative programming that normally accompanies the writing of software packages for specific purposes. The best commands available on the Tandy plotter are the rotational character drawing command, 10 line types for plotting, and the circle and arc plotting commands. The package is good and very useful. It is also competitively priced. If you need a multi-pen plotter that is simple to program and comes with software that will handle most of your graphical needs, then consider the Tandy six-pen plotter. ■

MDX-3 Interface PC Board
Micro-Design
Manchaca, TX 78652
Model III
\$74.95

by Mel Patrick

At present there are many companies who offer whole or partial kits to upgrade your Model III for floppy disks. These kits usually include one disk drive, an additional 32K of RAM to give you a full 48K, a floppy-disk controller interface, and a power supply for the floppy disk. Micro-Design's MDX-3 interface board not only has these standard items incorporated, but an RS-232 and a modem as well.

The MDX-3 is a bare printed-circuit board that you populate with the required components. When fully constructed, the board's options include the RS-232, floppy-disk controller, and a 300-baud answer or originate modem. A 43-page manual guides you through all stages of construction, assembly, and installation.

The MDX-3 fits inside the Model III's case in the same place that is normally occupied by the RS-232 and Radio Shack's floppy-disk controller card. All mounting hardware for the installation is included with the board. The MDX-3's external disk-drive connector and RS-232 connector exit through the same slots in the bottom of the case as does Radio Shack's.

Assembly

Construction of the board begins by accumulating the parts required for the sections desired. The modem requires the RS-232 for operation and cannot be constructed as a stand-alone section. However, the floppy-disk controller or RS-232 can. The manual includes a total or separate parts lists for those needing only one of the options. Also included in the manual is the name and address of four companies who can supply some or all of the necessary parts. Computex in Webster, TX, is not mentioned but they do supply a complete set of pre-packaged parts.

Considering the complexity of the

TELEWRITERTM

the Color Computer Word Processor

TELEWRITER

Telewriter is the powerful word processor designed specifically for the Color Computer. It can handle almost any serious writing job and it is extremely easy to use. It has all the advanced features you need to create, edit, store, format and print any kind of text. With Telewriter you can quickly produce perfect, finished copy for letters, reports, term papers, articles, technical documentation, stories, novels, screenplays, newsletters. It is also a flexible and efficient way to take notes or organize ideas and plans.

51 x 24 DISPLAY

The Color Computer is an incredibly powerful and versatile computer, but for text editing it has some major drawbacks. The small 32 character by 16 line screen format shows you too little of the text and, combined with its lack of lower case letters, bears little resemblance to the way text really looks on the page. Reverse video in place of lower case just adds confusion.

Telewriter eliminates these shortcomings with **no hardware modifications required**. By using software alone, Telewriter creates a new character set that has **real lower case letters**, and puts 24 lines of 51 characters on the screen. That's more on-screen characters than Apple II, Atari or TRS-80 Model III. That's more than double the Color Computer's standard display.

FULL SCREEN EDITOR

The Telewriter editor is designed for maximum ease of use. The commands are single key (or single key plus control key), fast, and easy to remember. There is no need to switch between insert modes and delete modes and cursor movement modes. You simply type. What you type is inserted into the text at the cursor, on the screen. What you see on the screen is always the current state of your text. You can move quickly through the text with one key cursor movement in all 4 directions, or press the shift key simultaneously for fast, auto-repeat. You can jump to the top or bottom of the text, the beginning or end of a line, move forward or backward a page at a time, or scroll quickly up or down. When you type past the end of the line, the wordwrap feature moves you cleanly to the next.

You can copy, move or delete any size block of text, search repeatedly for any

*... truly a state of the art word processor...
outstanding in every respect.*

— The RAINBOW, Jan. 1982

The only one with all these features
for your TRS-80 Color:

51 column x 24 line screen display
Sophisticated full-screen editor
Real lower case characters
Powerful text formatter
Works with any printer
Special MX-80 driver
Runs in 16K or 32K
Disk & cassette I/O
requires absolutely
no hardware modifications

pattern of characters, then instantly delete it or replace it with another. Telewriter gives you a tab key, tells you how much space you have left in memory, and warns you when the buffer is full.

FORMAT FEATURES

When it comes time to print out the finished manuscript, Telewriter lets you specify: left, right, top, and bottom margins; line spacing and lines per page. These parameters can be set before printing or they can be dynamically modified during printing with simple format codes in the text.

Telewriter will automatically number pages (if you want) and automatically center lines. It can chain print any number of text files from cassette or disk without user intervention. You can tell it to start a new page anywhere in the text, pause at the bottom of the page, and set the Baud rate to any value (so you can run your printer at top speed).

You can print all or any part of the text buffer, abort the printing at any point, and there is a "Typewriter" feature which allows you to type straight to your printer. Because Telewriter lets you output numeric control codes directly (either from the menu or during printing), it works with any printer (LPVII, LPVIII, MX-80, Okidata, NEC 8023, C. Itoh 8510, Centronics, GE Terminus, Smith Corona TP-1, etc.). There's even a special driver for the Epson MX-80 that lets you simply select any of its 12 fonts and do underlining with a single underline character.

CASSETTE AND DISK I/O

Because Telewriter makes using cassette almost painless, you can still have a powerful word processor without the major additional cost of a disk. The advanced cassette handler will search in the forward direction till it finds the first valid file, so there's no need to keep retyping a load command when you are lost in your tape.

The Verify command checks your cassette saves to make sure they're good. You can save all or any part of the text buffer to disk or cassette and you can append pre-existing files from either medium to what you have in the buffer already.

The disk version can be simply customized to the precise number of drives in your system. From the disk menu, you can list any directory (including free space) to the screen or to the printer, rename or delete files, set the default drive and return to BASIC.

ASCII COMPATIBLE

Telewriter turns your Color Computer into the most powerful, lowest cost, word processor in the world today. But that's not all. The simple ASCII conversion program provided with Telewriter (for both cassette and disk) means you can use the full power of the Telewriter editor for creating and editing BASIC and assembly language programs. It means you can use Telewriter to prepare or edit text files used with any data communications program.

Telewriter costs \$49.95 on cassette and \$59.95 on disk. To order, send check or money order to:

Cognitec
704 Nob Ave.
Del Mar, CA 92014

Or check your local software store. If you have questions about Telewriter, call us at (714) 755-1258 weekdays, 7AM-4PM PST.

And now you can get a complete text processing/communications package direct from Cognitec.

Telemaster-1: gives you Telewriter along with Colorcom/E, the most flexible smart terminal program available for the Color Computer. Package price: \$94.95.

Telemaster-2: gives you Telewriter plus Spell 'n Fix—the professional FLEX spelling checker, now available for the Color Computer. Package Price: \$109.95.

Telemaster-3: includes Telewriter, Spell 'n Fix, and Colorcom/E—all 3 for \$154.95.


Please specify disk or cassette. Allow 2-3 weeks for personal checks. Add \$2 for shipping and handling. California residents add 6% state tax. Send SASE for copies of reviews from major Color Computer and TRS-80 magazines.

✓121

... one of the best programs for the Color Computer I have seen ...

— Color Computer News, Jan. 1982

Control Cash & Inventory at Check-out



NEW SYSTEM MAKES TRS-80 III A TOTAL CASH REGISTER & POINT-OF-SALE COMPUTER

Which performs all the normal functions of a computer and is specially programmed to....

- **COMPUTE** Sales Taxes, Discounts, Special Sales and Promotions
- **TRACKS** Sales by Type, such as Visa, Mastercard, Check, Charge, etc. and by Employee/Operator for up to 30 people
- **SELF-PROMPTING** to Cashiers
- Produces Audit Trails and **ACCOUNTING DATA** for entire operation
- **CONTROLS** up to 20,000 **INVENTORY** LINE ITEMS on our Hard Disk Drive
- **CONTROLS** up to 1,500 **INVENTORY** LINE ITEMS on your Floppy Drive
- Complete, Ready-to-Run **SOFTWARE** comes with Cash Control Drawer Unit
- **AUDIBLE SIGNAL** produced when any key is depressed by any operator
- **DRAWER** operates automatically or by manual override anytime
- Generates **RECEIPTS** on Printer
- Available to display in English, French, Spanish, or German Languages
- Operates on 110AC or 220AC...just plug it in
- **NO INTERFERENCE** with or modification of regular TRS-80 Mod III...plugs right into computer

FREE Specifications and Data Package or order complete Operating manual for \$15 from

ICR/Futuresoft
Box 1446 - Orange Park, Florida 32073
(904) 269-1918 for technical assistance
and Dealer Information

Integrated Cash Register Systems from as low as \$449.

ICR-Futuresoft →

Software of Tomorrow Today 211

REVIEWS

circuitry, construction is quite easy. The PC board is silk-screened for parts placement and is not crowded. A page in the manual is an exact duplicate of the silk-screened board with all the component designations on it. This is extremely helpful in cases where drilling the board has removed the part number.

Micro-Design recommends that IC sockets be used because of the ease of repair or troubleshooting, should the

age tests are conducted and verified. If all of the voltages are correct, install the ICs and proceed to test each section.

Troubleshooting

Should any section not check out, there are two avenues open. One is to remove the board and send it to one of Micro-Design's repair centers (located throughout the U.S. and Canada). The other is to refer to the manual and try to fix it yourself. I had a disk problem. Sometimes the disk worked normally and other times it wouldn't boot. The manual states that a Z80A CPU could replace the standard Z80 CPU if the main board (Radio Shack's) was marked REV F. It was, I did, and it worked—perfectly.

Installing Disks

The MDX-3 assumes that the owner already has installed the disk drives and their required power supplies. I obtained two standard 40-track, double-density drives with cases and power supplies. In order to mount them the same as the standard Radio Shack drives, I ordered a right and left disk-mounting bracket and an RF shield from Radio Shack.

I recommend the RF shield; it attaches to the left disk-mounting bracket. If it isn't used, the high-voltage lead to the videopicture tube, which is very close to the disk drives, may interfere with the drive operation.

You may also order bare disk drives (no case or power supply). In that case order the Radio Shack disk power supply, #AXX6005. It is capable of powering two internal drives.

Summary

If you can solder neatly and follow instructions carefully, there would be little or no problem in constructing and installing the MDX-3 interface board. Should you encounter any problems, Micro-Design seems more than willing to help. They have technicians available for this purpose after business hours and also have service centers should the problem be unresolved.

The cost of constructing the interface and buying the disk drives yourself is very low. Combine this with the fact that the interface also contains an RS-232 and a modem and you have an extremely low-cost system. It is this, plus the support of Micro-Design, that makes the MDX-3 a worthwhile investment. ■

"The cost of constructing the interface and buying the disk drives yourself is very low."

need arise. After all the sockets are installed, resistors and capacitors are added.

According to the manual the next step involves installing the crystals X1 and X2. On the board that I have (marked Rev C) there is no X1 or X2, but rather a Y1 and Y2. I found that Y1 is X1 and Y2 is X2.

Finally, the diodes and the polygore cables are installed. These cables are nothing more than ribbon cables with pins that fit the connectors on MDX-3 and the main board. They don't lend themselves to a great deal of flexing, so try to avoid it if possible.

Testing

Before the MDX-3 is actually installed in the Model III, the options must be checked out. Once mounted in its location in the Model III there is no way to get at it (it's behind the main CPU board). The manual is very useful as a guide in this section.

At this point none of the ICs should be installed. The manual clearly describes how to open the case and connect the MDX-3 to the computer's power supply and to the main CPU board. Also strongly recommended at this point is the installation of the additional 32K of RAM.

Once the MDX-3 is connected, volt-

MAILING LIST SYSTEM \$89.95

For TRS-80 (Tandy Trade Mark) Model I and III

We proudly present here what many consider to be the most powerful and versatile mailing list system on the market today. It is primarily written in BASIC...with embedded machine code for the speed sensitive areas. This makes our system **easy to modify**, yet extremely fast...Our system is specifically configured to run on floppy disk drives. Some other major systems, run on floppies but are really intended for use on hard disk drives. To get the real benefit of such a system, one usually has to purchase expanded track/density disk drives and even then a problem occurs when all the drives are filled with data. We have neatly solved this problem by allowing all your data disks to be maintained in continuous order even though, due to limitations of your drives, the list is too large to all be "on line" at one time. Thus our system accommodates extremely large lists using your existing drives and yet avoids the "segmented" data problems of the hard disk approach.

- Simple to use...even for the novice.
- Permits 2260 names on-line with 40 track dbl density drives and almost 5000 names with 80 track drives. 35 track single density drives permit 1025 on-line entries.
- Super fast sort by alp. or zip order (8 sec. for 1000 entries)...both orders can exist simultaneously on disk.
- High speed recovery of entries from disk...speed of sort is meaningless if retrieval from disk is slow...ours pulls in over 11 per sec!
- Optionally supports a second address line.
- Transfers old files over to our system. **LOOK!**
- Zip order is "sub-alphabetized".
- Less than 5 digit zips have leading 0's appended.
- Supports 9 digit zips, **Canadian zips**, and foreign abbrev.
- Backup data disks are easily updated as entries are created, edited, or sorted...extremely useful!!
- Optional reversal of names about commas. This permits disk storage in last-name-first order to facilitate meaningful alph order while the printout will be in "natural" order.
- Permits telephone, account, and/or serial numbers, etc.
- Prints on envelopes or on labels, 1, 2, 3, or 4 across.
- Test label/envelope printing lets you make horizontal and vertical adjustments with ease.
- Master printout of your list in several formats (not just a rehash of the labels)...extremely useful.
- Selective printing by specific zips or by zip range.
- Editing is simple and fast...automatic search. Batch transfer of edited entries to backup disks.
- Optionally provides for duplicate labels.
- Deleted entries have "holes" on disk filled automatically and alph. order is still maintained!
- System adjusts to any DOS.
- Automatic "repeat" feature for ease of entry.
- Load and "scroll"/edit through entries on disk.
- All labels optionally support an "ATTN:" line with provisions for multiple entries.
- Plenty of user defined fields with various options for **simultaneously** purging and selecting the printout...even allows for inequalities...powerful and easy to use.
- All 0's in address labels are replaced by easier to read O's.
- Continuous display of numbers of labels/envelopes printed.
- Each disk entry automatically "remembers" how many mailings have been made for that particular entry...Can be tied in with purge/select.
- Extensive use of error traps (both operator and machine induced)...even recovers from a power failure during a printout!...recycling on disk errors.
- Extensive documentation manual.
- Hardware requirements: 32K, printer, and 1 or 2 drives.

FORM LETTER (Use alone or with the mail list system) \$39.95

Create letters and store on disk with provisions for later retrieval and additions. Then print the letters using your mailing list.

- Same select and purge features as mailing list system.
- Select either continuous fanfold or "cut sheet" paper.
- Selectable tabbing, test printing, and paging.
- Allows regular or legal size pages.
- Greetings are selectable by codes on mailing list. Options include Mr./Mrs., First/Last Name, global, or user defined.

SIGN (Supplied on tape, can be transferred to disk) \$19.95

Produce large (reduced 50% here) attention getting signs.

```

SSSSSSSS TTTTITTT 00000000 PFFFFFPP LL 00000000 00000000 KK KK
SS SS TTTTITTT 00 00 PP PP LL 00 00 00 00 KK KK
SS TTT 00 00 PP PP LL 00 00 00 00 KK KK
SSSSSSSS TTT 00 00 PFFFFFPP 00000000 00000000 KK KK
SSSSSSSS TTT 00 00 PFFFFFPP 00000000 00000000 KK KK
SS TTT 00 00 PP PP LL 00 00 00 00 KK KK
SS SS TTT 00 00 PP PP LL 00 00 00 00 KK KK
SSSSSSSS TTT 00000000 PP LLLLLLLL 00000000 00000000 KK KK
    
```

SUPER CALENDAR (Supplied on tape only) \$19.95

Prints out calendars of individual months of years ranging from 1583 to any time in the future. Standard banker's holidays are noted...Additionally prints out large "graphics" type wall calendars with memos under each day...Use as a planning calendar with optional disk storage...Requires 16K and a printer.

Football Scouting Report (Disk only) \$89.95

Charge local high schools and colleges up to \$1000 per season for these sophisticated reports. Documentation manual available alone for \$3.95 + \$2.00 shipping and handling.

Loan Amortization (Supplied on tape, can be transferred to disk) \$29.95

Achieves pin point accuracy with a built in calendar...This sophisticated program produces an exceptionally professional looking printout that includes yearly summaries as well as "totals-to-date"...Several options for calculating interest including one that pushes the payment date ahead to the next business day if the regular pay date falls on a weekend or holiday. Hardware requirements: Model I or III, 16K, and a printer.

Interfaces to your own basic programs...sort with the speed of machine code but with the convenience of basic. Use your disk to merge our short basic programs with embedded machine code) with your own basic program. Follow simple instructions to set up a sort of string, integer, single, or double precision arrays (also ascending or descending order). Also included is a ready to use basic program (already merged with the ORDER program). Use it to obtain a printout of alphabetized names.

FAST SORT and ALPHABETIZER

(Disk only) \$29.95

Sample Sort Times

8 sec. for 1000 dbl. prec. numbers...50 sec. for 5000 integers.

Mailing List System ☐

Loan Amortization ☐

Supercalendar ☐

Form Letter ☐

Fast Sort & Alph ☐

Football Scout ☐

Model I ☐

Model III ☐

Total (Add \$2.00 for Shipping & Handling) \$

Check ☐

COD ☐

Visa ☐

MC ☐

Card No. / Exp

Name

Address

City, State, & Zip

PRECISION PROTOTYPES

410 E. Roca

Refugio, TX. 78377

(512)526-4758

Here's The Book That's A Byte Above The Rest!



TRS 80 Model III: Programming and Applications

Larry Joel Goldstein, PhD
and Martin Goldstein

Here's a top-notch introduction to programming and using your TRS 80 Model III! From BASIC to the more complex application, *TRS 80 Model III: Programming and Applications* does it all with a unique sense of ease and clarity while promoting user-confidence.

(1982/320pp/paper/ISBN 0-89303-050-3/Prod. No. 9390/\$14.95)

Order today! Use our coupon or call Toll-Free 800-638-0220 (MD residents 301-262-6300).

Brady Robert J. Brady Co.
Bowie, Md. 20715

COUPON

YES! Please rush me TRS 80 Model III: Programming and Applications/Prod. No. 9390/\$14.95. I've noted my payment option below.

Name

Address

Phone No.

Signature

☐ Check/MO attached (I've added \$1.95 for postage & handling)

☐ Visa ☐ MasterCard

Acct. No.

Expiration Date

MD, PA, MA, CA, IL, NJ, FL, and DC residents add local sales tax.

Brady orders by phone:
toll-free (800) 638-0220,
in Maryland (301) 262-6300

314
Robert J. Brady Co.
Bowie, Maryland 20715 • (301) 262-6300

REVIEWS

The Custom TRS-80 & Other Mysteries
Dennis Bathory Kitz
IJG Inc.
1260 West Foothill Blvd.
Upland, CA 91786
Softcover, 335 pp.
\$29.95

by Fred Blechman

If you have a TRS-80 Model I and you want to know what makes it work (or *not* work), and what you can do to make it do things it normally can't do, then this book will fascinate you. This work represents just a part of the vast storehouse of knowledge gathered by Dennis Bathory Kitz.

A regular columnist for several microcomputing magazines, Dennis has combined his software and hardware expertise with his ability to write in readable (and sometimes humorous) form.

This book is almost a TRS-80 Model I encyclopedia, and contains many photos, schematics, tables and Assembly-language listings. Subjects include converting binary to decimal, reading the pins, color codes, power supplies, creating Basic tokens, and many more.

The overall coverage is very broad. There will be very few who pick up this book and don't find within its pages something new and interesting. However, much of the book may be well beyond their present abilities or interests; it is not for the beginner.

Although Dennis gets down to some basic information in the Introduction, like schematic symbols and resistor color codes, chapter 1 launches right into opening up the TRS-80 main computer unit. He then describes the Basic Level II ROM power-up routines starting at address 0000—useful if you are interested in Assembly language.

Chapter 2 gets into simple logic devices, machine language (with a detailed memory map showing significant hexadecimal addresses), and a long chart showing the commands available in Level I, Level II and DOS-like Level III.

Dennis discusses CPU hardware, program RAM control, video RAM, the keyboard, ROM control, output controls, wire-wrapping techniques, and peripherals (specifying the addresses, output ports, and other interfaces used by about 40 popular non-

Radio Shack TRS-80 add-ons).

The chapter on software modifications covers the Editor/Assembler, and features 12 Assembly-language listings covering information as diversified as keyboard debounce and auto-repeat to dynamic memory tests and voice I/O using the cassette port.

Chapter 4 covers several hardware additions, some relatively simple (16K keyboard memory, and an RF modulator jack) and some more complex adding a hexadecimal keypad and reversing the video).

Chapters 5, 6 and 7 contain information on the Radio Shack Expansion Interface (with its problems and cures), the two "other 80s"—the PMC-80 and the LNW-80—high-resolution graphics, interpreters, a power-up monitor, the CLOAD problem, interfacing with external devices, D/A and A/D conversion, music, and sound effects.

The book concludes with topics such as a parallel printer interface, real-time clock/calendars, different disk operating systems, high-speed cassette loading devices, and 15 categories of 111 common crashes and their cures.

Appendixes I, II and III give recommended (and not recommended) parts suppliers, an extensive bibliography of books, manuals, guides and periodicals, and six pages of ASCII codes and conversion tables. Appendixes IV, V, VI and VII provide a six-page Assembly-language utility program that does everything but the windows, 30 pages of pinouts, technical specifications and data, an eight-page glossary, and parts lists and PC board layouts for the various projects in the book.

I reviewed the first printing of the first edition, February 1982, and some "problems" were evident, mainly in the captioning of the figures and text references like "see Fig. (?) " or "Table (?)"—obviously meant to be identified before printing. For example, Figs. 2-11 through 2-39 appear to be missing, but aren't—there's just a big gap in the numbers. Also, one would expect to find a big fold-out schematic of the entire Model I, but it's not included. Reference is made, however, to the *Radio Shack Microcomputer Technical Reference Handbook* (catalog # 26-2104), which does contain the Model I schematic.

No mention is made of the applicability of this book to the TRS-80 Model III. I suspect most of the hardware

STRIKE FORCE



THE ULTIMATE CHALLENGE!

STRIKE FORCE is the ultimate challenge in arcade action – bent on destroying your concepts about game software!

You'll need iron resolve and nerves of steel to go forth and defend a world of vulnerable cities under relentless alien attack. You are the mighty warrior-saviour of these cities! Armed with rapid-fire missiles, long range radar and incendiary star-shells you'll need breathless speed to combat all the bombers, escorts, fighters and missiles. Your force field may give you temporary relief, but watch out!

Skill, cunning, lightning fast response and a keen sense of strategy are not just important – they're imperative to your life and the lives of millions of city dwellers! STRIKE

FORCE, stretching your skills and imagination beyond this planet, is undoubtedly the fastest and most complex game you will ever see!

Available from your favorite software dealer or directly from Melbourne House. STRIKE FORCE is joystick compatible and includes a color booklet.

- 16K TRS Model I/III cassette \$15.95
- 32K TRS Model I/III protected diskette \$19.95

Write for complete catalogue. Other arcade games currently available include PENETRATOR (see review in September 80 Micro) and GOBBLEMAN, a game guaranteed to drive you bananas.

Dealer enquiries welcomed.

Please add \$1.50 per order for shipping, foreign orders add \$6.00. Calif. residents please add 6% sales tax. Visa, Mastercharge accepted – write in with card number and expiration date.

INCREDIBLE
REAL-TIME
GRAPHICS!



Actual TRS80* screen 250

Melbourne House Software Inc. Orders to: **Ingram Book Company**
347 Reedwood Drive, Nashville, TN 37217

P&T CP/M[®] 2 is GROWING

TRS-80 MODEL II
\$185

Still the best CP/M for the Mod II with features like 596 Kb per diskette, type ahead, full serial port support, and more.

TRS-80 MODEL 16
\$220

Includes full support for thinline drives; gives 1.2 Mb per diskette for the Mod 16 (Z-80 mode) and Mod II's with double sided drives.

RADIO SHACK HARD DISK
\$250

Includes all the features of P&T CP/M 2 plus 8.7 Mb per hard disk drive.

CAMEO HARD DISK

Support for the standard Cameo hard disk system (\$250) or the multiplexer (for multiple computers) system \$400.

CORVUS HARD DISK
\$250

Support for a 5, 10, or 20 Mb Corvus hard disk system.

Start with a Model II floppy system and grow into a hard disk. Since all P&T CP/M 2 systems are fully compatible, you will have no conversion worries.

Special note: P&T hard disk systems allow you the user to configure logical drive assignments to your specifications. Write for more details.

Prepaid VISA, M/C, or COD orders accepted. All prices FOB Goleta and subject to change. CP/M is a registered trademark of Digital Research. TRS-80 is a trademark of Tandy Corp.

PICKLES & TROUT

P.O. BOX 1206
GOLETA, CA 93116
(805) 685-4641

PICKLES & TROUT

REVIEWS

would not apply, but many of the programs could be used for the same purposes in the Model III.

This book is destined to become one of the reference classics among TRS-80 Model I owners. ■

The Custom TRS-80 and Other Mysteries
Dennis Bathory Kitsz
IJG Inc.
1260 W. Foothill Blvd.
Upland, CA 91786
Softcover, 335 pp.
\$29.95

by Charles Edwards

Dennis Kitsz's long-awaited book, *The Custom TRS-80*, has finally arrived on the bookshelves. Many people, myself included, have awaited its appearance with bated breath.

This book has had a long and painful transition from Mr. Kitsz's fertile mind to your local bookstore. Publication was delayed several times and IJG even published an apology to those who had purchased it in advance. Unfortunately, the final product reflects this sorry history.

The book is riddled with editorial/typesetting errors. Diagrams are mislabeled or unlabeled, there are sudden and unexplained changes of topic, and an entire appendix is even missing.

In Chapter 6, after being promised information about how to replace the Basic ROM chips, Mr. Kitsz says, "Before turning to the details, you may be asking, 'How can control be wrested from the Z-80?'" He answers this question and then merrily proceeds to a different subject, leaving us completely in the dark about ROM replacement.

Also in Chapter 6, there is an article that should be interesting to many people: a high-resolution graphics board. There are two full pages of schematics for this project and several pages of assembly and troubleshooting advice. Unfortunately the parts list was omitted.

I wish these examples were atypical, but this occurs over and over again throughout the book. The prime culprit seems to be the hardware mods. There is simply no coordination between the text and the associated diagrams. This might have been ameliorated by Appendix VII which (accord-

ing to the table of contents) contains a list of parts and PC board layouts for the projects. However, this entire appendix seems to have been misplaced somewhere in the typesetting room.

These problems seem mainly confined to the major hardware projects, but errors can creep up even in the smallest of projects. A modification to reenable the reset button for a system with an expansion interface has only one electronic component: a resistor. However, the text says to use a 10K ohm resistor and the diagram says to use 1K ohm. After making this change (with a 1K ohm resistor) I discovered that as a side-effect, the real-time clock is disabled. This would seem significant enough to warrant mention in the book.

The parts of the book dealing with software seem to have fared better. I have not tried all of the programs presented, but those I checked worked correctly. Mr. Kitsz presents a keyboard driver with debounce/repeat/beep functions, a method of creating self-executing Basic programs, and methods to save a NEWed program and reset memory size.

There are other programs scattered throughout the book, but the best by far is the custom interpreter. It patches Level II to provide the following functions: debounce/repeat/beep, lowercase driver, dynamic resetting of memory size, restoring NEWed programs, hex/ASCII/graphics monitor, single stepper, save a block of memory as a System tape, and save a running Basic program as a System tape.



But the most valuable part of the book is Chapter 11. This chapter provides 112 pieces of advice on how to avoid/repair common problems with the Model I. This chapter alone is almost worth the cost of the book.

Notice I used almost. Given its other problems, I find it hard to recommend that anyone spend \$29.95 for this tome. Perhaps Mr. Kitsz and his editors should get together, reedit the hardware sections, and release a corrected version. Now that would be a book worth waiting for. ■

Save Time
Save Money

You could spend hours
typing in your programs,

Or you
could get



ALL THE MAJOR
PROGRAM LISTINGS
FROM EACH MONTH
OF 80 MICRO ON
CASSETTE OR DISK

With LOAD 80 you'll avoid all the hassles while enjoying all the benefits

What exactly is **LOAD 80**? Simply put, it is a monthly dump of the major program listings in each issue of **80 MICRO**. Since it was introduced in April of 1981, hundreds of TRS-80* users like yourself have discovered the advantages and benefits of **LOAD 80**. This comes as no surprise to Wayne Green, the innovative publisher who created **LOAD 80**. He knew from experience how frustrating and time consuming it was to keyboard and debug even a single published program, let alone all the major program listings in an issue of **80 MICRO**. He was sure that a great many people were just as frustrated as he was and would jump at the opportunity to have those programs available in "ready-to-load" form.

Wayne couldn't have been more right. **LOAD 80** has been a boom to TRS-80 users, allowing them to spend more time actually using their computers, while at the same time saving them a lot of aggravation and a good deal of money.

And now you can enjoy all the benefits of the major program listings in **80 MICRO** without the aggravation of keyboarding and debugging them. Start your subscription to **LOAD 80** with this month's issue and save close to 30% on the monthly price. And with a year's subscription, your cost per month (for an average of 10 programs per cassette or disk) is about what it would cost you to purchase one program at retail prices. Plus you get the extra added advantage of having the complete documentation for the major programs in that month's issue of **80 MICRO**, so loading your cassette or booting up your disk should present no problem at all.

To order your **LOAD 80** subscription, or this month's issue only, simply fill in the attached card or the coupon below (a photocopy is acceptable) and send it to: **LOAD 80**, 80 Pine Street, Peterborough, NH 03458. You can also order back issues of **LOAD 80**. For complete details, look for the **LOAD 80** back issues advertisement in this magazine, or see your local dealer.

LOAD 80 disks are TRSDOS 2.3 formatted, single density and floppy-sided. They will not contain an operating system. Single drive users need a copy utility; Model III users need the TRS-DOS 1.2/1.3 Convert utility. Source code files may not be usable on the Model III.

Yes, I want October **LOAD 80**.

☐ YES, I want to save money. I'll subscribe to **LOAD 80** on disk beginning with this month's issue. ... \$199.97

☐ YES, I want to save money. Sign me up for a year of **LOAD 80** beginning with this month's cassette. ... \$99.97 for 12 issues.

☐ YES, I want a cassette of this month's **LOAD 80** for \$9.97 each (plus \$1.50 per tape for postage and handling).

☐ Visa ☐ Am. Ex ☐ MasterCard

☐ Check/Money order

☐ YES, I want this month's **LOAD 80** on disk for \$19.97 each (plus \$1.50 per disk for postage and handling).

Name: _____







Address: _____

City: _____ State: _____ Zip: _____

Signature: _____ Card# _____ Exp. Date: _____

LOAD 80 is manufactured by Instant Software, a subsidiary of WAYNE GREEN INC., 80 Pine St., Peterborough, NH 03458. There is no warranty expressed or implied that **LOAD 80** will do anything other than save you typing.

*TRS-80 is a trademark of Tandy Corp.



REVIEW DIGEST

edited by Janet Fiderio

Silicon Valley, Michael Rogers, Simon and Schuster, NY, \$15.50.

"If you can accept their success and brilliance, and bear with the dialogue that sometimes sounds like a cross between soap-opera cliché and Sippl's *Microcomputer Dictionary*, you may enjoy your trip through *Silicon Valley*. . . . The plot is fast-paced, and the scenes involving the Turing Test are intriguing, notwithstanding the What's My Line nature of the panel. . . ." *Infoworld*, July 26, p.31.

Ghost Gobbler, Color Computer, Spectral Associates, 141 Harvard Ave., Tacoma, WA 98466.

"The game is a good imitation of Pac-Man. It, like other TRS-80 Color Computer games, suffers from the horrible imprecision of the Color Computer joystick. Nevertheless, if you enjoy Pac-Man, you will enjoy Ghost Gobbler too." *Creative Computing*, August, p. 42.

System Saver, Models I & III, Acorn Software Products Inc., 634 North Carolina Ave., Washington, DC 20003.

"FLEXL provides you with a quick and easy method of duplicating System tapes and is extremely easy to use in converting Model III System tapes to the higher baud rate. . . . If you have ever had a System program that loaded below 5200 hex and tried to load it to disk, you will appreciate TDISK." *Infoworld*, July 26, p.

Science Observed, Jeremy Bernstein, Basic Books Inc., NY, 376 pp., \$16.95.

"A quick scan reveals many magic names—Minsky, Einstein, Dyson, Whitehead, and Papert to name a few—and one can almost imagine a signpost reading 'Here there be giants' pointing to the depths of the volume. . . . The section on Artificial Intelligence gives much good background on the field. The essays on time and on fusion are interesting and informative. But...the book is unlikely to inspire anyone to go forth and learn more about the topics covered." *Creative Computing*, August, p. 251.

REMDISK-1, REMsort Inc., 571 E. 185th St., Euclid, OH 44119.

"REMDISK-1 is a system for independent study of Assembly-language disk I/O programming for the student with some experience. . . . Although I'm not convinced that

this is the ultimate Computer Aided Instruction (CAI), I do believe it is the best first step that could have come along." *80 U.S.*, July, p. 117.

The Wizard, Programs Unlimited, Box 265, Jericho, NY 11753.

"The program presents a quiz game for one to four players. . . . The educational aspect comes from the ability to create sets of quizzes. . . . With this capability, the program can be molded to suit almost any classroom situation." *Creative Computing Buyer's Guide*, 1982, p. 63.

Fun with Microcomputers and BASIC, Donald D. Spencer, Reston Publishing Co., 11480 Sunset Hills Road, Reston, VA 22090, 128 pp., \$9.95.

"I am a person with a low pain threshold, when it comes to plowing through 'introductory guide.' . . . Don Spencer's book is different. It's fun, it really teaches, and it's an almost painless introduction to microcomputers and Basic programming." *Compute*, July, p. 187.

Android Design: Practical Approaches for Robot Building, Martin Bradley Weinstein, Hayden Book Co., 50 Essex St., Rochelle Park, NJ 07662, 248 pp., \$11.95.

"... *Android Design* is anything but fiction. It is full of facts and figures which readers must seriously consider if they are going to design androids, or beasts as the author prefers to call them. *Android Design* will interest computer users because it focuses on the problem/solution approach to developing guidelines and rules common to both androids and computers." *Personal Computing*, June, p. 130.

GRBASIC, Graphic Basic, Models I & III, Med Systems Software, Box 3558, Chapel Hill, NC 27514.

"...this package...does add some of the graphic and sound commands of the Color Computer to a Model I or III. Usefulness will certainly be determined by how much you like to use graphics and sound in your programs. . . . Med Systems offers an add-on package for business-graphing purposes." *80 U.S.*, July, p. 116.

Incoprop, Models I & III, E-Z Software, Box 591, Novato, CA 94948.

"Incoprop is a powerful, comprehensive program that could help you make money if you are willing to learn enough about real-estate financial matters to understand the manual and become adept at running the programs." *Infoworld*, August 2, p. 44.

A Computer That Writes Programs For You.

What will they think of next..?



Your computer is fantastically fast...once it knows what to do. You probably realize that a computer is really the combination of hardware and software, working together smoothly, to give you what you want. Either one alone is useless. Software is really the key...the "mind" of a computer system. Every project or task you want to do requires a new specific software application to make it behave exactly the way you desire.

Of course, you may be able to "force-fit" an application into some existing canned program you have, but to really get results, you need a separate application program to run on your computer.

Until now, that meant you were forced to pay money for application software off the shelf, or if you could afford it, have it custom written for you, or, if you are qualified, do it yourself...spending endless hours figuring it out and writing it. Now, your computer can write individual application programs for you. These programs are each separate, unique software programs that run in standard Basic on your computer.

A company named FutureSoft has developed this exciting and long awaited remarkable working tool for you. There are two versions called *Quikpro+Plus* and standard *Quikpro*. Both of them create unique separate Basic programs for you...to do exactly, precisely, what you want to do. And listen to this...you create a new program in minutes instead of hours.

You can quickly generate a new program when you want it. You can generate thousands of different unique programs, each one standing alone as a complete program that runs in Basic. Best of all, you do not have to be a programmer to do it. The *Quikpro* software becomes your personal programmer, waiting to do your work for you any time of day or night you choose to use it.

The custom programs you generate from this software provide for: Data Entry, Additions, Changes, Record Locating & Searches, great variety of Computations, and Report Printing (if you have a printer). It lets you decide what data to manipulate and how to manipulate it. It lets you decide the formats you want to appear on your screen and/or to print out in a report. It lets you use differing formats on the same data base. It lets you make calculations from data within records without altering the data base. It lets you report results with or without including the base data from which results were calculated.

All this is included in the ability/power of the program you create. You do it by simply answering questions that appear on your screen. Instantly, the *Quikpro* software instructs the computer to perform complex and

error free instructional sequences. You get the immediate benefits of professionally written software for your application.

The resulting custom program is truly a separate Basic program. You can list it, you can modify it, you can actually see what makes it tick. You can even ask it to print out its own operating instruction manual so others can run it for you. Finally, you can really tap the speed and power of your computer the way you really want. You can create new programs for every use you have in Business, Science, Education, and Hobby areas. And you can start now.

The software is available immediately from the creators. It comes in two versions. If you want to generate separate Basic programs with all the data handling plus Calculations and Report Printing features, you want *Quikpro+Plus*. Specify to run on TRS80 Model I and Model III at only \$149; to run on TRS80 Model II at \$189.

If you do not need Calculation ability or Report Printing in the separate Basic programs you will create from this program generating software, then standard *Quikpro* will do the job for you. Standard *Quikpro* to run on TRS80 Model I or Model III is \$89; to run on TRS80 Model II is \$129. (Later on you can always trade up to the Plus Versions for only the cost difference between the two).

Both programs are available to run on many other computers besides TRS80. Details are available by calling or writing.

You can order right now by phone or mail. If you have Visa/Mastercard, call toll-free from:

All States except CA-AL-HI	1-800-824-7888 OP# 441
From California call	1-800-852-7777 Op# 441
From Alaska/Hawaii call	1-800-824-7919 Op# 441

Operators on duty 24 hours daily. Operators can not answer technical questions. If you need technical information or want to order from Canada or other nations, call 1-904-269-1918 during office hours, Eastern Time, Mon.-Fri.


Send mail orders with check, money order or credit card information to: FutureSoft, P.O. Box 1446-D, Orange Park, Florida 32073. FutureSoft gives you a satisfaction or your money refunded guarantee for 10 days from delivery. You can run the software yourself on your own computer and see with your own eyes what it can do for you. Order now. ✓66

ADVERTISEMENT

The secrets of the Level II keyboard routine have been revealed in a number of books and magazine articles. I will discuss a Level I keyboard routine. This routine is not copyrighted and has been used by many stand-alone machine-language programs. It is for your edification and enjoyment. Since it resides in RAM, you can modify the code and experiment with it easily.

The keyboard on a TRS-80 is memory mapped into locations 3801H, 3802H, 3804H, 3808H, 3810H, 3820H, 3840H, and 3880H. Notice that although there are only eight locations, they are spread over 128 bytes of address space. Also note the power-of-two progression from 01H to 80H on the LSB (least significant byte) of the address. The key switches are arranged in a matrix or grid of rows and columns. See Fig. 1.

As you can see from the diagram, there is an order to the layout of the keys. This order is used by the keyboard routine to decode the key



Secrets of a Level I keyboard

pressed. Whenever a key is pressed, the corresponding bit position to that matrix node is brought high. This means pressing the C key makes the contents of address 3801H contain a value of

MEMORY ADDRESS	COLUMN BIT							
	0	1	2	3	4	5	6	7
3801H	Q	A	B	C	D	E	F	G
3802H	H	I	J	K	L	M	N	O
3804H	P	Q	R	S	T	U	V	W
3808H	X	Y	Z					
3810H	Ø	!	"	#	\$	%	&	'
3820H	()	*	+	<	=	>	?
3840H	8	9	:	;	,	-	.	/
3840H	ENTER	CLEAR	BREAK	↑	↓	←	→	SPACE
3880H	SHIFT							

Figure 1

eight, which is the third power of two. Therefore, pressing a single key in the first row can produce values 1, 2, 4, 8, 16, 32, 64, and 128. Pressing all keys produces the sum of the above numbers or 255.

The shift keys are mapped to address 3880H. On the Model III the left key is bit 0 and the right key is bit 1. The Model I has both keys mapped to bit 0.

The routine below is taken mostly from the Level I ROM. On a Level I system, pressing a key always prints on the screen and stops execution of a program until it is released. There is no legitimate lowercase nor any two-key rollover. The routine decodes the keyboard matrix and very little else. The short length and simplicity of the code used to do the job are its strong points. The routine, once it is resident in memory, is accessed from Basic. Here is a short program to call the routine and display the value and character of the results:

```

10 DEFUSR 0=&H7F00
20 K=USR0(0): IF K <> KK PRINT 0,
  K;CHR$(K): KK=K
30 GOTO 20

```

The routine has a control section called KBSCAN. This section quickly tests all rows and all columns for any keys being pressed. If the result is a zero then the scan is exited. This method prevents the use of 3801H through 3880H for anything except the keyboard. If the result is not zero, an EXX quickly saves the BC, DE, and HL registers, and then FNDKEY is called to locate the key pressed.

Upon return the registers are restored, but the key, if any, is kept in A. This value is saved and a short test for all keys up is done. When all keys are released the load in line 180 returns a zero, the original value is restored, the value is transferred to HL and returned to Basic via 0A9AH.

In FNDKEY a debounce delay is executed first. The length of this delay is one reason why Level I keyboard bounce is less of a problem. Line 280 makes DE a pointer to a table of base values for the decode routine. HL is used as a pointer to the keyboard row being tested. Just before FNDROW the A register is zeroed.

In FNDROW an OR (HL) gets the row image into the A register and per-

Finally, a Spelling Checker that can SPELL!

Electric Webster™

The "Cadillac" of Spelling Checkers!
80 Microcomputing, 9/82



- **FAST and ACCURATE** — No other spelling checker comes close!
- **INTEGRATED** — Proofs and corrects from within all these popular word processing programs: Scripsit, Newscript, Lazy Writer, Electric Pencil, Superscript, and CopyArt.
- **SMART** — Finds and displays correct spellings instantly — no more clumsy dictionaries!
- **HYPHENATES** automatically — inserts discretionary hyphens with 100% accuracy. (optional)
- **COMPLETE** — One step proofing system with integrated Grammatical and Hyphenation features. (optional)

No other program can claim even one of these features.

EASY TO USE: Type your text using any of a number of popular word processing programs. When you are done, hit the appropriate key, and ELECTRIC WEBSTER proof-reads your document, displaying misspellings and typos on the screen.

Then, Correcting Electric Webster can display each error separately, requesting you to enter the correct spellings for each. You are given the options of displaying errors in context, adding words to ELECTRIC WEBSTER's 50,000 word dictionary, or even displaying the dictionary to find the correct spelling. If you think you know the correct spelling, Electric Webster will verify it for you.

Finally, Electric Webster CORRECTS YOUR TEXT, automatically inserts discretionary HYPHENS (optional), and points out GRAMMATICAL errors (optional), all with remarkable speed!

LOW PRICES: Standard Electric Webster is available for \$89.50 (TRS-80™ Model I & III, or Apple™) or \$149.50 (CP/M™, TRS-80™ Model II and all others.) The optional Correcting Feature can be added at any time (\$60) as can Hyphenation (\$50) and Grammatical (\$40). During the closing months of 1982 only, we are offering 6 W/P integration programs FREE (reg. \$35 each) with the purchase of Correcting Electric Webster.

REVIEWS OF MICROPROOF (EW's predecessor):

"There is simply no finer program available..."
Creative Computing, March 1982

"This is a very useful product and should be obtained by anyone who uses a word processor."
80 Microcomputing, August 1981

"The summary review of this program? One word—Excellent."
Computronics, September 1981

"In a comparative review of proofreading programs (with smaller dictionaries) MICROPROOF was found to be considerably faster than all the others, when tested against a 400 word sample document."
BYTE Magazine, November 1981

"A 1500 word document took 26 seconds to load, process and proof... it is very friendly and any person able to use a word processing program can master it in moments."
InfoWorld, January 1982

"By far, the most capable and efficient of these spelling checker programs."
Microcomputing, June 1982

AND NOW ELECTRIC WEBSTER:

"Actually, Electric Webster is faster than its predecessor (Microproof)... and spelling corrections are immediately verified against the dictionary before being accepted..."
Microcomputing, June 1982

"Electric Webster is the Cadillac of vocabulary programs."
80 Microcomputing, September 1982

The Ultimate PROOFING SYSTEM



CORNUCOPIA SOFTWARE

Post Office Box 6111 Albany, California 94706 • (415) 524-8098

NOW
AVAILABLE
FOR APPLE!

forms a test on it, not bad for a single byte of code. If a key is found, control is passed to GOTROW. If no key is pressed on that row the KYTBL1 pointer is bumped and a SLA L moves the row address pointer, LSB, up a power of two. The SLA also tests for a bit-7 set condition. If bit 7 is set the JP P falls through, the registers are restored, the return address on the stack is cleared, and control loops back to KBSCAN. This allows the routine to recover from pressing a freak key such as might occur during keybounce.

At GOTROW the pointers are switched and the table value is loaded into B to serve as an ASCII base value. B is used as the image counter. An eight-bit search is done on that row to find the first key pressed. After the key is found B contains the unprocessed ASCII value. It is loaded into A for testing. A test is done for a letter value. If so a transfer to LTRKY takes place. At LTRKY a test for a shifted value is done. If the shift key is pressed as determined in line 720, the zero flag is reset. This causes the RET Z to fall through in line and strips the upper two bits off. Thus a shifted C produces a value of three. Would an ADD 20H instead of an AND 3FH give true lowercase?

However, if the key is not a letter key the value is tested for a <, =, >, or a ? in line 470. If the value is one of those four, control goes to LTEQGT for shift adjustment. If the shift key was not pressed then the key was a comma, a dash, a period, or a slash mark. The adjustment consists of removing bit 4 with an AND 2FH.

If the value was in rows 3810H or 3820H a test for the shift key must be made. This time a shift not pressed means leaving bit 4 alone.

If the key was not in any one of the above it must be in the last row. LSTROW moves the table pointer with the B register used to count into the KYTBL2 for the value of the last key. This is necessary since there is little order for the values of the last row's keys.

I hope you learn from tinkering with this routine. Try to improve it. For example, line 230 could be done with a LD H,A in line 205.

I would like to publish the most elegant and the shortest routine in a future column. Send any entries to me at 630 E. Springdale, Grand Prairie, TX 75051. Be sure to include a release to publish. First prize will be key cap for the winning entry. ■

```

7F00      00090      ORG      7F00H
7F00 3A7F38 00100      LD      A,(387FH)
7F03 A7      00110      AND
7F04 C8      00120      RET      Z
7F05 D9      00130      EXX
7F06 CD197F 00140      CALL      FNDKEY
7F09 D9      00150      EXX
7F0A A7      00160      AND      A
7F0B F5      00170      PUSH     AF
7F0C 3A7F38 00180      LD      A,(387FH)
7F0F A7      00190      AND      A
7F10 20FA    00200      JR      NZ,$-4
7F12 F1      00210      POP      AF
7F13 6F      00220      LD      L,A
7F14 2600    00230      LD      H,0
7F16 C39A0A 00240      JP      0A9AH ;RETURN KEY TO BASIC
00250 ;*****

7F19 06FF    00260      FNDKEY LD      B,255
7F1B 10FE    00270      DJNZ     $
7F1D 11707F 00280      LD      DE,KYTBL1
7F20 210138 00290      LD      HL,3801H
7F23 3E00    00300      LD      A,0
7F25 B6      00310      FNDROW OR      (HL)
7F26 200A    00320      JR      NZ,GOTROW
7F28 1C      00330      INC      E
7F29 CB25    00340      SLA      L
7F2B F2257F 00350      JP      P,FNDROW
7F2E D9      00360      EXX
7F2F F1      00370      POP      AF
7F30 18CE    00380      JR      KBSCAN
7F32 EB      00390      GOTROW EX      DE,HL
7F33 46      00400      LD      B,(HL)
7F34 04      00410      FNDCOL INC      B
7F35 CB3F    00420      SRL      A
7F37 20FB    00430      JR      NZ,FNDCOL
7F39 78      00440      LD      A,B
7F3A FE40    00450      CP      40H
7F3C 3017    00460      JR      NC,LTRKY
7F3E FE3C    00470      CP      3CH
7F40 3021    00480      JR      NC,LTEQGT
7F42 FE30    00490      CP      30H
7F44 3016    00500      JR      NC,SHFTNM
7F46 21767F 00510      LD      HL,KYTBL2
7F49 23      00520      LSTROW INC      HL

7F4A 05      00530      DEC      B
7F4B 20FC    00540      JR      NZ,LSTROW
7F4D 46      00550      LD      B,(HL)
7F4E CD697F 00560      CALL     SHFTED
7F51 C0      00570      RET      NZ
7F52 E63F    00580      AND      3FH
7F54 C9      00590      RET
7F55 CD697F 00600      LTRKY  CALL     SHFTED
7F58 C8      00610      RET      Z
7F59 E63F    00620      AND      3FH
7F5B C9      00630      RET
7F5C CD697F 00640      SHFTNM CALL     SHFTED
7F5F C8      00650      RET      Z
7F60 E62F    00660      UNSHFT AND      2FH
7F62 C9      00670      RET
7F63 CD697F 00680      LTEQGT CALL     SHFTED

7F66 C0      00690      RET      NZ
7F67 18F7    00700      JR      UNSHFT
7F69 3A8038 00710      SHFTED LD      A,(3880H)
7F6C A7      00720      AND      A
7F6D 78      00730      LD      A,B
7F6E C9      00740      RET
7F6F C9      00750      RET
7F70 3F      00760      KYTBL1 DEFB     3FH ;@ABCDEFG
7F71 47      00770      DEFB     47H ;HIJKLMNO
7F72 4F      00780      DEFB     4FH ;PQRSTUVWXYZ
7F73 57      00790      DEFB     57H ;XYZ
7F74 2F      00800      DEFB     2FH ;!"#$%&'
00810 ;01234567
00820 ;()*+<=>?
00830 ;89:;,-./

7F75 37      00840      DEFB     37H

7F76 00      00850      KYTBL2 DEFB     0
7F77 0D      00860      DEFB     13
7F78 1F      00870      DEFB     31
7F79 01      00880      DEFB     1
7F7A 5B      00890      DEFB     '['
7F7B 5C      00900      DEFB     '\ '
7F7C 5D      00910      DEFB     ']'
7F7D 5E      00920      DEFB     '^'
7F7E 20      00930      DEFB     ' '
0000      00930      END
00000 TOTAL ERRORS

```

DAISY WHEEL

By SMITH-CORONA

SAVE \$500⁰⁰

...and more over all other popular Daisy Wheel Printers.


- 120 WORDS PER MINUTE • FRICTION FEED
- CHANGEABLE DAISY WHEEL TYPE FONTS
- CENTRONICS PARALLEL or RS232 INTERFACE

You Pay Only —CALL \$—

TOLL-FREE

800-257-6170

in New Jersey
609-428-3900



Rainbow™


P & P CORPORATION
P.O. BOX 362 • HADDONFIELD, N.J. 08033

264

Keep it Clean.

Protect Your Investment

Protect your TRS-80 Model III keyboard with our dustcover made from rigid smoked bronze plastic. Its low silhouette was custom designed to fit with the TRS-80 Model III's contemporary design, and provides the protection your keyboard requires.



Send check or money order for \$12.00 to:
Nat Hellman III, Inc., 5951 East Firestone Blvd.,
South Gate, CA 90280

2505

MAILROOM PLUS

MORE THAN JUST A MAILING LIST PROGRAM

MAILROOM PLUS is an incredibly versatile mailing list program designed for the TRS-80 Model I/III. The **MAILROOM PLUS** program gives you all the functions required of a basic mailing list program, and then goes far beyond that. **MAILROOM PLUS** is supported by several optional programs packages which take your already powerful mailing list system and give it capabilities comparable to much larger computers. We called many companies who maintain mailing lists professionally, and none of them could provide more versatility than you can achieve with **MAILROOM PLUS**. You don't have to be a computer genius to learn how to operate it either.

FEATURES:

MAILROOM PLUS

\$75.00

- ★ Supports four line label entry plus telephone, special search codes or numbers, and additional sales data or comments
- ★ Sorts on any part of the record, either zip, last name, sales data or other entry
- ★ Allows you to examine and delete duplicate records
- ★ Prints or displays on multiple search codes. Mail to exact customers
- ★ 10 second or less, fast machine language sort
- ★ Search and then display, edit or print records
- ★ Print out any or all record files on your disk with no operator intervention other than changing disks
- ★ **Convert your old files to MAILROOM PLUS**
- ★ Documented to allow special user modification
- ★ And much, much more!

FASTMAIL

\$75.00

Exactly the same as **MAILROOM PLUS** except record entry is a four line label. First line is optional on printing and can also be used for search or sort codes, or information.

BULKMAIL

\$45.00

Allows you to print out any or all **MAILROOM PLUS** or **FASTMAIL** files in bulk mail order. Select from one or many search codes for what records the program should select and print on. Saves money on large mailings by presorting.

MANIPULATION 1

\$35.00

Allows you to manipulate your address records in special ways. Sort 100's or 1000's of new names onto your master records in zip code order and delete duplicates, with little operator handling. Split files which need to be separated or have become too large. Print out the number of records in any or all of your files.

MANIPULATION 2

\$30.00

With this program you can enter all address corrections at one sitting and then the program will automatically find and replace the older records. All you do is switch the disks.

MAILROOM PLUS PACKAGE

\$160.00

The **MAILROOM PLUS** program, plus the three additional utility programs. The package comes in a handsome binder and bought separately, the programs would cost \$185.00, without the binder.

FASTMAIL PACKAGE

\$160.00

The same as the package above, but with **FASTMAIL**. Comes in a handsome binder.

FORMLET

\$20.00

FORMLET is a simple wordprocessing program which allows you to compile and print a specialized formletter, addressing each one using **MAILROOM PLUS** or **FASTMAIL** files. Very useful.

U/L Case Conv. KIT

\$20.00

Contains everything you need to convert your TRS-80 to upper/lower case. Compatible with Scripsit.

If you currently have files on another mailing list system, let us know what program they run on and we will supply a conversion program with your purchase at no charge. There are many more benefits to these programs than we have room to tell you here. Check your reader service card for information, or write us and we will send it to you. Send \$5.00 for complete documentation on the entire system. Master Charge and Visa welcome. Add 4% on all orders for shipping and handling.

Available from your local dealer or:

THE PERIPHERAL PEOPLE

206-236-2066

P.O. BOX 21123

SEATTLE, WA 98111

406

It never ceases to amaze me how Kitchen Table Inc. produces a stream of innovative, unique, and sometimes useful products month after month. The key, I am told, is concentrate all resources into research and development, and allow frills—such as after-sale support, quality control, and packaging—to fall by the wayside.

This month, the world's leading fictitious supplier of non-existent computer products has introduced a Black Phosphor Screen video monitor and a new Basic dialect—Random Basic.

Unless you are very new to TRS-80-land, you are aware the quality of video monitors available to us has been something of a sore point. The monitor supplied with the TRS-80 Model I was just a black-and-white television that didn't receive VHF, UHF, or keyboard output very well. The resolution of the Model III monitor is noticeably better under some rare conditions. All models of the Sri Lankan-built TLS-8E computer are furnished with monitors removed from service in motel rooms. I don't even want to talk about the poor excuse for a video monitor built into the so-called "pocket" computers. On my own personal sample, I can barely read one line at a time.

Only the CRTs in the TRS-80 Model II, Model 16, and TLS-8E Model II are worthy of the name. We expect this oversight was unintended by either company.

However, those of us with an urge to upgrade now have a choice. Probably the most original CRT in the KTI line is its 9-inch Black Phosphor Screen monitor. This monitor provides instant reverse video by the simple expedient of having an all-white screen with a black phosphor coating. The CRT accepts either RF or composite video input, as well as RGB, PAL, SECAM, and AM/FM signals. While the BPS is built to accept those inputs, it's not equipped to do anything with them. Only the RF signals actually resulted in an image appearing on the CRT screen.

And what an image it was! Kitchen Table Inc. has outdone itself in pioneering the first 128-column CRT for TRS-80 and TLS-8E microcomputers. Instead of being limited to a narrow 64-character-wide display, the BPS monitor combines two normal video



Bytespeak and CRT from KTI

lines into one extra-wide 128-character format.

The black characters on white background closely resembled a traditional piece of paper, but we rarely use sheets 128 columns wide for text. In addition, the wide format is more difficult to read. With a 9-inch monitor, each character is almost microscopic in size, and a good hand-held magnifier is needed to scan the screen.

Our unit appeared to be ruggedly built. Its outer case—the standard riveted stainless steel used in most KTI products—bristled with impressive-looking, nonfunctional controls and hardware, including one socket for the optional remote-control garage door opener. I have to admit this is one monitor that is built like a tank. In operation, it sounds and smells like one, too.

We ran the unit through our usual battery of oscilloscope tests. These came out negative; the monitor definitely cannot be used as an oscilloscope. Our procedures also include a standard drop test onto a square of padded carpeting from a height of 30 feet. The BPS monitor survived repeated testing with no difficulty, despite the fact that we missed the carpet two times.

Those of you with other KTI products have discovered by now no legitimate electronics shop will touch them. No problem. If your KTI monitor requires servicing, the company has made the unit remarkably easy to repair—even for the untrained amateur. Included with the CRT is a thorough, four-page repair manual and partial schematics. If you are able to read Sri Lankan, repair should be a snap.

Many of us are leery about working on any television-type device because of the high voltages used. Kitchen Table Inc. provides an important safety feature. On the back of the case is a pair of contacts, accessible to the user without opening the monitor. In fact, these can sometimes be touched by accident. I'd urge a fair amount of caution around children and wanted pets.

When these contacts are shorted out, all capacitors in the monitor are drained instantly. We used a screwdriver to test this feature. After retrieving the melted handle of the screwdriver from across the room, we decided to unplug the CRT and try again. Unfortunately, by this time the BPS monitor had ceased functioning.


This was a perfect opportunity to test out KTI's troubleshooting suggestions. We opened the case of the monitor, and found a blown fuse in the middle of a two-pound mass of melted material we could not identify. However, replacing the fuse did not help. We had to wire in a backup power supply (already installed in the monitor by the factory) in order to restore the CRT to working order.

We were also able to fix a few other minor problems. The CRT arrived from the factory installed vertically causing the lines to run top-to-bottom, instead of from side to side. Kitchen Table Inc. reports this is a common procedure in the Orient. I have been told the monitor is also available reversed left-to-right when it will be used with a computer sporting a Hebrew character set.

Random Basic

The second important product introduced by KTI this month is Random Basic, an enhancement to Disk Basic that can be used to spice up game programs and take some of the predictability out of business software.

A World Of Communications With The APL★PLUS/80 System.



Would you like your TRS-80® Model III to communicate with other TRS-80s? With remote databases? Mainframes? With STSC's APL★PLUS/80 Application Development System, your TRS-80 can do it!

Think of the benefits to you or to your clients when you make your TRS-80 part of a worldwide communications network. You'll be able to access and transmit data, control local devices (such as printers and plotters), and communicate with other TRS-80 users. And since the APL★PLUS/80 System is compatible with our APL★PLUS systems for the VAX® minicomputer series and IBM mainframes, it's easy to exchange, download, or upload applications between them.

The APL★PLUS/80 System has a built-in terminal emulator, either for APL or for ASCII, ready for use at the touch of a key. Another touch of the key and you're back to using your TRS-80 as an independent computer in the same APL environment—without losing the connection to the remote host! Through one keyboard, you control both machines in turn. Or use APL program-controlled communication to create your own "smart" terminal.

Challenge to BASIC

Develop a subroutine to group and total unordered costs by job number. The result is a table showing the total cost for each active job, in ascending job order, formatted as a report. Use the following CHARGES:

8.20 5.55 1.59 995.00 2.44 14.32 .87 .79 1.01 149.03 3.42 .86

for JOBS numbered 213 33 4 4 4 4 9 33 213 4 33 33:

FOR JOB	TOTAL
4	\$1,012.78
9	\$14.32
33	\$151.70
213	\$4.28

One APL solution is:

```

V COST FOR JOB;ONCE
[1] ONCE+(JOB#1E38,1+JOB)/JOB+JOB[1JOB] O 'FOR JOB TOTAL'
[2] 'IT,CP/$/F12.2' Pfmt ONCE,[1.5]COST+.JOB#.ONCE
V
    
```

Even if this kind of task is not among the problems you deal with, APL's ability to represent concise solutions can save you programming time and effort.

There's more. Our APL allows you to read and write TRSDOS® files (such as VisiCalc® files) without leaving APL, even under program control. And you can direct arbitrary data from APL to the parallel port or RS232 port under APL program control.

APL★PLUS/80 – A Complete Application Development System

Would you like to have your TRS-80 reach out to the world beyond your desktop? Would you like to develop and deliver solutions faster and better for yourself or for your clients? Then you need APL★PLUS/80

with system features that extend the power and productivity of the APL

language, bringing our proprietary enhancements to your TRS-80 Model III.

- complete APL language and system features, upwards compatible with our mainframe systems
- powerful output formatter
- array-oriented file system
- access to regular TRSDOS or LDOS® files and subroutines
- traditional APL symbols or mnemonic keywords
- utility program libraries
- the most complete set of documentation on the market.

Open up a world of communications for yourself with the APL★PLUS/80 System. Mail in the coupon below with your payment and we'll send you the APL★PLUS/80 Application Development System—everything you need to run APL on your TRS-80 Model III. If you'd like more details, check the box on the coupon and we'll send you our free information package which contains an explanation of the Challenge to BASIC.

We're STSC, Inc., the leading supplier of APL software and services in the United States. Our APL★PLUS systems have been serving the business and professional world for more than 12 years.

APL★PLUS/80 runs under TRSDOS 1.3 or LDOS 5.1 on a 48K RAM TRS-80 Model III with two disk drives. The APL★PLUS/80 comes with a custom APL character ROM and a self-adhesive keyboard label set to convert your TRS-80 to include the APL character set.

stsc

266

Attn: APL★PLUS/80 Distribution
STSC, Inc., 2115 East Jefferson Street
Rockville, Maryland 20852

(301) 984-5000 (orders only)

Yes, send me the APL★PLUS/80 System (\$295* in U.S. and Canada).

☐ My check is enclosed. (Postpaid in continental U.S.)

☐ Charge my MasterCard Account # _____

MasterCard Bank # _____

☐ Charge my VISA Account # _____

MasterCard/VISA expiration date _____

Credit card customers add \$4.00 postage and handling in continental U.S.

*Add state sales tax in MD (5%), FL (4%), and CT (7½%).

I'd like to know more about the APL★PLUS/80 System.

☐ Send me your free information package.

Name _____

Address _____

City _____

State _____

Zip _____

Phone (____) _____

Our Kitchen Table source explained Random Basic contains a number of powerful new statements injecting a desired degree of randomness into any program featuring them. These functions have previously been available only to users of KTI's BASBOL and NONSENSE languages. An explanation of the various commands follows:

● **GOSUB RND**—When RB's interpreter encounters this statement, program control is sent at random to any line numbered from 1 to 32767. If no such line exists, control passes to the next available line.

● **RETURN RND**—Opposite of GOSUB RND. On encountering this statement, program goes back to some other randomly chosen location in the program. Either of these two statements may have arguments:

● **GOSUB RND 100,200,300,400** will cause the computer to branch to one of the listed lines at random.

● **GOSUB RND A\$** can send control to any line containing the variable A\$.

● **RETURN RNDOTHER** will cause a

return to a random line within some other program on your disk, which will be loaded and run without the knowledge or consent of the operator.

Caution: although GOSUB RND is a valid statement, it will invariably lead to an endless loop. With TRS-80 computers, recovery is possible by hitting reset. Those with TLS-8Es may not be able to break out of the loop even by unplugging the computer. In extreme cases, it may be necessary to hit the keyboard with a hammer or other heavy object.

● **READ RND**—Assigns value of any data item to variable. If no data lines exist, computer will choose value from some other program statement, a random memory location, or make something up.

● **DIM (RND)**—Dimension array to any size. Excellent for use in data-base management programs where you have no idea how big the array needs to be, but still want to keep it from getting out of hand entirely.

● **RND NEXT**—Increment loop

counter by a random amount. Can speed up program execution considerably by eliminating most iterations of a loop.

● **POKE RND,RND**—Put arbitrary value anywhere you please. This command may have amusing results, especially with the TLS-8E, where POKES to ROM are not only permitted, but encouraged.

● **IF... THEN RND**—If expression is true, do something unexpected.

● **OPEN RND**—Open a buffer of computer's choice.

● **CLS RND**—Clear screen at random intervals.

We tested Random Basic extensively, and found it to produce many random errors. These can be avoided entirely by incorporating an ON ERROR GOTO RND statement as the first line of a program.



By the way, those of you who have been sending obscene EMAIL to my CompuServe account may continue to contact me through User I.D. number 70060,137. ■

TRS-80™ - WHY BUY DIRECT?

Buying a GENUINE TRS-80 direct, literally, means buying from the Tandy Warehouses in Fort Worth. For the end user this is not possible. However, the closer a retailer is located to the source the lower his cost per unit and the closer his buyer can come to "almost" buying direct. WE ARE CLOSER so WE SELL LOWER. It only takes a FREE phone call to verify this FACT.

WARRANTY:

ONLY A GENUINE TRS-80 purchased from an Authorized-Outlet can have the Radio Shack Warranty. BUYER BEWARE OF IMITATIONS.



SAVE SALES TAX*
PLUS DISCOUNT

*TEXAS RESIDENTS ADD ONLY 4%

"WE ARE CLOSER"

FORT WORTH COMPUTERS

IN TEXAS CALL 817-573-4111

TOLL FREE ORDER NUMBER: 1-800-433-S-A-V-E

TM: TRADE MARK OF THE TANDY CORPORATION

377 PLAZA GRANBURY • FORT WORTH • TEXAS 76048

A Pot Of Gold For YOUR Color Computer

"I buy practically every computer magazine there is, but the **RAINBOW** is the only one I read cover-to-cover as soon as it comes in the mail." — A subscriber

The **RAINBOW** gets that sort of response for more reasons than one — but the primary one is simply it is the premier magazine for TRS-80™ Color Computer users. And, because it devotes every page of each monthly issue exclusively to the Color Computer, it is the single best source of information for everything you want to know.

Tired of trying to convert other computer programs to your Color Computer? No worries. Each program in the **RAINBOW** is written exclusively for your computer — and many take advantage of all the excellent graphics commands unavailable on other machines! The nation's leading software authors have contributed every month.

The **RAINBOW**'s Hints, Tips and "Pipeline" feature give you the best up-to-the-minute information available on the Color Computer. If you are looking for ways to do screen prints, alphabetize disk directories, save machine language programs or print Videotex input on your printer, the **RAINBOW** has programs for you! And, if you want to know when some promised software will really be available for purchase, you'll get that answered, too.

Our tutorials have been praised for the clear, concise way they explain — in detail — various functions of the Color Computer. And the **RAINBOW**'s reviews are an excellent and honest buyer's guide to software and other purchases.

Whether your Color Computer is 4K, 16K or 32K. Whether you have Color Basic or Extended. Whether you're into assembly language (or want to get into it) or not. Printers. Disks. Rom packs. The **RAINBOW** surveys the whole world of the Color Computer each month and provides what one reader called, "A pot of gold full of fabulous information."

Because it is journalistically-oriented, the **RAINBOW** gives fast turnaround to meet its monthly deadline. So you can expect fresh news when it is news and the latest information available. If all this sounds like a lot for \$16 per year, it may be. But we'll make one more promise. If, after you see your first issue you don't agree that the **RAINBOW** is the premier monthly magazine for Color Computer users, we'll happily, cheerfully and immediately refund your money.

Trademark of Tandy Corp.



the RAINBOW

5803 Timber Ridge Drive
P.O. Box 729
Prophet, N.Y. 13099

(502) 228-4492

Gentlemen, YES! Sign me up right away for a one year (12 issues) subscription to the **RAINBOW**. My payment is enclosed.

Name _____

Address _____

City _____

State _____

Zip _____

☐ Payment Enclosed

☐ Charge my VISA account # _____

☐ Change my MasterCard Account # _____

Card Expiration Date _____


Interbank # _____

Subscriptions to the **RAINBOW** are \$16 per year in the United States. Canadian and Mexican rates are \$22 per year. Surface rates to other countries are \$31. Air mail to other countries is \$49. All subscriptions begin with the current issue. Please allow 4-6 weeks for first copy.



✓ 296

BIG DISCOUNTS ON TRS-80™ COMPUTERS



NO TAXES ON OUT
OF STATE SHIPMENTS

CALL FOR LOWEST PRICE QUOTES
301-678-6000

CONTROL DATA DISKETTES

5¼" SS/DD \$2.95 EA

8" SS/DD \$3.95 EA

BUY 10 GET 2 FREE

add \$2.00 shipping charge per box of 10

GOLF HANDICAPPING PROGRAMS FOR
TRS-80 MODELS II & III

HANCOCK TECHTRONICS
33 W MAIN ST
HANCOCK, MD 21750

✓ 497

FREE NEBS COMPUTER FORMS CATALOG

Send today for our NEW full-color 56-page catalog with continuous checks, statements, invoices, stationery, envelopes, supplies and accessories. We will also send our FORMS SELECTOR GUIDE, to help you find the right forms for your software.

- Quality products at low prices
- Available in small quantities
- Fast Service
- Money-Back Guarantee
- Convenient TOLL-FREE ordering

Fast Service by mail or... **PHONE TOLL FREE**
1 + 800-225-9550

Mass. residents 1 + 800-922-8560

8:30 a.m. to 5:00 p.m. Eastern Time Monday — Friday

Please rush a new computer forms catalog to:

NAME _____

COMPANY _____

STREET _____

CITY, STATE and ZIP _____

PHONE _____

Hardware and Software being used. _____



Nebs
Computer Forms

CODE 31460

78 Hollis Street, Groton, Massachusetts 01471
A division of New England Business Service, Inc.

✓ 533

This month I'm here to tell you how lucky you are.

All of us microcomputer users already enjoy privileges above and beyond those of many others including mainframe computer users. It's not just that we're at the forefront of an exciting new technological era. It's not just that we enjoy the pleasures of personal computing from our own living rooms. It's the luxury (or right, if you will) of total computing freedom.

I'm not speaking of freedom as in freedom of speech—although that itself presents some fascinating arguments. It's tempting to imagine what it would be like owning a personal computer on the other side of the Iron Curtain.

No, the kind of freedom I'm thinking of is much simpler. It's the freedom to be able to enter what you want, when you want, and how you want.

It's a freedom that you probably take so much for granted, you don't even think about it. Well, let me tell you, it isn't like that for everybody, and especially the poor programmers on mainframe machines.

"It's considered beneath the dignity and a waste of resources for a programmer to type in his own program."

I realized this when I was looking through a book the other day and spotted a program coding form. Have you seen one? It consists of a sheet of paper laid out in squares with one square for each character of the program, and it can help present a tidy layout of the initial stages of hand-coding a program. That's not, however, why they exist; after all, a printout can be much tidier. These forms were needed because of the horribly constrained way a program had to be submitted on a mainframe. If this were the way it was still done on micros, there would be about 10 machines out there.



Micro users should enjoy their freedom

In the hierarchy of big computers, there exists a department called "data prep" (for data preparation). The data prep department traditionally consists of many women furiously typing away at keyboards and producing computer-readable output in the form of punched cards, paper tape, magnetic tape, or what have you. These poor underpaid women get many forms of data such as orders, statistics, and, naturally enough, computer programs. It's considered beneath the dignity and a waste of resources for a programmer to type in his or her own program, so the coding form is sent to the data prep department to be scheduled for typing.

If you're lucky, you receive a stack of punched cards the very next day. If you're lucky. This is when you schedule your program to be run on the computer. The shift-leader of the computer operations department places your job in the queue along with many

other frustrated programmers' work. Your program is assigned a job number, which you have to remember if you ever want to see your creation again. No one expects his job to be run without being rejected by the computer for either a program logic error or a simple syntactical error in the program code. No "SN Error in line 10000" here; just a "Job Number XXYYZZ aborted due to blah blah." And a thick diagnostic printout. And your punched cards returned to you.

At this point you realize that the data prep people are thinking more about their love lives than they are about your precious program. They simply typed what they saw—or what they thought they saw. After all, what are they likely to know about the layout of your Fortran or Cobol code? Most of the errors in the initial stages are caused like this.

So you pull out the offending punched cards and return them to the data prep department for retyping. As likely as not, your job doesn't even get as far as debugging; with a large program, it could take three or four times before your card deck is 100 percent correct.

Finally, a week after submitting your masterpiece, you schedule it into the job queue. You're confident it'll run perfectly the first time. You give a sly call to the computer operator asking for your job to be given some urgency, seeing as how you tolerated the miserable luck so far.

One six-pack later, you check with the lady in charge of printouts and she promises to give you a call as soon as your job's ready. The operator, ever mindful of his promised six-pack, shuffles your job to the front and loads your cards into the card reader. Hitting the load button, he watches as your cards start flying into the electronic bowels of the reader. He continues to watch impassively as the card reader jams up and spews out your cards in an unrecognizable heap. The engineers are busy fixing the reader for a week. A quarter of your card deck is destroyed. You resubmit the quarter to the data prep department (being glad you didn't chew them out for their previous ineptitude). You still owe the operator a six-pack.

Give me a micro any day. ■

FREE SHIPPING

MODEL III DISK DRIVE EXPANSION KITS

High Quality, Low Prices

Dont Be Fooled By The Competition

Printers

C.Itoh 8510 Parallel \$519
C.Itoh F-10 40cps \$1449
C.Itoh ProWriter 2 \$749
C.Itoh F-10 55cps \$1699

INSIST ON A SWITCHING POWER SUPPLY

INSIST ON A CONTROLLER THAT WORKS WITH NEWDOS AND LDOS

INSIST ON KNOWLEDGEABLE SALES PEOPLE

INSIST ON A FULL TIME TECHNICAL STAFF

INSIST ON QUICK SHIPPING

We Have It All !

Drive kit with one 40 track TM-100-1 drive 180 KB
Drive kit with two 40 track TM-100-1 drives 360 KB
Drive kit with two 40 track TM-100-2 drives 720 KB
Drive kit with two 80 track TM-100-4 drives 1.4 MB

no soldering
required \$479.
\$699.
\$899.
\$1099.

All Drive Kits Contain a ■ Switching Power Supply ■ Double Density Disk Controller ■
32K Ram ■ All Cables and Necessary Hardware ■ and an
Installation Manual That is Simple and Easy to Use ■

TANDON DISK DRIVES

BARE / WITH CASE & POWER SUPPLY

TM100-1 Single-Sided 40 Track 180 KB/DD \$219.95/ \$279.95
TM100-2 Double-Sided 40 Track 360 KB/DD \$299.95/ \$349.95

MICRO MAINFRAME PRODUCTS

5 MEGABYTE HARD DISK KIT \$1949.

M-50FM HARD DISK SUBSYSTEM \$2895.

SASI-NET MULTIPLEXER \$ 719.

FDC 3B \$129. FDC 3C \$ 169.

SEE THEIR AD IN THIS ISSUE

NEW KITS

MODEL III RS232 KIT

Assembled and tested \$74.95

MODEL III GREEN SCREEN KIT

Not a filter. This kit contains a green phosphor tube and all hardware needed for a one hour avg. installation \$99.⁹⁵

48K MODEL III \$1795.00

Includes all the standard basic features of the TRS-80®
Model III with 48K of RAM and disk expansion Kit
with two 40 track double density Tandon disk drives.
Completely compatible with TRSDOS™

with two double sided drives \$1995.00

MODEL III HARD DISK \$1849.

5 MEGABYTE READY TO PLUG IN AND RUN DOS EXCLUDED
10 MEGABYTE \$2149. 15 MEGABYTES \$2349.

FREE SHIPPING

UPS GROUND CONTINENTAL U.S. PREPAID

just mail or call your order in

TODAY !

120 DAY WARRANTY

Compukit


713-474-7342

P.O. Box 306 KEMAH, TX 77565

1418 CEDARBROOK, SEABROOK, TX
BY APPOINTMENT


STAR.

WE'RE MAKING A



NAME FOR OURSELVES.

Building a reputation for quality printers of astronomical value, from components on up.



Making a name for ourselves in printers is only natural when we've been making the highest quality precision parts for over 30 years. And although Star's reputation in microperipherals has only begun to grow, the watch and camera industries worldwide have been relying on Star components for nearly 3 decades.

Quality manufacturing is what we're building our reputation on. Star is a true manufacturer, not merely an assembler. We even design and manufacture the computer controlled machines that make our parts. With unlimited production capabilities, Star's factories can operate 365 days a year, 24 hours a day, producing more than 100 million parts a month. It is this kind of productivity and total quality control that assures you of get-

ting the very finest printer for the very lowest price.

And the best product for less is what you can depend on getting from Star. Star offers you a full line of reliable printers, printers with divergent technologies to meet your specific needs. And there's more. You get a low cost, high quality printer with a wide spectrum of interfaces to choose from—backed by Star's superior service network, there if you need it.

Star. We're going to be the quality printer you can count on, from components on up. And that's no pie in the sky promise.

star 
micronics • inc.

506
MAKING A NAME FOR OURSELVES
200 PARK AVENUE, NY, NY 10166

You've got a graphics machine!

The Color Computer on Parade—Part I

William Barden Jr.
28122 Orsola
Mission Viejo, CA 92692

The Color Computer lacks the graphics resolution of an Apple and the Cromemco Dazzler and the Digital Data Digicom hardware, but it possesses excellent Extended Basic commands for graphics operations, more than enough resolution for most display work, and it's cheap!

We will look at the Color Computer's graphics capabilities in this article. We'll investigate the Color Computer's architecture, the Extended Color Basic commands, and some advanced graphics techniques. I will

resolve the graphics resolution question and show you why I feel it's not all that important to have a graphics resolution of 1024 elements horizontally by 1024 vertically.

Early in my career I worked for a company that did color display work. The company manufactured hardware that would display color graphics of up to 1024 by 1024 elements. Each element of those graphics could be programmed to one of eight colors.

As you know from late evening study of binary, we can use three bits to get values of 0-7. A 1024 by 1024 display with three bits specifying a color for each element requires $1024 \times 1024 \times 8$, or 3,145,728 bits, or 393,216 bytes (384K)!

Assume no special graphics hardware and that the elements are held in RAM mem-

ory, which is another way of saying that the video display is memory mapped as it is in the Apple or Color Computer. Using Assembly language, we can store a byte of data into RAM in about 20 microseconds in typical microcomputers. That makes no allowance for number crunching—simply bringing in graphics data from a buffered disk file or from another memory location with some overhead for indexing and looping.

Twenty microseconds per element times 384K is about eight seconds simply to fill the screen with existing graphics data.

If we want to draw lines and surfaces to create three-dimensional objects, it takes computing time. For example, creating a three-dimensional color display without hidden lines, the ultimate type of display, in 1024 by 1024 by eight colors on that large-scale system I mentioned earlier took about six minutes of processing time for each second of picture! To get a 10-second animated display of One Tandy Center being ravaged by a Texas tornado would require about one hour of processing time on a large-scale computer.

It is true that with fewer colors and hidden lines showing and fewer graphics tricks you can produce excellent displays in much shorter time, but generally you would not want to process high-resolution graphics continually. A 1024 by 1024 element display contains 16 times the picture elements of a 256 by 256 element display, requiring 16 times the processing time.

Some applications require as much resolution as possible—displaying a digitized satellite weather picture, for example. Most graphics applications cannot afford the overhead of processing hundreds of thousands of elements. That's why I think the Color Computer is a good compromise for color graphics—moderately good resolution at relatively low cost.




Fig. 1. 64K Color Computer Memory Layout

Mapping the Color Computer Memory

Figure 1 shows the layout of the system's 64K of memory. RAM occupies the first 32K, while ROM is in the upper 32K. Standard Color Basic is 8K bytes and is in the \$A000 area (\$ stands for hexadecimal in the Color Computer). The Extended Color Basic is an additional 8K of ROM in the \$8000 area.

The upper 16K is dedicated to cartridge ROM and input/output (I/O) addresses. The I/O addresses are addresses of Color Computer PIA chips and hardware vectors. I will describe the PIAs later.

The 32K of RAM stores system variables, a text screen, from one to eight graphics screens, program variables, arrays, user programs, stack, string working storage, and an optional protected machine-language area, in that order, from bottom of memory to top (see Fig. 2).

The layout is reminiscent of the TRS-80 Model I/III memory layout—Microsoft did the Basic.

The areas we cover in this article are the text and graphics pages.

Text Screen

The area from \$400 to \$5FF (1024-1536 decimal) is dedicated to the text screen. The text screen corresponds to text video display memory and holds text as entered from the keyboard, text during Basic execution, and general system text.

The text screen holds 16 lines of 32 characters, for a grand total of 512 characters, or 512 bytes.

As in the Models I and III, you can intersperse some limited graphics with the text. Although this text screen is mapped at the \$400 area, you can remap it dynamically by redefining the text screen area. To do this send a new address to one of the dedicated I/O addresses. I'll cover this later.

Graphics Pages

From one to eight graphics pages are above the text screen. The first page starts at \$0600 and extends to \$0BFF (1536 bytes), the next starts at \$0C00, and so forth. You may allocate from one to eight graphics pages (but not zero), depending upon the graphics modes you use. Any remaining space is released to the common memory





Fig. 2. RAM Contents

"I BOUGHT IT"
"My biggest loss
of programming
time using
Snappware's
EXTENDED BASIC
is spent
inserting
my diskette."

SCOTT ADAMS - PRES. OF ADVENTURE INTL.



Reduce your programming time significantly with Snappware's EXTENDED BASIC. The program is written entirely in machine language for super fast execution and is fully integrated into the TRSDOS* BASIC interpreter, requiring no user memory. Here are just some of the ways EXTENDED BASIC can make your programming task easier:

- Quick way to recover BASIC program following a New, System or Accidental re-boot.
- Single character abbreviations for the most frequently used commands.
- Six single key stroke commands to list the first, last, previous, next or current program line. Even edit current line.
- A powerful cross-reference facility with output to display and/or printer.
- Ability to trace a variable through the code.
- Determine easily if a variable is in use.
- Permits programmer to display and/or print the value of any or all program variables.
- Identifies the variable type for all variables.
- Lists each element of any array separately.
- Program line renumbering facilities allowing for specification of an upper limit of the block of lines to be renumbered, relocation of renumbered blocks of code and duplication of blocks of code.
- Cross reference facility for key words and character strings including global replacement of key words.
- Compresses your BASIC program to an absolute minimum by removing extraneous information.
- Merge lines.
- Deletes statements that could not be executed.

If you consider your programming time to be worth money, call us and let us show you how to get more of it.

*TRSDOS™ Tandy Corporation

MODEL II \$200.00

MODEL III \$125.00

SNAPPWARE
 SNAPPWARE
 SNAPPWARE
 SNAPPWARE
 SNAPPWARE

Time saving power
at your fingertips.

CALL TOLL FREE:

1-800-543-4628

OHIO RESIDENTS CALL
 COLLECT: (513) 891-4496

3719 Mantell
 Cinti., Ohio 45236



pool and used for variable storage, arrays, and so on. A graphics display uses from one to four graphics pages depending upon the graphics mode.

The graphics pages are separate from the text pages. Under program control, you can switch from text page to graphics page (using the SCREEN command) and display either text data or graphics.

You can process a graphics page while displaying a text page and vice versa. You could display Basic text while loading up a graphics page with drawings of that tornado whipping through the 15th floor of One Tandy Center. Similarly, you could display a graphics picture on one page or set of pages while loading up another graphics page or set of pages with a second picture.

Each graphic page is 1536 bytes for an excellent reason—the lowest resolution graphics mode supported in Basic is 128 by 96 elements with two colors in each element. As two colors can be encoded in one bit, the number of bits required for this resolution is 128×96 or 12,288 bits or 1536 bytes.

The highest resolution graphics mode is 256 by 192 in two colors, requiring $256 \times 192 = 49,152$ bits or 6144 bytes or four graphics pages. You have to plan ahead in allocating graphics pages (by the PCLEAR command)—too many and you are wasting RAM, too few and you have too little memory for your high-resolution graphics displays.

Fifteen separate and distinct graphics modes are available on the Color Computer (see Fig. 3). Of these, Color Basic supports

only three. Extended Color Basic supports only eight. The Motorola MC6847 Video Display Generator Chip (VDG), implements the text and graphics and thus determines the number of graphics modes.

If you are interested in getting down to the integrated circuit level, then buy a copy of the TRS-80 Color Computer Service Manual (RS 26-3001/3002) and the Motorola Data Library manual, which describes many of the Color Computer LSI chips.

Graphics Modes in Color Basic

Color Basic uses only the text screen in either the alphanumeric mode or the VDG Semigraphic 4 mode.

In the alphanumeric mode, each byte of the text screen RAM represents a single character position in the straightforward mapping of Fig. 4. Character coding is roughly ASCII. A single bit determines inverted or non-inverted display of text.

The Semigraphics 4 mode is similar to Model I/III graphics. It allows 64 by 32-element graphics.

In Semigraphics 4, each character position of the 512 character positions of the text screen represent four elements of graphics as shown in Fig. 5. The most significant bit of the character position byte is set to indicate graphics, the next three bits contain a color code 0-7, and the next four bits represent the on/off status of the four pixels.

Color Codes

In all the following discussion the color codes will be: green, yellow, blue, red, buff,

cyan, magenta, orange. These codes are 0-7 in hardware (as in the graphics byte) or 1-8 in a Basic command. The Basic color code 0 represents black, or no color on the screen.

Typical Alphanumeric and Semigraphics 4 Displays

You can intermix Semigraphics 4 and alphanumeric modes on the text screen. You can display text data next to graphics data as shown in Fig. 6. If you wish, an entire block can represent graphics data.

The Semigraphics 4 mode is somewhat misleading. It's true that with a pixel being off (black) or on (color specified in byte) you can get a 64 by 32 element resolution in two colors. However, all four pixels of each character position must have the same color. This means if you intermix colors, you cannot have dissimilar colors adjacent to each other unless the new color starts at a character position boundary.

Color Basic allows a SET, RESET, and POINT. You may set, reset, or test each of 64 by 32 pixels with the above color limitation. A clear screen (CLS) is also provided; you may clear the screen to any color.

Extended Color Basic

Extended Color Basic supports five of the higher resolution graphics modes, as shown in Fig. 7. (Three lower true graphics modes remain unsupported, and the three Semigraphics Modes are still not supported.)

All of these graphics modes use the same mapping in graphics pages of RAM memory. If the mode is a two-color mode, the color code for each pixel is held in one bit, and a byte represents eight elements. If the mode is a four-color mode, the color code for each pixel is held in two bits, and a byte represents four pixels, as shown in Fig. 8.

Color Sets

Two sets of two or four colors can be selected by the SCREEN command, as shown in




Fig. 3. Graphics Modes




Figure 4

80 Micro, October 1982 • 85

80-U.S.

THE TRS-80 USERS JOURNAL

If you own a TRS-80® Model
I, Model II, Model III, Color
Computer or Pocket Computer,

YOU NEED 80-U.S. JOURNAL!

80-U.S. Journal has

programs for your enjoyment
and enlightenment. Every
monthly issue contains several
BASIC or machine language
program listings. It contains
business articles and tutorials.
There is something for YOU in
80-U.S. Journal.

and . . .

80-U.S. Journal contains re-
views of hardware and soft-
ware. Our evaluations and re-
views will help you to make the
best choice in selecting addi-
tions to your system.

Please send a ☐ new ☐ renewal
subscription to **80-U.S. Jour-
nal** for ☐ 1 year (\$16), ☐ 2 years
(\$31), ☐ 3 years (\$45) — U.S.
residents only.

Name _____

Address _____

City _____

State _____ Zip _____

Visa/MC _____

Exp. _____

**80-U.S. Journal, 3838 S. Warner
Street, Tacoma, WA 98409,
(208) 475-2219**

Dealer Inquiries Invited

329
8M

Command	Typical Form	Function	
SCREEN	SCREEN 1,1	Selects text/graphics, color set	Static Commands
PCLEAR	PCLEAR 6	Reserves n graphics pages	
Pmode	Pmode 4,1	Selects mode and page number	
PCOPY	PCOPY 2 TO 6	Copies one graphics page to another	
PCLS	PCLS 8	Clears graphics page	
COLOR	COLOR 2,3	Selects foreground, background color	
PSET	PSET (129,96,3)	Sets point	Active Commands
PRESET	PRESET (129,96)	Resets point	
PPOINT	PPOINT (128,96)	Tests point	
LINE	LINE (23,23)-(100,100), PSET	Draws line, box, or filled-in box	
CIRCLE	CIRCLE (129,96), 40	Draws circle, ellipse, or arc	
DRAW	DRAW AS	Draws line segments, scales, rotates	
PAINT	PAINT (120,100),3,4	Colors an area	
GET	GET (0,0)-(50,50),AA,G	Stores a portion of screen to array	
PUT	PUT (205,141)-(255,191),AA,PSET	Moves graphics data from array to portion of screen	

Table 2




Figure 6




Fig. 7. High Resolution Graphics Modes




Figure 8




Figure 9

screen or 1 for graphics page. The color set code is either 0 or 1. SCREEN enables you to switch back and forth between the text screen at \$400 and the "current" graphics page. Remember that the text and graphics screens are separate entities. The color set applies to the text screen as well; standard text display is black on green, but color set 0 selects red on orange.

PCLEAR reserves from one to eight graphics pages. If you never use PCLEAR, Extended Color Basic reserves four graphics pages automatically. Any remaining graphics pages are released to the common pool of RAM for variables, and so on. Note that no action is taken in clearing the pages. This simply sets an internal pointer to the location after the last graphics page; this will be the start of the Basic variable area.

PMODE selects a graphics mode of 0-4 and specifies the starting graphics page number of 1-8. You may use PMODE to change the graphics resolution. You normally use PMODE early in a program to select the resolution and starting graphics page. You can also use it at any time to select a new graphics page. You might have one display starting on graphics page 0 and a second starting on graphics page 4, for example.

PCOPY copies the data from one graphics page to another. This is a convenient way to duplicate a graphics page without having to do a series of PEEKs and POKES. You may have to do more than one PCOPY to duplicate a given display, as certain modes require more than one page.

PCLS is the Extended Color Basic equivalent of the Color Basic CLS. It clears the current graphics screen (which may be more than one page) to a given color.

COLOR selects the foreground and background color. The background color is the primer for the canvas. The foreground color is on the paint brush. This is important as some commands cannot specify a color for the graphics action.

The normal sequence before starting any graphics would be something like

```
100 PMODE 4,1 'set mode, starting page
110 SCREEN 1,1 'select graphics, color set 1
120 PCLS 5 'clear screen with buff
```

PSET, PRESET and PPOINT

PSET, PRESET and PPOINT do not draw anything on the screen. The active commands in Table 2 initiate all graphics actions on the screen.

PSET, PRESET, and PPOINT are PMODE SETs, RESETs, and POINTs. They do essentially the same thing as the Color Basic commands—set, reset, or test a point. They do it with finer resolution, depending upon the mode.

PSET, PRESET, and PPOINT are useful in plotting points for graphs, but they are not really powerful graphics commands. Next month I will continue with a discussion of Extended Color Basic's very powerful LINE, CIRCLE, DRAW and PAINT graphics commands. ■

"I BOUGHT IT" "My biggest loss of programming time using Snappware's AUTOMAP and AUTOFILE is spent inserting my diskette."

SCOTT ADAMS - PRES. OF ADVENTURE INTL.



When working with direct files or creating a formatted screen, Autofile and Automap are indispensable aids.

Autofile is designed to automate for the BASIC programmer the task of moving data elements to and from a direct file. Previously, this was a time consuming chore because the FIELDed variables may not be directly referenced by user logic. The FIELD statement was eliminated, thereby relieving you of the guessing game as to where the FIELDed variable is. In addition, the LSET and the CVx functions are performed automatically. The software, when installed, becomes part of your BASIC interpreter providing the enhancements without additional memory.

Automap is designed to automate for the BASIC programmer the task of presenting information on the video display and accepting information from the keyboard operator. The software consists of two main components: the OFF-LINE COMPONENT used to describe to the system the screen formats and the ON-LINE COMPONENT from within your BASIC program to initialize a screen, send data to the video display and receive data from the keyboard operator. This facility when installed, becomes part of your BASIC interpreter.

Both products complement one another and, if used in conjunction, can save a significant amount of programming time.

If you consider your programming time to be worth money, call us and let us show you how to get more of it.

Automap	MODEL II	\$100.00
	MODEL III	\$ 75.00
Autofile	MODEL II	\$ 75.00
	MODEL III	\$ 60.00

SNAPPWARE
SNAPPWARE
SNAPPWARE
SNAPPWARE
SNAPPWARE
SNAPPWARE

**Time saving power
at your fingertips.**

CALL TOLL FREE:

1-800-543-4628

**OHIO RESIDENTS CALL
COLLECT: (513) 891-4496**

**3719 Mantell
Cinti., Ohio 45236**



What the government buys today, you may own tomorrow.

Shopping with Uncle Sam

*Bud Stolker
Landmark Towers, Apt. 1506
101 S. Whiting St.
Alexandria, VA 22304*

The Federal DP Expo, Washington, DC, is the biggest and flashiest of the capital's annual computer shows. A lot of money is at stake because the prime target of all the exhibitors is Uncle Sam. Despite, and in fact because of, Mr. Reagan's austerity program, the federal government remains a strong purchaser of computer mainframes, peripherals, software, and data processing (DP) support services. This year the phrase that characterizes Washington spending is "doing more with less."

Over 150 companies are exhibiting this year in the biggest DP Expo ever. The displays sprawl across 40,000 square feet of booth space interlaced with another 30,000 square feet of aisles. The major manufacturers listed on the GSA schedule, the master buying list that represents Uncle Sam's seal of approval, vie for the attention of the few key officials whose job is to buy systems and services to help the bureaucracy work efficiently.

Few of the feds attracted by the promise of free admission to the exhibit hall hold the power of the purse. The challenge for the slick sales force assembled for this three-day Expo is to distinguish the buyers from the browsers, the procurement people from the programmers, the executives from the lower echelon staff. No money changes hands. The purpose of the exhibits is to interest the federal government in products and services. Later, bids will be invited, propo-

sals will be offered, purchase orders written, contracts drawn.

When the first Federal DP Expo was held eight years ago, microcomputers did not exist. The recent widespread use of microprocessors has reduced prices on computers and peripherals, and opened up whole new markets. Much of the equipment and software at the Expo is interesting because what's available for government today may soon be available for private microcomputer users at home, at school, and at work.

An Adventure Cave

As I enter the Expo's great hall with a stream of fellow sight-seers, the chatter and crowd noise falls away, absorbed by draperies, carpeting, and the white noise of thousands of blower fans cooling millions of dollars worth of computer gear. "Main Street" at the Federal DP Expo is a gridwork of intersecting aisles punctuated by flashing colored lights and revolving electric signs.

Hundreds of CRTs, printers, plotters, and more exotic equipment compete for attention. Keyboards, light pens, and digitizers await the explorer's touch to unleash the genies within. No wonder nobody is playing the video games in the hotel's arcade just outside; the Expo is the game! The exhibit hall is a real-time adventurer's cave. Each of us looks for his own set of treasures. And each of us has to use common sense and native wit to separate the valuable items from the worthless ones, and the wise men from the charlatans and phonies.

The adventure begins with a walk around the perimeter of the exhibit area. Unfamiliar names with vague mythological roots loom up from the heady swirl of color and light: Alanthus, Stratus, Hetra, Wylbur. Wylbur?

Animated Bore

Around the first corner, Wylbur twangs away on his guitar, singing a lively rendition of "Kansas City Star." This country-and-western singer is different: He is a humanoid robot that looks like one of the Nolan Bushnell robots now springing up in Pizza Time Theaters around the country. This high-tech restaurant chain, masterminded by the man who made Atari a household word, features an animated robot hippo at the piano bar, large-screen television so you don't have to talk to your dinner partner, and more ways to spend your money amid electronic razzle-dazzle than the corner video arcade.

Wylbur is one of the new generation of robots-for-play. He banters with passersby and gestures as he talks. His lifelike movements apparently can be controlled in real time. Behind the stool on which Wylbur casually strums and chats is a mirrored wall presumably hiding a well-trained operator. The effect is at once stunning and annoying. Why would anybody employ such sophisticated equipment for such a trivial application? Why would anyone design a robot from the ground up to be such a crash-ing bore? And what does Wylbur promote anyway?

I stand in line to play Wylbur's simulated slot machine and to learn more. The game's three servo-controlled slide projectors flash advertisements on adjacent rear-projection screens. If all three screens show the same ad when I push the button, I win a road atlas or a frisbee disk. (Losers get a ballpoint pen.) When my turn to play comes, I ask Wylbur's human assistant for product information. She seems surprised, and searches under the counter for literature.

The skimpy brochure she hands me de-

scribes Wylbur in vague terms. It is Litton Computer Services' combination word processor, remote job-entry system, interactive programming language, and data base management system with built-in business graphics—and no doubt enough bells and whistles left over to hum a few bars of "Kansas City Star" while simultaneously servicing 256 users and driving an outsized slot-machine simulator as well.

Why didn't Litton can the tin man's chatter and simply seat executives at a computer terminal? Why not show what Wylbur (the software, not the robot) can do? My strong impression is that Litton has blown its budget on the robot, and wound up with nothing left over for trained staff and a demonstration system. The robot draws crowds, but I think Litton has badly misjudged its audience. I wonder whether the singing Wylbur is a salesman or a distraction.

IBM: Conspicuously Absent

Thumbing through the exhibition catalog, I note that Radio Shack and Commodore are at the Expo, but Apple and IBM are not. IBM absent from the Federal DP Expo is nothing short of astonishing! Did conference planning fall through the cracks this year because of IBM's much touted reorganization? Or did they simply feel they could do without the government's business?

"We knew IBM wouldn't be here," crows Christopher Brown of Radio Shack. "We wanted our presence felt. Three out of every four of our machines are sold for business use." TRS-80s are not listed on the GSA schedule, but Brown says, "We have ways of getting around that." He refuses to elaborate.

I am reminded of Bell and Howell's brilliant ploy a few years back. They sold Uncle Sam a great many computers by registering their souped-up Apple IIs as "training devices" rather than as computers. That enabled crafty office managers to buy small office systems "for education purposes," circumventing their data-processing people entirely. The DP chiefs, who ordinarily must approve purchases of all computer equipment, are often reluctant to acknowledge the existence of microcomputers for fear that decentralization will erode their information fiefdoms.

Commodore: "Our Computers Sell Themselves"

Commodore's spacious but unadorned booth sports no advertising—just computers sitting on a table. The \$1,495 Commodore Business Machine shares equal billing with the \$1,995 Super Pet and the \$300 VIC-20 computer.

As I approach, VIC Avengers is cycling through its attract mode. Avengers is Commodore's Space Invaders lookalike, featuring a five-color display. Why is Commodore pushing the VIC and video games at a conference aimed at federal purchasers? "That's simple," says Rob Brown, a representative from Commodore's suburban Philadelphia headquarters. "We feel that all

"I BOUGHT IT" "My biggest loss of programming time using Snappware's COLLEGE EDUCATED GARBAGE COLLECTOR is spent inserting my diskette."

SCOTT ADAMS - PRES. OF ADVENTURE INTL.



The Snappware College Educated Garbage Collector (SNAPP-VI) is an intelligent processing function which greatly improves performance of typical BASIC applications. And here's why.

Microsoft uses a 'variable length string' in the BASIC interpreter. Each time the string is assigned a new value, it is relocated in a string pool. Periodically the string pool must be reorganized and condensed into a single contiguous area. Performing this string space reclamation is time consuming and inefficient because this approach evaluates and collects each string individually. The time required is roughly proportional to the square of the number of active strings in the resident program. During reclamation the system seems to 'lock-up' and does not respond to the operator until the process is completed.

This time consuming approach requires a better solution. Snappware has developed a solution which takes advantage of the auxiliary memory available. SNAPP-VI requires only four bytes per active string as a work area. When free storage space is available, our system temporarily borrows, uses and returns the space to the free storage pool when completed. If storage is not available, our system will temporarily transfer out to disk enough of the BASIC program to make room for our work area and return the 'paged out' information to its correct location when completed.

Benchmarked times show, in some situations, SNAPP-VI performs one hundred times as fast as the Microsoft approach.

If you consider your programming time to be worth money, call us and let us show you how to get more of it.

MODEL II	\$100.00
MODEL III	\$ 75.00

*TRSDOS™ Tandy Corporation

SNAPPWARE
SNAPPWARE
SNAPPWARE
SNAPPWARE
SNAPPWARE

**Time saving power
at your fingertips.**

CALL TOLL FREE:

1-800-543-4628

**OHIO RESIDENTS CALL
COLLECT: (513) 891-4496**

**3719 Mantell
Cinti., Ohio 45236**



these people have access to large computers. They understand them. I'm sure a lot of them are interested in home computers, too. So we bring our machines and let them sell themselves." And are they selling? "We're not taking orders here at the Expo," he continues. "But we have a few local dealers manning the booth, and we have a stack of leads this high!"

Big Printer, Little Printer

A chirping sound like submarine sonar is coming from the Hetra display. I investigate. A desk-sized line printer is stamping out a purple 2-by-4-foot dot-matrix version of the Mona Lisa. Hetra, according to an exhibit panel, is a printer "for use in tough environments such as tactical mobile vans for the U.S. Marine Corps, shipboard duty for the U.S. Navy, and telecommunications printers in the Defense Department communications network for the U.S. Army." It's nice to know we're sending culture over the wires to our boys in the service.

A computer hobbyist is talking to the Hetra representative. "Got anything for microcomputer users?" he asks. The salesman's face freezes into a mask, and he turns away. But a fellow hobbyist picks up the conversation, and the two debate the relative merits of the Hetra and the Epson. Do the Hetra people realize that American homes are a potentially vast market that will soon be ready for rugged, reliable printers "usable in a tough environment?" Five years from now, who will be raking in more dough, Hetra or Epson?

Delicious Daisy Wheels

Anderson-Jacobson's exhibit is more appealing, and its staff more approachable. A daisy-wheel printer terminal deftly draws the AJ logo with a flurry of microspaced periods. The logo finished, this 55-character-per-second, letter-quality printer grinds out a crisp X-Y coordinate graph. Each axis label features large text characters; the letters are individually plotted from shape tables. The result is striking proof that daisy-wheel printers can hold their own in the graphics department.

This AJ 833 terminal that thinks it's a pen plotter comes equipped with a full ASCII keyboard, and has several attractive options, including a floppy-disk system and a 2K print buffer for downloading documents or plotting instructions.

Intelligent printers that take the strain off your processor have been available for a few years now. The Anderson-Jacobson people have carried the concept a logical step forward by putting smarts into high-quality printers and selling them at reasonable prices.

While the AJ 833 at \$4,000 (for a full computer terminal) is perhaps a bit steep for home computer users, the AJ 830 sitting next to it is not. This equally attractive machine, decked out in Apple beige, sells for \$1,300 reconditioned. I'd prefer this 30 cps daisy wheel to one of the new Japanese 25 cps Vistas sans keyboard. It's usable as a

remote terminal, and the Qume mechanism is likely to outlive us all.

Plotter Power From Japan

At a crowded junction on the exhibit floor Linda Lierman is showing off her line of Watanabe pen plotters to an enthusiastic audience. Watanabe Instruments Corporation epitomizes the Japanese threat to the American peripheral market. With smart, inexpensive plotters like these, it's easy to see why Japan is giving us trouble.

The WX 4671 for \$1,400 is a handsome unit with an internal microprocessor that accepts simple ASCII commands for drawing characters (which can be enlarged and rotated), straight lines (solid or broken), and coordinate axes with tic marks. A six-pen option is available for \$300 more. The nice thing about the color-pen option is that you can upgrade to it anytime without paying a premium for retrofitting.

One potential customer, a Navy man, asks Linda how much the six-pen plotter costs. She responds by asking what he *thinks* it costs. "\$4,000?" he guesses. When she quotes him \$1,700, his eyes light up like a kid's on Christmas morning. "The plotter's a little slow for these government types, who don't see much difference between a \$1,700 and a \$4,000 purchase," Linda confides. "But when I tell them the price, they think of a dozen uses for it at home." Watanabe has plotters in both medium and low price ranges. The \$4,150 WX 4638 plotter resembles the \$1,400 machine, but draws at almost eight times the speed.

A sophisticated device like a plotter without a variety of easy-to-use programs is only half a machine. Watanabe plotters are blessed with abundant software that is unusual in low-cost graphics systems. A screen-dump program enables the Watanabe to draw any color picture that an Apple II can generate. The plotter fetches various color pens as it tracks through the bit map, plotting each consecutive point on each raster line. The 40 minutes it takes to draw a complex multicolor picture are a fascinating introduction to robotics and the intelligent mechanical machines destined for home use in the next few years.

Other plotter programs include line and bar-graph generators with shading, labeling, and scaling; a pie-chart generator with exploded sector option, arc and circle drawing; a curve fitter; a United States mapping system; block lettering; three-dimensional plotting; and more—all available on a variety of popular microcomputers. Software for the Watanabe is available from West Coast Consultants.

If America wants to win back the peripherals market from the Japanese, let's see a low-cost plotter that can match the ingenuity and capability of the Watanabe series. Come on, guys, what's so difficult about building a durable flat-bed plotter with a microprocessor and a ROM chip or two?

Watanabe's plotters, slick as they are, represent a logical evolutionary development in graphic output devices. Pen plotters started out as expensive machines

used primarily for mapping, graphing, and design work. They required much software support, which implied large, costly computer systems. Now that computers are cheaper, software more readily available, and plotters smarter and easier to control, the popularity of pen plotters is growing.

But challenging their supremacy in print-out/color-output applications are revolutionary new technologies: computer-driven color Xerox machines, electronic screen image cameras, and now multicolor ink-jet printers.

Painting With Numbers

Two ink-jet printers are on display at this year's Expo. Both can reproduce a color picture from a CRT or operate under direct computer control. These dot-matrix machines spray a fine stream of colored fluid at the paper, one drop for each dot. They resemble conventional desktop printers, but with no ribbon and no print hammer or daisy wheel to make an impression on the page.

Intelligent Systems Corporation's Printacolor features three inks that can be combined for a total of eight basic colors (more by mixing colors on a dot-by-dot basis). It sells for \$4,400 including an RS-232 interface. Not bad, considering the cost of a Spinwriter these days. Printacolor can dump a video raster image to paper in 75 seconds in bi-directional mode. Slightly better resolution is obtainable if the printhead sprays only while traveling from left to right, but the print time doubles.

Apparently the effort involved to accelerate and decelerate the moving printhead results in some minor image smearing near the margins in the high-speed bi-directional mode. That is no problem with many graphic images, but the crispness required for text does suffer somewhat. At under \$5,000, Printacolor will probably find non-traditional applications among innovative computer users. No doubt someone will write software, for example, to generate customized Christmas cards, freeing us at last from the tyranny of Hallmark.

Another ink-jet printer, the ACT-1 Color Copier by Advanced Color Technology, is similar in appearance to the Printacolor, but retails for over twice as much. It's \$9,000 with a Centronics-compatible parallel interface, or \$9,750 with direct video input. The ACT-1 uses three inks to print any of seven basic colors (plus 64 two-color combinations, and 125 shades through pixel mixing). This printer can resolve up to 140 dots per inch horizontally, and 85 vertically. The colors are less muddy than you might expect, considering that most shades are created by slathering one or more ink layers over a base color.

The price of the ACT-1 seems steep compared with the Printacolor, but distributor Paul Myers doesn't believe the price will drop anytime soon. "Demand is running high," he says, "and it's a quality machine." The quality is evident in the print samples I inspect. Still, I can't help but notice the purple splotches on both his hands. "Just a little problem with an ink cartridge," Paul

Call or Write Your Nearest Snappware Distributor

MICRO-80
284 Goodwood Road
Clarence Park
Adelaide South Australia
Ph-(08) 2117224

DIGI-TEK SYSTEMS
65 Thornridge Circle
Kitchener Ontario N2M-4V9
Ph-(519) 742-8205

STRAWFLOWER ELECTRONICS
50 North Cabrillo
Half Moon Bay
California 94019
Ph-(415) 726-9128

COMPUTER MAGIC
115 Wiltshire Avenue
Louisville, Kentucky 40207
Ph-(502) 893-9334

E-C DATA
Tornevangsvej 88
P.O.B. 116
DK-3460
Birkerød, Denmark
Ph +45/2/81/ 81 91

SYSTEM SOFT
49, Dunvegan Drive
Rise Park
Nottingham, England
NG5 5Dx
Ph-(0602) 275559

CUSTOM COMPUTING
104 Bushwick Rd.
Poughkeepsie, NY 12603
Ph-(914)-471-9318

AEROCOMP
Redbird Airport
Hanger 8
Dallas, Texas 75232
Ph-(214) 339-5104

NOTICE

Snappware Goes On Trial! You Be The Judge!

Snappware knows your programming time is valuable. That's why we are offering a trial package that will cut your programming time up to 75%!

This unprecedented offer allows you to judge for yourself the value of our software using *your* hardware at *your* convenience. Our five best selling products: EXTENDED BASIC, EXTENDED BUILT IN FUNCTIONS, COLLEGE EDUCATED GARBAGE COLLECTOR, AUTOMAP and AUTOFILE, are all available to you on a trial basis for only \$50.00 for the Model II and \$35.00 for the Model III. We're convinced that after you see how well our software helps you perform programming tasks, you will purchase them like thousands of others have.

Our trial package consists of a master diskette which may be used to create one working copy. Your purchase price for the trial package will be credited toward the purchase of any software Snappware sells.

If for any reason you are not satisfied, just return the trial diskette and working copy and we will refund your money, no questions asked. With an unconditional guarantee like this, you can't lose.

Call our toll free number 800-543-4628 to put us on trial. We're sure your verdict will be: Snappware saves you time and money.

MODEL II Trial Package\$50.00
MODEL III Trial Package\$35.00

SNAPPWARE
SNAPPWARE
SNAPPWARE
SNAPPWARE
SNAPPWARE
SNAPPWARE

**Time saving power
at your fingertips.**

CALL TOLL FREE:

1-800-543-4628

OHIO RESIDENTS CALL
COLLECT: (513) 891-4496
3719 Mantell
Cinti., Ohio 45236



explains.

Saying It With Pictures

A less messy, more elegant approach to color printouts is available with electronic cameras that convert a video signal into a color film image. The Matrix, Image Resource, and Dunn processors with their interchangeable camera mounts and computer interfaces have been around for several years now, but their prices are not dropping as quickly or as much as I had hoped.

A new and promising competitor may help change that: the Modgraph Smart Graphics camera system promoted by Henry Kunick. The Modgraph, like its predecessors, uses a high-resolution, black-and-white, flat-faced CRT in conjunction with color filters, special optics, and interchangeable film camera mounts to produce brilliant prints (Polaroid 4 by 5-inch, 8 by 10-inch, or SX-70), transparencies, 35 mm slides, or 16 mm films from the video output of a computer. But Henry's machine, unlike the Matrix camera across the exhibit hall, accepts composite video (a "dirty" but popular standard for video transmission) as well as the purer RGB format without expensive additional circuitry. That makes it compatible with cheap color graphic systems such as the Apple and Atari.

At \$7,800, the Modgraph is anything but cheap. But when you consider the price of comparable systems, it's clear we're making progress toward an affordable screen camera for hobby and small-business use.

The Matrix screen camera, according to spokesman Bill Becker, is \$8,000 for the basic mainframe, plus \$1,200 for a 35 mm or Polaroid interface. (Add \$6,500 for 16 mm format. Gulp!) The camera accepts RGB signals only; add-on composite video costs around \$1,500 more.

Becker is eager to point out the money-making possibilities of the Matrix. "Sure, the system costs more than your home computer," he argues. "But if you owned one, you could print hardcopy—in color and in a variety of film formats—for any popular microcomputer. All you would need is a modem and software to interpret the screen image. Customers could send their images over the telephone for printing by the camera system. Buy the camera," he advises, "and advertise yourself as a graphics production service. You'll pay for the machine soon enough." As color graphics imagery grows in popularity, Bill's concept should attract growing numbers of potential customers. Are you entrepreneurs out there listening?

Graphics Software of the Future

With my mind on color graphics, I wander toward Megatek's nearby display. Ho, hum—more business graphics. Wait a minute—that pie chart is labeled, "Budget for a family of one." Is mighty Megatek featuring a VisiPlot lookalike to tempt Apple users? No, according to Dr. John Moreland, the pie-chart budget simply reflects the interests of the software demo's programmer.

John is operations director for Megatek's

Template software, which can generate graphics using just about any computer with at least a 24-bit CPU and a Fortran compiler. Template can then output those graphics to a wide variety of printers, plotters, and vector and raster-scan terminals. It is primarily for computer-aided design, scientific and engineering applications, financial reporting, and geophysical modeling. Customers include ITT, Westinghouse, British Telecom, and NASA/Goddard—hardly your run-of-the-mill microcomputer users.

Yet John Moreland is cordial and willing to talk about the relationship of high-powered computer graphics to the growing hobbyist and home market. "We're promoting device-independent graphics software that adheres to the Siggraph Core [a proposed standard that would enable graphics programs to run on a variety of different computers and peripheral devices, each with additional software linking the general graphics commands to the specific hardware]. Megatek is a leader in the design of graphics hardware," says John. "But let's face it, the hardware will soon enough be on an expensive chip. The future is in the software that will drive it. Device independent software is the key to a continuing position in the marketplace."

"We believe in educating people," Moreland continues, "because as the hardware grows more affordable, people will want the software. If they don't learn now how it works and what it's all about, they won't be ready for the new products when those products are ready for them." A practical attitude, and a refreshing one as well.

Ultimate Graphics

No discussion of high-powered graphics software would be complete without mentioning California Computer Products Inc. (CalComp), a producer of complex software that fully supports their superb line of CRTs, digitizers, and plotters. CalComp is demonstrating color video terminals. On the screen is a detailed wire-frame model of the Space Shuttle, soaring around the display in real time. How does the system generate all those vectors so quickly? And next to the Shuttle, CalComp features another stunning animated graphic: a color X-ray of a clock, showing the face, hands, and associated gear train. The clock rotates slowly, as if on a turntable. Every so often the demonstrator punches in an instruction, and an enlargement of one of the gears in a 3-D wire-frame format appears. Neat. I wait until the clock face comes around again. The second hand is moving. The clock is actually running! And yes, the time is accurate—to the second! I stumble away hurriedly, more than ever convinced that computer designers, programmers, and black-magic practitioners are all close cousins.

Rich Man's Computer

A crowd huddles around the PERQ, a \$33,000 engineering design terminal (or rich man's personal computer) designed by Pittsburgh's Three Rivers Computer Corporation. This magical machine resembles

the Xerox Star, but apparently outshines the Star in its hardware capabilities. The high-resolution, black-and-white graphics display features multiple independent windows that can be moved around the screen, smooth text scrolling, elaborate user-definable cursors, and other goodies, all supported by the hardware and brought into play by simple calls to the operating system.

PERQ's strongest sales point, though, is its attract mode, a real crowd pleaser. Its programmer's flair for the artistic neatly balances a devilish sense of humor. Graphics literally dance across PERQ's screen in a show as exciting to the Expo's sophisticated computer users as Asteroid's teaser is to the arcade gamers. Fourteen Pascal programs load one another in sequence to produce the most electrifying and elaborate demo I have ever seen. Data flashes through windows, windows sail across the screen, moving graphic cursors (bouncing balls, pulsating objects d'art, and the inevitable Starship Enterprise) effortlessly pass around, across, and through each other without disturbing the alternate graphics planes above and below. And every so often another window opens to list more features of the perky PERQ.

It boasts a built-in digitizer pad (rather than Xerox's mouse) and speech synthesizer; apparently Three Rivers places a high priority on friendly input and output. The addressable 768-by-1024-point screen yields about 100 sharp dots per inch. The screen is sized and shaped like a sheet of 8½ by 11-inch paper. Multiple high-resolution character fonts and proportionally spaced letters give the screen image a typeset quality.

A multiprocessing operating system helps PERQ's user manage the powerful text editor, assembler/debugger, menu-driven utilities, and Pascal compiler—all standard equipment. PERQ can execute a million P-codes per second. The 16-bit CPU supports a 32-bit virtual address space, and its instruction set can accept additional software features as they are developed.

The built-in 12-megabyte Winchester hard disk can transfer data at seven million bits per second into the 512K RAM. A 24-megabyte hard disk, one-megabyte floppy, and additional 512K RAM are available as options. RS-232 and IEEE interfaces are standard, and oh yes, PERQ is Ethernet-compatible. Needless to say, this kind of hardware will never retail for \$299.95. But it's reasonable to assume that some of PERQ's most attractive inherent capabilities, such as its high-quality display graphics, built-in voicebox, and powerful software will soon enough migrate down into affordable hobbyist systems. Meanwhile, we can dream.

Six-pound Powerhouse

RCA's impressive booth features the VP-3501 Videotext Data Terminal, a machine that shatters the image of RCA as a technological backwater. This one could be a best seller if videotext (an information-retrieval system that uses telephone or cable tv lines for transmission, and a standard tv set for

M I & M III DOSPLUS 3.4 \$110.

ASG III HARD DISK

6.3 MEG HARD DRIVE and Dosplus 4.0 or LDOS Driver ready to run.

\$ 1795

MODEL III 48K COMPUTERS

1 Single-sided 40 TRK Drive	\$1695.
2 Singlesided 40 TRK Drive	1895.
2 Singlesided 40 TRK Drives/RS232	\$1973.
2 Singlesided 40 TRK/RS 232 & MODEM	\$2073.
1 Doublesided 40 TRK Drive	\$1820.
2 Doublesided 40 TRK Drive	\$2145.
1 Singlesided 80 TRK Drive	\$1845.
2 Singlesided 80 TRK Drive	\$2175.
1 Doublesided 80 TRK Drive	\$1995.
2 Doublesided 80 TRK Drive	\$2395.

MIII DISK CONTROLLER KITS

J&M SYSTEMS

\$325.

DISK DRIVES

40 TRACK TANDON BARE	\$205.
40 TRACK TANDON/CASE & SUPPLY	\$250.
80 TRACK TANDON BARE	\$295.
80 TRACK TANDON/CASE & SUPPLY	\$340.

Cases are well-vented/Hard card edge extender on back.

PRINTERS


C. ITOH F-10	\$1650.
OKIDATA 82A	\$460.
OKIDATA 83A	\$695.
EPSON MX-80/GRAFTRAX	\$505.
EPSON MX-80 F/T/GRAFTRAX	\$655.
EPSON MX-100/GRAFTRAX	\$855.

MODEMS

MICROCONNECTION RS 232	\$149.
MICROCONNECTION RS232 - Auto dial/answer	\$189.
Hayes Stack Smart Direct	\$259.

• 90 Day Warranty

• One Year Extended Warranty Available



ASG AUTHORIZED SALES AND SERVICE CENTERS

Douglasville, GA.....(404) 949-4204

W. Palm Beach, FL.....(305) 686-3550

Lancaster, OH.....(614) 687-1019

✓178



638 S. Dillard St.
West Orange Shopping Cntr.
Winter Garden, FL 32787-0915

Voice: 305-877-2830
DATA: 305-877-2829

EPSON
Factory Authorized Service Dealer

ORDERS ONLY:

1-800-327-6590

Call or write for free brochure:
U.S. PRICES F.O.B. WINTER GARDEN, FL
Radio Shack is a registered trademark of Tandy Corp.

Coordinated Business Software

D.B. Software Co. announces a new line of coordinated business software designed for the Model III TRS-80. The BASE system consists of a **General Ledger System with Accounts Receivable and Accounts Payable**. Other modules can be purchased and added as needed.

BASE System (GL-AR-AP) \$200.00

Coordinated Modules:

Payroll	\$ 75.00
Order Entry	\$125.00
Inventory	\$129.95
Purchase Order Entry	\$125.00
Inventory (special for Auto Parts Suppliers)	\$129.95

Also available:

Job Costing with GL and AP (Payroll optional)	\$500.00
Mailing Lister	\$100.00

Coming soon:

Apartment Management System, Fixed Assets System, Manufacturing Inventory Management System

Send S.A.S.E. for more information

D.B. Software Co.

11840 NE Brazee, Portland, OR 97220

Phone (503) 255-7735

DEALER INQUIRIES INVITED

TRS-80 is a trademark of Tandy Corp.

410

display) captures America's imagination in the next few years.

The \$399 unit is based on RCA's inexpensive terminal-in-a-keyboard. Its sealed-membrane keyboard is impervious to Cokes, cookie crumbs, and everything short of the business end of a hammer. The terminal hooks up to any color (or black-and-white) television through a built-in RF modulator that clamps onto the antenna leads. A direct-video output is provided for those folks with color monitors or video cassette recorders. The built-in modem plugs into a modular telephone jack; there's a printer port on board as well. A programmable sound generator provides a variety of tones and white-noise effects.

This six-pound marvel features remarkable graphics capabilities for such an inexpensive terminal. It can generate eight foreground and eight background colors with reverse video on a character-by-character basis. The character set is redefinable, and the cursor is fully addressable. That means the terminal can display foreign-language transmissions, complex pictures, and even limited animation. The screen format, too, is software-selectable. It can display either 24 lines of 40 characters (a de facto standard in videotext transmissions) or 12 lines of 20 characters for menus and headline emphasis.

As impressive as the basic terminal are its low-cost options. RCA's \$69 cassette interface enables you to record conversa-

tions with a videotext system, and to review them later, when off line. Starting and stopping the cassette from the keyboard freezes the display, allowing you to read a screenful of data at your leisure. An expansion box provides space for additional memory, and a TTL-level output can hook up to a smart interface proposed for the near future. That would permit additional software to dial the phone automatically, store information, and perhaps process raw stock data from Dow Jones or automatically search through the *Washington Post* for news of special interest.

Right now the Videotext Data Terminal's performance is limited by the black-and-white, text-only service transmitted by information providers like The Source and CompuServe. But the terminal is clearly built with an eye toward the future. As graphics-oriented information services begin to attract the public's attention, the RCA VP-3501 will be ready for them.

It's Getting Late

I check the time and realize I've spent six hours exploring the vast Expo. I'm suffering from information overload. Time to go home and reflect on the good guys—and the bad—I've met in today's adventure game. ■

Bud Stalker writes, lectures and teaches about personal computers: their uses, their promise, and their importance in a changing society.

NEW PRINTERS ADDED! FIND YOURS BELOW.

Good This Month

RIBBON SALE

EXACT REPLACEMENTS. LONG LIFE. HEAVY INKING

PRINTER	RIBBON SIZE	INSERTS EZ-LOAD™	RELOADS	NEW CARTRIDGES	SILVER DOLLAR
MAKE MODEL NUMBER (Contact us if your printer is not listed. We can probably RELOAD your old cartridges.)	Inches by Yards	EXACT REPLACEMENTS made in our own shop featuring Long Life and Heavy Inking. Our instructions: DROP IN, NO WINDING! Cartridges NOT included.	You SEND your used CARTRIDGES to us. We RELOAD them for you \$6.99	from the various manufacturers. Subject to availability. \$1+	WIND TO LOAD! WHY DO WE SELL THESE? This is the type ribbon you get if you order from our fellow advertisers. We sell them for less since we make them ourselves. Do you really like the mess and inconvenience of unwinding and dumping this type ribbon into a wastebasket or out on a newspaper and/or winding it into your cartridge? We don't know why these are being sold. Computers should simplify your life, not make it more complex just to save a few pennies. You are welcome to order these if you cannot afford our EZ-LOAD™ INSERTS, RELOADS, or NEW CARTRIDGES. BUT BEWARE! You now know how to avoid disappointment! One more caution: be sure to check the length of any ribbon BEFORE you buy it. For instance, an MX-100 ribbon should be 30 yards long, not 20 as in the MX-90.
ANADEx 9000 Series	1/2 x 30	\$21/3 \$78/12	\$10/1 \$9/2 or more	*	*
BASE 2	1/2 x 20	\$18/3 \$68/12	\$9/1 \$8/2 or more	\$30/2 \$87/6 \$168/12	
CENTRONICS 7-MEG 702/703/704/753	5/16 x 70	-----	\$11/1 \$10/2 or more	\$25/2 \$72/6 \$140/12	
HP-MALIBU 2608-2631	1/4 x 60	-----	\$20/1 \$18/2 or more	*	*
RADIO SHACK DAISY WHEEL II Carbon Film (26-1419)	1/4 x 145	\$25/6 \$48/12 \$270/72	\$15/3 or more	\$18/3 \$70/12 \$408/72	
COLORS Red, Green, Blue, Brown	1/4 x 130	\$30/6 \$58/12 \$324/72	\$18/3 or more	\$21/3 \$82/12 \$480/72	
Long Life Fabric (1449)	1/4 x 25	\$24/3 \$47/6 \$90/12	\$9/1 \$8/2 or more	\$20/2 \$58/6 \$112/12	
LP II-II-IV 700 Zip-Pack (1413) 730/737/739/779	9/16 x 16	\$13/3 \$48/12	-----	-----	
LP III-V (26-1414)	1/2 x 16	\$18/3 \$66/12	\$9/1 \$8/2 or more	\$25/2 \$75/6 \$150/12	\$12/3 \$44/12 \$252/72
LP VI-VIII (26-1418)	5/16 x 14	\$17/3 \$62/12	\$9/1 \$8/2 or more	\$22/2 \$66/6 \$132/12	\$11/3 \$40/12 \$228/72
LP VII (26-1424)	Inker Loop	-----	-----	\$16/2 \$48/6 \$96/12	-----
EPSON MX 70-80 IBM	1/2 x 20	\$18/3 \$66/12	\$9/1 \$8/2 or more	\$21/2 \$60/6 \$108/12	\$12/3 \$44/12 \$252/72
MX 100	1/2 x 30	\$21/3 \$78/12	\$10/1 \$9/2 or more	* \$36/2 *	\$18/3 \$66/12 \$360/72
C.ITOH 8510 Series Paper 4000 Series Tiger 500 Series	1/2 x 16	\$18/3 \$66/12	\$9/1 \$8/2 or more	-----	-----
DATA ROYAL 5000	1/2 x 35	-----	\$11/1 \$10/2 or more	-----	-----
NEC 8023 Series	1/2 x 16	\$18/3 \$66/12	\$9/1 \$8/2 or more	-----	-----
Spinwriter Fabric	1/2 x 16	\$18/3 \$66/12	\$8/1 \$7/2 or more	-----	-----
MS Carbon Film	1/4 x 145	\$25/6 \$48/12 \$270/72	\$15/3 or more	-----	-----
COLORS	1/4 x 130	\$30/6 \$58/12 \$324/72	\$18/3 or more	-----	-----

WORKED ABOUT ORDERING BY MAIL? Relax. We've been in business for many years and can please the smallest and largest account. You receive some of the finest ribbons available made of our own exclusive IMAGE PLUS™ ink fabric and carbon film. Our ribbons fit your printer exactly. COMPARE, but BEWARE! We order all our competitor's products and are amazed at what we get. Have you ever received a new fabric ribbon you had to unwind and dump out on the table before you could use it? We have. Or, carbon film inserts that had no end-of-ribbon sensor? Or, 7-meg cartridges with only HALF enough ribbon at full retail? Our only business is RIBBON manufacturing and distribution. We fully guarantee all our products because we make them ourselves. You must be completely satisfied, period. Our ribbons are made fresh daily and shipped within 24 hours. Write for our brochure and newsletter "INK SPOTS". Dealers welcome.



Volume 2
Biorhythms, Trap
Rip Cord, Yacht Sea
Concentration & 4 more
\$25 EACH
Ugly, Bingo
Towers, Blackjack
Farkle, Pony & 3 more

SEND CHECK, MONEY ORDER, or COD TO:

BCCOMPCO

800 South 17 Box 246
SUMMERSVILLE, MO 65571
(417) 932-4196


WE PAY UPS SHIPPING ON PREPAID ORDERS. PLEASE INCLUDE STREET ADDRESS FOR UPS DELIVERY. ADD \$1.00 FOR POSTAL OR ALASKA, HAWAII, CANADA, MEXICO. FOREIGN ADD 10%. U.S. FUNDS. CALL FOR NET 30.

152

TEN PROGRAMS FOR \$20

EVERYTHING YOU EVER WANTED
IN A PROGRAM — AND LESS!

INDIAN — Like arcades PACMAN Game
AIRCOM — Be an Air Traffic Controller
HORSE — Bet on the races
ADVENTURE — Get back to our time
TANK — Rage war on your computer




Tcorp

P.O. Box 800
Kennebunk, ME 04043
(207) 985-7780

COMING:
BUSINESS AND
EDUCATION PACKAGES

ON CASSETTE
w/DOCUMENTATION—\$20



Model II & Model 16 users:

two/sixteen, a new magazine which serves the interests of business, professional, and scientific users of Radio Shack Model II and 16 micro computers.

is gaining wide acceptance with subscribers in 25 countries from Singapore to Cincinnati to Sweden. Enough first issues remain for just one-tenth of the Model II population. Until they're gone, bi-monthly, one-year Charter Subscriptions are available at \$30; Canada: \$36 US; Other: \$47 US; Foreign Air Mail: \$67 US. Prepaid, VISA, or MasterCard only. The May/June (first issue) mailed within 24 hours of order.

(717) 397-3364, any day or
P.O. Box 1216, Lancaster, PA 17603.

two/sixteenTM
magazine

522

THERE'S A NEW TERM FOR MOD III USERS . . . TELETERM

The TELETERM Communications System is the most powerful and most user-oriented terminal package available today for the TRS-80 Model III!

TELETERM will turn any Model III, with at least 32K of memory, single disk drive, and RS-232-C board and modem into an Intelligent Terminal capable of communicating with nearly all types of computer hardware. AND, it will allow you to define its parameters in virtually any way you wish!

Only TELETERM gives you these (plus many more) features, all in a single package:

DIRECT TRS-80 to TRS-80 DISK to DISK TRANS- MISSION*	Makes transmitting as easy as copying a file!
DIRECT FILE TRANS- MISSION FROM DISK**	Eliminates buffer limitations
SUPPORTS PROMPTED OR NON-PROMPTED TRANSMISSION	Flexible capabilities
ON-LINE/OFF-LINE TEXT EDITOR	Creation of text for trans- mission and review and mod- ification of memory buffer
VIDEO PAGING	Communicates at Baud rates above 300 with no character loss due to scrolling
SPLIT-WINDOW VIDEO	Separate simultaneous view- ing of typed and received data.
RECALL SCREEN	Allows you to review pre- vious 15 lines received
WORD WRAPPING	Automatically "wraps" words extending past a line's end instead of "chopping" them
USER-DEFINABLE TRANSLATION TABLES	Allows you to define and save as an initialization table nearly all RS-232 and local parameters, as well as many system functions
VIDEOTEX CODES SUPPORTED	Access timesharing systems that require Videotex codes

*When communicating with another TELETERM system.

**To any computer with which you can communicate.

TO ORDER - Complete the coupon below and mail it with your check, money order, VISA or MasterCard # to:
TELEXPRESS, INC., P.O. Box 217, Willingboro, NJ 08046

Name _____
Address _____
City, State, Zip _____
Phone _____
Send me _____ copies of TELETERM @ \$125.00 per copy (includes User's Manual)
Send me _____ of the TELETERM User's Manual at \$10.00 per copy (Refundable when TELETERM program is purchased.)
Payment: ☐ Check ☐ Money Order ☐ VISA ☐ MasterCard
Credit Cards Only: Acct. # _____ Exp. Date _____
Amount of Payment: \$ _____
Please note: Credit card holders may expedite their orders by phoning (609) 877-4900.

TELEXPRESS™, Inc., P.O. Box 217, Willingboro, NJ 08046
TRS-80 is a trademark of the Tandy Corporation.

504

What does baud mean?

Bit Smitten—Part III

Jay Chidsey
205 East Adams St.
Green Springs, OH 44836

During the first year and a half of my cohabitation with a TRS-80, I was completely mystified by the term "baud rate." The Model I Level II has a baud rate (transfer speed of information from computer to tape or tape to computer) of 500. The Model III has a selectable rate, either 500 baud or 1,500 baud. The latter is three times as fast as the former, but what does baud mean?

The term baud comes from the words "bits of audio data." A bit is the smallest unit of computer information. A bit is either a one or a zero in machine language, the language your computer speaks. The term comes from the words binary digit. Bits can be grouped into sets of eight. It takes eight bits (one byte) to store the information needed by your computer to display one letter or number or blank space or symbol (like \$ or # or &) or graphic block. If you make a chart with eight columns, you will find that there are 256 different possible combinations of one or zero in groups of eight. These eight-bit units, capable of 256 dif-

ferent combinations, form one byte. Half a byte, four bits, is called a nybble! There's a touch of dry wit in the field.

To human beings, who count by tens in a decimal system, 256 is just another unremarkable number, but to a computer, which counts by twos in a binary system, it is a notable number. This number is the result of multiplying $2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2$, or of raising two to the eighth power. Two, and powers of two, pervade computer operation. There are 64 graphic blocks, Model I and III screens accept 64 characters per line, and maximum program line length is 256 characters (0-255). Even the 4K, 16K, 32K or 48K memory size is an approximation for the convenience of human decimal users; the actual size is 4 or 16 or 32 or 48 times 2 to the power of 10, or 1024.

Baud rate is related to the transfer rate from one component of your system to another (cassette, disk, modem, to or from your TRS-80). It has become common (though sloppy) practice in the field to equate baud with bits-per-second. This is not quite true. At 500 baud, you are transferring approximately 430 bits, or 54 bytes per second. Since the right asterisk at the upper right corner of your monitor screen flashes on and off once for every 64 bytes trans-

ferred, you get a blink rate of about once per second. The Model III, at 1,500 baud (164 bytes/sec), blinks about three times per second.

The correct definition of baud is: the reciprocal of the time duration of the shortest code element being transferred; a bit in this case. Reciprocals are two numbers which, when multiplied together, equal one. If the shortest duration of a code element is 20 milliseconds (0.02 seconds) the rate is 50 baud; if it is 2 milliseconds (0.002 seconds) the baud rate is 500.

A 500-baud transfer rate is very much at the low end of contemporary computer technology. Tandy's recently announced ARCNET system, connecting any number of Model III machines into a network, is said to transfer at 20 million baud. The biggest and newest mainframe computers conduct their internal business at the rate of 2 billion baud, and though I do not have a transfer rate for such a rig, it is substantially faster than ARCNET.

Screen Dump Routines

Few hobbyists acquire printers during the first year or two of computer ownership, but many business users do, often as an element of the original configuration. I have two useful screen to printer dumps for you. Both print everything that is on the screen, warts and all, including blank spaces, so they are relatively slow.

The first utility is a screen dump command built into the Model III. Press shift and

```
10 CLS
20 POKE 15360 + X, N
30 PRINT@X + 1, N
40 N = N + 1: X = X + 8
50 IF N=32 THEN N=192
60 IF N=256 GOTO 100
70 GOTO 20
100 PRINT: PRINT "THESE ARE ADDITIONAL MODEL III CHARACTERS."
110 PRINT "To view any Character in expanded form"
120 INPUT "enter its number here"; EF
130 CLS: PRINT CHR$(23): POKE 15360 + 476, EF
140 PRINT@476, EF
150 PRINT: PRINT: PRINT "Press >ENTER< for"
160 INPUT "Character Chart"; YY
170 RUN
```

Program Listing 1. Model III characters

The Key Box

Cassette Basic
Model I or III
4K RAM
Printer required for
screen dump

the down-arrow keys together, and then hit the asterisk key (since you are shifted, asterisk is active, rather than colon). The whole screen will print.

The second short utility works on the Model III.

```
10 POKE 16526,217
20 POKE 16527,1
30 X=USR0:REM THAT'S A ZERO, NOT A CAPITAL O
```

I've written an interest calculation program which generates interest payment, principal payment, and balance due for each month. The month counter, M, accumulates to 12 and then resets for the next year. I use the above utility by putting the line IF M=12 GOSUB 5000 in the calculation program. When the value of M is 12, and the year's payments are on the screen, the program goes to the subroutine

```
5000 POKE 16526,217: POKE 16527,1: X=USR0: RETURN
```

So there's a useful one-liner.

Extra Model III Characters

Tandy packed 96 new goodies in the form of additional characters into the Model III. The manual refers to them only in passing, and with no description or illustration. These characters are easy to generate. Run over to your Model III and tap in Program Listing 1 and run it.

Just look at them—physics signs, railroad signs, happy face, sad face, spades, hearts, diamonds, clubs, male and female signs and figures, and even a rocket ship. Numbers 244, 245 and 246 are used together; they form a hand with pointing finger. Enter CHR\$(23) to double-width any of them (happy face/sad face require it). To view any character expanded, just enter its number.

You can use any of these characters anywhere on the monitor screen in a program by adding the screen location to 15360 and specifying the character. Instead of PRINT@650, you use the POKE function. For example: POKE 15360 + 650,255 for the rocket ship. Character number 255 or any of

```
5 REM 'DRUNKARD'S WALK'
10 X = 60: Y = 23
20 CLS: SET(X,Y)
30 Z = RND(2)
40 X = X + (RND(2) - Z)
50 Y = Y + (RND(2) - Z)
60 IF X>127 OR X<0 GOTO 10
70 IF Y>47 OR Y<0 GOTO 10
80 SET(X,Y)
90 RANDOM
100 GOTO 30
```

Program Listing 2. The Drunkard's Walk

the others will print at the location specified in the add-on to POKE 15360.

The Drunkard's Walk

Colloidal particles in liquid never settle out to the bottom because they are so small that the random nudges of water molecules bump them in any random direction, and have a significantly greater effect upon their motion than does gravity. This is called Brownian Movement. More colorfully, it is called "The Drunkard's Walk," with the drunk starting from a lamp post and moving a short distance at random in any direction and then a short distance in any other (or the same) direction. Yet he remains in the vicinity of the lamp post.

I happened upon a computer approximation of The Drunkard's Walk which moves the lighted pixel trail in any of eight directions in each program cycle. When the trail reaches the screen's edge, it is cleared and begins again at the lamp post. It makes an amusing display to run on your screen just for fun. To slow the pixel's progress simply insert 75 FOR I=1 TO 1000: NEXT. 35 RESET (X,Y) for "the Butterfly." See Program Listing 2. ■

Jay Chidsey uses his 48K Model III to track profit/loss in his business and writes prose and programs as a hobby.



VIDEO MANAGER

The Video Manager is designed to enhance computer performance flexibility often necessary to fully utilize computer capability. Accomplished without detailed programming that is often missing from canned software: saves coding these functions into custom programs.

FEATURES


- Design your own screen formats
- Save screen to disk as a file
- Send all or any part of screen to printer
- Set first and last marker for partial printing
- Print vertically and horizontally on screen
- Set either 80 or 40 character line on screen
- Send either 80 or 40 character lines to printer
- Display on screen key's graphic representation
- Load disk file to RAM and display it on screen
- Read each screen line as a record into program
- Initialize printer from keyboard
- Send carriage return to printer from keyboard
- Functions as a stand alone program
- Interacts with other programs
- Written in Machine Language for fast execution

Available for latest versions of TRS-DOS & MOD II CP/M. Please indicate model and memory size when ordering. \$29.95 (Model II \$39.95). Please add \$2.00 for handling and postage. \$5.00 overseas for your convenience. You may phone in VISA or MC Orders.


SOFTWARE HOUSE INTERNATIONAL
We've Moved! P.O. Box 1383
Clovis, CA 93613 (209) 251-7877
Tandy Corp.
"California Residents add 6% sales tax"

IEEE-488 TO TRS-80* INTERFACE

Everything needed to add **powerful BASIC GPIB-488 controller** capability to TRS-80 Model 1 or 3, Level 2 or DOS with a minimum of 16K.



488-80B
For Model 1
Operation



488-80C
For Model 3
Operation

Model 488-80B or 488-80C Price: \$375.
+ shipping, insurance & tax
WHEN ORDERING SPECIFY DISK OR TAPE

SCIENTIFIC ENGINEERING LABORATORIES

11 Neil Drive • Old Bethpage, NY 11804
Telephone: (516) 694-3370

*Trademark of Tandy Corp. ✓203
There is no affiliation between Scientific Engineering Laboratories and Tandy Corp. or Radio Shack.

SOFTWARE COMPATIBLE MACHINES CP/M and TRSDOS



Custom 3

MOD III & CP/M SOFTWARE COMPATIBLE
DUAL 40 TRACK 5 1/4" DISK DRIVES
8" DRIVE CONTROLLER
1 YEAR WARRANTY

48K\$2,233.00
64K 2,449.00

OTHER DRIVE CONFIGURATIONS AVAILABLE INCLUDING INTERNAL HARD DISK

Tandy Corp.—TRS-80, TRSDOS, Digital Research—CP/M



LNW
Research

MOD I & CP/M SOFTWARE COMPATIBLE
DUAL 40 TRACK 5 1/4" DISK DRIVES
8" DRIVE CONTROLLER — HI-RES & COLOR GRAPHICS 4 Mhz SPEED—Z80A PROCESSOR—FAN

48K\$2495.00
96K 3095.00
48K without
CP/M 2295.00



Freedom
Boards

CP/M CONVERSION BOARDS FOR
THE TRS-80 AND LNW COMPUTERS
FROM FREEDOM TECHNOLOGY
INTERNATIONAL

Freedom Option\$222.00
Freedom Plus 444.00
-adds 16K of RAM

MERIDIAN

119 N. 18th Street Phila., PA 19103
(215)-569-2420

✓507

PUSH YOUR TRS-80* TO ITS LIMITS

How?

You don't have to add on peripherals
You don't have to add on memory
You just have to add on information with
ENCYCLOPEDIA FOR THE TRS-80*

The *Encyclopedia for the TRS-80** is the largest single source of TRS-80 information in the world. All ten volumes are loaded with practical programs and articles designed to take you and your computer beyond the limits of the manufacturer's documentation into a new and exciting world.

Each volume contains between 15 and 20 articles accompanied by diagrams and program listings. Virtually all of the articles are totally new and cover such topics as utility, tutorial, business, word processing, education, hardware, graphics, games and more. If you were to purchase individually all the programs contained in a single volume, it would cost you more than the \$109.50

price of an of an entire ten volume soft-cover edition. Think of it—over 150 programs for \$109.50. That's less than 73¢ per program! And, when you buy a complete set, soft or hardcover edition, we pay the \$15.00 shipping and handling charges. **PLUS** you get Volume 1 of **ENCYCLOPEDIA LOADER™** absolutely free—A \$14.95 value.

*Programs contained on Encyclopedia Loader. Book is needed to use Loader.

Volume 1

- Down the Road
- After the Goldrush
- Business Forms: The Invoice
- How Much Interest?—The Rule of 78
- Computer Education
- Measuring Instructional Effectiveness with the TRS-80
- Using a TRS-80 to Tabulate Student Ratings
- Swords and Sorcery II
- The President Decides
- Babe Ruth Is Alive and Well
- and Hitting Home Runs on My TRS-80
- Four Graphics Methods
- TRSPingraph
- Adventures in Roseland
- Punch Out Your Disks
- Build a Snapper/Snubber
- Car Pool
- Doctor Your Records
- Computer
- Bio Bars: Biohythms in Bar Graph Form
- TV Interface
- Why Bother to Interface
- Into the 80's, Part I, Part II, Part III
- Printer Calibration
- Delay Loop

Volume 2

- The Name and Address File
- Expense Report
- Story Math
- Simile—TRS-80 Loves You
- Keno
- Tie Attack
- Worksheet
- Curve Plotter
- Chip Tester
- Build a Light Pen
- BASIC Word Processor
- States Worked
- A Program for Radio Amateurs
- Personal Property Inventory
- Testing 1, 2, 3
- Decode CVI Directly
- from the Cassette Earplug
- into the 80's, Part IV, Part V
- EDTASM for Model I
- Put Some Flash into Your Menus
- FILEX: A Communication Package for File Exchange

Volume 3

- FlexForm
- Inventory
- Algebra Tutor
- Supermaze
- Micro Basketball
- Images
- Regulate Your Video Monitor
- CTR-80 Modifications
- The Great Girl Scout Cookie Caper
- Two Energy Savers
- Listen To Your Keyboard
- A Deluxe Expansion Interface
- Interfacing the TRS-80
- to the Heath H14 Printer
- Saving Machine Language Below BASIC
- CISAB—Backwards BASIC
- Into the 80's, Part VI, Part VII
- Spool and Despool
- Renumbering Made Easy

Volume 4

- Mailing List for a Small Business
- Business Forms—The Statement
- Grade Calculator
- Classroom Doodles
- Asteroid Adventure
- Compuke
- Puzzler
- On Your Mark, Get Set, and Go
- Program an EPROM
- Parlmutel
- Income Tax Withholding
- An Automatic Cassette Tape Interface
- Send and Receive RTTY in BASIC
- A Better Way
- Don't Be a Slow POKE
- Take a PEEK at Your Computer
- Haiky B-Nary and Hex-Decimal
- Instant Indexer: Programming in Disk BASIC
- Un-Key for the Model I
- BREAK Disable
- Z-80 Disassembler

Volume 5

- Hi Ho Silver!
- Accountant's Aid
- Vocabulary Builder
- Numerical Expression Input in Level II
- Pre-School Math
- A Day at the Races
- Star Deck
- Slide Show
- Graphs, Plus
- Interrupt Mode 1.5
- Reverse Video Hardware Modification
- Team Stats
- Loans—Do You Really
- Know the Cost of Yours?
- A Home-Brew Interface
- A Handle on Programming: Store and Recall
- Prime Up Your 80
- The Z-80's Hidden Abilities
- KATIX Your BASIC Programs
- File Name
- Macros: Let Your Micro Do the Work

Volume 6

- Exponential Smoothing
- Voter Registration
- Keeping Track—
- Student Scheduling and Attendance
- Part II
- Space Mission
- Level II Graphics Code
- New Compus Sketch
- As You Like It With the PR-80
- Add PROM Capability to Your TRS-80
- Magazine Index
- Money Minder
- Groups: A Strategy to Group Like Objects
- Stick With It
- Easy Selectric™ Output for the TRS-80
- ake Me to Your Scleroids
- On Toward Better Sorts of Things
- Random Distribution Graphics
- Using LMDFSET
- Extractor: An Ace in the Hole!
- Page Print Your Listings
- Let Your TRS-80 Do the Typing

Volume 7

- Point and Figure Charting
- for Stocks and Commodities
- Dividend Reinvestment Plan
- Keeping Track—
- Student Scheduling and Attendance
- Part III
- Roulette
- Five Short Games
- Ruby's Cubel™ Manipulator
- Easy CHR Graphics and Animation
- Memory Save—20K
- Disk BASIC Word Processor
- The Big Game
- Using the Useful UART
- String Problems in the TRS-80
- Hex, Octal, and Binary
- to Decimal Conversions
- EMOD—EDTASM Modifications
- for the Model III
- Remember One
- Command

Volume 8

- Business Predictions from the TRS-80
- Stock Valuation
- Practical Applications of
- Classroom Programs
- Super Curve Fx
- Queen Rama's Cave
- TRS-80 Jukebox
- Instant Graphics for Everyone
- Screen Editor for Graphics Creations
- Lowercase Driver for the TRS-80
- Minor Monitor Maintenance
- Can You Find that Slide?
- Controlling Your Home with Your TRS-80
- Speak for Yourself
- A Speech Synthesizer for the TRS-80
- Computer Number Systems and
- Arithmetic Operations—Part I
- Down in the Dumps: Examining Memory
- New Disk Owners' Delight
- Generate
- Professional Looking Listings
- with a Teletype™
- More Patches to EDTASM

Volume 9

- Layaway
- Your Fair Share
- Getting Your Bearings
- Do-It-Yourself Maze Package
- Munch
- Left/Right for the Color Computer
- Super Fast Graphics in BASIC
- Recreating Graphics
- Dynamic Graphics with Pool Ball
- EPROM Programmer
- Autocost
- Your Personal Expense Account
- Celestial Software
- Model III I/O Port
- A Bit of Precision
- Computer Number Systems and Arithmetic
- Operations—Part II
- Slow Scroll
- TRSDOS Multiple Command Processor
- Dandynap

Volume 10

- Plan Ahead—A Program for Project Planning
- Check Storage Program
- Loan Amortization
- Physics in Motion—Exploring the Projectile Problem
- Another Magic Trick
- Salan's Square
- Card Playing
- Unlocking the Color Computer Graphics
- Character Code
- SBLCK
- Graphics and ZBASIC Part I, Part II, Part III
- HeartBAS HeartC™
- Planning Your Retirement
- Low Resolution Voice for the Color Computer
- Atari Joystick to TRS-80 Interface
- Status Byte
- TRS-80—Cryptographer
- Lazy Logic Trainer
- Modifying Script to Send Control
- Characters to Printers
- Shortcuts
- COMPLETE INDEX FOR ALL 10 VOLUMES

Free Software!



ENCYCLOPEDIA LOADER™

What is ENCYCLOPEDIA LOADER™? It is a dump, on 30 minute cassettes, of most of the programs contained in the ENCYCLOPEDIA FOR THE TRS-80. It gives you the ability to load those programs quickly and easily, saving you hours of keying in programs and correcting keyboard errors. ENCYCLOPEDIA LOADER helps you realize the full potential of your computing time. Individual cassettes are priced

at \$14.95. The entire ten volume set is only \$119.97. That's a \$149.50 value! And again, we pay the shipping and handling charges.

So push your TRS-80 to its limits and maximize your computing time with ENCYCLOPEDIA FOR THE TRS-80 and ENCYCLOPEDIA LOADER. Use the attached card for ordering, or fill in the coupon and mail today to: Wayne Green Books, Sales Dept., Peterborough, NH 03458

CALL TOLL FREE 1-800-258-5473 for credit card orders.

*TRS-80 is a trademark of the Radio Shack division of Tandy Corp.

The ENCYCLOPEDIA FOR THE TRS-80* is a Wayne Green publication.

ENCYCLOPEDIA LOADER™ is manufactured by Instant Software, a division of Wayne Green Inc.

Dealer Inquiries Invited.



Wayne Green Books,
A division of Wayne Green Inc.
Pine St., Peterborough, NH 03458

ENCYCLOPEDIA FOR THE TRS-80* & ENCYCLOPEDIA LOADER™

To Order Complete Sets (and save an extra \$15.00)*

- ☐ Encyclopedia for the TRS-80*, Volumes 1-10, plus FREE Volume 1 of Encyclopedia Loader™ **\$199.50**
- ☐ Hard Cover Edition EN8100L
- ☐ Encyclopedia for the TRS-80*, Volumes 1-10, plus FREE Volume 1 of Encyclopedia Loader™ **\$109.50**
- ☐ Soft Cover Edition EN8080L
- ☐ SPECIAL OFFER! Encyclopedia Loader™ Volumes 1-10 EL8000 **\$119.97**
- ☐ a \$149.50 value

*Save \$15.00 shipping and handling charge. When you order a complete set of Encyclopedias or Loaders, WE PAY THE SHIPPING!

To Order Single Volumes

Please indicate the Volume Nos. and which edition you prefer

- ☐ Hard Cover edition @ \$19.95 per vol. _____
- ☐ Soft Cover edition @ \$10.95 per vol. _____
- ☐ Encyclopedia Loader @ \$14.95 per cassette _____

Shipping and handling: \$1.50 per volume for single volumes of books and cassettes, \$10.00 per item foreign air mail.
All Encyclopedias shipped UPS with complete street address, all Loaders shipped 1st class mail.

- ☐ Payment enclosed
- ☐ Master Card
- ☐ VISA
- ☐ AmEx

Card # _____ InterBank # _____

Signature _____ Card Expires _____

Name _____

Address _____

City _____ State _____ Zip _____

WAYNE GREEN BOOKS • SALES DEPT. • PETERBOROUGH, NH 03458

EN10

What to expect when your 80 breaks down.

Radio Shack Repairs

Terry Kepner
Box 481
Peterborough, NH 03458

Radio Shack has insisted that its customers buy upgrade equipment only from its stores or associate dealers. It has refused to work on equipment made by outside companies or repair computers that have been modified, even when the problem is obviously with the Radio Shack equipment. This has created a good deal of ill-will, and triggered a new cottage industry—repairing modified Radio Shack computers. Owners of modified computers tell horror stories about the difficulties they've had getting their machines worked on or repaired. For example, a friend of mine attached a "music generator" (it let him connect his computer directly to his stereo and play computer-generated music) to his computer. Because of a design flaw, the hot line of the stereo was connected directly to the ground line of the computer, and vice versa. The net result was the total destruction of his computer (except for his video monitor). In less than a second, over \$2,000 worth of equipment was destroyed. Because non-Radio Shack equipment was attached to the TRS-80, and because the TRS-80 in question had non-Radio Shack memory, as well as an uppercase/lowercase modification, Radio Shack refused to

touch the machine.

Another story concerns a computer magazine's Color Computer. They attached a hardware device via the cartridge port, and blew out the 6809 chip. Radio Shack again refused to look at it.

Radio Shack usually advertises a 90-day warranty, under which manufacturing defects will be repaired for free. Any repairs after the warranty period will be done for a basic labor rate, plus the cost of the parts required for the repair. To void the warranty, you must open up the case of the computer and install non-Radio Shack equipment or make modifications. Officially, the warranty is voided if the case has only been opened; fortunately, most technicians are more lenient.

Lately, Radio Shack has relaxed its hard-line stance. They've agreed to let their technicians work on computers that have non-Radio Shack alterations or additions, *when the non-Radio Shack modifications don't affect the problem being corrected.*

Thus, if you've added non-Radio Shack disk drives to your computer and you begin experiencing memory problems, Radio Shack will unplug your drives and test the computer. If the Radio Shack memory is bad, it will be replaced. If the memory that you added is bad, you'll be charged a minimum checkout charge, and the computer will be returned to you. (Optionally, you can have the Radio Shack technician remove

the non-Radio Shack modifications and have him return the unit to their standard setup. You will, of course, be charged for this service.)

If, on the other hand, you begin having disk I/O problems, don't bother asking Radio Shack for help. You'll have to go to the company that sold you the drives.

This approach makes sense. After all, would you take a Radio Shack disk drive to Apple and expect them to repair it for you? Radio Shack technicians have repair manuals only for Tandy equipment, and their training is similarly restricted. And just because the equipment is compatible with the Radio Shack computer doesn't mean that its parts and design are identical with the Radio Shack equivalent equipment.

Another good analogy: Is it fair to expect Radio Shack to repair a non-Tandy printer just because you have it connected to your computer? Not only doesn't the Tandy technician have schematics, he probably doesn't have the necessary parts to repair the printer.

Radio Shack's new outlook has made the decision involving non-Tandy equipment a bit easier. Now at least you know that Radio Shack will take care of the basic equipment in your computer. All you have to take care of is the "foreign" equipment and modifications.

When your computer starts to misbehave, you must determine if the problem lies with the Radio Shack equipment or the "foreign" equipment. If the problem is with the non-Radio Shack equipment, you'll have to take your computer to an outside repair technician. If the Radio Shack equipment is at fault, you have a choice: you can take your computer to a Radio Shack computer repair center, or you can take it to an outside technician. The choice is up to you, but will probably be based on cost.

Radio Shack's policy is that any computer that's out of warranty, and that's brought in for repair work, is charged a basic service charge rate (see Table 1). If you bring in a peripheral (printer, modem, Vox Box, etc.) at the same time, the technician will charge you an extra \$5 for each peripheral checked out with the CPU. If you bring in the peripheral separately, the ap-

Table 1

Service Charges

Any 26-xxxx product that is not listed below will be serviced at a rate of \$15 per ½ hour. The service charges on the following pages do not apply to any equipment that has non-Radio Shack parts or modifications. Instead, the equipment will be repaired at the rate of \$15 per ½ hour.

Checkout Charges

If any peripheral is checked out with a CPU, then the unit charge for the peripheral does not apply. Instead, a \$5 charge (no charge if the peripheral is brought in at the request of the Service Center) for each peripheral will apply. For any 26-xxxx product not otherwise listed, the maximum check-out charge will be \$30 for all CPUs and \$15 for all other items. Any checkout charge billed within 45 days of a repair will be credited against the labor charge for that repair. The amount credited will not exceed the labor charge.

Upgrade Charges

All installation (service) charges for upgrade kits will be billed to the store on an ICRT to account #5791. All kits (if supplied by the service center) will be billed on an ICST to account #4001.

Table continues

propriate service charge (see Table 1) is made (e.g., the Vox Box repair service charge is normally \$15).

If the equipment has any non-Radio Shack parts or modifications, the rates in Table 1 don't apply. Instead, the equipment is repaired at a cost of \$15 per half hour.


These prices, of course, don't include the parts' cost.

Table 1 is a listing of the current service and checkout charges being used by Radio Shack. These prices are subject to change without notice, but if past experience is any indication, the prices should be good for about a year.

Any Radio Shack computer product (catalog # 26-xxxx) not listed in Table 1 will have a maximum checkout of \$30 for all CPUs, and \$15 for all other items. As a matter of policy, any checkout charge billed within 45 days of a repair will be credited against the labor charge for that repair. The amount credited won't exceed the labor charge.

The primary use of Table 1, for those with modified computers, is to determine how fairly you're being charged for repair work by independent technicians. After all, if Radio Shack thinks that aligning a disk drive should cost \$25 (parts not included), an independent technician shouldn't charge too much more than that. (Usually, it'll be less.)

If your computer is unmodified, and contains only Radio Shack parts, Table 1 will give you a good idea of what to expect. ■



**P.O. Box 336
Maynard,
MA. 01754
617-568-8641**

MATH-PAK-1: MATH-PAK-2: MATH-PAK-3
Interactive drill programs where you enter the answers digit by digit, just like paper and pencil. With user selected difficulty levels, carryovers, reducing, simplification, pointing off, scoring, games, and more. Used by schools everywhere. Order MATH-PAK-1 for integers, MATH-PAK-2 for fractions, MATH-PAK-3 for decimals. (L2-16K) \$14.95 ea.

H-O-R-K-S
Low cost, single entry accounting system for the home or office. With 66 user assigned account codes, auto audit trail, search with totals, 32 or 48K, 1 to 4 drives, credit and debit summaries with 3 options, up to 9200 entries. \$24.95/cassette \$29.95/disc

INVENTORY +
Why settle for just an inventory listing? Get aging reports with 2 options, reorder, total listings with purchase dates and amounts, total costs, items sold, profit/loss and more. Use as a stand alone system with daily updates, delete, change, and file packing routines. (32K - 1 disc minimum) \$24.95/cassette \$29.95/disc.

CASH REGISTER 80
Use your TRS-80 as a point of sale terminal with automatic inventory lookup, pricing, update, and more. Print sales slips with user adjusted formats, end of day reports with all cash, charge, and check sales by salesperson. CR80 requires INVENTORY+, 48K, and 1 disc minimum (2 drives recommended). \$24.95/cassette \$29.95/disc.

Mass residents and 5% tax. VISA, M.C., AND PHONE ORDERS ACCEPTED. Dealer inquiries invited. Overseas orders add \$2.00 for air shipment. TRS-80 is a trademark of Tandy Corp.

Table continued

Cat. No.	Description of Service	Service Charge	Checkout Charge
26-100X	Repair Model I CPU (maximum labor = \$30, maximum parts = \$25)	\$15/½hr	\$15
26-1006	Install DISD Modification	\$50	(no discount)
26-106X	Repair Model III w/o drives (maximum labor = \$30, maximum parts = \$45)	\$15/½hr	\$15
26-106X	Install REV "B" ROM "C" (includes parts)	\$20	N/A
26-1101	Install 16K RAM & Keypad	\$30	N/A
26-1102	Install 16K RAM	\$15	N/A
26-1103	Install Keypad	\$15	N/A
26-1104	Install Lowercase	\$15	N/A
26-1120	Install Level II Basic	\$15	N/A
26-1121	Install Model III Basic and 16K RAM	\$30	N/A
26-1140/1/2	Repair Expansion Interface/Buffer Cable	\$30	\$10
26-1143	Install Double Density Adapter	\$17.50	N/A
26-1145	Repair RS-232C	\$15	\$ 5
26-1145	Install RS-232C	\$10	N/A
26-1148	Install RS-232C	\$17.50	N/A
26-1150	Install Tractor Feed (AXX-5006)	\$64	N/A
26-1158	Install New Revision ROM	\$30	N/A
26-1158	Replace Line Feed Motor	\$15	(no discount)
26-1160/1/4	Repair and/or Align Disk Drive	\$25	\$ 7.50
26-1160/1/4	Replace Disk Drive Chassis	\$ 7.50	N/A
26-1162	Install Disk Drive #0	\$35	N/A
26-1163	Install Disk Drive #1	\$20	N/A
26-1170	Repair Telephone Interface I	\$15	\$ 5
26-1171	Repair Telephone Interface II	\$20	\$ 5
26-1172	Repair Modem I	\$20	\$ 5
26-1173	Repair Modem II	\$30	\$ 7.50
26-1180	Repair Voice Synthesizer	\$17.50	\$ 5
26-1181	Repair Vox Box	\$15	\$ 5
26-1182	Repair Plug'n Power Controller	\$ 7.50	\$ 5
26-1190	Install New Revision ROM	\$30	N/A
26-120X	Repair/Align Cassette Recorder	\$15	\$ 5
26-1210	Repair Network I	\$17.50	\$ 5
26-1211	Repair Network II	\$17.50	\$ 5
26-1212	Repair Network III	\$30	\$10
26-1260	Install Envelope Feeder for 26-1158	\$45	\$10
26-1411	Repair Printer Interface Cable	\$12.50	\$ 5
26-1448	Install Single Sheet Feeder for 26-1158	\$45	\$10
26-1451	Repair Line Filter	\$10	\$ 5
26-300X	Repair Color Computer (maximum labor = \$30, maximum parts = \$20)	\$15/½hr	\$15
26-300X	Install RFI Disk Clip Kit (charged to 0097)	\$15	(no discount)
26-3015	Install 16K RAM	\$20	N/A
26-3015/18	Install 16K RAM and Extended Basic ROM	\$30	N/A
26-3015/17	Install 32K RAM and Extended Basic ROM	\$50	N/A
26-3017	Install 32K RAM	\$40	N/A
26-3018	Install Extended Basic ROM	\$15	N/A
26-3022/3	Repair and/or Align Drive or Controller	\$25	\$ 7.50
26-3022/3	Replace Disk Drive or Disk Controller	\$ 7.50	N/A
26-3501	Repair Pocket Computer 1	\$25	\$ 5
26-3503	Repair Pocket Computer 1 Cassette Interface	\$15	\$ 5
26-3505	Repair Pocket Computer 1 Printer	\$20	\$ 5
26-3601	Repair Pocket Computer 2	\$30	\$ 7.50
26-3605	Repair Pocket Computer 2 Printer/Plotter	\$25	\$ 7.50
26-400X	Install DMA modification (TT # 11:49)	\$30	N/A
26-4102	Install 32K RAM	\$30	N/A
26-4104	Install Hi-Res Graphics Kit	\$30	\$10
26-4150	Install Hard Disk Drive Kit	\$60	N/A
26-4163/4	Install Drive Kit	\$30	N/A
26-4167	Install Drive Kit	\$30	N/A
26-4715/16	Install Bi-sync Modification (TT # 11:38)	\$30	N/A
26-5000/1/2	Repair Videotex (maximum labor = \$30, maximum parts = \$20)	\$15/½hr	\$15
26-6010	Install Model 16 Enhancement Option	\$45	N/A
26-6011	Install 128K RAM Board	\$30	N/A
26-6012	Install 128K RAM Kit	\$30	N/A

PION introduces the INTERSTELLAR DRIVE.



A solid state disk emulator for your Apple*, TRS 80**, S100, or SS50 computer

Minicomputer speeds at Microcomputer Prices

Introductory Price \$1095.
plus tax and shipping



SEND FOR FREE BROCHURE

Identify your model.

✓490


PION, INC. Tel. (617) 648-1717
74 Appleton St., Arlington, MA 02174

*Trade Mark Apple

**Trade Mark Tandy Corp.

- A FAST mass storage device. Speeds up payrolls, receivables, word processing, or any program requiring disk storage.
- No moving parts. Eliminates waiting on slow mechanical drives.
- Standard 256K bytes of storage expandable to 1 megabyte.
- Independent regulated power supply.
- Automatic power failure detect and battery backup.
- Hardware error detection and write protect.
- Drivers, diagnostics and utilities software provided.
- Certified to comply with Class B limits Part 15 of FCC rules.

Some things are just naturally right.



Now on TRS-80 Model I Disk

tiny-c is a structured programming language designed to give BASIC programmers experience in structured programming concepts. Structured programming brings a different way of thinking to a software project. Tiny-c is the natural step up from BASIC towards this different way. Once you've made the transition, you are ready for any modern structured language, such as C or PASCAL. tiny-c, the structured programming trainer, tiny-c ONE now on disk for the TRS-80 model I, \$100.

tiny c associates, P.O. Box 269, Holmdel, NJ 07733
(201) 671-2296



You'll quickly discover tiny-c is naturally right for your language needs.

✓527

New Jersey residents include 5% sales tax. Visa or MasterCard accepted. Include charge plate number with order.
TRS-80 is a trademark of Tandy Corp.
tiny-c is a registered trademark of tiny-c associates.

TRS-80 MODELS I OR III, 32K, 1 DISK DRIVE

Your personal money manager, DOUGHFLO!

Doughflo is a complete accounting system that grows as you need it—**FEATURING:**

- ✓ Excellent for use as a general ledger, tax preparation system, or accounts payable system.
- ✓ Reports which compare totals from up to 24 months. Automatically form income and expense averages, and budgets.
- ✓ Interactive checkbook balancing while expenses are being entered. Complete check-writing logic customized to your own checks.
- ✓ Versatile report generator searches and lists all totals and balances.
- ✓ User friendly documentation—includes sample data ready to run.

Pay your bills, and gain valuable insight. Create a complete financial data base for your home or office... **\$79.95 complete.** Demonstration disk available for \$12.00 postpaid, to be put towards future purchase. For more information check reader service number. Specify Model I or III.

✓112

"A Perfect Cloud Every Time"*

*From a review in September-October 1980
Elementary Electronics Reprints available



TRS-80 TAPE DIGITIZER ▶ \$49.95!

At last there is a cure for TRS-80 tape loading blues! For over three years, Alphametrix has been selling the TRS-80 Tape Digitizer, a proven hardware solution for your software problems. No longer need you juggle the recorder's volume control endlessly, trying for a perfect cloud of a pre-recorded program. Just pop the tape into the cassette recorder, process the signal through our digitizer, and you're ready to RUN a perfect load!

Just check out the Tape Digitizer's features...

- ✓ Makes tape program loading virtually independent of volume control setting.
- ✓ Allows copying system and normal tapes without using computer.
- ✓ Makes a perfect digital copy of any tape without using computer, removing hum, noise, and cures minor dropouts.
- ✓ Cassette switch allows manual control of cassette recorder, independent of computer control.
- ✓ "GOOD DATA" indicator easily enables setting proper volume... doubles as a tape monitor.
- ✓ A.C. powered — no batteries to replace.
- ✓ Housed in a sturdy, attractive metal case.
- ✓ Completely compatible with Level I & II, also LOW speed (500 baud) Model III.

Feed your cassette to the Alphametrix Tape Digitizer and feed your computer the exact digital waveform the TRS-80 gave your tape. Get rid of your tape bugs today — \$49.95 postpaid to continental North America, or return within 10 days for a full refund!

✓113

We welcome Visa or MasterCard.



Box 597, Forestville, CA 95436
24 hr. phone (707) 887-7237

Greet your neighborhood's goblins with a talking jack-o-lantern.

Trick or TRS-80?

Mike Keller
13423 Desert Hills NE
Albuquerque, NM 87111

Disneyland's Haunted Mansion inspired this Halloween special effect. Using the TRS-80, some Basic string packing, a sheet of glass, and some other accessories, I greeted my goblin visitors with an animated, talking jack-o-lantern.

Program Goals

The idea was to create an animated jack-o-lantern on the TRS-80 screen using inputs from the keyboard and a microphone. The arrow keys turn the face right or left, and the microphone, connected to an audio amplifier, moves the mouth. This image is then reflected using a sheet of glass to give the appearance of floating in space just inside my doorway. When the kids knocked on the door, they would be greeted by a smiling, disembodied apparition who would carry on a brief conversation with them.

Even if you have a “bah humbug” attitude towards Halloween, several features of the program are interesting in themselves. Combined, they produce a very effective il-




Fig. 1. Wired for Sound

The Key Box

Model I or III
16K RAM
Disk Basic

lusion. These features are:

- Circle and oval-drawing routines to create the pumpkin.
- String packing for fast animation.
- Use of PEEK statements to monitor the keyboard.
- Use of the cassette port to monitor the microphone.

To implement the effect you need a small

audio amplifier, the cable used to connect your TRS-80 to the cassette recorder, a microphone, a speaker, speaker wire, and a sheet of glass about 3 by 5 feet.

Speaking to Your TRS-80

If your only previous means of communicating with your TRS-80 has been through the keyboard, you're in for a treat. When you

Program Listing

[illegible]

Listing continues

are CLOADing a program, your machine listens to audio signals generated by an amplifier in the cassette recorder. You can also get your computer to listen to audio input from another source, like a microphone.

On the Models I and III the cassette is monitored through port 255. You may have already sent signals to this port to generate bells and whistles. Since it is a two-way device, it can be used to respond to sounds as well as send them. Here's how you can do it.

As a matter of good operating practice, the computer should be turned off for the next few steps. Connect the black plug that normally goes to the ear jack of your recorder to the external speaker jack of a small audio amplifier (such as Radio Shack's #277-1008). Connect a microphone to the amplifier's input jack. Your connections should look something like Fig. 1 (except for the addition of a speaker).

Start with the amplifier volume all the way down. Now turn your computer back on and run this short program:

```
10 CLS
20 OUT 255,0
30 IF INP(255)<127THENPRINT@0,"**"ELSEPRINT@0,""
40 GOTO 20
```

As the program runs, gradually turn up the volume while muttering something technical like "testing, testing..." into the microphone. When you reach a high enough volume setting, you will see an asterisk in the upper left of the screen (you have to

Listing continued

```
*****
480 V=VARPTR(F$): START=PEEK(V+2)*256+PEEK(V+1)
490 FOR X=START TO START+216: READ CHAR: POKE X,CHAR: NEXT X
500 'JACK'S RIGHT EYE (ON LEFT OF SCREEN) BUILT FROM TOP DOWN
510 DATA 191,131,131,131,131,143,143,143,143,143,191
520 DATA 26,24,24,24,24,24,24,24,24,24,24
530 DATA 191,188,176,32,32,32,32,32,184,191
540 DATA 26,24,24,24,24,24,24,24,24,24,24
550 DATA 191,188,176,144,160,190,191
560 DATA 25,25,25,25,25,25,25,25,25,25,25
570 'JACK'S LEFT EYE IS BUILT FROM BOTTOM UP
580 DATA 191,189,144,160,176,188,191
590 DATA 27,24,24,24,24,24,24,24,24,24,24
600 DATA 191,180,32,32,32,32,32,176,188,191
610 DATA 27,24,24,24,24,24,24,24,24,24,24
620 DATA 191,143,143,143,143,143,143,131,131,131,191
630 'JACK'S NOSE (INCLUDES CURSOR POSITIONING TO MOUTH)
640 DATA 24,24,24,24,24,24,24,24,24,24,24
650 DATA 24,24,24,26,26,26,26,26
660 DATA 191,159,135,129,131,143,191
670 DATA 24,24,24,24,24,24,24,24,24,24,24,24,24,24,26,26
680 'JACK'S CLOSED MOUTH
690 DATA 191,188,176,179,131,131,143,143,191,143,143
700 DATA 191,143,143,143,143,135,131,131,179,176,188,191
710 DATA 26,24,24,24,24,24,24,24,24,24,24,24,24,24,24,24
720 DATA 24,24,24
730 DATA 191,188,191,188,188,188,191,188,188,188,191,188
740 DATA 188,191
750 '===== MAKE A COPY OF CLOSED MOUTH =====
760 M1$=RIGHT$(F$,61) 'MOUTH IS LAST 61 CHARACTERS OF FACE
770 '===== PACK M2$ WITH OPEN MOUTH =====
780 'NOTE: NEXT LINE MUST HAVE 64 ASTERISKS BEFORE RUNNING
790 M2$="*****"
*****
800 V=VARPTR(M2$): START=PEEK(V+2)*256+PEEK(V+1)
810 FOR X=START TO START+63: READ CHAR: POKE X,CHAR: NEXT X
820 DATA 191,188,176,179,131,131,131,131,131,131,131,131
830 DATA 131,131,131,131,131,131,131,179,176,188,191
840 DATA 26,24,24,24,24,24,24,24,24,24,24,24,24,24,24
850 DATA 24,24,24,24,24
860 DATA 191,180,128,176,128,128,128,176,128,128,128,128,176
870 DATA 128,128,184,191
880 RETURN 'ALL STRINGS ARE PACKED
```

80micro bookshelf Nanos System REFERENCE CARDS


For Models I, II, III, Color, Pocket and Apple II & II Plus

At last! No more flipping through the pages of the Basic manual! No more working through the maze of machine language instructions! These cards completely summarize the Basic and Assembler manuals!

FEATURES (on most cards):

memory map, eyeball graphics, math instructions, basic commands, store instructions, basic functions, load instructions, basic statements, move instructions, special keys, exchange instructions, print using examples, shift instructions, basic special characters, compare instructions, basic and assembler messages and codes, branch instructions, basic facts, data alteration instructions, reserved words, I/O instructions, ROM routines, complete character chart with graphics and space-compression codes, hex-dec chart, control code cross-reference, assembler instructions commands and operators, screen line layout, editor commands & subcommands, condition code easy access.

Model I: BASIC only FC1001	\$2.95
Model I: BASIC and Assembler FC1002	\$4.95
Model II: BASIC and Assembler FC1005	\$5.95
Model III: BASIC only FC1004	\$3.95
Model III: BASIC and Assembler FC1003	\$5.95
Color: BASIC and Extended FC1006	\$4.95
Apple II & II plus BASIC FC1007	\$3.95
Apple II & II plus BASIC & 6502 FC1008	\$4.95
Pocket: BASIC only FC1009	\$2.95



Prices do not include shipping and handling charges. Sorry no COD orders. Use the order card in this magazine to order. Allow 4-6 weeks for delivery. Shipping and handling for cards only \$1.00 per order.

80 Microcomputing Bookshelf • Peterborough, NH 03458

1-800-258-5473

*TRS-80 is a Registered Trademark of Tandy Corp.
Computer picture reprinted permission Tandy Corp.
APPLE is a registered trademark of Apple Computing Inc.



Variable name	Value if constant	Description
A	1	Used to increment or decrement current screen position for face
ADD		Used for successive incrementing of radius while drawing segment arcs
ANGLE		Used while drawing pumpkin outline and segment arcs
CHAR		Current data character during string packing operations
CV	.0174533	Used to convert current angle to radians
F		Current print position for Jack's face (F\$)
F\$		Packed string defining Jack's face (with closed mouth)
K		Latest value found by PEEKing the arrow key address
KB	14400	Memory address where left and right arrow keys can be detected
L	32	Comparator for possible detection of left arrow key
M	388	Screen displacement (from F) to determine current mouth position
M1\$		Packed string defining closed mouth. Printed at F + M if no audio input
M2\$		Packed string defining open mouth. Printed at F + M if audio input detected
P	255	Defines the cassette port
R		Current radius during drawing of pumpkin outline and segment arcs
RN		Current radians (ANGLE * CV)
START		Starting address of current string being packed
V		Variable pointer (VARPTR) of current string being packed
X		Generally used as X coordinate of screen pixel being SET or RESET
Y		Same as X, but for Y coordinate
Z		Used for starting and ending X coordinates during pumpkin-filling routine

Table. Variables for Jakolant




Photo 1. Segmented Pumpkin



Photo 2. Jack's Face (F\$) After Packing

keep talking while you adjust the volume). The asterisk will come and go as you speak. Voila! Your TRS-80 has ears.

Don't go any higher than necessary on the volume. Your computer is designed to work with fairly low power levels. This method will be used to open and close the jack-o-lantern's mouth. The amplifier's output can be tapped to drive a speaker as well as the computer.

The Program

The variables used in Jakolant (Program Listing 1) are listed in the Table. Jakolant can be functionally broken down into three parts. The pumpkin is drawn by the subroutine starting at line 200. Then several Basic strings are packed with graphics characters to define Jack's facial features (eyes, nose, and mouth). This is done by the subroutine beginning at line 470. The main part of the program (lines 110-150) is quite short. It scans the keyboard and cassette port and animates the face.

Following the program's flow requires a little skipping around. This was necessary because execution speed is important during the scanning routine. Jack's mouth must open the instant you speak into the microphone and close when you stop. At the same time, the program has to scan the left and right arrow keys for your commands to turn Jack's head. Since branching statements (such as those in lines 130 and 150) execute faster if they are located toward the beginning of a listing, the pumpkin-drawing and string-packing routines were placed after the main part of the program.

Some other things were done in the interest of speed. The CMD"T" in line 60 causes any interrupt-driven routines, such as the updating of the TRS-80's real-time clock, to be bypassed. This allows the processor to devote almost complete attention to the running of the Jakolant program. If you are using Level II rather than Disk Basic, this statement must be omitted. Also for speed, unnecessary spaces were left out of the main part of the program, except for the space in line 140 which is there for clarity. For the main part of the program, all variables are defined as integers, and even some values that remain constant during the program run are assigned to variables. This is (theoretically, at least) another time saver.

No special effort was made to speed up the pumpkin-drawing or string-packing routines, since these only have to be done once, before you bring Jack to life.

Graphic Curves

The TRS-80, even with its limited graphics resolution, is capable of drawing good circles and ovals, provided they are large. Jack's head uses the entire screen. When you run the program, a semi-circle is drawn on the left half of the screen by lines 200-240. It is not necessary to draw the entire outline of the pumpkin, since the right half can be defined as a mirror image of the left half.

SOFTWARE ETCETERA

MAIL ORDER PRICES
ARE LOWER THAN
OUR RETAIL STORE PRICES

DON'T PAY MORE for TRS 80 SOFTWARE

- ✓ these prices ☐ YES
I AGREE!
- AIR FLIGHT SIMULATION \$9.20 (TAPE)
 - JET FIGHTER PILOT \$13.90 (TAPE)
 - DOS PLUS \$130.00 (DISK)
 - GEOGRAPHY EXPLORER: USA \$45.25 (DISK)
 - DLDIS \$17.00 (DISK)
 - BUSINESS ANALYSIS \$90.00 (DISK)
 - ALL BIG 5 SOFTWARE 15% OFF
 - LOST COLONY \$25.50 (DISK)
 - DEATH PLANET \$17.25 (DISK)
 - SOFTERM \$44.75 (DISK)
- ★ PRICE LIST SENT WITH ALL ORDERS

Name _____
Address _____
City _____
State _____
Zip _____

☐ VISA
☐ MASTERCARD
☐ CHECK/MONEY ORDER

CARD# _____
EXP. DATE _____

RUSH!
SOFTWARE ETCETERA
19973 Ventura Blvd.
Woodland Hills, CA 91364
(213) 702-8061



ALL ORDERS SHIPPED IMMEDIATELY

✓520



STOCK MARKET COMPUTER SOFTWARE

Now available — 34 programs from the book

NEW USES FOR THE HOME COMPUTER IN THE STOCK MARKET
The book has won praise through the world and has been purchased in over 40 countries.

The author has had 20 years experience as a stock broker and conducted eight years of computer research developing these 34 programs. Especially valuable to stock or commodity traders.

Available on disks or tapes for TRS-80. Model I Level II and Model III Price \$49.95

Also Available

Market Average Package. Contains weekly prices going back over 90 years. Also included are 5 utility programs. Price is \$29.95. Invaluable for cycle research. Send check to:

Thomas V. Lenz, Dept. M
596 W. Karval Ct. - Spring Creek
Elko, Nevada 89801

(overseas, U.S.A. Dollar International Money Order or a Draft payable on a U.S.A. Bank)

State whether you want disk or cassette ✓ 144

PRO FOOTBALL FANS: WHY NOT WIN?

★73% IN 1980 — 67% IN 1981! ★

If you have never heard about handicapping professional football using your computer let me tell you about PRO FOOTBALL — THE GOLD EDITION.

We have been selling pro football handicapping programs for 4 years with many happy users. In fact in 1980 our program was 73% against the line (44 wins, 16 losses) and in 1981 it was 67% (40 wins, 20 losses) for its upset predictions. One of our users last year won \$60,000 using our program. Imagine the pay-offs from betting football cards! Another amazing fact is that in 1981 taking every game from the first regular season game to the last, our program out-performed the winner of the prestigious Castaways \$100,000 handicapping contest against the consensus Las Vegas line.

The Gold Edition represents the state of the art in sports prediction systems. It is the finest on the market today and is for the handicapper who expects the best, and demands a system with a solid history of success. The Gold Edition has more features than any similar program on the market. These features include: • POINT SPREAD AND OVER-UNDER PREDICTIONS • AUTOMATIC SCHEDULING OF THE ENTIRE SEASON — 1982 IS INCLUDED. (Enter your own schedule file next year — no need to purchase it each year.) • 7 TYPES OF REPORTS AND GRAPHS GENERATED TO A PRINTER (Allows for easy tracking of technical trends) • 50 PAGE LEATHER-BOUND COMPREHENSIVE MANUAL • COMPLETE DATA FILES FOR 1980 AND 1981 (Run any week or a whole season with a keystroke and verify the power of The Gold Edition).

Computer Sports Systems has been in the personal computer software business for 4 years as "Joe Computer" and we have proven our dependability.

Pro Football — The Gold Edition. Available for TRS-80* Mod I or III, IBM PC, or Apple II — \$195.00

California residents add 6% sales tax.

Computer Sports Systems also carries horse-race handicapping programs such as Dr. Quirin's for \$49.95 & PHD-1 for \$29.95.

We also have books on beating horses, Blackjack, and Roulette by computer.

SEND FOR FREE CATALOG.

DEALERS: QUANTITY PRICES AVAILABLE.

MasterCard & Visa accepted.



COMPUTER SPORTS SYSTEMS

22458 Ventura Blvd., Ste. E
Woodland Hills, CA 91364
(213) 992-0514

✓256

*TRS-80 is a trademark of Tandy Corporation

Lines 260–290 use the existing outline to fill in the rest of the pumpkin. The variable X scans each screen line left to right. As soon as a lighted screen pixel is encountered, the remaining portion of the line is turned on up to a corresponding pixel on the right side of the screen. The resulting image is not a perfect circle, but then again, what pumpkin is?

The next task, done by lines 310–380, is to draw arcs to represent pumpkin segments. These arcs are parabolic, and are drawn using a variation of the earlier circle-drawing routine. In this case pixels are turned off to show black arcs on the white background.

Because of the size of the pumpkin and the need to avoid wiping out too much of its top and bottom, I designed the segment arcs to extend beyond the upper and lower screen limits. Of course, this will generate an error condition. The error is trapped by line 310 and routed to line 380, which ig-

nores it and allows the program to attempt the next part of the arc. Three arcs are drawn for each hemisphere. The variable ADD spaces the arcs closer to each other as they extend closer to the outline of the pumpkin. The complete drawing of the pumpkin takes about one minute. When it is finished, the screen will look like Photo 1.

Packing for Speed

The only remaining task is to draw Jack's face on the pumpkin. This is done with a technique called string packing (see "Picture This," *80 Micro*, September 1981). String packing allows for fast updating of the display without the need for a separate machine-language routine. Since we want to be able to change the position of Jack's face on the pumpkin, as well as rapidly open and close his mouth, the technique is ideally suited to our needs. One caution about string packing—when you run the

program, it actually modifies a portion of itself, specifically lines 470 and 790. There are lots of data values in this program and just as many opportunities for error when typing them in, so you would be wise to save it before running, just in case.

Short But Sweet

Now let's examine the heart of the program. Line 110 prints Jack's face (F\$) at screen position F. (For a look at the packed F\$ without the pumpkin, see Photo 2.) Initially, F equals 335 and the screen display looks like Photo 3. Line 120 sends a zero byte to the cassette port and checks for audio input from your amplifier. If a sound is detected, Jack's open mouth (M2\$) is printed. If not, the closed mouth (M1\$) is printed. We could reprint Jack's whole face since it includes a closed mouth, but M1\$ is much shorter and can be printed faster. Photo 4 shows the screen display while the program is detecting voice input.

Line 130 takes a quick look at the keyboard row containing the arrow keys. If none are pressed it branches back to check the microphone's status again. If a key is pressed, line 140 checks to see if it was the left arrow. A left arrow causes F to be decremented by one. Any other arrow key is assumed to be a right arrow and increments F by one.

The program then branches back to line 110 to update the face position on the screen, producing the illusion that Jack has turned his head slightly. As long as an arrow key is held down, Jack's head continues to turn. Nothing will prevent the face from moving too far left or right and messing up the display. Such a check would be time consuming, and would slow the program's response to your voice input. Ideally, your final setup should allow you to monitor the display as well as the trick-or-treaters, so this should not be a problem.

Setting Things Up

Floor plans vary, but to give you an idea I will describe how we arranged things at my home (Fig. 2). A large sheet of glass can be extremely dangerous, so I put the glass behind a window adjoining my front porch. I mounted the speaker near the window to attract attention as the kids approached. This way I eliminated a possible safety hazard and was able to watch the tots from a secret location as they chatted with Jack.

Standing the sheet of glass at the right position and angle requires experimentation. I taped the edges to avoid cuts and used an open doorway in the hall as a support for the glass. I recommend the glass be at least ¼ inch thick. Laminated safety glass is best.

As illustrated in Fig. 2, Jack's image reflects off the glass and appears to float behind it. This distance can be controlled by varying the distance between the TRS-80 and the glass, and the lateral position of the image is controlled by adjusting the angle of the glass. Unwanted reflections can be subdued by hanging dark fabric. The illusion is effective only if the sheet of glass




Photo 3. Complete Jack-o-Lantern




Photo 4. Jack Speaking



WHAT USERS ARE SAYING ABOUT LAZY WRITER:

(taken from actual letters received by ABC Sales)

"Lazy Writer is GREAT! Our Customers and ourselves all agree that this is the best word processing system to be found for TRS-80 Models I & III. Not only is it powerful, but its straight-forward organization makes it simple to learn and use." - **Winter Garden, Florida**

"I have fallen completely, madly in love with it. It is so good that I may not sell my TRS-80..." - **Washington, D.C.**

"Since getting Lazy Writer, I have thrown away Electric Pencil, Scripsit, Data Merge, and all my other word processors. I find that Lazy Writer alone will do all that I need." - **Sacramento, California**

"Thank you for a great product and for your continued support of it. In both capability and support, it surely leaves Scripsit for dead." - **Auckland, New Zealand**

"I am as impressed by your continuing support of Lazy Writer as I am by the program itself. From all I have seen and read, I am glad I passed up Electric Pencil and Scripsit for Lazy Writer" - **Houston, Texas**

"Many thanks for sending me the Lazy Writer Newsletter and for answering my letter. It's about the first time anyone supplying software etc. has taken the time to send me a personal reply." - **Lebanon, Missouri**

"I'm writing this letter to let you know how impressed I am with your Lazy Writer word processor. I have only used it a short time, but I feel it is easy to use and feature-wise compares very favorably with the editors I work with on large mini-computers." - **Durham, New Hampshire**

"I have Scripsit for the Model III and I must admit that Lazy Writer is superior and easy to use." - **Manitoba, Canada**

"I am most impressed with the program and even though I have been using Electric Pencil for 2 years, I am changing over to Lazy Writer full time." - **Brisbane, Australia**

"I have just purchased your Lazy Writer program and am very impressed. I have been attempting to use Scripsit for some time and find it very constraining. I look forward to using Lazy Writer extensively." - **Wilmington, Delaware**

"I am writing to tell you how pleased I am with the version 1.9 of Lazy Writer, especially now that I have the Centronics proportional module..." - **Greensboro, North Carolina**

"It is as far ahead of Pencil as LDOS is ahead of TRSDOS." - **Little Rock, Arkansas**

"... The documentation is superb." - **Kenner, Louisiana**

"The manual is clear, very complete, and well-organized." - **Elkhart, Indiana**

"Although I never enjoyed writing letters, papers, reports, etc., you and LAZYWRITER have made it a pleasure. Now I can hardly wait to have something to write, just so I can use this fantastic program. I may even write a book. It is so easy, convenient, and just plain fun to use, that I find that more than 50% of my computer time is spent with this program where before I dictated ALL of my correspondence." - **Dearborn Heights, Michigan**

"I am typing this on a pirated copy of your fine Lazy Writer word processor. You should be congratulated and rewarded for producing a fine product. Please send me a legal copy..." - **Portland, Oregon**

"It was a delight to go directly to the manual for assistance rather than listening to cumbersome recordings for hours on end." - **Livermore, California**

"Congratulations on the Cadillac of word processors!" - **Hollywood, Florida**

"I LOVE my Lazy Writer!" - **Smithtown, New York**

LAZY WRITER GIVES YOU:

- **Z80 CODE**, for fast execution of commands.
- Control codes **ANYWHERE** in text to let you get compressed or expanded type, super/subscripts, etc.
- Page breaks **BEFORE** you print.
- **CUSTOMIZED** printer defaults, cursor size, shape, speed, etc.
- **DISK DIRECTORY** plus kill or verify files without going to DOS.
- **LONG DOCUMENTS** print automatically, while preserving page numbering and titling.
- **10 USER DEFINABLE** function keys.
- **BACK OUT** of inserts and deletes.
- A **NEWSLETTER** for users.
- **SET TABS, CHANGE CASE**, move or delete **NAMED** blocks of text.
- **MEMORY KEY** returns cursor to a screen & cursor position.

OPTIONAL SYSTEM EXTRAS:

- Fast machine code proportional spacing for the **Centronics 739, Radio Shack Daisy Wheel II, Qume Sprint 5, C. Itoh F10**.
- Prepare constantly used forms such as court orders easily with **LAZYDOC \$59.95**.
- Automatic decimal align with **LAZYTAB \$15**.
- Do math functions easily with **LAZYCALC \$29.95** (introductory price).
- Do **TRS-80** graphics with **LAZYDRAW** and load and execute complex command sequences from **DOS** with **LAZYDO \$19.95**.

Radio Shack and TRS-80 are Trademarks of Tandy Corp.

SPECIAL OFFER: LAZYCALC, LAZYTAB, LAZYDRAW, and LAZYDO **\$39.95**.

Model I & Model III \$175.00

Registered owners of Lazy Writer are entitled to updates at nominal cost. If you have Lazy Writer and have not sent in your registration card, please send it in now.

Ask your dealer for Lazy Writer or call us direct. ✓476

ABC SALES, 13349 MICHIGAN AVE., DEARBORN, MI 48126 (313) 581-2896

itself is not noticeable to the onlookers, but make sure everyone in your house knows *exactly* where it is.

If it is not feasible to use glass, position the video monitor so the image is viewed directly, rather than reflected. This will detract from the ghostly illusion, but should still be fun.

Outdoor lighting is an additional safety consideration. The porch needs to be dimmer than normal, but still bright enough for the kids to see where they are going (some Halloween masks make it hard to see). We kept the indoor lights low except when greeting the kids at the door. A carefully placed night-light inside enabled me to

keep an eye on everything without disclosing my whereabouts to the children.

To make sure the trick-or-treaters could tell we were at home and ready for eerie visitors, two more touches were added. I taped a small light bulb to the inside of a hollow plastic skull and mounted it on the roof just over the doorway. We also bought a Walt Disney album of chilling sound effects (howling wolves, creaking doors), and played these through a separate speaker on the roof just loud enough to be heard from the street. By the time the kids reached the porch, they were filled with excitement.

Incidentally, I was concerned this atmosphere might be too scary for the little ones. I was mistaken. The smaller the kids, the more fun they had with the whole thing. The littlest goblins would walk right up and talk to Jack as if they talked to floating spectres every day.

Try Some Imagination

To enhance the effect try positioning Jack's head just above the neck line of a stuffed suit of clothing. A few pieces of dry ice placed in a bowl of warm water creates an eerie fog. Remember, though, the idea is to entertain, not frighten them.

One little vampire, as he was leaving, waved to Jack and said, "Have a nice day." A few steps later, after reflecting on whether this was the right remark, he ran back to the window and corrected himself with "Have a spooky night!" ■




Fig. 2. Author's Setup

If you compute values of feet & inches you can count on your fingers, but after ten you'll need...

FOOTMATH

- Manipulate feet, inches, and fractions in their written english form WITHOUT DECIMAL CONVERSIONS!
- Input & output is in WRITTEN ENGLISH FORMAT accurate to 1/64-inch! Ex: 12'-10-13/16 NOT 12.901'
- Perform addition/subtraction & multiplication/division by constants - Trig module coming soon!
- Architects, Contractors, Detailers - Solve dimensional problems, speed development of designs & layouts!
- Stores lists on disk, prints on 80-col. printer, allows editing, monitors input format, etc. - Very communicative!

Model I & III ONLY

\$99.⁹⁵


Tired of groping for programs? Try...

MENURITE menu generator

- Writes menus in Basic with NO USER PROGRAMMING!
- Spaces and centers display entries AUTOMATICALLY!
- Holds up to 21 BASIC files
- Downright simple to use!
- Display either FULL TITLES OR FILESPECS as desired!

Model I & III only **\$24.⁹⁵**

Send check or money order and we ship prepaid. COD's shipped collect. Texas residents add 5% sales tax



**Cheever
Microware**

TELEPHONE
(214) 832-4211

P.O. BOX 3834
WAKE VILLAGE, TEXAS 75501

microcomputers and software for the construction industry

✓326

DON'T JUDGE A COMPUTER BY IT'S COVER!!!

- ...If you were to have a
**Microcomputer operating at
4MHZ**
- ...If you were to have a **5
Megabyte Hard Drive built in**
- ...If you were to have a floppy
disk drive built in
- ...If you were to have an **Amber
Phosphor Monitor built in**
- ...If you had the finest **Hard
Disk Operating System**
available

**You would have the New
B.T. 4x5 Model III
microcomputer, the only one
in its class.**

Starting with a basic TRS-80 Model III, add one Tandon 40 Track Dual Sided Disk Drive, 48K of High Grade NEC Memory, the famous Micro Mainframes Disk Controller System, and the security of B.T. Enterprises engineering assuring long life and dependability!

Then we really get started include a 4 MHZ Module installed to make the Model III Microprocessor operate at twice the speed of a standard Radio Shack Model III. Also include the use of a Superdense Disk Drive for extra Floppy disk storage (360K). Then have installed a 5 Megabyte Hard Disk Drive (Winchester Technology). When the system is configured, the Hard Disk Drive contains the operating system and becomes the master (primary) drive. The Hard Disk has 40 times the speed of data transfer as compared to a normal floppy disk as well as containing the storage capacity of more than 30 standard floppy disk drives.

Each unit is built and tested in our Long Island New York assembly plant and delivered to your dealer complete with a Dos Plus 4.0 Disk Operating System which we consider to have the finest features of any Hard Disk Operating System available.

Price:

\$3995.00

Add \$20.00 shipping and handling



171 Hawkins Rd.
Centereach, N.Y. 11720
(516) 981-8568 (voice)
(516) 588-5836 (modem)
Dealer Inquiries Welcome
Prices subject to change
N.Y.S. Residents Add Tax

B.T. Hard Disks

We want you to have all the power that your TRS-80 is capable, at prices that have other manufacturers cross-eyed! These Five and Ten Megabyte units are easy to use, just plug them into the expansion buss of your Model I or Model III. Comes complete with the fantastic DOS PLUS 4.0 Operating System! Available in two configurations: 5 Megabyte Fixed, 10 Megabytes Fixed. Look at the incredible low prices of our systems!

SYSTEM PRICING

5 Megabyte Winchester Fixed Disk		
201505	Model I Version	\$2795.00
203505	Model III Version	\$2795.00
10 Megabyte Winchester Fixed Disk		
201510	Model I Version	\$3195.00
203510	Model III Version	\$3195.00

Add \$10.00 shipping and handling

Upgrade Kit

Putting Disk drives into your TRS-80 Model III will turn it into the powerful computer it was designed to be. The B.T. Enterprises DISK DRIVE INSTALLATION KIT is easy to do and represents a substantial savings over the cost if done by Radio Shack.

The kit was designed to be installed by a non-technical person, and takes an average of 45 to 75 minutes to complete. The only tools necessary are a phillips and flat head screw driver and a pair of diagonal cutters. No cutting of traces or soldering is necessary. The full instruction procedure was the topic of a feature in 80 US Magazine in the May, 1982 issue, and was given high marks for ease of installation.

KIT CONSISTS OF:

- FDC III B* Micromainframe Controller
Board assembled & tested
- Switching power supply
- Disk drive mounting brackets
- All cables and hardware
- Instructions with diagrams
- Drives are optional

*FDC III C Board optional at additional cost supports 8 inch external drives and extended density 5-1/4 inch drives (dual headed and 80 track)


203103	Disk Upgrade Kit B Version w/hardware	\$279.95
203104	Disk Upgrade Kit C Version w/hardware	\$329.95
203113	Disk Upgrade B Version w/2 40tk & 32K	\$ 799.95
203114	Disk Upgrade C Version w/2 40tk & 32K	\$ 849.95
203115	Disk Upgrade C Version w/2 40tk DH & 32K	\$1049.95
203116	Disk Upgrade C Version w/2 80tk & 32K	\$1049.95
203117	Disk Upgrade C Version w/2 80tk DH & 32K	\$1249.95
203003	FDC III B Controller Board only	\$ 139.95
203004	FDC III C Controller Board only	\$ 224.95
200500	Switching Power Supply (3 voltages)	\$ 99.95
203010	Controller Assembly Kit	\$ 75.00
203510	Controller Assy kit w/power Supply	\$ 174.95
DH - Dual Headed		



Radio Shack is a trademark of
Tandy Corp.

✓300

YOU DON'T NEED A RADIO SHACK FRANCHISE TO CASH IN ON MODEL II SALES.



It's true, all you have to do is carry the DOSPLUS II operating system for TRS-80 Model II users.

DOSPLUS II outperforms the O.E.M. DOS with an ultra sophisticated operating system that is five or more times faster, more reliable and totally compatible with all standard business orientated software that's designed for use with the Model II.

The result is a unique computer/operating system that far exceeds manufacturers specifications with more potential and capacity to handle any business needs. Which in turn means increased sales for you.

The DOSPLUS II is a winner, there's absolutely nothing available like it. The popular price tag will almost certainly guarantee a high sales turnover.

That's why we're backing it with an impressive multi-publication national advertising campaign that includes co-op advertising, toll-free dealer hot lines, 48 hr. phone in processed orders, liberal return policy, easy updates and a terrific sales margin. All together DOSPLUS II spells success. And as a DOSPLUS dealer you're carrying the latest state of the art innovations in software technology, that meets tomorrow's business needs today. So who needs a franchise? Cash in today. Carry DOSPLUS II the ultimate operating system for the TRS-80 Model II.

DOSPLUS

DOSPLUS first in quality! First in the industry!

*Radio Shack is a trademark of Tandy

POWERSOFT

A Division of Breeze/QSD, Inc.
11500 Stemmons Fwy., Dallas, Texas 75229
To order call toll free 1-800-527-7432
For product information (214) 484-2976
Micronet 70130, 203



MICRO SYSTEMS SOFTWARE, INC.

4301-18 Oak Circle
Boca Raton, FL 33431
To order call toll free 1-800-327-8724
For product information (305) 983-3390

M I C R O T E R M

More and more hardware and communications services are allowing speeds up to 1200 baud. Soon, some may be going faster than that. Today's terminal software simply can't keep up. But now there is an alternative. Micro-Systems Software introduces MicroTerm, the high speed terminal.

Model III MicroTerm will communicate, without insertion of null characters, at 4800 baud. Guaranteed. No cop-outs, no question. MicroTerm is so fast that you can exit from the terminal to the main menu, adjust video width, open the buffer, turn on the printer, or any one of dozens of other functions, and return to the terminal model **without missing a thing!**

MicroTerm continues to input from the RS232, even while at the main menu. This is the only terminal capable of such an astounding feat. MicroTerm offers you most of the features that "Brand X" smart terminals have, plus it gives you: • Ultra high baud rate operation (up to 9600 in certain cases). • Input while at menu. • Easy to use translation tables. • Easy to use phone number listings. • Maximum auto dial support — most major brands. • Direct file transfer companion program included at no extra cost (compatible with DFT). • DOS commands from menu without exiting program. • Over 34K of capture buffer (in a 48K TRS-80). • Can be set to automatically dial telephone and transmit buffer at preset time without any operator intervention.

And many, many more great features. MicroTerm is so fast you must see it to believe it. The various menus are displayed so fast, they seem to jump out at you. Status of various functions can be displayed and altered in split seconds.

For the computerist who wants the ultimate, state-of-the-art terminal software, there is no other choice.

MicroTerm retails for \$79.95, but registered DOSPLUS owners can purchase it for only \$59.95. \$20.00 off the retail price! MicroTerm comes complete with the terminal program, the direct file transfer program, some standard translation tables, and documentation.

Don't delay, order yours today! Specify when ordering: Model I or III and whether you want it on 40 or 80 track media. Requires a 16K TRS-80 with one disk drive. We recommend 48K for serious communications work. MicroTerm will be available beginning June 30, 1982.



**MICRO-SYSTEMS
SOFTWARE, INC.**

4301-18 Oak Circle
Boca Raton, FL 33431
Telephone: (305) 983-3390



An inexpensive alternative to VisiCalc.

QuickCalc

Kurt Leafstand
412 W. Franklin
Wheaton, IL 60187

Ever wanted to do a sales projection or another type of calculation and haven't wanted to spend \$100-\$200 on VisiCalc? Then QuickCalc is for you. QuickCalc is designed to run on a 16K, 32K or 48K Model I or III with cassette or disk and an optional printer.

QuickCalc gives you an 8 by 14 matrix. The rows are labeled 1-14, and the columns A-H. The flashing cursor is positioned in location A1. To move the cursor around the screen, use the arrow keys. To assign a value to a location, position the cursor over the location and type in the value. (Note: QuickCalc is only designed for numeric values, not alphanumeric.) To enter a special command, press the slash key.

Special Command Summary

- B—Sets the value of the current cursor location to zero.
- Q—Exits the QuickCalc program and returns to Basic.
- N—Restarts the QuickCalc program.

The Key Box

Model I or III
16K RAM
Cassette or Disk Basic
(do CMD "T" for disk)
Printer optional

● P—Outputs the screen contents to a line printer. Printer must be ready when this command is issued.

● C—Compute. Performs a math function on two locations. QuickCalc responds with "Compute. Function (+, -, *, /) ?." Now type in the desired function and the "Enter coordinates:" prompt is displayed. When entering a location like A1, be sure to type A01.

Now enter three locations, make two of them the numbers to be computed, and the third, the location to put the results. QuickCalc performs the function and returns with the flashing cursor.

● D—Delete. Allows you to delete a series of locations. QuickCalc responds with "Enter coordinates." You type in the starting and ending locations of the column or row

Program Listing, QuickCalc

```

0 *****
1 *** QUICKCALC. **
2 **BY KURT LEAFSTRAND**
3 ** MARCH, 1982 **
4 *****
5 'REQUIRES A TRS-80 MODEL I OR III 16,32,OR 48K CASSETTE OR
   DISK OPERATED COMPUTER SYSTEM AND AN OPTIONAL PRINTER
10 CLEAR1500:ONERRORGOTO60000:DIMM(8,15),Z(14),P(14):SS=STRING$(
2,188):X=131:C=1:R=1
15 CLS:PRINT@469,"QUICKCALC VERSION 2.0";:PRINT@535,"BY KURT LEA
FSTRAND";:PRINT@603,"MARCH,1982";
20 FOR T=2TO15:PRINT@64*T,USING"##";T-1;:PRINTCHR$(191);:NEXT:PRI
NT@64,STRING$(2,128);CHR$(188);SS;" A ";SS;SS;" B ";SS;SS;" C ";
SS;SS;" D ";
25 PRINTSS;SS;" E ";SS;SS;" F ";SS;SS;" G ";SS;SS;" H ";SS;CHR$(
188);:FOR T=2TO15:PRINT@64*T+59,CHR$(191);USING"##";T-1;:NEXT:FOR
T=1TO1000:NEXT:PRINT@469,STRING$(21,32);:PRINT@535,STRING$(18,32
);:PRINT@601,STRING$(14,32);
30 PRINT@0,STRING$(64,32);:M1=64+C:R$=STR$(R):R$=RIGHT$(R$,LEN(R
$)-1):IFB$<>" THENM(C,R)=VAL(B$):PRINT@0,CHR$(M1);R$;" = ";M(C,R
);ELSEPRINT@0,CHR$(M1);R$;" = ";M(C,R);
31 PRINT@X,CHR$(183);:PRINT@X+6,CHR$(187);:FOR T=1TO60:A$=INKEY$:
IFAS<>" THEN35ELSENEXT:PRINT@X,CHR$(32);:PRINT@X+6,CHR$(32);:FOR
T=1TO60:A$=INKEY$:IFAS<>" THEN35ELSENEXT:GOTO31
35 IFAS=CHR$(91) THEN40ELSEIFAS=CHR$(10) THEN42ELSEIFAS=CHR$(8) THE
N44ELSEIFAS=CHR$(9) THEN46ELSE48
40 IFX<191 THEN30ELSEPRINT@X,CHR$(32);:PRINT@X+6,CHR$(32);:X=X-64
:IFB$<>" THENM(C,R)=VAL(B$):B$="" :R=R-1:GOTO30ELSEB$="" :R=R-1:GO
TO30
42 IFX>960 THEN30ELSEPRINT@X,CHR$(32);:PRINT@X+6,CHR$(32);:X=X+64
:IFB$<>" THENM(C,R)=VAL(B$):B$="" :R=R+1:GOTO30ELSEB$="" :R=R+1:GO
TO30
44 IFPEEK(15360+(X-1))=191 THEN30ELSEPRINT@X,CHR$(32);:PRINT@X+6,

```

Listing continues

STRIKE GOLD

with the most sophisticated TRS-80 operating system available!



LDOS can't really turn your TRS-80 gold, but you'll think you've made the DOS strike of the decade when you turn your micro on to LDOS. You'll find a bonanza of features like full keyboard type-ahead; a true background spooler; file backup by date, class, and between different drive types; hard disk support; data transportability between Model I and III; and a complete communications utility including disk file send and receive. Support for Radio Shack's Doubler and selected others is also provided. With our Job Control Language, you get true "hands off" running of your application programs - give a single command and then walk away. The 400 page manual includes examples of all commands and utilities. The Operator's Guide gives you step by step instructions on how to use LDOS with your applications. Stop running with only "half" a computer! Let LDOS provide the missing features to speed up and simplify your TRS-80 computer system! Visit a dealer or contact LSI for more information on the most popular sophisticated operating system for your TRS-80.

LDOS is available worldwide through thousands of dealers for just \$129.

TRS-80 is a trademark of Tandy Corporation. LDOS is available for the TRS-80 Model-I and Model-III. Prices and specifications subject to change without notice. LDOS is a product of Logical Systems, Inc.

Logical Systems, Inc., 11520 N. Port Washington Rd., Mequon, Wis. 53092 (414) 241-3066

**LOGICAL
SYSTEMS
INC.**
✓ 251
◻ ◻ ◻ ◻

to be deleted. (QuickCalc only deletes a single column or row, not a series of columns or rows.)

● S—Saves the screen contents on cassette or disk.

● L—Loads a previously saved screen from cassette or disk.

● H—Help. Provides help on a specified command.

● T—Total (Summation). Gives the total of the values in a series of locations. QuickCalc responds with "Total. Enter coordinates:." The first and second locations you enter should be the starting and ending points of the locations to be totaled, and the third should be the location to store the results. (QuickCalc only totals a single column or row at a time.)

● A—Average. Gives the values' average in a series of locations. QuickCalc responds with "Average. Enter coordinates:." As before, the first and second locations you enter should be the starting and ending points of the locations to be averaged, and the third should be the location to store the results. (QuickCalc only averages a single column or row at a time.)

● R—Replicate. Allows you to project a function over a series of locations. QuickCalc responds with "Replicate. Function (+, -, *, /, P) ?" P stands for percentage. Then you are asked "Value?" Enter the value that computes the source location. The final question QuickCalc asks is "Enter coordinates:." First enter the source location where the initial value will be taken from. The second and third values should be the starting and ending points of the computed values' display location. Then QuickCalc carries out the computations and returns with the flashing cursor.

● G—Graph. This command switches to the QuickPlot section of the program. You are prompted with "Graph a column or a row. (C/R) ?" After you have input your selection for column or row, the screen clears and QuickPlot plots the locations in bar-graph form. After the graph is displayed, press the space bar to continue or P to print the graph on a line printer. (The bar graph will only work on a Model III.) ■

Kurt is an eighth-grade student whose hobbies are fishing and racquetball.

10-25	Initialize program
30-50	Main program loop
500-650	Compute function
1000-1130	Coordinate input routine
2000-2021	Special command routine
3000-3030	Print function
4000-4550	Replicate function
5000-5052	Save function
5500-5552	Load function
6000-6020	Total function
6100-6120	Delete function
6200-6220	Average function
8000-8200	Help function
9000-9003	Value input routine
10000-10510	QuickPlot
60000	Error-handling routine

Fig. 1. Summary of Program Lines

Listing continued


```

CHR$(32);:X=X-7:IFB$<>" THENM(C,R)=VAL(B$):B$="":C=C-1:GOTO30ELSE
EB$="":C=C-1:GOTO30
46 IFPEEK(15360+(X+7))=191THEN30ELSEPRINT@X,CHR$(32);:PRINT@X+6,
CHR$(32);:X=X+7:IFB$<>" THENM(C,R)=VAL(B$):B$="":C=C+1:GOTO30ELSE
EB$="":C=C+1:GOTO30
48 IFASC(A$)=13ORASC(A$)=31ORASC(A$)=10ORASC(A$)=91ORASC(A$)=90R
ASC(A$)=8THEN30
49 IFAS$="/ THEN2000
50 IFLEN(B$)=5THENPRINT@X+1,LEFT$(B$,5);:GOTO30ELSEB$=B$+A$:PRIN
T@X+(6-LEN(B$)),B$;:GOTO30
500 PRINT@X,CHR$(32);:PRINT@X+6,CHR$(32);:PRINT@0,"COMPUTE. Func
tion (+, -, *, /) ?";CHR$(95);
510 AS=INKEY$:IFA$=" THEN510ELSEIFA$="+ THEN520ELSEIFA$="- THEN5
50ELSEIFA$=" THEN600ELSEIFA$="/ THEN650ELSEIFA$=10
520 GOSUB1000:M(D1,D2)=M(A1,A2)+M(B1,B2):B$=STR$(M(D1,D2)):B$=RI
GHT$(B$,LEN(B$)-1):B$=LEFT$(B$,5):D2=D2+1:X=(D2*64)+(7*D1):X=X-4
:PRINT@X+(6-LEN(B$)),B$;:PRINT@0,STRING$(64,32);:GOTO30
550 GOSUB1000:M(D1,D2)=M(A1,A2)-M(B1,B2):B$=STR$(M(D1,D2)):B$=RI
GHT$(B$,LEN(B$)-1):B$=LEFT$(B$,5):D2=D2+1:X=(D2*64)+(7*D1):X=X-4
:PRINT@X+(6-LEN(B$)),B$;:PRINT@0,STRING$(64,32);:GOTO30
600 GOSUB1000:M(D1,D2)=M(A1,A2)*M(B1,B2):B$=STR$(M(D1,D2)):B$=RI
GHT$(B$,LEN(B$)-1):B$=LEFT$(B$,5):D2=D2+1:X=(D2*64)+(7*D1):X=X-4
:PRINT@X+(6-LEN(B$)),B$;:PRINT@0,STRING$(64,32);:GOTO30
650 GOSUB1000:M(D1,D2)=M(A1,A2)/M(B1,B2):B$=STR$(M(D1,D2)):B$=RI
GHT$(B$,LEN(B$)-1):B$=LEFT$(B$,5):D2=D2+1:X=(D2*64)+(7*D1):X=X-4
:PRINT@X+(6-LEN(B$)),B$;:PRINT@0,STRING$(64,32);:GOTO30
1000 PRINT@0,STRING$(50,32);:IFT=1THENPRINT@0,"TOTAL. ENTER CO-O
RDINATES: ";ELSEIFA=1THENPRINT@0,"AVERAGE. ENTER CO-ORDINATES: ";E
LSEPRINT@0,"ENTER CO-ORDINATES: ";
1010 GOSUB1100:A1=C:A2=R:PRINT"..";:GOSUB1100:B1=C:B2=R:PRINT"..
";:GOSUB1100:D1=C:D2=R:RETURN
1100 AS=INKEY$:IFA$=" THEN1100ELSEIFA$<"A"ORAS>"H" THEN1100ELSEPR
INTAS;:C=ASC(A$)-64
1120 Z$="":AS=INKEY$:IFA$=" THEN1120ELSEIFA$=CHR$(8) THENPRINTCHR
$(8);:GOTO1100ELSEIFA$<"0"ORAS>"9" THEN1120ELSEPRINTAS;:Z$=Z$+A$
1130 AS=INKEY$:IFA$=" THEN1130ELSEIFA$=CHR$(8) THENPRINTCHR$(8);:
GOTO1120ELSEIFA$<"0"ORAS>"9" THEN1130ELSEPRINTAS;:Z$=Z$+A$:R=VAL(
Z$):RETURN
2000 T=0:PRINT@X,CHR$(32);:PRINT@X+6,CHR$(32);:PRINT@0,"Special
command (B,Q,N,P,C,R,S,D,L,T,A,G,H) ?";CHR$(95);
2010 AS=INKEY$:IFA$=" THEN2010
2020 IFA$="B" THENPRINT@0,STRING$(64,32);:M(C,R)=0:B$="":PRINT@X+
1," ";:GOTO30ELSEIFA$="C" THENPRINT@0,STRING$(64,32);:GOTO500
ELSEIFA$="Q" THENCLS:ENDELSEIFA$="N" THENRUNELSEIFA$="P" THEN3000EL
SEIFA$="R" THEN4000ELSEIFA$="S" THEN5000ELSEIFA$="L" THEN5500
2021 IFA$="G" THEN10000ELSEIFA$="H" THEN8000ELSEIFA$="T" THEN6000EL
SEIFA$="D" THEN6100ELSEIFA$="A" THEN6200ELSEIFA$=CHR$(31) THENPRINT
@0,STRING$(64,32);:GOTO30ELSE2010
3000 IFPEEK(14312)<>63THENPRINT@0,"Printer is not ready.
";:FORT=1TOL000:NEXT:PRINT@0,STRING$(
64,32);:GOTO30
3010 POK16427,62:IS=STRING$(2,"-"):LPRINT" *";IS;:A";IS;IS;"
B";IS;IS;" C";IS;IS;" D";IS;IS;" E";IS;IS;" F";IS;IS;" G"
";IS;IS;" H";IS;IS;:LPRINT""
3020 FORP=15488TOL6383:IFPEEK(P)=191THENC$="*"ELSEC$=CHR$(PEEK(P
))
3030 LPRINTC$;:NEXT:LPRINTTAB(4)STRING$(62,"-"):PRINT@0,STRING$(
64,32);:GOTO30
4000 PRINT@0,STRING$(64,32);:PRINT@0,"REPLICATE. Function (+, -, *,
/, P) ?";CHR$(95);
4002 AS=INKEY$:IFA$=" THEN4002ELSEIFA$="+ THEN4100ELSEIFA$="- TH
EN4200ELSEIFA$=" THEN4300ELSEIFA$="P" THEN4400ELSEIFA$="/ THEN45
00ELSE4002
4100 PRINT@0,STRING$(64,32);:PRINT@0,"Value?";:GOSUB9000:V1=VAL(
B$):GOSUB1000
4120 IFB1=D1THEN4150
4130 V=M(A1,A2):FORT=B1TOD1:M(T,B2)=V+V1:B$=STR$(M(T,B2)):B$=RI
GHT$(B$,LEN(B$)-1):V=V+V1:X=((B2+1)*64)+(7*T):X=X-4:PRINT@X+(6-LE
N(B$)),B$;:NEXT:PRINT@0,STRING$(64,32);:GOTO30
4150 V=M(A1,A2):FORT=B2TOD2:M(B1,T)=V+V1:B$=STR$(M(B1,T)):B$=RI
GHT$(B$,LEN(B$)-1):V=V+V1:X=((T+1)*64)+(7*B1):X=X-4:PRINT@X+(6-LE
N(B$)),B$;:NEXT:PRINT@0,STRING$(64,32);:GOTO30
4200 PRINT@0,STRING$(64,32);:PRINT@0,"Value?";:GOSUB9000:V1=VAL(
B$):GOSUB1000
4220 IFB1=D1THEN4250
4230 V=M(A1,A2):FORT=B1TOD1:M(T,B2)=V-V1:B$=STR$(M(T,B2)):B$=RI
GHT$(B$,LEN(B$)-1):V=V-V1:X=((B2+1)*64)+(7*T):X=X-4:PRINT@X+(6-LE
N(B$)),B$;:NEXT:PRINT@0,STRING$(64,32);:GOTO30
4250 V=M(A1,A2):FORT=B2TOD2:M(B1,T)=V-V1:B$=STR$(M(B1,T)):B$=RI
GHT$(B$,LEN(B$)-1):V=V-V1:X=((T+1)*64)+(7*B1):X=X-4:PRINT@X+(6-LE
N(B$)),B$;:NEXT:PRINT@0,STRING$(64,32);:GOTO30
4300 PRINT@0,STRING$(64,32);:PRINT@0,"Value?";:GOSUB9000:V1=VAL(
B$):GOSUB1000

```

Listing continued

QWERTY DAISYWHEEL II



At last! QWERTY 3.0 is available for the DAISY WHEEL III! Finally, owners of the Daisy Wheel II can make their printers do what they were **designed** to do. Produce scores of special symbols and accents! Add footnotes and borders to text! Bold print, double underline, even underline spaces! Print superscripts and subscripts, simultaneously! Print a single page of text without resorting to copy-markers! Stop printing to change wheels or insert text!

Once you use DAISY, you'll wonder how you worked without it. We **guarantee** you will agree! If not, return DAISY within fourteen days for a prompt refund. That's how confident we are!

DAISY FEATURES

Easy transition between the three print pitches. One command changes pitch and resets formats for optimum appearance in that pitch.

Over 100 new symbols, including foreign language accents, Greek letters, and mathematical symbols, all using the standard Courier wheel. Allows tildes, carats, and overbars to be placed over any character.

Any character can be used as a superscript or subscript, singly or simultaneously. Extra high superscripts for integrals. Fine space controls to make superscripts and subscripts look perfect.

Underlining, double underlining, and bold printing, with or without underlining of spaces.


Special provision for printing ratios of one long expression over another (as in algebra).

Provision for putting FOOTNOTES on a page in such a way that they remain on that page despite later editing.

TABLE and MABLE commands enable exact positioning of the print head anywhere on the line. Invaluable in printing neat data tables, columnar material, etc.

PRETTY command enables one to print repetitions of a chosen character; combined with TABLE or MABLE, it becomes easy to produce attractive borders, even in headers and footers.

PAGE END allows the user to discover where pages will end, when they are printed, without actually printing.



Special commands allow the printing of a single page anywhere in the text, with correct page number, footer, and header, without the use of copy-markers. A special command will reset the default format parameters, to allow use of copymarkers without having to insert a format line to adjust for format changes.

FOLIO format enables one to produce print-outs in two or three columns per page, as for newsletters, indices, etc. FOOTNOTES, footers, headers, and PAGE END will work correctly.

Access to disk directory and ability to kill files from within DAISY, without losing any text.

Special code in the text will stop printing until user restarts it; use it to change print wheels. One can insert up to 60 characters of text at this point, as for form letters.

Special print-outs allow one to keep records of DAISY commands used to create a certain effect.

Flaws in SCRIPTSIT's widow suppress are corrected. SCRIPSIT's problem with typing two spaces after a period is fixed. SCRIPSIT's scrolling speed is doubled, with instructions for user modification.


CAUTIOUS BUYERS: We invite you to buy the DAISY manual. This is without a doubt one of the clearest, most well-written manuals ever produced for **any** piece of software. Over 110 pages. **Indexed**. In a custom 3-ring binder. We will credit the full \$10.00 price when you decide to buy DAISY.

DAISY REQUIRES: A TRS-80 Model I or Model III with 48K, at least one disk drive, and a copy of **Model I SCRIPSIT**. Please specify which machine and how many drives in your system.

QWERTY 3.0 is also available for the Centronics 737, 739, and Lineprinter IV.

DAISY complete package. \$74.95
DAISY manual alone. 10.00
QWERTY 3.0 complete package. 74.95
QWERTY 3.0 manual alone. 10.00

Please add \$2.00 for shipping and handling. Add \$4.00 for first class postage or UPS. Overseas orders add \$4.00 for surface mail, \$12.00 for air mail.



MED SYSTEMS SOFTWARE
P.O. BOX 3558 CHAPEL HILL, NC 27514
TO ORDER, CALL 1-800-334-5470

FOR TRS-80 MODEL I OR III IBM PERSONAL COMPUTER

* MORE SPEED

10-20 times faster than interpreted BASIC.

* MORE ROOM

Very compact compiled code plus VIRTUAL MEMORY makes your RAM act larger. Variable number of block buffers, 31-char-unique wordnames use only 4 bytes in header!

* MORE INSTRUCTIONS

Add YOUR commands to its 79-STANDARD-plus instruction set!
Far more complete than most Forths: single & double precision, arrays, string-handling, clock, graphics (IBM low-res. gives B/W and 16 color or 200 tint color display).

* MORE EASE

Excellent full-screen Editor, structured & modular programming
Word search utility
THE NOTEPAD letter writer
Optimized for your TRS-80 or IBM with keyboard repeats, upper/lower case display driver, full ASCII.

* MORE POWER

Forth operating system
Concurrent Interpreter AND Compiler
VIRTUAL I/O for video and printer, disk and tape (10-Megabyte hard disk available)
Full 8080 or 8088 Assembler aboard
(Z80 Assembler also available for TRS-80)
Intermix 35- to 80-track disk drives
IBM can read, write and run M.3 Disks
M.3 can read, write and run M.1 disks

mmsFORTH

THE PROFESSIONAL FORTH SYSTEM FOR TRS-80 & IBM PC

(Thousands of systems in use)

MMSFORTH Disk System (requires 1 disk drive, 32K RAM)
V2.0 Radio Shack TRS-80 Model I or III \$129.95*
V2.1 IBM Personal Computer (80-col. screen) \$249.95*

AND MMS GIVES IT PROFESSIONAL SUPPORT

Source code provided
MMSFORTH Newsletter
Many demo programs aboard
MMSFORTH User Groups
Inexpensive upgrades to latest version
Programming staff can provide advice, modifications and custom programs, to fit YOUR needs.

MMSFORTH UTILITIES DISKETTE: includes FLOATING POINT MATH (BASIC ROM routines plus Complex numbers, Rectangular-Polar coordinate conversions, Degrees mode, more); plus (TRS-80) a powerful CROSS-REFERENCER to list Forth words by block and line, plus (TRS-80) a full Forth-style Z80 assembler (requires MMSFORTH V2.0, 1 drive & 32K RAM) \$39.95*

FORTHCOM: communications package provides RS-232 driver, dumb terminal mode, transfer of FORTH blocks, and host mode to operate a remote FORTHCOM system (requires MMSFORTH V2.0, 1 drive & 32K RAM) \$39.95*

THE DATAHANDLER: a very fast database management system operable by non-programmers (requires MMSFORTH V2.0, 1 drive & 32K RAM) \$59.95*

FORTHWRITE: fast, powerful Word Processor w/leasy keystrokes, Help screens, manual & demo files. Full proportional widths, outdented. Include other blocks, documents & keyboard inputs—ideal for form letters (requires MMSFORTH V2.0, 2 drives & 48K RAM) \$175.00*

MMSFORTH GAMES DISKETTE: real-time graphics & board games w/source code. Includes BREAKFORTH, CRASH-FORTH, CRYPTOQUOTE, FREEWAY (TRS-80), OTHELLO & TICTACFORTH (requires MMSFORTH V2.0, 1 drive & 32K RAM) \$39.95*

Other MMSFORTH products under development

FORTH BOOKS AVAILABLE

MMSFORTH USERS MANUAL - w/ Appendices \$17.50*
STARTING FORTH - best! \$15.95*
THREADED INTERPRETIVE LANGUAGES - advanced analysis of FORTH internals \$19.95*
PROGRAM DESIGN & CONSTRUCTION - intro. to structured programming, good for Forth \$16.00*
FORTH '79 STANDARD MANUAL - official reference to 79-STANDARD word set, etc. \$13.95*
FORTH SPECIAL ISSUE, BYTE Magazine (Aug. 1980) - A collector's item for Forth users and beginners \$4.00*
* ORDERING INFORMATION: Software prices include manuals and require signing of a single computer license for one-person support. Describe your Hardware. Add \$2.00 S/H plus \$3.00 per MMSFORTH and \$1.00 per additional book. Mass. orders add 5% tax. Foreign orders add 20% UPS COD. VISA and M/C accepted; no unpaid purchase orders or refunds.

Send SASE for free MMSFORTH information
Good dealers sought

Get MMSFORTH products from your
computer dealer or

MILLER MICROCOMPUTER
SERVICES (M-10)

61 Lake Shore Road, Natick, MA 01760
(617) 653-6136

Listing continued

```
4320 IFB1=D1THEN4350
4330 V=M(A1,A2):FORT=B1TOD1:M(T,B2)=V*V1:B$=STR$(M(T,B2)):B$=RIG
HT$(B$,LEN(B$)-1):V=V*V1:X=((B2+1)*64)+(7*T):X=X-4:PRINT@X+(6-LE
N(B$)),B$;:NEXT:PRINT@0,STRING$(64,32);:GOTO30
4350 V=M(A1,A2):FORT=B2TOD2:M(B1,T)=V*V1:B$=STR$(M(B1,T)):B$=RIG
HT$(B$,LEN(B$)-1):V=V*V1:X=((T+1)*64)+(7*B1):X=X-4:PRINT@X+(6-LE
N(B$)),B$;:NEXT:PRINT@0,STRING$(64,32);:GOTO30
4400 PRINT@0,STRING$(64,32);:PRINT@0,"Value?";:GOSUB9000:V1=VAL(
B$):GOSUB1000
4420 IFB1=D1THEN4450
4430 V=M(A1,A2):FORT=B1TOD1:M(T,B2)=(V*V1)+V:B$=STR$(M(T,B2)):B$
=RIGHT$(B$,LEN(B$)-1):V=(V*V1)+V:X=((B2+1)*64)+(7*T):X=X-4:B$=LE
FT$(B$,5):PRINT@X+(6-LEN(B$)),B$;:NEXT:PRINT@0,STRING$(64,32);:G
OTO30
4450 V=M(A1,A2):FORT=B2TOD2:M(B1,T)=(V*V1)+V:B$=STR$(M(B1,T)):B$
=RIGHT$(B$,LEN(B$)-1):V=(V*V1)+V:X=((T+1)*64)+(7*B1):X=X-4:B$=LE
FT$(B$,5):PRINT@X+(6-LEN(B$)),B$;:NEXT:PRINT@0,STRING$(64,32);:G
OTO30
4500 PRINT@0,STRING$(64,32);:PRINT@0,"Value?";:GOSUB9000:V1=VAL(
B$):GOSUB1000
4520 IFB1=D1THEN4550
4530 V=M(A1,A2):FORT=B1TOD1:M(T,B2)=V/V1:B$=STR$(M(T,B2)):B$=RIG
HT$(B$,LEN(B$)-1):V=V/V1:X=((B2+1)*64)+(7*T):X=X-4:B$=LEFT$(B$,5
):PRINT@X+(6-LEN(B$)),B$;:NEXT:PRINT@0,STRING$(64,32);:GOTO30
4550 V=M(A1,A2):FORT=B2TOD2:M(B1,T)=V/V1:B$=STR$(M(B1,T)):B$=RIG
HT$(B$,LEN(B$)-1):V=V/V1:X=((T+1)*64)+(7*B1):X=X-4:B$=LEFT$(B$,5
):PRINT@X+(6-LEN(B$)),B$;:NEXT:PRINT@0,STRING$(64,32);:GOTO30
5000 PRINT@0,STRING$(64,32);:PRINT@0,"SAVE. Save to <C>assette o
r <D>isk ?";
5010 A$=INKEY$:IFA$="C"THEN5020ELSEIFA$="D"THEN5050ELSE5010
5020 PRINT@0,"READY DATA TAPE,PRESS <ENTER> ?
";
5022 A$=INKEY$:IFA$<>CHR$(13)THEN5022ELSEPRINT@0,"SAVING DATA
";:FORA9=1TO8:FORA0=1TO14:PRINT#-1,M(A9,A0)
:NEXT:NEXT:PRINT@0,STRING$(64,32);:GOTO30
5050 PRINT@0,"INSERT DATA IN DRIVE #0,PRESS <ENTER> ?";
5052 A$=INKEY$:IFA$<>CHR$(13)THEN5052ELSEPRINT@0,"SAVING DATA
";:OPEN"O",1,"SPRDSHT/DAT":F
ORA9=1TO8:FORA0=1TO14:PRINT#1,M(A9,A0):NEXT:NEXT:CLOSE:PRINT@0,S
TRINGS(64,32);:GOTO30
5500 PRINT@0,STRING$(64,32);:PRINT@0,"LOAD. LOAD FROM <C>ASSETTE
OR <D>ISK ?";
5510 A$=INKEY$:IFA$="C"THEN5520ELSEIFA$="D"THEN5550ELSE5510
5520 PRINT@0,"READY DATA TAPE,PRESS <ENTER> ?
";
5522 A$=INKEY$:IFA$<>CHR$(13)THEN5522ELSEPRINT@0,"LOADING DATA
";:FORA9=1TO8:FORA0=1TO14:INPUT#-1,M(A9
,A0):NEXT:NEXT:GOTO10250
5550 PRINT@0,"INSERT DATA DISK IN DRIVE #0,PRESS <ENTER> ?";
5552 A$=INKEY$:IFA$<>CHR$(13)THEN5552ELSEPRINT@0,"LOADING DATA
";:OPEN"I",1,"SPRDSHT/DA
T":FORA9=1TO8:FORA0=1TO14:INPUT#1,M(A9,A0):NEXT:NEXT:CLOSE:GOTO1
0250
6000 T=1:GOSUB1000:T=0:IFAL=B1THEN6020
6010 T=0:FORQ1=A1TOB1:T=T+M(Q1,A2):NEXT:D2=D2+1:M(C,R)=T:X=(D2*6
4)+(7*D1):X=X-4:B$=STR$(T):B$=RIGHT$(B$,LEN(B$)-1):B$=LEFT$(B$,5
):PRINT@X+(6-LEN(B$)),B$;:PRINT@0,STRING$(64,32);:GOTO30
6020 T=0:FORQ1=A2TOB2:T=T+M(A1,Q1):NEXT:D2=D2+1:M(C,R)=T:X=(D2*6
4)+(7*D1):X=X-4:B$=STR$(T):B$=RIGHT$(B$,LEN(B$)-1):B$=LEFT$(B$,5
):PRINT@X+(6-LEN(B$)),B$;:PRINT@0,STRING$(64,32);:GOTO30
6100 PRINT@0,STRING$(50,32);:PRINT@0,"DELETE. Enter Co-ordinates
";:GOSUB1100:A1=C:A2=R:PRINT"..";:GOSUB1100:B1=C:B2=R:IFAL=B1TH
EN6120
6110 FORQ1=A1TOB1:M(Q1,A2)=0:X=((A2+1)*64)+(7*Q1):X=X-4:PRINT@X+
1,"
";:NEXT:PRINT@0,STRING$(64,32);:GOTO30
6120 FORQ1=A2TOB2:M(A1,Q1)=0:X=((Q1+1)*64)+(7*A1):X=X-4:PRINT@X+
1,"
";:NEXT:PRINT@0,STRING$(64,32);:GOTO30
6200 A=1:GOSUB1000:A=0:IFAL=B1THEN6220
6210 A=0:F1=0:FORQ1=A1TOB1:A=A+M(Q1,A2):F1=F1+1:NEXT:A=A/F1:M(D1
,D2)=A:B$=STR$(M(D1,D2)):B$=RIGHT$(B$,LEN(B$)-1):B$=LEFT$(B$,5):
X=((D2+1)*64)+(7*D1):X=X-4:PRINT@X+(6-LEN(B$)),B$;:GOTO30
6220 A=0:F1=0:FORQ1=A2TOB2:A=A+M(A1,Q1):F1=F1+1:NEXT:A=A/F1:M(D1
,D2)=A:B$=STR$(M(D1,D2)):B$=RIGHT$(B$,LEN(B$)-1):B$=LEFT$(B$,5):
X=((D2+1)*64)+(7*D1):X=X-4:PRINT@X+(6-LEN(B$)),B$;:GOTO30
8000 PRINT@0,"HELP ON WHICH OF THE FOLLOWING:B,Q,N,P,C,R,S,D,L,T
,A,G ?";
8010 A$=INKEY$:IFA$=" "THEN8010ELSEIFA$="B"THEN8020ELSEIFA$="Q"TH
EN8030ELSEIFA$="N"THEN8040ELSEIFA$="P"THEN8050ELSEIFA$="C"THEN80
60ELSEIFA$="R"THEN8070ELSEIFA$="S"THEN8080ELSEIFA$="D"THEN8090EL
SEIFA$="L"THEN8100ELSEIFA$="T"THEN8110ELSEIFA$="A"THEN8120
8011 IFA$="G"THEN8130ELSE8010
8020 PRINT@0,"<B>LANK.CLEAR THE CONTENTS OF THE CURRENT CURSOR
POSITION.";:GOTO8200
8030 PRINT@0,"<Q>UIT.EXITS THE QUICKCALC PROGRAM AND RETURNS TO
```

Listing continues

CHECK OUR LOW PRICES ON

TRS-80* COMPUTERS & Accessories Software

NEW--NEW TRS-80* "Model-16"

16/32 Bit Computer. 128K RAM Std. 512K Max. 1 or 2 Built-in 1.25 MB Disk Drives. Multi-user capability. W/1 Drive \$4399.00 W/2 Drives \$5099.00. Call for low prices on other Radio Shack Equipment.

CORVUS** HARD DISK DRIVES

Call for prices on 5-10-20 MB Hard Disks. We have the new CORDOS operating system which enables you to add a Hard Disk to TRS-80* Mod II with little or no modifications to your software. NEWDOS-80 and OASIS operating systems also available. Full service for CORVUS** and TRS-80's*.

In business 28 years at the same location

Radio Ranch, Inc.

Cert. Check
Cashiers Ck.



Rt. 3, Radio Ranch Airport
Polo, Illinois 61064

Phone 815-946-2371

*Trademark Tandy Corp.

**Trademark Corvus Systems, Inc.

✓140

NEW "DOS RANDOM ACCESS & BASIC FILE HANDLING"

the HOW TO, SHOW & TELL, STEP by STEP book. Written for TRS-80 and all computers using Microsoft basic.

The breakthrough book for non-programmers... businessmen and professionals who want to solve in house problems by writing your own customized program... and the hobbyist with the desire to get beyond the cassette and into disk data storage and file manipulation. "DOS Random Access & File Handling" is the plain speaking, easy to read 150 page book for learning HOW TO WRITE SPECIAL PROGRAMS for inventories, mailing lists, work schedules, record keeping and more. Your acquaintance with Level I and Level II basic and this self-instruction tutorial will assure quick progress.

DSC Publishing
2 Dogwood Drive
PO Box 769
Danbury, CT 06810
Phone Order
(203) 748-3231

Please send me a copy of "DOS Random Access & Basic File Handling" for 29.50 + 1.50 shipping. Model I & III ☐ Model II/CPM ☐

Also send the compatible 8" program disk for 32.50 + 1.50 shipping CPM ☐ or Model II ☐ or the 5 1/4" disk for Model I and III for 28.50 + 1.50 shipping ☐

Overseas add 8.00 per book and disk airmail.

Name

Address

City

State Zip

Master Charge ☐ VISA ☐

Expiration Date

Card #


Check ☐ Money Order ☐

COD (2.00 extra) ☐

Signature

Phone Orders (203) 748-3231

CT. orders add 7.5% sales tax.



"Dealer Inquiries Invited"

✓See List of Advertisers on page 271

PRACTICAL • ORIGINAL • SINGULAR • SUPERB • UNUSUAL

The Original Word-Processing Synonym-Finder

REFWARE THESAURUS 2.0

NEW!

EXPANDED!

FASTER!

The highly-acclaimed word-finding program, now compiled in machine language, lets you find in only a few seconds synonyms for any of 24,800 nouns, adjectives, verbs, and adverbs. Substitutes synonyms in your own sentences. And helps you find the correct spelling of hard-to-spell words.

Essential for anyone who uses a personal computer as a word processor to write letters, reports, articles, or books.

Here is what reviewers say:

"...impress people with your unlimited vocabulary through the use of the Thesaurus programs. You'll surprise yourself with the amount of knowledge you will pick up as you go along." ---Softside, April 1982

"No problems whatsoever were encountered in loading and running these programs. This does not happen too often--- ...Incidentally, absolutely no programming knowledge whatsoever is required..."

---Computronics, April 1982

"All this is done very fast; faster than a search through a conventional thesaurus..."

---80 Microcomputing, April 1982

REFWARE THESAURUS 2.0

24,800 adjectives, nouns, verbs, and adverbs assist you in choosing the most accurate words in your ads, letters, reports, and speeches.

REFWARE THESAURUS builder 1.0

Series of eight utility Basic programs enables physicians, educators, lawyers, businessmen, or other professionals to develop specialized computer thesaurus disk programs of hard-to-remember technical words and their alternates for personal use. Functions independently of Thesaurus program.

REFWARE THESAURUS User's Manuals: Complete descriptions of use of each of the above programs. Included at no additional charge with each program listed above.

MINIMUM System Required TRS 80* Mod I or Mod III 48K with two disk drives.

*A Trademark of Tandy Corporation

Credit card orders phone (914) 238-8896

REFWARE* Reference Software Division ✓ 114

David C. Whitney Associates, Inc.

P.O. Box 451, Chappaqua, N.Y. 10514

*A trademark of David C. Whitney Associates, Inc.

Specify Mod I () or Mod III ()

Single Density () or Double Density ()

Qty.	Title	Unit Price	Total
	Complete 24,800-word Refware Thesaurus 2.0	\$89.95	
	Thesaurus Builder 1.0	\$149.95	

Enclose a disk containing your DOS and we will copy the program onto it.

Sales Tax (N.Y. state residents only)

Postage and handling \$ 3.00

Enclosed \$..... () Check () Money Order

Bill: () Visa () MasterCard

TOTAL \$

Card #

Exp. Date Interbank #

Signature

Name Phone ()

Address

City State Zip

Mailed First Class, but allow 3 to 4 weeks for delivery, no C.O.D. orders.

• CLEVER • SUPERLATIVE • FIRST-RATE • WORTHY • VALUABLE • IDEAL • SPECIAL • SINGULAR • PRAISEWORTHY • SUPER • PRAISEWORTHY • SUPERIOR • SKILLFUL • NOTABLE • FIFTY • EXPRESSIVE

• FANTASTIC • REMARKABLE • USEFUL • MEANINGFUL • IMPORTANT • SIGNIFICANT • MARVELOUS • WONDERFUL • OUTSTANDING • EXCELLENT • INCLUSIVE • MATCHLESS

REMSOFT, INC.

Let Your TRS-80® Teach You ASSEMBLY LANGUAGE

Tired of buying book after book on assembly language programming and still not knowing your POP from your PUSH?

REMSOFT proudly announces a more efficient way, using your own TRS-80® to learn the fundamentals of assembly language programming at YOUR pace and YOUR convenience.

Our unique package, "INTRODUCTION TO TRS-80® ASSEMBLY PROGRAMMING", will provide you with the following:

- Ten 45-minute lessons on audio cassettes
- A driver program to make your TRS-80® video monitor serve as a blackboard for the instructor.
- A display program for each lesson to provide illustration and reinforcement for what you are hearing.
- Step-by-step dissection of complete and useful routines to test memory and to gain direct control over the keyboard, video monitor, and printer.
- How to access and use powerful routines in your Level II ROM.

for Model 1

REMASSEM-1 (tape) only \$69.95
REMASSEM-1 (disk) only \$74.95

NOW AVAILABLE FOR MODEL 3

REMASSEM-3 (tape) \$74.95
REMASSEM-3 (disk) \$79.95

LEARN TRS-80® ASSEMBLY LANGUAGE DISK I/O

Your disk system and you can really step out with REMSOFT'S Educational Module, REMDISK-1, a "short course" revealing the details of DISK I/O PROGRAMMING using assembly language. Intended for the student with experience in assembly language.

COURSE INCLUDES:

- Two 45-minute lessons on audio cassette
- A driver program to make your TRS-80® video monitor serve as a blackboard for the instructor.
- A display program for each lesson to provide illustration and reinforcement for what you are hearing.
- A booklet of comprehensive, fully commented program listings illustrating sequential file I/O random-access file I/O, and track and sector I/O.
- A diskette with machine-readable source codes for all programs discussed, in both Radio Shack EDTASM and Macro formats.
- Routines to convert from one assembler format to the other.

Presently available for model 1 only
REMDISK-1 only \$29.95

Dealer inquiries invited

These courses were developed and recorded by Joseph E. Willis and are based on the successful series of courses he has taught at Meta Technologies Corporation, the Radio Shack Computer Center, and other locations in Northern Ohio. The minimum system required is a Level II 16K RAM.

REMSOFT, INC.

571 E. 185 St.
Euclid, Ohio 44119
(216) 531-1338

SHIPPING CHARGES:
\$2.50 WITHIN UNITED STATES
\$5.00 CANADA AND MEXICO
OTHER FOREIGN ORDERS ADD 20%
OHIO RESIDENTS ADD 6 1/2% SALES TAX

TRS-80® IS A TRADEMARK OF TANDY CORP.

Listing continued

```
BASIC.":GOTO8200
8040 PRINT@,"<N>EW SCREEN. CLEARS THE SCREEN AND STARTS THE PRO
GRAM OVER.":GOTO8200
8050 PRINT@,"<P>RINTER OUTPUT. OUTPUT SCREEN TO PRINTER FOR HAR
DCOPY.":GOTO8200
8060 PRINT@,"<C>OMPUTE. PERFORMS A MATH FUNCTION WITH TWO CO-OR
DINATES.":GOTO8200
8070 PRINT@,"<R>EPLICATE.PERFORMS A MATH FUNCTION ON A SERIES O
F CO-ORDINATES.":GOTO8200
8080 PRINT@,"<S>AVE. SAVES THE SCREEN CONTENTS ON CASSETTE OR D
ISK.":GOTO8200
8090 PRINT@,"<D>ELETE. ALLOWS YOU TO DELETE A SERIES OF CO-ORDI
NATES.":GOTO8200
8100 PRINT@,"<L>OAD.LOADS A PREVIOUSLY SAVED SCREEN FROM CASSET
TE OR DISK.":GOTO8200
8110 PRINT@,"<T>OTAL (SUMATION). ADDS A SERIES OF CO-ORDINATES
TOGETHER.":GOTO8200
8120 PRINT@,"<A>VERAGE. FINDS THE AVERAGE OF A SERIES OF CO-ORD
INATES.":GOTO8200
8130 PRINT@,"<G>RAPH. DISPLAY A ROW OR COLUMN GRAPHICALLY ON TH
E SCREEN.":GOTO8200
8200 A$=INKEY$:IFA$=""THEN8200ELSE30
9000 PRINTCHR$(14);
9001 A$=INKEY$:IFA$=""THEN9001ELSEIFA$=CHR$(13)THENPRINTCHR$(15)
;:RETURN
9002 IFA$=CHR$(8)THENPRINTCHR$(8);:B$=LEFT$(B$,LEN(B$)-1):GOTO90
01
9003 PRINTA$;:B$=B$+A$:GOTO9001
10000 CLS:FOR T=1TO14:P(T)=0:Z(T)=0:NEXT:PRINT@,"---QUICKPLOT VER
SION 1.7 WRITTEN BY KURT LEAFSTRAND,MAR.1982---";
10002 PRINT@128,"GRAPH A COLUMN OR A ROW (C/R) ?";
10004 A$=INKEY$:IFA$=""THEN10004ELSEIFA$="C"THENPRINTA$;:GOTO100
06ELSEIFA$="R"THENPRINTA$;:GOTO10008ELSE10004
10006 PRINT@256,"WHICH COLUMN TO YOU WANT TO GRAPH (A-H) ?";
10007 A$=INKEY$:IFA$=""THEN10007ELSEIFA$<"A"ORAS>"H"THEN10007ELS
ES=ASC(A$)-54:FORQ=1TO14:P(Q)=M(S,Q):Z(Q)=M(S,Q):NEXT:GOTO10100
10008 PRINT@256,"WHICH ROW DO YOU WANT TO GRAPH (1-14) ?";
10010 A$=INKEY$:IFA$=""THEN10010ELSEIFA$<"0"ORAS>"1"THEN10010ELS
EZ5$=A$:PRINTA$;
10011 A$=INKEY$:IFA$=""THEN10011ELSEIFA$<"0"ORAS>"9"THEN10011ELS
EZ5$=Z5$+A$:PRINTA$;:S=VAL(Z5$):Z5$="" :FORQ=1TO8:P(Q)=M(Q,S):Z(Q
)=M(Q,S):NEXT:GOTO10100
10100 CLS:FORX=9TO841STEP64:PRINT@X,CHR$(191);:NEXT:PRINT@905,ST
RINGS(55,131);:IFP(9)=0THENPRINT@971,"A B C D
E F G H";:NE=7ELSEPRINT@970,"01 02 03 04 05
06 07 08 09 10 11 12 13 1";:POKE16383,52:NE=13
10110 F=0:FORN=1TONE:IFP(N)>P(N+1)THENGOSUB10130
10120 NEXT:IFF<>0THEN10110ELSE10200
10130 F=1:S1=P(N):P(N)=P(N+1):P(N+1)=S1:RETURN
10200 Q2=1:FORX=1TONE+1:PRINT@896-(64*Q2),USING"#####.##";P(X);
:Q2=Q2+1:NEXT:X=843:IFNE=7THENINC=7ELSEINC=4
10210 L=1:Q3=1:FORW=1TONE+1
10211 IFZ(L)=P(Q3)THENZ2=Q3:L=L+1:Q3=1:GOTO10220ELSEIFQ3=NE+1THE
NL=L+1:Q3=1:GOTO10211ELSEQ3=Q3+1:GOTO10211
10220 P3=X-(64*Z2):P3=P3+64:FORP=XTOP3STEP-64:PRINT@P,CHR$(191);
:NEXP:X=X+INC:NEXTW
10230 A$=INKEY$:IFA$=""THEN10230ELSEIFA$="P"THEN10500ELSEIFA$<>"
"THEN10230ELSECLS:PRINT@27,"QUICKPLOT":PRINT:PRINTTAB(25)"<Q>UI
T PROGRAM":PRINTTAB(22)"<P>LOT ANOTHER GRAPH":PRINTTAB(20)"OR <R
>RETURN TO QUICKCALC":PRINT@474,"SELECTION?";CHR$(95);
10240 A$=INKEY$:IFA$="Q"THENCLS:ENDELSEIFA$="P"THEN10000ELSEIFA$
="R"THEN10250ELSE10240
10250 CLS:FOR T=2TO15:PRINT@64*T,USING"###";T-1;:PRINTCHR$(191);:N
EXT:PRINT@64,STRINGS(2,128);CHR$(188);S$;" A ";S$;S$;" B ";S$;S$
;" C ";S$;S$;" D ";S$;S$;" E ";S$;S$;" F ";S$;S$;" G ";S$;S$;" H
";S$;CHR$(188);:FORT=2TO15:PRINT@64*T+59,CHR$(191);USING"###";T-
1;:NEXT
10260 FORX=1TO8:FOR Y=1TO14:IFM(X,Y)=0THENNEXT:NEXT:B$=STR$(M(1,1
))ELSECP=((Y+1)*64)+(X)*64:CP=CP-4:B$=STR$(M(X,Y));B$=RIGHT$(B$,L
EN(B$)-1):B$=LEFT$(B$,5):PRINT@CP+(6-LEN(B$)),B$;:NEXT:NEXT:B$=S
TR$(M(1,1))
10270 X=131:C=1:R=1:GOTO30
10300 GOTO 10300
10500 POKE16427,62:LPRINTTAB(11)"-----Bar graph of data--
-----":FORX=15360TO16383:C=PEEK(X):IFC=191ANDPEEK(X-1)>47AN
DPEEK(X-1)<58THENLPRINT"";:NEXTELSEIFC=131THENLPRINT"";:NEXTEL
SEIFC=191THENLPRINT"";:NEXTELSELPRINTCHR$(C);:NEXT
10510 POKE16427,255:GOTO10230
59999 GOTO 59999
60000 PRINT@,STRINGS(64,32);:FORT=1TO10:PRINT@,"*** ENTRY ERRO
R ***";:FORQ=1TO50:NEXT:PRINT@,"***";:FORQ=1TO5
0:NEXT:PRINT@,STRINGS(64,32);:C=1:R=1:X=131:B$=STR$(M(1,1)
):RESUME30
60060 GOTO 60060
```

Listing continues


SEA DRAGON

NEW!




REAR GUARD

NEW!



ARMORED PATROL



ENERGY: 20 SCORE: 2000

JOYSTICK



COMPATIBLE

ELIMINATOR



YOUR TRS-80 ISN'T SUPPOSED TO DO THIS!

Wayne Westmoreland and Terry Gilman have done it AGAIN!

The reviews are saying what the fans have known all along: "The Eliminator" and "Armored Patrol" are nothing short of fantastic. Read for yourself.

Byte Magazine (on Armored Patrol): "A real super job with the graphics."

Byte Magazine (on The Eliminator): "The best thing to happen to the TRS-80 in a long time."

80 Microcomputing (on both): "This is state-of-the-art stuff."

80 U.S. (on The Eliminator): "The graphics are vastly superior to that of any game currently available... it is slick, professional, and, without qualification, a blast."

And now, **two** new releases — and both are incredible arcade-style games. The TRS-80 is almost transformed into an arcade machine, performing Arcade Action Graphics(tm) like never before. Rear Guard and Sea Dragon are great fun and will provide you with hours of enjoyment. Both programs are available now, and all four are compatible with the Alpha Joystick!

Model 1 & 3 tape
\$19.95
Model 1 & 3 disk
\$24.95




ARMORED PATROL: You're in the command seat of an armored assault tank. Your mission: to search out and destroy an attack force of deadly tanks and lethal robots. Will your skill and advanced technology give you the edge to overcome the odds?

Armored Patrol Features: Simulated 3-D perspective, multiple player option, real time, sound and Arcade Action Graphics(tm) second to none.



THE ELIMINATOR: You're the pilot of The Eliminator, an attack class fighter that's squared off against hordes of attacking alien spaceships. It's your speed and weaponry versus their seemingly endless numbers. Can you possibly survive?

Eliminator Features: True Arcade Action Graphics(tm) and sound, "look ahead" radar function, real time, advancing play levels, hyperspace and disruptor functions.



SEA DRAGON: You're the captain of the U.S.S. Sea Dragon, a submarine of the Skate class. Your mission is to infiltrate a dangerous enemy-controlled channel. You must destroy rising underwater mines while avoiding wave after wave of additional dangers, including depth charges dropped by battleships, automatic lasers, and deadly enemy attack bases. You must successfully fight an unyielding enemy and an unknown

undersea channel — and the only options are total victory or a salty grave.
Sea Dragon Features: Arcade Action Graphics(tm) and sound, 29 (!!!) screens of horizontally scrolling seascape, advancing skill levels and two player option. Early reviews are outstanding!



REAR GUARD:

Waves of Cyborg ships are attempting to attack your fleet's crew pods. If they penetrate your defenses, they'll kamikaze your fleet. The enemy is relentless, your crew pods weaponless, your firepower endless. Are you made of the right stuff to successfully defend your fleet?! FIND OUT NOW!

Rear Guard Features: Incredible 3-D scrolling planet-scape, sound, Arcade Action Graphics(tm), nearly two dozen types of enemy craft, two player option and running high score.

Prices subject to change without notice



To order, see your local dealer. If he does not have the program you want, then call 1-800-327-7172 (orders only) or write for our free catalog.

Published by **ADVENTURE INTERNATIONAL**
a subsidiary of Scott Adams, Inc.

BOX 3435 • LONGWOOD, FL 32750 • (305) 830-8194



Write the fastest Basic program in town.

A Basic Compiler in Basic

Dr. Dimitri P. Bertsekas
M.I.T., Rm. 35-210
Cambridge, MA 02139

The TRS-80 is not the world's fastest number cruncher. For example, inverting a 15 by 15 matrix takes three and a half minutes. A compiler that translates a Basic program into machine language will make it run much faster.

A compiler to translate ordinary Basic programs is probably the most valuable kind of compiler for the TRS-80. If you have one, you can write and debug your program using the convenient Basic interpreter and then compile the final program to gain a speed advantage. Since compilation is a long process in an inherently slow micro you would rather not compile each time you make a small program correction.

I became interested in a Basic compiler soon after I obtained my computer. I also became interested in exploring machine language and it occurred to me that I could write a simple compiler in Basic without excessive effort. The "Tinycomp" article by D. Bohlke (80 Micro, May 1980) gave a Basic program that could translate a few Basic statements into pure machine code.

I intended to add a limited vocabulary of floating point operations to the Tinycomp program. However, I gradually implemented a complete set of single precision operations, including trigonometric, logarithmic, and exponential functions as well as parenthesized expressions. Integer arithmetic, loops and conditional branching came next. Then I introduced a function that exchanges variable values with the interpreter. I finally added Set, Reset, Point, PEEK, POKE and string handling capabilities that allow you to enjoy the spectacular speed advantages of machine language graphics.

The compiler produces machine code that uses subroutines available in ROM. The excellent booklet by J. Blattner and B. Mumford, "Inside Level II" describes these

routines and proved invaluable in writing the program. Using ROM routines limits the size of the machine code produced. On the other hand, the ROM routines are slow in part because they include error-checking and handling routines.

The compiler will accelerate your programs by varying amounts depending on their nature. Programs involving primarily integer arithmetic and graphics can be accelerated by 50 to 100 times. Programs involving primarily single precision floating point operations are accelerated by a more modest amount (3 to 20 times is a ballpark figure). Even so, the gain is considerable and it may just keep you from getting into the trouble (and expense) of running your program at the nearest computer center.

I want to warn you that this is *not* a comprehensive professional compiler. There is only one such compiler currently on the market and it costs \$195. Less comprehensive compilers cost close to \$90. My compiler is written in Basic and is therefore slow (it generates roughly 500 bytes of machine code per minute during compilation). On the other hand, it produces machine code that runs at least as fast as that produced by the commercial compilers (and in some cases faster); it is adequate for many purposes and it is free. Furthermore, it provides you with the challenge of modifying and improving it to suit your purposes better.

What the Program Does

The compiler in Program Listing 1 (lines 501-7200) can translate into pure machine code an ordinary Basic program written and debugged using the interpreter. You can execute the machine code from Basic via a USR call an unlimited number of times during any single program run. Each time, you can pass (using machine or Basic code) an unlimited number of integer or single precision variables from the Basic portion of the program to the USR and vice versa. The compiler translates a fairly complete subset of floating point operations involving single precision variables and one and two-dimensional arrays, together with branching operations and For...Next loops. It also translates a limited subset of integer arithmetic, string handling, and graphics state-

ments. You can use Basic to perform all operations not supported by the compiler and pass control to the machine code at the appropriate times via USR calls. You can save the machine code on disk and load it into RAM when needed. Alternatively you can translate it into data statements, and merge it into a single Basic program with any ordinary noncompiled Basic statements.

I wrote the program on a 48K Model I TRS-80 with NEWDOS80. It works without modification on any 32K or 48K Model I TRSDOS 2.3 system. It works also in a 32K or 48K Level II system provided you modify the DEFUSR0 statement in line 1300. You can also use it to compile small programs in a 16K cassette system provided you make some minor modifications described later. I tried the compiler on a friend's Model III and was pleasantly surprised to find that all my test programs compiled and ran without problems. While I cannot be sure about this, it appears that the compiler can be used on a Model III.

To use the program properly you must learn how machine code stores variables and the nature and syntax of Basic statements that can be correctly compiled.

Variables and Storage

The compiler accepts only three variable types and stores each variable in fixed memory locations. The storage method is identical in all cases to that used by the Basic interpreter.

There are 26 possible integer variables denoted A%-Z%. Each integer is stored in two successive bytes in the memory area VT to (VT+2*26) where VT is MS minus 2*26 and MS is the end of the storage area set by the user. Thus A% is stored in locations VT and VT+1, B% is stored in VT+2 and VT+3 and so on (see line 1015).

There are 286 possible simple single precision (SP) variables denoted by a single letter A-Z, or by a letter followed by a single decimal number. Thus the possible simple SP variables are A, A0-A9, B, B0-B9, . . . Z, Z0-Z9. Each variable is stored in four successive bytes in the memory area starting at memory location VF (see line 1015). Thus A is stored in VF through VF+3, B is stored in VF+4 through VF+7 and so on. Then A0 is stored following Z, B0 following A0, A1

The Key Box

Model I
48K
NEWDOS80

Verbatim Datalife™ flexible disks now come in a bold, new storage box. But more important, they now come to you with a five year warranty.*

We can give you a warranty this long because we're confident the way we make Datalife disks will make them perform better, last even longer.

All of our Datalife disks feature seven data-shielding advances for greater disk durability, longer data life. To protect your data from head-to-disk abrasion. To shield your data against loss due to environmental conditions. To insure a longer lifetime of trouble-free data

recording, storage and retrieval.

Every Datalife disk is extensively tested under the most extreme conditions. Critically-certified to be 100% error-free. Assuring you an added margin of performance, no matter what the operating conditions.

And we back it up with a five year warranty. Five times longer than the industry standard. Because Verbatim is the standard of excellence.

For flexible disks you can depend on—a lot longer—call (800) 538-1793. In California, or outside the U.S. call (408) 737-7771

collect for the name of your Verbatim dealer.

If you want longer data life, keep all your data on Verbatim Datalife. Our name is the promise. Our warranty is the proof.



Verbatim®

Here's the most exciting part of Verbatim's new packaging.

5 Year Warranty

STILL LOADING SYSTEM TAPES AT 500 BAUD?



With our **COPY** program you read a system tape into memory, then write it back to tape at 500 or 1500 baud

Make as many copies as you need

Great for back-ups

model III tape, just **5.95**
NJ residents add 5% Sales Tax

Write for our free Price List



DCS SOFTWARE

86 Mansel Drive, Landing, N.J., 07850

✓517



(201) 398-8281

OR

(201) 689-6840

Looking for a Spelling Checker?
Get more than just a spelling checker — get

HEXSPELL 2™ the EVERYTHING checker

PRESS: (L) LEARN WORD (R) REPLACE WORD (S) SKIP WORD
WORD IN ERROR: mistake

This is an example of a text being checked by HEXSPELL. The text scrolls up the screen as it is checked. When an error is detected, you have three choices:

1) REPLACE the incorrect word. The replacement word is INSTANTLY RE-CHECKED for correctness, then inserted in the text.

2) The word is correct, leave it as it is.

3) Tell HEXSPELL to LEARN this word for future reference, with just one keystroke.

Hexspell requires just one step to check and correct a text, and learn new words. Your document is ready to print as soon as Hexspell is finished. A word that is in error e.g. mistake is highlighted in the text for easy correction.

Hexagon Systems is proud to announce another first in text checking — an everything checker. Hexspell 2 checks not only dictionary words, but learns and checks codes, formulae and numbers which are so essential in many commercial and technical documents. With Hexspell 2 you define what characters make up a word, then teach Hexspell the new "words" it needs to check your text. This advanced system builds on the unique features of the original Hexspell (the first TRS-80 spelling checker). Hexspell 2 features a one-step interactive process, a word list that adapts itself to your word usage, a 25,000 word initial word list and more than three years of research and experience.

Hexspell 2 upgrade for registered owners of Hexspell Vers. 1 — \$35 from Hexagon Systems or your nearest dealer.



Hexspell requires a TRS-80 Mod I or Mod III with 2 drives and 48K.


US \$99

**HEXAGON
SYSTEMS**

P.O. Box 397, Station A
Vancouver, B.C. Canada V6C 2N2
Telephone (604) 682-7646
Micronet 70235,1376

✓46

COMPUTER KITS — FROM \$69.95



LNW SEMI-KITS can save you hundreds of dollars. By obtaining your own parts at the lowest possible cost and assembling the **LNW SEMI-KITS**, you can have the most highly acclaimed microcomputer in the industry — the **LNW80**. The **LNW SEMI-KITS** are affordable modules. You can start with a modest cassette system and expand to a full 4Mhz TRS-80 compatible system with 5 or 8 inch double density disks and color at any time.

A. LNW80 CPU — Made of high quality FR4 glass epoxy double sided circuit material, with plated-through holes and gold edge connector. It is fully solder-masked and silk screened. Here are just some of the outstanding features you will have when your **LNW80 CPU** board is fully assembled:
• 16K RAM • Color and black and white video • 480 x 192 high resolution graphics • 64 and 80 column video • 4 Mhz Z80A CPU • Upper and lower case display • 500 and 1000 baud cassette I/O — \$89.95

B. SYSTEM EXPANSION — Expand the **LNW80** computer board, **TRS-80** and **PMC-80** computer with the following features: • 32K memory • Serial RS232C and 20Ma port • Real time clock • Parallel printer port • 5 inch single density disk controller • Expansion bus (screen printer port) • Onboard power supply • Solder-masked and silk screened legend — \$69.95 (tin plated contacts) — \$84.95 (gold plated contacts)

C. KEYBOARD — 74 key expanded professional keyboard — includes 12 key numeric keypad. Fully assembled and tested. — \$99.95

D. COMPUTER CASE — This stylish instrument-quality solid steel case and hardware kit gives your **LNW80** that professional factory-built appearance. — \$84.95 Add \$12.00 for shipping.

E. SYSTEM EXPANSION CASE — This stylish instrument-quality solid steel case and hardware kit gives your **SYSTEM EXPANSION** interface that professional factory-built appearance. — \$59.95 Add \$10.00 for shipping.

F. LNW80 CPU — HARD TO FIND PARTS KIT — \$82.00

G. LNW80 VIDEO — HARD TO FIND PARTS KIT — \$31.00

H. SYSTEM EXPANSION — HARD TO FIND PARTS KIT — \$27.50

I. LEVEL II ROM set. (6 chip set) — \$120.00

VISA and MasterCard accepted. Add \$3.00 for shipping plus \$1.00 for each additional item. All shipments via UPS surface. Add \$2.00 for U.S. Mail. Shipments outside continental U.S.: funds must be U.S. dollars. Sufficient shipping costs must be included with payment.

ORDERS & INFORMATION — (714) 544-5744
SERVICE — (714) 641-8850

LNW Research Corp.

2620 WALNUT Tustin, CA. 92680

✓33

following Z0 and so on. You can control the number of simple SP variables and economize in storage space by modifying the parameter IS in line 1010. This parameter specifies the number of available variables per letter in addition to the letter itself. If you set IS to zero, only the variables A-Z are allowed. If IS equals five, only the variables A, A0-A4, ...Z, Z0-Z4 are allowed.

One and two-dimensional arrays are denoted A(IV) or A(IV1,IV2) where IV, IV1, and IV2 stand for integer variables and A can be replaced by any letter. The number and the dimension of possible one-dimensional arrays are denoted NO and DO where $NO \leq 26$ (see line 1010). For example, if you set $NO=26$ and $DO=10$, the arrays A(IV)-Z(IV) are available and the integer variable IV must take values from 0-9. If $NO=2$, only the arrays A(IV) and B(IV) are used. One-dimensional arrays are stored consecutively starting at location VA (see line 1015). If $DO=20$, the array A(IV) occupies the first 80 bytes starting at VA, the array B(IV) occupies the next 80 bytes, and so on. This makes it possible to safely use larger arrays than specified by dimension DO provided you do not use arrays stored in immediately higher locations. For example, you can use A(IV) as a 60-dimensional array even if $DO=20$ as long as you do not use the arrays B(IV) and C(IV) and the parameter NO has a value greater than 2. You can use this device in the sorting program of Listing 1. Because only the array A(IV) is used, it is possible to sort arrays of dimension up to 520 with the parameters DO and NO at the values 20 and 26 specified in line 1010.

All two-dimensional arrays are assumed to be square. NT and DT denote their possible number and dimension where

$0 < NT \leq 26$ (see line 1010). If $NT=2$ and $DT=20$, you can use only the arrays A(IV1,IV2) and B(IV1,IV2) in the portion of the program to be compiled and each integer variable IV1 and IV2 should be between 0 and 19. The compiler stores two-dimensional arrays in the same way as the interpreter, starting in memory location VD (see line 1015).

The compiler treats variables such as A, A(IV), A(IV1,IV2) as different; each index of an array must be an integer variable and not an integer constant. The compiler will accept A(1%), but A(2) will produce an error message.

There are at most 26 possible string variables denoted A\$-Z\$. SL denotes the length for each (including blanks) and is set by the user (see line 1010). NS denotes the number of strings allowed and again is set by the user (see line 1010). If $NS=2$, you can use only the string variables A\$ and B\$; if $NS=26$, you can use all 26 string variables A\$-Z\$. String storage begins in location VS (see line 1015).

The machine code uses a temporary storage area of length $SL+1$ beginning in location VN (see line 1005). The machine code itself is stored from location MC to the top of the available memory. If you use only one USR in the composite Basic-machine code program, ordinarily you must set MC equal to MS.

If the preceding discussion seems confusing use the values of Listing 1 for variable and code storage. This allows you 2500 bytes of machine code; the integer variables A%-Z%; the simple SP variables A-Z, A0-A9, ..., Z0-Z9; the one-dimensional arrays A(IV)-Z(IV); and the two-dimensional

What's After Basic?

If you ever wished that you had a better programming language, PASCAL 80 may be the language you dream about. It is a compiled language, faster, more accurate and easier to modify than Basic. Yet it is so easy to use that you can forget the hassles and diskette spinning of other compiled languages, including other versions of Pascal.

Now you can create your own command files that execute from DOS without having to load a language into the computer first, but do it with far less work than machine language. You can sell your compiled programs without any royalty payments!

Although designed for teaching and ideal for that purpose, PASCAL 80 also allows serious applications with a full fourteen digits of accuracy, even on log and trig functions!

Both random and sequential access files are supported, without cumbersome format statements.

PASCAL 80 offers most of the features of ISO Standard Pascal as well as a number of useful extensions, including CLS, PEEK, POKE, CALL and graphics commands. Pascal 80 extensions include the use of READ and WRITE with record oriented files, ELSE in CASE statements, and other useful features.

PASCAL 80 allows you to create files on the TRS-80® Model I, Model III, LNW-80, PMC-80, or LOBO MAX-80 that will run on any of the other machines under TRS-DOS®, LDOS, NewDOS, NewDOS 80, DBL-DOS or DOS Plus.

PASCAL-80

PASCAL 80 is used in dozens of High Schools, Colleges, and Technical Schools, and has been favorably reviewed in Byte, Creative Computing, and other magazines.

You get all of this at a bargain price of only \$99 plus \$2 shipping. If you call and order by MasterCard or VISA, we will even credit you \$1 for the phone call. Call or send your check today!

NEW CLASSICS SOFTWARE



239 Fox Hill Road
Denville, NJ 07834
(201) 625-8838



TRS-80® and TRS-DOS are trademarks of Radio Shack. LNW-80 of LNW Research, PMC-80 of Personal Micro Computers, LOBO, LDOS, and MAX-80 of Lobo Systems, DOS-Plus of Micro Systems Software, NewDOS and NewDOS 80 of Apparat, and DBL-DOS of Percom. PASCAL 80 is a trademark of New Classics Software. Pointer Variables, Variant Records, NEW, DISPOSE, WITH, GET, and PUT are not implemented in PASCAL 80.

Integer Variable (IV): One of the variables A%-Z%.

Single Precision Variable (SPV): A simple variable A-Z, A0-A9 ... Z0-Z9 or a one or two-dimensional array element.

String Variable (SV): One of the variables A\$-Z\$.

Constant (C): Any integer or decimal number.

Possible Integer (PI): Any integer in the range minus 32767 to 32767.

One Byte Integer (OBI): Any integer in the range 0-255.

String (S): Any sequence of blanks or printable characters enclosed in quotation marks (the right quotation mark is optional if the string lies at the end of a line).

Integer Expression (IE): A sequence of the form $X_1sX_2sX_3s \dots$, where X_1, X_2, X_3, \dots is a positive integer less than or equal to 32767 or an integer variable, and s is either plus or minus. The sequence may begin with a minus sign but not with a plus sign or a zero followed by a plus sign. Parentheses are not allowed (and not needed). The compiler evaluates integer expressions in the same way as the interpreter but if the result is outside the range minus 32767-32767 the machine code will not indicate an error.

Single Precision Expression (SPE): An arbitrarily parenthesized legal Basic expression involving constants, single precision or integer variables, the operators +, -, *, /, [, and the functions RND(0), SQR, ABS, LOG, EXP, COS, SIN, TAN, ATN. Here are some examples of SPE's:

- a) $-(1 + \text{SQR}(1.2 * A\% + \text{SIN}(A(I\%, J\%)*2.5)))$
- b) $\text{LOG}(\text{EXP}(B0 + C)/2.3 + 1) * B\%$
- c) $(-1.2 + 3.4)$
- d) $(I\%)$

Note: There is a major difference in the way the compiler and the interpreter evaluate SPE's. The interpreter evaluates each parenthesized expression by first carrying out the [operations from left to right, then the * and / operations from left to right and then the + and - operations from left to right. The compiler, however, orders all operations from left to right within a parenthesized expression regardless of their nature. For example, the compiler codes $(1 + A * B/2)$ as if it were $((1 + A) * B)/2$. This coding method is a nuisance. I have used it to simplify the program and speed the compilation process. Be careful that the compiler will code each program statement as you intend. You may have to reorder the operations in the expression or appropriately parenthesize so the interpreted code and the compiled code produce the same results. For example, rewrite the ordinary Basic expression $A + (B + 2 * C) * (D + E)$ as $(2 * C + B) * (D + E) + A$ or parenthesize it as $A + ((B + (2 * C)) * (D + E))$. Parentheses do not slow down the machine code produced; use them freely when in doubt.

Table 1. Definitions and Abbreviations

SFINKS 3.0 CHESS PROGRAM



PRIZE WINNER
1981 Paris
World
Microcomputer
Chess
Championship

the
finest
available!

See 80 U.S.
June 1982

- 32 book openings
- chess clock
- printer output
- problem mode
- audio alert
- thinking on opponent's time
- infinite levels

32K
Model 1 (E.I.)
or Model 3
tape or disk
only
\$39.95

SFINKS 1.81 Plays Chess Pre-Chess and Transcendental Chess

PRIZE WINNER
1980 San Jose
U.S.
Microcomputer
Chess
Championship

- nine levels
- problem mode
- move suggestion
- move take back
- audio alert
- good documentation

32K
Model 1 or 3
tape or disk
only
\$24.95

SFINKS CHESS TUTOR Learn to play chess

Step-by-Step
Programmed
Learning
for the
Newcomer

- tutor
- 3 level game
- problem mode
- audio alert
- printer output
- book openings
- superb graphics

32K
Model 1 or 3
disk only
only
\$19.95

Please specify
tape or disk and
Model 1 or 3
Include \$2.00
Shipping
WILLIAM FINK
SUITE 24B
1105 N. MAIN ST.
GAINESVILLE, FL
32601

**EXCEPTIONAL
DEALER
DISCOUNTS**
(904) 377-4847



arrays A(IV1,IV2), B(IV1,IV2) where IV, IV1, IV2 can take values from 0 to 19. It also allows you the string variables A\$-Z\$ which must have a length from 0-40. If you have

48K or 32K of RAM, set the value of MR in lines 1010 and 1300 to zero or one respectively. The machine code uses 10163 bytes of memory with this allocation. When com-

Let: There are several types of LET (assignment) statements; in each case the LET keyword is optional.

- 1) X = Y (Integer LET)
X: IV
Y: IE or INT(SPE) or PEEK(PI) or PEEK(IV) or POINT(Z1,Z2) where Z1,Z2: IVs or OBIs
- 2) X = Y (Single Precision LET)
X: SPV
Y: SPE
- 3) X = Y (String LET)
X: SV
Y: S or CHR\$(Z1)[+ CHR\$(Z2)[+ CHR\$(Z3)[+ ... where Z1, Z2,... are IVs or OBIs

Note: String addition and other string manipulation operations are not supported. However, it is possible to print concatenated strings using the Print statement.

Print: There are several types of Print statements:

- 1) PRINT (Line feed and carriage return)
- 2) PRINT X1 [;] X2 [;] ...
X1, X2, X3,... SPEs or SVs or Ss
- 3) PRINT @ X,Y1 [;] Y2 [;] ...
X: PI in the range 0-1023 or IV
Y1, Y2, Y3,... SPEs or SVs or Ss
- 4) PRINT @ X,Y
X: PI in the range 0-1023 or IV
Y: CHR\$(OBI)[+ CHR\$(OBI)[+ ...

Note: The Print statements do not support tabs in the form of commas. Executing PRINT@X,Y (#4 above) does not affect the cursor's position, in variance with the corresponding function of the interpreter. The interpreter advances the cursor one position after printing a number but the code produced by the compiler when translating the Print statements 2 and 3 above does not.

If...Then...Else: The format of this statement is

```
If X rel Y Then (line #) [;] [Else... ]
where
rel is any one of =, <, >, =, <=, >=, <>, ><
X is an IV or a SPE that does not begin with an IV
Y is a SPE, but if X is an IV then Y must be an IV or a PI
Then can be replaced by GOTO or by Then GOTO
Else can be followed by any other legal statements including another If...Then statement.
```

Note: If X is an integer variable and Y is a SPE which is not an IV or a PI the compiler will give an error. If you compare an IV with a SPE other than the above type, code the statement as in (I%) rel SPE or SPE rel I%. Note that an If...Then statement involving integers will execute much faster than one involving SPEs.

GOTO (line #):

GOSUB (line #):

RETURN:

For X = Y1 To Y2:

X: IV
Y1, Y2: IV or PI

Note: Y1 must have a value less than or equal to that of Y2 and the Step option is not supported. If Y1 has a larger value than Y2, the program will get caught in an infinite loop, give incorrect results, or hang up. The compiler does not check for this error.

Next X:

X: IV

Notes: The integer variable X must be explicitly stated. An unlimited number of nested For...Next loops is allowed but the loops and the corresponding variables must be properly matched and nested. For example the code

```
FOR I% = 1 TO 10:FOR J% = 1 TO 10:NEXT I%:NEXT J%
```

will be compiled with no indication of error but will crash upon execution. It is not legal to jump to a line outside the range of a For...Next loop from a line inside the loop. Code that violates this rule will be compiled with no indication of error but crash upon execution. The value of the loop control variable X is available for use and can be changed during execution of the loop. It is incremented from its current value each time a pass through the loop ends.

Input X:

X: IV or SPV. The constant keyed in should not have more than six digits. If X is an IV, it is not necessary that the constant keyed in is an integer. The code automatically truncates it to an integer. If the absolute value of the constant is larger than 32767 and X is an IV a fatal error will occur.

POKE X, Y:

X: IV or PI
Y: IV or OBI

SET(X,Y); RESET(X,Y):

X,Y: IV or OBI within the legal range of the Set and Reset functions

CLS:

Rem (or '):

The compiler skips over lines beginning with Rem or '.

End:

It is mandatory to have an End statement at each point where you wish the USR to return to Basic. This statement is translated as a Return to the point where the USR was called.

Table 2. Program statements that can be compiled

IT'S YOUR MOVE

MAKE YOUR MOVE NOW ON COMPUTER SUPPLIES
FROM CHECK-MATE™

RADIO SHACK* LINE PRINTER RIBBONS

LINE PRINTERS I, II & IV

(Radio Shack P/N's 26-1150, 26-1152, 26-1154)

\$2.99 Ea. \$31.99 Doz.

LINE PRINTER III & V

(Radio Shack P/N 26-1414)

\$6.49 Ea. \$73.99 Doz.

DAISY WHEEL LINE PRINTER

(Radio Shack P/N)

26-1419

26-1449

\$6.49 Ea. \$73.99 Doz.

Multi Strike
Nylon

EPSON RIBBONS MX - 80

THE EPSON MX - 80 CARTRIDGE
AND

MX-100

ZIP BOX REFILLS DESIGNED TO FIT
THE EPSON MX - 100 REFILLABLE CARTRIDGE
AT

\$9.95 Ea. \$107.46 Doz.

LABEL SPECIALS

3 1/2 x 15/16" 1-up pin-feed Labels

NOW \$2.99/M (5M Minimum)

3 1/2 x 15/16" CONTINUOUS LABELS
2-ACROSS ON 9 1/2" FIXED CARRIER

NOW \$3.99/M (10M Minimum)

ALL PRICES INCLUDE SHIPPING IN CONTINENTAL U.S. (MASS. RESIDENTS ADD 5% SALES TAX)
MINIMUM ORDER FOR RIBBONS \$29.85

*RADIO SHACK IS A REGISTERED TRADEMARK OF THE TANDY CORP.

Check-Mate™



POST OFFICE BOX 103 RANDOLPH, MA 02368
CALL TOLL FREE (800) 343-7706 / IN MASSACHUSETTS (617) 963-7694
CALL OR WRITE FOR OUR FREE CATALOG

TAX PREPARERS!

PROFESSIONAL FEDERAL INCOME TAX PROGRAMS

FOR TRS-80 MODEL I, II OR III

- Cuts manual production by as much as 75%.
- Determines least tax quickly.
- Saves input information on disk—automatic transfer of essential information.
- Batch processing possible.
- Uses IRS prescribed computer generated print outs.
- Prohibits bypassing of mandatory entries.
- Accuracy assured by triple check logic.
- Enter only pertinent lines—faster than line by line.
- Single line correction with automatic update of succeeding totals.
- Professionally used—nationally advertised.
- Overlays available for 1040 & 1040A.
- Requires 2 disk drives & 48K.

• BASIC PACKAGE \$150.00 •
INCLUDES 1040, 1040A, AND
SCHEDULES A & B
EXTRA SCHEDULES \$35.00
MANUAL AVAILABLE FOR \$5.00



MICRO-TAX

P.O. Box 4262, Mountain View, CA 94040

Call: (415) 964-2843




✓ 339

SPIKE-SPIKERS™

Protect-Control-Organize

Computers & sensitive electronic equipment.
Helps prevent software "glitches", unexplained
memory loss, and equipment damage



Deluxe Power Console
\$79.95

PROTECTS with transient
absorber & dual five-stage
filter. Absorbs power line
transients & filters out RFI
"hash."

CONTROLS with 8 individ-
ually switched 120 vac
grounded outlets. Main on-
off switch, fuse & indicator
light.

ORGANIZE your computer
& other equip. power cords.
No more overloaded octopus
cube taps.

2-Socket Plug-In Models

MINI-I

Transient absorber only

\$34.95

MINI-II

Transient absorber plus
3-stage RFI "Hash" filter

\$44.95

4-Socket Plug-In Model with Light

QUAD-I

Transient absorber only

\$49.95

QUAD-II

Transient absorber plus
dual 3-stage RFI "Hash" filter

\$59.95

Order Factory Direct

215-865-0006

Out of State Order Toll Free

800-523-9685

PA Res. add 6%

COD Add 3.00 + Shipping

Dealers Invited



✓ 485

Electronics Co. Inc.

Colony Drive Ind. Park

6584 Ruch Rd., Dept. MC

Bethlehem, PA 18017

PA Res. add 6%

COD Add 3.00 + Shipping

Dealers Invited

N%	Interpreted Basic	Compiled Basic	Fortran
10	32	3	5
20	234	21	35
30	768	65	106

Table 3

piling, set memory size one less than MC and when running the compiled program, set memory size one less than VN. If you have 32K or 48K of memory and you change the storage parameters in the program, the variable storage area should not extend into the bottom 16K of RAM (VN should be larger than minus 32768).

The dimensions of arrays L1, L2, and A defined in line 1000 determine the maximum size of a program that can be compiled. The dimension of L1 and L2 is the maximum number of Basic program lines that can be compiled. The dimension of A is the maximum number of jumps (GOTOs and GOSUBs) that can be compiled. Change these dimensions to suit your needs. Listing 1 allows 100 program lines and 50 jump statements.

Syntax

It is important that each statement to be compiled follow certain rules. The compiler will indicate an error most of the time, but some errors may go undetected. Upon execution, your compiled program may give you incorrect results or crash altogether. The following points will help you avoid this pitfall.

- Each correctly coded statement will produce (except for inessential differ-

ences in the print statement described later) the same results in Basic as in machine code. Be sure to read carefully the notes regarding single precision expressions.

- You must initialize each variable before you use it in the right side of an assignment statement or in a print statement. In contrast, the interpreter automatically initializes all variables to zero (or to the empty string, in the case of a string variable).

- The compiler generally ignores blanks in coded statements as does the interpreter, but no blanks should appear in a variable name or on either side of an = symbol.

- Multiple statement lines are allowed.

Table 1 lists definitions and abbreviations that will make statement description easier.

Table 2 lists the types of program statements that can be compiled.

Exchanging Variables

Because many normal functions of the Basic interpreter cannot be compiled (disk and cassette I/O or Print Using, for example) it is essential to be able to interface the machine code harmoniously with the Basic code. One (but not the best) way of doing this is based on the fact that machine code

Program Listing 1

```

0 ' *** PROGRAM LINES 10-500 AND 10000-10090 ARE A SAMPLE PROGRA
M READY FOR COMPILE
10 ' *** NUMERICAL ARRAY SORTING (FROM LEVEL II MANUAL)
20 ' *** PASS ARRAY AB FROM BASIC TO USR ***
30 N%=0+N%
40 FOR I%=1 TO N%:I%=1*I%:A(I%)=0+AB(I%):NEXT I%
50 ' *** SORTING PROGRAM BEGINS ***
60 D%=1
70 D%=D%+D%:IFD%<N%THEN70
80 D%=INT((D%-1)/2):IFD%=0 THEN 140
90 T%=N%-D%:FORI%=1TOT%:J%=I%
100 L%=J%+D%:IFA(L%)>A(J%) THEN 120
110 T=A(J%):A(J%)=A(L%):A(L%)=T:J%=J%-D%:IFJ%>0 THEN100
120 NEXTI%:GOTO80
130 ' *** PASS ARRAY A FROM USR TO BASIC ***
140 FOR I%=1 TO N%:I%=1*I%:A(I%)=1*AB(I%):NEXT I%
500 END
501 '***** BASIC COMPILER *****
502 '*** COPYRIGHT 1981 BY D. P. BERTSEKAS, BELMONT, MASS.
503 '*** PERMISSION TO USE; NOT TO SELL
510 '***** PEEK & POKE ROUTINES *****
512 POKEM,P:PRINTP;M=M+1:RETURN
514 PC=PEEK(Q):PN=PEEK(Q+1):Q=Q+1:IFPC=32THEN514ELSEIFPC=0C=2:RE
TURNELSERETURN
518 IFPC<65ORPC>90THEN522ELSERETURN
520 IFPN<>37THEN522ELSEQ=Q+1:RETURN
522 PRINT:PRINT"ERROR LINE #";L1(L-1):END
524 PRINT@0,F$;PRINT@64,CHR$(30):RETURN
529 '***** SINGLE PRECISION ASSIGNMENT ROUTINES *****
530 ' ROUTINE TO FIND VAR. ADDRESS PARAMETERS
535 GOSUB514:GOSUB518:V1=PC-65:IFPN<48ANDPN>57ANDPN<>213ANDPN<>4
0ANDCN<>1THEN522
538 IFPN>47ANDPN<58MI=PN-47:GOSUB514ELSEMI=0

```

Program Listing 1 Continues

As Easy As...



TRS-80 Disk & Other Mysteries

by H.C. Pennington

This book is the definitive authority on data recovery for the TRS-80 Model I disk system. In almost every case, lost data can be recovered and this book tells you how to do it. From clobbered directories to parity errors, this profusely illustrated data recovery cookbook includes examples and step-by-step instructions for both beginners and professionals.

132 pages. \$22.50

Microsoft BASIC Decoded & Other Mysteries

by James Farvour

This book is the only one of its kind. You will learn how the TRS-80 Model I BASIC interpreter works from power-up to power-down. It has the complete disassembled Microsoft BASIC Level II interpreter with over 13,000 lines of detailed comments in one volume. The math, arithmetic and utility routines are fully explained with examples on how to use them. An incredible learning aid for the beginner and a valuable reference for the professional.

312 pages. \$29.95

The Custom TRS-80 & Other Mysteries

by Dennis Bathory Kitsz.

A complete hardware/software how-to-do-it like reverse video, high res graphics, audible keystrokes, 8-track mass storage music synthesizer, and real time clock. Dozens of project hints, tips, and fixes complete with the interface software. If you are a beginner, there are chapters on wire-wrap, soldering and construction methods. If you are a professional, there is a wealth of technical detail.

332 pages. \$29.95

BASIC Faster and Better & Other Mysteries

by Lewis Rosenfelder

BASIC is not nearly as slow as you think! This book shows you how to make it faster and better with techniques and tricks that you never dreamed of for Model I, II and III disk systems. You won't find trivial, poorly designed "check-book" programs here – only useful BASIC techniques and code ready for use in YOUR programs. Tutorial for the beginner, instructive for the advanced, and invaluable for the professional. All routines are available on disk.

290 pages. \$29.95

Learn about your TRS-80 computer – it's as easy as 1-2-3-4. These books are easy to read and understand because they are written for you by people just like you. Here are answers and solutions without jargon. There are no end of chapter "tests" – no incomprehensible math formulas – no textbook explanations – just straightforward, plain English.

You will learn how to recover "lost data" on disk, how the BASIC interpreter works, how to make BASIC run faster and better, and how to modify and interface your TRS-80. In other words, you will learn how to make your computer do all the things you want it to do. It's as easy as 1-2-3-4.

Available at computer stores, B. Dalton Booksellers and independent book dealers. **BASIC Faster and Better** is also available at all RADIO SHACK Computer Centers and selected RADIO SHACK stores. (Cat. No. 62-1002) If your dealer is out of stock, order direct. Include \$4.00 for shipping and handling. Foreign residents add \$11.00 plus purchase price, in U.S. funds.

TRS-80 trademark TANDY Corp.



**1953 West
11th Street
Upland, CA
91786**


```

540 IFPN=213Z1=1:RETURN
545 IFPN=40GOSUB514:GOSUB514:GOSUB518:V2=PC-65:GOSUB520:GOSUB514
ELSEIFCF=1Z1=1:RETURN
550 IFPC<>41ANDPC<>44THEN522
555 IFPC=41Z1=2:RETURN
560 IFPC=44GOSUB514:GOSUB518:V3=PC-65:IFV1<0ORV1>=NTTHEN522ELSEG
OSUB520:Z1=3:GOSUB514:IFPC<>41OR(PN<>213ANDCF<>1) THEN522ELSERETU
RN
564 ' ADDRESS COMPUTATION ROUTINE
565 ONZ1GOSUB570,575,580:RETURN
570 IFMI>ISTHEN522ELSEC1=VF+(V1+MI*26)*4:GOSUB836:GOSUB902:RETUR
N
575 V7=V1:V8=V2:GOSUB610:RETURN
580 V7=V1:V8=V2:V9=V3:GOSUB620:RETURN
600 ' ARRAY PORTION OF ADDRESS ROUTINE
610 V0=V8:GOSUB912:GOSUB906:C1=VA+V7*DO*4:GOSUB836:GOSUB900:GOSU
B904:RETURN:' 1-D ARRAY
620 V0=V9:GOSUB912:P=41:GOSUB512:C1=VD+4*NT*DT*DT+2*V7*DT:GOSUB8
36:GOSUB900:GOSUB904:P=94:GOSUB512:P=35:GOSUB512:P=86:GOSUB512:V
0=V8:GOSUB912:GOSUB906:GOSUB904:RETURN:' 2-D ARRAY
699 ' ROUTINE TO EVALUATE SINGLE PRECISION EXPRESSIONS
700 GOSUB514:IFPC<>206GOTO704
702 E1=0:D1=0:GOSUB902:GOSUB926:GOSUB926:GOTO714:'TAKES CARE OF
LEADING <-> SIGN
704 GOSUB730
706 GOSUB514:IFC=2ORPC=41ORPC=58ORPC=59ORPC=212ORPC=213ORPC=214O
RPC=141ORPC=202THENRETURN:'PEEK NEXT BYTE; IF TERMINATOR RETURN
708 GOSUB934:'MOVE INTERIM RESULT FROM 4121H STORAGE AREA TO STA
CK
710 ' MOVE NEW VARIABLE TO 4121H AREA; POP BCDE; OPERATE
712 IFPC=205GOSUB514:GOSUB730:GOSUB936:GOSUB940:GOTO706:'ADD
714 IFPC=206GOSUB514:GOSUB730:GOSUB936:GOSUB942:GOTO706:'SUBTRAC
T
716 IFPC=207GOSUB514:GOSUB730:GOSUB936:GOSUB944:GOTO706:'MULTIPL
Y
718 IFPC=208GOSUB514:GOSUB730:GOSUB936:GOSUB946:GOTO706:'DIVIDE
720 IFPC=209GOSUB514:GOSUB730:GOSUB936:GOSUB948:GOTO706:'EXPONEN
TIATE
722 GOTO522:'ERROR TRAP
729 ' ROUTINE TO EVALUATE CONSTANTS, VARIABLES & FUNCTIONS IN SI
NGLE PRECISION EXPRESSION & MOVE THEM TO 4121H STORAGE AREA
730 IF(PC<58ANDPC<47)ORPC=46GOSUB845:RETURN:'CONVERT CONSTANT TO
4-BYTE REPRESENTATION; MOVE IT & RETURN
732 IFPC=222GOSUB514:IFPC<>40THEN522ELSEGOSUB514:IFPC<>48THEN522
ELSEGOSUB514:IFPC<>41THEN522ELSEP=205:GOSUB512:P=240:GOSUB512:P=
20:GOSUB512:RETURN:'RND(0)
734 IF(PC<220ANDPC<229)ORPC=217ORPC=40THEN756ELSEIFPC<65ORPC>90T
HEN522:'IF FUNCTION GOTO 758
736 V4=PC-65:IFPN<47ANDPN<58THENME=PN-47:GOSUB514:Z2=1:GOTO746EL
SEIFPN<>40ANDPN<>37THENME=0:Z2=1:GOTO746ELSEIFPN=37THENZ2=4:GOSU
B514:GOTO746
738 GOSUB514:GOSUB514:GOSUB518:V5=PC-65:GOSUB520:GOSUB514
740 IFPC<>41ANDPC<>44THEN522
742 IFPC=41Z2=2:'1-D ARRAY
744 IFPC=44GOSUB514:GOSUB518:V6=PC-65:GOSUB520:Z2=3:GOSUB514:IFP
C<>41THEN522:'2-D ARRAY
746 ONZ2GOTO748,750,752,754
748 IFME>ISTHEN522ELSEC1=VF+(V4+ME*26)*4:GOSUB836:GOSUB902:GOSUB
932:RETURN
750 V7=V4:V8=V5:GOSUB610:GOSUB932:RETURN
752 V7=V4:V8=V5:V9=V6:GOSUB620:GOSUB932:RETURN
754 V0=V4:GOSUB912:P=34:GOSUB512:P=33:GOSUB512:P=65:GOSUB512:P=2
05:GOSUB512:P=204:GOSUB512:P=10:GOSUB512:RETURN:' CONVERT INTEGE
R VAR. TO SINGLE PRECISION
756 IFPC=40THEN776:'PARENTHESIS
758 Q=Q+1
760 IFPC=221THEN778:'SQR
762 IFPC=217THEN780:'ABS
764 IFPC=223THEN782:'LOG
766 IFPC=224THEN784:'EXP
768 IFPC=225THEN786:'COS
770 IFPC=226THEN788:'SIN
772 IFPC=227THEN790:'TAN
774 IFPC=228THEN792:'ATN
776 GOSUB700:GOTO794
778 GOSUB700:GOSUB952:GOTO794
780 GOSUB700:GOSUB954:GOTO794
782 GOSUB700:GOSUB956:GOTO794
784 GOSUB700:GOSUB958:GOTO794
786 GOSUB700:GOSUB960:GOTO794
788 GOSUB700:GOSUB962:GOTO794
790 GOSUB700:GOSUB964:GOTO794
792 GOSUB700:GOSUB966
794 IFPC<>41THEN522
796 RETURN
800 ' ***** CONVERSION ROUTINES *****
809 ' ROUTINE TO FIND LSB & MSB OF INTEGER NUMERIC STRING

```

Program Listing 1 Continues

stores its variables in fixed locations. It is possible for the Basic code to POKE appropriate values in these locations, where they are picked up by the machine code. For example, since we know the integer variable A% is stored by the machine code in locations VT and (VT + 1) we can pass the value of an integer variable AB% from Basic into the variable A% with the statements

```

I% = VARPTR(AB%):POKE VT,PEEK(I%):POKE
VT + 1,PEEK(I% + 1).

```

Upon return from execution of the machine code we can perform the reverse process via the statement

```

AB% = PEEK(VT) + 256*PEEK(VT + 1)

```

This method can be useful but is generally slow and cumbersome.

We can also exchange variable values using the two special statements $X=0+Y$, $X=1*Y$, where X is an integer or single precision variable of the machine code, and Y is an integer or single precision variable of the Basic code. The number of characters of the name of Y should be less than or equal to SL (see line 1010). Note that X and Y must be variables of the same type (both integer or both single precision).

When compiled and executed the statement $A\% = 0 + AB\%$ finds the address where the Basic interpreter stores the variable AB% and transfers the current value of AB% into the location where the machine code stores its variable A%. The statement $A\% = 1*AB\%$ performs the reverse process: It transfers the current value of the machine code variable A% into the Basic variable AB% (from where it can be picked up for disk or cassette I/O, for example, upon return from the machine code). If the Basic variable AB% has not yet been established the machine code automatically creates it with the corresponding ROM routine of the interpreter. As an example, consider the following two lines:

```

10 FOR I% = 0 TO 10:I% = 1*I%:A(I%) = 0 + VECTOR
(I%):NEXT I%
20 FOR I% = 0 TO 10:I% = 1*I%:FOR J% = 0 TO 10:J%
= 1*J%:A(I%,J%) = 1*MATRIX(I1%,J1%):NEXT
J%:NEXT I%

```

When compiled and executed, the first line transfers the elements 0-10 of the Basic one-dimensional array VECTOR into the corresponding elements of the machine code array A. The second line transfers the specified elements of the machine code array A into the corresponding elements of the Basic array MATRIX. If MATRIX or the integer variables I1% and J1% have not yet been established they will be created.

If the names of X and Y are identical, the statements $X=0+Y$ and $X=1*Y$ when executed in Basic while you are debugging will not interfere with the program's operation.

How to Use the Compiler

It takes planning and preparation to use the compiler. First, write your program in Basic, test it and debug it using the interpreter. During this stage try to use state-

ments and variables that the compiler will accept, and structure the program so it requires few modifications later. Then decide whether you will compile the entire program or only a part. Isolate that part and introduce interfaces for exchanging variables with the remaining parts using the statements $X=0+Y$ and $X=1*Y$ described earlier. Duplicate any subroutines used by both parts since the machine code cannot call Basic subroutines.

Renumber the part to be compiled so its line numbers are in the range 0-500 while the remaining part has numbers 10000 or higher. Test the program again by introducing GOTO statements at appropriate points to make sure it works after renumbering. Save the renumbered program, load the compiler and merge with it the renumbered Basic program. The utilities for carrying out the above are standard in disk systems. They can also be found in recent articles published in *80 Micro*.

At this point the long program in memory should include the compiler occupying lines 501-7200, the part of the Basic program you wish to compile occupying lines up to 500, and the remaining part of your Basic program (if any) occupying lines 10000 and above, as shown in Listing 1. Adjust the storage parameters in lines 1005 and 1010 if necessary, set memory size below MC and run 1000. The program first creates code to store addresses associated with two-dimensional arrays. This code needs to be executed only once in the compiled program and only if you use two-dimensional arrays. It will be created only if the number of available two-dimensional arrays NT (see lines 1010 and 1021) is not zero.

Following this preliminary code each line up to 500 will be successively compiled and the corresponding machine code will scroll on your screen preceded by the address where it gets stored. One or more colons separate the codes for multiple statements within the same line. After coding all lines the compiler adjusts jump addresses and then displays the start and end addresses of the machine code. If there is no Basic part in your program (in line 10000 and above) you can execute the machine code by pressing Enter. If there is a Basic part you should introduce a `USR` statement where you wish the program to branch to the machine code (see Listing 1, line 10060). You should then set memory size below VN (see line 1010) and run 10000. You may want to practice this procedure with the example sorting program given in Listing 1.

You can save the machine code with the Dump command if you have a disk system. You can then bring it back into memory at execution time by using the Load command. You can also embed the machine code in data statements with the Encoder or the Datagen programs (*80 Micro*, May 1981 and August 1981 respectively) and POKE it into memory from Basic whenever you want to execute it. You can create programs containing several USRs that share the same variable storage area. Each `USR`, of course, should be compiled separately and

Program Listing 1 Continued

```

810 C$="":IFPC=206THENPC=45:GOSUB818ELSEGOSUB816:IFC$=""THENC1=-
1:RETURN
812 C1=VAL(C$)
814 D1=C1/256:E1=C1-D1*256:IFC1<0THEND1=D1+256:C1=-C1:RETURN:ELS
ERETURN
816 IFPC<48ORPC>57THENRETURN
818 C$=C$+CHR$(PC):GOSUB514:GOTO816
835 ' ROUTINES TO FIND LSB & MSB OF ADDRESSES ABOVE 1ST 32K
836 D1=C1/256:E1=C1-D1*256:D1=D1+256:RETURN
840 Z=VT+V1+V1:P1=Z/256:P=Z-P1*256:P1=P1+256:RETURN
844 ' ROUTINE TO CONVERT NUMERIC STRING TO 4-BYTE SINGLE PRECISI
ON REPRESENTATION
845 C$=CHR$(PC)
846 GOSUB514:IF(PC<58ANDPC>47)ORPC=46C$=C$+CHR$(PC):GOTO846
847 R=VAL(C$):GOSUB848:E1=33:D1=65:GOSUB902:C1=B3:GOSUB910:P=35:
GOSUB512:C1=B2:GOSUB910:P=35:GOSUB512:C1=B1:GOSUB910:P=35:GOSUB5
12:C1=BE:GOSUB910:Q=Q-1:RETURN
848 IFR=0THENBE=0:B1=0:B2=0:B3=0:RETURN
849 Y1=1:Y2=2:N=1:IFY1>RTHEN852
850 IFY2<RTHENY1=Y1+Y1:Y2=Y2+Y2:N=N+1:GOTO850
851 GOTO853
852 IFR<Y1THENY1=Y1/2:Y2=Y2/2:N=N-1:GOTO852
853 BE=N+128:X1=0:R=R-Y1:GOSUB856:B1=B
854 GOSUB857:X1=X:GOSUB856:B2=B
855 GOSUB857:X1=X:GOSUB856:B3=B:RETURN
856 GOSUB857:X2=X:GOSUB857:X3=X:GOSUB857:X4=X:GOSUB857:X5=X:GOSU
B857:X6=X:GOSUB857:X7=X:GOSUB857:X8=X:B=X1+X1+X2:B=B+B+X3:B=B+B+
X4:B=B+B+X5:B=B+B+X6:B=B+B+X7:B=B+B+X8:RETURN
857 Y1=Y1/2:RT=R-Y1:IFRT<0X=0:RETURN:ELSEX=1:R=RT:RETURN
879 ' ROUTINE TO POKE STRING IN TEMPORARY STORAGE AREA
880 C1=MF:GOSUB836:GOSUB900:NN=1
881 IFPC=34GOSUB890:RETURN
882 GOSUB889
883 IFFP=1ANDPEEK(Q)=32Q=Q+1:PC=32:NN=NN+1:GOTO885
884 GOSUB514:NN=NN+1
885 IFFP=1AND(PC=34ORC=2)GOSUB890:RETURN
886 IFFP=0AND(PC=58ORC=2)GOSUB890:RETURN
888 GOTO882
889 P=62:GOSUB512:P=PC:GOSUB512:P=18:GOSUB512:IFPC<>0THENP=19:GO
SUB512:RETURN:ELSERETURN
890 Q=Q-1:C=0:PC=0:GOSUB889:IFNN>SLTHENPRINT:PRINT"STRING TOO LO
NG":GOTO522:ELSERETURN
899 ' ***** FREQUENTLY USED MACHINE CODES *****
900 P=17:GOSUB512:P=E1:GOSUB512:P=D1:GOSUB512:RETURN:'LD DE,E1D1
902 P=33:GOSUB512:P=E1:GOSUB512:P=D1:GOSUB512:RETURN:'LD HL,E1D1
904 P=25:GOSUB512:RETURN:'ADD HL,DE
906 P=41:GOSUB512:P=41:GOSUB512:RETURN:'ADD HL,HL;ADD HL,HL
908 P=235:GOSUB512:RETURN:'EXC HL,DE
910 P=54:GOSUB512:P=C1:GOSUB512:RETURN:'LD (HL),C1
912 C1=VT+V0+V0:GOSUB836:P=42:GOSUB512:P=E1:GOSUB512:P=D1:GOSUB5
12:RETURN:'LD HL,(C1)
914 P=42:GOSUB512:GOSUB840:GOSUB512:P=P1:GOSUB512:RETURN:'LD HL,
(P1P)
916 P=34:GOSUB512:GOSUB840:GOSUB512:P=P1:GOSUB512:RETURN:'LD (P
1),HL
918 P=195:GOSUB512:P=E1:GOSUB512:P=D1:GOSUB512:RETURN:'JP E1D1
920 P=183:GOSUB512:P=237:GOSUB512:P=82:GOSUB512:RETURN:'OR A,SB
C HL,DE
922 P=40:GOSUB512:P=3:GOSUB512:RETURN:'JR Z,3
924 P=225:GOSUB512:RETURN:'POP HL
926 P=229:GOSUB512:RETURN:'PUSH HL
928 P=209:GOSUB512:RETURN:'POP DE
930 P=213:GOSUB512:RETURN:'PUSH DE
932 P=205:GOSUB512:P=177:GOSUB512:P=9:GOSUB512:RETURN:'MOVE VARI
ABLE TO 4121H AREA
934 P=205:GOSUB512:P=164:GOSUB512:P=9:GOSUB512:RETURN:'MOVE FROM
4121H TO STACK
936 P=193:GOSUB512:GOSUB928:RETURN:'POP BC & DE
938 ' ARITHMETIC OPERATION & FUNCTION ROUTINES
940 P=205:GOSUB512:P=22:GOSUB512:P=7:GOSUB512:RETURN
942 P=205:GOSUB512:P=19:GOSUB512:P=7:GOSUB512:RETURN
944 P=205:GOSUB512:P=71:GOSUB512:P=8:GOSUB512:RETURN
946 P=205:GOSUB512:P=162:GOSUB512:P=8:GOSUB512:RETURN
948 P=205:GOSUB512:P=247:GOSUB512:P=19:GOSUB512:RETURN
950 P=205:GOSUB512:P=12:GOSUB512:P=10:GOSUB512:RETURN
952 P=205:GOSUB512:P=231:GOSUB512:P=19:GOSUB512:RETURN
954 P=205:GOSUB512:P=239:GOSUB512:P=10:GOSUB512:P=205:GOSUB512:P
=119:GOSUB512:P=9:GOSUB512:RETURN
956 P=205:GOSUB512:P=9:GOSUB512:P=8:GOSUB512:RETURN
958 P=205:GOSUB512:P=57:GOSUB512:P=20:GOSUB512:RETURN
960 P=205:GOSUB512:P=65:GOSUB512:P=21:GOSUB512:RETURN
962 P=205:GOSUB512:P=71:GOSUB512:P=21:GOSUB512:RETURN
964 P=205:GOSUB512:P=168:GOSUB512:P=21:GOSUB512:RETURN
966 P=205:GOSUB512:P=189:GOSUB512:P=21:GOSUB512:RETURN
968 P=205:GOSUB512:P=167:GOSUB512:P=40:GOSUB512:RETURN

```

Program Listing 1 Continues


```

970 P=62:GOSUB512:P=4:GOSUB512:P=50:GOSUB512:P=175:GOSUB512:P=64
:GOSUB512:RETURN
972 P=205:GOSUB512:P=203:GOSUB512:P=9:GOSUB512:RETURN
999 ' ***** MAIN PROGRAM *****
1000 CLEAR200:DEFINT A-Q,S-X,Z:DIM L(100),L2(100),A(50),D(25),E(2
5):F$="BASIC COMPILER"+STRING$(50," "):T$=CHR$(32)+CHR$(58)+CHR$(
32):CLS
1005 Q=PEEK(16548)+256*PEEK(16549):L=1:K=0:FP=0:CF=0:MR=0:MS=-25
00-MR*16384:MC=-2500-MR*16384:M=MC:'MR SHOULD BE 0, OR 1 FOR 48K
, OR 32K SYSTEMS RESPECTIVELY
1010 IS=10:DO=20:DT=20:SL=40:NO=26:NT=2:NS=26:'IS=# OF ADDITIONA
L S.P. VARIABLES PER LETTER; DO=DIM OF 1-D ARRAYS; DT=DIM OF 2-D
ARRAYS; SL=LENGTH OF STRINGS; NO=# OF 1-D ARRAYS ALLOWED; NT=#
OF 2-D ARRAYS ALLOWED; NS=# OF STRINGS ALLOWED
1015 VT=-2*26+MS:VF=-4*26*(1+IS)+VT:VA=-4*NO*DO+VF:VD=-4*NT*DT*D
T-2*NT*DT*VA:VS=-NS*(SL+1)+VD:VN=-(SL+1)+VS
1020 ' MS=END OF VARIABLE STORAGE AREA; MC=START OF MACHINE CODE
; VT=START OF INTEGER STORAGE; VF=START OF SIMPLE VARIABLE STORA
GE; VA=START OF 1-D ARRAY STORAGE; VD=START OF 2-D ARRAY STORAGE
; VS=START OF STRING STORAGE; VN=TEMP. STORAGE
1021 IFNT>0GOSUB7000:' GENERATE CODE TO STORE 2-D ARRAY ADDRESSE
S
1025 M1=PEEK(Q)+PEEK(Q+1)*256:L1(L)=PEEK(Q+2)+PEEK(Q+3)*256
1030 GOSUB524
1035 PRINT:PRINT@960,L1(L);M1;" ";L2(L)=M:L=L+1:Q=Q+4
1040 IFL1(L-1)>500THEN1210
1045 C=0:GOSUB514:IFC=2THEN1140
1050 IFPC=133ORPC=134ORPC=136OR(PC>137ANDPC<140)ORPC=142ORPC=144
ORPC=148OR(PC>149ANDPC<177)OR(PC>178ANDPC<189)OR(PC>189ANDPC<202
)ORPC=203ORPC=204ORPC=210ORPC=211THEN522:'ERROR TRAP
1055 IFPC=215OR(PC>216ANDPC<221)OR(PC>228ANDPC<251)THEN522:'ERRO
R TRAP
1057 IFPC=140GOSUB514:' LET
1060 IFPC>64ANDPC<91ANDPN=37Q=Q-1:GOSUB2000:' INTEGER LET
1065 ' SINGLE PRECISION LET
1070 IFPC>64ANDPC<91ANDPN<>37ANDPN<>36Q=Q-1:GOSUB535:GOSUB514:GO
SUB514:IF(PC=49ANDPN=207)OR(PC=48ANDPN=205)GOSUB4000:ELSEQ=Q-2:G
OSUB514:IFPC<>213THEN522ELSEGOSUB7000:GOSUB565:GOSUB972
1075 IFPC>64ANDPC<91ANDPN=36Q=Q-1:GOSUB4500:' STRING LET
1080 IFPC=178GOSUB2500:' PRINT
1085 IFPC=141GOSUB3500:' GOTO
1090 IFPC=143GOSUB3000:' IF ... THEN
1095 IFPC=145GOSUB3700:' GOSUB
1100 IFPC=146GOSUB3800:' RETURN
1105 IFPC=132THENP=205:GOSUB512:P=201:GOSUB512:P=1:GOSUB512:GOSU
B514:IFPC<>58ANDC<>2THEN522:' CLS
1110 IFPC=137GOSUB2700:' INPUT
1115 IFPC=129GOSUB5000:' FOR
1120 IFPC=135GOSUB5500:' NEXT
1125 IFPC=130ORPC=131GOSUB6000:' SET & RESET
1127 IFPC=177GOSUB6500:' POKE
1130 IFPC=128P=205:GOSUB512:P=157:GOSUB512:P=10:GOSUB512:P=201:G
OSUB512:' END
1135 IFPEEK(Q-1)=58ORPEEK(Q-1)=149PRINTT$;GOTO1045:' TEST FOR T
ERMINATOR & ELSE TOKEN
1140 Q=M1:PRINT:GOTO1025:' START NEW LINE
1200 ' ***** ROUTINE TO ADJUST THE MACHINE CODE JUMPS *****

1210 GOSUB524:PRINT@960,"ADJUSTING JUMP ADDRESSES . . .";IFK=0G
OTO1300
1220 FORI=1TOK:DN=PEEK(A(I))+256*PEEK(A(I)+1):DH=0
1230 FORJ=1TOL:IFDN=L1(J)THENDH=L2(J):PRINTL1(J);
1240 NEXTJ:C1=DH:GOSUB836:POKEA(I),E1:POKEA(I)+1,D1:NEXTI
1299 ' ***** ROUTINE TO EXECUTE THE MACHINE CODE DIRECTLY *****
***
1300 PRINT:MR=0:MC=-2500-MR*16384:DEFUSR0=MC:' MR SHOULD BE 0 FO
R 48K, 1 FOR 32K SYSTEMS
1310 CLS:PRINT@256,"START=";65536+MC;"OR ";MC:PRINT"END =" ;6553
6+M+1;"OR ";M+1
1320 PRINT@960,"<ENTER> TO RUN MACHINE CODE . . .";
1330 A$=INKEY$:IFA$<>CHR$(13)THEN1330
1340 CLS:X=USR(0):END
1400 ' ***** END OF MAIN PROGRAM *****
1999 ' INTEGER ASSIGNMENT ROUTINE
2000 GOSUB514:GOSUB518:GOSUB520:V1=PC-65:GOSUB514:IFPC<>213THEN5
22
2010 GOSUB514:IF(PC=49ANDPN=207)OR(PC=48ANDPN=205)THEN2400
2020 IFPC=216GOSUB514:GOSUB700:GOSUB970:P=205:GOSUB512:P=61:GOSU
B512:P=11:GOSUB512:IFPC<>41THEN522ELSEGOSUB514:GOSUB916:RETURN:'
INT
2025 IFPC<>229THEN2030ELSEV3=V1:GOSUB514:GOSUB514:GOSUB810:IFC1=
-1THENV1=PC-65:GOSUB518:GOSUB520:GOSUB514:GOSUB916:P=126:GOSUB51
2ELSEV3=58:GOSUB512:P=E1:GOSUB512:P=D1:GOSUB512:' PEEK
2027 P=38:GOSUB512:P=0:GOSUB512:P=111:GOSUB512:V1=V3:GOSUB916:GO
SUB514:RETURN:' PEEK
2030 IFPC=198THENV3=V1:GOSUB6000:P=42:GOSUB512:P=33:GOSUB512:P=6
5:GOSUB512:V1=V3:GOSUB916:RETURN:' POINT

```

Program Listing 1 Continues

stored in a different RAM area.

You may wish to experiment with short programs to familiarize yourself with the compilation process. Judge for yourself the relative execution speed of different statement types in machine code and interpreted Basic. In addition to integer operations and graphics, floating point operations involving arrays and constants are accelerated most. The sorting program in Listing 1 runs 20 times faster in machine code than in Basic. However, programs involving primarily exponential functions will be accelerated by only a small amount (a factor of 2 to 3). In these cases the very slow ROM routines used to carry out these functions dominate computation. You will surely be impressed by running the following one-line program to white out the screen in machine code and Basic:

```
10 FOR I%=0 TO 1023:PRINT @ I%,CHR$(191):NEXT I%
```

Generally, the command PRINT @ X,CHR\$(OBI)[+...] or the POKE command will produce spectacularly fast graphics when compiled. Similarly Set, Reset and Point graphics programs will run much faster in machine code. Try the Pong program (see Program Listing 2) which has been adapted from one in the September 1980 issue of 80 Micro. The program asks for an input value to control its speed. For a value of one the speed in interpreted Basic is barely adequate. Run it in machine code—you will not be able to see the ball. You must adjust the speed input value to several hundreds before you can play the game. This program also illustrates how the PEEK statement provides a Break key function and an INKEY\$-like function in machine code.

Program Listing 3 is a matrix inversion program ready for compilation. It runs about 11 times faster in machine code than in Basic.

I did not compare the speed of the code produced by this compiler with those obtained with commercial Basic compilers. However, in some cases the compiler produces substantially faster code than Radio Shack's Fortran 80 compiler written by Microsoft. The following program defines a square matrix A of dimension N% and multiplies it with itself:

```

10 INPUT N%
20 FOR I%=1 TO N%:FOR J%=1 TO N%:A(I%,J%) =
I%+J%:NEXT J%:NEXT I%
30 FOR I%=1 TO N%:FOR J%=1 TO N%:B(I%,J%) =
0:FOR K%=1 TO N%:B(I%,J%) = A(I%,K%)*A(K%,
J%)+B(I%,J%):NEXT K%:NEXT J%:PRINT
I%:NEXT I%

```

I ran this program in interpreted and compiled Basic, and also translated it into Fortran and ran it using the Radio Shack package. Table 3 shows the execution times in seconds for different values of N%.

It took about as much time to compile the Basic code as the Fortran code for this example. This compiler produced machine code 391 bytes long. The compiled (and library linked) Fortran program took 9 grans of disk space (over 10000 bytes).

I ran other comparative tests not involv-

TCS MODEL III 48k 2 DISK



Fully assembled and tested systems that are software compatible and functionally identical to Radio Shack units sold at computer centers for \$hundreds more. Includes DOSPLUS 3.3.

- CONTROLLER BOARDS are high quality double sided epoxy boards with gold plated contacts.
- POWER SUPPLY is the finest switching type available.
- MOUNTING HARDWARE includes power and data cables.
- DISK DRIVES are Tandon, the same ones used by Radio Shack - 40 track, double density, 5 millisecond stepping rate.

The System comes with 180 day TCS limited warranty. **\$1795**

Model III 48k 2 Drive System \$2095

720,000 bytes of storage. TCS uses 2 dual sided 40 track Tandon drives. You can convert your existing 40 track standard diskettes. Includes full DOSPLUS 3.4 & manual.

MODEL III DISK EXPANSION KITS

- 1 Controller, Power Supply, Mounting Hardware & Instructions\$379
- 2 Controller, Power Supply, Hardware & one 40 track Tandon drive\$577
- 3 Controller, Power Supply, Hardware, two 40 track Tandon drives, 32k memory (everything you need for 2 drive 48k upgrade)\$799
- 4a Kit 3 but with two 80 track drives (dual sided 40s)\$999
- 4b Tandon 40 track disk drive (bare drive only, no instructions)\$219
- 4c Kit 4 but with Configuration Instructions & Power Cable\$199
- 5 16k of high quality TCS memory\$39
- 5a 16k of RS memoryspecial \$79
- 6 32k of high quality TCS memory\$69
- 6a 32k of RS memoryspecial \$158
- 7 Disk Controller Board (supports 40/80 single/double sided drives)\$249
- 8 Switching Power Supply for Controller & two drives\$119
- 9 Hardware & Cabling kit for above components\$89

PRINTERS & ACCESSORIES

MATRIX PRINTERS

LINE PRINTER VII RS	\$325
NEC 8023A	\$495
C. ITOH 8510	\$495
OKIDATA 82A	\$499
OKIDATA 82A w/tractor	\$559
OKIDATA 83A	\$769
LINE PRINTER VIII RS	\$649
CENTRONICS 739parallel	\$599
CENTRONICS 739 serial	\$749
OKIDATA 84 / 200 cps	\$1295
LINE PRINTER VI RS	\$988
CENTRONICS 704	\$1559
ANADEx 9500/01 2k buf.	\$1295
TEXAS INST. 810 Basic	\$1595
LINE PRINTER V RS	\$1549
Centronics 352 / 200 cps	\$1795
Centronics 353 / dual mode, 200cps data proc., 50cps super letter quality	\$2495

LETTER QUALITY

Daisy Wheel / Spinwriters

C. ITOH F-10 / 40 cps	\$1595
DAISY WHEEL II RS	\$1695
SMITH CORONA TP-1	\$699
BROTHER/COMREX	\$849
High quality . . . Low price	
NEC SPINWRITERS	\$CALL

LINE PRINTERS

CENTRONICS 6080/81	
600 lines per minute	
608i standard	\$6399
6080 quietized cabinet	\$7676

EPSON \$CALL

EPSON MX80
EPSON MX80 FT
EPSON MX100 FT

Get GRAPHTRAX free!!!

EPSON ACCESSORIES

GRAPHTRAX PLUS (bit-image/italics) —	\$35
CABLE Model II interface & Model III	\$79
\$25 if purchased with EPSON printer	
CABLE & INTERFACE to Model II keyboard	\$85
APPLE interface & cable	\$89
GRAPPLER Apple hi resolution graphics	\$CALL
IEEE interface & cable (CBM/Pet)	\$79
ATARI cable (must have 850 interface)	\$35
SERIAL RS232 2k buffered int. card	\$149
RS COLOR computer to Epson card/cable	\$59

EPSON PACK II


Screen oriented bit image graphics generator for Model III. Create your own characters, symbols, etc. Includes documentation.

\$24.95 purchased with printer
\$34.95 when purchased separately
\$7.50 for update of Epson Pack I

Interfaces & cables available for most printers with any TRS80, Apple, Atari & most other computers. \$\$\$\$CALL FOR PRICES!

ALTOS COMPUTERS

TRS-80



\$CALL FOR PRICES

MODEL II 64K

MODEL 16 1 DRIVE

MODEL 16 2 DRIVE

DT1 Data Terminal

Mod 16 Memory Exp.

COLOR COMPUTER

Original 90 day manufacturer's warranty.

MODEL III SYSTEMS

Original 90 day manufacturer's warranty

Model III 16k	\$818
Model III 32k	\$868
Model III 48k	\$918
Model III 48k 2Dr.RS232	\$1944

TCS Model III Systems have quality TCS memory and 180 day limited warranty. No warranty when you open computer or add internal components after you receive it.

TCS Model III 16k	\$799
TCS Model III 32k	\$818
TCS Model III 48k	\$848

16k Level 1	\$308
16k Extended Basic	\$398
32k Extended Basic	\$CALL
Color Disk	\$479
Disk 1	\$349
Modem/full screen editor	\$39
TCS version Color Computers use original RS hardware and TCS memory. You get 180 day limited warranty on TCS Color Computer.	
16k Extended Basic	\$439
32k Extended Basic	\$499
32k Memory Upgrade	\$79
Color/Epson int. & cable	\$59
2k Buffer ColorGraph	\$155

TANDON DRIVES

DEALERS! ASSEMBLERS! Quantity Purchases Invited!

Bare drives are available, or you can buy them with power supply, cabinet and cable, fully assembled and ready to plug in to your computer.

INDIVIDUAL CABINETS

40 track single sided	\$249
80 track (dual sided 40 track)	\$389
160 track (dual sided 80 track)	\$499

DOUBLE CABINETS with 2 DRIVES

40 track single sided	\$489
80 track (dual sided 40 track)	\$699
160 track (dual sided 80 track)	\$949

Heavy gauge CABINET with POWER SUPPLY. External gold connector allows instant hook/detach from drive cable.

BARE DRIVES ONLY

40 track single sided	\$199
80 track (dual sided 40 track)	\$299
160 track (dual sided 80 track)	\$399
8 inch Slimline sgl/dbl sided	\$CALL
Winchester hard drives. 5-30 meg	\$CALL

We have drives/accessories for Apple & IBM

WE WILL NOT BE UNDERSOLD!

CORVUS HARD DISKS CALL FOR PRICES \$\$\$\$

Add 5, 10 or 20 megabytes of storage to your TRS80, Apple, Atari, Heath, Zenith, Intertec, IBM, S-100 and many others. One or several computers can share a hard disk. Get simultaneous access to data for multiple users. Available NOW at SUPER SAVINGS!

DEALERS...You can buy CORVUS from us for less. Call & SAVE.

CUSTOM SOFTWARE FROM TCS

Completely Integrated **BINARY SEARCH TREE** programs now available. This series of programs fully implements the B-TREE structures including INSERTION, DELETION, EDITING & TRAVERSAL. No more sorting or long data file searches and yet files can be larger than memory. Duplicate keys are fully supported. Files can be retrived in sorted order via B-TREE traversal. Each of the programs come with fully commented source code so that you can use the modules in your own programming. A Screen oriented Input routine is also included in each module. The following B-TREE programs are now available and each includes all of the mentioned modules and full documentation:

B-TREE Library (organize your home library keyed by author)	\$39.95
B-TREE Video (organize your video cassette library, prints labels, etc)	\$39.95
B-TREE Mailing List (keyed by name or zip, label printing, etc)	\$49.95



If you buy somewhere else, you'll probably pay too much!

For fast, efficient service. Heart of we can air freight from Dallas

TEXAS COMPUTER SYSTEMS

P.O. Box 1327 Arlington, Texas 76004-1327

★ Toll Free Number 800 433-5184

Texas Residents 817 274-5625

- * Prices subject to change at any time
- * No Tax out-of-state. Texans add 5%.
- * Many items shipped FREE. Call for quote.

CALL FOR OUR

FREE CATALOG!!


```

2032 V2=V1:Q=Q-1:GOSUB514:IFPC=206ANDPN>47ANDPN<58GOSUB810:GOSUB
902:GOTO2040ELSEIFPC=206THENEL=0:D1=0:GOSUB902:GOTO2040
2035 GOSUB810:IFC1<>-1GOSUB902ELSEV1=PC-65:GOSUB518:GOSUB520:GOS
UB914:GOSUB514
2040 IFPC=58ORC=2V1=V2:GOSUB916:RETURN
2045 IFPC=206ANDPN>47ANDPN<58SG=205ELSESG=PC:GOSUB514
2050 GOSUB2060:IFSG=205GOSUB904ELSEGOSUB920
2055 GOTO2040
2060 GOSUB810:IFC1<>-1GOSUB900:RETURNELSEV1=PC-65:GOSUB518:GOSUB
520:P=237:GOSUB512:P=91:GOSUB512:GOSUB840:GOSUB512:P=P1:GOSUB512
:GOSUB514:RETURN
2399 ' INTEGER VARIABLE TRANSFER ROUTINE
2400 IFPC=49ANDPN=207CM=1ELSECM=0
2410 Q=Q+1:GOSUB514:MF=VN:GOSUB880:Q=Q+1:GOSUB902:P=205:GOSUB512
:P=13:GOSUB512:P=38:GOSUB512
2420 IFCM=0P=26:GOSUB512:P=111:GOSUB512:P=19:GOSUB512:P=26:GOSUB
512:P=103:GOSUB512:GOSUB916:RETURN:' TRANSFER BASIC VARIABLE INT
O USR VARIABLE
2430 GOSUB914:P=125:GOSUB512:P=18:GOSUB512:P=19:GOSUB512:P=124:G
OSUB512:P=18:GOSUB512:RETURN:' TRANSFER USR VARIABLE INTO BASIC
VARIABLE
2499 ' PRINT ROUTINE
2500 GOSUB514:IFPC=58ORC=2P1=13:GOSUB2670:RETURN
2502 IFPC<>64ANDPC<>96THEN2600ELSEGOSUB514
2503 ' PRINT @
2504 IFPC=58Q=Q-1:GOSUB2580:C1=C1+15360:GOSUB514:GOSUB814:GOSUB9
02ELSEV1=PC-65:GOSUB518:GOSUB520:GOSUB514:GOSUB514:GOSUB914:D1=6
0:EL=0:GOSUB900:GOSUB904
2508 IFPC<>247P=34:GOSUB512:P=32:GOSUB512:P=64:GOSUB512:GOTO2600
ELSEGOSUB514:IFPC<>40THEN522ELSEGOSUB2580:GOSUB910
2510 GOSUB514:IFPC=205GOSUB514:IFPC<>247THEN522ELSEP=35:GOSUB512
:GOTO2508
2512 IFPC=59GOSUB514
2514 IFPC<>58ANDC<>2THEN522ELSERETURN
2580 C$=""
2585 GOSUB514:IFPC<>41ANDPC<>44THENC$=C$+CHR$(PC):IFPC<48ORPC>57
THEN522ELSEGOTO2585
2590 C1=VAL(C$):RETURN
2599 ' SINGLE PRECISION EXPRESSION & STRING PRINT ROUTINE
2600 IFPC>64ANDPC<91ANDPN=36Q=Q+1:V1=PC-65:C1=VS+V1*(SL+1):GOSUB
2680:GOTO2630
2610 IFPC=34PC=PEEK(Q):Q=Q+1:MF=VN:FP=1:GOSUB880:FP=0:GOSUB2680:
GOTO2630
2620 Q=Q-1:GOSUB700:GOSUB970:P=205:GOSUB512:P=189:GOSUB512:P=15:
GOSUB512:GOSUB968:' SINGLE PRECISION PRINT
2630 IFPC=44THEN522
2640 IFPC=59GOSUB514:IFPC<>58ANDC<>2THEN2600ELSERETURN
2650 IFPC=58ORC=2P1=13:GOSUB2670:RETURN
2660 GOTO522
2670 P=62:GOSUB512:P=P1:GOSUB512:P=205:GOSUB512:P=58:GOSUB512:P=
3:GOSUB512:RETURN:' SCREEN CONTROL ROUTINE
2680 GOSUB836:GOSUB902:GOSUB968:GOSUB514:IFPC=34GOSUB514:RETURN
LSERETURN:' PRINT STRING
2699 ' INPUT
2700 P=205:GOSUB512:P=179:GOSUB512:P=27:GOSUB512:P=35:GOSUB512:P
=205:GOSUB512:P=108:GOSUB512:P=14:GOSUB512:GOSUB514
2710 IFPN=37P=205:GOSUB512:P=127:GOSUB512:P=10:GOSUB512:V1=PC-65
:GOSUB840:EL=P:D1=P1:GOSUB902:P=237:GOSUB512:P=75:GOSUB512:P=33:
GOSUB512:P=65:GOSUB512:P=113:GOSUB512:P=35:GOSUB512:P=112:GOSUB
512:GOSUB514:GOSUB514:IFPC<>58ANDC<>2THEN522ELSERETURN
2720 Q=Q-1:CF=1:GOSUB535:CF=0:P=58:GOSUB512:P=175:GOSUB512:P=64:
GOSUB512:P=222:GOSUB512:P=4:GOSUB512:GOSUB922:P=205:GOSUB512:P=2
04:GOSUB512:P=10:GOSUB512:GOSUB565:GOSUB972:GOSUB514:IFPC<>58AND
C<>2THEN522ELSERETURN
2999 ' INTEGER IF - THEN ROUTINE
3000 GOSUB514:IFPN<>37THEN3100ELSEGOSUB520:V1=PC-65:GOSUB914:GOS
UB908:GOSUB514
3005 IFPC=212ANDPN=213ORPC=213ANDPN=212W1=1:Q=Q+1:GOTO3035
3010 IFPC=214ANDPN=213ORPC=213ANDPN=214W1=2:Q=Q+1:GOTO3035
3015 IFPC=212ANDPN=214ORPC=214ANDPN=212W1=3:Q=Q+1:GOTO3035
3020 IFPC=212W1=4
3025 IFPC=214W1=5
3030 IFPC=213W1=6
3035 GOSUB514:IFPC<58ORPC=206GOSUB810:GOSUB902ELSEGOSUB518:GOSUB
520:V1=PC-65:GOSUB914:GOSUB514
3040 IFPC<>202ANDPC<>141THEN522ELSEGOSUB514:IFPC=141GOSUB514
3045 GOSUB810:IFC1<0ORC1>500THEN522
3050 P=205:GOSUB512:P=57:GOSUB512:P=10:GOSUB512
3055 GOTO3150
3099 ' SINGLE PRECISION IF - THEN ROUTINE
3100 Q=Q-1:GOSUB700:GOSUB934
3105 IFPC=212ANDPN=213ORPC=213ANDPN=212W1=1:Q=Q+1:GOTO3135
3110 IFPC=214ANDPN=213ORPC=213ANDPN=214W1=2:Q=Q+1:GOTO3135
3115 IFPC=212ANDPN=214ORPC=214ANDPN=212W1=3:Q=Q+1:GOTO3135
3120 IFPC=212W1=4
3125 IFPC=214W1=5
3130 IFPC=213W1=6

```

Program Listing 1 Continues

ing matrices and found that in most cases this compiler and the Fortran compiler produce equally fast code. For example, the statements $A\% = 1\% - J\%$, $A = 1.2*1.2/1.2 - 1.2 + 1.2$, $A = (B*B)/B + (B - B)$, $A = B[2.3 + (B + B*B)/(B + B)]$, $A = \sin(B) + \cos(B)$ in long loops executed almost equally fast in compiled Basic and Fortran (97, 6.5, 3, 1.3, and 1.25 times faster than interpreted Basic respectively). In some cases Fortran was slightly faster than this compiler and in other cases the reverse was true. However, within my limited set of programs I did not find any case where Fortran was more than 10 percent faster.

Troubleshooting

The compiler checks for many syntax errors during compilation. However, other errors remain undetected until you discover them the hard way during execution time.

If the compiled program runs but gives different results than its equivalent Basic program, there are two likely problems. Either the order of arithmetic operations in a single precision expression is carried out differently by the compiler and the interpreter, or some machine code variable appears in the right side of an assignment statement before being initialized. Note also that the compiler does not check whether the result of an integer LET statement lies within the legal range, another source of error or program crashes. Make sure all statements are written in a form compatible with the compiler.

If the compiled program crashes check the For...Next loops; make sure they are set up properly and that there is no jump out of a For...Next loop.

Modifications and Improvements

You can safely delete all remarks in the listing to save space, especially if you have less than 48K of memory. The program is straightforward except for the routines for evaluating single precision expressions. Fairly easy improvements are additional integer arithmetic, string manipulation features, and double precision arithmetic. Improvements in the For...Next statement are not hard either. Major projects are the expansion of the options in the If...Then...Else statement, and making compiler evaluation of the order of operations in single precision expressions fully compatible with interpreter evaluation. Finally you can improve the speed of the compiler by making it compile portions of itself.

You can use the program with a 16K cassette system with a few minor modifications. The parameter MR in lines 1000 and 1300 must be set to minus 2, the DEFUSRO statement in line 1300 should be modified and the statements $D1 = D1 + 256$ and $P1 = P1 + 256$ should be deleted in lines 836 and 840. Storage space is critical in a 16K system, so delete all remarks from the program, and adjust the storage parameters. ■

Dr. Dimitri P. Bertsekas teaches Electrical Engineering and Computer Science at M.I.T.


```

3135 GOSUB700:GOSUB936:GOSUB950
3140 IFPC<>202ANDPC<>141THEN522ELSEGOSUB514:IFPC=141GOSUB514
3145 GOSUB810:IFC1<0ORC1>500THEN522
3150 D=D1:E=E1:ONW1GOTO3155,3160,3165,3170,3175,3180
3155 GOSUB3185:GOSUB3200:RETURN
3160 GOSUB3185:GOSUB3190:RETURN
3165 GOSUB3195:RETURN
3170 P=40:GOSUB512:P=3:GOSUB512:GOSUB3200:RETURN
3175 P=40:GOSUB512:P=3:GOSUB512:GOSUB3190:RETURN
3180 GOSUB3185:RETURN
3185 P=202:GOSUB3300:RETURN
3190 P=242:GOSUB3300:RETURN
3195 P=194:GOSUB3300:RETURN
3200 P=250:GOSUB3300:RETURN
3205 P=195:GOSUB3300:RETURN
3300 GOSUB512:K=K+1:A(K)=M:P=E:GOSUB512:P=D:GOSUB512:RETURN
3499 ' GOTO ROUTINE
3500 GOSUB514:GOSUB810:IFC1<0ORC1>500THEN522ELSED=D1:E=E1:GOSUB3
205:RETURN
3699 ' GOSUB ROUTINE
3700 GOSUB514:GOSUB810:IFC1<0ORC1>500THEN522ELSED=D1:E=E1:C1=M+7
:GOSUB836:GOSUB900:GOSUB930:GOSUB3205:RETURN
3799 ' RETURN
3800 GOSUB924:P=233:GOSUB512:RETURN
3999 ' SINGLE PRECISION VARIABLE TRANSFER ROUTINE
4000 IFPC=49ANDPN=207THENCM=1ELSECM=0
4010 GOSUB514:GOSUB514:MF=VN:GOSUB880:GOSUB514:GOSUB902:P=205:GO
SUB512:P=13:GOSUB512:P=38:GOSUB512
4020 IFCM=0GOSUB908:GOSUB932:GOSUB565:GOSUB972:RETURN
4030 GOSUB930:GOSUB565:GOSUB932:GOSUB924:GOSUB972:RETURN
4499 ' STRING ASSIGNMENT ROUTINE
4500 GOSUB514:V1=PC-65:MF=VS+V1*(SL+1)
4510 GOSUB514:IFPC<>36THEN522
4520 GOSUB514:IFPC<>213THEN522
4530 GOSUB514:IFPC=247THEN4600ELSEIFPC<>34THEN522
4540 PC=PEEK(Q):Q=Q+1:FP=1:GOSUB880:FP=0
4550 GOSUB514:IFPC=34GOSUB514
4560 RETURN
4599 ' STRING ASSIGNMENT USING CHR$
4600 C1=MF:GOSUB836:GOSUB902
4610 GOSUB514:IFPC<>40THEN522ELSEC$=""
4615 GOSUB514:IFPC>64ANDPC<91THENV1=PC-65:GOSUB520:GOSUB514:IFPC
<>41THEN522ELSEP=58:GOSUB512:GOSUB840:GOSUB512:P=P1:GOSUB512:P=1
19:GOSUB512:GOTO4660
4620 IF(PC<48ORPC>57)ANDPC<>41THEN522
4630 IFPC<>41THENC$=C$+CHR$(PC):GOSUB514:GOTO4620
4640 C1=VAL(C$)
4650 GOSUB910
4660 GOSUB514:IFPC=205GOSUB514:IFPC<>247THEN522ELSEP=35:GOSUB512
:GOTO4610
4670 IFPC=58ORC=2THENP=35:GOSUB512:C1=0:GOSUB910:RETURNELSEGOTO5
22
4999 ' FOR ROUTINE
5000 C1=M+7:GOSUB836:GOSUB514:GOSUB518:GOSUB520:V1=PC-65:GOSUB84
0:GOSUB514:D(V1)=D1:E(V1)=E1:IFPC<>213THEN522
5010 GOSUB514:IFPC<65ORPC=206GOSUB810:J1=0:ID=D1:IE=E1:ELSEJ1=1:
V2=PC-65:GOSUB520:C1=VT+V2*2:GOSUB836:ID=D1:IE=E1:GOSUB514
5020 IFPC<>189THEN522
5030 GOSUB514:IFPC<65ORPC=206GOSUB810:J2=0:FD=D1:FE=E1:ELSEJ2=1:V
3=PC-65:GOSUB520:C1=VT+V3*2:GOSUB836:FD=D1:FE=E1:Q=Q+1
5040 IFJ2=0THENP=33ELSEP=42
5050 GOSUB512:P=FE:GOSUB512:P=FD:GOSUB512:GOSUB926
5060 IFJ1=0THENEL=IE:D1=ID:GOSUB902
5070 IFJ1=1THENP=42:GOSUB512:P=IE:GOSUB512:P=ID:GOSUB512
5080 GOSUB916:IFPEEK(Q-1)<>58ANDPEEK(Q-1)<>0THEN522ELSERETURN
5499 ' NEXT ROUTINE
5500 GOSUB514:GOSUB518:GOSUB520:V1=PC-65:GOSUB914:GOSUB928:GOSUB
930:GOSUB926:GOSUB920:GOSUB924:P=35:GOSUB512:P=194:GOSUB512:P=E(
V1):GOSUB512:P=D(V1):GOSUB512:GOSUB924:GOSUB514:RETURN
5999 ' POINT, SET & RESET
6000 IFPC=130THENW=1ELSEIFPC=131THENW=128ELSEIFPC=198THENW=0
6010 MA=M
6020 GOSUB514:IFPC<>40THEN522ELSEGOSUB514:GOSUB810:IFC1=-1GOSUB5
18:GOSUB520:V1=PC-65:GOSUB840:D2=P1:E2=P:C2=1ELSEE2=E1:C2=0:IFPC
<>44THEN522
6030 IFC2=1GOSUB514:IFPC<>44THEN522
6040 GOSUB514:GOSUB810:IFC1=-1GOSUB518:GOSUB520:V1=PC-65:GOSUB84
0:D3=P1:E3=P:C3=1ELSEE3=E1:C3=0:IFPC<>41THEN522
6050 IFC3=1GOSUB514:IFPC<>41THEN522
6060 GOSUB514:IFPC<>58ANDC<>2THEN522
6070 C1=MA+18+C2+C3:GOSUB836:GOSUB902:GOSUB926:E1=126:D1=7:GOSUB
902:P=62:GOSUB512:P=W:GOSUB512:P=245:GOSUB512
6080 IFC2=1THENP=58:GOSUB512:P=E2:GOSUB512:P=D2:GOSUB512:ELSEP=6
2:GOSUB512:P=E2:GOSUB512
6090 P=245:GOSUB512
6100 IFC3=1THENP=58:GOSUB512:P=E3:GOSUB512:P=D3:GOSUB512ELSEP=62
:GOSUB512:P=E3:GOSUB512


```

Program Listing 1 Continues


We have **THE**
LOWEST PRICES
ON **TRS-80™**



Model II 64K \$3049



Model III 16K \$829



Line Printer VII \$309

OKIDATA	Microline 80	\$394
	Microline 82	\$499

EPSON MX-70 \$369

EPSON MX-80 \$479

\$ SAVE

\$ MOST ORDERS
SHIPPED WITHIN
ONE BUSINESS DAY
\$
VERBATIM DATALIFE™ DISKETTES
5 1/4-inch (box of 10) \$25.95
8-inch Double-Density \$43.95

*Above prices reflect a cash discount. Payment: Money Order, Cashier's Check, Certified Check. Personal Checks require 3 weeks to clear.

WRITE OR CALL FOR OUR COMPLETE PRICE LIST

CALL (602)-458-2477

1-800-762-6661

All prices are mail order only

RAND'S

2185 E. FRY BLVD.
and

101 W. FRY BLVD.

SIERRA VISTA, AZ 85635

® TRS-80 is a trademark of Tandy Corporation.

WOBOS™ I

WESTERN OPERATIONS

Basic Operating System

WOBOS I is a menu driven, prestructured program in BASIC that provides access to over 30 utility functions during development or actual use of a program. Its unique layout allows you to develop your programs within a well organized environment that provides a very strong foundation to build upon. You always had to start from scratch before but now, after loading WOBOS I, you'll start with over 11K of subroutines and system utilities. Imagine what this can do for your productivity! WOBOS I is not an accessory to your program. It actually becomes YOUR program!

WOBOS I for Model III BASIC		03/01/82 12:34:56
PROGRAM	MENU	UTILITIES
1	Your Program A	11 Data List
2	B	22 Sort
3	C	33 Renumber
4	D	44 Append
5	E	55 Memory Dump
6	Graphics Synthesis	66 Map
7	Special characters 0-31	77 Size
8	91-127	88 New Data Entry
9	128-255	99 Device I/O

- * It will add multifrequency SOUND to your TRS-80
- * It will standardize your writing and save you many hours of debugging and rewriting utility functions.
- * It will help you structure YOUR OWN programs.

"Once you've used it, you'll never write another program without it!"

Model	III	I
BASIC MODEL III	DISK	LEVEL II DISK
P/N	CC1021	CC1031
CC1022	CC1032	CC1032
DEMO	CC1041	CC1042

DEMO TAPE: \$10 FULLY REFUNDABLE.
ON QUALITY CASSETTE & MANUAL

ORDER PHONE

(503) 649-4526

VISA

MasterCard

ONLY

\$35

SEND CHECK, MONEY ORDER OR NUMBER AND
EXPIRATION DATE OF YOUR CREDIT CARD TO:

WESTERN OPERATIONS

✓ 179

6640 SW 173 AVENUE, BEAVERTON, OREGON 97007

Dedicated to Excellence since 1976

- TRS-80 is a TM of TANDY CORP.

Program Listing 1 Continues

```

6110 E1=80:D1=1:GOSUB918:RETURN
6499 ' POKE ROUTINE
6500 GOSUB514:GOSUB810:IFC1=-1THENGOSUB518:GOSUB520:V1=PC-65:GOS
UB914:GOSUB514ELSEGOSUB902
6510 IFPC<>44THEN522
6520 GOSUB514:GOSUB810:IFC1=-1GOSUB518:GOSUB520:V1=PC-65:GOSUB84
0:E1=P:D1=P1:P=58:GOSUB512:P=E1:GOSUB512:P=D1:GOSUB512:GOSUB514E
LSEP=62:GOSUB512:P=E1:GOSUB512
6530 IFPC<>58ANDC<>2THEN522
6540 P=119:GOSUB512:RETURN
6999 ' ROUTINE FOR CODE TO STORE 2-D ARRAY ADDRESSES
7000 GOSUB524:PRINT"CODE TO STORE 2-D ARRAY ADDRESSES":PRINT:C1=
VD:GOSUB836:GOSUB902
7010 C1=VD+4*NT*DT*DT:GOSUB836:P=221:GOSUB512:GOSUB902:C1=4*DT:G
OSUB814:GOSUB900
7020 C1=NT*DT:GOSUB814:P=1:GOSUB512:P=E1:GOSUB512:P=D1:GOSUB512
7030 P=221:GOSUB512:P=117:GOSUB512:P=0:GOSUB512
7040 P=221:GOSUB512:P=35:GOSUB512
7050 P=221:GOSUB512:P=116:GOSUB512:P=0:GOSUB512
7060 P=221:GOSUB512:P=35:GOSUB512:GOSUB904:P=13:GOSUB512
7070 C1=M-12:GOSUB836:P=194:GOSUB512:P=E1:GOSUB512:P=D1:GOSUB512

7080 P=5:GOSUB512:P=14:GOSUB512:P=255:GOSUB512:C1=M-18:GOSUB836:
P=242:GOSUB512:P=E1:GOSUB512:P=D1:GOSUB512
7090 PRINT@640,"MAIN CODE BEGINS":RETURN
7200 ' ***** END OF THE COMPILER *****
10000 ' ***** BASIC PORTION OF THE ARRAY SORTING PROGRAM *****
10010 DIM AB(400):INPUT "ARRAY DIMENSION":N%
10020 FOR I%=1 TO N%:AB(I%)=200*RND(0):NEXT I%
10030 FOR I%=1 TO N%:PRINT AB(I%);:NEXT I%:PRINT
10040 PRINT "PRESS A KEY TO RUN"
10050 A$=INKEY$:IF A$="" THEN 10050
10060 X=USR(0)
10070 PRINT:PRINT "DONE":PRINT:PRINT "PRESS A KEY TO PRINT THE S
ORTED ARRAY"
10080 A$=INKEY$:IF A$="" THEN 10080
10090 FOR I%=1 TO N%:PRINT AB(I%);:NEXT I%

```

Program Listing 2

```

5 ' ***** PONG; ADAPTED FROM 80 MICROCOMPUTING SEPT. 80
10 Q%=20:A%=25
15 L%=25:O%=20
20 CLS:PRINT"HOW FAST (1 TO 1000)?":INPUT D%:CLS:M%=0:S%=0:PRINT
@ 132,M%:PRINT @ 186,S%
25 FOR Y%=9 TO 39:SET(0,Y%):SET(127,Y%):NEXT Y%
30 C%=1
35 PRINT @ 158,"PONG";
40 K%=1
45 FOR I%=20 TO 25:SET(7,I%):SET(120,I%):NEXT I%
50 FOR X%=1 TO 126:SET(X%,9):SET(X%,39):NEXT X%
55 Y%=10:Z%=INT(100*RND(0)):X%=Z%+10
60 SET(X%,Y%)
65 FOR I%=1 TO D%:NEXT I%
70 RESET(X%,Y%)
75 V%=PEEK(14337):U%=PEEK(14338):W%=PEEK(14340):Z%=V%+U%+W%
80 IF Z%=0 THEN 105
85 IF U%<>128 THEN 90:ELSE GOSUB 205:' PRESS <O> TO MOVE RIGHT P
ADDLE UP
90 IF U%<>16 THEN 95:ELSE GOSUB 210:' PRESS <L> TO MOVE RIGHT PA
DDLE DOWN
95 IF W%<>2 THEN 100:ELSE GOSUB 215:' PRESS <Q> TO MOVE LEFT PAD
DLE UP
100 IF V%<>2 THEN 105:ELSE GOSUB 220:' PRESS <A> TO MOVE LEFT PA
DDLE DOWN
105 Z%=PEEK(14400):IF Z%=4 THEN 500:' PRESS BREAK TO STOP
110 X%=X%+C%
115 Y%=Y%+K%
120 IF Y%>39 THEN 125 ELSE IF Y%>9 THEN 140
125 IF X%>122 THEN 185
130 IF X%<6 THEN 180
135 B%=POINT(X%,Y%):IF B%<0 THEN 160
140 IF X%>122 THEN 185
145 IF X%<5 THEN 180
150 B%=POINT(X%,Y%):IF B%<0 THEN 170
155 GOTO 60
160 K%=-K%
165 GOTO 115
170 C%=-C%
175 GOTO 110
180 S%=S%+1:PRINT @ 186,S%:IF S%>15 THEN 190:ELSE GOTO 55
185 M%=M%+1:PRINT @ 132,M%:IF M%>15 THEN 190 ELSE GOTO 55
190 PRINT @ 982,"PLAY AGAIN? (Y/N)";

```

Program Listing 2 Continues

TRS-80***SAVE A BUNDLE**

When you buy your
TRS-80™ equipment!

Use our toll free number to
check our price before you buy
a TRS-80™ . . . anywhere!

TRS-80 is a trademark of the Radio Shack Division of Tandy Corporation

Don't delay . . . CALL TODAY



✓ 189

SALES COMPANY

704 West Michigan

P.O. BOX 8098 PENSACOLA FL 32505

904/438-6507

nationwide 1-800-874-1551

IN CHICAGO

... YOU'VE HEARD ABOUT US ...



Emmanuel B. Garcia, Jr. & Associates
203 North Wabash Ave. • Chicago, IL 60601
312/782-9750

- serving the TRS-80* community since 1978
- publisher of "Chicatrug News" (write for sample issue)
- well-stocked display room
- quality products only
- personalized service
- good technical support
- repair facilities

... NOW HEAR THIS ...

**ANNOUNCING THE OPENING OF
OUR NEW MORRIS, ILLINOIS STORE:**

EbG & Associates
RADIO SHACK* DEALER STORE #R-619
531 Bedford Road • Morris, IL 60450
815/942-9521

Toll Free No: (800) 621-2141
FOR ORDERS ONLY

PREPAID ORDERS SHIPPED PROMPTLY.
AMERICAN EXPRESS / VISA / MASTERCHARGE & C.O.D.
ACCEPTED. (Add \$2 shipping; \$9 per drive or printer.)

*Trademark of Tandy Corporation

✓271

**Subscribe
to CCN**



Color Computer News

Are you tired of searching the latest magazine for articles about your new Color Computer? When was the last time you saw a great sounding program listing only to discover that it's for the Model I and it's too complex to translate? Do you feel that you are all alone in a sea of Z-80's? On finding an ad for a Color Computer program did you mail your hard earned cash only to receive a turkey because the magazine the ad appeared in doesn't review Color Computer Software? If you have any of these symptoms you're suffering from Color Computer Blues!

But take heart there is a cure!

It's COLOR COMPUTER NEWS.

The monthly magazine for Color Computer owners and only Color Computer owners. CCN contains the full range of essential elements for relief of CC Blues. Ingredients include: comments to the ROMS, games, program listings, product reviews, and general interest articles on such goodies as games, personal finances, a Kid's page and other subjects.

The price for 12 monthly treatments is only \$21.00 and is available from:



**Mail
Today!**

REMarkable Software

P.O. Box 1192
Muskegon, MI 49443 ✓ 145

NAME _____
ADDRESS _____
CITY _____ State _____ Zip _____

Allow 8-10 weeks for 1st issue.

80 M

SOFTWARE CONCEPTS DALLAS TEXAS

SPECIAL DELIVERY

Now is the time to turn your TRS-80 and your text editor into a **REAL** word processing machine.

EXCELLENT...Creative Computing Review.
State of the Art... 80 Microcomputing Review.

- Maintain your mail list
- Print personalized FORM letters.
- Free format labels
- 100% machine language
- Enter names at typist speeds
- Use with Scripsit, Lazywriter, Electric Pencil (we sell them all!)
- Extract selected names
- Boldface & underscore
- Get your form letters past the secretary's desk!

**XTRA Special Delivery Includes
all of the above PLUS:**

- Disk Sorts
- Multi Label printer
- Key definitions

**This is the LAST mailing list you
will ever have to buy!!**

FOR YOUR MODEL I OR III:

(requires minimum 32K & single drive)

SPECIAL DELIVERY \$125
XTRA SPECIAL DELIVERY \$199

FOR YOUR MODEL II

(requires Scripsit 2.0)

SPECIAL DELIVERY \$199

Over 2800 satisfied customers

(plus 12 that won't speak to us any more)

Electric Pencil 2.0 \$80.00
Lazywriter \$165.00
Scripsit \$95.00

(Most TRS software available at similar discounts. CALL!)

SOFTWARE CONCEPTS
105 Preston Valley Shopping Center
Dallas, Texas 75230

Our retail store is located at the SW corner of
Preston & LBJ

(214) 458-0330

MasterCard, Visa, American Express, COD

✓ 43


2 COMPUTERS AND A SINGLE PRINTER ON-LINE AT ALL TIMES!

Now you can have **2 COMPUTERS ON-LINE** at all times with a single printer. Our MODEL 82 LINE PRINTER SWITCH is designed specifically to use two TRS-80 computers with a single printer by means of a conveniently located switch without changing cables. Our compact module connects to the parallel printer port of your Model I, Model II, or Model III computers (in any combination) through a printer port extension cable and provides a card-edge for your printer. Gold plated contacts ensure long life and excellent connection reliability. And, it works with any type of printer that could normally be connected to a TRS-80 printer port. Our Model 82 switch comes assembled, tested, and ready to use for the low cost of \$90 including shipping to any U.S. destination. An 18" printer port extension cable is available from us at a cost of \$12.50 for the Model I/Model III or \$20 for the Model II. Call or write now for more information and request application note AN-823.

hf signalling inc.
Administrative and Engineering Offices - P.O. Box 17510
Kansas City, MO 64130 - phone: (816) 931-4448

MEMOREX FLEXIBLE DISCS

**WE WILL NOT BE UNDER-
SOLD!!** Call Free (800)235-4137
for prices and information. Dealer
inquiries invited and C.O.D.'s
accepted.



**PACIFIC
EXCHANGES**
100 Foothill Blvd.
San Luis Obispo, CA
93401. In Cal. call
(800)592-5935 or
(805)543-1037

SECURE PROGRAMS

AND ASCII FILES

WITH
CODE 4

COMES WITH
LIST SOURCE
AND BRUN UTILITY

\$19.95

SEND CHECK OR
MONEY ORDER TO

HPB VECTOR CO.

130 CENTER ST.
EAST STROUDSBURG
PENNSYLVANIA 18301

ALLOW TWO WEEKS DELIVERY

Program Listing 2 Continued


```
195 Z%=PEEK(14344):IF Z%=2 THEN 20
200 Z%=PEEK(14338):IF Z%=64 THEN 500 ELSE GOTO 195
205 RESET(120,L%):O%=O%-1:L%=L%-1:SET(120,O%):RETURN
210 RESET(120,O%):O%=O%+1:L%=L%+1:SET(120,L%):RETURN
215 RESET(7,A%):Q%=Q%-1:A%=A%-1:SET(7,Q%):RETURN
220 RESET(7,Q%):Q%=Q%+1:A%=A%+1:SET(7,A%):RETURN
500 END
```

```
10 ' ***** MATRIX INVERSION *****
15 ' ***** PASS MATRIX FROM BASIC TO USR *****
20 R%=0+R%
25 FOR I%=1 TO R%
30 I%=1*I%
35 FOR J%=1 TO R%
40 J%=1*J%
45 A(I%,J%)=0+A(I%,J%)
50 B(I%,J%)=0
55 NEXT J%
60 B(I%,I%)=1
65 NEXT I%
70 ' ***** BEGINNING OF MATRIX INVERSION *****
75 ' ***** BEGINNING OF MATRIX INVERSION *****
80 FOR J%=1 TO R%
85 D%=0
90 FOR I%=J% TO R%
95 IF A(I%,J%)=0 THEN 105
100 D%=I%
105 NEXT I%
110 IF D%<>0 THEN 120
115 PRINT "SINGULAR":J%=R%:GOTO 225
120 FOR K%=1 TO R%
125 S=A(J%,K%)
130 A(J%,K%)=A(D%,K%)
135 A(D%,K%)=S
140 S=B(J%,K%)
145 B(J%,K%)=B(D%,K%)
150 B(D%,K%)=S
155 NEXT K%
160 T=1/A(J%,J%)
165 FOR K%=1 TO R%
170 A(J%,K%)=T*A(J%,K%)
175 B(J%,K%)=T*B(J%,K%)
180 NEXT K%
185 FOR L%=1 TO R%
190 IF L%=J% THEN 220
195 T=-A(L%,J%)
200 FOR K%=1 TO R%
205 A(L%,K%)=T*A(J%,K%)+A(L%,K%)
210 B(L%,K%)=T*B(J%,K%)+B(L%,K%)
215 NEXT K%
220 NEXT L%
225 NEXT J%
230 ' ***** PASS INVERSE MATRIX TO BASIC *****
235 FOR J%=1 TO R%
240 J%=1*J%
245 FOR I%=1 TO R%
250 I%=1*I%
255 B(J%,I%)=1*B(J%,I%)
260 NEXT I%
265 NEXT J%
500 END
10000 ' ***** BEGINNING OF BASIC PORTION OF MATRIX INVERSION PR
OGRAM
10010 MR=0:MC=-2500-MR*16384:DEFUSR0=MC:CLS
10020 DIM A(20,20),B(20,20)
10030 INPUT "DIMENSION",R%
10040 FOR J%=1 TO R%:FOR I%=1 TO R%:A(J%,I%)=0.015*RND(200):PRIN
T A(J%,I%);
10050 NEXT I%:PRINT:NEXT J%
10060 PRINT "PRESS A KEY TO RUN"
10070 A$=INKEY$:IF A$="" THEN 10070
10080 X=USR(0)
10090 PRINT:PRINT "DONE":PRINT:PRINT "PRESS A KEY TO PRINT THE I
NVERSE"
10100 A$=INKEY$:IF A$="" THEN 10100
10110 FOR I=1 TO R%
10120 FOR J=1 TO R%
10130 PRINT B(I,J);:PRINT " ";
10140 NEXT J
10150 PRINT
10160 NEXT I
10170 GOTO 10030
```

Program Listing 3



FOUR "STARS" from POWERSOFT™



SUPER UTILITY PLUS



I believe Super Utility or Super Utility Plus should be present at every serious TRS-80 disk installation."

We didn't say this; Paul Wiener did in 80 Microcomputing, Jan. '82...but we sure agree with him!

You heard about it! You read about it (80 Microcomputing). Now get the "cadillac" at a special price!

Compatible with MOD I, and MOD III, and all the current operating systems! Copy files from any DOS to any DOS, MOD I or III, without converting!

Zap	Disk repair	Format without erase
Purge	Memory	Disk copy
Format	File Utility	Special disk copy
Special Format	Tape Copy	Configurable System

MUCH MORE - Mod I & Mod III on Same Disk

For MOD I/III...\$74.95

NEW! Back up copy now included.

Also available: Super Utility Plus TECH. MANUAL, \$14.95
and "Inside Super Utility Plus," \$19.95

INTRODUCING...

BASIC/S COMPILER SYSTEM

The BASIC/S Compiler System consists of two main programs - BASIC/S and BASIC S II/CMD - along with numerous supplementary files. Both BASIC/S and BASIC/S II are compilers for a large subset of TRS-80 Disk BASIC - the first one, BASIC/S, is itself a BASIC program while BASIC S II/CMD is a machine language version, compiled by BASCOM(c). The difference between them is that BASIC/S supports the full BASIC/S subset, while BASIC/S II is an integer compiler - does not support floating point. Other than that, the two compilers support essentially the same BASIC subset. You get both compilers in one package; in general, one would want to use BASIC/S II (because of its speed), but when your application requires floating point, then BASIC/S is available. Both compilers will run under virtually any MOD I/MOD III DOS. At least 48K and one disk drive are required to use BASIC/S. Two drives are certainly preferable.

Note: BASIC/S II does NOT run under MOD III TRSDOS.

It will compile up to a 260 line program - compiles directly into a /CMD file, no linking or run time module needed. No royalties are required for programs you write and compile with BASIC/S. The /CMD files created by BASIC/S are very reasonably sized - typically, they are only 1.2 - 2 times the size of your original BASIC source file. Quite often, if your source file is only 1 granule, then so is the /CMD file made by BASIC/S.

The name BASIC/S means BASIC/Subset - it doesn't complete full blown BASIC. It DOES support most of Level II Basic as well as the essential elements of sequential and random disk I/O, including LRL 256. BASIC/S allows dimensioning arrays of all variable types, with up to two dimensions; any one program can have up to 20 arrays. Also, BASIC/S compiled programs can chain from one to another with no loss of variables.

\$89.95

(Includes BASIC/S and BASIC/S II)
BASIC/S Compiler System Manual is available for \$25.00 of which \$10.00 is applicable toward the purchase of the BASIC/S System.

HUNDREDS OF SATISFIED USERS...SCRIPTUS 3.0

Scriptus is a modification to Scripsit™ which enables you to take advantage of the special functions, features, and print formats of your printer while your document is being printed. Allows you to:

change expanded print
change no. of characters per inch
or underline in mid-line!

Features:

- Compatible with all current DOS's (I or III).
- Modifies ALL versions of SCRIPSIT™.
- Allows usage of MOD I version on MOD III.
- Allows MOD III versions to be BACKED UP for your protection.
- Files can be killed, loaded, merged, or chained from Scriplus directory.
- Scriplus supplies an ALPHABETIZED directory with FREE space shown.
- "END" returns to DOS READY instead of rebooting.
- Printer can be stopped for insertion of text or forms alignment. Inserted text can be edited prior to resumption of printing.
- Specifically written for the MX-80 but will work with any printer that accepts CHR\$ codes for control.
- Optionally select line feed after carriage return.

For MOD I/III...\$39.95

NEW from KIM WATT...

POWERDRAW

Full screen graphics for MOD I/III.
Any current DOS

SAVES SCREENS IN SIX DIFFERENT FORMATS

POWERDRAW allows you to design graphic screens on your video, and save them to as many as 33 memory buffers. These buffers may be saved in 6 formats:

Compressed	BASIC Strings
EDAS	BASIC data
EDTASM	Load File


These files can be MERGED with your BASIC or assembly program very easily. You can easily design professional screen displays. You can also print the screens out on a "graphic" printer. POWERDRAW contains a built-in MENU that really makes drawing a BREEZE! If you own an EPSON printer, you WANT and NEED POWERDRAW!

For MOD I/III...\$39.95

SEND FOR DEALER KIT

Software Authors
send for your submittal kits!

Powersoft is a division of Breeze/QSD, Inc.



11500 Stemmons Freeway, Suite 125
Dallas, Texas 75229

Micronet 70130, 203

To Order:

Toll Free: 800-527-7432
Information: (214) 484-2976



\$2.50 for shipping U.S./Canada.
Foreign orders add \$10.

*Scripsit is Trademark of Tandy Corp.

Project the impact of personal savings and borrowing plans.

You're in the Money

Robert C. Montgomery
P.O. Box 1294
New Canaan, CT 06840

Under the new tax law you can put up to \$2,000 per year into an Individual Retirement Account (IRA), \$2,250 if you are married and file a joint tax return, or \$4,000 if you and your spouse are both employed. If you're a small businessman, you can also put 15 percent of your salary, up to a limit of \$15,000 per year, into a Keough plan or profit-sharing trust. In any of these cases, the money you put away is deductible from your current income before you figure your taxes, and the interest earned by the funds on deposit is accumulated free of tax until, at a later age, you start using the money for retirement or other purposes.

Regular saving and the compounding of interest can accrue a great many dollars, especially if they are sheltered from tax

while being accumulated. There's also an unhappy corollary: Continued borrowing and the compounding of interest expense can accrue a huge debt.

FINMOD/BAS is a program in Model III Disk Basic that permits you to visualize the effects of compound interest in building an estate, and demonstrates how important it is to shelter savings from taxes to the extent the law allows. It also shows you what excessive borrowing can do to your retirement plans, how much starting out with a nice inheritance from Aunt Maude helps, and how much paying off a huge loan obtained for education or for the professional equipment you may need to get started handicaps you.

Some Illustrations

John Q. Jones is 27 years old. He earned \$18,000 last year. Let's assume that his salary will increase by five percent each year until he retires at age 65, and that he's going to save five percent of that salary each year and invest it at a return of 10 percent annually. In this case, we'll assume that he does not use a tax-sheltered savings plan. Thus, the return on his savings will be taxable at whatever marginal income tax rate each year's income calls for. We'll also assume that Jones at age 27 had no savings, but owed nothing to anyone.

Figure 1 shows a detailed printout from

FINMOD. Let's look at some interesting points.

- Jones' salary at age 65 is projected at \$120,685. Don't laugh at five percent raises, provided you can count on them year after year (and provided that inflation doesn't erode all of their value).

- Jones' total salary earned over the 39-year period will be \$2,283,110.

- His accumulated savings will be \$262,570, even though the 10 percent rate of return was actually only five percent after he reached the 50 percent marginal tax bracket.

- Of the total amount Jones saved, \$154,750 came from interest earned on his savings, and only \$107,820 from the savings themselves.

By varying the assumptions, we can produce some interesting comparisons:

- If Jones had earned 15 percent on savings instead of 10 percent, his accumulation would be \$453,200, rather than \$262,570. Make it only a five percent return, and he's down to \$161,831.

- If Aunt Maude had remembered him in her will so he could have started with \$50,000 in savings instead of with nothing, he would retire with \$667,665 instead of \$262,570 with the 10 percent rate of return we first assumed.

- If the 10 percent he earned on savings under our original assumptions had been tax free through an IRA or tax-free securities, but all other assumptions were the same, Jones would accumulate \$716,303 instead of \$262,570. Avoiding Uncle Sam is even better than having a loving Aunt Maude.

- If he had started saving at age 40, he would accumulate \$166,288 instead of \$262,570, even though his lifetime savings would be only \$16,738 less. A 13-year head start is worth about as much as five percentage points in interest.

What are the effects of borrowing? Borrowing is more likely, at least in early years,

The Key Box

Disk Basic
Model III
32K RAM
One disk drive
Printer optional

Figure 1

Case Description:

Lifelong savings at 5%, 10% taxable return, no loans

===== John Q. Jones -- Case # 1 =====

Age at beginning of analysis	27
Age at retirement	65
Salary at age 26	\$ 18,000

Figure 1 continues

Figure 1 continued

Net savings at age 26 (- if net loans)	\$	0
Per cent annual rate of growth of salary		5
Per cent or salary saved		5
Age at which savings begin		27
Age at which savings end		65
Per cent or salary borrowed		0

Per cent taxable return on investments	10
Per cent deductible interest on loans	12

===== John Q. Jones -- Case # 1 =====

Age	Salary	Saved	Borrowed	Interest	Accum Interest	Net Savings
27	18,900	945	0	72	72	1,017
28	19,845	992	0	153	225	2,162
29	20,837	1,042	0	231	455	3,434
30	21,879	1,094	0	326	781	4,854
31	22,973	1,149	0	432	1,213	6,435
32	24,122	1,206	0	550	1,764	8,191
33	25,328	1,266	0	643	2,407	10,101
34	26,594	1,330	0	777	3,184	12,208
35	27,924	1,396	0	925	4,109	14,529
36	29,320	1,466	0	1,088	5,197	17,083

Age	Salary	Saved	Borrowed	Interest	Accum Interest	Net Savings
37	30,786	1,539	0	1,173	6,370	19,795
38	32,325	1,616	0	1,349	7,719	22,761
39	33,942	1,697	0	1,541	9,260	25,998
40	35,639	1,782	0	1,583	10,843	29,364
41	37,421	1,871	0	1,780	12,624	33,015
42	39,292	1,965	0	1,994	14,617	36,974
43	41,256	2,063	0	2,225	16,843	41,262
44	43,319	2,166	0	2,475	19,318	45,903
45	45,485	2,274	0	2,746	22,064	50,923
46	47,759	2,388	0	2,719	24,783	56,030

===== John Q. Jones -- Case # 1 =====

Age	Salary	Saved	Borrowed	Interest	Accum Interest	Net Savings
47	50,147	2,507	0	2,985	27,768	61,523
48	52,655	2,633	0	3,272	31,040	67,428
49	55,287	2,764	0	3,580	34,620	73,772
50	58,052	2,903	0	3,910	38,530	80,585
51	60,954	3,048	0	4,182	42,712	87,814
52	64,002	3,200	0	4,551	47,263	95,565
53	67,202	3,360	0	4,946	52,209	103,871
54	70,562	3,528	0	5,370	57,579	112,769
55	74,090	3,705	0	5,824	63,403	122,298
56	77,795	3,890	0	6,309	69,712	132,497

Age	Salary	Saved	Borrowed	Interest	Accum Interest	Net Savings
57	81,685	4,084	0	6,829	76,541	143,410
58	85,769	4,288	0	7,385	83,926	155,083
59	90,057	4,503	0	7,979	91,905	167,566
60	94,560	4,728	0	8,615	100,520	180,908
61	99,288	4,964	0	9,294	109,814	195,166
62	104,253	5,213	0	10,019	119,833	210,398
63	109,465	5,473	0	10,794	130,626	226,665
64	114,938	5,747	0	11,621	142,247	244,032
65	120,685	6,034	0	12,503	154,750	262,570

===== John Q. Jones -- Case # 1 =====

Ratios:

Net accumulated as percent of total salary	11.5 %
Interest as per cent of net accumulated	58.9 %
Ending salary as percent of beginning	670.5 %
Net savings first achieved at age	27

Summary:

Total salary	\$2,283,110
Net interest	\$ 154,750
Net accumulated	\$ 262,570

MICRO IMAGES

GIVES YOU GREAT PRICES AND
★ FREE SHIPPING ★
WITHIN CONTINENTAL U.S.A.

LAZYWRITER

Latest Version Model I/III \$159.95

DOSPLUS -3.4 \$129.95
Specify 3.4S/3.4D/or 3.4III

LDOS -5.1 — Mod I or III \$118.95

Mod I/III **LYNX** \$249.95
auto dial/answer, cables and software

UNITERM by Pete Roberts - Mod I/III \$74.95

MORE MAXI'S
MAXI MANAGER Mod I/III... \$79.95
MAXI UTILITY... \$44.95
MAXI CRAS Mod I/III... \$84.95
MAXI MAIL Mod III... \$84.95
MAXI STAT Mod I/III... \$179.95

Proofreader by Aspen... Mod I-III - 54.95

Proofedit by Aspen... Mod I-III - 28.50

Grammatik by Aspen... Mod I-III - 54.95

SPECIAL... ALL 3 FOR ONLY \$130.00

MICROSOFT - Fortran 80 - \$89.95

ALDS - \$89.95 — Basic Compiler - \$179.95

EDITOR ASSEMBLER PLUS

BY Microsoft - Mdl I Tape \$27.95 - Disk \$45.95

SUPER UTILITY PLUS 2.2 \$46.95

Mdl I/III specify 40 or 80 track

Ribbon Reloads

\$3.50 each — \$38.00 Dz. (Min. 5)

Available for MX 70/80/100

MX80 REPLACEMENT CARTRIDGE \$9.95

LNW-Doubler 5/8

Includes Dosplus 3.4D \$205.95

SUPER SPOOLER - Compulink

16K Parallel I/O Unit \$334.95

46K Memory Option. \$89.95

Serial I/O Option. \$149.95

Complete Unit - All Options. \$549.95

GAMES

TAPE DISK

Eliminator 18.45 22.45

Starfighter 22.45 27.95

Armored Patrol 18.45 22.95

Sky Warrior 13.95 19.45

Stone of Sisyphus 27.95

Earthquake S.F. 1906 18.45 19.45

Crush Crumble Chomp 27.95 27.95

Voyage of Valkyrie 32.95 35.95

Forbidden Planet 35.95

Forbidden City 35.95

Any Big 5 Program 14.95 18.45

Scarfman 14.95 18.45

We also carry the full line of ADVENTURE INT'L.

ACORN, BIG FIVE, BRODERBUND, AVALON JILL,

MICROSOFT, MISOSYS, AUTOMATED SIMULATIONS

and most other fine software at discount prices.

SEND FOR YOUR FREE CATALOG.

No credit cards at these low prices. Add \$2.00 on all

cod orders. Certified Ck/MO/COD shipped immediately.

Please allow 2 weeks for personal checks. For extra

fast service phone in your COD order. Prices subject

to change without notice. New York State residents

please add appropriate sales tax.

We Offer Great Values & Prompt Delivery — Try Us!

146-03 25th Road ✓ 157

Flushing, New York 11354

Mon-Fri (212) 445-7124 Sat. 10 A.M.-9 P.M. 10 A.M.-5 P.M.

than the disciplined savings program we just examined. Let's assume that Jones has the same starting salary, increasing at the same rate. But let's assume that he goes into debt by borrowing an amount equal to five percent of his salary in each of the years from age 27-39. Beginning at age 40, and continuing through age 65, we will assume that he will put five percent of his salary toward reducing his debt and, when the debt is fully paid, into savings. He will earn 10 percent, fully taxable, on interest income and pay 12 percent, fully tax deductible, on interest expense.

Figure 2 shows the result:

- His accumulated savings at age 65 are now projected at \$46,211, \$216,359 less than in the first case we looked at. The interest expense makes the difference.

- Although he switches from borrowing to savings at age 40, it is not until age 58 that he leaves the red.

What would the projections look like if Jones had started out \$40,000 in debt? We'll return to the assumptions we used in the first example—five percent of salary saved from age 27-65, 10 percent taxable return on savings and 12 percent tax deductible interest on loans. His savings will reduce his debt, but interest costs add to it. If savings are less than interest costs, the debt simply gets bigger. Figure 3 shows the projected result:

- Despite regular savings, Jones never

gets out of debt. Savings of five percent of salary are never enough to cover ever-increasing interest expense on an ever-increasing debt, even though his salary

reaches a peak of \$120,685 at age 65.

- Accumulated debt at age 65 is up to \$283,316, with interest paid by then reaching a total of \$351,135.

Figure 2

Case Description:

Borrow 5% at age 40, then save 5% -- 10% taxable return

===== John Q. Jones -- Case # 2 =====

Age at beginning of analysis	27
Age at retirement	65
Salary at age 26	\$ 18,000
Net savings at age 26 (- if net loans)	\$ 0
Per cent annual rate of growth of salary	5
Per cent of salary saved	5
Age at which savings begin	40
Age at which savings end	65
Per cent of salary borrowed	5
Age at which borrowing begins	27
Age at which borrowing ends	39
Per cent taxable return on investments	10
Per cent deductible interest on loans	12

===== John Q. Jones -- Case # 2 =====

Age	Salary	Saved	Borrowed	Interest	Accum Interest	Net Savings
27	18,900	0	945	86-	86-	1,031-
28	19,845	0	992	185-	271-	2,208-
29	20,837	0	1,042	281-	552-	3,531-
30	21,879	0	1,094	400-	951-	5,024-
31	22,973	0	1,149	533-	1,484-	6,706-
32	24,122	0	1,206	684-	2,168-	8,596-
33	25,328	0	1,266	852-	3,020-	10,714-
34	26,594	0	1,330	983-	4,003-	13,027-
35	27,924	0	1,396	1,177-	5,180-	15,600-
36	29,320	0	1,466	1,393-	6,572-	18,459-

Age	Salary	Saved	Borrowed	Interest	Accum Interest	Net Savings
37	30,786	0	1,539	1,632-	8,204-	21,630-
38	32,325	0	1,616	1,897-	10,101-	25,143-
39	33,942	0	1,697	2,029-	12,130-	28,869-
40	35,639	1,782	0	2,048-	14,178-	29,135-
41	37,421	1,871	0	2,061-	16,239-	29,325-
42	39,292	1,965	0	1,871-	18,111-	29,232-
43	41,256	2,063	0	1,858-	19,969-	29,027-
44	43,319	2,166	0	1,837-	21,806-	28,699-
45	45,485	2,274	0	1,807-	23,614-	28,232-
46	47,759	2,388	0	1,768-	25,381-	27,612-

===== John Q. Jones -- Case # 2 =====

Age	Salary	Saved	Borrowed	Interest	Accum Interest	Net Savings
47	50,147	2,507	0	1,717-	27,098-	26,821-
48	52,655	2,633	0	1,480-	28,579-	25,669-
49	55,287	2,764	0	1,402-	29,981-	24,306-
50	58,052	2,903	0	1,310-	31,291-	22,714-
51	60,954	3,048	0	1,204-	32,494-	20,870-
52	64,002	3,200	0	1,081-	33,575-	18,751-
53	67,202	3,360	0	923-	34,499-	16,314-
54	70,562	3,528	0	767-	35,266-	13,553-
55	74,090	3,705	0	591-	35,857-	10,440-
56	77,795	3,890	0	393-	36,250-	6,943-

Age	Salary	Saved	Borrowed	Interest	Accum Interest	Net Savings
57	81,685	4,084	0	172-	36,421-	3,030-
58	85,769	4,288	0	63	36,359-	1,321
59	90,057	4,503	0	291	36,067-	6,115
60	94,560	4,728	0	542	35,525-	11,386
61	99,288	4,964	0	817	34,708-	17,167
62	104,253	5,213	0	1,119	33,589-	23,499
63	109,465	5,473	0	1,449	32,140-	30,421
64	114,938	5,747	0	1,808	30,332-	37,976
65	120,685	6,034	0	2,201	28,131-	46,211

Figure 2 continues

COTTAGE SOFTWARE

PACKER: Machine language program that edits all or part of your Basic program to run faster, save memory, or ease editing. The 5 options include UNPACK—unpacks multiple statement lines into single statements maintaining logic, inserts spaces and rennumbers lines. SHORT—deletes unnecessary words, spaces, and REM statements. PACK—packs lines into maximum multiple statement lines, including all branches. MOVE—moves line or blocks of lines to any new location on program. On 2 cassettes for 16K, 32K, & 48K.

For TRS-80 Mod I or III Level II or Disk Basic ... \$29.95

SYSTEM TAPE DUPLICATOR: Copy your SYSTEM format tapes. Includes verify routines. The Model III version allows use of both 500 and 1500 baud cassettes speeds. For TRS-80 Model I or III Level II ... \$15.95

CASSETTE LABEL MAKER: A mini word processor to print cassette labels on a line printer. Includes 50 peel- and -stick labels on tractor feed paper.

For TR-80 Model I of III Level II & Printer ... \$17.95

PRINT TO LPRINT TO PRINT: Edits your Basic program in seconds to change all Prints to LPrints (except Print@ or Print#) or LPrints to Prints. Save edited version.

For TR-80 Model I or III Level II ... \$12.95

FAST SORT ROUTINES: for use with Radio Shack's Accounts Receivable, Inventory Control I, and Disk Mailing List Systems for Model I Level II Sorts in SECONDS! You'll be amazed at the time they can save. Supplied on data diskette with complete instructions.

FAST SORT for Accounts Receivable ... \$19.95

FAST SORT for Inventory Control I ... \$19.95

FAST SORT for Disk Mailing List (specify data diskette of cassette for 1 drive system) ... \$14.95

ALL THREE ROUTINES ... \$44.95

Prices subject to change without notice. Call or write for a complete catalog. Dealer inquiries invited. VISA and MasterCard accepted. Foreign order in US currency only. Kansas residents add 3% sales tax.

On-line catalog in Wichita FORUM-80: 316-682-2113

Or call our 24 hour phone (316) 683-4811 or write

COTTAGE SOFTWARE

614 N. HARDING

WICHITA, KANSAS 67208

TRS-80™ is a trademark of Tandy Corporation

Level IV Products Is Expanding Again! 3 Locations To Serve You...

HEADQUARTERS

32429 SCHOOLCRAFT ROAD
LIVONIA, MICHIGAN 48150
(313) 525-6200

(MAIL ORDER, WHOLESALE, SERVICE)

COMPUTER CENTER

102 NORTH 20th STREET
BATTLE CREEK, MICHIGAN 49015
(616) 963-2212

(DISCOUNT COMPUTER SHOW ROOM)

R/S STORE #P-130

134 SOUTH FRONT STREET
DOWAGIAC, MICHIGAN 49047
(616) 782-6600

(FULL R/S PRODUCT LINES AT DISCOUNT)

PUT A PROFESSIONAL TEAM TO WORK FOR YOU, WE OFFER "IN-HOUSE" TECHNICAL SERVICE, AND A PROGRAMMING STAFF TO ASSIST YOU WHEN HARDWARE OR SOFTWARE HELP IS NEEDED.

WE CARRY OVER 900 HARDWARE AND SOFTWARE ITEMS, MOST IN STOCK, IF YOU DON'T CHECK OUR PRICES AND DELIVERIES, YOU MAY FIND THAT YOU PAID MORE AND WAITED LONGER.

THE PURCHASING POWER OF \$5,000,000.00 PLUS SALES INSURES YOU THE VERY BEST OF DISCOUNTS, AND PRODUCT QUALITY, WE DON'T HAVE TO "CUT CORNERS" IN OUR SELECTION OF OFFERINGS, OR CONSTRUCTION COMPONENTS.

WE SERVICE EVERYTHING WE SELL, WE'LL ALSO SERVICE YOUR MODIFIED EQUIPMENT (PROVIDED DOCUMENTATION IS AVAILABLE), AT REASONABLE SERVICE RATES.

TYPICAL PRICES (PARTIAL LISTING)

TRS-80* MODEL III 40k (2) M.P.I. OR TANDON 40 TRACK DRIVES..... (FULLY R/S COMPATIBLE).....	\$1749.00
TRS-80* COLOR COMPUTER 16k EXTENDED BASIC.....	\$ 449.00
TRS-80* MODEL II 64k.....	\$3249.00
COLOR DRIVE 0 ASSEMBLY.....	\$ 459.00
M.P.I. OR TANDON DRIVES FOR COLOR, MOD I, MOD III, RAW (FROM \$199.00) COMPLETE (FROM \$259.00).....	\$ CALL
M.P.I. OR TANDON 3" DRIVES FOR MOD II, MOD 16, RAW (FROM \$499.00) COMPLETE (FROM \$649.00).....	\$ CALL
PRINTERS, R/S, EPSON, CITON, MICROLINE, & OTHERS.....	\$ CALL
WINCHESTER DRIVES FOR MOD III, 6.4 meg, COMPLETE WITH DOS & INTERFACE, PLUS IT IN AND RUN.....	\$1995.00
WINCHESTER DRIVES FOR MOD III, 14.5 meg, COMPLETE AS ABOVE.....	\$2395.00
TRS-80* MODEL 16, 128k, 256k, 384k, 512k, SINGLE & DUAL DRIVES.....	\$ CALL
UPGRADE YOUR PRESENT SYSTEM, (7 TECHNICIANS ON STAFF FOR PROMPT RELIABLE SERVICE)..... (CALL FOR A QUOTE).....	\$ \$24/HOUR
ALL POPULAR R/S AND OTHER SOFTWARE AT COMPARABLE DISCOUNT PRICES.....	\$ CALL

WARRANTY POLICY:

TO HAVE THE R/S 90 DAY WARRANTY IN EFFECT, REQUIRES CONSTRUCTION FROM R/S SUPPLIED COMPONENTS, AT SLIGHTLY HIGHER PRICES.

EQUIPMENT CONSTRUCTED WITH COMPONENTS PURCHASED DIRECTLY FROM THE MANUFACTURER IS COVERED BY A SIX MONTH PARTS AND LABOR WARRANTY BY LEVEL IV PRODUCTS, INC.

YOU MUST SPECIFY WHEN ORDERING TO ASSURE THE LEVEL OF COVERAGE YOU REQUIRE.

TERMS OF SALE:

A 2% DISCOUNT IS ALLOWED ON CASH PRE-PAID ORDERS, PERSONAL CHECKS REQUIRE 2 WEEKS FOR BANK CLEARANCE.

VISA, MASTER CHARGE, C.O.D., AND WIRE TRANSFERS ARE ACCEPTABLE, DEPOSITS ARE REQUIRED FOR ALL SPECIAL ORDER AND ASSEMBLED ITEMS.

A CHARGE OF \$10.00 WILL BE MADE FOR ALL RETURNED CHECKS.

SHIPPING:

FOREIGN ORDERS AND LARGE ITEMS ARE SHIPPED BEST-WAY FREIGHT COLLECT, MOST OTHERS ARE SHIPPED PROMPTLY FROM STOCK VIA U.P.S.

DOMESTIC SHIPMENTS OF ITEMS IN THE U.P.S. SIZE AND WEIGHT RANGE YOU MAY ADD 1.5% OF THE ORDER VALUE TO COVER CHARGES FOR SHIPPING, HANDLING, AND INSURANCE. (MINIMUM IS \$2.50)

ADD \$1.50 FOR ALL C.O.D. SHIPMENTS.

DEALER'S NOTE: Some key areas are still available for both re-sale and servicing dealerships, contact our Headquarters Division for Details.

TOLL FREE ORDER HOT LINE
800-521-3305
HARDWARE/SOFTWARE
Service Line
313 / 525-6200

Your One Stop Computer Shopping Center

*TRADEMARK OF RADIO SHACK, A DIVISION OF TANDY CORPORATION



Figure 2 continued

===== John Q. Jones -- Case # 2 =====

Ratios:

=====

Net accumulated as percent of total salary	2.0 %
Interest as per cent of net accumulated	60.9- %
Ending salary as percent of beginning	670.5 %
Net savings first achieved at age	58

Summary:

=====

Total salary	\$2,283,110
Net interest	\$ 28,131-
Net accumulated	\$ 46,211

Figure 3

Case Description:

Same as Case #1, but start out \$40,000 in debt

===== John Q. Jones -- Case # 3 =====

Age at beginning of analysis	27
Age at retirement	65
Salary at age 26	\$ 18,000
Net savings at age 26 (- if net loans)	\$ -40,000
Per cent annual rate of growth of salary	5
Per cent of salary saved	5
Age at which savings begin	27
Age at which savings end	65
Per cent of salary borrowed	0
Per cent taxable return on investments	10
Per cent deductible interest on loans	12

===== John Q. Jones -- Case # 3 =====

Age	Salary	Saved	Borrowed	Interest	Accum Interest	Net Savings
===	=====	=====	=====	=====	=====	=====
27	18,900	945	0	3,562-	3,562-	42,617-
28	19,845	992	0	3,796-	7,358-	45,421-
29	20,837	1,042	0	4,047-	11,405-	48,426-
30	21,879	1,094	0	4,317-	15,722-	51,649-
31	22,973	1,149	0	4,606-	20,328-	55,106-
32	24,122	1,206	0	4,916-	25,243-	58,816-
33	25,328	1,266	0	5,248-	30,492-	62,798-
34	26,594	1,330	0	5,611-	35,803-	66,779-
35	27,924	1,396	0	5,649-	41,452-	71,032-
36	29,320	1,466	0	6,010-	47,462-	75,576-

Age	Salary	Saved	Borrowed	Interest	Accum Interest	Net Savings
===	=====	=====	=====	=====	=====	=====
37	30,786	1,539	0	6,397-	53,859-	80,434-
38	32,325	1,616	0	6,431-	60,290-	85,249-
39	33,942	1,697	0	6,818-	67,108-	90,369-
40	35,639	1,782	0	7,229-	74,337-	95,816-
41	37,421	1,871	0	7,666-	82,003-	101,611-
42	39,292	1,965	0	8,131-	90,134-	107,778-
43	41,256	2,063	0	7,992-	98,126-	113,707-
44	43,319	2,166	0	8,433-	106,559-	119,974-
45	45,485	2,274	0	8,898-	115,457-	126,597-
46	47,759	2,388	0	8,496-	123,953-	132,705-

===== John Q. Jones -- Case # 3 =====

Age	Salary	Saved	Borrowed	Interest	Accum Interest	Net Savings
===	=====	=====	=====	=====	=====	=====
47	50,147	2,507	0	8,906-	132,858-	139,103-
48	52,655	2,633	0	9,335-	142,193-	145,805-
49	55,287	2,764	0	9,784-	151,977-	152,825-
50	58,052	2,903	0	10,255-	162,231-	160,177-
51	60,954	3,048	0	9,616-	171,848-	166,746-
52	64,002	3,200	0	10,009-	181,857-	173,555-
53	67,202	3,360	0	10,416-	192,273-	180,610-
54	70,562	3,528	0	10,837-	203,110-	187,920-
55	74,090	3,705	0	11,274-	214,384-	195,489-
56	77,795	3,890	0	11,496-	225,880-	203,095-

Figure 3 continues

If Jones' initial debt were \$20,000 instead of \$40,000, his savings will be enough to cover the interest and make a dent in the debt. Even in this case, debt continues to increase until he is 41, and he is not in the black until he reaches the age of 58. An assumption of a bigger starting salary, or of faster salary growth, would make the picture much brighter. For example, assuming that he starts with \$40,000 in debts, but earns salary increases at a 10 percent annual rate instead of five percent, he accumulates \$336,262 at age 65. Even in these circumstances, however, his debts continue to increase until he is 41, and he's not in the black until he is 55.

Running the Program

For easier reading, there is only one statement to a program line (see the listing), but you need enter a new line number only when a line number appears in the listing. You may also omit remarks without worrying about undefined-line-number errors.

When you run the program you will be asked for a case number and a case description, so you can differentiate each set of assumptions from others. Then you will be asked to provide assumptions on 15 different variables, as shown below. Default values are read into memory when the program loads; if these are satisfactory, you need only enter N (for no change).

Variables

Enter your name. A default name of John Q. Jones is embedded in the program as the string variable AN. You can change this and other default values by changing line 280.

Enter the beginning age at which the analysis is to start. You'll probably want to use your present age instead of the default value of N1 equals 27.

Enter the age at which the analysis is to end—the default value N2 equals 65.

Enter your salary in the year before the analysis is to begin. The default value of XS is \$18,000.

Enter the savings or debts you had at the end of the year in which the analysis begins. That's set up initially as zero (variable XZ).

Enter the compound rate at which your salary will grow, now set as five percent (XG equals 0.05).

Enter the proportion of your salary that you intend to save, in years in which you are able to save. The default value is also 5 percent (XV equals 0.05).

Enter the age at which you will begin saving. It's now set at 27 (NV equals 27), the year in which the analysis begins.

Enter the age after which you will stop saving. It's set initially at 65 (NE equals 65).

Enter the proportion of your salary that you plan to borrow in years in which you will be borrowing. XB is set initially at zero.

Enter the ages at which you will start and stop borrowing. The initial values are NB equals 27 and NF equals 65. They have no effect if the proportion borrowed remains at zero and there is no initial debt.

Enter the rate of interest you will receive


When You Opt For **MICRO DESIGN** You Get All The Options

INTERFACE EXPANSION SYSTEMS FOR THE TRS-80* COMPUTERS

The MDX Series Interface Expansion Boards provide a wide range of features for the TRS-80* Computers. Fully assembled units offer immediate, inexpensive expansion; or choose the bare or partially assembled units for even more savings. Since assembly of the board in sections is possible, you can build in the features you need, as you need them! P.C. Boards are solder-masked and silkscreened for easy assembly; each comes with the illustrated *User's Manual*.

TRS-80* Model I EXPANSION

Our MDX-1 and MDX-2 Interface Expansion Boards are field tested/field proven and offer more options for the Model I than any on the market. Also compatible with the PMC-80 and LNW-80 Computers. Custom Case Available for MDX-2.



FEATURES:

- MEMORY EXPANSION to 48K
- ON-BOARD SUPPLY, fully protected
- PHONE MODEM, 0-600 baud, direct connect, "answer" and "originate" modes
- REAL TIME CLOCK, software programmable
- PARALLEL PRINTER PORT
- SERIAL PORT—RS232 and 20ma loop compatible
- EPROM OPTION for user firmware
- DUAL CASSETTE LINE
- FLOPPY DISK CONTROLLER: The MDX-2 has all the features of the MDX-1 plus Floppy Disk Controller. The Controller is compatible with any single or double-sided floppy disk drive that is configured for use with the TRS-80 computer.

MDX-1 MDX-2

✓	✓
✓	✓
✓	✓
✓	✓
✓	✓
✓	✓
✓	✓
✓	✓
✓	✓

TRS-80* Model III EXPANSION

The MDX-3 Interface Expansion Board is designed to mount inside the Model III Computer. Connectors provide external access to the Floppy Disk Controller (for external drives) and RS232 port.

FEATURES:

- DOUBLE-DENSITY FLOPPY DISK CONTROLLER—1.8 times the normal single density storage; digital data separation; controls up to 4 drives.
- SERIAL PORT—RS232 and 20ma loop compatible, 110-19,200 baud
- PHONE MODEM—0-600 baud—direct connect—"answer" and "originate" modes.
- FULLY COMPATIBLE with all Model III software.

MDX-5: Also for the TRS-80* Model III

For the user who already has disk we offer the MDX-5. This board mounts next to the Floppy Disk Controller Board in the Model III.

FEATURES:

- SERIAL PORT—RS232 and 20ma loop compatible, 110-19,200 baud
- PHONE MODEM—0-600 baud—direct connect—"answer" and "originate" modes.
- Fully compatible with all Model III Software

PHONE MODEM

The MDX-4 Phone Modem utilizes the same Direct Connect, 0-600 baud design as used in the other MDX series boards and: answer/originate modes; solder-masked & silkscreened; on-board power supply. Compatible with any RS232 port.

ALL MDX SERIES BOARDS ARE WARRANTED AND SERVICE IS AVAILABLE.

*TRS-80 is a trademark of Tandy Corporation.



For a free brochure contact:

Our Expensive Expansions Are Not Cheap, They Are Inexpensive.

	MDX-1	MDX-2	MDX-3	MDX-4	MDX-5
Bare P.C. Board & User's Manual	\$69.95	\$ 74.95	\$ 74.95	\$ 29.95	\$ 49.95
Fully Assembled		\$399.95	\$299.95	N/A	\$224.95
Data Separator		\$ 24.95			
Custom Case		\$ 45.00			
Any manual ordered separately, \$5.95 plus \$3.00 postage & handling.					
All board orders, add \$5.00 for postage & handling. (Texas residents add 5% tax.)					



OUR BUSINESS IS EXPANDING
EXPAND WITH US

6301 Manchaca Rd. Suite J
Austin, TX 78745

Dealer inquiries welcomed.

1-800-531-5002

Texas Res. only (512) 441-7890

Figure 3 continued

Age	Salary	Saved	Borrowed	Interest	Accum Interest	Net Savings
=====	=====	=====	=====	=====	=====	=====
57	81,685	4,084	0	11,941-	237,821-	210,952-
58	85,769	4,288	0	12,400-	250,220-	219,063-
59	90,057	4,503	0	12,874-	263,094-	227,434-
60	94,560	4,728	0	13,362-	276,456-	236,068-
61	99,288	4,964	0	13,866-	290,323-	244,970-
62	104,253	5,213	0	14,385-	304,708-	254,143-
63	109,465	5,473	0	14,920-	319,628-	263,590-
64	114,938	5,747	0	15,471-	335,099-	273,313-
65	120,685	6,034	0	16,037-	351,135-	283,316-

===== John Q. Jones -- Case # 3 =====

Ratios:

Net accumulated as percent of total salary	12.4- %
Interest as per cent of net accumulated	123.9 %
Ending salary as percent of beginning	670.5 %
No savings achieved by age	65

Summary:

Total salary	\$2,283,110
Net interest	\$ 351,135-
Net accumulated	\$ 283,316-

Program Listing

```

100 ' *****
110 ' *****
120 ' ***** FINMOD/BAS *****
130 ' *****

```

Program continues

on savings. The default value of variable XI is set at 0.10, or 10 percent.

Is interest taxable? There is no default value here. You must respond Y or N when asked.

Enter the rate of interest you will pay on money borrowed. The default value of variable XB is 12 percent (0.12). This assumption has no effect unless there are debts.

Is the interest tax deductible? As in the case of return on savings, there is no default value.

When your entries are complete, the program automatically computes the projected results and then displays them one CRT page at a time. You can press P (for print) to obtain a printout of any display, or press any other key to continue without printing.

Modifying the Program

I use a crude estimate of the effects of income tax. You may want to improve it. Income tax effects are figured in lines 480-520. Income is figured as current salary, plus or minus interest paid or received in the preceding year, minus 10 percent of salary in excess of \$20,000 (on the assumption that itemized deductions will approximate that 10 percent of salary). Taxes on interest income (and tax savings on interest expense) are figured at the marginal tax rate set for joint returns in 1981. Exemptions, state taxes, and taxes on long-term capital gains are not considered.

—ATTENTION ALL TRS-80® OWNERS—

No matter how your Model I, II, or III is used, whether it be business or pleasure, this product can benefit you.

The **FATIGUE FIGHTER™** reduces the operator fatigue (irritated, watery eyes and headaches) caused by the harsh white video display thereby making computer use more efficient and/or enjoyable. The graph at the right will help explain how it works. Superimposed on the standard eye sensitivity curve is the band pass curve of the **FATIGUE FIGHTER™** as recorded by a spectrophotometer. A marker is also on the graph at the ideal psychological tolerance color. As you can see, the green color of the **FATIGUE FIGHTER™** takes advantage of both eye sensitivity and psychological tolerance to make the display less irritating.

The **FATIGUE FIGHTER™** is made of tough 1/8 inch thick acrylic sheet which adds absolutely no distortion or fuzziness to the display and is industry proven to be an excellent material for optical filtering (e.g. lenses for laser safety goggles). It installs easily on all three TRS-80® models with a pressure sensitive adhesive which will not let the filter fall off yet allows easy removal if necessary. Finally, the black and silver border design makes it a perfect match for the computer styling.

If you want a **FATIGUE FIGHTER™** of your own but prefer not to order by mail, check with your local computer stores to see if they have them in stock. Otherwise follow the ordering instructions below.

TO ORDER:

TRS-80 IS A
TANDY CORP.
TRADEMARK


Send Name & Address Typed or Clearly Printed with Check or Money Order (U.S. FUNDS) for \$14.95 Each, including Shipping. Canadian Orders add \$1.00 Each. All Other Foreign Orders Add \$2.00 Each for Shipping. NO CREDIT CARD ORDERS. COD's (U.S. ORDERS ONLY) are \$2.50 Additional Per Order & are Accepted by Mail or by Calling 904-378-2494 9-5 M-F. Florida Residents Add 5% Sales Tax.

ALL MAIL ORDERS MUST BE SENT TO THE U.S. ADDRESS

SID SOUTHERN INNOVATIVE DESIGN
1520 NORTHEAST 12TH STREET
GAINESVILLE, FLORIDA 32601

DEALER INQUIRIES INVITED

CANADIAN DEALERS ONLY — For pricing and ordering information contact:
MICRO-COMP ENTERPRISES, 955 Brock Rd. S., Unit 3, Pickering, Ont. L1W 2X8 Phone 416-639-4561



FATIGUE FIGHTER

This product resulted from the following Psychological studies show green to be most pleasant for extended viewing. Eye sensitivity peaks in the green band of the spectrum. Contrast is enhanced by reducing the ambient light falling on a CRT. These three factors combine to fight operator fatigue. Finally, we wanted more than just function. We wanted a filter that visually matched TRS-80 styling. Pictured here is proof of our success, a product we are proud of.

Radio Shack
TRS-80
VIDEO DISPLAY

Keough plans are limited to 15 percent of salary (with exceptions) and IRAs to amounts between \$2,000-\$4,000. There are no such limits in the model, and you may want to build them in, or provide for automatic projection of the results of such plans.

There is no estimate of the tax effect on salary, and thus no estimate of after-tax income. If you provide these latter data, you may wish to calculate and print the total taxes paid each year and in total.

Inflation effects can be approximated in the model (by using higher rates of growth for salary, for example). Continued inflation will probably mean lower tax rates on the same number of dollars, as Congress reacts to its constituents' complaints about bracket creep. In addition, if you revise the model to calculate the effects of an IRA or Keough plan, you may wish to take into account the likelihood of higher limits on the amounts you may put aside. You may also want to deflate the projection of accumulated savings to reflect inflation's effect on the buying power of your savings.

Remember, this is a very unsophisticated model, with important limitations. Life doesn't work out in so orderly a fashion as is assumed here. There will be financial emergencies, and there may be windfalls. Continuous saving is one thing to project and quite another thing to accomplish in the real world. Nevertheless, the results are worth thinking about in planning your own financial future. ■

Program continued


```

140 : ***** 01/05/82 *****
150 : *****
160 : ***** Copyright 1982 *****
170 : *** Robert C. Montgomery ***
180 : *****
190 :
200 CLEAR1000:CLS:PRINT@412,"FINMOD/BAS":DEFSTRA-B:DEFINTC-W:DEF
FNA(I)=STRING$(I,61):DIMXS(100),XV(100),XP(100),XT(100),XI(100),
XB(100),XX(100),XY(100)
210 "'''' ROM screen print routine, lower case
220 DEFUSR0=473:POKE16409,0
230 "'''' Check printer status
240 IFPEEK(14312)>127P=960:A="Printer not on line -- proceed (Y/
N)?:GOSUB390:IFA="Y"ORA="Y"THENLP=1ELSEIFA="N"ORA="N"THEN1560EL
SEGOSUB360:GOTO240
250 "'''' Read tax table
260 FORI=1TO10:READXA(I):XA(I)=XA(I)/100:NEXT:FORI=1TO10:READXC(
I):XC(I)=XC(I)*100:NEXT:DATA16,18,21,24,28,32,37,43,49,50,55,76,
119,160,202,246,299,352,458,600
270 "'''' Read default assumptions and specs
280 READAQ,AN,N1,N2,XS,XZ,XG,XV,NV,NE,XP,NB,NF,XI,XB:DATA"Lifelo
ng savings at 5%, 10% taxable return, no loans",John Q. Jones,27
,65,18000,0,.05,.05,27,65,0,27,65,.1,.12
290 GOTO560
300 "'''' Paging for 66 line pages
310 IFPEEK(16425)>47THENFORI=1TO66-PEEK(16425):LPRINT" ":NEXT:P
P=1:POKE16425,0:RETURNELSERETURN
320 IFLPTHENRETURNELSEX=USR0(X):RETURN
330 "'''' Erase screen not desired in print
340 IFPEEK(16425)ANDPP=0PRINT00,CHR$(30);:PRINT@64,CHR$(30);
350 PRINT@960,CHR$(30);:RETURN
360 PRINT@P,CHR$(31)"Please try again";:FORI=1TO500:NEXT:PRINT@
P,CHR$(30);:RETURN
370 PRINT@960,"Press 'P' to print, any key to continue";
380 A=INKEY$:IFA=" "THEN380ELSERETURN
390 PRINT@P,CHR$(30)A" ==> ";:GOTO380
400 A=" "+A" ":A=FNA(32-LEN(A)/2)+A+FNA(32-LEN(A)/2):GOTO410
410 PRINT@P,CHR$(30)A;:A="":RETURN

```

Program continues

Experience the Magazine of the Future . . .



for the TRS-80 COLOR
with Ext. Basic

The Programmer's Institute's magnetic magazines will entertain, educate, and challenge you. Each issue features ready-to-load programs ranging from games, adventures, home applications, and utilities to personal finance, educational, and our "unique" teaching programs. Our magazines include fully listable programs, a newsletter containing descriptions and instructions for all programs, and notes on programming techniques used.

Subscription price for cassette is \$50 per year, \$30 per ½ year and \$10 for a trial issue.
For diskette \$75 per year, \$45 per ½ year and \$15 for a trial issue. . . . Don't miss another issue!

"Received my first copy . . . it's great! Please rush to me one of each back issue, so I'll have a complete set."
R.G., Chicago, IL

"Not only are the games fun and the applications useful, but the quality of the programs is excellent."
S.P., Midwest Computer Software Sales

"(Your magazine) is everything I expected and more!"
P.L., Durand, MI

the programmer's program



The Programmer's Institute has designed a series of programs which examine the innovative use of BASIC commands. By exploring the fundamentals of computer programming, **The Programmer's Program** provides a valuable supplement to the BASIC manual.

Each technique is explained in depth, then graphically displayed, enabling you to gain a better understanding of programming concepts. Such methods as **multiple loops, stacks, queues, graphics, game programming, sorts, trees, boolean logic, and memory savers** are explored, making programming tasks easier and more efficient.

The Programmer's Program is ideal for anyone who has ever been frustrated by the manuals! (\$50 cassette, \$55 diskette).

FREE OFFER!

Order both **The Programmer's Program** and 1 year's subscription, and the total cost is only \$75 cassette, \$100 diskette. You will receive our **Haunted House Adventure** (14.95) ABSOLUTELY FREE with any \$75 order. Offer expires September 30, 1982.

FREE CATALOG UPON REQUEST
Dealer Inquiries Invited
ALL SOFTWARE REQUIRES 16K

PROGRAMMER'S INSTITUTE

a division of FUTUREHOUSE

P.O. BOX 3191, DEPT. 1-B
CHAPEL HILL, NC 27514
MasterCard/VISA Welcome
10 AM - 9 PM, Mon - Sat
See your local dealer or order direct



1-919-489-2198

Add \$2 postage and handling to all orders.

--- \$ 34.95 ---

ENTRY / EXIT TERM/HOST via Interrupt Handler
 * HEX TRANSLATION OF RECEIVED & TRANSMITTED DATA
 * TRANSMIT / RECEIVED Data Continually Displayed
 * Adjustable SPLIT SCREEN FULL DUPLEX Operation
 * BASIC May be Used as a ASCII FILE TEXT EDITOR
 * TRANSMIT TEXT from BASIC Without LINE NUMBERS
 * BINARY and ASCII FILE Handling Capabilities
 * ASCII (Transparent BINARY File) Handling
 * CONTROL CODE SUPPORT from KBD or XMIT/RCV BUFFER
 * Additional CONVERSION PROGRAMS are NOT REQUIRED
 * DISK or TAPE to the TRANSMIT/RECEIVE BUFFER
 * TRANSMIT / RECEIVE BUFFER to DISK or TAPE
 * DISK to TAPE or TAPE to DISK All File Types
 * AUTOMATIC CLEAN UP of RECEIVED ASCII Files
 * HEX to DECIMAL CONVERSION From Any USER Program
 * UPPER / LOWER CASE DRIVER with KEYBOARD Toggle
 * TEXT SPOOL BUFFER for VIEWING or PRINTING
 * TRANSLATE TABLE Overlay AREA SWITCHABLE ON/OFF
 * LINE FEED Suppression on RCV SWITCHABLE on XMIT
 * WAIT for RESPONSE CHR or DELAY After Line XMIT
 * EXIT/RETURN to DOS, BASIC or Other USER Program
 * HOST May Run MACHINE LANGUAGE or BASIC Programs
 * in the HOST Mode From Any ASCII REMOTE TERMINAL
 * HOST You May DOWN LOAD / UP LOAD all FILE TYPES
 * in the HOST From Any REMOTE TERMINAL or SYSTEM
 * HOST MODE, has PASSWORD PROTECTION if desired
 * VERSION runs on MODEL 1 & 3, TAPE or DISK, 48K

TERM / HOST / BULLETIN BOARD

--- \$ 39.95 ---

* Uses TERM/HOST for a DRIVER with an Appendage
 * Series of BASIC Support Programs and DATA Files
 * Support about 200 USERS, IDEAL for LOCAL CLUBS
 * General, Club, and Confidential PASSWORD Prot.
 * EASY, USER ORIENTED, complete UP/DOWN loading
 * Auto Config. for N/7/1, N/8/1, E/7/1, or E/8/1

SEND CHECK OR MONEY ORDER TO
 Freedom Financial Enterprises of Washington, Inc
 3601 Carriage Dr Raleigh, NC 27612 919-787-8082

v442

***** IT'S HERE! *****

COLOR COMPUTER BUSINESS & HOME SOFTWARE

50 CASSETTES ONLY \$8.95-\$29.95

that will knock your

"MAINFRAME" out

FREE CATALOG

(Specify for TRS-80 Color Computer)

Including-

THE ACCOUNTANT	\$29.95
THE BILLING SOLVER	\$19.95
THE CLIENT TICKLER	\$19.95
BUSINESS INVENTORY	\$18.95
THE BIDDER	\$14.95
DEAR DIARY	\$12.95
THE TICKER TAPE	\$16.95
THE MAILMAN	\$13.95
VICKY-CALC.	\$12.95
THE INVESTMENT ANALYST	\$12.95
THE PHONE DIRECTORY	\$9.95
CHECKBOOK BOOKY	\$12.95
THE BUDGETER	\$15.95
SUPER SHOPPER	\$12.95
JOGGER'S LOGGER	\$12.95
LIGHTENING SORT	\$14.95
THE INCOME AND EXPENSER	\$14.95
MEDICAL RECORDS	\$14.95
and many more...	

TSASA, INC.

2 CHIPLEY RUN

WEST BERLIN, N.J. 08091

(609) 346-3063

"MIGHTY 'T' TO THE RESCUE"

v449

Program continued

```

420 Q=0:R=0:K=LEN(A):GOSUB410:PRINT now "AB" ==> ";AA=":LINEI
NPUTAA:IFAA="":THENR=1:RETURNELSEIFA="n"ORAA="N"THENQ=1:RETURN
SEPRINT@P+K,CHR$(30);X=VAL(AA):RETURN
430 PRINT@P+K,CHR$(30):PRINT@P+63-LEN(AA),AA:RETURN
440 PRINT@P+K,CHR$(30):PRINT@P+53,USING$#,###,###;X;:RETURN
450 PRINT@960,"Enter 'N' if no change";:RETURN
460 """" Compute tax rate on salary less 10% of amt > $20000
470 """" plus or minus interest
480 XQ=X$(I):IFXQ>2E4XQ=2E4+.9*(XQ-2E4)+XV(I-1)
490 YA=0:FORJ=1TOTLSTEP-1:IFXQ>XC(J)THENYA=1-XA(J):J=0
500 NEXT:IFLEFT$(AT,1)="n"THENYC=1ELSEYC=YA
510 IFLEFT$(AD,1)="n"THENYB=1ELSEYB=YA
520 RETURN
530 '
540 """" Input case description and assumptions
550 P=960:A="Repeat display, next case or quit (R, N or Q)?:GOS
UB390:IFA="q"ORA="Q"THEN1560ELSEIFA="r"ORA="R"THENK7=1:GOTO1290E
LSEIFA<>"n"ANDA<>"n"GOSUB360:GOTO550
560 CLS:PRINTFNA(19)" Case description "FNA(19):GOSUB450
570 P=128:A="Case number now"+STR$(C+1):GOSUB410:PRINT@173,"New:
";A="":INPUTA:IFA="n"ORA="N"THEN580ELSEC=VAL(A)-1:IFC<0ORC>1E3
GOSUB360:GOTO570
580 PRINT@139,CHR$(30)TAB(55)C+1;
590 P=256:A="Case description now":GOSUB410:A=AQ:P=320:GOSUB410

600 P=448:A="New (<64 characters): ":GOSUB410:PRINT@512,"?";A="
":LINEINPUTA:IFA="n"ORA="N"THEN610ELSEIFLEN(A)>63THENGOSUB360:GO
TO600ELSEAQ=A
610 P=512:A=AQ:GOSUB410
620 P=960:A="Corrections (Y/N)?:GOSUB390:IFA="y"ORA="Y"THEN560E
LSEIFA<>"n"ANDA<>"n"GOSUB360:GOTO620
630 POKEL6425,0:C=C+1:P=0:CLS:A="Assumptions":GOSUB400:IFAN<>"G
OSUB450
640 """" Name
650 P=128:AB=AN:A="Name (<31 characters)":GOSUB420:IFQTHENAA=AN:
GOTO660ELSEIFRORLEN(AA)>30THENGOSUB360:GOTO650ELSEAN=AA
660 A=AA+" -- Case #"+STR$(C):P=0:GOSUB400
670 """" Age
680 P=128:AB=STR$(N1):A="Age at beginning of analysis":GOSUB420:
IFQTHENAA=AB
690 GOSUB430:IFQ=0N1=X:IFRORN1<LORN1>100GOSUB360:GOTO680
700 P=192:AB=STR$(N2):A="Age at retirement":GOSUB420:IFQTHENAA=A
B
710 GOSUB430:IFQ=0N2=X:IFRORN2<LORN2>100GOSUB360:GOTO700
720 """" Salary
730 P=256:AB=STR$(XS):A="Salary at age"+STR$(N1-1):GOSUB420:IFQ
HENX=XS
740 GOSUB440:IFQ=0XS=X:IFRORXS<0ORXS>1E6GOSUB360:GOTO730
750 P=320:AB=STR$(XZ):A="Net savings at age"+STR$(N1-1)+" (- if
net loans)":GOSUB420:IFQTHENX=XZ
760 GOSUB440:IFQ=0THENXZ=X:IFABS(XZ)>1E7GOSUB360:GOTO750
770 P=384:AB=STR$(XG*100):A="Per cent annual rate of growth of s
alary":GOSUB420:IFQTHENAA=AB
780 GOSUB430:IFQ=0XG=X/100:IFRORABS(XG)>1GOSUB360:GOTO770
790 """" Savings
800 P=448:AB=STR$(XV*100):A="Per cent of salary saved":GOSUB420:
IFQTHENAA=AB
810 GOSUB430:IFQ=0XV=X/100:IFRORXV<0ORXV>1GOSUB360:GOTO800
820 IFXV=0THEN880
830 P=512:AB=STR$(NV):A="Age at which savings begin":GOSUB420:IF
QTHENAA=AB
840 GOSUB430:IFQ=0NV=X:IFRORNV<LORNV>N2GOSUB360:GOTO830
850 P=576:AB=STR$(NE):A="Age at which savings end":GOSUB420:IFQ
HENAA=AB
860 GOSUB430:IFQ=0NE=X:IFRORNE<LORNNE>N2GOSUB360:GOTO850
870 """" Borrowings
880 P=640:AB=STR$(XP*100):A="Per cent of salary borrowed":GOSUB4
20:IFQTHENAA=AB
890 GOSUB430:IFQ=0XP=X/100:IFRORXP<0ORXP>1THENGOSUB360:GOTO880
900 IFXP=0THEN960
910 P=704:AB=STR$(NB):A="Age at which borrowing begins":GOSUB420
:IFQTHENAA=AB
920 GOSUB430:IFQ=0NB=X:IFRORNB<LORNB>N2GOSUB360:GOTO910
930 P=768:AB=STR$(NF):A="Age at which borrowing ends":GOSUB420:I
FQTHENAA=AB
940 GOSUB430:IFQ=0NF=X:IFRORNF<LORNFB>N2GOSUB360:GOTO930
950 """" Return on investment
960 P=832:AB=STR$(XI*100):A="Per cent return on investments":GOS
UB420:IFQTHENAA=AB
970 IFQ=0XI=X/100:IFRORABS(XI)>1GOSUB360:GOTO960
980 IFXI=0THENGOSUB430:GOTO1010ELSEPRINT@960,CHR$(30);A="Taxabl
e (Y/N)?:GOSUB390:IFA="y"ORA="Y"THENAT="taxable"ELSEIFA="n"ORA=
"N"THENAT="nontaxable"ELSEGOSUB360:GOTO980
990 A="Per cent "+AT+" return on investments":K=LEN(A):GOSUB410:
AA=STR$(XI*100):GOSUB430
1000 """" Cost of borrowing

```

Program continues

FREE business software directory

- Radio Shack's Model I, II, III.
- Heath's MBASIC and HDOS
- CPM: Xerox, Alto...
- IBM Personal Computer

"IDM2 is GREAT!" -publisher of 80-US

"(GL) superior to either the Osborne (SBSG & Taranto) or Radio Shack... MAIL-X has a greater capacity... more flexible than (R.S.)"

-columnist of 80-microcomputing

"imperceptively fast...(DBMS) is a good and reliable workhorse"

-publisher of Interface Age


Data base manager, integrated accounting package (AR, AP, GL & Payroll), inventory, word processing, and mailing list. Compare and be selective!



Micro Architect, Inc.
96 Dothan St., Arlington, MA 02174

✓149

HALLS of TIME



YOU'LL BE LOST IN AMAZEMENT.

Halls of Time is a high-speed, real-time graphics game featuring continuous 3-D motion and an inexhaustible choice of mazes.

This is the most spectacular 3-D graphics game you can buy or your money back.

Mod I/III-32K Cassette \$23.95 • Disk \$27.95



MCSI
P.O. Box 26416
Austin, Texas 78755

in & out

You've invested a lot of time and money into your computer . . .
It's time that investment paid off!

THE COLOR ACCOUNTANT

The Programmer's Institute introduces **THE COLOR ACCOUNTANT**, the only complete personal financial package specifically designed for the TRS-80 COLOR computer. This unique package includes:

- | | | |
|-----------------------------------|---|------------------------------|
| 1. Complete Checkbook Maintenance | 5. Payments/Appointments Calendar | 8. Home Budget Analysis |
| 2. Chart of Accounts Maintenance | 6. Color Graph Design Package
(graphs any files) | 9. Schedule 1040 (Long Form) |
| 3. Income/Expense Accounts | 7. Stock Market Analysis | 10. Decision Maker |
| 4. Net Worth Statement | | 11. Mailing List |

After the initial setup, **THE COLOR ACCOUNTANT** requires less than an hour of data input each month.

The checkbook maintenance program is the key to the entire package. Once your checkbook is balanced, the checkbook summary file will automatically update the home budget analysis, net worth, and income/expense statements. You can then graph any file, record bills and appointments, make decisions, print a mailing list, analyze various accounts or stocks, and even calculate taxes.

All programs are menu-driven and allow add/change/delete. Each file and statement can be listed to screen or printer, and saved to cassette or diskette.

THE COLOR ACCOUNTANT also comes with 40 pages of documentation that leads you step-by-step through the entire package. This package is for the TRS-80 COLOR Computer with Ext. Basic and requires 16K for cassette, 32K for diskette.

(\$75 cassette, \$80 diskette).

FREE OFFER!

Order before Sept. 30, 1982 and you will receive **ABSOLUTELY FREE** Itemized Deductions (Schedule A) and Income Averaging (Schedule G).

PROGRAMMER'S INSTITUTE

a division of FUTUREHOUSE

P.O. BOX 3191, DEPT. 1-B

CHAPEL HILL, NC 27514

MasterCard/Visa Welcome

10 AM - 9 PM, Mon - Sat

See your local dealer or order direct

1-919-489-2198

Add \$2 postage and handling to all orders.

✓475

Now NRI takes you inside the new TRS-80 Model III microcomputer to train you at home as the new breed of computer specialist!

NRI teams up with Radio Shack advanced technology to teach you how to use, program and service state-of-the-art microcomputers...

It's no longer enough to be just a programmer or a technician. With microcomputers moving into the fabric of our lives (over 250,000 of the TRS-80™ alone have been sold), interdisciplinary skills are demanded. And NRI can prepare you with the first course of its kind, covering the complete world of the microcomputer.

Learn At Home in Your Spare Time

With NRI training, the programmer gains practical knowledge of hardware, enabling him to design simpler, more effective programs. And, with advanced programming skills, the technician can test and debug systems quickly and easily.

Only NRI gives you both kinds of training with the convenience of home study. No classroom pressures, no night school, no gasoline wasted. You learn at your convenience, at your own pace. Yet you're always



backed by the NRI staff and your instructor, answering questions and giving you guidance.

You Get Your Own Computer to Learn On and Keep

NRI training is hands-on training with practical experiments and demonstrations. You don't just program your computer, you go inside it... watch how circuits interact... interface with other systems... gain a real insight into its nature.

You also work with an advanced liquid crystal display hand-held multimeter and the NRI Discovery Lab®, performing over 60 separate experiments. Both microcomputer and equipment come as part of your training for you to use and keep.

Computer Assisted Instruction

Your TRS-80 even helps train you. You receive 8 special lesson tapes in BASIC computer language. Using them in your microcomputer, you "talk" to it as you progress. Errors are explained, graphics and animation drive home key points. Within a matter of minutes, you'll be able to write simple programs yourself.



Training includes the TRS-80 Model III microcomputer, professional LCD multimeter, the NRI Discovery Lab, Computer Assisted Instruction programs and hundreds of demonstrations and experiments.

(TRS-80 is a trademark of the Radio Shack division of Tandy Corp.)

Send for Free Catalog...

No Salesman Will Call

Get all the details on this exciting course in NRI's free, 100-page catalog. It shows all equipment, lesson outlines, and facts on other electronics courses such as Electronic Design, Industrial Electronics, TV/Audio/Video Servicing... 11 different career opportunities in all. Send today, no salesman will ever bother you. Keep up with the latest technology as you learn on the latest model of the world's most popular computer. If coupon has been used, write to NRI Schools, 3939 Wisconsin Ave., Washington, D.C. 20016.



NRI Schools
McGraw-Hill Continuing
Education Center
3939 Wisconsin Avenue
Washington, D.C. 20016

We'll give you tomorrow.

NO SALESMAN WILL CALL.

Please check for one free catalog only.

- ☐ Computer Electronics including Microcomputers
- ☐ Color TV, Audio, and Video System Servicing
- ☐ Electronics Design Technology
- ☐ Digital Electronics
- ☐ Communications Electronics • FCC Licenses
- Mobile CB • Aircraft • Marine

- ☐ Industrial Electronics
- ☐ Basic Electronics
- ☐ Small Engine Servicing
- ☐ Appliance Servicing
- ☐ Automotive Servicing
- ☐ Auto Air Conditioning
- ☐ Air Conditioning, Heating, Refrigeration, & Solar Technology
- ☐ Building Construction

All career courses approved under GI bill.
☐ Check for details

Name _____ (Please Print) Age _____

Street _____


City/State/Zip _____

Accredited by the Accrediting Commission of the National Home Study Council

#179-102

GREATER VALUES

New Low Prices for Percom Model III Disk Drives!




Complete First-Drive Systems
from **\$449**

Internally mounted drives that feature double- or single-density storage, comprehensive pre-delivery testing, 48-hour burn-in and, best of all, Percom's widely acclaimed disk controller. A First-Drive System includes the four-drive disk controller, one or two drives, power supplies, cables and a fully illustrated owners manual. Use Model III TRSDOS*, Percom OS-80+ and all other Model III compatible DOSs.

Note: If you prefer not to make the First-Drive System installation, we'll do it for only \$29.95 plus shipping. This includes a 48-hour operating burn-in of your Model III computer, installation of the drive system and final checkout of the expanded system.

Our Own Fully Tested Drives from only \$275



- Every Access Floppy Disk drive is electrically tested, mechanically tested and burned-in 48 hours under operating conditions. Look for the signed test list in the shipping carton.
- AFD drives are capable of either single- or double-density operation. Store up to 364 Kbytes (formatted) in double density. Store twice the data on a single diskette using AFD "floppy" drives."
- 15-day free trial offer...comprehensive 90-day limited warranty...unbeatable prices...AFD-100 @ \$275.00, -100F @ \$329.00, -200 @ \$429.95, -200F @ \$449.95.

How to order - Order by calling Access Unlimited toll-free on 1-800-527-3475. Or order by mail. Orders may be charged to a VISA or Master Card account, or paid by cashier's check, certified check or money order. Sorry, we cannot accept personal checks. We pay freight (surface only) and insurance charges for shipments in U.S. on orders over \$1,000.00. Add approximate insurance and shipping charges for orders under \$1,000.00. If in doubt about these charges, ask when you call in your order. Texas residents include 5% sales tax. Minimum mail order \$20.00. Allow 2 to 4 weeks for delivery.

• Texas: (214) 340-5366

Save! VISA and Master Card charges are not deposited until the day your order is shipped.


Everybody's Favorites - for Less!

Percom Data Separator	\$23.95
Green Screen I, II, or III	\$18.95
Head Cleaning Kit	\$24.95
Drive Numbering Tabs (pkg 0-3)	\$4.50
5 1/4" Flip-N-File	\$24.95
8" Flip-N-File	\$39.95

PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

— LOWER PRICES

Percom's Proven DOUBLER II[†] Upgrade Your Model I to Double Density for only \$159.95



And not with some unproven hacker's kit, either. But with an assembled and fully tested *Percom DOUBLER-II[†]*. The DOUBLER II[†] simply plugs into the disk drive controller socket of your Expansion Interface. Then it lets you store over four times more on one side of a diskette, depending on the drive, than you can store on standard Tandy Model I drives. Other features: • Reads, writes and formats *either* single- or double-density • Includes DBLDOS[™], a TRSDOS^{*} compatible disk-operating system • Runs TRSDOS^{*}, NEWDOS^{††}, Percom OS-80[†] and other single-density software immediately. Change to double-density operation when convenient • Use Move 1-2-3 utility (\$29.95) or other appropriate software to read Model III programs on your Model I. • Includes on-card high-performance data separation and write precompensation circuitry.


Quick-Switch[‡] from Arrick Products

Flick a switch to connect your TRS-80^{*} printer port from device #1 to device #2. Or, switch a peripheral between computers. Quick-Switch models for RS-232 or Centronics interfacing. Includes box-mounted 34-pin card-edge plugs. From \$89.95. Cables from \$29.95.

Sale on Computer Furniture!

Compare and save. Modular design. Contemporary styling. TRS-80^{*} colors.

Computer Desk	\$90.00	(reg. \$115.00)
Desk Top Riser	\$20.00	(reg. \$ 34.00)
Desk Bay	\$80.00	(reg. \$112.00)
Bay Drawer	\$30.00	(reg. \$ 47.00)
Bay Top	\$20.00	(reg. \$ 32.00)



Hurry! Quantities limited.

Save! Make Access your one-stop shopping center for supplies, software and accessories. Call our toll-free order number and ask for our new free catalog.

**Toll-Free
Order No.**

1-800-527-3475 ♦

(orders & literature only)

ACCESS UNLIMITED

[™]Trademark of Access Unlimited
[†]Trademark of Percom Data Company, Inc.

401 N. Central Expressway #600
Richardson, Texas 75080
(214) 340-5366

✓26

^{*}Trademark of Tandy Radio Shack Corporation
^{††}Trademark of Apparat Corporation

*If you have the yen for state-of-the-art hardware,
here's a machine for you.*

QCS Hard Disk

QuCeS Hard Disk Sub-system
Quality Computer Services
178 Main Street
Metuchen, NJ 08840

by G. Michael Vose
80 Micro staff

The technological evolution of data-storage devices for microcomputers has seen the development of tape-based units, which evolved into string-floppy devices, then to single-density floppy disks, to double-density floppy disks—and now to hard disks. Video disks are on the immediate horizon but what the future will bring after that is open to speculation.

The amazing thing about the evolutionary stages of a new technology is that, as you become accustomed to a new level of machinery, you can't imagine how you ever got along without it. When you move up from tape to floppy disks, for example, you will not consider moving back.

But if you plan to make the move up to hard disks, be prepared to pay the price!

What is a Hard Disk?

A hard disk is made of a rigid material, usually a lightweight metal like aluminum, and coated with a metal oxide in the same manner as the Mylar plastic used to make tapes and floppy disks. The coated disk is then mounted and sealed into a drive mechanism, which in turn is placed inside a protective outer housing. It can now be used in the same manner as a tape or floppy disk for storing magnetically encoded information.

The main difference between a hard disk and a standard floppy disk is that the hard

disk rotates at much higher speeds and holds much more information. Because the disk rotates at a higher speed, typically around 3,600 revolutions per minute (rpm), hard disks have faster access times than floppy disks. The read/write head does not physically touch the surface of the disk, as in floppy-disk operation, because the high rpms would remove the disk's oxide coating. But the head does ride very close to the surface to enable the digital information to be tightly packed on the disk, or platter as it is referred to by the manufacturers. Hard-disk platters are usually either 5.25, 8, or 14 inches in diameter.

The heads that read and write the information on the platters are slightly different than those used in floppy-disk drives. Using technology originally developed by IBM, the close read/write head to disk surface tolerance is possible because the platters are sealed to prevent even the most minute contaminant particles from entering the mechanism. To prevent head travel across the platter, the heads read and write on both sides of a platter at once—the top of the platter and the bottom are seen as one continuous data-storage area. The QCS hard disk drive uses two platters with a total of four surfaces that comprise the record storage area. This storage area is called a cylinder.

The unique head design and sealed-platter arrangement of hard disks is commonly called Winchester technology. The name is derived from the earliest hard-disk design, which foresaw storage capacities of 30 megabytes on 30 tracks; this 30/30 arrangement reminded someone of a Winchester rifle, commonly called a 30/30, and the associative name stuck.

Hard disks come in a wide variety of sizes. The smallest hard disks hold about 5

million characters of digital information. One million characters, or bytes, is a megabyte. These smaller units hold, therefore, 5 megabytes of information. From there, the sizes go up to 8 megabytes, 10, 12, 15, 20 megabytes, and eventually to as high as 80 megabytes. Microcomputer hard disks seldom hold more than 20 megabytes.

Hard disks cost from \$2,000 to \$8,000, but these prices are changing rapidly with increased competition and advances in design and manufacturing techniques.

The QCS Hard Disk System

My introduction to the world of hard disks came from Quality Computer Services of Metuchen, NJ. They manufacture a variety of hard-disk units. I reviewed the DSK52—5-inch MiniScribe Hard Disk, which is available for the Models I and III. For \$3,195, you receive a cabinet containing all the hardware (drive mechanism, platters, motors, power supply, and cooling fan), a cable, and one of two operating systems on a floppy disk. The standard unit uses floppy disks for back-up, but QCS will have an optional 10-megabyte tape-drive back-up in the same cabinet available by the fourth quarter of this year (for another \$2,400).

The available operating systems are Micro-System Software's DOSPLUS 4.0/g, which comes with a full operating system plus utilities and manual, or Logical Systems Inc.'s LDOS. The free LDOS system comes with hard-disk drivers only—the buyer must already have purchased LDOS separately—and DOSPLUS costs an extra \$225.

In addition, Quality Computer Services provides a manual with installation instructions for LDOS plus hardware technical specifications for the advanced Assembly-language programmer. The hardware is warranted for 12 months. QCS will not war-

ranty the software and cannot offer recompense for any data lost due to equipment failure. (In other words, do not neglect the importance of making back-up copies of all data files!)

I tested the system using both operating systems. Each works well and I won't discuss their respective merits. The operating systems have two major differences—LDOS was the easier of the two to install but DOSPLUS ran slightly faster.

One of the major advantages of a hard-disk system is that it is substantially faster than floppy disks and this was evident no matter which operating system I used.

The first noticeable difference between a hard-disk and a floppy-disk system is sound—a minor, but psychologically significant difference. One who is used to the whirring and clanking of floppy disks will be amazed, and possibly put off, by the almost total absence of sound generated by the hard disk. Other than the steady white noise sound made by the cooling fan, there is hardly a sound from the hard disk when it reads and writes information.

Next comes the most startling discovery of all. The first time you perform a series of read and write operations, you will be astounded at how quickly they take place. Floppy disks will seem slow once you've seen a hard disk move data. The QCS hard disk can move data at the rate of 5 megabits per second!

And all that room! Imagine reading a directory and finding 5000K free on each of two hard-disk platters. I determined that the QCS 10-megabyte drive will hold the information on 45 double-density or 125 single-density disks! I have trouble imagining just how much information that is.

Software Compatibility

Most of your current software will work just fine using a hard disk. The only exceptions are programs such as Adventure International's data-base manager called Maxi-Manager or Radio Shack's Profile. This software has routines that call specific disk drives and will not run on the hard disk. Adventure International is reportedly developing a hard-disk version of Maxi-Manager.

Evaluation

The QCS hard disk performed flawlessly in the two months I tested it. The manual contains step-by-step instructions to install the hardware, which involves plugging in the power cord and attaching a cable to the Model III's 50-pin edge connector, and to install the LDOS driver programs. I had the system up and running in less than half an hour.

Both operating systems require you to engage a specially configured floppy disk when you first turn the system on. The hard disk then becomes the master drive, and all operations originate with hard-disk pseudo-drive number 4. (The LDOS system actually makes the hard-disk platters function as drives 0 and 1, while DOSPLUS calls them drives 4 and 5.)

The only serious omission in the manual

was a mention of the fact that a hard-disk unit takes about a minute to warm up, obtain the necessary rpm, and stabilize. Any attempts to load an operating system loader before the drive is ready causes an error. This caused some consternation on my part for a day or two until I learned of this peculiarity of hard-disk units.

DOSPLUS installation is a little more difficult than LDOS installation only because the DOSPLUS manual contains the instructions in separate places throughout its pages. You must use the HFORMAT, SYSGEN, TRANSFER and CONFIG commands of DOSPLUS to install the system. It all requires a bit of study before you get it right.

DOSPLUS has a utility that lets you use floppy disks as the back-up media for the hard disk. In a remarkably short time all your data files can be placed on one or more floppy disks. This special back-up routine works so you need only remember on which disk you placed the end of the backed-up file; all other disks can be read in any order and the data will be placed on the hard disk in the correct order.

A Matter to Ponder

It is nice to be able to run your programs one after the other without having to remember which disk you stored them on. After all, on the hard disk you can store hundreds. The fast access time is also convenient. But the question occurs—is it necessary? Especially at \$3,195?

While I enjoyed the increased speed of

the hard disk, I admit I don't need it. When working with data files of less than 32K, word processing files, or even Basic programs, the increase in speed is merely a minute or two per work session. However, I was able to appreciate just how much time *could* be saved in a business setting where large amounts of data were stored, updated, and accessed.

A problem generic to all hard disks is their unwieldy directories. After you have put 50 or more files on a platter, the directory gets mighty hard to read. DOSPLUS thoughtfully provided a solution to this problem by including on the operating system disk a Basic program to alphabetize your directories. This still leaves you with large directories to mull over, but at least you can more easily find a particular entry.

Another advantage of hard disks is that they will extend the life of your floppy-disk drives (which tend to be the most troublesome component of most microcomputer systems).

The QCS hard disk performs as advertised. Since there are versions for all major microcomputers, QCS equipment will no doubt become quite popular. This is good news for potential customers because it means service, if and when necessary, should be easy to obtain.

If you've got mountains of data, or mountains of money and a yen for state-of-the-art hardware, here's a new machine to solve your problem. ■

ESTATE PLANNING MODEL SAVE TIME AND MONEY

by using your TRS-80* Model II, 64 K computer
for professional estate analysis.

- ☆ **Marital Deduction Formula Analysis Reports** analyze six formula bequests for both husband and wife for both orders of death.
- ☆ **Estate Tax Return Report** computerizes estate tax planning for decedents' estates.
- ☆ **Client-Ready Reports** printed.
- ☆ **State (Ohio) and Federal Taxes** computed.
- ☆ **Free Updates** to reflect legislative changes for one year.
- ☆ **Sold and maintained by author:** an attorney and estate planning professional.
- ☆ **ALREADY REVISED** to comply with 1981 TAX REDUCTION ACT.

YES, please send me more information on the Estate Planning Model.

Name _____

Name of Firm _____

Street _____

City _____ State _____ Zip _____

Mail to: Beard Software Development Co.
59 Skyline Avenue
Canfield, Ohio 44406

*TRS-80 is a trademark of Tandy Radio Shack.

134

This TRS-80 improved production-line efficiency.

Industry Saver

by Kerry Leichtman
80 Micro staff

In the movie, *The Graduate*, Dustin Hoffman, uncomfortably cradled in the armpit of a relative, was pulled aside and given some sound business advice. "Plastics," he was told, "Plastics." Hoffman's reply was a hesitant, "What?", to which he was answered with the same whispered word: "Plastics."

The 1966 world was discovering plastics. Had Hoffman played his cards right he would have ended the movie a millionaire rather than the back leg of a lover's triangle. But that was 1966. The 1980s, while as plastic dependent as ever, require more than a college degree, a comfortable armpit, and the desire to be rich. The plastics manufacturer of today needs consumer savvy and a good computerized production-monitoring system.

Manufacturing plants attempt the difficult

balance of stamping out product after product after product, and maintaining enough worker enthusiasm to keep production levels profitable. For the most part, the attempts, while well intentioned, don't work.

The difference between doing business and filing Chapter 11 is plant efficiency. Efficiency is what computers are best suited for. Although the need has been great, the clamor to create computerized monitoring devices has been an underinspired rumble.

Systems now available to the industry range in cost from \$86,000 to \$150,000, according to William Davis of the Davis Core and Pad Company in Cave Spring, GA. Davis couldn't afford IBM's price, nor could he continue doing business as usual.

Forewarned by the demise of fellow manufacturers, he developed a monitoring system, based on TRS-80 microtechnology, that keeps track of every possible aspect of his business from product assembly to machine down-time to inventory stocks and accounts receivable. Although the project's development eventually cost Davis more

than the low-end, he hopes to make his money back by offering the complete monitoring system to other plant manufacturers for only \$20,000.

Davis is not exactly a crusader, but one of the reasons he is offering this computer system to other manufacturers, competitors included, is to keep his type of business from going the way of dinosaurs and mainframes. "People are going under all around me; it hurts to hear of someone else closing their door because they couldn't afford the help they needed."

The nerve center of Davis' operation is a smart box capable of monitoring 48 production machines or 160 production areas. The box is Z80-based (convertible to Z80A) and has full communication capabilities with the office Model III through an RS-232 port.

The box was conceived and developed by Ed Castro of Precision Medical Products in Atlanta, GA. Each circuit board has eight 28-pin memory sockets configured to accept 2732, 2764, 6116, or the new 8K-byte CMOS RAM 6262 memory chips.





Photo 1. Z80 smart box



Photo 2. Davis communicating with the smart box through his office computers.

Two great simulations for the "80s"...



T80-FS1

Flight Simulator

The realism of "out-the-window" flight can be yours with this challenging simulation that will excite beginners and test experienced pilots. On cassette, **\$25.00**.

On enhanced disk (increased world projection rates, 10-frame-per-second approach mode, infinite horizon, hit/crash detection, and more), **\$33.50**. For Model I or III: please specify since the media are different. All versions require 16K.

T80-SG2

Forest Fire Dispatcher

Also challenging and realistic, **Forest Fire Dispatcher** features the ease of operation that lets you concentrate your energy and imagination on the job at hand: saving forests as efficiently as possible. A naturally deep strategy game for years of pleasurable interaction. On cassette, **\$24.95** (16K required). On disk, **\$29.95** (32K required). Specify Model I (Level 2 BASIC) or Model III.



See your dealer!

For direct order, include \$1.50 and indicate UPS or first class mail. Illinois residents add 5% sales tax. Visa and MasterCard accepted. If you don't yet own a disk, don't fret. You can upgrade anytime. Cassette users may send back their cassette (but *not* the manual) along with \$10 (first class shipping included) and receive the disk version.

subLOGIC

Communications Corp.
713 Edgebrook Drive
Champaign, IL 61820
(217) 359-8482
Telex: 206995

LYNN'S A/R SYSTEM

12 Intergraded Account Receivable Programs Tested In Service For Over 3 Years

User's Comments: • menu driven • increased cash flow • saved over 50 hours a month in secretarial hours • almost completely eliminated billing errors • phone supported-ask for Ron.

LYNN'S A/R SYSTEM WILL

- print invoices
- tell you your a/r total, number of invoices outstanding, average per invoice
- tell you at any time how many invoices an individual account has open, the total amount owed, the average per invoice, the invoice date, and then invoice amount
- total sales on account for a given month, number of invoices sent, average sale per invoice
- how much an account purchased during month, how many invoices were sent, average invoice for month
- tell you what percent of sales an account is to total sales by month
- tell you what percent of a/r an account is
- print mailing labels for your accounts
- print statements at any time you want them (either individual or all accounts)
- print alphabetical hardcopy of accounts and account numbers
- print all items sold for month
- alphabetical sort of items sold by month
- this set of programs can be custom modified by you or us
- AND MUCH MORE!!

-AGING REPORT FOR LYNN'S A/R SYSTEM-

Aging Report 01/31/82 Page 1

Account	Current	30-60 Days	60-90 Days	90+ Days	Total
ABC Inc.	\$ 249.00	\$ 65.20	\$ 00.00	\$ 00.00	\$ 314.20
Old Co. Inc.	00.00	84.40	165.20	00.00	249.60
New Co. Inc.	97.75	00.00	00.00	00.00	97.75
Deadbeat Inc.	00.00	00.00	00.00	345.00	345.00

Totals \$346.75 \$ 149.60 165.20 345.00 \$ 1,006.55

Aging reports can be compiled on a daily, weekly or monthly bases.

-LYNN'S CHECKBOOK- DATA BASE MANAGER- LEDGER SYSTEM BY WELLS

•Phone Supported Ask For Ron•

- saves hours of posting to general ledger • almost completely eliminates mathematical errors • menu driven • 200 expense fields • will handle 1,000 checks a month • will print checks with option to enter handwritten checks • will do reconciliation statement with hardcopy • will print hardcopy of field totals both by month, year to date and end of year • automatic account numbering • automatic field entry • will print hardcopy of checkbook register • debit and credit memo entry • alphabetical hardcopy of accounts payable and account numbers (machine language sort, very fast) • AND MUCH MORE! •

perfect tool for storing and maintaining mailing list, inventories, menus, collection records, article references, important dates, client records • all functions menu driven • easy to interface to word processors and communication programs • sort in ascending or descending order (fast machine language sort) • compact storage with minimum overhead • go from data base to visicalc and return • sort and select visicalc lines!! • interface to Radio Shack's "advanced statistical package".

LYNN'S

Account Receivable System	\$49 ⁹⁵
Account Receivable Aging Report	\$20 ⁰⁰
Checkbook Ledger System	\$69 ⁹⁵
Well's Data Base Manager	\$39 ⁹⁵


Add \$2.00 Freight and Handling.

Illinois Residents Add 6% Sales Tax.

Send \$10.00 Per System
For Printouts and Documentation.
Credit Given on Order

Equipment Needed: 48K Model I or III,
Lineprinter, 2 Disk Drives.

The above programs will work on TRSDOS 1.2 and 1.3 for the Model III. NEWDOS, NEWDOS80, NEWDOS80 V2.0, LDOS and MULTIDOS for the Model I and III.



LYNN COMPUTER SERVICE
6831 W. 157 St.
Tinley Park, Illinois 60477
(312) 429-1915

✓115

TRSDOS and TRSDOS are trademarks of TANDY CORP. NEWDOS and NEWDOS80 are trademarks of APPARAT INC. LDOS is a trademark of LOGICAL SYSTEMS INC.

The memory board has a slot for an additional CRT controller, memory mapped to start at F000, setting aside 4K for the CRT. An additional 512 bytes are set aside for control of the real-time clock and a 76489 sound chip. The CMOS real-time clock runs off a lithium battery. With it, the operator never has to enter the time and date. On cold starts or in the case of power shut-downs, the clock won't miss a beat, ensuring accurate records and data loads.

Castro chose the lithium battery because of its dependability. "The lithium battery is a new device," Castro explained. "Most lithium cells have a three-year shelf life. These are totally sealed and have a 10-year shelf life. That doesn't mean it'll last 10 years in the system, but it will be very dependable. It backs up all memory and the real-time clock."

Castro and Davis' smart box uses a 16-character alphanumeric display with a 30-character membrane keyboard. The standard unit has one I/O board. But the unit is capable of handling any number of additional boards.

The motherboard uses a Z80 UART capable of handling two asynchronous channels. One channel is dedicated to the host computer by way of either an RS-232 or 20-milliamp consoles, which are jumper selectable. The other channel is printer or modem dedicated.

A 76489 sound chip produces audible alarms for every occasion. The programmable chip has a built-in 100-milliwatt audio driver making it capable of a wide variety of sounds.

System operation is fast. Ed Castro explains, "The software was developed by Max Norman, a computer analyst with the Bordon Company, using C, which is very close to machine language. We're running 4K starting at 0 to 0FFF. The rest is CMOS RAM. We're downloading off a disk, from a host computer, the software to run on the system. Any changes that need to be made can be made in the host, recompiled, and loaded down. The system's memory can be either EPROM or RAM or any mix. So it can run as a stand-alone with its own video driver. In that case most of the memory would be EPROM."

While computer enthusiasts might get carried away by the mechanics of the system, the businessman's interests are more likely to be with the printouts.

Printout information is available to Davis at any time. The compiled statistics direct Davis to production problems as they occur. "To duplicate by hand the complexity and accuracy of these printouts would be nearly impossible," Davis said. "And if someone were to attempt it, by the time he figured out where the problem was occurring it would be too late to do anything about it."

The printouts are all menu driven, leaving plant operators free to run their business without having to become computer experts. Printout page categories are broken down into many specific areas. The Part

CURRENT CYCLE DISPLAY 11-25-88

WCH	PART	CYC	WCH	MAN	TOT	CYC	SHIFT	TOT
NBR	NBR	NBR	TIME	TIME	TIME	EFF	DIFF	EFF
1	1	1	7	2	9	111	1	111
2	46	4	139	33	172	73	46	82
3	82	9	51	24	185	137	39	142
4	183	1	8	1	9	111	1	111
5	6	4	9	2	11	91	1	95
6	5	1	8	2	10	180	8	267
7	7	8	100	11	111	283	3	189
8	4	3	19	2	12	83	2	180

Photo 3. Instant information

Utilization section sets up columns for code number, part name, computer inventory, value of inventory, manual inventory, manual value, variance in inventories, dollar variance, beginning inventory, parts added, parts sold, and ending inventory.

Davis says the key to the system is the accuracy in the inventory count. "For each machine run, you need to input the parts added to inventory and the parts lost. That is the system. If that information is accurate, the rest of the system is accurate," Davis said.

Another page breaks down machine utilization. Each machine is assigned an initial number designation. The page is broken down by shifts: first, second, third, and all shifts combined. Column categories include hours ran, down hours, mold-change


time, off hours, and lost dollars. Proper use of this information can inspire unenthused employees to keep their machines productively on-line.

A third aspect of the printed information also stands out as an aid to help the manufacturer better plan his machine-use time and parts inventory. The page, labeled Scheduling by Machine Number, has the following column headings: order number, purchase-order number, part code/description, quantity on order, ship date, machine number/hours, material box/beads, inventory balance, hours needed, and beads needed.

Of course the software also keeps track of accounts payable and receivable, parts inventory, paid invoices, sales histories, product sales, customer sales, material cost records, bank account maintenance, product scheduling, and more.

A successful computerized business application is one that takes a particular business' needs and makes the computer work for it in a way the businessman can easily deal with. Staying ahead in today's economically depressed times is tough enough. William Davis recognized the computer as the difference between continuing to operate and bending to fiscal hard times. Nothing feels more threatening to the businessman than the feeling of things getting out of control. Nothing, then, could be more satisfying than having that control at the touch of a button on a computer keyboard. ■

Still Searching?



What Does The Bible Say?

And Where?

Now you can use computer technology to search the Bible on any subject. With THE WORD processor (including a disk copy of the complete KJV Bible text) you can create indexes on keywords. Or phrases. Even on concepts.

A full spectrum of text search functions allows detailed analysis for the real student of the Bible.

Print or display selected verses and/or references for personal study or Bible classes. Build your own computerized library of research material.

THE WORD
processor
\$159.⁹⁵*

Bible Research Systems • 8804 Wildridge Drive • Austin, Texas 78759 • (512) 346-2181
or call Your Local Dealer

Requires 48K, 1 disk drive, APPLE or TRS-80
APPLE is a trademark of APPLE Computer, Inc.

315

* Plus \$2.50 postage/handling
TRS-80 is a trademark of Tandy Corp.

CAU's editor/assembler for disk systems.

MZAL

MZAL
Computer Applications Unlimited
 Rye, NY
 \$149

Bruce Powel Douglass
 Dept. of Physiology
 School of Medicine
 USD, Vermillion, SD 57069

Computer Applications Unlimited (CAU) made its debut a short time ago with a Basic full screen editor named XBE (see "80 Reviews," November 1981). At the time I said XBE was the best full screen editor for Basic around; that is still true. Now CAU is marketing an editor/assembler, MZAL.

MZAL is for disk systems only. The package includes a thick manual in a large three-ring binder and a disk full of programs, including a full-screen text editor, an assembler, a linking loader, several demonstration programs and a small but useful library of assembler routines.

The Manual

The large manual provides much information. It will not teach you Assembly-language programming, and expects a certain amount of sophistication on your part. Beginners can use it, but they will not appreciate the more advanced features. The manual comes with a Z80 technical manual from Zilog, which covers the commands on the Z80 in detail.

The manual has one glaring problem—no index. The table of contents is good, but an indexed reference is essential. Fortunately, this is the only major error I found in the entire package.

The manual is divided into two sections,

since there are now two releases. The first section discusses the changes made to the first release to produce the second release, and the second section covers what you need to know to operate the assembler.

The manual is well printed and easily read. In general, it is also well written and informative.

An MZAL Overview

MZAL stands for Modular Z80 Assembly Language. MZAL is a modular system that promotes modular programming. You write programs using a full screen text editor, assemble them using a separate assembler, and link them together using a separate linking loader. As a result, your Assembly-language programs are limited only by a 30,000-byte symbol table, or on-line disk storage. You can write some mighty big programs even using only one disk drive!

Release 2.0 allows a variety of powerful programming options:

- Changing Assembly source programs from one assembler format to another;
- Eight-character labels;
- Recursive and symbolic substitutive macro constructs;
- Conditional assembly;
- Linking after assembly with linking loader; and
- Specifying ORG of object code linking time.

TXEDIT

The TXEDIT program is a full-screen editor similar to XBE in screen format and command syntax. I greatly prefer full-screen editing to line editing, as it greatly speeds writing and editing programs.

One major difference between TXEDIT and XBE, besides the type of source program, is that XBE supports macro key definitions: A single keystroke can print an entire Basic command. For example, shift, P prints the word print. TXEDIT does not support this feature, presumably because Assembly-language mnemonics for the Z80 are so short. TXEDIT does not take lowercase input. XBE also limits the number of lines you may insert, move or copy between lines. XBE requires that there is room for new line numbers (between the current line and the one following it) with the current in-

crement value. For example, if your current increment value is five you can only put one line between lines 10 and 20. TXEDIT does not have this constraint; you may put as many lines as you like between any other two lines. This feature eliminates the necessity of renumbering your program every time you want to insert 10 lines. Except for these two differences the syntax for TXEDIT and XBE is very similar.

When you execute TXEDIT from DOS, you are asked for the disk file name of the program to edit. If you enter an asterisk (*) instead of a file name, you may start anew. Release 2.0 also allows a warm restart by entering a plus sign (+) for a file name—handy if you have occasional reboots or if you accidentally reenter DOS by using an incorrect command. This is one way around an error in the TXEDIT program. If a DOS error occurs, TXEDIT returns an error number and waits. Then any key returns you to DOS. This is very inconvenient. CAU plans to change this to allow reinput of the file name. Currently, if you try to load a file not on the disk, you must exit to DOS.


Another peculiar error message is DOS ERROR 26H. If you look up in your DOS manual, this is a FILE NOT OPEN error. According to one of the program's authors this means there is insufficient memory space in the text buffer. CAU will correct that confusing error message in their next release. The warm-start option does allow you to recover your text if you rather inconveniently leave the text editor. Version 2.0 also displays the amount of free space left in your text buffer.

TXEDIT loads in your file and presents the first page. You may use the repeating-arrow keys to move the cursor about on the lines. At the far left of the screen, the first five columns are the line numbers of the source file. You can not move the cursor here to directly change them, but you can selectively renumber blocks of lines to move them around in your program.

Interestingly, the line length of source programs is 127 characters. How is this possible on a 64-column screen? Initially, TXEDIT displays the first 64 columns. Shift, right arrow moves the cursor right one tab position and the normal arrow moves it a


All disks have two sides.

But only Omni's
Flip/Floppy lets you
use both sides in
single-sided
drives.



Double your capacity.

Now you can **double** disk storage capacity as well as save on media costs if you have an Apple, TRS-80, Zenith, Northstar or **any** single-sided, 5¼" disk drive. Omni's Flip/Floppy lets you record on **both** sides . . . so you can consolidate long programs and get twice as much storage in one disk at far less cost than two conventional disks with the same capacity.



Plus

a FREE storage case if you

order now. With every ten-pack you order (even conventional disks), you'll get a \$5.00 protective plastic case, **absolutely free.**

Be sure to indicate system name and model # at right.

# of 10 Packs	5¼" Disks	Price Per 10 Pack	Total Price
_____	Flip-Floppy reversible Double side/double density (equivalent to 20 conventional disks)	\$40.00	\$ _____
_____	Single side/single density	\$30.00	\$ _____
_____	Single side/double density	\$40.00	\$ _____
_____	Double side/double density	\$45.00	\$ _____
	Shipping and handling		\$ 2.00
	5% sales tax (Mass. only)		\$ _____
	Total		\$ _____

Premium quality, too.

Like our full line of flexible disks, each Flip/Floppy is critically certified at more than twice the error threshold of your system; rated for more than 12 million passes without disk-related errors or significant wear; precision fabricated with such standard features as reinforced hub rings; and backed by a full, 90-day money-back guarantee.



Omni Resources

4 Oak Pond Avenue, Millbury, MA 01527

Dealer inquiries invited.

Software houses:

call for duplicating services.

Call toll free (800) 343-7620

In Mass: (617) 799-0197

Call if you're not sure which disk is compatible with your system. Call for prices on 96 tpi and special formats. We offer an unconditional money-back warranty.

☐ Check

☐ Master Card

☐ COD

☐ VISA

Card # _____ Exp. _____

System and model # _____

Name _____

Address _____

Tel. _____

single column position to the right. When you get to the far right of the screen, if you hold down the right arrow key, the text lines all move to the left, showing the hidden characters on the rest of the line. Shift, left arrow places the cursor at the far left of the current display or, if already there and not at the start of the line, it moves back to the first position of the line. The down arrow key advances the cursor to the next line and the up arrow key moves the cursor to the preceding line. Using the shift key with these latter arrow keys advances or backs up a page of programs (about 12 lines). To change a character on a line, simply position the cursor over the offending character and type over it. That is much nicer than the normal line-editing procedures.

To insert a character in a line, press shift, I. The text on the line will move over one space, and a non-flashing cursor will indicate that you are in the insert mode. Type the necessary characters, and press the enter key to get back into the normal non-destructive cursor mode. Pressing enter in the normal mode moves the cursor to the first position of the next line.

To delete a character, position the cursor over the offending character and press shift, D. TXEDIT deletes the character and the rest of the text on the line moves over to take up the space. This is an auto-repeating function. The manual includes instructions on adjusting the repeat speed of this or any other auto-repeating function. TXEDIT's paging and scrolling commands save hours of writing time! TXEDIT lacks a Lastline command to position the cursor on the last line; CAU should have included it.

Similar to XBE, TXEDIT has a command mode called the Clear Command Mode (CCM). It is called this because you enter it by pressing the clear key. When you enter this mode, a graphics block is lit next to the line where the cursor currently resides. You may now enter one of several commands:

- I—Inserts a line with current increment value;
- D—Deletes the current line(s);
- C—Copies line(s);
- M—Moves line(s) to the current lines;
- H—Moves line(s) to the current cursor location;
- B—Starts Block of lines for the copy, move, or delete functions;
- T—Scrolls to the top of your program;
- F—Finds the next occurrence of the search string;
- Space—Enters the Extended Clear Command Mode; and
- E—Exits TXEDIT.

You enter the Extended Clear Command Mode (ECCM) with the command sequence clear, space. The bottom line displays the prompt Command? and you may now enter:

- N n1,n2—Renumbers your program with first line = n1 and an increment n2;
- F string1—Searches for the first occurrence of string1;
- C string2—Changes all subsequent occurrences of string1 to string2;
- P n1—Prints n1 lines on this page on your

line printer;

- L file name—Loads the file with that name from tape; and
- W file name—Writes the file with that name to tape.

These are powerful editing commands. You may search for any string and optionally change it to any other string. You may renumber your program, or copy or move single lines or blocks of lines much easier than with the normal EDTASM or Basic line editor.

To exit the TXEDIT program press clear, E. You are then presented with a menu of options that are all single key commands:

- Clear—Returns to TXEDIT (leaves the text buffer intact);
- R—Restarts TXEDIT (clears the text buffer);
- D—Returns to DOS;
- S (followed by a file name)—Saves the text buffer to disk; and
- A (followed by a file name)—Adds text from disk.

The Assembler

A program does very little good until you assemble it. MZAL's multi-pass assembler ASMBLR takes the Assembly-language text file you created with TXEDIT and assembles it into executable Z80 object code or into a relocatable module for the linking loader (if you wish to link different modules together).

When you enter the assembler, you are given another full-screen menu of things to do. You may choose several parameters; an accompanying X indicates their default or current values. To select an option, move the cursor to the option and press X; to deselect an option press the space bar. When you get to the file name option, you are expected to enter the name of the source file on disk that is to be assembled. The assembler uses default file extensions. To load an assembly file, you need not specify that the extension is /ASM; the assembler already knows.

To begin assembly press the down arrow. You may cancel an assembly in progress by pressing the clear key or pause it by pressing the space bar. To return to the menu after pressing the clear key press enter. To continue assembly after you have pressed the space bar, press enter as well. You may return to DOS at any time by pressing the up arrow key.

The options you may select/deselect at the assembler menu are:

- Object to disk/tape;
- Pause on error;
- List to printer/video;
- List symbol table; and
- Generate an /RLD file.

Special Assembler Pseudo-ops

The MZAL assembler accepts the standard Z80 opcodes. It also supports a variety of operation codes, not standard for the Z80, that set assembler options and control how the assembler generates the code.

You may label statements, as with most assemblers. MZAL permits eight-character labels, while many others permit only six. You may use certain math operators in expressions. The \$ symbol is special and represents the current memory location. Thus, LD HL, \$ + 50H loads the HL register pair with the current memory address plus 50H. You may use the operators +, -, &, and < in this way. The & stands for a binary And, while the < stands for a logical shift. If the operand to the right of the < is positive, the number is shifted left by the number of binary places of the operand. If it is negative, the number is shifted to the right. For example, LD A,1<3 loads register A with a binary 1 shifted three places left, giving 00001000B or 8.

MZAL supports a Words pseudo-op, which specifies a number of two-byte words and an optional value for them. If you omit a value, MZAL initializes this block of memory to zeros.

The Entry pseudo-op specifies a label to be considered an external entry point into the program. A label defined this way may be accessed by other program modules which have the same label defined as an external label. The pseudo-op EXTRN indicates an external label—it will be assigned a value some time after the program's assembly. The linker uses them to link the modules together. The assembler places the EXTRN labels into an /RLD file, along with the various program references to it. The linker uses this special file to make the necessary modifications to the program /CMD file at link time.

Besides these special pseudo-ops, you may embed a number of assembler commands. An asterisk precedes these special commands to indicate their special status. The assembler commands include:

- *List Off;
- *List On;
- *Eject;
- *Space n;
- *Title 'string of characters';
- *Pause; and
- *INCL 'file name'.

The first two commands control whether you wish a listing of your program lines during assembly. These commands also control execution of the following three commands, since they are not active unless a listing is taking place.

Eject sends a page ejection to the line printer. Space n prints n blank lines. Title prints a title at the top of each listed page. Pause pauses assembly when the assembler reaches it. You can continue assembly by pressing the enter key or terminate assembly by pressing clear.

The most powerful of these pseudo-ops is the INCL command. It allows you to include another Assembly-language file immediately following the INCL command. You can nest INCL commands four deep; that is, a file may load in another by the INCL command. This second file may indicate to the assembler to load in another with another INCL command, and so on, up

100% NEW

80's 3 in '83!

And to celebrate we're publishing a special
ANNIVERSARY ISSUE,

containing

- * all new articles & programs.
- * over 500 pages of the same high 80 MICRO quality.
- * dozens of games and programs for your computer.
- * exclusive articles by well-known authors.
- * the most in-depth coverage of the Color Computer yet.
- * tutorials on having peripherals and software.
- * page after page of Christmas specials from 80's advertisers
- * a 3-year 80 MICRO index—annotated and cross-referenced.

**BUY ONE
FOR
YOUR
SELF!**

**JUST IN
TIME FOR
CHRISTMAS**

And in every Anniversary Issue of 80 MICRO you'll find a

SPECIAL FREE SURPRISE!

What is it? If we told you, it wouldn't be a surprise. But we guarantee you won't want to miss it. (See Nov. issue for details.)

And this amazingly versatile Anniversary Issue can go anywhere* with you. Fits easily in your briefcase or your purse. Lies flat in your knapsack. Rolls up to fit snugly in your glove compartment. Stores on any bookshelf. Looks great on any coffee table.

You can also get the amazing Special Edition LOAD 80 Companion to the Anniversary Issue. All those games and programs, just waiting for you to load. No more keyboarding. No more debugging. No more hassles.

You'd expect special editions of this quality to cost you hundreds of dollars. (Well, maybe dozens.) But for a limited time only, you can get the 80 MICRO ANNIVERSARY ISSUE for only \$5.95. That's right—\$5.95. And the LOAD 80 Companion is just \$9.95 for cassette, \$19.95 for floppy disk.

Note: This is an extra issue and will not be included as part of your regular subscription. So call today and order your very own Anniversary Issue and LOAD 80 Companion. Or give them as gifts. Just fill in the attached reply cards and drop them in the mail. Or call toll free—1-800-258-5473.

1-800-258-5473

Call today!

Operators are standing by (during business hours, of course). MasterCard and Visa accepted. (American Express, too.)

Your Anniversary Issue and LOAD-80 Companion will arrive by the end of November.



* Use of this product in the shower is not recommended by the publisher.

**BUY
ONE
FOR A
FRIEND!**

**GREAT
STOCKING
STUFFERS!**



That's
That number again
That's




```

BEGIN      Call xxxx
FLAG 1     EQU 01H
FLAG 2     EQU 00H
FLAG 3     EQU 01H
           IF FLAG 1      ; continue assembly
           .
           IF FLAG 2      ; stop assembly
           .
           IF FLAG 3      ; still no assembly
           .
           ENDF           ; not yet
           .
           ENDF           ; ok, now resume assembly
           .
           ENDF           ; continue assembly

```

Table 1. Conditional assembly


```

ASCII      MACRO      ?CHAR
LD          LD         A, ?CHAR
ENDM

           ASCII      'A'
causes the invocation:
LD          LD         A, 'A'

```

Table 2. Symbolic substitution in macro definition



Decision Science Software

OPERATIONS RESEARCH

LP
DYNAM
NETWORK
PERT
EOQ
LOT SIZING
FORECASTING
DECIDE
MRP
TRANSPORTATION

STATISTICAL PACKAGE

REGRESS
MULTI-REG
MATRIX
FUTURE
FORECASTING
MARKOV
QUEUE
SIMULATION

ECOPAK

FUTURE VALUE
ANNUITY
EFFECTIVE
DEPR
SALVAGE
NET PRESENT
VALUE
DCF RATE OF
RETURN

TRS-80[®] model I and III

APPLE II

16K-1 Disk Drive

-minimum system requirement

\$29.95 to 249.95

DISCOUNTS AVAILABLE ON MULTIPLE ORDERS

for information:

DECISION SCIENCE SOFTWARE

865 Castle Ridge Road

Austin, Texas 78746

(512) 327-1463

✓394



*trademark of the Tandy Corp.

to four deep. Do not finish any of these included programs with an End pseudo-op, or the assembler will finish the assembly there without returning to the original file (remember, only one End to a program). This capability allows you to write and directly assemble a very large Assembly-language program.

Release 2 of MZAL allows some even more impressive pseudo-ops. These include recursive macros and conditional assembly.

MZAL's conditional-assembly feature means you can selectively assemble blocks of your program depending on some condition. The format of this command involves use of the If...Endif construct. The line IF (expression) indicates to the assembler that in the event (expression) does not evaluate to zero, continue assembly. If the expression does evaluate to zero, then do not assemble the code between the If and its matching Endif. You can nest these as deeply as you like, and all subnested Ifs will not be evaluated if any supernested expression was evaluated to zero. That is, if you have the situation that occurs in Table 1 then the center section is not assembled even though its expression evaluated to non-zero. Assembly resumes after the matching Endif to the If expression that evaluated to zero.

Because the MZAL assembler is multi-pass, you must define the label before the assembler reaches the If pseudo-op.

Why would you want to do this? Suppose you are writing a large program and put in code to help debug it. You can enclose your debugging sections within If...Endif statements. To get your program running you can set the conditional-assembly flag to a non-zero value so that the debugging routines will be assembled into the test versions of your program. Rather than delete this code when your program is finally running you can change the conditional-assembly flag to a zero value and omit those debugging routines from the final assembly. This allows you to include many debugging routines and remove them all with a single command.

A macro is not the same as a subroutine call, but a defined set of Z80 opcodes. Every time you invoke a macro in a program, all those opcodes are stuck into that place.

Not only does MZAL allow you to define your macros as a set of static Z80 opcodes, but you can also use recursive macros and even use symbolic substitution in your macros.

Symbolic substitution means you can use variables in your macro definition, and when the assembler assembles a particular macro invocation, the value of the variable may be substituted into the macro itself. This gives you custom macros in that each time a macro is assembled it is customized for that invocation.

You indicate symbolic parameters, or variables, by preceding them with a question mark. Table 2 is an example.

Admittedly, this is a very simple example,

but it should fire your imagination. With MZAL's INCL command, you can create a library of macros and include them anytime you need them in a program. You can have any number of variables in your macro definition.

A special concatenation operator (.) lets you combine characters with other characters. For example, if you have a program with parts to label and you want your name to appear in each, you can define the sample macro shown in Table 3.

The manual provides several simple examples to help you see the inherent power of this type of macro.

You may turn the listing of the macros on or off during assembly. It may be inconvenient to see the expansion of the macro each time it is called, so MZAL arranges it so you can use the pseudo-ops *MACLIST Off and *MACLIST On.

You can nest macros; one macro can call another. A macro which invokes itself is a recursive macro. You can even use the macro ability to redefine the Z80 opcodes! If you do not like the way LDIR works you can make a macro called LDIR and redefine it to do what you want. This is a potentially powerful (and dangerous) ability. It allows you to create your own (pseudo-) Assembly language!

The assembler menu also allows you to generate a symbol table or a cross-reference table. If you request a table but do not indicate a device, the assembler will display the list on the screen. The symbol table is a list of your symbolic labels and their values. The cross-reference table lists your symbolic labels and all the line numbers in which they appear.

Assembly takes place in three phases. In the first phase, all the labels are resolved; that is, they are all assigned values. One of the powerful features of MZAL's assembler is that makes as many passes as necessary to either resolve the labels or to determine that they cannot be resolved. Thus, unlike other assemblers I am familiar with, you can define all your labels anywhere in your program, and the definition need not precede the first reference. (Yet another small but unwelcome thorn is removed from the programmer's paw.) It also detects recursive label definitions and returns an error when this occurs.

The second phase generates the object and RLD files, and the third phase takes place only if you send the object code to tape, or if you request a symbol table or cross-reference table.

The Linker

A linker is a program that takes CMD machine-language modules and links them together into a single program. It allows you to relocate a program without having to reassemble it.


These features are accomplished through the existence of an /RLD file. It contains all the necessary information for the linker to process the machine-language program. It also serves as an additional way to build up

INTERNATIONAL
INSTRUMENTATION INC.





MODEL II MASS STORAGE FROM AT LAST! An Alternative to Radio Shack's Over-Priced, Over-Sized Model II Disk Expansion!

The International Instrumentation THIN THREE™ disk drive enclosure is the perfect alternative to Radio Shack's expensive, bulky disk expansion box for the Model II. The THIN THREE™ is designed to hold three half size Tandem TM848-1 8" disk drives. These are the same drives Radio Shack is using in the new Model 16™. The THIN THREE™ occupies less than half of the space required for Radio Shack's disk box, leaving you more room to work. Best of all the THIN THREE™ with drives and cables installed, is priced at only \$1795.00. THAT'S \$555.00 LESS THAN THE RADIO SHACK DISK BOX!



FEATURES

- Connects directly to the disk expansion port on the back of your Model II - no hardware modifications are required - completely Model II compatible
- Filtered positive pressure forced air cooling for dust-free, reliable disk drive operation
- Internal data cable for easy hook-up
- AC input via 3 wire 7 foot international cord/socket set
- AC input EMI filtered to six amps to help prevent disk crashes due to power spikes and line noise
- Slide out chassis with front panel pulls for easy access to drives
- Disk Environment Monitor Panel monitors supply voltages and displays internal case temperature on standard DVM. Alarm sounds if case temperature exceeds safe limits; protects your disks
- 1/8" aluminum rear panel with socketed power pass devices for cool, trouble free power



- 14 gauge main chassis
- Easy externally replaceable fan filter
- Integral power supply with 5V@6A/5V@1A/24V@6A
- Double-sided custom PC power board and supply engineered especially for the THIN THREE™
- Each DC supply and AC separately fused
- Overvoltage protected 5V supply
- LED power supply monitors and test jacks for each supply on rear panel

8JP0BHITRS A & T with external data cable and \$1795.00

IIM2PATCH TRSDOS ENHANCEMENT PACKAGE
(Shipped Motor Freight Collect)

III TRSDOS™ UTILITY ENHANCEMENTS

This package of 12 individually selectable utility programs is designed for the sophisticated Model II TRSDOS™ user. Each utility is designed to increase system efficiency by overcoming the limitations of TRSDOS™. Here are three examples:

- Modifies TRSDOS™ 2.0 or 2.0A to run with DC motor disk drives such as the Tandem TM848-1
- Elimination of password protection on TRSDOS™ files to allow total user manipulation of these files
- Changes TRSDOS™ step rate from 20ms to 12ms; user may adjust to as low as 6ms

8JIIM2PATCH

Supplied on 8" disk


\$99.95

TRSDOS Model II, TRSDOS Model 16, TRSDOS, and Radio Shack are trademarks of Tandy Corp. THIN THREE is a trademark of International Instrumentation, Inc.

MORE PERIPHERALS FOR THE TRS-80 MODEL II*

*Also For Your TRS-80 Models I and III

FUJITSU FROM SELSUM LETTER QUALITY PRINTERS



80 CHARACTERS PER SECOND!!

That's over three times as fast as Radio Shack's Daisy Wheel II! The Fujitsu SP83 letter quality printer from Selsum is not only the fastest daisy wheel letter quality printer on the market, it is also the most versatile. It may be hooked-up to either the parallel or one of the serial ports on your Model II®. It has five different printer protocols built in so it will run with just about any word processing package on the market including SCRIPSIT®. The printer is built to be solid and quiet; it won't shake the office down with every carriage return. It also has a 16K buffer (48K optional). The buffer allows your computer to send data out to the printer and not have to wait for it before allowing you to continue. No more staring at the screen waiting for the printer to finish!

MORE SPECIAL FEATURES: • Z80 CPU • 50-19.2K baud on serial interface • Distinct alarm sound for each error condition • Intelligent bi-directional logic seeking • Complete word processing features including sub and super script, underlining, and double-strike characters • Auto reprint • Auto Clear • Proportional spacings and supports automatic justification • Front panel forms control • Compatible with most mechanical sheet feeders • Quiet-60db • Six month warranty

Part No.	Description	List Price	SALE
8JP0BSLMF66	Printer w/16K buffer	\$3495.00	\$2795.00
8JP0BSLMF66B48	Printer w/48K buffer	\$3895.00	\$3095.00
8JSLMF66VFT	Optional vertical forms tractor		\$ 200.00
8JSLMPS34002	Model II Parallel Cable		\$ 80.00
8JSLMPS34003	Model I/III Parallel Cable		\$ 80.00

(Printer shipped via motor freight collect)

8" CP/M® SOFTWARE FOR MODEL II MICROPRO INTERNATIONAL

8JMSWOSTR	Wordstar Version* 3.0	\$249.00
8JMSMLMRG	Mail Merge*	\$100.00
8JMSSPSTR	Spell Star*	\$150.00
8JMSCALSTR	Calc Star*	\$200.00
8JMSDATSTR	Data Star*	\$200.00
8JMSUPSET	Supersort*	\$150.00

*Trademark of Micropro International

SORCIM


8JSORCAL	SUPERCALC™ a Superior Electronic Worksheet	\$229.00
----------	--	----------

*Trademark of Sorcim
MICROSOFT

8JMSBAS80	BASIC-80* Version 5.X Extended Disk Basic	\$300.00
8JMCPCBAS	BASIC* Compiler Version 5.X	\$395.00
8JMSMFT	FORTRAN-80*	\$500.00

*Trademark of Microsoft Consumer Products

OKIDATA DOT MATRIX PRINTERS



COMPARE OKIDATA'S FEATURES TO ANY OTHER PRINTER!

COMPARE PRIORITY ONE'S PRICES TO ANY — THEN DECIDE!!

DON'T BE FOOLED BY THOSE WHO TRY TO "SOAK"

YOU FOR THE TRACTOR

- Bi-DIRECTIONAL 120 CPS
- 9 x 9 Matrix (Alphanumeric)
- 6 x 9 or 12 Matrix for graphics
- 10 different character sets
- 5, 8, 10, or 16 Characters per inch
- 80 CPL @ 10 CPI for 82A
- 132 CPL @ 10 CPI for 83A & 84
- 82A & 83A have both Centronics Parallel & 1200 baud Serial I/O
- Self Test

All Okidata printers feature 10 front panel switch selectable from lengths from 3" to 14". Front or bottom paper loading of up to four part forms, tear bar, and out of paper switch. Most important of all, OKIDATA printers are built to survive the business or industrial environment where you'll use them. All of these features make OKIDATA the best value in low cost printers!

PART NO.	DESCRIPTION	SALE
8JP0BOKI82ATG	OKIDATA 82A w/tractor & graphics	\$ 539.00
8JP0BOKI83ATG	OKIDATA 83A w/tractor & graphics	\$ 750.00
8JOKISER2KBF	9600 Baud 2K Serial buffer/interface	\$ 149.00
8JOKIAT84AP	132 col. printer parallel interface with graphics and tractor	\$1095.00

8JOKIAT84AS	132 col. printer 9600 baud serial 2K interface, graphics, and tractor	\$1250.00
-------------	---	-----------

8JPRIAMPSKT	5' Model II Parallel Cable	\$ 19.95
8JPRIAMPT80	5' Model I/III Parallel Cable	\$ 19.95
8JCNOKISERBF	8' OKIDATA Serial Interface Cable	\$ 24.95

(Shipping Weights: 82A 25 lbs.; 83A & 84 35 lbs.)

SEND \$1.00 TODAY
FOR THE NEW, FULL COLOR
SPRING 1982 ENGINEERING
SELECTION GUIDE!



PRIORITY ONE ELECTRONICS

9161 DEERING AVE • CHATSWORTH, CA 91311

ORDER TOLL FREE (800) 423-5922 CA, AK, HI CALL (213) 709-5464

Terms: U.S. VISA, MC, BAC, Check, Money Order, U.S. Funds Only. CA residents add 6% Sales Tax. MINIMUM PREPAID ORDER \$15.00. Include MINIMUM SHIPPING & HANDLING OF \$3.00 for the first 3 lbs. plus 40¢ for each additional pound. Orders over 50 lbs. sent freight collect. Just in case, please include your phone number. Prices subject to change without notice. We will do our best to maintain prices through October 15, 1982. Credit Card orders will be charged appropriate freight. If you haven't received your Spring 82 Engineering Selection Guide, send \$1.00 for your copy today! Sale prices are for prepaid orders only.

MODEMS

Hayes SMARTMODEM



The HAYES Smartmodem will allow you to take advantage of the many database services available for your TRS-80 such as Dow-Jones, the Source, and others. The Smartmodem runs directly off an RS232 serial port.

FEATURES: • Auto Answer, Auto Dial • Variable data formats • 0-300 baud • Internal Z8 Microprocessor with 2Kb control program • 40 character command buffer • Easy to program with simple commands from your keyboard.

PART NO.	DESCRIPTION	LIST PRICE	SALE
8JCH0200P	Smartmodem (Sh. Wt. 6 lbs.)	\$279.00	\$225.00
8JCH0300P	Chronograph (Sh. Wt. 3 lbs.)	\$249.00	\$205.00
8JCNORS232BF	RS232 Class 1 Cable		\$ 19.95

THE STAR by PRENTICE

- 0 to 300 baud • Bell 103 and 113
- Exclusive triple seal acoustic chamber
- Self Test • Runs off RS232 Port

8JPRNSTAR	RS232, TTL, 20 Ma Current Loop	\$199.00	\$127.00
-----------	--------------------------------	----------	----------

8JCNORS232BF	8' RS232 Class 1 Cable		\$19.95
--------------	------------------------	--	---------

5" DISKETTES!


SOFT SECTOR
40 TRACK SINGLE SIDED
DOUBLE DENSITY WITH
HUB REINFORCING RINGS
PACKAGE OF 10 \$19.95

BONUS!

FREE!! CASSETTE 10
LIBRARY CASE WITH
PACKAGE OF 10 DISKETTES
A \$4.25 VALUE!! 8JPRI5DD (Sh. Wt. 2 lbs.)

8JPRI5DD	package of 80 less Library Case	\$120.00
----------	---------------------------------	----------





This graph was produced with less than two dozen keystrokes on a TRS-80 Model I with EPSON MX-80 printer plus GRAFTRAX.

YOU CAN DO IT TOO WITH **AUTOPLLOT**, the sensational automatic curve plotter written in BASIC + fast machine language.

- Plot functions $y=f(x)$, $x=f(y)$, or $x=f(y)$, $y=g(v)$
- Plot data from keyboard or disk file
- Linear or logarithmic presentation
- Numeric integration or differentiation
- Automatic scaling and labelling of axes
- 4 different print sizes and formats
- Many more features

AUTOPLLOT for TRS-80

(Model I or III with 48K, 1 disk drive)
on disk with 40 page manual \$79.50

AUTOPLLOT for LN-W-80

(+Hi-Res video graphics) \$99.50

CA. residents add 6% sales tax

Phone orders, VISA and MASTERCARD welcome

MENLO SYSTEMS ✓ 524

3790 El Camino Real, Suite 221
Palo Alto, CA. 94306, Tel. (415) 327-7424

TRS-80, TM of Tandy Corp. MX-80, GRAFTRAX, TM of EPSON Inc.

AT LAST

A TRS-80® Model I & 3 integrated accounting package that's loaded with features found on larger Micro-systems.

General Ledger -

- Full financial report includes:
Monthly totals, year-to-date totals, this month last year totals, last year, year-to-date totals, budgets for month and year-to-date
- Summary of operations • balance sheet • chart of accounts • owner/member concept allows accounts to be grouped • up to 350 accounts per disk • utility program included that produces data input forms

Jouralling -

- Included in each package • automatic posting to G/L, A/R, A/P • up to 2788 entries (transactions) per disk • entries can be added, deleted, changed, displayed, printed

Accounts Receivable -

- Up to 347 accounts in customer file • full formatted displays of each account • full printouts of customer file including dates of last purchase or payment • invoicing

Accounts Payable -

- Up to 347 accounts in vendor file • full formatted displays of each account • full printouts of vendor file • includes check-writing program (available separately) • vouchers

All software written in machine language

- Free samples available of printouts and reports
- Manuals available separately at \$15.00 each
- Prices are \$149.95 for each module (G/L or A/R or A/P), \$39.95 for the check writer
- Please include \$3.00 postage and handling for each software package and/or manual.

*TRS-80 is a trademark of Tandy Corp.

HOFFMAN ASSOCIATES

5 Sussex Ave.
Cherry Hill, N.J.
08003



✓ 447
For More
Info. Call
(609) 795-9467

```
TITLE MACRO ?STRING
      DEFM 'SECTION ONE BY BRUCE'
      ENDM
; which will expand:
      TITLE SECTION ONE
; into:
      DEFM 'SECTION ONE BY BRUCE'
```

Table 3. Concatenation

complex machine-language programs with as little pain as possible.

You execute the linker from DOS by typing **LINKER**. It initializes and prompts for a command; several are available:

- **Build**—Creates a composite CMD file from the modules currently loaded;
- **End**—Returns to DOS;
- **EXEC**—Executes the linker commands from a control file;
- **INIT**—Initializes the linker;
- **LoadA**—Loads a file into memory without relocating it;
- **LoadR**—Loads a file and relocates it;
- **Map**—Displays all the modules currently loaded;
- **ORG**—Defines the origin for next module to be loaded;
- **Set**—Allows manual adjustment of labels in a loaded module;
- **Tape**—Creates a composite tape file;
- **TRAN**—Defines the main execution address of your module; and
- **XREF**—Creates a cross-reference table of symbols.

The linker provides information to three essential variables: **ORG**, **TRANS**, and **Unresolved**. The **ORG** is the next address to which the linker will relocate the next program module. **TRANS** is the current transfer address (entry point), and **Unresolved** is the number of unresolved labels left (the number of **EXTRN** labels not yet matched up to an **Entry**).

Release 2 added more power to the linker as well. The **Display** command allows you to examine the modules that have been loaded into memory, and the number of bytes to be displayed. An optional parameter allows you to send the output to the printer. The format is **DISPLAY xxxx yyyy (P)**, where **xxxx** is the address you wish to examine, and **yyyy** is the number of bytes to be displayed. It can only display bytes within a single module at a time, and may not cross module boundaries.

Release 2 includes a zap capability. It allows you to modify the bytes of a module in memory. The syntax is **ZAP xxxx yyyy**, where **xxxx** is the address of the byte, and **yyyy** is a four-digit hexadecimal number.

The last new command is for Model III users. The **Speed** command allows them to dynamically switch the cassette speed while using the linker.

Why do you need a linking loader if you already have the **INCL** command? The difference between the assembler's **INCL** command and the ability to use a linker loader is significant. Suppose you have a

program working all except for a certain module. You want to be able to reassemble it and link the other modules together quickly to test your module. Without a linker, you must reassemble the entire program each time you want to test it. With a linker, you can keep **/CMD** and their associated **/RLD** files on disk, and link them into your programs without reassembling them. You can link them into different memory locations easily. All editor/assembler packages should include the **INCL** command and a linker. Even though you can use one to simulate the other, they are designed with different purposes in mind; having both their capabilities at your disposal is a tremendous aid to program development.

LEXCONV

The **LEXCONV** program was included in Release 2 of **MZAL**. It allows **MZAL** users to read disk files created by other assemblers. It converts any of four file formats (**MZAL**, **Apparat EDTASM**, **Macro-80** or unnumbered **ASCII**) to any other of the four.

LEXCONV is menu-driven and easy to use. You input the source file name and its file-type number. Then you input the target file name and file-type number. You can use the same file name since the entire text file will be read into memory for the surgery. Should you accidentally enter an incorrect reply, the clear key restarts the program. You are also given the option of compressing blanks into tabs. Normally, you would do so, but since some word processors do not support these tab characters, **CAU** thoughtfully provided the option.

After **LEXCONV** reads in your source file you are asked if you wish to perform the lexical conversion. If you answer **Y**, the program processes each line into the proper format. This lexical conversion is very useful since some editor/assemblers use colons in their labels. **MZAL** does not support colons in labels, so **LEXCONV** removes them in converting the program into **MZAL** format.

The **LEXCONV** program loads the entire text file into memory and then processes it. Currently, it does not allow you to swap disks, but begins writing the output file immediately. This is a slight fault.

LEXCONV does not always work correctly. I disassembled a large program using **Tasmon**. The disassembly took up 35 granules of disk space. I then executed **LEXCONV** to convert the file, and wrote it to another file name. I did this knowing that there was not enough room on the disk for the converted source code. While running under **NEWDOS80**, **LEXCONV** kept looking and looking for a track on which to write the output. It never stopped looking nor did it return an **OUT OF DISK SPACE** message. I moved the file to a disk with enough room, and it performed the conversion in approximately 2½ minutes. The most interesting thing about this entire exercise was that the converted file only required 25 granules! The manual states that the **MZAL** files are the most efficient storage form for line-num-

bered ASCII files, but this states just how efficient it is! In this particular instance, the savings was 10 granules, or a storage reduction of 29 percent.

MZAL's ability to convert unnumbered ASCII files allows flexible programming. For example, suppose you need a long look up table or message buffer. The most convenient way to get it is to generate it from Basic. You can save it into a sequential ASCII file using the Basic commands DEFM, DEFB or DEFW (whatever is appropriate). Then you can use the LEXCONV program to change your file into a form that may be linked or included directly into your Assembly-language program.

Final Thoughts

The TXEDIT program fits into 32K. The manual provides information for using the linker to modify it to reside in the top of 48K. You may also change the speed which the repeat keys in TXEDIT operate, by using the linker's Set command.

The other appendices give information on the format of the text files, /CMD files, /RLD files, and System tapes. The last two appendices refer to the subroutine packages that accompany MZAL. These are provided as demonstration packages, which are useful in other capacities.

The HEXCONV subroutine package contains four conversion subroutines:

- HA2CONV—Converts the contents of Register A to ASCII characters;

- HA4CONV—Converts the contents of Register Pair DE to ASCII characters (hexadecimal equivalent);

- AH2CONV—Converts two ASCII characters representing a hex number into a binary value; and

- AH4CONV—Converts four ASCII characters representing a hex number into a binary value.

The other demonstration package does the same for ASCII characters that represent decimal numbers.

If you are a casual Assembly-language coder, do not buy this package. It is expensive, and except for the text editor, its most powerful features will remain unused for a long while. It is meant to aid the production of long, complex Assembly-language programs, and it performs this task well. If you just want to write an occasional sound subroutine or white out the screen quickly, then MZAL is hardly worth the cost. However, if you want to write programs whose Assembly-language source code exceeds memory, or other constraints (such as the programmer's sanity) demand that you write it in modular form, then MZAL is well worth the cost.

MZAL is an extremely powerful program-development tool. It requires a bit of sophistication to use, but is a very great aid to the Assembly-language programmer. If you are a professional programmer, you owe it to yourself to buy this package from Computer Applications Unlimited. ■

***TRS-80 MOD III/TRSDOS
OWNERS**



=MACHspeed=

***tm of TANDY Corp.**

Are your BASIC PROGRAMS much too SLOW? You don't have the time to make your own MACHINE LANGUAGE conversions? If we can agree that time is "\$", particularly in our BUSINESS applications, then this UNIQUE offer is just what you've been looking for. We'll take your BASIC PROGRAMS and RE-STRUCTURE, COMPACT and then CONVERT them into a SPEEDY MACHINE LANGUAGE PROGRAM. (For an APPLICATION & DETAILS), send a S.A.S.E. and \$1 for S&H to:

**R.N. da Silva, P.O. Box "P",
Calexico, CA 92231**

MAXIMUM MICRO

P.O. BOX 5636 • STATION "A" • CALGARY • ALBERTA • CANADA • T2H 1Y1

CANADIANS

**All our software now available
at the lower American prices**

Some Examples

- Scarfman **23.95**
- Defence Comm **19.95**
- Robot Attack **19.95**
- Space Castle **19.95**
- Meteoroids **19.95**
- NewDos80 2.0 **149.95**
- Mod III 16K- **10% Off**
- 5-1/4" Disks **34.95**
- 3M 8" Disks **49.95**
- Green Screens **37.95**
- Cables from **39.95**
- Rams-16K **24.95**

Other Products At
Similar Savings

- Cornsoft Group
- Big Five
- Apple Games
- Atari Comp Games
- Adventure Inter.
- Instant Software
- Med Systems
- Spectral Assoc.
- Sub Logic
- Modem 80
- Printers

**MOST TRS-80 PROD.
AT 10% DISCOUNT**

Enclose cheque or
Money order
with all orders.
Add 5% for Visa orders.

Sorry no C.O.D.s
No phone orders.
ADD 1.50/ORDER
FOR SHIPR/HAND.
3/4 WEEKS DEL.

**SEND \$3.00 FOR YOUR
CATALOGUE**
Refundable with first order

Use your CC for the IRS.

Income Tax Estimator

Peter A. Stark
P.O. Box 209
Mt. Kisco, NY 10549

Accountants regularly use commercial computer services for their clients' income tax returns. Income tax programs are also available for microcomputer systems.

The average small businessman does not use his own computer for the job, however. The Internal Revenue Service has thousands of different forms, rules and regulations, and it is difficult to write a single computer program which fits the tax situation of a large number of users. Programs that cover all the possibilities are very large,

quite expensive, and require big computers. This puts them within reach of the professional, but makes them impractical for the user who needs such a program just once a year.

Moreover, since tax regulations change every year the programs themselves require yearly updates. Again this is practical for the professional, but not for the hobbyist or small businessman.

Still, for those whose tax situation stays relatively stable from year to year, a simple program which quickly calculates a rough estimate of tax liability can be quite useful. This article describes such a program, written for the Color Computer with Color Basic and at least 16K of RAM.

The Basic Idea

This program is designed for the entrepreneur who may have a salary (with withholding tax statements), or a small business (requiring Schedule C and possibly estimated tax payments), or both.

The program and data are organized in roughly the same order as one would have to fill out the forms in Table 1. If you find

some of these forms unnecessary, or should you need other forms, you can easily customize the program. If you have no need for a given form (such as Schedule C, for example), just set its entries equal to zero.

The numbers used in the calculations are inserted into data statements. Because they are loaded and saved along with the program itself you do not need a separate tape or disk data file. (To allow you to test the program, the program listing has sample numbers inserted in its data statements. These are the numbers used in computing the sample printout. Please don't accidentally use these numbers on your own tax forms!)

Each time the program is run it prints out an entire series of calculations for all the above forms down to the bottom line: tax refund or tax due and the amount. Figure 1 shows a sample run, using the numbers in the Program Listing.

Do not blindly transfer your program results to the appropriate IRS forms. Keep in mind that this is simply an estimating program, not designed to replace an intelligent human being. (Neither the author nor *80 Micro* can be responsible for the accuracy of this program, or any difficulties you may get yourself into with the IRS as a result of using or misusing this program.)

Due to Basic's floating-point errors many amounts printed by this program may be in error by a penny or two.

Output

The printout follows the IRS form almost line by line. If you have a Schedule C form handy, compare it with the beginning of Fig. 1.

The Key Box

Color Computer
16K RAM
Color, Extended Color, or Disk Basic

Schedule C—Profit or loss from business or profession
Form 2441—Child care expenses
Form 3468—Investment tax credit
Schedule A—Itemized deductions
Schedule B—Interest and dividend income
form 1040—Income tax return, front and back

Table 1. Forms Included

Let's get personal...

try out the in-stock selection of Heath/Zenith microcomputers, peripherals, accessories and software.

Now available at your nearby Heathkit Electronic Center, or through the Heathkit mail order catalog.

You get more with a Heath/Zenith personal microcomputer system! We offer:

1. Proven high-performance hardware: Thousands of our microcomputers prove themselves daily, in the field.

2. Vast software library: Three operating systems (including CP/M), languages, word processors, an electronic spreadsheet, versatile utilities and the 500-program Heath Users' Group software library.

3. Self-instruction courses: Evaluation and programming courses from Heathkit/Zenith Educational Systems.


4. Service support: Before and after the sale – consultation by phone, carry-in service by trained technicians.

Test run one of our microcomputers at any of the more than 60 convenient Heathkit Electronic Centers in the U.S.

Heathkit[®] ELECTRONIC CENTERS^{*}

See the white pages of your telephone book for store locations and telephone numbers.

^{*}Units of Veritechnology Electronics Corporation in the U.S.




We've done it again!

Dual Drive Model III

SPECIAL

CUSTOM BUILT
*M321

\$1795.00



Model 320 \$1695.00
One S/S 40 Track Drive

*Model 321 \$1895.00
Two S/S 40 Track Drive

FEATURES

DOS PLUS 3.3 Operating System
Winchester Expansion Option
Gold Plated Edge Cards
Fully Socketed Drive Controller
Switching Power Supply
System Dust Cover
Expansion Capabilities
90 Day Warranty
or
1 Year Warranty Available

Model 322 \$2295.00
Two D/S 40 Track Drives

Model 324 \$2595.00
Two D/S 80 Track Drives

Model 325 \$3995.00
One TM602 Winchester &
One S/S 40 Track Drive


Model 326 \$4495.00
One TM603 Winchester &
One D/S 80 Track Drive

P-31 Green Phosphor CRT \$89.00

All customized Model III systems from Computex now include at no extra charge DOSPLUS 3.3. A Computex customized system starts out as a basic Model III, 32K RAM is added to increase the storage to 48K. Ad to this our Model III drive controller with Winchester expansion option and the appropriate Tandon or MPI disk drives per your requirements. The system is then tested vigorously for 48 hours to assure you of peak performance when the system arrives at your doorstep.

MODEL III INTERNAL COMMUNICATIONS BOARD

NEW!



The newest addition to the Computex line of Model III add on kits is our M3CB1 Communications board complete with RS232 and DIRECT CONNECT MODEM. The kit can be supplied in either total kit form or as a partially assembled unit. The partially assembled unit only requires installation of the integrated circuits, all other components have been installed and tested. The M3CB1 mounts in the same location as the Radio Shack RS232 board and installs easily in less than one hour.

FEATURES

- 300 to 1200 Baud RS232•
- 300 Baud Full Duplex Operation•
- Uses FSK Modulation Techniques•
- Supports Originate or Answer Modes•
- Will Operate DTE or DCE Equipment•

M3CB1-1	P.C.B. & Manual	\$34.95
M3CB1-2	Assembled & Tested RS232	\$69.95
M3CB1-3	Complete Kit	\$129.95
M3CB1-4	Partially Assembled Kit	\$169.95

MODEL III DISK CONTROLLER KITS

FEATURES INCLUDE


- Winchester Host Adaptor Option•Gold Plated Edge Card Connectors•Silkscreened and Soldermasked P.C.B.•Completely Socketed for ease in assembly and maintenance•Step by step assembly and installation manual written for the first time kit builder•Detailed test and troubleshooting instructions•Troubleshooting flowcharts and schematics included•Theoretical analysis of operation included•Switching power supply•Mounting brackets•Interface Cables•fully assembled•

Everything you need to install disk drives in your Model III except the disk drives.

SPECIAL \$279.95

MPI * Tandon

5.25" FLOPPY DISK DRIVES



- Single or Double Density Operation•
- 3 - 5 ms Track to Track Access Time•
- 48 Hr. Burn in with Pre/Post Testing•
- Compatible with TRS80®, Zenith, IBM•

All disk drives from Computex are fully tested for Radial Head Alignment, Track 0 Switch, Speed, Instantaneous Speed Variation ISV, Azimuth, then verified for data storage integrity, reliability and systems compatibility.

MPI	Tandon	Description	Price
B51	TM100-2	Single Sided 40 Track	\$219.95
B52	TM100-2	Double Sided 40 Track	\$299.95
B91	TM100-3	Single Sided 80 Track	\$299.95
B92	TM100-4	Double Sided 80 Track	\$399.95

Power Supply and Case \$49.95

VISA, MASTERCARD and AMERICAN EXPRESS
NET 30 TERMS AVAILABLE

- D & B Rated Firms, Universities and Government
Net 30 Terms Require a 10% Handling Fee
- Prices quoted are available mail order only•
 - Prices are subject to change without notice•
 - Prices do include shipping•


COMPUTEX

a subsidiary of Worldwide Data Systems Inc.

17321 El Camino Real
Houston, Texas 77058

(713) 488-8022

COMPLETE MODEL III DRIVE KITS



Complete Model III Disk Drive Kits include the Computex drive controller with capabilities of Winchester drive expansion. Virtually everything you will need to install disk drives in your Model III is included - We even include one of the most popular DOS systems available, DOS PLUS 3.3.

- M3DK0 Drive Kit with 1 Single Sided 40 Track Drive \$495.00
- M3DK1 Drive Kit with 2 Single Sided 40 Track Drives \$699.00
- M3DK2 Drive Kit with 2 Double sided 40 Track Drives \$995.00
- M3DK4 Drive Kit with 2 Double Sided 80 Track Drives \$1150.00

MDX-3 Interface Expansion Boards for your Model III from Micro-Design

- Floppy Disk Controller • Phone Modem •
- RS232 Port • Silkscreened & Soldermasked PCB •
- COMPLETE KIT** \$259.95
- Printed Circuit Board \$74.95
- Disk Controller Kit \$89.95
- Serial Interface Kit \$79.95
- Phone Modem Kit \$39.95

MDX-2 Interface Expansion Boards for your Model 1 from Micro-Design

- COMPLETE KIT** \$269.95
- MDX-2 printed circuit board \$74.95
- Onboard direct connect modem kit \$39.95
- 2K/4K Eprom kit \$11.95
- RS232 mA serial interface \$24.95
- Real-time clock kit \$17.95
- 32K RAM expansion kit (less RAM) \$17.95
- Floppy disk controller kit \$31.95
- Cassette port \$4.95
- Analog power supply \$29.95
- Hardware and socket kit \$29.95
- Centronic line printer port \$11.95

Our qualified technicians are available for technical questions at [713] 488-8022 every day from 4:00 to 5:00 PM CST

Call or Write for our Free Catalog

DEALERS WELCOMED
(713) 488-8022

WE CARRY COMPONENTS FOR THE LNW & MDX KITS

7400 SERIES TTL		74LS00 SERIES		74LS00 SERIES		LINEAR		SPECIAL FUNCTION	
Type	Price	Type	Price	Type	Price	Type	Price	Type	Price
7404	\$.25	74LS00	\$.26	74LS164	.92	75452	\$.35	FD1771B-01	\$23.95
7405	.29	74LS02	.27	74LS166	2.29	LM1488	1.10	FD1793B-01	39.95
7416	.29	74LS04	.31	74LS174	.71	LM1489	1.10	BR1941	6.95
7427	.25	74LS05	.29	74LS175	.71	uA7805/340T-5	.99	TR1602	4.95
7438	.38	74LS08	.27	74LS193	.87	uA7812/340T-12	.99	Z80A	9.95
7442	.29	74LS09	.32	74LS240	1.39	uA7912/320T-12	.99	Z80B	14.95
7451	.20	74LS10	.27	74LS241	1.39	79L12	1.25	MC1372	5.95
7474	.32	74LS11	.39	74LS244	1.39	78H05	5.95	MC6674	11.95
7486	.32	74LS13	.43	74LS245	2.20	TL084	.99	2716	6.95
7490	.44	74LS14	.71	74LS257	.76	MC1458	.58	2114	2.95
7492	.42	74LS15	.30	74LS273	1.75	MLM311P1	.90	2102	6.49
7493	.42	74LS20	.26	74LS367	.69	MC14412	14.95		
7495	.55	74LS21	.30	74LS368	.69				
74121	.32	74LS27	.30	74LS373	1.49	I.C. SOCKETS			
74123	.55	74LS30	.26	74LS374	1.45	Type	Price	We Also Carry • CAPACITORS • • RESISTORS • • CONNECTORS • • SWITCHES • ETC.	
74125	.47	74LS32	.37	74LS393	1.95	8 PIN S.T.	\$.12		
74132	.60	74LS42	.65	74S00 SERIES		14 PIN S.T.	.14		
74151	.55	74LS74	.39	Type	Price	16 PIN S.T.	.16		
74157	.60	74LS86	.41	74S04	\$.55	18 PIN S.T.	.21		
74161	.83	74LS93	.70	74S05	.50	20 PIN S.T.	.23		
74164	.83	74LS123	.92	74S22	.47	22 PIN S.T.	.27		
74165	.83	74LS124	1.35	74S32	.47	24 PIN S.T.	.30		
74166	.90	74LS132	.72	74S64	.47	40 PIN S.T.	.47		
74173	1.05	74LS138	.66	74S74	.58	CRYSTALS			
74175	.65	74LS139	.66	74S112	.71	Type	Price	Write or Call For Complete CATALOG	
74176	.75	74LS153	.64	74S161	2.95	1MHz	\$5.95		
74194	.73	74LS155	.85	74S174	1.15	3.579MHz	2.50		
74195	.64	74LS157	.67	74S175	1.15	4.0MHz	2.95		
74366	.64	74LS161	.87	74S280	2.15	16.0MHz	2.95		
74367	.66	74LS163	.85	74S387	2.95				

**Texas
Digital**

(713) 488-4501

17321 El Camino Real
Houston, Tx. 77058

✓450 a subsidiary of Worldwide Data Systems Inc.

VISA, MASTERCARD and AMERICAN EXPRESS
NET 30 TERMS AVAILABLE
D&B Rated Firms, Universities & Government
• Prices do not include shipping •
• Prices are subject to change without notice •

ACCOUNTING...

*the Language of Business
spoken here!*



SOFTWARE FOR FINANCIAL MANAGEMENT

We make it easy! Plus Accounting Software Packages are menu-driven for easy and confident operation. Our extensive documentation for installation and operation is easy to understand. And, Plus is easy to buy, we are amazingly inexpensive. The Plus technical support package with our 800 number "hot-line" makes it easy to stay up-to-date and informed.

Select a package for a specific application, or get the total system. You can be sure your professionally-designed Plus Accounting Software Package will provide efficient, cost-effective financial management for your most demanding needs. Make a sound business decision today...make your financial control and planning management a Plus. We speak your language.



PLUS FINANCIAL AND ACCOUNTING SOFTWARE PACKAGES AVAILABLE:

- GENERAL LEDGER • ACCOUNTS RECEIVABLE
- ACCOUNTS PAYABLE • FIXED ASSETS
- PAYROLL • EASYTRAK™ ACTIVITY MONITORING SYSTEM

All packages menu-driven. Each accounting package is available "stand alone", or can automatically post to General Ledger. Flexible user-defined file sizes for flexibility. Complete with extensive documentation and thorough installation guide. Furnished on disc.

PLUS PROGRAM AVAILABILITY:

- TANDY MODELS II & III
- THE IBM PERSONAL COMPUTER



PLUS COMPUTER TECHNOLOGY, INC.
6900 North Austin Avenue—Chicago, IL 60648
1-312-647-0988
1-800-323-4240 (Outside Illinois)

WHAT WE DO FOR YOU IS OUR
MOST IMPORTANT PRODUCT.



The descriptions at the left of Fig. 1 tell what each line covers. Some lines are followed by the line number on the form.

The numbers at the right are dollar amounts for each line. At the far right are grand totals, which will eventually appear on the tax form. The middle column of figures includes sub-totals which will also probably appear on the form. The left column of figures includes individual items.

For example, Fig. 1 starts with four lines listing sales of \$2,000 for each of four categories of items. These four \$2,000 items add up to gross receipts or sales of \$8,000. The next line shows \$100 of returns or allowances, while the following line shows a resulting balance of \$7,900.

How It Works

The program consists of three parts: the main program (lines 10-1710), two subroutines to read and print data (lines 6000-6280), and a set of data statements which contain all the data liable to change from year to year (lines 7000 to the end).

Because all the variable data is in data statements rather than in a separate file, the program can be used even on cassette systems.

Once you have customized the program, doing your taxes each year becomes a cinch. Simply cross out the old numbers and fill in the new ones.

Data Statement Organization

The data statements (lines 7000 and on) are of three types: First, major headings and data separators separate major categories of items. All of these data lines are identified by two asterisks after the word Data.

```
7000 DATA ** SCHEDULE C **
7010 DATA ** INCOME **
7100 DATA ** DEDUCTIONS **
7450 DATA ** 2441-CHILD CARE EXPENSES **
```

In this example, line 7000 is the beginning of all Schedule C entries: everything from lines 7010-7100 is income for Schedule C; everything from 7100-7450 is a deduction on Schedule C; line 7450 ends Schedule C entries and begins another form, Form 2441.

A number of program steps check that these data lines are read at the right times. For example, line 0140 of the program reads:

```
0140 IF N$<>"** SCHEDULE C **" THEN STOP
```

If N\$, which has just been read from the data statement in line 7000, does not agree with the expected major heading, the program stops. Second, minor headings and data separators separate minor categories of items. All these lines are identified by a plus sign after the word Data, followed by the letter S or the letter E (+ S is the start of a minor category, and + E is the end of such a category). Here are some typical minor category separators:

```
7020 DATA +S GROSS RCPTS/SALES
7070 DATA +E GROSS RCPTS/SALES
```

All the lines between these two are gross receipts or sales. Third, individual data items which have neither asterisks nor plus signs contain a description of the item followed by a dollar amount. Here are some typical data items:

```
7030 DATA SELLING CIGARS,2000
7040 DATA SELLING MAG,2000
7050 DATA SELLING BOOKS,2000
7060 DATA OTHER SALES,2000
7080 DATA RET/ALLOW 1B,100
```

Some of these lines are keyed to specific lines of forms (such as the last line in the above example, where 1B applies to line 1B of the tax form, Returns and Allowances). These individual data items may be inside or outside minor categories of items.

(Line 8040 lists the number of exemptions allowable to the taxpayer rather than a dollar amount.)

To fit the data statements into the 32-character line width of the Color Computer, some descriptions are very abbreviated. If you run this program on another system (it should work without change on a Model I or III), you might expand these descriptions.

With one exception, all the data statements are read by a single subroutine starting at line 6050. The subroutine treats the three kinds of data statements in different ways:

• Major headings and separators (those starting with **) are read into the variable N\$, and the subroutine returns to the main

Fig. 1. Sample Run

```
** SCHEDULE C **
** INCOME **
    SELLING CIGARS                $ 2000.00
    SELLING MAG                   $ 2000.00
    SELLING BOOKS                 $ 2000.00
    OTHER SALES                   $ 2000.00
    GROSS RCPTS/SALES              $ 8000.00
    RET/ALLOW 1B                  $ 100.00
    BALANCE                        $ 7900.00
    COST OF GOODS SOLD             $ 100.00
    GROSS PROFIT                   $ 7800.00
    TOTAL INCOME                   $ 7800.00
    ADVERTISING 6                  $ 100.00
    BANK CHARGES 9                 $ 100.00
    EXPENSES                       $ 100.00
    GASOLINE                       $ 50.00
    TOLLS/PARKING                  $ 50.00
    WASHING                        $ 10.00
    CAR/TRUCK EXP                  $ 210.00
    DEPRECIATION 14                $ 100.00
    ALLSTATE                       $ 20.00
    STATE FARM                     $ 20.00
    1/10 OF HOME INS               $ 20.00
    INSURANCE                      $ 60.00
    INTEREST 18                    $ 25.00
    LEGAL/PROF 20                  $ 25.00
    OFFICE SUP                     $ 100.00
    POSTAGE                        $ 100.00
    OFF SUP & POSTAGE 21            $ 200.00
    REPAIRS 24                     $ 100.00
    SUPPLIES 25                    $ 100.00
    TAXES 26                       $ 100.00
    TRAVEL/ENTERTAIN 27            $ 50.00
    TELEPHONE 28                   $ 50.00
    OTHER - COPYING 31A            $ 100.00
    OTHER - EXP ACCT 31B           $ 100.00
    OTHER - MACH COST              $ 50.00
    OTHER - OUT HELP               $ 50.00
    1/10 OF EXPENSES               $ 100.00
    1/10 OF CLEANING               $ 10.00
    1/10 OF PAINTING               $ 15.00
    ADD ELECTRICITY                $ 10.00
    1/10 HOUSE DEPREC              $ 100.00
    HOME OFFICE EXP                $ 235.00
    TOTAL DED                      $ 1755.00
    SCH C NET P/L                  $ 6045.00

** 2441 - CHILD CARE EXPENSES **
    AMOUNT SPENT                  $ 5000.00

** 3468 INVESTMENT TAX CREDIT **
    AMOUNT SPENT                  $ 1000.00
    ACT INV TAX CR                 $ 100.00

** SCHEDULE A - DEDUCTIONS **
** MEDICAL AND DENTAL **
    1/2 OF PREMIUMS              $ 100.00
** TAXES **
    HUSB STATE INC                $ 500.00
    HUSB CITY INC                 $ 5.00
```

Figure 1 continues

"SCOREIT" TAKES THE GREMLINS OUT OF GRADING

A COMPUTER PROGRAM FOR THE RADIO SHACK (TM) TRS-80 MODEL III WHICH SCORES MULTIPLE CHOICE TESTS AND GENERATES:

- * Test Statistics
- * Score Roster
- * Histogram of Scores
- * Item Statistics
- * Map of Item Responses

UNIQUE FEATURES

- * Built-in error detection
- * Special diagnostics to guide test revision
- * Interface with answer sheet scanners (optional at additional cost)

Include printer model and type when ordering. License for use of the compiled version of the program may be obtained by remitting \$195.00 to:

J. Eli & Associates
635 South Hennessey St.
New Orleans, LA 70119

Sample Output Free on Request
Please send SASE



✓491

LARGE CAPACITY MAILIST for MODEL I/III

Easily holds 3000 names and addresses on just 2 drives. Delete function to automatically find duplicate names.

*Fast operation
4 machine language sub-routines*

\$129

RED WING SOFTWARE
8809 S. Penn
Oklahoma City, OK 73159

✓498

TRISSWORD



Play the popular word search game against The TRS-80

FEATURES:

- 5 x 5 Letter Grid
- Up to 4 Players
- 5 Levels of Play
- Computer Finds Words up to 6 Letters

Requires 48K — Available on 5 1/4 Diskette — Specify Model & DOS

\$19.95

✓431

W. C. Maxey
3003 Lakeshore Drive
Deerfield Beach, FL 33441

Figure 1 continued

WIFE STATE INC	\$ 500.00	
WIFE CITY INC	\$ 5.00	
STATE/LOCAL INC		\$ 1010.00
REAL ESTATE		\$ 1000.00
5% SALES TAX	\$ 100.00	
8% SALES TAX	\$ 100.00	
SUPERMKT SALES TAX	\$ 10.00	
NEW CAR SALES TAX	\$ 100.00	
OTHER SALES TAX	\$ 10.00	
TAX ON YACHT	\$ 10.00	
GENERAL SALES		\$ 330.00
OTHER TAX		\$ 10.00
TOTAL TAXES		\$ 2350.00
** INTEREST EXPENSE **		
HOME MTGE	\$ 1000.00	
OTHER INT	\$ 1000.00	
TOTAL INTEREST		\$ 2000.00
** CONTRIBUTIONS **		
CASH CONTRIB	\$ 500.00	
** CASUALTY LOSSES **		
LOSS BEF REIMB	\$ 200.00	
INSURANCE REIMB	\$ 0.00	
LINE 27 DIFF		\$ 200.00
TOT CAS/THEFT LOSS		\$ 100.00
** MISCELLANEOUS DEDUCTIONS **		
UNION DUES	\$ 100.00	
EDUC	\$ 50.00	
PROF	\$ 100.00	
OTHER	\$ 0.00	
INC TAX PREP	\$ 30.00	
EMPLOYEE EXP	\$ 50.00	
MISC DEDUCT		\$ 330.00
GROSS DEDUCT		\$ 5380.00
STAT CREDIT		\$ -3400.00
TOTAL DEDUCT		\$ 1980.00
** SCHEDULE B **		
FED BANK	\$ 10.00	
FIRST CTY BANK	\$ 50.00	
INTEREST INC		\$ 60.00
ITTY BITTY MACH CO	\$ 10.00	
DIVIDEND INC		\$ 10.00
** FORM 1040 **		
HUSB WAGES	\$10000.00	
WIFE WAGES	\$10000.00	
WAGE/SAL/TIPS		\$20000.00
WAGES ETC L.7		\$20000.00
INTEREST L.8A		\$ 60.00
DIVID L.8B		\$ 10.00
TOTAL L.8C		\$ 70.00
DIV/INT EXCL L.8D		\$ 400.00
TAXED D-I L.8E		\$ 0.00
HUSB ST TAX REF	\$ 250.00	
WIFE ST TAX REF	\$ 250.00	
HUSB CITY TAX REF	\$ 5.00	
WIFE CITY TAX REF	\$ 5.00	
INC TAX REFUNDS		\$ 510.00
TAX REF L.9		\$ 510.00
BUS INCOME L.11		\$ 6045.00
OTHER INC		\$ 12.00
TOT INCOME L.21		\$26567.00
ADJ TO INC		\$ 0.00
ADJ GROSS L.31		\$26567.00
** SIDE 2 OF FORM 1040 **		
L.32A-ADJ GROSS		\$26567.00
DEDUCT L.32B		\$ 1980.00
GROSS-DEDUC L.32C		\$24587.00
NO OF EXEMPT 3		
EXEMP'N L.33		\$ 3000.00
TAX'LE INC L.34		\$21587.00
LOOK UP TAX ON \$ 21587		
IN TAX TABLE AND ENTER IT.		
? 3612.00		
GROSS TAX		\$ 3612.00
** FORM 2441 **		
LINE 3 AMTS		\$ 5000.00
LINE 4 MAX		\$ 4000.00
L.12 CREDIT		\$ 800.00
1040 L.40 CH CARE CR		\$ 800.00
INV TAX CR L.41		\$ 100.00
RES ENERGY CR		\$ 15.00
TOTAL CREDITS		\$ 915.00

Figure 1 continues

program without printing N\$. The main program then either tests N\$ (to make sure that the data is in sync with the program) or prints it.

● Minor data separators (those starting with +) are used to group a category of items together. Each data item in the category is printed (both item name and dollar amount). At the end of the minor category (when a data line starting with +E is read) the subroutine prints the description in the Data +E statement, followed by the total dollar amount. The description is returned to the program in variable N\$, and the total

dollar amount is returned in variable T.

● Other individual data items (those not contained within a minor category) are printed. The description is then returned to the program in variable N\$, and the dollar amount in variable T.

An entire minor category (data lines from a +S line to the following +E line) is treated the same as an individual item outside it, and each of these is read by a single call to the subroutine. This has two effects: First, more items can be added into a minor category without changing the program. For example, we could add the following

new line between lines 7030 and 7040:

7035 DATA SELLING FRISBEES,1000

That item would simply become part of the "gross receipts or sales" category. The line would be listed separately on the printout, and the \$1,000 amount would be added into the category total.

Likewise, lines within minor categories can be deleted. For instance, if line 7030 were deleted, the program would still run without change.

Second, items outside minor categories can be broken down further, again without changing the program. For example, line 7090 could be changed from 7090 DATA COST OF GOODS SOLD, 100 to:

7090 DATA +S COST OF GOODS SOLD
7091 DATA CIGARS,20
7092 DATA MAGAZINES,20
7093 DATA COMIC BOOKS,20
7094 DATA OTHER SALES,40
7095 DATA +E COST OF GOODS SOLD

The program would list each item separately, but use the same total of \$100 in later calculations as if the entire amount had been listed in one line.

In most instances, data lines are keyed to the lines on the applicable tax form. However, many types of deductions can be listed on Schedule C. To take care of any number of deductions, a loop in the main program (lines 310-340) keeps reading deduction items until it gets to the first DATA ** line, which in the sample case is line 7450.

The Main Program

The main program consists largely of calls to two subroutines—the read subroutine at line 6050, and a print subroutine at line 6000. As explained earlier, N\$ and T are two variables used to input data (a description and a dollar amount) from the read subroutine. In the same way, the variables K\$ and D are used to output data to the print subroutine at line 6000. (K\$ holds a description string printed at the left of a line, and D holds a dollar amount printed to the right.)

For example, line 0130 calls the subroutine at line 6050 to read the next data line (7000). N\$ should contain ** SCHEDULE C ** on return and T will be zero, since there is no dollar amount in that line. Line 0140 checks N\$ to make sure that it has the expected string, and stops if not.

Line 0150 prints the string N\$ (** SCHEDULE C **).

Lines 0160 and 0170 read the next data statement, and print the string ** INCOME **.

Line 0180 goes back to the same subroutine, and reads and prints all the data statements in lines 7020-7070. This printout results:

SELLING CIGARS	2000
SELLING MAG	2000
SELLING BOOKS	2000
OTHER SALES	2000

Program Listing

```

10 REM INCOME TAX ESTIMATOR PROGRAM
20 INPUT "OUTPUT TO PRINTER (Y/N)"; A$
30 IF LEFT$(A$,1)="Y" THEN PR=-2 ELSE PR=0
130 GOSUB 6050
140 IF N$<>"** SCHEDULE C **" THEN STOP
150 PRINT #PR, N$
160 GOSUB 6050
170 PRINT #PR, N$
180 GOSUB 6050 :REM SCHEDULE C GROSS RCPTS
190 D=T
200 GOSUB 6050 :REM RETURNS
210 D=D-T
220 K$="BALANCE" : GOSUB 6000
230 GOSUB 6050 :REM COST OF GOODS
240 D=D-T
250 K$="GROSS PROFIT" : GOSUB 6000
260 K$="TOTAL INCOME" : GOSUB 6000
270 I=D :REM SCHED C INCOME
280 GOSUB 6050
290 IF N$<>"** DEDUCTIONS **" THEN STOP
300 D=0
310 GOSUB 6050 :REM DEDUCTIONS
320 IF LEFT$(N$,2)="**" GOTO 350 :REM AT END OF DED
330 D=D+T
340 GOTO 310
350 K$="TOTAL DED" : GOSUB 6000
360 C1=I-D :D=C1
370 K$="SCH C NET P/L" : GOSUB 6000
380 PRINT #PR
390 IF N$<>"** 2441 - CHILD CARE EXPENSES **" THEN STOP
400 PRINT #PR, N$
410 GOSUB 6050
420 C2=A :REM CHILD CARE AMOUNT
430 PRINT #PR
440 GOSUB 6050
450 IF N$<>"** 3468 INVESTMENT TAX CREDIT **" THEN STOP
460 PRINT #PR, N$
470 GOSUB 6050
480 I1=INT(A*100+.5)/1000 :REM ACTUAL INV TAX CR
490 D=I1
500 K$="ACT INV TAX CR" : GOSUB 6000
530 PRINT #PR
540 GOSUB 6050
550 IF N$<>"** SCHEDULE A - DEDUCTIONS **" THEN STOP
560 PRINT #PR, N$
570 GOSUB 6050 :REM MEDICAL AND DENTAL
580 PRINT #PR, N$
590 GOSUB 6050
600 D1=T :REM ITEMIZED DEDUCTIONS
610 GOSUB 6050
620 IF N$<>"** TAXES **" THEN STOP
630 PRINT #PR, N$
640 GOSUB 6050 : T1=T :REM INCOME
650 GOSUB 6050 : T1=T1+T :REM REAL ESTATE
660 GOSUB 6050 : T1=T1+T :REM SALES
670 GOSUB 6050 : T1=T1+T :REM OTHER
680 D=T1
690 K$="TOTAL TAXES" : GOSUB 6000
700 D1=D1+T1
710 GOSUB 6050
720 IF N$<>"** INTEREST EXPENSE **" THEN STOP
730 PRINT #PR, N$
740 GOSUB 6050 : T1=T : REM HOME MORTGAGE
750 GOSUB 6050 : T1=T1+T :REM OTHER

```

Listing continues

MORE BYTE PER BUCK

**OUR LOW PRICES INCLUDE FREE SHIPPING
SATISFACTION GUARANTEED BY SIMUTEK**

COMPUTERS



Complete MODEL III COMPUTER

Model III with 48K memory, 2 disk drives, 370K storage, and ready to run with TRSDOS 1.3 and manual. 120 day Simutek warranty parts and labor. Compatible with all Radio Shack software. \$1899.99

Model III with 48K, 2 double sided 40 track disk drives with 750K storage. Comes with NEWDOS 80 V.2 and manual. 120 day Simutek warranty parts and labor. Compatible with Radio Shack software. Complete and ready to run. \$2389.99

MODEL III FIVE MEGABYTE HARD DISK

Comes with modified DOSPLUS. No installation required, just plug in 50 pin bus. Complete and ready to run. \$2499.99

MODEL III INTERNAL DISK DRIVE KITS

If you can use a phillips screwdriver, you can easily install Simutek's Model III disk drives and controller in less than an hour. Absolutely NO SOLDERING, TRACE CUTTING OR TECHNICAL KNOWLEDGE REQUIRED! The J & M controller is the best on the market today. We've tried others and found J & M's the finest and easiest to install. We warranty the J & M controller for 120 days against defects in workmanship.

ONE 40 TRACK TANDON DISK DRIVE WITH 185K STORAGE, and J & M controller. Radio Shack DOS, manual. No soldering or trace cutting required. Ready to install with instructions. \$619.99

TWO 40 TRACK TANDON DISK DRIVES 370K STORAGE, with J & M controller Radio Shack DOS, manual. No soldering or trace cutting. Ready to install and run. Instructions. \$889.99

TWO DOUBLE SIDED 40 TRACK DISK DRIVES with 750K storage and J & M controller. NEWDOS 80 V.2. and manual and Model III DOS. No soldering or trace cutting. Ready to install and run. Full instructions. \$1299.99

DISK DRIVES

MODEL I DISK DRIVES

ONE TEC DISK DRIVE 40 TRACK DISK DRIVE with 5ms track to track access time, with power supply chassis, extender cable and shipping for TRS-80. One year warranty on parts and labor. Ten day money back guarantee.

Model I or III \$279.00

ONE TEAC 40 TRACK DISK DRIVE, 30 ms track to track, with P/S and chassis, ready to run as drive 0-4. 10 day money guarantee. One year warranty \$279.00

ONE TANDON 40 TRACK DISK DRIVE, 5 ms track to track, with P/S and chassis, ready to run as drive 0-4 or Model III external. 10 day money back warranty \$279.00

ONE 2 DRIVE cable for Model I or III. (Specify) \$25.00

ONE 4 DRIVE cable for Model I only \$35.00

PRINTERS

Letter quality Daisywheel

TEC C-ith 40 CPS Parallel

\$1599.99

TEC C-ith 40 CPS Serial

\$1649.99

TEC C-ith 45 CPS Parallel

\$1799.99

TEC C-ith 45 CPS Serial

\$1899.99

TEC C-ith tractor feed

\$269.00

High quality dot matrix

TEC C-ith PROWRITER 8510

\$499.99

Epson MX-80 W/GF TX

\$479.99

Epson MX-80 F/T W/GF TX

\$599.99

Printer Cable for Expansion interface or Model III computer

\$29.95

Epson MX-100

\$799.99

Epson Graphtrax

\$69.99

Okidata microline 80

\$369.99

Okidata microline 82A

\$499.99

(Free tractor feed)

Okidata microline 83A

\$799.99

(Free tractor feed)

Okidata microline 84

\$1269.99

(Free tractor feed)

ACCESSORIES/ SOFTWARE, ETC.

16K MEMORY SET SPECIAL

\$17.89 with instructions for MOD I, III Color 4K, Apple, Exidy, one year warranty 200 NS \$17.89

MODEL I, III SOFTWARE

LDOS

\$149.95

NEWDOS 80 Ver. 2.0

\$139.00

DOSPLUS...NEW VERSION! \$139.95

DISK HOLDER 5-1/4 \$21.95

PERCOM'S DOUBLER II and DoubleDOS. The best and easiest to install.

Double density mod for Model I. \$159.95


BOOKS

MICROSOFT BASIC DECODED AND OTHER MYSTERIES.....\$29.95

TRS-80 DISK AND OTHER MYSTERIES.....\$22.50

BASIC FASTER AND BETTER.....\$29.95

CUSTOM TRS-80.....\$29.95



\$21.95



SUPER MODEM

ESI Lynx smart modem for MOD I or III. Does not require RS-232. Auto answer/dial. Complete with terminal AND host programs. \$279.95

Stop those headaches and eye strain!

ZENITH GREEN SCREEN MONITOR and

TRS-80 CABLE \$149.00

SIMUTEK HAS BEEN SATISFYING CUSTOMERS NATIONWIDE FOR THREE YEARS

IF NOT FULLY SATISFIED WITH ANY HARDWARE FOR ANY REASON, RETURN WITHIN TEN DAYS FOR A FULL REFUND OR EXCHANGE. Sorry, no refunds on software.

QUESTIONS? WE KNOW TRS-80S CALL OUR TECHNICAL HOTLINE FOR QUICK AND PROFESSIONAL ANSWERS. (602) 323-9391

ORDERS RECEIVED TODAY ARE SHIPPED TOMORROW. IF AN ITEM IS TEMPORARILY OUT OF STOCK YOU ARE NOT CHARGED UNTIL IT IS SHIPPED.

USE OUR DIME TO ORDER TOLL FREE. (ORDERS ONLY)

(800) 528-1149

FREE SHIPPING ON ALL ORDERS!!

C.O.D.'S OVER \$200 REQUIRE 10% DEPOSIT. ALL C.O.D.'S WILL REQUIRE CASH OR CERTIFIED CHECK FOR PAYMENT.

WE ACCEPT AMERICAN EXPRESS, VISA and MASTERCARD. NO SURCHARGE FOR CREDIT CARD ORDERS!

SORRY, PERSONAL CHECKS REQUIRE 4-5 WEEKS TO CLEAR.



SIMUTEK COMPUTER PRODUCTS INC.

4897 E. SPEEDWAY, TUCSON, ARIZONA 85712
(602) 323-9391 (800) 528-1149

✓ 12

TRS-80 IS A TM OF RADIO SHACK, A TANDY CORP.


```

760 D=T1 : K$="TOTAL INTEREST" : GOSUB 6000
770 D1=D1+T1
780 GOSUB 6050
790 IF N$<>"** CONTRIBUTIONS **" THEN STOP
800 PRINT #PR, N$
810 GOSUB 6050 : REM CONTRIBUTIONS
820 D1=D1+T
830 GOSUB 6050
840 IF N$<>"** CASUALTY LOSSES **" THEN STOP
850 PRINT #PR, N$
860 GOSUB 6050
870 T1=T
880 GOSUB 6050 : REM INSURANCE REIMB
890 T1=T1-T : D=T1
900 K$="LINE 27 DIFF" : GOSUB 6000
910 T1=T1-100 : IF T1<0 THEN T1=0
920 D=T1 : D1=D1+T1
930 K$="TOT CAS/THEFT LOSS" : GOSUB 6000
940 GOSUB 6050
950 IF N$<>"** MISCELLANEOUS DEDUCTIONS **" THEN STOP
960 PRINT #PR, N$
970 T1=0
980 GOSUB 6050
990 IF LEFT$(N$,2)="**" GOTO 1020
1000 T1=T1+T
1010 GOTO 980
1020 D1=D1+T1 : D=T1
1030 K$="MISC DEDUCT" : GOSUB 6000
1040 D=D1
1050 K$="GROSS DEDUCT" : GOSUB 6000
1060 D1=D1-3400 : IF D1<0 THEN D1=0 : REM STATUTORY CREDIT
1070 D=-3400 : K$="STAT CREDIT" : GOSUB 6000
1080 D=D1 : K$="TOTAL DEDUCT" : GOSUB 6000
1090 PRINT #PR
1100 IF N$<>"** SCHEDULE B **" THEN STOP
1110 PRINT #PR, N$
1120 GOSUB 6050 : I2=T : REM INTEREST INCOME
1130 GOSUB 6050 : D2=T : REM DIVIDEND INCOME
1140 PRINT #PR
1150 GOSUB 6050
1160 IF N$<>"** FORM 1040 **" THEN STOP
1170 PRINT #PR, N$
1180 GOSUB 6050
1190 W=T : D=T : K$="WAGES ETC L.7" : GOSUB 6000
1200 D=I2 : K$="INTEREST L.8A" : GOSUB 6000
1220 D=D2 : K$="DIVID L.8B" : GOSUB 6000
1221 D2=I2+D2
1222 D=D2 : K$="TOTAL L.8C" : GOSUB 6000
1223 GOSUB 6050 : REM EXCLUSION
1224 D2=D2-T : IF D2<0 THEN D2=0
1225 D=D2 : K$="TAXED D+I L.8E" : GOSUB 6000
1230 GOSUB 6050 : REM TAX REFUNDS
1240 W=W+D2+T : REM INCOME SO FAR
1250 D=T : K$="TAX REF L.9" : GOSUB 6000
1260 D=C1 : K$="BUS INCOME L.11" : GOSUB 6000
1270 GOSUB 6050 : REM OTHER INCOME
1280 W=W+T+C1 : D=W : REM TOTAL
1290 K$="TOT INCOME L.21" : GOSUB 6000
1295 GOSUB 6050 : REM ADJUSTMENTS
1297 W=W-T : D=W : REM INCOME LESS ADJ
1300 K$="ADJ GROSS L.31" : GOSUB 6000
1310 PRINT #PR
1320 PRINT #PR, "** SIDE 2 OF FORM 1040 **"
1330 K$="L.32A-ADJ GROSS" : GOSUB 6000
1340 D=D1 : K$="DEDUCT L.32B" : GOSUB 6000
1350 W=W-D1 : D=W
1360 K$="GROSS-DEDUC L.32C" : GOSUB 6000
1370 READ K$,D : PRINT #PR, K$,D
1380 D=1000*D : W=W-D
1390 K$="EXEMP'N L.33" : GOSUB 6000
1400 K$="TAX'LE INC L.34" : D=W : GOSUB 6000
1410 PRINT "LOOK UP TAX ON $":W
1420 PRINT "IN TAX TABLE AND ENTER IT."
1430 INPUT X
1440 D=X : K$="GROSS TAX" : GOSUB 6000
1450 PRINT #PR : PRINT #PR, "** FORM 2441 **"
1460 D=C2 : K$="LINE 3 AMTS" : GOSUB 6000
1470 IF D>4000 THEN D=4000
1480 K$="LINE 4 MAX" : GOSUB 6000
1490 C2=D/5 : D=C2 : K$="L.12 CREDIT" : GOSUB 6000
1500 PRINT #PR
1510 K$="1040 L.40 CH CARE CR" : GOSUB 6000
1520 T1=D : REM CREDIT
1530 D=I1 : K$="INV TAX CR L.41" : GOSUB 6000
1540 READ K$,D : GOSUB 6000
1550 T1=T1+D+I1 : D=T1 : K$="TOTAL CREDITS" : GOSUB 6000

```

Listing continues

Line 190 temporarily saves the \$8,000 total in variable D. Line 0200 reads the next data statement and prints RET/ALLOW 100.

Lines 0210 and 0220 subtract the returns from the receipts and print BALANCE 7900.

As each data line is read, the program builds on the previous data. The subroutine at line 6050 plays an important part in collecting and summarizing data.

Customizing for Your Own Needs

You may want to customize the program for your own needs in two ways: change the tax calculations or functions, or make it work on a different system.

Figure 2 provides a complete index of all variables and where they are used in the program, and Fig. 3 describes the use of each variable.

The program currently assumes you itemize deductions. The statutory credit of \$3,400 in line 1060 applies only to a married couple filing jointly. The sample figures are based on a home office which occupies 1/10 of the entire home.

Child-care credits are a complicated business: expenses are only allowed if both parents work, and if each makes more than the child care expense. Likewise, home-office deductions are only allowable up to the amount of income, and so on.

If you are customizing the program for a different computer or system configuration, you may want to make these changes:

- To keep the display within the 32-character line of the Color Computer, some comments in the data statements are very terse. You may want to expand these to make them more understandable.

- Four program lines use the Tab function to align the numbers printed. If your system has a wider screen (or if you use a wider printer) change these tabs. For example, for an 80-character printer, change the TAB(21) in line 6210 to TAB(40); change TAB(22) in lines 6100 and 6260 to TAB(50); and change TAB(23) in line 6010 to TAB(60).

- When using Extended Color Basic or other Basics which permit the Print Using statement, add USING "\$#####.##", to lines 6020, 6110, 6220 and 6270. (The sample printout in Fig. 1 was made with Print Using statements as well as the larger tab settings mentioned above.)

- If a printer is available, modify the print statements to LPRINT.

- Finally, when typing in the program, delete the extra spaces in all the data statements, and avoid spacing over as far right for the :REM at the ends of some lines.

In General

Plug last year's tax figures into the program, and get it to work properly with those. Then chances are quite good that it will also work for your current year's data.

But if some changes are necessary, with this program as a starter you should have no trouble getting things ready and working before next April 15. ■

GRAPHICS

THE NEW DIMENSION IN WORD PROCESSING FROM **SIMUTEK**

Word processing will never be the same.

CopyArt™ from Simutek is the first word/graphics processor for TRS-80 Mod. I & III, or PMC-80 and 81. CopyArt gives you unmatched editing flexibility. Change sizes and styles of type in a single line. Insert or delete characters, words and lines. Underline, bold face and make block moves simply. Pagination, headers and footers are a snap. You have complete format control, including justification, centering and flush right copy positioning.

And that's just the beginning.

CopyArt™ is also a graphics generator that can make words and letters in any size, produce graphs, charts, cartoons, logos, borders and illustrations. Business graphs and charts can be intermixed with text to produce reports of exceptional quality. CopyArt's scrolling capability frees you from the bonds of a 64 column screen. CopyArt can simulate a page up to 255 characters wide.


Commands in CopyArt are as simple as 'I' for Insert, 'B' for block move, etc. CopyArt even supports DOS commands like DIRectory, FREE and KILL. A special HELP command gives you instant access to an on-line manual.

CopyArt™ makes word processing more flexible than ever before. It supports the full graphics character sets of Epson and Okidata printers as well as the proportionally spaced justification superscripting, and subscripting capabilities of Centronics' 737 and 739 printer and Radio Shack's Line Printer IV. On non-graphic printers (C-Itoh, Diablo, Radio Shack Daisy Wheel, and others with the ability to turn off linefeeds) CopyArt creates pseudographics by overstriking standard characters. On every printer, especially dot matrix printers, the double printing feature produces unbelievably crisp copies.

(Headline and illustrations produced on CopyArt)

Technical questions? Call (602) 323-9391. Dealer inquiries welcome.

TRS-80 is a TM of Radio Shack, a Tandy Corporation • CopyArt is a TM of Simutek Computer Products Inc.



CopyArt® WORD/GRAPHICS PROCESSOR
FROM SIMUTEK

Diskette and instruction manual ____ \$149.95

Requires TRS-80 MOD I or III, 48K, 1 disk

10 DAY MONEY BACK GUARANTEE

To order call TOLL FREE 800-528-1149 for VISA
MasterCard American Express COD orders only.

Or mail check or money order to

SIMUTEK
Computer Products Inc.

4877 E. Speedway, Tucson, AZ 85712

Listing continues

```

1560 X=X-T1 : D=X : K$="BALANCE L.47" : GOSUB 6000
1570 K$="TOT TAX L.54" : GOSUB 6000
1580 GOSUB 6050
1590 IF N$<>"** TAXES WITHHELD **" THEN STOP
1600 GOSUB 6050
1610 D=T : K$="TOT TAX WITH L.55" : GOSUB 6000
1620 GOSUB 6050
1630 IF N$<>"** ESTIMATED TAX PAYMENTS **" THEN STOP
1640 PRINT #PR, N$
1650 GOSUB 6050 :REM EST TAX PAYMENTS
1660 D=T+D : K$="TOT TAX PMTS L.62" : GOSUB 6000
1670 X=X-D
1680 PRINT #PR
1690 IF X>0 THEN D=X : K$="TAX DUE" : GOSUB 6000
1700 IF X<0 THEN D=-X : K$="TAX REFUND" : GOSUB 6000
1710 END
6000 REM SUBROUTINE TO PRINT #PR, AMOUNT
6010 PRINT #PR, " "; K$;TAB(23);
6020 PRINT #PR, D
6030 RETURN
6040 REM SUBROUTINE TO READ DATA AND SUMMARIZE
6050 READ N$
6060 L$=LEFT$(N$,1) :REM FIRST CHARACTER OF DATA
6070 IF L$="*" THEN RETURN :REM MAJOR CATEGORY
6080 IF L$="+" GOTO 6150 :REM START OF MINOR CATEGORY
6090 READ A
6100 PRINT #PR, " "; N$;TAB(22);
6110 PRINT #PR, A
6120 T=A :REM TOTAL
6130 RETURN
6140 REM ADD UP TOTAL MINOR CATEGORY
6150 IF LEFT$(N$,2)<>"+" THEN STOP
6160 T=T+A
6170 READ N$
6180 IF LEFT$(N$,2)="+" GOTO 6250 :REM MUST BE END
6190 IF LEFT$(N$,1)="*" THEN STOP
6200 READ A
6210 PRINT #PR, " "; N$;TAB(21);
6220 PRINT #PR, A
6230 T=T+A

```

```

6240 GOTO 6170 :REM READ MORE
6250 N$=MID$(N$,4,32)
6260 PRINT #PR, " "; N$;TAB(22);
6270 PRINT #PR, T
6280 RETURN
6990 REM DATA STATEMENTS FOLLOW
7000 DATA ** SCHEDULE C **
7010 DATA ** INCOME **
7020 DATA +S GROSS RCPTS/SALES
7030 DATA SELLING CIGARS,2000
7040 DATA SELLING MAG,2000
7050 DATA SELLING BOOKS,2000
7060 DATA OTHER SALES,2000
7070 DATA +E GROSS RCPTS/SALES
7080 DATA RET/ALLOW 1B,100
7090 DATA COST OF GOODS SOLD,100
7100 DATA ** DEDUCTIONS **
7110 DATA ADVERTISING 6,100
7120 DATA BANK CHARGES 9,100
7130 DATA +S CAR/TRUCK EXP
7140 DATA EXPENSES,100
7150 DATA GASOLINE,50
7160 DATA TOLLS/PARKING,50
7170 DATA WASHING,10
7180 DATA +E CAR/TRUCK EXP
7190 DATA DEPRECIATION 14,100
7200 DATA +S INSURANCE
7210 DATA ALLSTATE,20
7220 DATA STATE FARM,20
7230 DATA 1/10 OF HOME INS,20
7240 DATA +E INSURANCE
7250 DATA INTEREST 18,25
7260 DATA LEGAL/PROF 20,25
7265 DATA +S OFF SUPPLIES & POSTAGE
7270 DATA OFFICE SUP,100
7280 DATA POSTAGE,100
7285 DATA +E OFF SUP & POSTAGE 21
7290 DATA REPAIRS 24,100
7300 DATA SUPPLIES 25,100
7310 DATA TAXES 26,100

```

Listing continues

MARATHON
SOFTWARE

PIK'EM
1982



64%
ACCURATE
AGAINST
POINTSREAD
FOR 1981
SEASON
(Games 2-16)

A COMPLETE FOOTBALL PREDICTION PROGRAM FOR THE
1982 NFL PROFESSIONAL REGULAR SEASON STARTING SEPT. 12, 1982*

ONLY 20 MIN. DATA INPUT PER WEEK WILL GIVE YOU THE EDGE ON EVERYONE**

CAN BE UPDATED FOR 1983



PHONE
LINES
OPEN



24-HOURS — 7-DAYS

NAME _____
 ADDRESS _____
 CITY _____ ST _____ ZIP _____
 PIKEM 24⁹⁵ PAYMENT ENCL ☐
 VISA ☐ MASTERCARD ☐ AC# _____
 MY CARD EXPIRES: ☐☐ ☐☐

\$24⁹⁵ INCLUDES:
DATA DISKETTE
COMPLETE INSTRUCTIONS

SPECIFY:

TRS80 MODEL I/III
AT LEAST 32K

DATA NEEDED TO RUN PROGRAM
AVAILABLE IN LOCAL NEWSPAPERS.

DEALER INQUIRIES INVITED

STAT SERVICE AVAILABLE
FOR ALL 16 WEEKS OF SEASON

—FEATURES—

- DISPLAYS PREDICTED SCORES 210 GAMES
- DISPLAYS ACCUMULATED STATS EACH TEAM
- DISPLAYS AVERAGE STATS EACH TEAM
- GIVES PRINTOUT: PREDICTIONS—STATS—AVE
- AUTOMATICALLY STORES DATA — NO 'SAVE'

* IF PROGRAM IS BOUGHT AFTER SEA-
SON STARTS — ALL PREVIOUS STA-
TISTICS WILL BE INCLUDED — NO
CHARGE.

FOR MORE INFORMATION CONTACT:

MARATHON SOFTWARE DEPT. M
P. O. BOX 1493
JACKSONVILLE, TEXAS 75766
(214) 586-8212

RUN BASIC PROGRAMS AT SUPER SPEED

WITH ZBASIC 2.2.

THE WORLDS FASTEST TRS-80 BASIC COMPILER from **SIMUTEK**

BELIEVE IT OR NOT WE'VE ADDED MORE NEW FEATURES to the ONLY INTERACTIVE BASIC COMPILER for the TRS-80!

1. Speed increases of 10-100 times are typical after compilation.
2. Compiled code can be RELOCATED to run anywhere in memory. Code is even ROMable!

3. ZBASIC 2.2 NOW SUPPORTS BOTH RANDOM and SEQUENTIAL DISK I/O.

4. ZBASIC 2.2 is now a super tool for business programmers: RANDOM ACCESS FILES, and PRINT USING statements are supported as well as a HIGH PRECISION MATH package (with no rounding problems).

5. Special BUILT-IN MACHINE LANGUAGE COMMANDS to increase program operation by as much as 1000 times! Special commands are implemented for fast memory searching (CPDR, CPIR), block memory moves (LDIR, LDDR), inputting and printing HEX numbers, inserting MACHINE LANGUAGE into COMPILED CODE, disabling and enabling interrupts, inverting memory, 16 bit PEEKs and POKes, and stack control, debug and much more.

6. ZBASIC 2.2 compiles the ENTIRE PROGRAM into to Z-80 machine language. (Not 8080 code or a combination of BASIC and machine language like some other compilers.) Clumsy LINKING LOADERS, and RUNTIME MODULES are not needed; ZBASIC 2.2 creates a ready to run MACHINE LANGUAGE program.

7. NO ROYALTIES imposed on registered ZBASIC owners.

8. Typical COMPILATION TIME is TWO SECONDS for a 4K program.

9. Use TRS-80 Basic to write ZBASIC programs!

10. Compile many existing programs with only minor changes. (Some BASIC programming experience is required.)

11. Fully compatible with both the Model I and the Model III. Mod I compiled programs work on a MODEL III, and visa-versa. ZBASIC works with NEWDOS-80, NEWDOS+, DOSPLUS, LDOS, MULTIDOS, ULTRADOS, TRSDOS etc.

12. BUILT-IN and much improved MUSIC and SOUND EFFECTS commands.

13. Improved CHAINING for disk users.

14. TIMES now available on DISK version.

15. ZBASIC 2.2 now has an INPUT @ command [similar to PRINT @].

16. The TAB function will now tab 255 columns on a printer. (BASIC cannot tab past column 64.)

17. NEWDOS 80 2.0 USERS can use the CMD "dos command" function!

18. NEW and EASIER to use USR COMMANDS.

19. New math functions to calculate XOR and INTEGER REMAINDERS

20. Logical STRING COMPARISONS are now supported.

21. The disk commands INSTR, MID\$ ASSIGNMENT are now supported on both DISK AND TAPE ZBASIC.

22. DEFSTR is now supported.

23. Eight disk files may be opened simultaneously; random, sequential or mixed.

24. LINE INPUT #, is now supported

25. Invoke the compiler by simply hitting these two keys: ":-"

26. NEW 100+ PAGE MANUAL WITH DESCRIPTIONS AND EXAMPLE.

27. ZBASIC 2.2 Comes with CMDFILE/CMD program from MISOSYS, to allow appending or merging compiled programs and machine language programs from tape or disk.

ZBASIC 2.2 DOES NOT SUPPORT THESE BASIC COMMANDS:

1. ATN, EXP, COS, SIN, LOG, TAN, and exponentiation. (However, subroutines are included in the manual for these functions.)
2. ERROR, ON ERROR GOTO, ERL, ERR RESUME.
3. No direct commands like AUTO, EDIT, LIST, LIST, although these commands may be used when writing programs.
4. Others NOT supported: CDBL, CINT, CSNG, DEFFN, FIX, FRE.
5. Normal CASSETTE I/O. (ZBASIC supports it's own SPECIAL CASSETTE I/O statements.)
6. SOME BASIC COMMANDS MAY DIFFER IN ZBASIC. For instance, END jumps to DOS READY, STOP jumps to BASIC READY etc.
7. MEMORY REQUIREMENTS: to approximate the largest BASIC program that can be compiled in your machine (at one time), enter BASIC and type: PRINT (MEM-6500)/2. Remember, you can merge compiled programs together to fill memory.

ZBASIC 2.2 SPEED COMPARISON DEMO

To help give you an idea how fast compiled programs are, we have included this demo program:

ZBASIC 2.2 DEMO PROGRAM

Time to compile and run complete program : 0 MIN. 2 SEC.
BASIC Execution speed MOD 1, LEVEL II : 7 MIN. 34 SEC.
ZBASIC Execution speed MOD 1, LEVEL II : 0 MIN. 18 SEC.
BASIC Program size (WITHOUT VARIABLES) : 895 BYTES
ZBASIC Program size (WITHOUT VARIABLES) : 2733 BYTES

(Remember that the ZBASIC program includes an 1879 byte sub-routine package.) Program shown exactly as compiled and run in BASIC and ZBASIC.

```
10 '===== ZBASIC 2.2 EXAMPLE PROGRAM AND TIME TEST =====
20 CLS: CLEAR 100: DEFINT A-X: DEFSTR Z: DIM AA(64,24), Z(50): RANDOM
30 AA=100: BB=-1000: CC=3: DD=-3: EE=-9999: ST$="START TIME "+TIME$
40 FOR I=1 TO 127 STEP 2 : FOR J=47 TO 1 STEP -3: XX=POINT(I,J): SET(I,J)
50 XX=(I-J)/CC*(7+I+J) : XX=ABS(INT(RND(I+J)-AA)+7) : RESET(I,J)
60 XX=PEEK(I+J) : POKE 15360+I+J, J : OUT 255, J AND (3*J): XX=INP(I)
70 AB$=STR$(I+J) : BA$=LEFT$(AB$,2) : AA(I/2,J/2)=VAL(BA$)+AA*3
80 BA$=BA$+RIGHT$(BA$,RND(3)) : XX=INSTR(1,BA$,"9"): XX=SGR(I+J)
90 BA$=MID$(BA$,2,2) : MID$(BA$,1,1)=Z : IF XX THEN 100 ELSE CLS
100 IF LEN(BA$)>3 OR SGN(XX)=1 AND ASC(BA$)=32 THEN PRINT "+++"
110 IF POS(0)>62 THEN TRON: TROFF: PRINT ELSE XX=NOT(RND(99))+100
120 AS=INKEY$: IF AS="Y" OR AS="y" AND I>120 THEN PRINT "TRUE.."
130 RESTORE : READA,C,Z(J),D: GOSUB 170: GOSUB 170: GOSUB 170: GOTO 210
140 NEXT : PRINT "*" : NEXT I: CLS: PRINT @512, ST$, "STOP TIME "+TIME$
150 STOP' ===== END OF MAIN TEST LOOP =====
160 DATA 12345,-1,"TEST",-9999
170 ON RND(6) GOTO 180,190,200,180,190,200
180 RETURN
190 RETURN
200 RETURN
210 ON RND(9) GOSUB 180,190,200,180,190,200,180,190,200
220 GOTO 140
```

NOTICE ZBASIC 2.0 OWNERS: you can upgrade your ZBASIC 2.0 for no charge. Just send us your original diskette/cassette and a S.A.S.E with your registered serial number and copy of your invoice. We will send you ZBASIC 2.2 and updates to your manual.

VISA, MASTERCARD, AMERICAN EXPRESS, C.O.D. ORDERS ONLY.

800 528-1149 order line

ZBASIC 2.2 DISK VERSION AND MANUAL	89.95
ZBASIC 2.2 TAPE VERSION AND MANUAL	79.95
ZBASIC 2.2 DISK & TAPE VERSION AND MANUAL	99.99
MANUAL ONLY...[APPLIES TO PURCHASE]	25.00

SIMUTEK COMPUTER PRODUCTS INC.

TECHNICAL QUESTIONS PLEASE CALL (602) 323-9391
4897 E. SPEEDWAY, TUCSON, ARIZONA 85712 ✓12

TRS-80 is tm of Radio Shack, a Tandy Corp.



Department 80
1236 E. Colonial Drive
Orlando, Florida 32803 USA

Voice (305) 894-4744
BBS 24 Hour Electronic
Mail Order (305) 277-0473
Micronet 71555,520

PRINTER	RIBBONS EZ RELOAD	CARTRIDGES NEW
RADIO SHACK PRINTERS		
Daisy II Black	10 For 24.95	6 for 29.95
Brown/Blue/Red	6 For 24.95	N/A
LP 1-2-4	4 For 18.95	
LP 3 & 5	3 For 13.95	
LP 6 & 8	3 For 13.95	
EPSON / IBM		EPSON BRAND
MX-70/80/80F/T	3 For 16.95	18.95
MX-100	3 For 18.95	29.95
OKIDATA		
80-82-83-84		3 For 11.95
CENTRONICS		
700/730/737/739/779		
ZIP PAK	4 For 18.95	

RADIO SHACK MODEL I & III*	
NEWDOS 80 2.0	\$139
LDOS 5.1	105
Maxi-Manager	84
Maxi-CRAS	89
Electric Pencil II	79
Superscript	44
Business Pac 100	94
Library 100	39
Money Manager	36

GAMES	
Adventure International	
Big Five	1-5% Off
Avalon Hill	2-10% Off
Med System	3-15% Off
Acorn	5-20% Off
Epyx and Others	

RADIO SHACK MODEL II*	
Racet Fastback	\$ 69
Business Pac 100	144

CREATIVE COMPUTER	
Asset Depreciation	\$350/25
Account Payable	495/25
Account Receivable	495/25
General Ledger	495/25
Inventory Control	495/25
Order Entry/Invoicing	395/25
Job Costing	495/25
Yahtzee	24.95
Buy 3 and get 20% off	

Write For Free Catalog

Over 600 items in Diskettes, Paper, Labels, Ribbons, Checks, Storage Boxes, Furniture, Binders and Hardware. * -Mfg. Trademark. Florida plus 5% tax.

FREE SHIPPING except hardware.

Most orders out in 24 hours with VISA, M/C, Money Order, Cashier Check, Bank Wire and C.O.D. Personal check over \$150 allow 10-14 days. Mail order only. Prices subject to change 9-8 Monday-Friday, 9-6 Saturday.

✓ 190

Listing continued

7320	DATA TRAVEL/ENTERTAIN	27,50
7330	DATA TELEPHONE	28,50
7340	DATA OTHER - COPYING	31A,100
7350	DATA OTHER - EXP ACCT	31B,100
7360	DATA OTHER - MACH COST	50
7370	DATA OTHER - OUT HELP	50
7380	DATA +S HOME OFFICE EXP	
7390	DATA 1/10 OF EXPENSES	100
7400	DATA 1/10 OF CLEANING	10
7410	DATA 1/10 OF PAINTING	15
7420	DATA ADD ELECTRICITY	10
7430	DATA 1/10 HOUSE DEPREC	100
7440	DATA +E HOME OFFICE EXP	
7450	DATA ** 2441 - CHILD CARE EXPENSES	**
7460	DATA AMOUNT SPENT	5000
7470	DATA ** 3468 INVESTMENT TAX CREDIT	**
7480	DATA AMOUNT SPENT	1000
7490	DATA ** SCHEDULE A - DEDUCTIONS	**
7500	DATA ** MEDICAL AND DENTAL	**
7510	DATA 1/2 OF PREMIUMS	100
7520	DATA ** TAXES	**
7530	DATA +S STATE/LOCAL INC	
7540	DATA HUSB STATE INC	500
7550	DATA HUSB CITY INC	5
7560	DATA WIFE STATE INC	500
7570	DATA WIFE CITY INC	5
7580	DATA +E STATE/LOCAL INC	
7590	DATA REAL ESTATE	1000
7600	DATA +S GENERAL SALES	
7610	DATA 5% SALES TAX	100
7620	DATA 8% SALES TAX	100
7630	DATA SUPERMKT SALES TAX	10
7640	DATA NEW CAR SALES TAX	100
7650	DATA OTHER SALES TAX	10
7660	DATA TAX ON YACHT	10
7670	DATA +E GENERAL SALES	
7680	DATA OTHER TAX	10
7690	DATA ** INTEREST EXPENSE	**
7700	DATA HOME MTGE	1000
7710	DATA OTHER INT	1000
7720	DATA ** CONTRIBUTIONS	**
7730	DATA CASH CONTRIB	500
7740	DATA ** CASUALTY LOSSES	**
7750	DATA LOSS BEF REIMB	200
7760	DATA INSURANCE REIMB	0
7770	DATA ** MISCELLANEOUS DEDUCTIONS	**
7780	DATA UNION DUES	100
7790	DATA EDUC	50
7800	DATA PROF	100
7810	DATA OTHER	0
7820	DATA INC TAX PREP	30
7830	DATA EMPLOYEE EXP	50
7840	DATA ** SCHEDULE B	**
7850	DATA +S INTEREST INC	
7860	DATA FED BANK	10
7870	DATA FIRST CTY BANK	50
7880	DATA +E INTEREST INC	
7890	DATA +S DIVIDEND INC	
7900	DATA ITTY BITTY MACH CO	10
7910	DATA +E DIVIDEND INC	
7920	DATA ** FORM 1040	**
7930	DATA +S WAGE/SAL/TIPS	
7940	DATA HUSB WAGES	10000
7950	DATA WIFE WAGES	10000
7960	DATA +E WAGE/SAL/TIPS	
7965	DATA DIV/INT EXCL L.8D	400
7970	DATA +S INC TAX REFUNDS	
7980	DATA HUSB ST TAX REF	250
7990	DATA WIFE ST TAX REF	250
8000	DATA HUSB CITY TAX REF	5
8010	DATA WIFE CITY TAX REF	5
8020	DATA +E INC TAX REFUNDS	
8030	DATA OTHER INC	12
8035	DATA ADJ TO INC	0
8040	DATA NO OF EXEMPT	3
8050	DATA RES ENERGY CR	15
8060	DATA ** TAXES WITHHELD	**
8070	DATA +S FED TAX WITHHELD	
8080	DATA HUSB	2000
8090	DATA WIFE	2000
8100	DATA +E FED TAX WITHHELD	
8110	DATA ** ESTIMATED TAX PAYMENTS	**
8120	DATA +S FED EST TAX	
8130	DATA APRIL	10
8140	DATA JULY	10
8150	DATA OCTOBER	10
8160	DATA JANUARY	10
8170	DATA +E FED EST TAX	L.56

!!NOW AVAILABLE!!



INDEX SEQUENTIAL ACCESS METHOD

- ★ Get and Put Records to Disk File by "KEY"
- ★ Read File in Key Sequence Without Sorting
- ★ Delete Records Without Recopying File
- ★ Add Records to Disk Files in Any Sequence
- ★ Variable Key Length From 1 to 50 Characters
- ★ Machine Language or Basic Subroutines.

BUSINESS APPLICATION ADVANTAGES

- Improved Disk Utilization
- Easier Program Development
- Improved Operating Characteristics
- Reduce or Eliminate Sorting
- Improved Performance

ISAM SUBROUTINES
ISAM UTILITIES

Documentation
On Diskette \$90.00

NEW! MACHINE LANGUAGE + BASIC SUBS — \$140

—PLUS—Free Mailing List Sample Application
Add 6% Sales Tax for California Orders

TRS-80® MODEL I, II, & III and CPM® SOFTWARE FROM:

Johnson Associates -or- Telephone Order Line
P.O. Box 3069 For Bank Card Sales
Redding, CA 96049 150 (916) 221-0740

WRITE FOR FREE CATALOG

COLOR COMPUTER SOFTWARE

BASIC AID

HELP FOR THE
BASIC PROGRAMMER

At last, the development tools you need! All available instantly at power-up.

MERGE COMMAND: Insert programs stored on cassette into your Basic program. You can even assign new line numbers to the file you read in. Create your own tape library!

MOVE COMMAND: Lets you renumber any part of your Basic program. GOTO's, GOSUB's, etc. automatically changed.

AUTOMATIC LINE NUMBERING: You'll love this. Never type in another line number.

PLUS 45 common Basic commands available as single key Control characters. Or change ANY OR ALL keys to your own specifications! Comes with convenient, easy-to-remove, plastic keyboard overlay. All of this in a convenient ROM cartridge that uses almost none of your valuable memory. CARTRIDGE \$34.95

COLORCOM/E SMART TERMINAL PROGRAM

We didn't wait for the competition to catch up with us! We've added even more features to COLORCOM/E, our superb Smart Terminal program.

- Complete upload & download support
- On line cassette reads & writes
- Automatic capture of files
- Pre-enter data before calling
- Send all 127 ASCII characters
- Word mode eliminates split words
- Off line AND on line scrolling
- Selectable RS232 parameters

We've got the best cassette and upload/download support available. And you can conveniently print any portion of the received buffer you want. NOW ON DISK! Reads and writes files from disk. Same great features plus more. DISK OR CARTRIDGE \$49.95

EDITOR ASSEMBLER DEBUGGER \$695

CCEAD: This 8K Basic Program supports cassette files, has full cursor control, line insertion/deletion, and much more. Two pass assembler supports full 6809 instruction set & addressing modes, lists to screen or printer. Debugger allows memory examine / modify, program execution. If not delighted return within 2 weeks for a full refund. You get fully commented Basic source & complete instructions. Requires Ext. Basic & 16K CASSETTE \$6.95

STRIPPER: Three valuable commands: (1) Delete Remarks; (2) Pack Lines; (3) Delete Spaces. Fully automatic, is not fooled by GOTO's, GOSUB's, etc. Your programs will run faster and take up much less memory. CASSETTE \$7.95

CUSTOM CARTRIDGES: Put YOUR Basic program into a convenient ROM Cartridge. Runs instantly at power-up. Use for Ad displays, schools, etc. Call or write for info.

Send check, money order,
or Visa/MC Number;
Include \$1 for postage and
handling; Visa/MC. Please
for fast service.

**Eigen
Systems**

P.O. Box 10234
Austin, Texas 78766
(512) 837-4665

154

FILEMATE

A RANDOM ACCESS DATA FILE MANAGER

For Model I & III, 48K, Disk Drive,
NEWDOS 80 Version 2.0

FILEMATE is *auto-adaptive* so this one universal program can serve most any of your filing needs—Mailing List, Inventory, Bibliography, Business Records, etc. You will not have to change any data to meet the constraints of a pre-packaged program. Yet, there is no software to write. In fact, **FILEMATE** will convert your existing sequential file to its random format.

Consider these features:

- **CONVERT**—Any old sequential file to **FILEMATE** random. All you do is name your field variables.
- **CREATE**—Random files with up to 20 fields in any record. Field length optional, up to 255 bytes for total record.
- **HASHING**—Instant recall of any record in any file size.
- **SORT**—On any two fields. Sorts 500 records in 5 sec. Save any sort in index file for later readout at 11 records/sec
- **CALCULATE**—Double precision calculations
+, −, *, /, sin, cos, tan, sqroot functions
Up to 40 steps, 4 stacks available
Store algorithm for repeated usage
- **PRINTOUT**—Generate custom Dataforms or Labels
Reverse name option
(Spade, Sam → Mr. Sam Spade)
Upper and lowercase compatibility.
Multiple columns—optional spacing
across page.
Auto-alignment of decimal point in tabulations.
Save multiple formats for repeat use.
- **SEARCH**—Global search for any data in any field
- **EDIT**—Add, Change, or Delete records at will
- **CAPACITY**—Up to 2000 records on a 40 track, double density diskette.

BEST OF ALL—You can always revise the file structure.

(After you have a working file and want to rename a field, or add another field for more data, or change the size of any field in the record, or delete a field, or expand the capacity of the file; DO IT! And don't lose any of the records you want that are already in the file. No need to re-enter any data!)

DATAFILE SYSTEMS

801 Welch Road
Palo Alto, CA 94304
(415) 326-1447

531

VISA/MasterCard
CA Residents add 6%

\$95.00 on Diskette
Manual & Shipping Incl.

Graphics Editor and Programmer is to graphics what word processor is to text.

G.E.A.P.

G.E.A.P. (Graphics Editor and Programmer)
J.F. Consulting
 74355 Buttonwood
 Palm Desert, CA 92260
 \$25.99 Version 1.3, minimum 16K
 \$16.99 Expansion Modules 1-4
 (tape, disk or Stringy-Floppy)
 \$45.99 Version 2.0 48K, disk
 (Includes Expansion Modules 1-5)

by Richard C. McGarvey
 221 Hirschfield Dr.
 Williamsville, NY 14221

G.E.A.P. is designed to enable the use of intricate video and printer graphics and text combinations so non-programmers can produce professional looking output. It is to graphics what a word processor is to text. The following review is based on the new versions of G.E.A.P., 1.3 and 2.0.

G.E.A.P. is a utility program that allows easy control of the cursor, drawing graphic displays anywhere on the CRT, moving sections of the display around the screen, the integration of text into the screen, programming input statements into the screen display.

It can also magnify, rotate, tilt and multiply the views of any part of the display; duplicate part of the screen so that only half of a picture need be drawn (a mirror image is created to produce a symmetrical display); shrink, expand and break apart portions of the screen; and reverse the display, changing all or part of the screen from light on dark, to dark on light. Expansion modules allow you to type normal keyboard characters, but have the screen display normal, medium or large sized letters at each keystroke. Add to that letters that are large and can be displayed on a block or a cube background (see Fig. 1). An expansion module allows the created screen graphics, as

well as high-resolution, bit-image graphics, to be printed on a printer such as the Epson MX-80. This program can be used with a word processor like Prosoft's Newsprint so the graphics and screen text can be integrated into a normal text processor.

G.E.A.P. also generates the Basic code to recreate the screen and can load a previously created screen display for editing. It is written in Basic and machine language

and can be easily modified. It is easy enough for non-programmers to use effectively the first time out and still allows options so the experienced programmer can write expansion modules to meet his own personal needs.

Although G.E.A.P. requires a brief familiarization period, as would any word processor, the graphics processor is not difficult to learn and the rewards are excep-



Fig. 1. Cube letters shown in four perspectives and with cube effect eliminated



Photo 1. G.E.A.P.-created video display shows cube letters, medium letters, graphics and normal text

TAKE THE NEXT STEP IN MICRO COMPUTER EVOLUTION..... PUT THE LANGUAGE OF THE FUTURE ON YOUR COMPUTER TODAY.

Let **ALCOR Pascal** transform your computer into a truly professional development system.
No other language system offers as much power, efficiency, and versatility.

EASY TO LEARN

Alcor Pascal is easy to learn. It comes with a 250 page documentation package which includes a 100 page tutorial that introduces Pascal to the beginning programmer.

Also included in the language are many of the string functions that are familiar to Basic programmers.

SPEED

Important to many users is the fact that Alcor Pascal programs execute between 10-20 times faster than interpreted Basic programs.

ALCOR SYSTEMS SUPPORT

Alcor Systems stands behind its products with a free one year service contract that includes upgrades to new Alcor Pascal releases for a nominal fee. Also included free is a one year subscription to the Alcor Pascal Newsletter. Programs may be developed for resale that execute like stand alone machine language programs. (Absolutely no licensing fees)

COMPATIBLE COMPUTERS AND OPERATING SYSTEMS

48K memory / One disk drive Single or Double Density
(Two Drives Recommended)

TRS Model I

Trsdos 2.3, Ldos 5.1, Newdos 2.0, Dosplus 3.3, 3.4

TRS80 Model III

Trsdos 1.3, Ldos 5.1, Newdos 2.0, Dosplus 3.3, 3.4

Osborne - I CP/M

Apple II CP/M (Z-80 softcard)

Other Z-80 CP/M based systems (8" drives)

Pascal Features

A complete Jensen and Wirth Standard Pascal
Produces compact efficient code that executes 10-20 times faster than interpreted BASIC
Can compile large programs (4000 lines +)
Fast one pass compiler
Simple commands for compiling and running programs
Supports separate compilation of procedures and functions
Compiler switch options, including conditional compilation
Full heap support including NEW and DISPOSE procedures that perform true heap allocation
Complete implementation of sets with up to 256 members
Variant records are fully supported
Supports single and double precision REAL
Files are compatible with TRSDOS

250 Page Documentation Pkg.

Beginner's guide
Pascal Tutorial with 500 line Data Base program
(source supplied on diskette)
Pascal Reference Manual
System Implementation Manual
Text Editor Manual
Handy System Reference Card
Cross reference index for documentation package

The Best of Both Worlds

Pseudocode (Pcode) for compactness
Allows large programs in small memory space (8500 line + programs can execute in 48k)
Native code for speed
Optional code generator produces Z80 instructions
Z80 code can be mixed with Pcode

Extensions

OTHERWISE clause on case statements
Identifiers may contain '\$' and '-' characters
Automatic type conversion in arithmetic expressions and assignment statements
Constants may be expressed in decimal or hexadecimal
Characters within strings may be specified by ascii code
Allows non-printable characters in strings
Type transfer operator to override type matching
ESCAPE allows exit from anywhere in a procedure
LOCATION function returns the address of a variable
SIZE function returns the amount of memory for a variable

Full Screen Text Editor

Included with Pascal
No limit on file size (except disk capacity)

Optional Advanced Development Pkg.

Pcode optimizer
Reduces the size of a program by 25-30%
Increases execution speed
Z80 native code generator
Produces relocatable, reentrant native code for the Z80
Native code executes 3-5 times faster than Pcode
Native code can be mixed with Pcode to provide speed where required and still benefit from the compactness of Pcode

Linking Loader

Links separately compiled routines • Supports procedure and function libraries • Can create command files

Trademark
TRS-80 Tandy Corporation
CP/M Digital Research, Inc.
Z80 Zilog, Inc.
APPLE II Apple Computer, Inc.
OSBORNE I Osborne Computer Corp.
ALCOR PASCAL Alcor Systems

DEALER
INQUIRIES
INVITED

ALCOR SYSTEMS

800 W. Garland Avenue, #100 • Garland, Texas 75040
For immediate service call (214) 226-4476



EXPAND YOUR HORIZONS WITH ALCOR PASCAL

THE FIRST IN OUR LANGUAGE SERIES

tional. Once mastered (it took me about an hour), you can sit down, draw a screen of graphics or text, and save the screen into a Basic program to be merged into the final

game, application program or printout display. Photo 1 is the title screen to a program that I have been working on for some time. It took 20 minutes to create. I drew the screen

with the 48K, disk version 2.0.

No one is perfect, right? G.E.A.P. was programmed so you can experiment with different layouts without damaging your original screen due to two screen storage areas called the temporary area and the permanent area. The temporary storage area is used automatically each time the menu is accessed. The permanent storage area is accessed by pressing the semicolon and enter. When finished, you can save the created program to tape, disk or Stringy-Floppy.

Documentation

The program's documentation is very good. Its step-by-step style starts with the basics and slowly guides you into the more advanced G.E.A.P. features.

One of the unique documentation features is that when an error is made, G.E.A.P. screen prints an error message directing you to the portion of the manual that will help in correcting the error. This feature, plus the well written manual, make for a very unique approach to program documentation, use and support.

The G.E.A.P. Modes

G.E.A.P. has four main operating modes. The first mode is called the regular mode. It is active when you turn the computer on and is signified by a flashing dot cursor that can be moved in any direction by use of the arrow keys. If the shift key is held at the same time the cursor is moved, a line is left behind in the trail of the cursor. To erase the line, simply go back over it with the cursor without holding the shift key.

The regular mode is also used to access the menu. (There is an additional menu in the 2.0 version that is accessed from the designate mode.) When used in conjunction with a designated figure, the regular mode can be used to move the figure to any location on the CRT or to create a paintbrush effect with the figure (see Fig. 2).

The second mode is the print mode. Its main function is placing text on the screen. Entry into the print mode is gained by hitting the asterisk key. Once in this mode the cursor changes to an asterisk. Now the non-destructive cursor can be moved about with the arrows, and anything that is typed appears on the screen. This is a simple mode to use. To exit the mode you must first enter the keypad mode by hitting clear. Once in the keypad mode the other modes are readily available by hitting the appropriate cursor key.

The keypad mode is available at the touch of the < symbol or by the clear key if you are in the print mode. The cursor for the keypad mode is the < symbol and is also non-destructive. The cursor is again positioned by the arrows.

Now look at your keyboard. Note the keys Q, W, A, S, Z and X. These form (a little distorted) a graphic block similar to the graphic blocks on the TRS-80. If you want to draw such a block, position the cursor to the right of the location that you want the graphic and hit the keys that correspond to




Fig. 2. Paintbrush effect, four symmetrical views and magnified figure created by use of Merge command




Fig. 3. Results of expand, reverse, shrink and 90 degree rotation commands. Also the graphic keypad and a resultant graphic figure

FIRST: MONSTER MOVIES NOW: **CRUSH, CRUMBLE & CHOMP!** THE GREAT MOVIE MONSTER COMPUTER GAME!

And guess who stars as the movie monster. You! As any of six different monsters. More if you have the disk version.


You can terrorize and destroy four of the world's largest and most densely populated cities in over 100 possible scenarios. From Tokyo to the Golden Gate, you are the deadliest creature in the air, on the land, or in the sea.

You can be the deadly amphibian who simultaneously smashes street cars, lunches on helpless humans and radiates a ray of death.

If you were a giant winged creature, think of the aerial attacks you could make on the terrified but tasty tidbits beneath you.

But as in all the best monster movies, you're up against everything the human race can throw at you—even nuclear warheads and a strange concoction developed by a team of mad scientists.

For only \$29.95 you get 6 stupendous monsters, each with its own monstrous summary card, 4 teeming metropolises displayed in graphic detail on your computer display and mapped in the accompanying 48-page illustrated book, the awesome sounds of monsterly mayhem, and spine-tingling, real-time, edge-of-your-seat excitement.



GET CRUSH, CRUMBLE & CHOMP
now at your local dealer for your APPLE, ATARI,
or TRS-80 ... **before it's too late.**

COMPUTER
GAMES
THINKERS
PLAY
EPYX

the portion you want lighted. If all six keys are hit in any order, a graphic block equal to CHR\$(191) will be drawn on the screen. If only the Q is hit only the upper left corner of the graphic block will be lit (Fig. 3). Once selected, the graphic character can be used to fill in a designated area.

Another feature of the keypad mode is the print-location function. With the cursor positioned to the right of the location of interest, you can obtain the column, row and PRINT@ location of the point by simply hitting enter. The top of the screen will momentarily display the location coordinates of the point to the immediate left of the cursor and then restore the screen to its original design. This is an excellent way to determine the location of data entry points when designing a fill-in-the-blank style CRT display.

To exit the keypad mode hit the cursor key of the mode you want to be in.

The final mode, and the most interesting, is the designate mode. It is entered by hitting the hyphen key. A flashing hyphen is the cursor and it can be moved with the arrow keys. This cursor is also non-destructive.

The designate mode is the heart of the G.E.A.P. program. (Figures 2 and 3 show the results of some of the features possible.) While in this mode you can select any area of the screen; designate it in various ways; and then reverse it, move it, tilt or rotate it, multiply the views of it, magnify it, fill it in, shrink or expand it and save or cancel it

You can draw half of a screen, duplicate the half and merge it into an entire screen.

Saving the Program

There are nine options available while in the regular mode (additional options are available in the 2.0 disk version). These options are entered by hitting the number 9

while in the regular mode. The dump program option brings up a ready prompt allowing you to save your creation or load another for reediting. This option is compatible with disk, cassette or Stringy-Floppy. When done, you can reenter G.E.A.P. with USR(x) statements.

You are also given the option of saving




Fig. 4. Chart of G.E.A.P.'s interaction with other programs and its organizational chart

BEYOND-BASIC

```

10 REM          Beyond-BASIC In Action
20 GOSUB "CLEAR SCREEN"      ' See line 200
30 RESTORE 40 : DIM A(5) : MAT READ A
40 DATA 5,4,3,2,1          ' Data for array A
50 NU$="0123456789."        ' Allow digits only
60 INPUT LEN=3, USING NU$, "ACROSS";X
70 INPUT LEN=2, USING NU$, "DOWN";Y
80 PLOT (0,0)-(X,Y)          ' Draw a line
90 SHAPE$="PDPDRPRPUPULP"   ' Define small square
100 INPUT USING NU$, "SCALE";A ' <1=small, >1=large
110 INPUT USING NU$, "ROTATE";B ' 0-360 degrees
120 PLOT (X,Y), S=A,R=B, SHAPE$ ' Draw the shape
130 DEF FNI (LO, HI, LOCAL N) ' Define a function
140 INPUT "ENTER A NUMBER";N ' to be this entire
150 IF N<LO OR N>HI THEN 140 ' subroutine
160 RETURN N : FNEND
170 PRINT FNI(1,10)+FNI(X,Y) ' Input 2 nums, add
180 SORT A : PRINT "SORTED ARRAY:"
190 MAT PRINT A : DOS        ' Return to TRSDOS
200 "CLEAR SCREEN"          ' Named subroutine.
210 CLS : POKE 3000H, "BEYOND-BASIC DEMO"
220 MAT I                    ' Ignore A(0) in MAT
230 RETURN
240 END
  
```

At last, a truly complete **Extended BASIC** for the TRS-80!

Beyond-BASIC Package I includes...

Line labels, RESTORE to any line, structured loops with WHILE/WEXIT/WEND, command shorthand, multiple programs in memory, and much, much more:

Disk: **\$49.99** Tape: **\$39.99**

Beyond-BASIC Package II includes...

All this plus super graphics, multi-statement user functions, extended line editor, DIR from BASIC and more:

Disk: **\$64.99** Tape: **\$49.99**

Beyond-BASIC Package III includes...

Everything in I and II plus array operations (including multi-key sort), cross reference, renumber:

Disk: **\$79.99** Tape: **\$59.99**

Beyond-BASIC includes our 100+ page manual with index and summary.

Please write for additional information. TRS-80 is a trademark of Tandy Corp.

Specify Model I or III, disk or tape version when ordering. Send check, money order, or MC/Visa number to:

EXCALIBUR SOFTWARE

3336 Cascadia Ave S
Seattle WA 98144

the screen in compressed or non-compressed code, with the non-compressed code being fully accessible for editing with normal Basic-editing features. You can even specify the line numbers you want to use to store the screen, so you can merge it with a program more easily. G.E.A.P. keeps track of used line numbers so you can't make any mistakes.

Expansion Modules

The expansion modules are optional with version 1.3 and standard with version 2.0. They are special function programs that overlay part of G.E.A.P. memory without disturbing the program. They allow the use of the keyboard to type letters that are medium-sized, large-sized, and cubed. (The cube perspective goes in any of four directions or is completely deleted; see Fig. 1.) To use these module features you must call in the module you need and then type on the keyboard. The option style of letter will appear rather than the normal print.

Additional modules allow the use of the Epson MX-80 printer to reproduce the screen graphics on the printer and also allow the integration of G.E.A.P. and Newsprint for producing some unique text and graphic effects. See Fig. 4 for a detailed organizational chart of G.E.A.P. and how it interfaces with software and hardware.

Modules are loaded in two ways. In the 1.3 version it is necessary to hit shift/D to delete any previously loaded module. (This step can be skipped if the first module load is under way.) You must then go to the main menu and select option number 3, the dump option. At the ready prompt simply @LOAD, CLOAD or Run "filespec" for the

module desired, and run it once loaded. If you are using disk, the Run "filespec" runs as soon as it is loaded. In the other two options the run must be entered manually. The result in each case is the same, the G.E.A.P. program restarts with the new module in place and any display that was stored is still available. It is now possible to access the newly loaded module and add its special features to the display being created. Modules can be continually overlayed so that each is constantly available.

In the 2.0 version it is only necessary to go to the designate mode, hit I and O simultaneously and select the module desired from the menu displayed. In each module, regardless of the version, the cursor for the special feature selected will be as follows: C signifies cube letters (various perspective selections are made by shift, control letter), M signifies medium letters, and L is for the large letters. The Newsprint module, available only in version 2.0, does not display a special cursor.

More Expansion?

Due to the use of expansion modules, an increase in memory size is not necessary to expand the G.E.A.P. program. Additional modules are receiving their finishing touches at this writing. Keep an eye out for them.

High-resolution graphics are available now for G.E.A.P. 2.0 or 2.1 users who also have any version of the Epson MX-series printers with any version of Graftrax. The program modules, called Dot Writer and Dot Printer, allow you to easily create your own high-resolution graphics for printout on the Epson. No hardware modifications

are required. You can also write text using a common word processor and then print that text on the Epson using G.E.A.P. supplied fonts or user created fonts. Figure 6 shows some of the fonts presently available. The modules are available separately or as part of the G.E.A.P. package.

A G.E.A.P. user who creates an expansion module is welcome to submit it to J.F. Consulting or to publish it in any publication he may desire. Their goal is to get as many expansion modules as possible into the hands of users. The manual gives all the information needed for the programmer to write his own modules.

J.F. Consulting is also considering a user library consisting of a collection of screen displays designed by G.E.A.P. users. The library will be placed into public domain so that all G.E.A.P. users will be able to draw on the talents of other users.

Disk Version

Version 1.3 is compatible with cassettes or disks; however, if you have a 48K disk system you should get version 2.0. This version has all of the features of version 1.3 plus several more which allow you the full advantage of the disk system. Version 2.0 is compatible with LDOS, DOSPLUS, TRSDOS and NEWDOS80 1.0 and 2.0. Compatibility with other DOS types has not been tested, but it is likely that G.E.A.P. will work with all common DOS types.

Some of the added features are: automatic designate, automatic file save and recall, instant call-up of expansion modules, and Newsprint compatibility.

Update and Upgrade Policies

As a G.E.A.P. 1.0 user, I was upset when I found out that the original had been replaced by a much better version. I figured more big bucks for the update to the 1.3 or 2.0 versions. But J.F. Consulting has very reasonable update and upgrade policies. In the case of updates, you're required to pay only the cost of production. In the case of upgrades, you are required to pay the difference between the price of your version and the version you wish to upgrade to.

All Play and No Work?

G.E.A.P. may appear to be a game creator or a toy rather than a workable tool. That's not the case. Figure 5 shows two styles of the same bar graph, both created for business presentations. As in the gaming and artistic aspects, G.E.A.P. is limited in business applications only by the user's imagination.

Conclusion

In my opinion G.E.A.P. is and will remain the most powerful utility of its kind.

There is so much to this program that I cannot list every advantage in this review. It's functional, fun and worth the money. If you would like to contact me regarding G.E.A.P., feel free to write, or contact me on CompuServe EMAIL at 70145,171. I will be pleased to share G.E.A.P. experiences. ■





Fig. 5. Bar graphs for typical business presentation

Basic Level II
Model I
Jelly Bean Jar
Auto Dialer

A program Ronald Reagan will love!

Cybernetics and Jelly Bean Detection

Stephen Davids
P.O. Box 541, Station Z
Toronto, Ontario
Canada M5N 2Z6

The word robot is magical. Almost everyone has their own concept of what a robot is and what it should be able to do.

What is Cybernetics? To quote its founder, Norbert Wiener, "We have decided to call the entire field of control and communication theory whether in the machine or in

the animal, by the name cybernetics, which we form from the Greek...for steersman."

The discipline of cybernetics breaks a robot down into three parts: sense, decide and act. All robot systems must be capable of sampling their environment (sense), making decisions using their internal programming based on data they gather (decide), and then act on the basis of the decision (See Fig. 1).

For example, suppose you have programmed your TRS-80

to monitor the amount of jelly beans in your cupboard. By devising a simple jelly bean level detector consisting of an infrared LED and a photo transistor you will know when your supply is getting low (see Fig. 2). When the level of jelly beans drops below the critical level, the infrared beam from the LED turns on the phototransistor causing a temporary high at port address 243. The TRS-80 notices this by checking the port address 243 for a high using the INP(243) command in a loop. Once a high is sensed at this address, the TRS-80 program outputs a command to an auto-dialer circuit which phones the local jelly bean emporium. The cassette is then turned on and an endless loop cassette orders more jelly beans continuously for at least

three minutes (see Fig. 3 and Program Listing 1).

The point of this elaborate example is to illustrate a robot system without feedback. As the program is written, it will not check whether the conditions desired have been accomplished by the system. Specifically, it does not know for sure if the jelly beans have been replenished as a result of the phone call. This is useless. A robot system without feed-




Figure 1




Figure 2

```

10 REM JELLY BEAN DETECTOR PROGRAM
20 REM PORT 243 IS THE JELLY BEAN LOW LEVEL DETECTOR
30 REM PORT 242 IS THE AUTO DIALER
40 REM PORT 241 IS THE PHONE HANDSET LIFT SOLENOID
50 REM PORT 255 IS THE CASSETTE RECORDER
60 DEFINT J, C, N
70 J=INP(243):IF J<100 THEN 20:REM CHECK FOR JELLY BEANS
80 REM TURN ON PHONE HANDSET LIFT SOLENOID
90 OUT(241, 255)
100 REM TURN ON AUTO DIALER
110 OUT(242, 255):FORC=0 TO 10000: NEXT C
120 REM TURN OFF AUTO DIALER TURN ON CASSETTE
130 OUT(242, 0):OUT(255, 255)
140 REM 3 MINUTE DELAY
150 FORC=1 TO 3:FORN=0 TO 32766: NEXT N: NEXT C
160 REM HANG UP
170 OUT(241, 0):OUT(255, 0)
180 END

```

Program Listing 1




Figure 3

PROGRAMMING TOOLS FOR YOUR TRS-80TM MODEL I AND MODEL III

INSTANT ASSEMBLER

The **INSTANT ASSEMBLER** is a powerful disk or tape-based assembler and debugger for the TRS-80. Now you can assemble directly to memory and immediately debug your program with the built in single stepping debugger. Quickly switch from assembler to debugger and back again without losing the source code. This feature makes **INSTANT ASSEMBLER** an excellent learning tool for assembly language programming.

INSTANT ASSEMBLER is absolutely unique among tape based assemblers in that it produces relocatable code modules that can be linked with the separate **LINKING LOADER**, which is supplied in two versions for loading programs into either high or low RAM. This lets you build long programs with small modules. **INSTANT ASSEMBLER** also features immediate detection of errors as the source code is entered, a compactly coded source format that uses 1/3 as much memory as standard source, and many operational features including single stroke entry of DEFB and DEFW, pinpoint control of listings, alphabetic listing of symbol table, separate commands for listing error lines or the symbol table, block move function, and verification of source tapes.

INSTANT ASSEMBLER's debugger provides single stepping with full register displays, decimal or hex entry of addresses, forward or backward memory displays, disassembly of object code in memory, memory display in ASCII format, and hex-to-decimal or decimal-to-hex conversion. The single-stepper will step one instruction at a time or at a fast rate to any defined address.

INSTANT ASSEMBLER occupies less than 8400 bytes of memory. In a 16K machine this will leave you enough memory to write assembly language programs of around 2000 bytes. This and its module-linking feature make **INSTANT ASSEMBLER** ideal for users with only 16K machines. The instruction manual may be purchased separately for \$3, which will apply towards the purchase of the **INSTANT ASSEMBLER**. In addition to disk I/O, the disk version includes a stand-alone version of the debugger.

Specify Model I or Model III. **TAPE INTASM** \$29.95 on tape
Specify Model I or Model III. **DISK INTASM** \$35.95 on disk

RESTORE DAMAGED TAPES WITH RESQ2

Cassette recordings are subject to several types of damage. Thin spots in the oxide, dirt, voltage fluctuations while recording, or stray magnetic fields can all contribute to lost or added bits. **RESQ2** was written to provide a method of restoring tapes that can no longer be loaded for these reasons. It can restore BASIC, SYSTEM, ASSEMBLER, and DATA tapes. **RESQ2** compares two copies of the damaged tape to attempt a restoration, though restoration can often be accomplished with only one copy. After the damaged data is corrected in memory, a new tape may be recorded and verified which does not contain the errors. The success rate of **RESQ2** will depend on the severity and quantity of errors. **RESQ2** comes with a comprehensive user manual and examples of two types of 'crashed' programs to practice on.

Specify Model I or Model III. **RESQ2** \$19.95 on tape

RAM SPOOLER AND PRINT FORMATTER

This program is a full feature print formatting package featuring user definable line and page length (with line feeds inserted between words or after punctuation), screen dump, printer pause control, and baud rate selection. In addition, printing is done from a 4K expandable buffer area so that the LPRINT or LLIST command returns control to the user while printing is being done. Works with cassette or disk systems. Ideal for Selectric or other slow printers. Allows printing and processing to run concurrently. Output may be directed to either the parallel port, serial port, or the video screen. 80 Microcomputing said "I can only give my highest recommendation of Spooler and Mumford Micro Systems."

Specify Model I or Model III. **SPOOLER** \$16.95 on tape, \$21.95 on disk

DUPLICATE SYSTEM TAPES WITH CLONE

Make duplicate copies of almost any tape including Basic, SYSTEM, data lists, assembler source, or "custom loaders". The file name, load address, entry point, and every byte (in ASCII format) are displayed on the video screen. Model III version allows changing tape speed so you can load in a tape at 500 baud and write it out at 1500.

Specify Model I or Model III. **CLONE** \$16.95 on tape, \$21.95 on disk

MACHINE CODE FAST FOURIER TRANSFORM

Written by Dr. A.H. Gray, Jr., co-author (with J.D. Markel) of the classic text "Linear Prediction of Speech", this complete package includes 3 versions of the machine language FFTASM routine assembled for 16, 32, and 48K machines, a short sample Basic program to access them, a 10K Basic program which includes sophisticated interactive graphing and data manipulation, and a manual of instructions and examples. The machine language sub-routines use variables defined by a supporting Basic program to make data entry and retrieval automatic, without PEEKs and POKEs. They perform 20 to 40 times faster than their Basic equivalent (256 points in 12.5 seconds), and handle up to a 1024 point complex FFT. The FFT is useful in analyzing stock market and commodity trends as well as for signal analysis.

Specify Model I or Model III. **FFTASM** \$49.95 on tape
FFTASM on disk with source code \$69.95

INSIDE LEVEL II

The Programmers Guide to the TRS-80 ROMs

INSIDE LEVEL II is a comprehensive reference guide to the Model I and Model III ROMs which allows the machine language or Basic programmer to easily utilize the sophisticated routines they contain. Concisely explains set-ups, calling sequences, and variable passage for number conversion, arithmetic operations, and mathematical functions, as well as keyboard, tape, and video routines. Part II presents an entirely new composite program structure which loads under the SYSTEM command and executes in both Basic and machine code with the speed and efficiency of a compiler. In addition, the 18 chapters include a large body of other information useful to the programmer including tape formats, RAM usage, relocation of Basic programs, USR call expansion, creating SYSTEM tapes of your own programs, interfacing of Basic variables directly with machine code, and special precautions for disk systems. **INSIDE LEVEL II** was reviewed in the April 1982 issue of 80 Microcomputing which said "The book has no flaws; it is a perfect gem." Byte Magazine said "I recommend this book to serious machine language programmers."

Includes updates for Model III. **INSIDE LEVEL II** \$15.95

SINGLE STEP THROUGH RAM OR ROM

STEP80 allows you to step through any Basic or machine language program one instruction at a time, and see the address, hexadecimal value, Zilog mnemonic, register contents, and step count for each instruction. The top 14 lines of the video screen are left unaltered so that the "target program" may perform its display functions unobstructed. **STEP80** will follow program flow right into the ROMs, and is an invaluable aid in learning how the ROM routines function. Commands include step (trace), disassemble, run in step mode at variable step rate, display or alter memory or CPU registers, jump to memory location, execute a CALL, set breakpoints in RAM or ROM, write SYSTEM tapes, and relocate to any page in RAM. The display may also be routed to your line printer through the device control block so custom print drivers are automatically supported.

Specify Model I or Model III. **STEP80** \$16.95 on tape, \$21.95 on disk

SMART TERMINAL PROGRAM

This machine language program may be used as a smart terminal with time share systems or for high speed file transfers between two disk-based micros over modems or direct wire. It is menu driven and extremely simple to use. Functions include real-time terminal mode, save RAM buffer on disk, transmit disk file, receive binary files, examine and modify UART parameters, program 8 custom log-on messages, automatic 16-bit checksum verification of accurate transmission and reception, and many more user conveniences. Supports line printers and lowercase characters. With this program you will no longer need to convert machine language programs to ASCII for transmission, and you will know immediately if the transmission was accurate.

Specify Model I or Model III. **TELCOM** \$39.95 on disk

DISK INDEX VERSION 3.0

Our excellent disk indexing program has now been entirely rewritten in machine language. It will run on either a Model I or Model III and catalog disks for either machine regardless of which one is running it. (Model I owners must have double density to catalog Model III disks.) **DISK INDEX** will assemble an index of your entire program library by automatically reading program names and free space from each disk directory. The index may then be alphabetized or searched for any disk, program, or extension. Disks or programs may be added or deleted, and the whole index or any part may be sent to the printer. The index itself may also be stored on disk for future access and update. A 48K machine will hold over 2500 programs in each index, and you may build as many indexes as you need. Version 3.0 runs substantially faster than our previous version and works with any operating system written for the Model I or Model III except CP/M.

Specify Model I or Model III. **INDEX 3.0** \$29.95 on disk

4 SPEED OPTIONS FOR YOUR TRS-80

The SK-2 clock modification allows CPU speeds to be switched between normal, an increase of 50%, or a 50% reduction; selectable at any time without interrupting execution or crashing the program. Instructions are also given for a 100% increase to 3.54 MHz. The SK-2 may be configured by the user to change speed with a toggle switch or on software command. It will automatically return to normal speed any time a disk is active, requires no change to the operating system, and has provisions for adding an LED to indicate when the computer is not at normal speed. It mounts inside the keyboard unit with only 4 necessary connections for the switch option (switch not included), and is easily removed if the computer ever needs service. The SK-2 comes fully assembled with socketed IC's and illustrated instructions.

Model I only. **SK-2** \$24.95

RAMTEST

This machine language program is a very thorough test for several types of RAM errors and will indicate which chip, if any, is faulty. It also includes a separate test for power line glitches.

Specify Model I or Model III. **RAMTEST** \$12.95 on tape, \$17.95 on disk

**MUMFORD
MICRO
SYSTEMS**

ORDERING: Complete satisfaction is guaranteed or a full refund will be made. Include \$2.00 for postage and handling. California residents add 6% sales tax. Visa, Mastercharge and COD orders accepted. **SPECIFY MODEL I OR MODEL III.** Dealer inquiries invited.

Box 400-E Summerland, California 93067 (805) 969-4557

✓ 67

Quality software since 1978

back is worthless, because it cannot account for barriers to performance that exist in the real world.

Servosystems

Systems which include feedback are called servosystems. These are inherently more stable because the decision base (in our case, the TRS-80) is made aware, by some form of feedback, of the extent to which its instructions have been carried out (see Fig. 4).

We can modify our jelly bean program and hardware to include a feedback mode. By installing another LED/photo transistor pair (see Fig. 5) above the original pair in the container and modifying the program to as presented in Listing 2 we have the feedback we need along with an error correcting mode in the decide stage. After the jelly beans are ordered the program jumps to a counter clock routine that looks for a low at port address 244 which would exist if the in-

frared beam from LED1 was to be interrupted. This indicates either that the jelly beans have arrived or that someone is putting a hand into the jar. To eliminate this possible confusion, a switch on the inside edge of the jar checks to see when the lid is removed. If it is,

the program enters a "wait and see" subroutine. It then goes back to monitoring the top phototransistor. When the jelly beans have been replaced, the computer receives the required low and it starts the program all over. However, if the jelly beans have not been replaced and a

certain number of counter clock cycles go by, the computer calls the jelly bean store, curses them out for not delivering the order and reorders.

This system, though somewhat fanciful, illustrates the basic principles of cybernetics. It demonstrates a primitive servosystem and explains the importance of feedback for a stable robot system. These concepts, of course, are best applied to more serious applications—for example, TRS-80 control of backyard satellite antennae positioning on the basis of received signal strength or robot security applications. ■





Figure 4

```

10 REM PORTS ARE THE SAME AS LISTING ONE EXCEPT-
20 REM PORT 244 IS THE FULL JAR LEVEL DETECTOR
30 REM PORT 240 IS THE JAR LID SWITCH
60 DEFINT J, C, N
70 J=INP(243):IF J<100 THEN 70
80 OUT(241,255)
90 OUT(242,255):FORC=0TO1000:NEXTC
100 OUT(242,0):OUT(255,255)
110 FORC=1TO3:FORN=0TO32766:NEXTN:NEXTC
120 OUT(241,0):C=1:OUT(255,0)
130 REM THE FEEDBACK LOOP
140 REM THE PROGRAM WILL WAIT FOR 1 MINUTE AT LEAST IF THE
    JAR LID IS REMOVED
150 C=C+1:IF C>32765 THEN 80
160 J=INP(240):IF J<100 THEN FORN=0TO32766:NEXTN:GOTO 140
170 J=INP(244):IF J>100 THEN 140 ELSE 70

```

Program Listing 2



A = PHOTOTRANSISTOR
B = LOGIC BUFFER INTERFACE
C = LOWEST ACCEPTABLE LEVEL
D = FULL JAR LEVEL

Figure 5

FREE EPSON MX-80 PRINTER

With the purchase of a TRS 80, Model III.

For a limited time, Data Services, Inc., will give you a FREE Epson MX-80 Printer (\$645 value), when you buy a TRS 80 Model III, 48k, with 2 PERCOM 40 track drives, at our new low prices of \$2,395.00.

(Includes RS-232, Printer Cable, TRSDOS.)"

The perfect system, the perfect price!
TRS 80 Model III, 48k - two PERCOM 40 track drives - EPSON MX-80 Printer.

Data Services offers more — APPARAT'S NEWDOS 80, version VER 2.0, regularly \$149.95 — now only \$129.95 (Model III units only.)

Up to 20% savings on TRS computers — accessories — programs, Plus: EPSON / PERCOM / APPARAT / HAYES SMARTMODEM / VERBATIM DISKETTES / MEMOREX DISKS.

*TRS-80 is a trademark of Tandy Corporation.



- FREE SHIPPING in 48 contiguous states.
- No Sales Tax on out-of-state orders.
- Visa/Master Card welcome.
- Personal checks, allow 3 weeks to clear.
- (International orders, freight F.O.B. Wichita, Kansas)

CALL TOLL FREE: 1-800-835-1129

or order by mail from:

DATA SERVICES, INC.

COMPUTER SERVICES SINCE 1970

118

P.O. Box 1157 Wichita, Kansas 67201-1157
(In Kansas, call 1-316-838-9021)

The Original Magazine for Owners of the TRS-80™ MicroComputer

MODEL I • MODEL II • MODEL III • POCKET COMPUTER • COLOR COMPUTER

Software
for TRS-80
Owners

H & E COMPUTRONICS INC.

MONTHLY NEWS MAGAZINE

Monthly
Newsmagazine
for TRS-80
Owners



- PRACTICAL APPLICATIONS
- NEW EXPANDED BUSINESS SECTIONS
- GAMBLING
- GAMES
- EDUCATION
- PERSONAL FINANCE

- BEGINNER'S CORNER
- NEW PRODUCTS
- SOFTWARE EXCHANGE
- MARKET PLACE
- QUESTIONS & ANSWERS
- PROGRAM PRINT OUTS
- ...and MORE!

YOUR CHOICE
FREE

with your Subscription or Renewal

A.

NANOS SYSTEMS CORP.

TRS-80 At Your Fingertips Complete quick reference guide to basic, assembly language* and graphic codes—all at your fingertips for all TRS-80 computers (specify computer).

Assembly Language Section N/A for Color Computer

B.

A Word Processor, Data Management System and Cleanup

(A maze game) All on cassette. (Add \$3 for diskette, add \$5 for modified MOD-II diskette version—N/A on color computer or pocket computer.)

OR

✓ READER SERVICE FOR H & E COMPUTRONICS ✓ 9

H & E COMPUTRONICS INC.

50 North Pascack Road
Spring Valley, New York 10977

- ☐ One Year Magazine Subscription \$24 ☐ New ☐ Renewal
☐ Two Year Magazine Subscription \$48.00 ☐ New ☐ Renewal
☐ Sample Issue \$4. ☐ Mod II Newsletter Subscription \$18
Your Choice: TRS-80™ at Your Fingertips ☐ or Word Processor/ Data Management ☐
Model I ☐ Model II ☐ Model III ☐ Color Computer ☐ Pocket Computer ☐

CALL TOLL FREE
800-431-2818

(Outside of New York State)

24 HOUR ORDER LINE
914-425-1535



NEW!
NEW!

MOD-II NEWSLETTER
"\$18/year (or 12 issues)"

Name

Address

City

State

Zip

Signature

Credit Card Number

Expiration Date

Add \$12/Year (Canada, Mexico)—Add \$24/Year Air Mail outside of U.S.A., Canada, and Mexico
All Prices and Specifications Subject to Change

* TRS-80 is a trademark of the Radio Shack Division of Tandy Corp.



from **HOWE SOFTWARE**

FOR THE TRS-80 MODEL I AND MODEL III

System Diagnostic



Tests Every Component Of Your TRS-80 and Verifies Proper Operations

DISK

\$99.95

CASSETTE

\$94.95

ROM: checksum test
 RAM: four separate tests including every address and data value.
 VIDEO DISPLAY: character generator, video RAM, and video signal.
 KEYBOARD: every key contact tested.
 LINE PRINTER: character test.
 CASSETTE RECORDER: read/write/verify data.
 RS-232-C INTERFACE: connector fault, data transmission, framing, data loop, baud rate generator.
 DISK DRIVES: disk controller, drive select and restore, track seek and verify data, read/write/verify all tracks and sectors with or without erasing, sector formatting, disk drive timer, disk head cleaner.

- Individual tests of each device with operator monitoring and intervention.
- Continuous system tests run continually for hours testing each component, with diagnostic reports optionally written on line printer.
- One program adapts to any system configuration and hardware.
- Complete instructions and documentation.

IS YOUR COMPUTER WORKING?

ARE YOU SURE?

SMART TERMINAL

Enables your TRS-80 to be used as a data communications terminal to a time-sharing system, computer bulletin board, or another computer, via the RS-232-C interface.

- MEMORY BUFFER holds data for transmission or data received from other computer.
- CASSETTE or DISK may be used to load or save data from memory.
- AUTOMATIC TRANSMISSION of data from memory.
- AUTOMATIC STORAGE of incoming data at user's option.
- TRANSMIT or RECEIVE WITH VERIFICATION options included for communication between two TRS-80s using Smart Terminal.
- Full CONTROL KEYS, including control key mapping into any ASCII character. True BREAK key. Lower case supported on Model I.
- Buffered LINE PRINTER ECHO for incoming data.
- Disk and cassette files fully compatible with ELECTRIC PENCIL™ and SCRIPSIT™ programs.
- BAUD RATE and RS-232-C CHARACTERISTICS can be reset from within the program.
- SAVE PROGRAM option creates "personalized" back-up copy of program with all options set as specified by user.
- ONE PROGRAM supports both cassette and disk systems. Program is compatible with PMC-80 and other TRS-80 "work alike" computers.

Model I or III Version supplied on cassette **\$69.75**
Model II (CP/M) Version supplied on diskette **\$74.95**
\$79.95

MON-3 and MON-4

The TRS-80 Monitor Programs #3 and #4 are powerful utility programs enabling you to interact directly with the TRS-80 in Machine Language. They are as useful for beginners as for advanced programmers.

- BEGINNERS can learn to interact directly with the computer in Machine Language.
- 40-PAGE MANUAL provided with each program.
- SIMPLE commands, easy to use.

The Features Of The Monitor Programs Enable You To The Following.....

- DISPLAY memory in different ways.
- DISASSEMBLE memory to see Machine Language commands.
- MOVE and COMPARE memory areas.
- SEARCH through memory to find specific values.
- MODIFY memory in various ways.
- RELOCATE object programs.
- PRINT output on video display or line printer.
- READ and WRITE object tapes in SYSTEM Format.
- UNLOAD programs using low RAM on disk.
- SAVE and READ disk files (MON-4 Only).
- INPUT and OUTPUT of disk sectors (MON-4 Only).
- SEND and RECEIVE data over RS-232-C Interface (MON-4 Only).
- Create SYMBOLIC Tapes (MON-3) or Files (MON-4) of Disassembled output for Editor/Assembler program.

MON-3 (For Cassette Systems) \$39.95
MON-4 (For Disk Systems) \$49.95

MAILING LIST

Maintains mailing lists of over 1000 names. Commands allow adding, changing, deleting, and finding names. Sorting is done by machine language according to the information in any field (i.e., name, address, zip code). Labels printed in 1, 2, or 3 columns, in master list on one line, or on video display.

Disk Version Only \$69.95

HOME BUDGET

Combines the maintenance of your checkbook with analysis of your income, expenses, and monthly bills. Handles data including bills, including bills, income, deposits, checks and debits to your checking account, and cash expenses. Computes checkbook balance, list of unpaid bills, monthly and year-to-date summaries of income and expenses showing income tax deductions. All output printed on video display or line printer at user's option. Complete instructions for customizing to suit your own budget.

Cassette \$29.95
Disk \$49.95

SMALL BUSINESS ACCOUNTING

Based on Dome Bookkeeping Record #612, this program keeps track of income, expenditures, and payroll for a small business of up to 16 employees. Income and expenditures can be entered on a daily, weekly, or monthly basis, and the program computes monthly, through last month, and year-to-date summaries. Payroll section keeps record of individual employees and their paychecks with up to six categories of payroll deduction. Employee payroll record and year-to-date payroll totals can be computed. Manual contains complete instructions for customizing to suit your business.

Disk Version \$49.95
Cassette Version \$29.95
 (Cassette Version does not contain payroll)

COMPUTRONICS
 MATHEMATICAL ANALYZER SYSTEMS

50 N. PASCACK ROAD
 SPRING VALLEY, NEW YORK 10977



**NEW TOLL-FREE
 ORDER LINE**
 (OUTSIDE OF N.Y. STATE)
(800) 431-2818

**24 HOUR
 ORDER
 LINE**
(914) 425-1535

- All orders processed within 24 Hours
- 30-Day money back guarantee
- Add \$3.00 for shipping in UPS Areas
- Add \$4.00 for C.O.D. or NON-UPS Areas
- Add \$5.00 to Canada or Mexico
- Add exact postage to all other countries

H & E COMPUTRONICS INC.

•• EVERYTHING FOR YOUR TRS-80™ • ATARI™ • APPLE™ • PET™ • CP/M™ • XEROX™ • IBM™ • OSBORNE™ ••

* TRS-80 is a trademark of the Radio Shack Division of Tandy Corp. • ATARI is a trademark of Atari Inc. • APPLE is a trademark of Apple Corp. • PET is a trademark of Commodore
• CP/M is a trademark of Digital Research • XEROX is a trademark of Xerox Corp. • IBM is a trademark of IBM Corp. • OSBORNE is a trademark of Osborne Corp.



BUSINESS PAC 100

100 Ready-To-Run Business Programs

★ All orders processed within 24-Hours
★ 30-Day money back guarantee

(ON CASSETTE OR DISKETTE).....Includes 128 Page Users Manual.....
Inventory Control.....Payroll.....Bookkeeping System.....Stock Calculations.....
Checkbook Maintenance.....Accounts Receivable.....Accounts Payable.....

BUSINESS 100 PROGRAM LIST

NAME	DESCRIPTION		
1 RULE78	Interest Apportionment by Rule of the 78's	59 WACC	Weighted average cost of capital
2 ANNU1	Annuity computation program	60 COMBPAL	True rate on loan with compensating bal. required
3 DATE	Time between dates	61 DISCBAL	True rate on discounted loan
4 DAYYEAR	Day of year a particular date falls on	62 MERGANAL	Merger analysis computations
5 LEASEINT	Interest rate on lease	63 FINRAT	Financial ratios for a firm
6 BREAKEVN	Breakeven analysis	64 NPV	Net present value of project
7 DEPRSL	Straightline depreciation	65 PRINDLAS	Laspeyres price index
8 DEPRSY	Sum of the digits depreciation	66 PRINDPA	Paasche price index
9 DEPRDB	Declining balance depreciation	67 SEASIND	Constructs seasonal quantity indices for company
10 DEPRDDB	Double declining balance depreciation	68 TIMETR	Time series analysis linear trend
11 TAXDEP	Cash flow vs. depreciation tables	69 TIMEMOV	Time series analysis moving average trend
12 CHECK2	Prints NEBS checks along with daily register	70 FUPRINF	Future price estimation with inflation
13 CHECKBK1	Checkbook maintenance program	71 MAILPAC	Mailing list system
14 MORTGAGE/A	Mortgage amortization table	72 LETWRT	Letter writing system-links with MAILPAC
15 MULTMON	Computes time needed for money to double, triple, etc.	73 SORT3	Sorts list of names
16 SALVAGE	Determines salvage value of an investment	74 LABEL1	Shipping label maker
17 RRVARIN	Rate of return on investment with variable inflows	75 LABEL2	Name label maker
18 RRCONST	Rate of return on investment with constant inflows	76 BUSBUD	DOE business bookkeeping system
19 EFFECT	Effective interest rate of a loan	77 TIMECLCK	Computes weeks total hours from timeclock info.
20 FVAL	Future value of an investment (compound interest)	78 ACCTPAY	In memory accounts payable system-storage permitted
21 PVAL	Present value of a future amount	79 INVOICE	Generate invoice on screen and print on printer
22 LOANPAY	Amount of payment on a loan	80 INVENT2	In memory inventory control system
23 REGWITH	Equal withdrawals from investment to leave 0 over	81 TELDIR	Computerized telephone directory
24 SIMPDISK	Simple discount analysis	82 TIMUSAN	Time use analysis
25 DATEVAL	Equivalent & nonequivalent dated values for oblig.	83 ASSIGN	Ease of assignment algorithm for optimal job assign.
26 ANNUDEF	Present value of deferred annuities	84 ACCTREC	In memory accounts receivable system-storage ok
27 MARKUP	% Markup analysis for items	85 TERMSPAY	Compares 3 methods of repayment of loans
28 SINKFUND	Sinking fund amortization program	86 PAYNET	Computes gross pay required for given net
29 BONDVAL	Value of a bond	87 SELLPR	Computes selling price for given after tax amount
30 DEplete	Depletion analysis	88 ARBCOMP	Arbitrage computations
31 BLACKSH	Black Scholes options analysis	89 DEPRSF	Sinking fund depreciation
32 STOCVAL1	Expected return on stock via discounts dividends	90 UPSZONE	Finds UPS zones from zip code
33 WARVAL	Value of a warrant	91 ENVELOPE	Types envelope including return address
34 BONDVAL2	Value of a bond	92 AUTOEXP	Automobile expense analysis
35 EPSEST	Estimate of future earnings per share for company	93 INSFIL	Insurance policy file
36 BETAALPH	Computes alpha and beta variables for stock	94 PAYROLL2	In memory payroll system
37 SHARPE1	Portfolio selection model i.e. what stocks to hold	95 DILANAL	Dilution analysis
38 OPTWRITE	Option writing computations	96 LOANAFFD	Loan amount a borrower can afford
39 RTVAL	Value of a right	97 RENTPRCH	Purchase price for rental property
40 EXPVAL	Expected value analysis	98 SALELEAS	Sale-leaseback analysis
41 BAYES	Bayesian decisions	99 RRCONVBD	Investor's rate of return on convertible bond
42 VALPRINF	Value of perfect information	100 PORTVAL9	Stock market portfolio storage-valuation program
43 VALADINF	Value of additional information		
44 UTILITY	Derives utility function		
45 SIMPLEX	Linear programming solution by simplex method		
46 TRANS	Transportation method for linear programming		
47 EOQ	Economic order quantity inventory model		
48 QJUEU1	Single server queueing (waiting line) model		
49 CVP	Cost-volume-profit analysis		
50 CONDPFOT	Conditional profit tables		
51 OPTLOSS	Opportunity loss tables		
52 FQJQOQ	Fixed quantity economic order quantity model		
53 FQJQOWSH	As above but with shortages permitted		
54 FQJQOQPB	As above but with quantity price breaks		
55 QJUEUCB	Cost-benefit waiting line analysis		
56 NCFANAL	Net cash-flow analysis for simple investment		
57 PROFIND	Profitability index of a project		
58 CAPI	Cap. Asset Pr. Model analysis of project		

- ☐ TRS-80 Cassette Version \$99.95
- ☐ TRS-80 (Mod-I or III), Pet, Apple or Atari Versions \$99.95
- ☐ TRS-80 Mod-II, IBM, Osborne and CP/M Versions \$149.95

ADD \$3.00 FOR SHIPPING IN UPS AREAS
ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
ADD \$5.00 TO CANADA AND MEXICO
ADD PROPER POSTAGE OUTSIDE OF U.S., CANADA AND MEXICO

COMPUTRONICS
MATHEMATICAL APPLICATIONS SERVICE

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

ASK FOR OUR 64-PAGE CATALOG
DEALER INQUIRIES INVITED

**NEW TOLL-FREE
ORDER LINE**
(OUTSIDE OF N.Y. STATE)
(800) 431-2818




**24 HOUR
ORDER
LINE**
(914) 425-1535



ALL PRICES & SPECIFICATIONS SUBJECT TO CHANGE
DELIVERY SUBJECT TO AVAILABILITY

Tired Of Your GENERAL LEDGER?



- ★ THE ULTIMATE PERSONAL CHECK REGISTER
- ★ A PROFESSIONAL ACCOUNTING SYSTEM
- ★ A PERSONAL FINANCIAL MANAGER
- ★ A SMALL BUSINESS ACCOUNTING SYSTEM
- ★ A COMPLETE GENERAL LEDGER

FOR YOUR TRS-80* MODEL I, II, III or 16 • APPLE II* • I.B.M.* • XEROX* • ATARI*
OSBORNE* • ALL MICROSOFT BASIC COMPUTERS

*TRS-80 is a trademark of Tandy Corp. - *APPLE is a trademark of Apple Corp. - *I.B.M. is a trademark of I.B.M. Corp. - *XEROX is a trademark of Xerox Corp.
*ATARI is a trademark of Atari Inc. - *OSBORNE is a trademark of Osborne Corp.

HOW IT WORKS

VERSALEDGER II is a complete accounting system that grows as you or your business grows. To start, your **VERSALEDGER II** acts as a simple method of keeping track of your checkbook. Just enter your check number, date and whom the check is made out to. As you or your business grows, you may add more details to your transactions account number, detailed account explanations, etc.

- **VERSALEDGER II** is an expanded and enhanced version of our original **VERSALEDGER**.
- **VERSALEDGER II** gives you an instant cash balance at anytime. **(IF YOU WANT IT TO)**
- **VERSALEDGER II** can be used as a small personal checkbook register. **(IF YOU WANT IT TO)**
- **VERSALEDGER II** can run your million dollar corporation. **(IF YOU WANT IT TO)**
- **VERSALEDGER II** prints checks. **(IF YOU WANT IT TO)**
- **VERSALEDGER II** stores all check information forever. **(IF YOU WANT IT TO)**
- **VERSALEDGER II** can distribute one check to multiple expense accounts. **(IF YOU WANT IT TO)**
- **VERSALEDGER II** can handle more than one checkbook. **(IF YOU WANT IT TO)**
- **VERSALEDGER II** can be used to replace a general ledger. **(IF YOU WANT IT TO)**
- **VERSALEDGER II** prints balance sheets and income statements. **(IF YOU WANT IT TO)**
- **VERSALEDGER II** can interact with any of the other four modules of the **VERSABUSINESS SYSTEM**.
- **VERSALEDGER II** comes with a professionally written manual (created for the first-time computer user), which includes sample report print-outs.


- **VERSALEDGER II HAS AN ALMOST UNLIMITED CAPACITY**

(300 checks per month on single density 5 1/4" disk drives such as the TRS-80 Model I)
(500 checks per month on the Apple II)
(2400 checks per month on the TRS-80 Model III)

(6000 checks per month on the TRS-80 Model II)
(3000 checks per month on single density 8" CP/M)
(almost unlimited capacity on hard disk drive)

- **VERSALEDGER II OUTPERFORMS ALL OTHER COMPETITIVE SYSTEMS NOW AVAILABLE TO MICROCOMPUTER USERS, AT A FRACTION OF THE COST (AND WE OFFER A 30-DAY MONEY BACK GUARANTEE TO BACK UP OUR CLAIM!)**

— CAN BE USED WITH 1 or MORE DISK DRIVES with 48K —



**SPECIAL
INTRODUCTORY
PRICE
\$99.95**

(\$199.95 after Dec. 31, 1982)

ALSO AVAILABLE: VERSARECEIVABLES, VERSAPAYABLES, VERSAPAYROLL, and VERSAINVENTORY

COMPUTRONICS
MATHEMATICAL APPLICATIONS SPECIALISTS

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

- ★ ADD \$3.00 FOR SHIPPING IN UPS AREAS
- ★ ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
- ★ ADD \$5.00 TO CANADA AND MEXICO
- ★ ADD PROPER POSTAGE OUTSIDE U.S., CANADA & MEXICO



**24 HOUR
ORDER
LINE**

(914) 425-1535



**NEW TOLL-FREE
ORDER LINE**
(OUTSIDE OF N.Y. STATE)

(800) 431-2818

ALL PRICES & SPECIFICATIONS SUBJECT TO CHANGE
DELIVERY SUBJECT TO AVAILABILITY

PAYROLL SIMPLIFIED

VERSA PAYROLL

- ★ THE ULTIMATE PROFESSIONAL PAYROLL SYSTEM
- ★ HANDLES ALL PAYROLL FUNCTIONS AND REPORTS
- ★ QUICK QUARTERLY AND END OF YEAR SUMMARIES
- ★ PERFECT FOR A SMALL BUSINESS
- ★ EXPANDS TO HANDLE LARGE CORPORATE PAYROLLS

FOR YOUR TRS-80* MODEL I, II, III, 1G • APPLE* • I.B.M.* • XEROX* • ATARI*
ALL MICROSOFT BASIC COMPUTERS

* TRS-80 is a trademark of Tandy Corp. - * APPLE is a trademark of Apple Corp. - * I.B.M. is a trademark of I.B.M. Corp. - * XEROX is a trademark of Xerox Corp. - * ATARI is a trademark of Atari Inc.

HOW IT WORKS

VERSAPAYROLL is a complete menu driven payroll system that grows as you or your business grows. Your **VERSAPAYROLL** acts as a simple payroll system keeping track of all government required payroll information. Just enter the employees, **VERSAPAYROLL** will perform all the necessary payroll calculations automatically and display to totals on your screen. The user has complete control to accept the totals, to print or not print out a check and to post or not post the total to our **VERSALEDGER** system.

- **VERSAPAYROLL** automatically prints out your **PAYROLL** checks. **(IF YOU WANT IT TO)**
- **VERSAPAYROLL** allows you to override any payroll deduction. **(IF YOU WANT IT TO)**
- **VERSAPAYROLL** automatically posts all checks written to our **VERSALEDGER** system. **(IF YOU WANT IT TO)**
- **VERSAPAYROLL** allows the user to print out **PAYROLL** checks one at a time. **(IF YOU WANT IT TO)**
- **VERSAPAYROLL** allows the user to print out all your **PAYROLL** checks at the same time. **(IF YOU WANT IT TO)**
- **VERSAPAYROLL** gives you a summary of any employee's year to date payroll totals or all employee totals at any time. **(IF YOU WANT IT TO)**
- **VERSAPAYROLL** will allow you to correct any error made at any time and automatically refigure all totals. **(IF YOU WANT IT TO)**
- **VERSAPAYROLL** works in every state. **(IF YOU WANT IT TO)**
- **VERSAPAYROLL** automatically calculates all federal and states taxes. **(IF YOU WANT IT TO)**
- **VERSAPAYROLL** allows for all of the standard deductions plus state, city and three miscellaneous deductions. **(IF YOU WANT IT TO)**
- **VERSAPAYROLL** prints all government required reports. **(IF YOU WANT IT TO)**
- **VERSAPAYROLL** permanently stores all **PAYROLL** transactions. **(IF YOU WANT IT TO)**
- **VERSAPAYROLL** HAS AN ALMOST UNLIMITED CAPACITY

Can handle up to 300 employees on a TRS-80 MODEL I, 600 employees on a TRS-80 MODEL III, 1200 employees on a TRS-80 MODEL II, 500 employees on an APPLE II, 600 employees on any single density 8" CP/M computer and almost unlimited capacity on hard disk systems.

CAN BE USED WITH 1 or MORE DISK DRIVES (AND 48K)

**VERSAPAYROLL HAS BEEN CREATED
WITH THE FIRST TIME COMPUTER USER IN MIND**



INTRODUCTORY PRICE
\$99.⁹⁵

COMPUTRONICS
MATHEMATICAL APPLICATIONS SERVICE™

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

ADD \$3.00 FOR SHIPPING IN UPS AREAS
ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
ADD \$5.00 TO CANADA AND MEXICO
ADD PROPER POSTAGE OUTSIDE OF U.S.,
CANADA AND MEXICO

NEW TOLL-FREE
ORDER LINE
(OUTSIDE OF N.Y. STATE)
(800) 431-2818

*** ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE***



24 HOUR
ORDER
LINE
(914) 425-1535



H & E COMPUTRONICS INC.

● ● ● EVERYTHING FOR YOUR TRS-80* ● ● ● MODEL I, MODEL II & MODEL III

* TRS-80™ is a trademark of Tandy Corp.

FROM

 RACET COMPUTES LTD.

- All orders processed within 24 Hours
- 30-Day money back guarantee
- Add \$3.00 for shipping in UPS Areas
- Add \$4.00 for C.O.D. or NON-UPS Areas
- Add \$5.00 to Canada or Mexico
- Add exact postage to all other countries

*** ESSENTIAL UTILITY PROGRAMS FOR EVERY TRS-80 OWNER ***

Facts About Racet Computes Utility Programs

- *** ALL PROGRAMS ARE WRITTEN IN MACHINE LANGUAGE
- *** ABSOLUTELY NO KNOWLEDGE OF MACHINE LANGUAGE IS NECESSARY TO USE ANY OF THE UTILITY PROGRAMS
- *** EACH UTILITY PROGRAM IS CALLED UP FROM **BASIC** USING THE SIMPLE BASIC COMMANDS PROVIDED
- *** EACH UTILITY PROGRAM COMES WITH A **RACET COMPUTES** INSTRUCTION MANUAL
- *** EACH INSTRUCTION MANUAL INCLUDES SEVERAL EXAMPLES OF UTILITY USAGE
- *** EACH UTILITY ALLOWS THE USER TO PERFORM CERTAIN BASIC OPERATIONS TEN, TWENTY OR MORE TIMES FASTER THAN THE EQUIVALENT BASIC ROUTINE (FOR EXAMPLE, **GSF** CAN SORT AN ARRAY OF 1000 RANDOM NAMES INTO ALPHABETICAL ORDER IN UNDER 9 SECONDS!!)

GSF (GENERALIZED SUBROUTINE FACILITY)

- SORTS 1000-ELEMENT ARRAYS IN 9 SECONDS
- SORTS UP TO 15 ARRAYS SIMULTANEOUSLY (MIXED STRING, FLOATING POINT AND INTEGER)
- SORTS SINGLE OR MULTIPLE SUBSTRINGS AS ASCENDING OR DESCENDING SORT KEYS
- READ AND WRITE ARRAYS TO CASSETTE
- COMPRESS AND UNCOMPRESS DATA IN MEMORY
- MOVE ARRAYS IN MEMORY
- DUPLICATE MEMORY
- FAST HORIZONTAL AND VERTICAL LINES
- SCREEN CONTROLS FOR SCROLLING THE SCREEN UP, DOWN, LEFT, RIGHT AND FOR GENERATING INVERSE GRAPHIC DISPLAYS
- ADDS PEEKS AND POKES (MOD-II VERSION ONLY)

MODEL-I VERSION \$25.00
MODEL-II VERSION \$50.00
MODEL-III VERSION \$30.00

DSM (DISK SORT MERGE)

- SORT AN 85K DISKETTE IN LESS THAN THREE MINUTES!
- SORTS LARGE MULTIPLE DISKETTE FILES ON A MINIMUM ONE DRIVE SYSTEM
- ALL RECORDS ARE PHYSICALLY REARRANGED-NO KEY FILES ARE REQUIRED
- SORTS RANDOM FILES CREATED BY **BASIC**, INCLUDING FILES CONTAINING SUB-RECORDS SPANNING SECTORS
- SORTS ON ONE OR MORE FIELDS IN ASCENDING OR DESCENDING ORDER
- FIELDS MAY BE STRINGS, INTEGER, BINARY INTEGER OR FLOATING POINT
- THE SORTED OUTPUT FILE MAY OPTIONALLY HAVE FIELDS DELETED, REARRANGED OR PADDED
- SORT COMMANDS CAN BE SAVED FOR REUSE
- SINGLE SORT, MERGE, OR MIXED SORT/MERGE OPERATIONS MAY BE PERFORMED
- SORTED OUTPUT MAY BE WRITTEN TO A NEW FILE, OR REPLACE THE ORIGINAL INPUT FILE.

MODEL-I VERSION \$75.00
MODEL-II VERSION \$150.00
MODEL-III VERSION \$90.00

KFS-80 (KEYED FILE SYSTEM)

- CREATE ISAM FILES (INDEX SEQUENTIAL ACCESS METHOD)
- ALLOWS INSTANT ACCESS TO ANY RECORD ON YOUR DISKETTE
- INSTANTLY RETRIEVE RECORDS FROM MAILING LISTS, INVENTORY, ACCOUNTS RECEIVABLE OR VIRTUALLY ANY APPLICATION WHERE RAPID ACCESS IS REQUIRED TO NAMED RECORDS
- PROVIDES THE BASIC PROGRAMMER THE ABILITY TO RAPIDLY INSERT OR ACCESS KEYED RECORDS IN ONE OR MORE DATA FILES
- RECORDS ARE MAINTAINED IN SORTED ORDER BY A SPECIFIED KEY
- RECORDS MAY BE INSERTED OR RETRIEVED BY SUPPLYING THE KEY
- RECORDS MAY BE RETRIEVED SEQUENTIALLY IN SORTED ORDER
- RAPID ACCESS TO ANY FILE REGARDLESS OF THE NUMBER OF RECORDS
- MULTIPLE INDEX FILES CAN BE EASILY CREATED WHICH ALLOWS ACCESS OF A SINGLE DATABASE BY MULTIPLE KEYS (FOR EXAMPLE, BY BOTH NAME AND ZIP-CODE)

MODEL-I VERSION \$100.00
MODEL-II VERSION \$175.00
MODEL-III VERSION \$100.00

MAILLIST (A MAILING LIST DATABASE SYSTEM)

- IDEALLY SUITED FOR ORGANIZATION MAILING LISTS, PERSONAL ADDRESSBOOK, OR MAILING LISTS BASED ON DATES SUCH AS REMINDERS FOR BIRTHDATES OR DUES PAYABLE
- USED ISAM (INDEX SEQUENTIAL ACCESS METHOD) FOR RAPID ACCESS TIMES
- YOUR **MAILLIST** CAN ALWAYS BE SORTED AND MAINTAINED BY UP TO FOUR INDEX FILES (FOR EXAMPLE, NAME, ZIPCODE, DATE AND NUMBER)
- **MAILLIST** ALLOWS UP TO 30 ATTRIBUTES TO BE SPECIFIED (TO BE USED IN SELECTION OF SPECIFIED RECORDS WHEN GENERATING REPORTS OR MAILING LABELS)
- **MAILLIST** SUPPORTS BOTH 5 OR 9-DIGIT ZIPCODES
- PRINTING MAY BE STARTED OR ENDED AT ANY POINT IN THE LIST...THE USER CAN SPECIFY FIELDS OR CODES TO BE PRINTED
- CAPACITY IS 600 NAMES FOR MODEL-I, 3500 NAMES FOR MODEL II, 38,000 NAMES FOR MODEL II WITH HARD DISK DRIVE, 1200 NAMES FOR MODEL III

MODEL-I VERSION \$75.00
MODEL-II VERSION \$150.00
MODEL-III VERSION \$75.00

H & E COMPUTRONICS INC.

COMPROC (COMMAND PROCESSOR)

- AUTO YOUR DISK TO PERFORM ANY SEQUENCE OF INSTRUCTIONS THAT YOU NORMALLY GIVE FROM THE KEYBOARD (FOR EXAMPLE, INSERT THE DISKETTE, PRESS THE RESET BUTTON, YOUR COMMAND FILE COULD AUTOMATICALLY SHOW YOU THE DIRECTORY, SHOW THE FREE SPACE ON THE DISKETTE, LOAD A MACHINE LANGUAGE SUBROUTINE, LOAD BASIC, LOAD AND RUN A BASIC PROGRAM, AND SELECT A GIVEN ITEM ON YOUR MENU... ALL WITHOUT TOUCHING THE KEYBOARD!)

MODEL-I VERSION\$20.00
MODEL-III VERSION\$30.00
NOT AVAILABLE FOR MODEL-II

DISCAT (DISKETTE CATALOG SYSTEM)

- THIS COMPREHENSIVE DISKETTE CATALOGING/INDEXING UTILITY ALLOWS THE USER TO KEEP TRACK OF THOUSANDS OF PROGRAMS IN A CATEGORIZED LIBRARY... FILE INCLUDES PROGRAM NAMES AND EXTENSIONS, PROGRAM LENGTH, DISKETTE NUMBERS AND FREE SPACE ON EACH DISKETTE... KEEP A COMPLETE CATALOG OF THE DIRECTORIES ON ALL YOUR DISKETTES IN ALPHABETICAL ORDER (SORTED ON EACH DISKETTE... OR COMPLETE ALPHABETICAL LIST OF PROGRAMS ON ALL YOUR DISKETTES)

MODEL-I VERSION\$50.00
MODEL-III VERSION\$50.00
MODEL-II VERSION (SEE MODEL-II UTILITY PACKAGE)

BLINK (BASIC LINK FACILITY)

- LINK FROM BASIC PROGRAM TO ANOTHER SAVING ALL VARIABLES
- THE CHAINED PROGRAM MAY EITHER REPLACE THE ORIGINAL PROGRAM OR CAN BE MERGED BY STATEMENT NUMBER

MODEL-I VERSION\$25.00
MODEL-III VERSION\$50.00
MODEL-II VERSION (SEE MODEL-II UTILITY PACKAGE)\$30.00

INFINITE BASIC

- ADDS OVER 80 COMMANDS TO BASIC
- SORTING... STRING CENTERING/ROTATION/TRUNCATION... JUSTIFICATION... DATA COMPRESSION... STRING TRANSLATION/COPYING... SCREEN DISPLAY... SCROLLING... MATRIX OPERATIONS... SIMULTANEOUS EQUATIONS (THROUGH MATRIX INVERSION)... DYNAMIC ARRAY RESHAPING

MODEL-I VERSION\$50.00
MODEL-III VERSION\$60.00
NOT AVAILABLE ON MODEL-II

INFINITE BUSINESS

- ADD ON PACKAGE TO INFINITE BASIC (REQUIRES INFINITE BASIC)
- ADDS PACKED DECIMAL ARITHMETIC WITH 127 DIGIT ACCURACY (+.0*/.)
- COMPLETE PRINTER PAGINATION CONTROLS... AUTO HEADERS, FOOTERS AND PAGE NUMBERS
- BINARY SEARCH OF SORTED AND UNSORTED ARRAYS (INSTANT SEARCH OF AN ELEMENT WITHIN AN ARRAY)
- HASH CODES

MODEL-I VERSION\$30.00
MODEL-III VERSION\$30.00
NOT AVAILABLE ON MODEL-II

REMODEL-PROLOAD

- THE ULTIMATE RENUMBERING PROGRAM... RENUMBERS ALL OR PART OF A PROGRAM (ALLOWS PARTIAL RENUMBERING IN MIDDLE OF PROGRAMS)
- PARTIAL OR COMPLETE MERGE OF TWO CASSETTE PROGRAMS

MODEL-I VERSION\$35.00
MODEL-III VERSION\$35.00
NOT AVAILABLE ON MODEL-II

COPSYS

- COPY AND VERIFY ALL MACHINE LANGUAGE (SYSTEM) TAPES WRITTEN IN STANDARD FORMAT... IF YOU BUY A MACHINE LANGUAGE PROGRAM, COPSYS ALLOWS YOU TO EASILY COPY THE PROGRAM ONTO ANOTHER CASSETTE AS A BACKUP

MODEL-I VERSION\$15.00
MODEL-III VERSION\$20.00
NOT AVAILABLE ON MODEL-II

HSDS HARD DISK DRIVE SOFTWARE

- MAKES TRSDOS COMPATIBLE WITH MOST HARD DISK DRIVES
- ADDS MANY EXTRA FEATURES TO TRSDOS.....\$400.00

MODEL II FASTBACK — FULL DISK BACKUP IN 55 SECONDS

- IN BUSINESS TIME IS MONEY, AND ONE BACKUP IS WORTH A THOUSAND TEARS.
- WORKS ON SYSTEMS WITH 2 OR MORE DRIVES
- CAN REPLACE YOUR EXISTING TRSDOS 1.2 or 2.0 BACKUP UTILITY

MODEL II ONLY\$75.00

MODEL-II UTILITY PACKAGE

- ESSENTIAL FOR EVERY MOD-II OWNER
- RECOVER AND REPAIR FILES AND DIRECTORIES (BY JUST ENTERING A SINGLE COMMAND)
- XCOPY... SIMILAR TO COPY BUT CAN COPY ANY NUMBER OF FILES AT ONE TIME FASTER AND MORE ACCURATE THAN COPY SINCE RECORDS ARE COPIED IN GROUPS RATHER THAN ONE RECORDS AT A TIME... USING XCOPY YOU CAN COPY FILES THAT CAN NOT BE COPIED USING THE COPY COMMAND
- SZAP... PROVIDES THE CAPABILITY TO READ AND MODIFY ANY SECTOR ON A DISKETTE
- XHIT... CAN BE USED TO REPAIR A DISKETTE DIRECTORY
- DCS... DIRECTOR CATALOG SYSTEM IS A UTILITY FOR THE MANAGEMENT OF USER DISKETTES... SETS OF A MULTIPLE DISKETTE DIRECTORY FILE (WITH UP TO 1200 INDIVIDUAL FILE NAMES)... ALLOWS SELECTIVELY LISTED OR PRINTED LISTS OF DIRECTORY FILES IN COMBINED SORTED ORDER (FOR EXAMPLE, LISTED ALPHABETICALLY BY DISKETTE... OR A COMPOSITE ALPHABETICAL LIST OF ALL YOUR DISKETTES!)
- DEBUG-II... ADDS SEVERAL FEATURES TO THE PRESENT TRSDOS DEBUG UTILITY INCLUDING SINGLE INSTRUCTION CYCLE, AUTO (LOOP) BREAKPOINTS, SUBROUTINE CALLING, BREAK-KEY DETECTION AND MANY OTHERS

MODEL-II ONLY\$150.00

MODEL-II DEVELOPMENT SYSTEM

- THIS PACKAGE IS A MUST FOR ASSEMBLY LANGUAGE PROGRAMMERS
- INCLUDES THE MICROSOFT EDITOR ASSEMBLER PLUS WITH ENHANCEMENTS FOR THE MODEL-II
- A COMPLETE DISASSEMBLER
- SUPERZAP FOR READING AND MODIFY ANY SELECTOR ON A DISKETTE

MODEL-II ONLY\$125.00

MOD-II BASIC CROSS REFERENCE UTILITY

- LIST OR PRINT A SORTED CROSS REFERENCE TO ALL NUMBERS OR VARIABLES WITHIN A PROGRAM
- LIST OF PRINT ALL LINE NUMBERS CONTAINING A SPECIFIED STRING OF CHARACTERS

MODEL-II ONLY\$50.00

*** ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE ***

END USERS
CALL:

COMPUTRONICS
MATHEMATICAL APPLICATIONS

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

NEW TOLL-FREE
ORDER LINE
(OUTSIDE OF N.Y. STATE)
(800) 431-2818



24 HOUR
ORDER
LINE

(914) 425-1535



ADD \$3.00 FOR SHIPPING IN UPS AREAS
ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
ADD \$5.00 TO CANADA AND MEXICO
ADD PROPER POSTAGE OUTSIDE OF U.S.,
CANADA AND MEXICO

FOR DEALER
INFORMATION CALL:

RACET COMPUTES

1330 N. GLASSEL, SUITE M, ORANGE CA 92667
(714) 997-4950

Experience Shows - S.B.S.G. has over 11,000 Installed Systems!

**If you're not running
Small Business Systems Group
software . . . chances are
you're not running!**



**SMALL BUSINESS
SYSTEMS GROUP**

GENERAL ACCOUNTING SYSTEM For TRS-80™

S.B.S.G. has created the first completely user-configurable accounting system available for the TRS-80™.

User configurable? Each S.B.S.G. General Accounting System Module (except Order Entry) can be operated independently, or any of the modules can be combined in any configuration, providing a complete, coordinated system to fit the needs of your business.

The S.B.S.G. System allows you the maximum efficient use of available disk space. Each module will run on a standard 1 disk drive system (except for Model I systems, which require 2 drives). As you add more disk drives to your system, the amount of on-line data storage increases. Now here's an important fact . . . the S.B.S.G. General Accounting System "spans" your disk drives - that means that you can instantly access your data on any of **up to 8 disk drives** at any time! Since your S.B.S.G. Accounting System is user-configurable, it will work with 1, 2, 3, 4 or more disk drive systems - and it is fully compatible with most hard disk drive systems (at additional cost).

General Ledger

The General Ledger accounting system consolidates financial data from other accounting subsystems in an accurate and timely manner. Major reports include Trial Balance, Income Statement, Balance Sheet, a user-defined report, and more. All data is maintained and reported by month, quarter, year and previous three quarters. Transactions may be entered via direct posting and external posting generated by A/R, A/P, Payroll - or any other user source.

Accounts Receivable

The objective of a computerized A/R system is to prepare accurate and timely monthly statements to credit customers. Management can generate information required to control the amount of credit extended and the collection of money owed in order to maximize profitable credit sales while minimizing losses from bad debts. This system is invoice-oriented. Invoices can be entered before they're ready for billing, after billing, or even after they are paid. Accounts Receivable allows entry of new invoices, credit memos, debit memos, or modification or deletion invoice and allows for progress payment. The transaction information includes: type of A/R transaction, P.O. #, description of P.O., billing date, general ledger sales account #, invoice amount, shipping and transportation charges, tax charges, payment, and progress payment information. Reports include: summary or detail listing of invoices not yet billed, open items (unpaid invoices), closed items (paid invoices), and aging. Statements may be printed at any time and follow the format of nationally available forms.

Order Entry

The Order Entry Module was designed as a supplement to the Accounts Receivable Module, and will not operate independently. This system allows you to add, change, delete, list and print invoices; apply an invoice to correct customer account; generate computer assigned invoice numbers; note type (invoice credit memo, debit memo); record customer order number, invoice date, shipping date, FOB location, method of shipping, salesman, and payment terms; print selected number of shipping labels; enter, display and correct 10 lines of data per invoice, noting the part number, description, price, quantity

ordered, extension, taxable or not. It also allows the user to enter, display and correct invoice totals, noting the invoice subtotal, taxes, shipping and handling, with disbursement up to 5 General Ledger accounts; print a transaction report; maintain a terms code file in the system; update Account Receivable and generate summary report totals. It automatically coordinates to the Inventory Module (if used) to determine description, price and out of stock status, and to immediately deplete inventory stock. Price fields are easily modified to include percent or dollar discount.

Payroll

Payroll involves many complex calculations and the production of reports and documents, many of which are required by government agencies. The Payroll system performs all necessary payroll tasks including file maintenance, pay data entry and verification, computation of pay and deduction amounts, and the printing of reports and checks. State and Federal Tax changes are easily implemented by the user via menu prompting. In its link to General Ledger, each employee's payroll information is distributed to as many as 12 different GL accounts; system automatically posts to cash account.

Accounts Payable

The Accounts Payable system receives data concerning purchases from suppliers and produces checks in payment of outstanding invoices. Several reports are available to supply information needed for the analysis of payments, expenses, purchases and cash requirements. The Accounts Payable system is invoice-oriented. It handles new invoices, credit memos and even debit memos and allows modification and deletion of invoices. The flexible check calculation procedures allows checks to be calculated for a set of vendors, specific vendors or even specific invoices. The reports include open item listings and closed item listings (both detail and summary), debit and credit memo listings, aging, check register report (to give an audit trail of checks printed), and vendor listing and vendor activity. Update reports are useful for audit trails and checking for accuracy. Checks may be printed at any time and follow the format of nationally available forms.

Inventory

Status reports and minimum reorder reports help to reduce the potential hazard of overstocking which results in cash flow problems. Program selection allows the user to store data for inventory located at up to five separate sites (divisions), coding up to 9 sales people. Available reports include inventory master list, price listings, period and year-to-date sales, stock status, minimum reorder point and commission information.

Model I, 48K and 2 Disk Drives . . . \$195.00 Per Module
Model III, 48K \$195.00 Per Module
Model II, 64K \$295.00 Per Module
Sample Report Printouts \$ 10.00

H & E COMPUTRONICS Gives You A 30-Day Money Back Guarantee On All Modules

Experience Shows - S.B.S.G. has over 11,000 Installed Systems!

COMMUNICATIONS SYSTEMS

Small Business Systems Group markets a complete line of software which interfaces the TRS-80™ with ANY computer that communicates in ASCII. This family of products offers both terminal and host capabilities to users with even the most minimal hardware configurations. There has been wide interest in these products from "comm buffs," the educational community, and **businesses and individuals who need to communicate on a regular basis**. Our systems are among the most versatile and comprehensive on the market today for TRS-80™ microcomputers.



**SMALL BUSINESS
SYSTEMS GROUP**

ST80-III™ -- The Ultimate Communications System

The "state of the art" in communications processors, designed for complex commercial applications. Included in this package is a set of programs that allow your TRS-80™ to talk to a timesharing computer, transfer files to and from your central business computer, and customize your ST80-III to your specific application.

Features include: Selectable RS232 Setting • Help Display • Echo Feedback • Job Log (LDOS Mod I, Mod III) • 2-User Translation Tables • Auto Logon • 10 Function Keys (Definable) • RUBOUT Key (Definable) • Warm Restart • Automatic I.D. • True Break • Direct Cursor Addressing • DOS Command Support • Transmit Line Feed • Printer Support • Video Display Modes: SCROLL, FORMAT, PAGE, REVERSE VIDEO (Mod II), CURSOR ON/OFF • Auto-answer • Autodial (certain modems) • Append to memory buffer • Big buffer for printer • Off hook / on hook • 10 predefined ASCII strings in translation tables • Registered users include NASA, USN, UPS, Westinghouse, and many colleges, universities and major banks.

Minimum Requirements: One disk drive, RS232-C, 32K Model I or III, 64K Model II.

Model I or III \$150.00
Model II \$250.00

FORUM-80™ -- Communications Network

With Bill Abney's hot new communications product, you and your TRS-80™ can become part of one of the fastest growing communications networks in the country; your computer becomes an on-line bulletin board system: users can leave messages, get messages, swap information; exchange VisiCalc™ reports, charts, graphs or other correspondence with other computers.

Features Include: Security System • Constantly displayed time-in-use figure • User Friendly • User Configurable or can be modified for custom application • Future updates and upgrades available to register owners • Multiple command strings • Non-technical user and operator manuals.

Minimum Requirements: TRS-80™ (3-drive Mod I, 2-drive Mod III), 48K, RS232-C, Auto-answer modem.

Model I or III \$350.00

DELUXE PERSONAL FINANCE For TRS-80™ Model II

This is a sophisticated and unique financial analysis package which can be readily customized to suit your personal financial situation. It will:

- Accept and apply transactions to user-formatted budget categories.
- Separate cash and check disbursements.
- Allows up to ten category disbursements per check.
- Credit income/deposits according to source.
- Search, correct or void checks.

ST-80-PBB™ -- Personal Bulletin Board

A small yet powerful bulletin board for the individual to gather and leave electronic mail. Messages reside in data base in memory, eliminating the problem of scanning magnetic media.

Features Include: Password Security System • Four levels of Access-Guest, Member, Owner, Operator • User Log • Four message types • Smart reverse scan to view messages from most recent to oldest.

Minimum Requirements: TRS-80™ (Mod I or III), 16K, Level II, Auto-answer modem, ST80-X10 Host Program (\$50), RS232-C.

Model I or III \$50.00

ST-80-CC™ -- Communications Center

More than a personal bulletin board, this is a complete communications system for low to moderate traffic. Like ST80-PBB™ it supports four levels of users and four levels of messages with text editing and reverse scan of messages.

Additional Features Include: Transmit same message to many individuals • Auto logon and multiple command scanning • Print messages on line printer, save messages in memory buffer, maintain database without user intervention.

Minimum Requirements: TRS-80™ (Mod I or III), Level II, 48K, one disk, Auto-answer modem, ST80-X10 Host Program (\$50), RS232-C.

Model I or III \$100.00

MouseNet™ -- Advanced Bulletin Board System

Designed to accommodate high volume traffic, to operate simply enough for novice users, yet is fast and powerful enough for experienced callers.

Features Include: Messages stored on disk in keyed file • Uses machine language subroutines for speed • Supports text editing commands • Help commands guide user • System bulletins display each time a user logs on • All messages are dated.

Minimum Requirements: TRS-80™ (Mod I or III), 48K, RS232-C, 3 Disks, Auto-answer modem, text editor (such as Scripsit).

Model I or III \$295.00

- Maintain an accurate checking account balance.
- Cancel returned checks.
- Provide monthly summaries of income vs. expenses.
- Calculate profit/loss.
- Summarize data by categories.
- Provides up to ten savings account summaries.

Model II \$75.00
Model I Version \$35.00

ACCESSIBILITY

We are here to serve your after-purchase needs. You can read our Monthly Newsletter containing current information about SBSG's products. Our Newsletter is free to our customers and is available at a minimal cost to anyone interested in Microcomputers or call SBSG directly for Programming and

Accounting Support. We have 8 incoming lines or call our COMM: Micronet Bulletin Board: ID # 70319236; FORUM-80™: (617) 692-3973; MouseNet™: (617) 692-8121; The Source: #TCC 413.

H & E COMPUTRONICS Gives A 30-Day Money Back Guarantee On All SBSG Products

DEALER INQUIRIES ONLY:

**SMALL
BUSINESS
SYSTEMS
GROUP**

6 CARLISLE ROAD
WESTFORD, MASS. 01886-5762
(617) 692-3800

END USER ORDERS:

COMPUTRONICS
MATHEMATICAL APPLICATIONS SERVICE™

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

ALL PRICES & SPECIFICATIONS SUBJECT TO CHANGE
DELIVERY SUBJECT TO AVAILABILITY

NEW TOLL-FREE
ORDER LINE
(OUTSIDE OF N.Y. STATE)
(800) 431-2818

ADD \$2.00 FOR SHIPPING IN UPS AREAS
ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
ADD \$5.00 TO CANADA AND MEXICO
ADD PROPER POSTAGE OUTSIDE OF U.S.
CANADA AND MEXICO

**24 HOUR
ORDER
LINE**
(914) 425-1535

Announcing AUTOGRAMMER.

Now you can write the programs your business needs—
even if you have no programming experience!

Until now, you either had to hire an expensive programmer to custom tailor existing software to your business, or else try to adapt your business to someone else's software. The classic dilemma of the square peg in the round hole.


But now there's Autogrammer. Software designed to let non-programmers generate their own programs. No need for programming knowledge. No need to learn any programming language. All you have to know are the needs of your own business.

EASY!

Autogrammer is as easy to use as a typewriter, yet so powerful it puts all the muscle of your computer right at your fingertips. Many applications require only 10 or 15 minutes to complete. What you type on the screen, Autogrammer turns into a machine-language program that's ready to run.

VERSATILE!

Autogrammer has thousands of applications for both business and personal needs. Inventory records, sales and earnings projections, tax calculations, forecasts, employees files, stock market analyses. Using Autogrammer, you can create even complex programs



such as tracking inventories, adding purchases, subtracting sales, crediting accounts, report and adjust for daily sales, add back to inventory, make adjustments for credits, defects, shipping charges, and much more. Having this kind of vital information available can simplify business decisions and save you money.

FLEXIBLE!

As your needs change, Autogrammer-generated applications can easily be revised, updated, expanded, or combined. Autogrammer writes finished, stand-alone programs which do not require Autogrammer for running. They work first time, every time. Everybody in your organization

can use Autogrammer to generate custom programs. It's so simple, anyone can become an Autogrammer quickly and easily.

Autogrammer allows you to print from screen with one simple command or list the entire data base. The optional Report Generator allows you to organize and then report from the data base in the format you choose.

Autogrammer by Roklan costs \$299.95 and is available for Tandy TRS-80* model II and soon for models I, III

and CP/M versions, with other versions soon to come. Optional Report Generator, \$199.00, for in-depth reporting from the data base.

LET'S FACE IT.

Nobody knows your business like you do. With Autogrammer, you can write your own programs and gain control of your own business by generating exactly the information you need.

Autogrammer for TRS-80* model II is available from H&E Computronics Inc. and other major distributors and dealers nationally.

The end of the square peg in the round hole.

*Registered trademark of Tandy Corp.

DEALER INQUIRIES ONLY:

ROKLAN SOFTWARE
10600 W. HIGGINS RD.
SUITE 200
ROSEMONT, IL 60018
(312) 297-5088

END USER ORDERS:

COMPUTRONICS
MATHEMATICAL APPLICATIONS SERVICE

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

ALL PRICES & SPECIFICATIONS SUBJECT TO CHANGE
DELIVERY SUBJECT TO AVAILABILITY

ADD \$3.00 FOR SHIPPING IN UPS AREAS
ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
ADD \$5.00 TO CANADA AND MEXICO
ADD PROPER POSTAGE OUTSIDE OF U.S.
CANADA AND MEXICO

24 HOUR
ORDER
LINE

(914) 425-1535

NEW TOLL-FREE
ORDER LINE
(OUTSIDE OF N.Y. STATE)

(800) 431-2818



When was your last oil change?

Autotrak

Robert James Lloyd
341½ Elkton Road
Newark, DE 19711

You work for a company using seven vehicles as company cars. It's late Friday afternoon, close to quitting time. Enter the boss: "Hey Joe, the accountant just called and needs an expense report for each company car. He said go back six months. Get them ready by noon Monday. Have a nice weekend." Recovering your wits, you run out for a jar of midnight oil, and upon returning, grab the receipt files. Your torture begins.

This is a hypothetical situation, but the

work involved is real. Compiling six months' expenses for seven cars into orderly reports is a monumental task without Autotrak. With Autotrak, data stored on disk is accessed, selected and printed in several formats, all within minutes.

AUTOTRK1/BAS

Autotrak is actually two programs. AUTOTRK1/BAS creates a file (AUTOINT) containing the number of company cars, their description, and 10 user-defined auto codes. This information has to be available whenever AUTOTRK2/BAS runs.

AUTOTRK1/BAS begins by describing its operation, showing examples and giving prompts. All pre-defined auto codes are

shown and you may enter 10 user-defined codes.

Pre-defined codes are:

- 1 —Gas
- 2 —Oil
- 3 —Tires
- 4 —Battery
- 5 —Lubrication
- 6 —Exhaust System
- 7 —Wheel Alignment
- 8 —Brakes
- 9 —Belts/Hoses

The 10 user-defined auto codes, lettered A through J, make the program flexible enough for companies unable to spend large sums of money on accounting firms. User codes could include tags and insurance, labor costs, wash/wax or tolls, for example.

At the completion of initial setup, AUTOTRK1/BAS writes data to disk using sequential output via buffer 1. Once AUTOINT is closed, AUTOTRK1/BAS requests that the disk containing AUTOTRK2/BAS be inserted in a drive. If you wish to make no expense entries at this time, press break to end AUTOTRK1/BAS.

Included within the program is an error-trapping routine that prints a message whenever AUTOTRK2/BAS cannot be found. Load the correct disk and press enter. (You may want to leave line 20 out of AUTOTRK1/BAS until it is debugged and runs properly. This effectively disables the error routine by eliminating the On Error GOTO command.)

Should you increase the fleet of cars, rerun AUTOTRK1/BAS to create a new AUTOINT file. Keep auto numbers and their descriptions in the same order as the original AUTOINT, or expense data may be

AUTOTRAK Expense Report by Auto Code
1980 Grand Prix, License 109751, White

Auto Codes: (Codes A-J are user defined)

0= Gas	5= Tune-up	A= Tags	F= Filters
1= Oil	6= Exhaust Sys.	B= Insurance	G= Wash/Wax
2= Tires	7= Wheel Align	C= Air Cond.	H= Transmission
3= Battery	8= Brakes	D= Body Work	I= Radiator
4= Lubrication	9= Hoses/Belts	E= Major Eng Wk	J= Differential

CODE	DATE	QUANTITY	COST	METHOD OF PAYMENT	RECEIPT NUMBER	DESCRIPTION
0	112280	13.6	17.67	CA	NONE	GAS PURCHASE
0	120380	17.8	23.94	CA	NONE	GAS PURCHASE
0	121580	16.8	22.60	CC	1356287	GAS PURCHASE
0	122880	15.4	20.00	CA	NONE	GAS PURCHASE
0	011081	12.4	16.10	CA	NONE	GAS PURCHASE
0	012281	16.9	21.95	CA	NONE	GAS PURCHASE
0	021081	16.3	21.92	CA	NONE	GAS PURCHASE
0	022081	13.8	18.56	CA	NONE	GAS PURCHASE
0	022581	17.9	24.07	CA	NONE	GAS PURCHASE
0	030381	10.0	12.99	CA	NONE	GAS PURCHASE
0	031781	15.7	21.12	CA	NONE	GAS PURCHASE
0	032681	17.3	22.47	CA	NONE	GAS PURCHASE
0	040581	15.7	20.39	CA	NONE	GAS PURCHASE
0	040981	10.8	14.53	CA	NONE	GAS PURCHASE
0	041581	17.7	23.00	CA	NONE	GAS PURCHASE
0	042381	16.8	21.82	CA	NONE	GAS PURCHASE
0	050581	15.9	20.65	CA	NONE	GAS PURCHASE
0	051081	13.3	17.28	CC	693827	GAS PURCHASE
0	061781	15.7	20.08	CA	NONE	GAS PURCHASE

Total Expenditures = 381.14

Fig. 1. Report by Auto Code

The Key Box

Model I or III
32K RAM
Disk Basic
One disk drive
Printer required

AUTOTRAK Expense Report by Month/Year
1980 Grand Prix, License 109751, White

Auto Codes:

(Codes A-J are user defined)

0= Gas 5= Tune-up A= Tags F= Filters
1= Oil 6= Exhaust Sys. B= Insurance G= Wash/Wax
2= Tires 7= Wheel Align C= Air Cond. H= Transmission
3= Battery 8= Brakes D= Body Work I= Radiator
4= Lubrication 9= Hoses/Belts E= Major Eng Wk J= Differential

DATE	CODE	QUANTITY	COST	METHOD OF PAYMENT	RECEIPT NUMBER	DESCRIPTION
030381	0	10.0	12.99	CA	NONE	GAS PURCHASE
031581	I		14.50	CK	1408	DRAIN, FLUSH & REFILL RADIATOR
031781	0	15.7	21.12	CA	NONE	GAS PURCHASE
032281	C		22.50	CK	1421	RECHARGE AIR CONDITIONING
032681	0	17.3	22.47	CA	NONE	GAS PURCHASE
032681	G		6.50	CA	NONE	WASH
033081	2	1.0	1.50	CA	NONE	OIL PURCHASE

Total Expenditures = 101.58

Fig. 2. Report by Month and Year

AUTOTRAK Expense Report by Auto Code/Year
1980 Grand Prix, License 109751, White

Auto Codes:

(Codes A-J are user defined)

0= Gas 5= Tune-up A= Tags F= Filters
1= Oil 6= Exhaust Sys. B= Insurance G= Wash/Wax
2= Tires 7= Wheel Align C= Air Cond. H= Transmission
3= Battery 8= Brakes D= Body Work I= Radiator
4= Lubrication 9= Hoses/Belts E= Major Eng Wk J= Differential

CODE	DATE	QUANTITY	COST	METHOD OF PAYMENT	RECEIPT NUMBER	DESCRIPTION
0	112280	13.6	17.67	CA	NONE	GAS PURCHASE
0	120380	17.8	23.94	CA	NONE	GAS PURCHASE
0	121580	16.8	22.60	CC	1356287	GAS PURCHASE
0	122880	15.4	20.00	CA	NONE	GAS PURCHASE

Total Expenditures = 84.21

Fig. 3. Report by Auto Code and Year

AUTOTRAK Expense Report by Auto Code/Month/Year
1980 Grand Prix, License 109751, White

Auto Codes:

(Codes A-J are user defined)

0= Gas 5= Tune-up A= Tags F= Filters
1= Oil 6= Exhaust Sys. B= Insurance G= Wash/Wax
2= Tires 7= Wheel Align C= Air Cond. H= Transmission
3= Battery 8= Brakes D= Body Work I= Radiator
4= Lubrication 9= Hoses/Belts E= Major Eng Wk J= Differential

CODE	DATE	QUANTITY	COST	METHOD OF PAYMENT	RECEIPT NUMBER	DESCRIPTION
0	030381	10.0	12.99	CA	NONE	GAS PURCHASE
0	031781	15.7	21.12	CA	NONE	GAS PURCHASE
0	032681	17.3	22.47	CA	NONE	GAS PURCHASE

Total Expenditures = 56.58

Fig. 4. Report by Auto Code, Month and Year

ing expense data as each prompt occurs. AUTOTRK2/BAS ignores any incorrect entries and allows reentry.

When you wish to change the information, answer N to "Is all information correct?" This erases data just input.

If all information is correct, answer Y. Select a drive, being sure the file for the selected auto is in it. If not, the file is created, and you may end up with several files for the same auto. Output is made using random access via buffer 2.

Disk Format

Information stored includes an auto code, quantity bought (usually for gas and oil purchases), total cost, method of payment (cash, check or credit card), receipt number, and description.

Files are created and added as needed to maintain up-to-date expense records. Each entry is 255 bytes long, fielded as:

Code—1 byte
Date—6 bytes
Quantity—4 bytes
Cost—7 bytes
Method of Payment—2 bytes
Receipt Number—7 bytes
Description—36 bytes
Remaining bytes are blank

I selected this method for writing data, since you will probably key expenses in one day at a time.

I have not been using Autotrak long enough to estimate the number of entries per disk. You may wish to store each auto's records on a separate disk or set up new files semi-annually. Obviously, bigger businesses make more entries.

Report Generation

AUTOTRK2/BAS allows output of expense data to a 132-column printer. You may use an 80-column printer by changing lines 940 and 1800:

```
940 IF LEN(DSC)>18 PRINT@768,CHR$(31);GOTO910
1800 LPRINTSTRING$(80,95);IFP>1GOTO2230ELSE1830
```

written to an incorrect file. Also, the 10 user-defined codes must remain the same to ensure correct expense reports.

AUTOTRK2/BAS

AUTOTRK2/BAS gives two options, one to enter expense data and one to print reports.

Enter expense data by inputting the date, using MMDDYY format, on which the purchase was made (for example, 052181 is May 21, 1981). Use leading zeroes for months and days whose numerical equivalent is less than 10.

Twenty auto codes are shown, followed by a prompt to select one. Continue enter-

AUTOTRAK Expense Report by Year
1980 Grand Prix, License 109751, White

Auto Codes: (Codes A-J are user defined)

0= Gas 5= Tune-up A= Tags F= Filters
1= Oil 6= Exhaust Sys. B= Insurance G= Wash/Wax
2= Tires 7= Wheel Align C= Air Cond. H= Transmission
3= Battery 8= Brakes D= Body Work I= Radiator
4= Lubrication 9= Hoses/Belts E= Major Eng Wk J= Differential

DATE	CODE	QUANTITY	COST	METHOD OF PAYMENT	RECEIPT NUMBER	DESCRIPTION
112280	0	13.6	17.67	CA	NONE	GAS PURCHASE
112380	2		138.70	CK	1103	REPLACE REAR TIRES
112980	8		12.50	CA	NONE	ADJUST BRAKES
120380	0	17.8	23.94	CA	NONE	GAS PURCHASE
121080	6		73.75	CC	1352901	REPLACE MUFFLER AND TAILPIPE
121580	5		39.95	CK	1149	TUNE-UP
121580	1	5.0	7.50	CC	1356287	OIL CHANGE
121580	4		2.50	CC	1356287	LUBE
121580	F		4.95	CC	1356287	REPLACE OIL FILTER
121580	F		5.75	CC	1356287	REPLACE AIR FILTER
121580	F		3.79	CC	1356287	REPLACE GAS FILTER
121580	0	16.8	22.60	CC	1356287	GAS PURCHASE
121780	G		6.50	CA	NONE	WASH
122380	H	29.0	28.95	CC	7652190	ADJUST TRANSMISSION
122880	0	15.4	20.00	CA	NONE	GAS PURCHASE

Total Expenditures = 409.05

Fig. 5. Report by Year

AUTOTRAK Expense Report by All entries in file
1980 Grand Prix, License 109751, White

Auto Codes: (Codes A-J are user defined)

0= Gas 5= Tune-up A= Tags F= Filters
1= Oil 6= Exhaust Sys. B= Insurance G= Wash/Wax
2= Tires 7= Wheel Align C= Air Cond. H= Transmission
3= Battery 8= Brakes D= Body Work I= Radiator
4= Lubrication 9= Hoses/Belts E= Major Eng Wk J= Differential

DATE	CODE	QUANTITY	COST	METHOD OF PAYMENT	RECEIPT NUMBER	DESCRIPTION
112280	0	13.6	17.67	CA	NONE	GAS PURCHASE
112380	2		138.70	CK	1103	REPLACE REAR TIRES
112980	8		12.50	CA	NONE	ADJUST BRAKES
120380	0	17.8	23.94	CA	NONE	GAS PURCHASE
121080	6		73.75	CC	1352901	REPLACE MUFFLER AND TAILPIPE
121580	5		39.95	CK	1149	TUNE-UP
121580	1	5.0	7.50	CC	1356287	OIL CHANGE
121580	4		2.50	CC	1356287	LUBE
121580	F		4.95	CC	1356287	REPLACE OIL FILTER
121580	F		5.75	CC	1356287	REPLACE AIR FILTER
121580	F		3.79	CC	1356287	REPLACE GAS FILTER
121580	0	16.8	22.60	CC	1356287	GAS PURCHASE
121780	G		6.50	CA	NONE	WASH
122380	H	29.0	28.95	CC	7652190	ADJUST TRANSMISSION
122880	0	15.4	20.00	CA	NONE	GAS PURCHASE
011081	0	12.4	16.10	CA	NONE	GAS PURCHASE
011481	1	2.0	3.00	CA	NONE	OIL PURCHASE
011781	9		4.98	CK	1239	REPLACE LOWER RADIATOR HOSE
012281	0	16.9	21.95	CA	NONE	GAS PURCHASE
012981	B		170.80	CK	1310	INSURANCE (6 MONTHS)
020581	A		20.00	CK	1324	STATE INSPECTION FEE
021081	0	16.3	21.92	CA	NONE	GAS PURCHASE
021081	7		12.50	CK	1337	FRONT END ALIGNMENT
021681	2		2.50	CA	NONE	REPAIR FLAT TIRE
022081	0	13.8	18.56	CA	NONE	GAS PURCHASE
022581	3		49.50	CC	A-13579	REPLACE BATTERY
022581	0	17.9	24.07	CA	NONE	GAS PURCHASE
022981	2	1.0	1.50	CA	NONE	OIL PURCHASE
030381	0	10.0	12.99	CA	NONE	GAS PURCHASE
031581	I		14.50	CK	1408	DRAIN, FLUSH & REFILL RADIATOR
031781	0	15.7	21.12	CA	NONE	GAS PURCHASE
032281	C		22.50	CK	1421	RECHARGE AIR CONDITIONING
032681	0	17.3	22.47	CA	NONE	GAS PURCHASE
032681	G		6.50	CA	NONE	WASH
033081	2	1.0	1.50	CA	NONE	OIL PURCHASE
040381	2		140.00	CK	1462	REPLACE SNOW TIRES
040581	G		6.50	CA	NONE	WASH
040581	0	15.7	20.39	CA	NONE	GAS PURCHASE
040981	0	10.8	14.53	CA	NONE	GAS PURCHASE
041581	0	17.7	23.00	CA	NONE	GAS PURCHASE
042181	G		6.50	CA	NONE	WASH
042281	9		4.50	CC	1396281	REPLACE FAN BELT
042381	0	16.8	21.82	CA	NONE	GAS PURCHASE

Fig. 6. Report Showing All Entries in File

Line	Description
10	Clears 500 bytes for string storage and manipulation
20	Defines line number for error-trapping routine
30 - 340	Gives brief description and examples
350	Begins initial setup
360 - 370	Input number of vehicles—maximum = 10
380 - 430	Input vehicle descriptions—maximum length = 40
440 - 490	Input user-defined codes—maximum length = 12
500 - 640	Writes initial setup information to selected drive using sequential output
650 - 670	Loads AUTOTRK2/BAS
680 - 710	Error-trapping routine—Code 54 = File cannot be found. If code is not equal to 54, print line number and stop

Fig. 7. AUTOTRK1/BAS Data Flow

The only difference is the expense description is shortened to 18 characters.

Report formats are:

- Auto Code (prints all data for selected code)
- Month/Year (prints all data for selected month and year)
- Auto Code/Year (prints all data for selected code during year)
- Auto Code/Month/Year (prints all data for selected code during month and year)
- Year (prints all data for selected year)
- All entries in file (prints all data)

Figures 1-6 are examples of each format using information input over a period of time.

If you want to know how much gasoline vehicle 1 used during 1980, simply select report option 5 (Fig. 5). Done on a monthly basis, you can determine which auto needs to be weaned from the pump, or perhaps, find the one hooked on oil.

To generate expense reports for vehicles, enter the correct auto number. Select the desired format from the list displayed. Continue as shown below:

- Report Format 1—Enter code.
- Report Format 2—Enter month using two-digit format, then enter two-digit year.
- Report Format 3—Enter code and two-

digit year.

- Report Format 4—Enter code, two-digit month and two-digit year.
- Report Format 5—Enter two-digit year.
- Report Format 6—Done automatically; no user entries required.

If the line printer is not on-line, a message is displayed. Ready your printer and re-select the report format desired.

Program Breakdown

AUTOTRK1/BAS is comprised mainly of print statements; Fig. 7 gives a rough data flow.

AUTOTRK2/BAS needs some explaining. I have included numerous remark statements to help you decipher the program. You can remove them all without affecting program operation.

Enough memory must be cleared for string storage and manipulation. Because I used the On Error GOTO command, a line number must be specified should errors occur. Strings for Print Using commands are defined by lines 110 and 120.

AUTOTRK2/BAS opens AUTOINT for sequential input via buffer 1. The number of vehicles is read, followed by vehicle descriptions and user-defined codes.

Lines 260-300 include all pre-defined

AS	Option selection
AE\$	Another entry? (Y/N)
AN	Flag for another entry (0/1)
CT	Cost input
D	Time delay loop
DATES	Date input—MMDDYY format
DSC\$	Description input
DNS	Drive number
F\$	PRINTUSING format
G\$	PRINTUSING format
I	Last entry in file plus one
L	Loop to input information
LC\$	Report format descriptions
NV	Number of vehicle
P	Page flag
PC\$	Pre-defined codes
PY\$	Method of payment
QT	Quantity
RE\$	Receipt number
TC	Total cost
UC\$	User-defined codes
V\$	Vehicle description
VN	Vehicle number
YR\$	Year

The following field buffer 2:

CD\$	Code
CST\$	Cost
DESC\$	Description
DT\$	Date
KEY\$	Code and date
PAY\$	Method of payment
QNT\$	Quantity
RCPT\$	Receipt number

Fig. 8. Strings and Variables in AUTOTRK1/BAS and AUTOTRK2/BAS

codes. Should you wish to change any, they are contained in array PC\$(1-5). Report format descriptions LC\$(1-8) are used both in screen display and printed reports (on printed reports, only the first 20 characters are given).

I handled the task of checking correct input in two manners. The VAL function checks for correct numeric input, and ASC checks for correct input by comparing the ASCII equivalence of the entry. Because you may unintentionally press the enter key, the program checks for a null string



(513)
294-3383



THE SOFTCORE SOFTWARE CO.
9 Southmoor Circle, Kettering, OH 45429

"TOO MUCH" FOR RADIO SHACK!

Radio Shack REFUSED to include MISADVENTURE #1 in their SOURCEBOOK due to our description of the game!

379


MISADVENTURE SERIES—model I & III 16k	
#201 (#1) Madam Rosa's Massage Parlor*	\$15.00
#202 (#2) Wet T-Shirt Contest*	\$15.00
#203 (#3) Sewers of Moscow**—with sound!	\$15.00
#204 (#4) Casino of Pleasure**—with sound!	\$15.00
#205 (#5) Naked Nightmare**—with sound! NEW!	\$15.00
*not as hard **experience recommended	

ARCADE—TYPE GAMES—model I & III 16k	
#302 Block Breaker by Cedar Software—with sound!	\$14.95
#303 Leaper by Cedar Software—NEW!—with sound!	\$15.95

ADVENTURE DECODER—model I & III 16k	
#301 Dohne' Bugg (Adventure-decoder)	\$15.00
COLOR COMPUTER—games and Misadventures	
#401 Mystery of the Keys (4k)—with sound!	\$15.00
#501 (#1) Madam Rosa's Massage Parlor (16k)—with sound!	\$15.00
#502 (#2) Wet T-Shirt Contest (16k)—with sound!	\$15.00

Immediate shipment! Check, credit cards, or phone orders [12-6 p.m.] Dealers and distributors welcome—please inquire! HINT SHEETS AVAILABLE!

LEAPER!



Player 1: 500 High Score: 9000 Player 2: 470

Joystick Compatible!

New!

1 or 2 players

Fast-Action Machine Language!

Go Frog Go!

Our MISADVENTURE SERIES consist of CHALLENGING and FUN "adventure-type" programs that may occasionally be a bit naughty!

MYSTERY OF THE KEYS for the color computer is a graphic puzzle as addicting as "The Cube" and similar to "The Link". 4k and up.

DOHNE' BUGG is our best-selling ADVENTURE-DECODER! Are you STUCK in a machine-language ADVENTURE GAME? This program will display on the screen all VERBS that interact in the game, all LOCATIONS & OBJECTS you will find, and all ACTIONS that result! A MUST FOR THE SERIOUS ADVENTURER!

All programs are presently available in cassette form.

Price

That's the only difference between the computers and accessories you can buy from Computer Discount of America, Inc. and the ones you can buy elsewhere.

In fact we will meet or beat any price you can find from an authorized Radio Shack Dealer.

Selection

We have the largest inventory in the Northeast of:

Computers

TRS-80

Atari

Apple

Commodore

Panasonic

Printers

Microline

Epson

C. Itoh

Monitors

Zenith

NEC

Amdek

BMC

Diskettes

Maxell

Wabash

3M

Software

Miropro

Broderbund

Sirius

Visicorp

and the most complete line of accessories, ready to ship.

Service

We ship all orders from stock within 24-48 hours. All items are in factory sealed cartons, and are pure factory built and tested. No untested memory chips from us. And, we will replace any merchandise that arrives initially defective or damaged.

So, if you're looking for the best prices, selection, and service, in the U.S.A. check the others but call Computer Discount of America, Inc.

Send for FREE 40-page catalog including equipment reviews, prices, specs, and illustrations on over 600 computers and accessories.



TRS-80® Color Computer

by Radio Shack

Disc Drive I

Reg. \$599.00

\$429

Disc Drive II

Reg. \$399.00

\$259

260-3022 Color

Disc I 5 1/4" disc drive for 156K bytes of storage.

260-3023 Color Disc II. Same as above without Controller Board. Offer expires 10/31/82.

TRS-80® Model 16

by Radio Shack

Reg. \$5798.00

\$4799

260-6002 with


128K and two 8"

disc drives. Also

includes a FREE

3M Head Cleaning Kit, a \$29.95 value. Offer

expires 10/31/82.



TRS-80® Model II

by Radio Shack

Reg. \$3499.00

\$2999

64K Pure Radio

Shack Factory

Built and Tested.

Offer expires 10/31/82.



MICROLINE 82A

by Okidata

Reg. \$659.00

\$439


Includes FREE

Pack of 500 sheets

of Computer Trac-

tor paper, a \$10.95 value. Offer expires

10/31/82



TRS-80® DMP-100 Printer

by Radio Shack

Reg. \$399.00

\$329

260-1253 50 CPS

with larger buffer

and underlining.

New for '83. Offer expires 10/31/82.

Also available new
TRS-80 DMP-200,
DMP-400, DWP-410
and DMP-500. Call
for prices!

CALL TOLL FREE: 800-526-5313

Computer Discount of America, Inc.

15 Marshall Hill Road, West Milford Mall

West Milford, New Jersey, 07480-2198

In New Jersey call: 201-728-8080

**Computer
Discount
of America**

COLOR COMPUTER

NEW for the Color Computer TRS-80
"COCO CASSETTE" SUBSCRIPTION SOFTWARE



ENJOY A MONTHLY COLLECTION OF 8-10 PROGRAMS!

Including games, education, home finance and more on cassette for as low as \$5.00 a month! Add name, address and imagination to your Color Computer. Best of all, we do the work!

PRICES
1 YR. (12 ISSUES) \$55.00
6 MO. (6 ISSUES) \$30.00
SINGLE COPIES \$ 9.00

616 396-7577



PROGRAMS ARE FOR
EXTENDED BASIC
MODEL ONLY. ISSUES
ARE SENT FIRST CLASS

SUBSCRIPTION SOFTWARE

SEND CHECK OR MONEY ORDER TO:

T & D SOFTWARE P.O. BOX 256-C • HOLLAND, MICH 49423

Eight good reasons for using a Mod III:

1. MinibizTM General Ledger Accounting System
2. Accounts Receivable
3. Accounts Payable
4. Full-Service Payroll
5. Order Entry & Invoicing
-with Inventory Interface
-with Accts. Rec. Interface
6. Fixed Assets Accounting
7. Job Cost Accounting
8. Cost Estimating Systems
-for Manufacturing
-for Food Service

At selected Dealers or
from the publisher

Nepenthe Programs
44 Third Ave., Ste. F
Chula Vista, CA 92010
714-425-5501

✓496

Scotch[®]
MEMOREX
Verbatim[®]
maxell[®]

Diskettes and all your media needs
Our REGULAR prices are SPECIAL

CALL FREE (800) 421-3957

C.O.D. charge cards accepted.
Excellent dealer program.

Softel

In Cal. call (209) 221-1118

1418 West Shaw Avenue
Fresno, CA 93711

Foothill of The Sierras

✓435

when character input is expected.

Several lines contain CHR\$(31). This code erases from the cursor location to end of screen. I could have used CHR\$(30) (erase to end of line), but I did not want the screen format destroyed by redo errors. (Does anyone know how to disable redo so it can be incorporated in an error-trapping routine? Drop me a line.)

Fielding buffer 2 is accomplished in two stages. All fields are set, the KEY\$ is reset equal to the auto code and date. This method allows checking selected months and years using LEFT\$ and RIGHT\$.

No provision is made for sorting data since entries should be made in chronological order. Information prints in the order entered—organize all receipts before you enter any.

All filespecs are defined automatically as needed to avoid creating unnecessary or duplicate files.

Extensions are not used for data files, but you can easily add them by changing lines 630 and 1300.

Figure 8 gives a list of strings and

variables used in both AUTOTRK1/BAS and AUTOTRK2/BAS.

Improvements

Since AUTOTRK2/BAS already allows entry of the number of gallons for gasoline purchase, why not incorporate mileage input? As gas purchases are entered, the program can compute MPG.

If you keep track of mileage for each vehicle, set flags within the program to indicate preventative maintenance, oil changes, brake replacement or tune-ups.

Alter the programs to read several vehicle files and determine total purchases for each auto code. This may mean a lot when forecasting expenses. Past expenditures may form a pattern, indicating more money is needed at certain times.

You could add code in the error-trapping routine to recover from disk-full or other types of errors, so data input is not lost. ■

Ed. note: To make these programs run on the Model III, change the first part of line 1430 of AUTOTRK2/BAS to IF (PEEK (14312) AND 240)<>48...

Program Listing 1. AUTOTRK1/BAS

```

10 CLEAR500
20 ONERRORGOTO680
30 CLS:PRINT"AUTOTRAK is designed to handle the expense accounti
ng of 10"
40 PRINT"vehicles. There are twenty expense catagories, 10 pre-
defined"
50 PRINT"by the program and 10 defined by you, the user."
60 PRINT:PRINT"Monthly or yearly reports can be generated, showi
ng all ex-"
70 PRINT"penses incurred by a vehicle or only those of a selecte
d code."
80 PRINT:PRINT"For example, AUTOTRAK can search a file and find
all gasoline"
90 PRINT"purchases for vehicle #4 during the month of May, or, i
f"
100 PRINT"desired, during 1981."
110 PRINT:LINE INPUT"Press ENTER to continue";AS
120 CLS:PRINT"All information is contained on disk for easy acce
ss."
130 PRINT"It is advisable to make backup copies at the completio
n of"
140 PRINT"data entry. You may wish to place each vehicle's file
on a"
150 PRINT"separate disk to avoid DISK FULL messages."
160 PRINT:PRINT"AUTOTRAK Initial Setup (Description) --"
170 PRINT:PRINT"For initial setup, enter the number of vehicles
(1 to 10)."
180 PRINT"When prompted, give a brief vehicle description."
190 PRINT"(Example: 1978 Ford Van, License A13542, Blue)"
200 PRINT"Maximum length of description is 40 characters. Becau
se"
210 PRINT"AUTOTRAK uses the LINE INPUT function of Basic, delimi
ters such"
220 PRINT"as commas and quotes may be used as part of the descri
ptions."
230 PRINT:LINE INPUT"Press ENTER to continue";AS
240 CLS:PRINT"Next, enter user defined auto codes A thru J."
250 PRINT"Not all codes must be used. Simply press ENTER for un
wanted"
260 PRINT"codes."
270 PRINT:PRINT"Program defined codes are:"
280 PRINT:PRINT"CODE DESCRIPTION CODE D
ESCRPTION"
290 PRINT" 0 Gas 5 Tune-
up"
300 PRINT" 1 Oil 6 Exhau
st Sys"
310 PRINT" 2 Tires 7 Wheel
Align"
320 PRINT" 3 Battery 8 Brake
s"

```

Program Listing 1 Continues

```

330 PRINT" 4 Lubrication 9 Hoses
/Belts"
340 PRINT:LINE INPUT"Press ENTER to begin initial setup.";A$
350 CLS:PRINT"AUTOTRAK -- Initial Setup"
360 PRINT@128,"";:INPUT"How many vehicles";NV
370 IFNV<10RNV>10PRINT@128,CHR$(31);:GOTO360
380 PRINT"Please enter descriptions (Maximum length is 40 charac
ters.)"
390 FORL=1TONV
400 PRINT@64*(L+4),"Auto #";L;" ? ";
410 LINE INPUTV$(L)
420 IFLEN(V$(L))>40PRINT@64*(L+4),CHR$(31);:GOTO400
430 NEXTL
440 CLS:PRINT"Enter user defined Auto Codes."
450 PRINT"Maximum length of codes is 12 characters."
460 PRINT:FORL=1TO10
470 PRINT@64*(L+2),CHR$(64+L);CHR$(199);:LINE INPUTUC$(L)
480 IFLEN(UC$(L))>12PRINT@64*(L+2);CHR$(31);:GOTO470
490 NEXTL
500 CLS:PRINT"Initial setup information is saved on disk using A
UTOINT"
510 PRINT"as the file specification.":PRINT
520 INPUT"Drive to be accessed";DNS$
530 IFDNS$="PRINT@192,CHR$(31);:GOTO520
540 IFVAL(DNS$)<0ORVAL(DNS$)>3PRINT@192,CHR$(31);:GOTO520
550 FILESPEC$="AUTOINT"+DNS$
560 OPEN"O",1,FILESPEC$
570 PRINT#1,NV
580 FORL=1TONV
590 PRINT#1,CHR$(34);V$(L);CHR$(34)
600 NEXTL
610 FORL=1TO10
620 PRINT#1,CHR$(34);UC$(L);CHR$(34)
630 NEXTL
640 CLOSE
650 CLS:PRINT"Please insert diskette containing AUTOTRK2/BAS in
a drive."
660 PRINT:LINE INPUT"Press ENTER when ready.";A$
670 LOAD"AUTOTRK2/BAS"
680 IFERR/2+1<>54PRINT"ERROR IN LINE ";ERL:STOP
690 PRINT:PRINT"AUTOTRK2/BAS cannot be found. Please load"
700 PRINT"correct diskette."
710 RESUME660

```

Program Listing 2. AUTOTRK2/BAS

```

10 REM * AUTOTRAK--CONCEIVED AND WRITTEN BY ROBERT JAMES LLOYD *
20 REM * VERSION 1.0 DATED JUNE 20, 1981 *
30 REM * NOTE -- ALL REMARKS STATEMENTS MAY BE REMOVED WITHOUT *
40 REM * AFFECTING PROGRAM OPERATION *
50 REM * CLEAR 1000 BYTES OF MEMORY FOR STRING STORAGE *
60 REM * AND MANIPULATION *
70 CLEAR1000
80 REM * IF AN ERROR OCCURS BRANCH TO ERROR TRAPPING ROUTINE
90 ONERRORGOTO2350
100 REM * F$ AND G$ USED IN PRINTUSING COMMAND *
110 F$="#####.##"
120 G$="#####.#"
130 REM * OPENS "AUTOINT" FOR SEQUENTIAL INPUT *
140 FILESPEC$="AUTOINT"
150 CLS:OPEN"1",1,FILESPEC$
160 REM * INPUTS NUMBER OF VEHICLES *
170 INPUT#1,NV
180 REM * FOR/NEXT LOOP USED TO INPUT VEHICLE DESCRIPTIONS *
190 FORL=1TONV
200 INPUT#1,V$(L)
210 NEXTL
220 REM * FOR/NEXT LOOP USED TO INPUT USER-DEFINED CODES *
230 FORL=1TO10
240 INPUT#1,UC$(L)
250 NEXTL:CLOSE
260 REM * SET PROGRAM-DEFINED CODES *
270 PC$(1)="0= Gas 5= Tune-up A= "+UC$(1)+STRING$(
13-LEN(UC$(1)),32)+"F= "+UC$(6)
280 PC$(2)="1= Oil 6= Exhaust Sys. B= "+UC$(2)+STRING$(
13-LEN(UC$(2)),32)+"G= "+UC$(7)
290 PC$(3)="2= Tires 7= Wheel Align C= "+UC$(3)+STRING$(
13-LEN(UC$(3)),32)+"H= "+UC$(8)
300 PC$(4)="3= Battery 8= Brakes D= "+UC$(4)+STRING$(
13-LEN(UC$(4)),32)+"I= "+UC$(9)

```

Program Listing 2 Continues

The Lawyer's Microcomputer™

A Newsletter for Lawyers Using the TRS-80*

- Articles for Lawyers
- Law Office Applications
- Lawyer Information Exchange
- Software Reviews
- Hardware Reviews
- Advertisements Directed to Lawyer Users
- Technical Tips
- Letters and Suggestions
- And Much More

A New Monthly Newsletter For Lawyers

Send \$28 For A
One Year Subscription

The Lawyer's Microcomputer™
Post Office Box 1046A
Lexington, S.C. 29072

✓191

*TM Tandy Corp.



TEACH YOUR CHILDREN

ALPHA—Our best seller. Enhanced with larger letters and three exercises. Alphabet recognition for pre-schoolers.

ALPHA II—More alphabet exercises. Find the duplicate letters; letters before and after; put in alphabetical order.

SIGMA—Addition problems for grades 1-3.

SIGMA-EX—Addition problems for the younger or slower learner.

SIGMA-82—Addition, subtraction, multiplication and division. Nine speed levels. Time left and total time constantly displayed.

SPE-L—Spelling practice for grades 2-4.

Learning to Count Money—A THREE PROGRAM SYSTEM THAT TEACHES THE IMPORTANT SKILL OF COUNTING MONEY. SUPERIOR GRAPHICS. (SOLD BY THE SET ONLY.)


Available on cassette only for TRS-80 Models I and III \$6.95 each, two for \$12.00, four for \$21.00 Learning to Count Money—\$19.95

Add \$1.00 to total order for first class shipment.



✓188
Mercer Systems Inc.
87 Scooter Lane
Hicksville, N.Y. 11801

SECUR-IT



Secur-IT Disk File storage containers offer safe, no-spill portability and secure, orderly storage for your diskettes. 50 diskette capacity. Walnut wood grain or black for 5 1/4" or 8" diskettes. 5 1/4" files, \$29.95 ea. 8" files, \$39.95 ea. Specify color & size.

Model I/III Software

- Label Maker, \$12.95 • Page Maker (disk only), \$19.95 • Home Inventory, \$39.95 • Document Maker, \$39.95
- Send For Free Catalog • For Fastest Service Send Money Order Or Certified Check • Add \$2.00 Shipping Charge Per Order • Calif. Residents Add 6 1/2% Sales Tax • All Merchandise Shipped From Stock

REM Industries, Inc.

9420 "B" Lurline Ave., Chatsworth, Ca. 91311

(213) 341-3719

✓ 481

SCHEDULE MINDER AN INNOVATIVE CONCEPT IN TIME MANAGEMENT

COMMUNICATE WITH YOUR COMPUTER IN ENGLISH. NO PROGRAMMING KNOWLEDGE NEEDED.

SCHEDULE MINDER is a tested projected time and record management program for the TRS80 I, II or III. One disk drive minimum.

SCHEDULE MINDER provides the user with the ability to manipulate data by: date, context, area code, specific subject or any user predetermined code.

- Self prompting menu controls
- Extensive error trapping
- Alerts seven days in advance
- Confidential files restricted by coding
- Client records
- Sales leads
- Correspondence
- Personnel records
- Automatic name and address management
- User friendly
- Legal contracts
- Card files
- Mailing lists

SCHEDULE MINDER has been tested extensively and includes a comprehensive user manual. Send \$5.00 for instruction manual applicable to purchase of system. Complete system on disk \$79.00.


Mail order using bank check, money order or personal check. Please allow two weeks to clear. For New York state deliveries add local sales tax. Mail to:

HALRAD ASSOCIATES LTD.
1015 EAST 35th STREET
BROOKLYN, NEW YORK 11210
212-338-3965


✓ 426

Scotch Diskettes

Rely on Scotch® diskettes to keep your valuable data safe. Dependable Scotch diskettes are tested and guaranteed error-free. The low abrasivity saves your read/write heads. They're compatible with most diskette drives.



(800)235-4137



Dealer Inquiries
Invited

PACIFIC
EXCHANGES
100 Foothill Blvd.
San Luis Obispo, CA
93401 In Cal call
(800) 592-5935 or
(805) 543-1037

✓ 207

Program Listing 2 Continued

```

310 PC$(5)="4= Lubrication 9= Hoses/Belts E= "+UC$(5)+STRING$(
13-LEN(UC$(5)),32)+"J= "+UC$(10)
320 REM * SET REPORT FORMAT DESCRIPTIONS *
330 LC$(1)="Auto Code (All entries for selected cod
e)"
340 LC$(2)="Month/Year (All entries for selected mon
th during selected year)"
350 LC$(3)="Auto Code/Year (All entries for selected cod
e)"
360 LC$(4)="Auto Code/Month/Year (All entries for selected cod
e during selected month and ye
ar)"
370 LC$(5)="Year (All entries for selected yea
r)"
380 LC$(6)="All entries in file"
390 REM * ALLOW SELECTION -- ENTER INFO OR PRINT REPORT *
400 CLS:PRINT"Do you wish to:"
410 PRINT:PRINT"1 -- Enter expense information"
420 PRINT"2 -- Generate expense report"
430 PRINT:LINE INPUT"Select option ";AS
440 IFVAL(AS)<1ORVAL(AS)>2GOTO400
450 CLS:ONVAL(AS)GOTO470 ,530
460 REM * BEGINNING OF ENTER INFO SECTION *
470 CLS:LINE INPUT"Date using MMDDYY format ? ";DATES$
480 REM * CHECK ENTRY FOR CORRECT MMDDYY FORMAT *
490 IFVAL(LEFT$(DATES$,2))>12ORVAL(MID$(DATES$,3,2))>31ORVAL(RIGHT
$(DATES$,2))<80GOTO470
500 REM * VARIABLE AN IS SET TO 1 WHEN ANOTHER SELECTION IS CHOS
EN *
510 IFAN=1GOTO630
520 REM * FOR/NEXT LOOP TO PRINT VEHICLE DESCRIPTIONS ON SCREEN
*
530 PRINT:FORL=1TONV
540 REM * CHR$(195-(LEN(STR$(L)))) IS USED TO FORMAT SCREEN DISP
LAY *
550 REM * CHR$(195) IS A SPACE COMPRESSION CODE EQUAL TO 3 BLANK
S *
560 PRINT"Auto #";L;CHR$(195-(LEN(STR$(L))));"is ";V$(L)
570 NEXTL
580 PRINT:INPUT"Enter auto number ";VN
590 REM * CHR$(31) BELOW CLEARS TO END OF SCREEN *
600 IFVN<1ORVN>NVPRINT@64*(NV+2),CHR$(31);:GOTO580
610 ONVAL(AS)GOTO630 ,1290
620 REM * FILESPEC IS SET TO AUTO + VEHICLE NUMBER
630 FILESPEC="AUTO"+RIGHT$(STR$(VN),LEN(STR$(VN))-1)
640 IFAN=1GOTO690
650 CLS:PRINT"Ensure diskette containing file ";CHR$(34);FILESPE
C;CHR$(34);" has been placed"
660 PRINT"in a drive. If it has not been created yet, RANDOM AC
CESS"
670 PRINT"automatically creates it when needed."
680 PRINT:LINE INPUT"Press ENTER when ready to input expense inf
ormation ";AS
690 AN=0:GOSUB710 :GOTO750
700 REM * PRINTS AUTO CODES ON SCREEN *
710 CLS:PRINT"Auto Codes: (Codes A-J are use
r defined)"
720 PRINTPC$(1):PRINTPC$(2):PRINTPC$(3):PRINTPC$(4):PRINTPC$(5)
730 RETURN
740 REM * PRINTS 63 DASHES ACROSS SCREEN *
750 PRINTSTRING$(63,"-")
760 PRINT@448,"";
770 REM * BEGIN ENTRY OF EXPENSE DATA *
780 INPUT"Code Number ";CODE$
790 IFVAL(CODE$)<10GOTO820
800 IFCODE$="PRINT@448,CHR$(31);:GOTO780
810 IFASC(CODE$)<65ORASC(CODE$)>74PRINT@448,CHR$(31);:GOTO780
820 INPUT"Quantity ";QT
830 IFQT>99.9PRINT@512,CHR$(31);:GOTO820
840 INPUT"Total cost ";CT
850 IFCT>99999.99PRINT@576,CHR$(31);:GOTO840
860 REM * NOTE---METHOD OF PAYMENT MUST BE ENTERED *
870 INPUT"Method of payment (CA=cash CK=check CC=crd. card) ";PY
$
880 IFPY$="CA"ORPY$="CK"ORPY$="CC"GOTO900
890 PRINT@640,CHR$(31);:GOTO870
900 INPUT"Receipt number ";RES
910 IFLEN(RES)>8PRINT@704,CHR$(31);:GOTO900
920 LINE INPUT"Description of transaction ? ";DSC$
930 REM * FOR 80 COLUMN PRINT CHANGE LEN(DSC$)>36 TO LEN(DSC$)>1
8 *
940 IFLEN(DSC$)>36PRINT@768,CHR$(31);:GOTO920
950 LINE INPUT"Is all information correct (Y or N) ? ";AN$
960 IFAN$="N"PRINT@448,CHR$(31);:GOTO780
970 IFAN$<>"Y"PRINT@832,CHR$(31);:GOTO950
980 LINE INPUT"Write information to drive #? ";DN$

```

Program Listing 2 Continues

RACET COMPUTES = SYSTEM SOFTWARE RACET COMPUTES = SYSTEM SOFTWARE RACET COMPUTES = SYSTEM SOFTWARE

★ NEW SUPERZAP For Radio Shack HARD DISK DRIVE ★ \$100

★★ **Model II Fast Backup Utility** ★★ **\$75**


RACET COMPUTES Utilities & Programmer Aids

Basic Cross Reference Utility Mod II \$50 SEEK and FIND functions for variable, line numbers, strings, keywords. 'All' options available for line number and variables. Load from BASIC - call with control 'R' Output to screen or printer.

RACET COMPUTES LTD.
Integrity in Software
1330 N. Glassell, Suite M, Orange, CA 92667 (714) 997-4950

41

5 MEGABYTE Winchester Disk Drive — CALL for PRICING
LOWEST PRICES AVAILABLE ANYWHERE!!



5 Megabytes fixed, 5 removable for the smaller professional installation. Removable Media BACKUP. Multiplexer available for up to four users!!

HSDS for Other Drives \$400



RACET COMPUTES LTD.
Integrity in Software

1330 N. Glassell, Suite M, Orange, CA 92667 (714) 997-4950

**CALL FOR COMPETITIVE PRICING ON HARD DRIVE SUBSYSTEMS —
BUY WHERE YOU CAN GET SOFTWARE SUPPORT!!**

CHECK, VISA, M/C. C.O.D. ON CERTAIN HARDWARE
TELEPHONE ORDERS ACCEPTED (714) 997-4950

468

ESTATE PLANNERS!

HAS ERTA
GOTTEN YOU DOWN?

TIRED OF
CRUNCHING NUMBERS?

LET E-PLAN
DO IT FOR YOU.

QUICK CALCULATIONS
FOR COMPLEX
ESTATE PLANNING SITUATIONS
FOR LESS THAN \$200.00.

AVAILABLE FOR
DISC VERSIONS OF
OF MODELS I, II, AND III.

FOR MORE INFORMATION, WRITE TO:

E-PLAN LTD.
P.O. BOX 182
PENFIELD, NEW YORK
14526

✓ 434

SPEED DIALING SYSTEM



SPEED DIALER I \$34.95
SPEED DIALER II \$44.95

THESE UNITS ARE AVAILABLE FOR MODEL I AND MODEL II SYSTEMS. IF POSSIBLE, IT IS THE ONLY DIALING SYSTEM AVAILABLE FOR MODEL I AND MODEL II SYSTEMS.

SPEED DIALING IS A FAST AND ACCURATE WAY TO MAKE PHONE CALLS AND LOOK UP PHONE NUMBERS IN RECORDS. YOU CAN STORE UP TO 200 NAMES AND NUMBERS AND PREVIEW AND DIAL WITH THE TOUCH OF YOUR FINGERS. THE INSTALLATION DOES NOT REQUIRE ANY REWIRING OR DISMANTLING OF YOUR SYSTEM. IT ONLY TAKES SECONDS TO INSTALL AND DOES NOT AFFECT REGULAR PHONE DIALING OPERATION.

FEATURES OF THE SPEED DIALER I:

1. FAST AND ACCURATE
2. NO MORE MISDIALING
3. RE-DIAL FEATURE
4. NEW NAMES CAN BE ADDED TO DIRECTORY
5. CHANGE OF NUMBERS CAN BE ADDED TO DIRECTORY
6. KEEPS TRACK OF TIME SPENT ON EACH CALL
7. CAN STORE UP TO 200 NAMES AND PHONE NUMBERS
8. DOES NOT AFFECT REGULAR PHONE DIALING
9. CAN DISPLAY OR PRINT DIRECTORY

FEATURES OF THE SPEED DIALER II:

1. SAME AS MODEL I PLUS UNLIMITED STORAGE
2. DIAL ONLY

- 1-CREATE ENTER NAME AND PHONE NUMBER
- 2-ADD ADD NEW NAMES TO DIRECTORY
- 3-DELETE DELETES NAME FROM DIRECTORY
- 4-SELECT DELETES NAME FROM DIRECTORY
- 5-DIRECTORY DISPLAYS THE ENTIRE DIRECTORY
- 6-SEARCH FINDS PHONE NUMBER OF PERSON
- 7-NUMBER CHANGE CHANGE PHONE NUMBER ALREADY IN FILE
- 8-AUTO DIAL DIALS NUMBER OF CODE ENTERED
- 9-NUMBER DIAL DIALS NUMBER FROM RECORD
- 10-END SAVES ENTRIES AND END PROGRAM
- 11-MODEL I, II ONLY

USE IN ACCOUNTING FOR DIALING CUSTOMERS FOR BILLING

USE AS A DIALING SYSTEM FOR THE ENTIRE BUSINESS

USE AS A DISPATCHING DIRECTORY FOR FIELD TECH. AND CUSTOMER ACCOUNTS

USE IN SALES FOR CALLING CUSTOMER BASE AND NEW ACCOUNT RECORDS

AND THESE ARE JUST A FEW

WITH OTHER PHONE DIALERS YOU WOULD PAY \$49.95 FOR 16 NUMBERS AND \$99.95 FOR 32 NUMBERS. WITH THE SPEED DIALER I YOU GET 200 NAMES AND NUMBERS AND THE EXTRA FEATURES MENTIONED ABOVE.

WITH SPEED DIALER II YOU HAVE AN UNLIMITED STORAGE OF NAMES AND NUMBERS

MODEL I, MODEL II, COMPUTER \$54.95 SPEED DIALER II \$44.95

REQUIREMENTS: MODEL I, MODEL II COMPUTER \$54.95 OR TASC 1000 AND THE RECORDING CABLE

INNOVATIONS IN MICRO CONTROL DEVICES AND SOFTWARE

200 RECORDS DRIVE

TRACY, CALIF. 95376

FOR CREDIT CARD ORDERS CALL (209) 854-3400

SPEED DIALING IS MANUFACTURED BY SEF CO. 200 RECORD DR. TRACY, CALIF. 95376. THERE IS NO WARRANTY EXPRESSED OR IMPLIED THAT SPEED DIALING WILL DO ANYTHING OTHER THAN SAVE TIME DIALING AND LOOKING UP PHONE NUMBERS

YES, I WANT MY SPEED DIALER FOR \$34.95 FOR () MODEL I, () MODEL II, () SPEED DIALER II \$44.95

() VISA () M.C. () MASTERCARD () DISC ONLY

FOR CREDIT CARD ORDERS CALL (209) 854-3400

OR MAIL CHECK/MONEY ORDER PLUS \$5.00 FOR SHIPPING & HANDLING \$5.00 EXTRA FOR C.O.D. CALIF. RESIDENTS PAY AT SALES TAX

NAME: _____

ADDRESS: _____

CITY: _____ STATE: _____ ZIP: _____

SIGNATURE: _____ DATE: _____

✓ 437

Program Listing 2 Continued

```


990 IFDN$="PRINT@896,CHR$(31);:GOTO980
1000 IFVAL(DN$)<@ORVAL(DN$)>3PRINT@896,CHR$(31);:GOTO980
1010 REM * FILESPEC IS NOW EQUAL TO AUTO + VEHICLE NUMBER + DRIV
E NUMBER *
1020 FILESPEC$=FILESPEC$+" "+DN$
1030 REM * OPENS FILESPEC--RANDOM ACCESS USING BUFFER 2 *
1040 OPEN"R",2,FILESPEC$
1050 FIELD 2,7 AS KEYS, 4 AS QNT$, 8 AS CST$, 2 AS PAY$, 8 AS RC
PTS$, 36 AS DESC$
1060 REM * VARIABLE I IS SET TO LAST ENTRY IN FILE +1 *
1070 I=LOF(2)+1
1080 REM * LSET PLACES DATA IN BUFFER *
1090 REM * NOTE---KEY$ IS EQUAL TO CODE$ + DATE$ *
1100 LSETKEY$=CODE$+DATE$
1110 LSETQNT$=MK$(QT)
1120 LSETCST$=MK$(CT)
1130 LSETPAY$=PY$
1140 LSETRCPTS$=RE$
1150 LSETDESC$=DSC$
1160 REM * PUT COMMAND WRITES DATA TO SELECTED DRIVE *
1170 PUT2,I
1180 CLOSE
1190 REM * RESET VALUES TO EITHER NULL OR ZERO *
1200 CODE$="":DATE$="":QT=0:CT=0:PY$="":RE$="":DSC$=""
1210 REM * ALLOW ANOTHER ENTRY FOR SELECTED VEHICLE ONLY *
1220 CLS:PRINT"Another entry for Auto #";VN" (Y or N) ";:LINE IN
PUTAE$
1230 IFAE$="GOTO1220
1240 IFAE$="Y"PRINT@448,CHR$(31);:CLS:AN=1:GOTO470
1250 IFAE$="N"GOTO400 ELSEPRINT@960,CHR$(31);:GOTO1220
1260 REM * BEGINNING OF REPORT GENERATION SECTION *
1270 REM * SET PRINT VALUES -- POKEL6424=NUMBER OF LINES PER PAG
E *
1280 REM * POKEL6425=SETS LINE COUNTER TO ON
E*
1290 POKEL6424,66:POKEL6425,1:PRINT
1300 FILESPEC$="AUTO"+RIGHT$(STR$(VN),LEN(STR$(VN))-1)
1310 CLS:PRINT"Do you want a report by --"
1320 REM * PRINTS REPORT FORMAT DESCRIPTIONS *
1330 PRINT"1 -- ";LC$(1)
1340 PRINT"2 -- ";LC$(2)
1350 PRINT"3 -- ";LC$(3)
1360 PRINT"4 -- ";LC$(4)
1370 PRINT"5 -- ";LC$(5)
1380 PRINT"6 -- ";LC$(6)
1390 PRINT
1400 LINE INPUT"Select option ";A$
1410 IFVAL(A$)<@ORVAL(A$)>7PRINT@448,CHR$(31);:GOTO1400
1420 REM * CHECK IF LINE PRINTER IS ONLINE -- PEEK(16412) MUST E
QUAL 63 *
1430 IFPEEK(14312)<>63PRINT:PRINT"LINE PRINTER IS NOT READY.....
"ELSEGOTO1450
1440 FORD=1:TO750:NEXTD:GOTO1310
1450 ONVAL(A$)GOTO1460,1520,1460,1460,1560,1590
1460 GOSUB710:PRINT
1470 INPUT"Code ";CODE$:PRINT
1480 IFVAL(CODE$)<10THEN1510
1490 IFCODE$="PRINT@448,CHR$(31);:GOTO1470
1500 IFASC(CODE$)<65ORASC(CODE$)>74PRINT@448,CHR$(31);:GOTO1470

1510 ONVAL(A$)GOTO1590,1520,1560,1520,1560,1590
1520 LINE INPUT"Enter month by 2 digit code. Ex: 01=Jan, 06=Jun,
etc.) ";DATE$
1530 IFVAL(DATE$)<10RVAL(DATE$)>12ORLEN(DATE$)<2
LS:GOTO1520
1540 IFVAL(A$)=20RVAL(A$)=4PRINT:GOTO1560
1550 GOTO1590
1560 LINE INPUT"Enter year by 2 digit code. Ex: 81=1981 86=1986
, etc.) ";YR$
1570 IFLEN(YR$)<2ORVAL(YR$)<80CLS:GOTO1560
1580 REM * OPEN FILESPEC FOR RANDOM ACCESS VIA BUFFER 2 *
1590 OPEN"R",2,FILESPEC$
1600 REM * FIELD BUFFER 2 *
1610 FIELD 2,7 AS KEYS, 4 AS QNT$, 8 AS CST$, 2 AS PAY$, 8 AS RC
PTS$, 36 AS DESC$
1620 REM * ALSO FIELD FIRST 7 BYTES OF BUFFER 2 AS CODE AND DATE
*
1630 FIELD 2,1 AS CD$,6 AS DT$
1640 REM * SET VARIABLE P (PAGE COUNTER) TO 1 *
1650 P=1
1660 LPRINT:LPRINT:GOSUB1670:ONVAL(A$)GOTO1780,1810,1780,178
0,1810,1810
1670 LPRINT"AUTOTRAK Expense Report by ";
1680 REM * WRITE APPROPRIATE REPORT FORMAT DESCRIPTION TO PRINTE
R *
1690 LPRINTLEFT$(LC$(VAL(A$)),20)

```

Program Listing 2 Continues

BORN TO RUN



**Get your TRS-80™ up and running
with special system & disk drive values like these . . .**

**Complete TRS-80 Model III
microcomputer system with disk drives**

A.M. Electronics Model III with 48K RAM, two Tandon 40-track double-density disk drives, A.M. Electronics controller board, DOS and manuals, complete and ready-to-run! . . . \$1895.00
Model III system as above with AM MX-82 F/T 96 Column Dot Matrix Printers . . . Add \$595.00

A.M. Electronics "Multiplier"

Tired of unreliable double density operation? With Multiplier, you can upgrade from a single-density without doubling your problems . . . \$99.95

Teac or Tandon 5 1/4-inch disk drives, complete!

40-track single side disk drive with power supply, case and extender cables . . . \$275.00
80-track single side disk drive with power supply, case and extender cables . . . \$385.00

Memory Chips

16K 200 nanosecond RAM chips . . . \$2.25 each

**New! Teac double-head
5 1/4-inch 40-track disk drive!**

Complete with power supply, case and extender cables . . . \$385.00

**New! Tandon "Thinline"
8-inch disk drive, complete!**

For TRS-80 Model II, complete with dual case, power supply, and cables . . . \$695.00

**New! Hard disk drives for Model III —
Ready to plug in and run!**

(DOS extra)

6.5 Megabyte drive . . . \$1995.00
10 Megabyte drive . . . \$2195.00
13.3 Megabyte drive . . . \$2395.00

Shipping costs additional except where otherwise noted.

Save \$65!

Teac FD-50E 80-track single-side disk drive
96 TPI model, complete with case and power supply.
(Limited time only) . . . Now only \$275.00
Ideal for TRS-80 Model I and other selected computers!

A.M. ELECTRONICS INC.
THE POWER BEHIND THE DRIVES™

✓38

Ann Arbor: 3446 Washtenaw Ave., Ann Arbor, MI 48104 (313) 973-2312 Open M-F 10-6. Telex: 220-821-HPC
Fowlerville*: 111 North Grand, Box 1071, Fowlerville, MI 48836 (517) 223-7281
Attention Dealers, OEM's & Distributors: Call us for details on our attractive pricing.
Wholesale Order Phone: (313) 973-2075

* Authorized Radio Shack Dealer. ** TRS-80 trademark Tandy Corp. Prices subject to change without notice.



FINALLY


Your cassette based TRS-80*
can handle data files!

RAMFILE is the answer. It will allow you to write BASIC programs that will efficiently store data in the Random Access Memory of your computer. You will be able to sort and selectively retrieve, update and delete the data and store it on tape for future use, at a speed and efficiency that you never thought possible. RAMFILE runs with 16K or larger Level II or Model III BASIC.

RAMFILE and demonstration BASIC program on cassette tape and manual. \$59.95.

Postage paid in U.S.A. Foreign orders include \$2.50. Ill. Residents include 5% sales tax.


Send orders to:

 **INDIVIDUAL SYSTEMS INC.**
P.O. BOX 343
Downers Grove, Illinois 60515

*Trademark of Tandy Corp.

424

TRS-80*
Models
I & III



**Discount
Prices!**

Do you have these best sellers?!

	Your Cost
Business	Tape / Disk
Mail List (Precision Proto.)	- /71.90
Form Letter (Precision Proto.)	- /31.90
Maxi Manager & Util (Adv. Int.)	- /119.90
Newsprint 7.0 (Prosoft)	- /99.90
Newsprint & Labels (Prosoft)	- /111.90
Games	
Defense Command (Big Five)	12.70/15.90
Stellar Escort (Big Five)	12.70/15.90
Galaxy Invasion (Big Five)	12.70/15.90
Cosmic Fighter (Big Five)	12.70/15.90
Robot Attack (Big Five)	12.70/15.90
Star Fighter (Adv. Int.)	19.90/23.90
Eliminator (Adv. Int.)	15.90/19.90
Dunzhin (Med Sys.)	23.90/23.90
Asylum II (Med Sys.)	15.90/18.30
Laser Defense (Med Sys.)	11.90/14.30
Home/Education	
Little Red Riding Hood (Adv. Int.)	11.90/ -
Old McDonald's Farm (Adv. Int.)	11.90/ -
Money Master (Med Sys.)	11.90/14.30
The Playful Professor (Med Sys.)	11.90/14.30
Personal Check Mgr. (Adv. Int.)	- /19.90

Check reader service for our catalog.

RIMES COMPUTER PRODUCTS

262 Tracey, Dept. 10A
Grand Island, N.Y. 14072
(716) 773-2519

480

Add \$1.50 for shipping. Add \$1.50 for COD.
For fastest service send M.O. or cert. check,
Mastercard/Visa also accepted.

Allow 2 weeks for personal checks.

New York Residents add sales tax.

*TRS-80 is a trademark of Tandy Corp.

Program Listing 2 Continued

```

1700 REM * PRINT VEHICLE DESCRIPTION AND AUTO CODES *
1710 LPRINTV$(VN):LPRINT:LPRINT"Auto Codes:
(Codes A-J are user defined)"
1720 LPRINT
1730 LPRINTPC$(1):LPRINTPC$(2):LPRINTPC$(3):LPRINTPC$(4):LPRINTP
CS(5)
1740 LPRINT
1750 LPRINTSTRING$(39,32);"METHOD OF";STRING$(4,32);"RECEIPT"
1760 RETURN
1770 REM * PRINT APPROPRIATE COLUMN HEADINGS DEPENDING ON REPORT
FORMAT *
1780 LPRINT"CODE      DATE      QUANTITY      COST      PAYMENT
NUMBER      DESCRIPTION"
1790 REM * FOR 80 COLUMN PRINT CHANGE STRING$(132,95) TO STRING$
(80,95) *
1800 LPRINTSTRING$(132,95):IFP>1GOTO2280 ELSE1840
1810 LPRINT" DATE      CODE      QUANTITY      COST      PAYMENT
NUMBER      DESCRIPTION"
1820 GOTO1800
1830 REM * FOR/NEXT LOOP USED TO GET INFORMATION FROM OPEN FILE
*
1840 FORL=1TOLOF(2)
1850 IFEOF(2)CLOSE:GOTO2310
1860 GET 2,L
1870 REM * DEPENDING ON REPORT FORMAT, CHECK EITHER CODE OR DATE
*
1880 ONVAL(A$)GOTO1900 ,2050 ,2020 ,1990 ,1960 ,2080
1890 REM * DOES CODE SELECTED MATCH CODE FOUND? *
1900 IFCDS<>CODE$GOTO2280
1910 GOTO2080
1920 REM * DO CODE, MONTH AND YEAR MATCH ONES FOUND? *
1930 IFCDS=CODE$ANDLEFT$(DT$,2)=DATE$ANDRIGHT$(DT$,2)=YR$GOTO208
0
1940 GOTO2280
1950 REM * DO CODE AND MONTH MATCH ONES FOUND? *
1960 IFRIGHT$(DT$,2)<>YR$GOTO2280
1970 GOTO2080
1980 REM * DO CODE AND MONTH MATCH ONES FOUND?
1990 IFCDS=CODE$ANDLEFT$(DT$,2)=DATE$GOTO2080
2000 GOTO2280
2010 REM * DO CODE AND YEAR MATCH ONES FOUND? *
2020 IFCDS=CODE$ANDRIGHT$(DT$,2)=YR$GOTO2080
2030 GOTO2280
2040 REM * DO MONTH AND YEAR MATCH ONES FOUND? *
2050 IFLEFT$(DT$,2)=DATE$ANDRIGHT$(DT$,2)=YR$GOTO2080
2060 GOTO2280
2070 REM * VARIABLE TC (TOTAL COST) KEEPS A CUMULATIVE TOTAL OF E
XPENSES AS PRINTED *
2080 TC=TC+CVD(CST$)
2090 REM * PRINT EXPENSE INFORMATION IN COLUMNAR FORMAT *
2100 ONVAL(A$)GOTO2120 ,2140 ,2120 ,2120 ,2140 ,2140
2110 REM * PRINT CODE AND DATE *
2120 LPRINTSTRING$(2,32);CD$;STRING$(5,32);DT$;STRING$(4,32);:GO
TO2170
2130 REM * PRINT DATE AND CODE *
2140 LPRINTDT$;STRING$(5,32);CD$;STRING$(6,32);
2150 REM * NOTE-- CVS AND CVD ARE USED TO CONVERT STRING DATA TO
NUMERIC *
2160 REM * PRINT QUANTITY *
2170 IFCVS(QNT$)>0LPRINTUSINGG$;CVS(QNT$);:LPRINTSTRING$(4,32);:
GOTO2190
2180 LPRINTSTRING$(10,32);
2190 REM * PRINT COST *
2200 LPRINTUSINGF$;CVD(CST$);
2210 REM * PRINT METHOD OF PAYMENT AND RECEIPT NUMBER *
2220 LPRINTSTRING$(6,32);PAY$;STRING$(8,32);RCPT$;
2230 REM * PRINT DESCRIPTION *
2240 LPRINTSTRING$(3,32);DESC$
2250 REM * HAVE 60 LINES BEEN PRINTED? *
2260 IFPEEK(16425)=60P=P+1:LPRINTCHR$(11):GOTO1660
2270 REM * NOTE--CHR$(11) ABOVE ADVANCES PAPER TO TOP-OF-FORM *
2280 NEXTL
2290 CLOSE
2300 REM * PRINT TOTAL EXPENDITURES FOR REPORT FORMAT SELECTED *
2310 LPRINT:LPRINT"Total Expenditures = ";:LPRINTUSINGF$;TC
2320 REM * RESET VARIABLES TO ZERO, ADVANCE PAPER TO TOP-OF-FORM
*
2330 TC=0:P=0:LPRINTCHR$(11):GOTO400
2340 REM * ERROR TRAPPING ROUTINE. ERROR 54 IS FILE CANNOT BE F
OUND *
2350 IFERR/2+1=54GOTO2370
2360 REM * CHR$(34) IS QUOTE MARKS *
2370 CLS:PRINTCHR$(34);FILESPEC$;CHR$(34);" cannot be found. Pl
ease insert correct diskette."
2380 PRINT:LINE INPUT"Press ENTER when ready.";A$
2390 RESUME150

```

AT LAST!
A PROFESSIONAL JOURNAL FOR ENGINEERS
SCIENTISTS MATHEMATICIANS & STATISTICIANS USING
MICROCOMPUTERS.

PLUG INTO...

ACCESS!

The Journal of Microcomputer Applications
for

- * numerical analysis
- * math modeling
- * statistical analysis
- * computerized design
- * process simulation
- * report generation

The articles in ACCESS are written by working engineers and scientists who share their knowledge of how to make productive use of microcomputers with you. Your subscription to ACCESS will make your microcomputer more useful in all areas where engineers and scientists use microcomputers. And you'll even find ways to use your computer you hadn't thought of. The articles in ACCESS are written with you in mind and are aimed at helping you turn your microcomputer into the most productive tool possible. Sign up NOW be a charter subscriber. Join the other engineers and scientists who make ACCESS their source of information on microcomputer applications. Charter rates are 6 issues for \$16. (Canada & Mexico \$20. Other \$32). Fill out the coupon below TODAY. Send check, money order, purchase order, or use your VISA or MASTER CARD.

(Sign me up. \$16 ☐ enclosed ☐ Bill me ☐ Bill ☒ 155
Company Charge VISA ☐ MC # _____
Exp _____ ☐ Send sample issue heres \$3
Name & address _____
City State and ZIP _____

Mail to ACCESS PO Box 12847 Research Triangle Park,
NC 27709 Published by LEDS Publishing Co., Inc.

***** NOTICE *****

PROGRESSIVE ELECTRONICS

is now authorized
SALES and SERVICE
for

MICRO DESIGN PRODUCTS

	M-1 Expansion	M-3 Expansion	Phone Modem
Board & Manual	MDX2 \$74.95	MDX3 \$74.95	MDX4 \$29.95
Parts Kit	\$205.00	\$205.00	\$40.00
Assembled & Tested	\$399.95	\$324.95	\$99.95

Aluminum Enclosures for the MDX2 \$45.00

Mill Internal Drive Installation Kit \$119.95
includes Power Supply. Cables. Mounting Brackets

643 E CHESTNUT ST
LANCASTER OH 43130

614/687-1019

hrs 9-9 EST

REGILIAN WORM

BY BRUCE POWEL DOUGLASS

Push your reflexes,
coordination,
judgment to
their limits!



16-48K TRS-80 MODEL I or III
CASSETTE TAPE \$16.95
DISK \$19.95

Please add \$1.50 for shipping and handling
6 1/2% sales tax in California

M/C, VISA, CHECKS OK

To order, call toll free:
(800) 824-7888,
oper. 422
in Calif.: (800) 852-7777


PROSOFT

BOX 560

NORTH HOLLYWOOD, CA. 91603

Connect a Centronics-compatible printer to the Mod I.

Hardware Hacker—Part I



The Peripheral Support Interface™—you can make it in just four months.

Philip M. Van Praag
1630 West Jagged Rock Road
Tucson, AZ 85704

Over the next four months, I will present a series of articles detailing design and construction of a hardware support system for the Model I TRS-80. This Peripheral Support Interface™ (PSI) contains a Centronics-compatible printer interface, 32K RAM memory, and a compatible single/double density disk controller. Each item may be built and used independently. The integration of all three functions into a common system will be presented in the fourth article.

No adjustments are required in any circuitry, and therefore no test equipment is needed to build or operate any part of the system. (An ohmmeter or simple continuity tester would be helpful, however, to double-check wiring before initial powerup.) Required skills are a basic familiarity with electronic components (resistor color codes, IC pin orientation, for example); a

degree of manual dexterity to enable soldering small wires and contacts; and patience. (Of these three skills, patience is by far the most important.)

No special tools are required, but you must use a low wattage soldering iron (25 watts maximum) and fine solder (.031 diameter maximum).

This article describes the design and construction of a printer interface connecting any Centronics-compatible printer with the TRS-80 Model I keyboard connector. With this interface the user can halt the print operation at any time and resume printing at the same place in the text.

Centronics-compatible interface refers to a particular method of matching required operating signals between a printer and the TRS-80. This method defines required signals, the logic level of these signals, and the parallel manner in which data is transferred to the printer. The Centronics interface method is available on virtually all micro-computer printers.

Printers storing only one character (the Selectric) can stop at any character position on any line. Printers storing an entire line of characters before printing (the MX-80) will halt printing after the current line. To re-start




Fig. 1. Printer Interface Logic Circuitry

The Key Box

Basic Level II
Model I
16K RAM

printing precisely where you left off, just tap the resume button. This feature is compatible with any program that does not print out transient data gathered and deleted as part of a timed sequence.

A small outboard cabinet houses all printer interface cir-

cuitry except the power supply. A single double-sided printed circuit board allows quick assembly of the project and provides a connector card-edge for mating with the printer cable. A 40-conductor ribbon cable/connector assembly plugs into the expansion port card edge at the

keyboard rear of the TRS-80. A simple wall plug-in transformer supply backed up with voltage regulation on the PC board provides power. The TRS-80 needs no modifications.

How the Circuit Works

The Centronics interface meth-

od uses parallel data transfer; all eight data bits defining a particular character to be printed or instruction to be followed are sent to the printer at once. The advantage of this system is potentially greater data transfer speed compared to the serial transfer system RS-232 in which data is sent one




Fig. 2. Schematic diagram. Parenthetical numbers on the left denote keyboard connector pins. Numbers on the right are for printer connector pins.

MOVING?

Let us know 8 weeks in advance so that you won't miss a single issue of **80micro**

Attach old label where indicated and print new address in space provided. Also include your mailing label whenever you write concerning your subscription. It helps us serve you promptly.

- ☐ Extend my subscription one additional year for only \$24.97.
- ☐ Payment enclosed ☐ Bill me

Canadian and Mexican \$27.97 1 year only US funds. Foreign \$44.97 1 year only US funds, drawn on US bank.

If you have no label handy, print OLD address here.

NAME _____
 ADDRESS _____
 CITY _____ STATE _____ ZIP _____

print NEW address here:
 NAME _____
 ADDRESS _____
 CITY _____ STATE _____ ZIP _____

80 MICRO P.O. Box 981 • Farmingdale NY 11737 •

bit at a time.

Print speed is dictated by the mechanical ability of the printer; maximum print rates vary between printers. A busy signal tells the TRS-80 not to send more data until the printer is ready to receive it. The IBM Selectric requires about 75 milliseconds to print a character, whereas a carriage return can take 500 milliseconds. The MX-80 contains a data memory storage buffer which takes an entire line of data at a time, puts out a busy signal to halt further data influx, and then feeds data to the print mechanics one character at a time. (Remember one character equals eight bits which equals one byte of data.)

Table 1 contains the bit code used by the TRS-80 to define alpha characters, numbers, symbols, and printer instructions. The eighth data bit D7 is not needed to convey any of this information. It is used to carry the busy signal from the printer to the TRS-80.

Initiating Printing

How does the printer know when to start printing? The printer must be turned on, on-line, and connected (via an interface) to the TRS-80 which is teeming with activity on its data bus. What keeps it from trying to print everything? The trigger is the address 37E8H (14312 in decimal). When that data-bit combination is present on the address bus and a low-level logic signal appears on the write signal line, two things cause the printer to accept the next data character or instruction: An eight-bit data latch stores the character/instruction code presently on the TRS-80's data bus, and a data strobe pulse clocks the latched data into the printer. The data strobe pulse nudges the printer into an active state; the printer then processes the data byte and initiates a busy signal to tell the TRS-80 not to send another data byte.

Printer Status

The TRS-80 surveys printer status right after it sends out a data byte. The address 37E8H is produced again along with a logic-level-low on the read line. This combination inserts several

feedback signals from the printer onto the bi-directional TRS-80 data bus, including the busy, out-of-paper, unit select, and fault signals.

Signal Storage

How are the data and feedback signals stored until needed? Assume location 37E8H is a part of memory; the contents of 37E8H would become identical to the data bus every time it was addressed in write mode. There is only one problem—37E8H is not part of RAM; in fact it is not part of anything in the TRS-80!

Recall that 37E8H plus a low-level write signal latch the data bus contents in the interface. When 37E8H is written to, the character/instruction data loads into that memory location. From then on, although 37E8H and write are removed from the data bus, the same data continues to be presented to the printer until

6 5 4	0 0 0	0 0 1	0 1 0	0 1 1	1 0 0	1 0 1	1 1 0	1 1 1
3210	Printer Instructions		Numbers/Symbols		Upper Case Alpha		Lower Case Alpha	
0000			SP	0	@	P	\	P
0001			!	1	A	Q	a	q
0010			"	2	B	R	b	r
0011			#	3	C	S	c	s
0100			\$	4	D	T	d	t
0101			%	5	E	U	e	u
0110			&	6	F	V	f	v
0111			'	7	G	W	g	w
1000	BS	BS	(8	H	X	h	x
1001)	9	I	Y	i	y
1010	LF	LF	*	:	J	Z	j	z
1011			+	;	K		k	
1100			,	<	L		l	
1101	CR		-	=	M		m	
1110			.	>	N		n	
1111			/	?	O		o	

BS = Backspace
CR = Carriage return*
LF = Line feed
SP = Space

*TRS-80 assumes that a line feed will be added externally to each CR, either by Radio Shack's Centronics parallel printer cable, or (in the MX-80) by printer mode set switches.

Table 1. TRS-80 binary bit code for alphanumerics, symbols, and printer instructions








Fig. 3a. Component side of PC board

top titles



#6174 **I Speak BASIC to My TRS-80™** (Jones) A field-tested computer literacy course that introduces students (and teachers) to BASIC language programming. **NO PREVIOUS COMPUTER EXPERIENCE REQUIRED.** This complete 15-session course provides a complete understanding of the TRS-80's operations and functions. The Student Text begins each lesson with learning objectives, followed by definitions of key terms, programming examples, in-class exercises, assignments, a summary, programming practices, and a quiz. Special annotations and suggestions in the Teacher's Manual aid in lesson planning and teaching methods, including answers to all quizzes and practices. Exam set provided on spirit duplicating masters. **\$5.95** Educators Are Encouraged to Inquire about Teacher's Manuals, Exam Sets, and Complete Sets.

#5534 **The BASIC Conversions Handbook for Apple™, TRS-80™, and PET™ Users** (Brain Bank) A complete guide to converting Apple II and PET programs to TRS-80, TRS-80 and PET programs to Apple II, and TRS-80 and Apple II programs to PET. Equivalent commands are listed for TRS-80 BASIC (Model I, Level II), Applesoft BASIC and PET BASIC, as well as variations for TRS-80 Model III and Apple Integer BASIC. Also describes various graphics capabilities. **\$7.95**

#5182 **Programs for Beginners on the TRS-80** (Blechman) A valuable book of practical and interesting programs for home use that can be understood and used immediately by the beginner. Learn step by step how 21 TRS-80 programs work. Program techniques are clearly described and a unique Matri-Dex™ index will enable you to locate other programs using the same BASIC commands and statements. Each program includes a detailed description, a complete listing, an explanation of what the program does, and instructions for modification. **\$8.95 Available on TRS-80 tape (Models I and III with 16K memory), #10003, \$14.95**

#5496 **The SoftSide Sampler: TRS-80™ Entertainment Programs** (Witham) A sampling of SoftSide magazine's more exciting game programs compiled in a single book. Test your nautical skills with programs like Around the Horn and Battleship, participate in a nine-man wrestling tournament, or jump a motorcycle over ten barrels at a time. Twenty-nine stimulating programs in TRS-80 BASIC provide hours of amusement. **\$8.95**

Apple is a registered trademark of Apple Computer Company, Inc.; TRS-80 is a registered trademark of Radio Shack, Inc.; PET is a registered trademark of Commodore Business Machines, Inc.; none of which is affiliated with Hayden Book Company, Inc.

305

Hayden

Order Today



**Available
at your local
computer store
or order by phone
1-800-631-0856**

Dept. #EM 102
In New Jersey
(201) 843-0550 ext. 382



Mail to:

Dept. #EM 102
Hayden Book Company, Inc.
50 Essex St.
Rochelle Park, NJ 07662

Method of payment:

☐ My check or money order is enclosed.

Please charge to my:

☐ Visa ☐ MasterCard

☐ Bill me later & add postage & handling.

Residents of NJ and CA add sales tax.

Please send me the item(s) indicated below by code number:

--	--	--

If I am not completely satisfied, I may return the book(s) undamaged within 10 days for a complete refund.

Mr./Ms.

Address

Apt. #

City

State

Zip

Visa/MasterCard #

Exp. Date

Signature

Prices subject to change

the printer shuts off its busy signal to request the next character/instruction.

The transient occurrence of data is frozen-in-time as long as needed by the printer. The feedback signals from the printer are not transient because they continuously reflect status conditions. Since the TRS-80 needs to check this status for very brief intervals, the feedback information is only inserted onto the data bus when it is needed (via the 37E8H address in combination with a read signal). When location 37E8H is read, the feedback information appears on the data bus as the output of that memory location. The printer status is never stored in the printer interface data latch. PEEK at memory address 37E8H to determine printer status manually; the information you obtain comes directly from the printer, not the data latch. Table 2 summarizes all feedback signals and instructions processed in the printer interface.

See Fig. 1 for a functional block diagram of the printer interface. It presents the three primary functional blocks and illustrates the directions of signal flow. The decoder picks out the address 37E8H from all possible address combinations; the data latch acts as a scratchpad memory for the 8-bit data coming from the TRS-80; the gated buffer periodically allows printer status feedback signals to flow to the TRS-80 on the data bus. The decoded 37E8H address is ANDed with the write or read signal to activate the data latch or the gated buffer. The remaining block is the set/reset latch, actually an R/S flip-flop. Its output logic level changes each time a different one of the two switches is depressed. This latch creates an artificial busy signal (ORed with the printer's busy signal) to manually halt further data flow from the TRS-80 to the printer.

A schematic diagram of the circuitry, including the power supply, appears in Fig. 2. All logic functions are performed by eight Transistor-Transistor Logic (TTL) low power Schottky-type integrated circuits (IC's) which consume about 100 milliam-

peres (mA) of current. Because of the modest power supply demands, an ordinary 6V direct-current (dc) wall plug-in transformer supply is used. D1 regulates its output down to the required 5V. Make sure the dc transformer supply can provide about 150 mA of steady-state current. If you do not have access to an oscilloscope to check the ripple content at its output under a 150 mA load you must include capacitor C3 on your circuit board. C3 provides additional power supply filtering, not needed if you use a well filtered supply.

Construction

The parts list for this project is in Table 3. Use a printed circuit board to speed construction and debugging time. Since the parts layout is not critical, you may use wire-wrap or point-to-point soldering. See Fig. 3 for a full-size etch pattern for the

printer interface board.

If you build your own board and cannot provide plated-through holes do not use IC sockets. Insert a wire into all pads that do not contain component leads and solder the wire on both sides of the board. This

is necessary to transfer conductor paths from one side to the other. If you inserted IC sockets without plated-through holes, there would be no way to solder the pads on the component side of the board.

A parts layout guide for the

Signal/Instruction	Enable level	Source	Function
Busy	High	Printer	Halts data flow to printer
Fault	Low	Printer	Error/fault in printer
Out of paper	High	Printer	Printer out of paper
Prime	Low	Printer	Initializes (resets) interface logic
Read	Low	TRS-80	Along with address 37E8H, outputs printer status to data bus
Strobe	Low	Interface	Pulse which clocks (transfers) data into printer
Unit select	High	Printer	Printer selected
Write	Low	TRS-80	Along with address 37E8H, latches data and starts strobe pulse in interface

Table 2. Feedback signals and instructions processed in the printer interface





Fig. 3b. Reverse side of PC board

Computer Advantages, Inc., Offers a Q_uC_eS Hard Disk System. And the Price Is Unbelievable ... 20 Megabytes for Under \$3500!

Our Q_uC_eS Hard Disk Systems Are Compatible with Your
TRS-80® Model I, II, III, XVI • Apple II® • IBM® PC • NEC™
• S-100 Altos™ • NorthStar™ • Superbrain™ • Panasonic™
• Epson™ • Heath/Zenith™
• and Others.



**We think the Q.C.S.
Hard Disk System
is so reliable
we'll offer you a
10-day money-back
guarantee if it
doesn't work.***

Now you can expand the capability of your microcomputer with cost-effective mass storage from Q_uC_eS. Our integrated family of 6-, 12-, 24-, and 40-million-byte systems lets you operate your micro with the speed, convenience, and proven reliability of systems costing thousands of dollars more! And as your needs grow, Q_uC_eS mass storage can grow too. You can start with an entry-level 6-million-byte system and expand 80 million bytes ... without scrapping your existing programs or operating system.

The completely assembled and tested system includes:

- Switching power supply
- Winchester drive
- Host adapter card

- Sealed case
- Expansion (encloser, controller, and power supply designed for future backup hardware or increased storage)
- Software
- Auto-attach CP/M
- Hard disk utilities
- Realtime clock
- Formatting program (assigns alternates for any weak sectors detected during formatting—assuring the lowest possible error rate)
- Warranty (a full one-year warranty on all parts and workmanship)

Also available:

- Attach program for TRSDOS and OASIS
- New CP/M dynamic generator: configured software; menu-drive for 6-, 12-, 24-, 40-, 80-megabyte drives

Quantity discounts are available.

The following systems software can be utilized:

TRS I, III—attached software for DOS 4.0,** LDOS**
TRS II, XVI—CP/M Racet for TRSDOS,** Turbo DOS, OASIS
TRS Models II and XVI use 6 Meg for CP/M and 6 Meg for TRSDOS.
Apple—CP/M and DOS 3.3
NEC—CP/M
S-100—CP/M
Heath/Zenith—CP/M
IBM—PC DOS, USCD, etc.

Available soon:

Optional 10-megabyte tape back-up

* We are not responsible for software problems.

** Available at an additional cost.

Computer Advantages, Inc.

566 Broad Street
Glen Rock, New Jersey 07452
201/444-2850

500

U1	74LS30 IC
U2	74LS32 IC
U3	74LS27 IC
U4	74LS00 IC
U5	74LS367 IC
U6	74LS122 IC
U7,8	74LS175 IC
D1	1N4733B diode, 5.1 V, 5%, 1 W, zener
D2	LED (Digilkey NSL5053 or equivalent)
C1	220 pF ceramic disc capacitor
C2,3	470 uF, 10 V, electrolytic capacitor (C3 optional—see text)
C4-7	.1 uF, 50 V, mylar capacitor
R1,2,5,6,8	4.7K ohm, 1/4 W, resistor
R3	470 ohm, 1/4 W, resistor
R4	22K ohm, 1/4 W, resistor
R7	10 ohm, 1/2 W, resistor
S1,2	SPST momentary contact pushbutton switch

Miscellaneous

PC board, cabinet (Radio Shack 270-252 or equivalent), IC sockets (optional—see text), 6-volt dc wall plug-in power supply (must not produce more than 7.0 volts dc at a 150 milliamp load), 40-conductor ribbon cable with matching "TRS-80 keyboard card-edge compatible" connector (Radio Shack 278-771/276-1558 or equivalent), hardware (including 5/8" threaded standoffs to mount PC board).

Table 3. Parts List

PC board appears in Fig. 4. Orient the ICs, diodes, and capacitors C2 and C3 as shown. If you use IC sockets, line up the dot or notch on the socket with Fig. 4 to aid subsequent IC insertion. Use a 25 watt iron with a fine pointed tip and .030 inch solder. If your board does not have plated-through holes, install the components first and use the component lead cuttings for the feed-through wires.

Orientation details for the ribbon cables with respect to the connectors, cabinet, and PC board appear in Fig. 5. Study this figure carefully before proceeding with this final phase of construction. Prepare the cabinet listed in Table 3 in three steps. First, drill four holes

through the top to mount the board. Set the board on the cabinet top to serve as a template for locating the holes; allow 7/16" printer connector card edge protrusion outside the cabinet. Second, using a file or hacksaw blade file away the space between the two top-row slots on each side of the cabinet top, as shown in Fig. 5. Enlarge the slot height on the connector card-edge side using a file until it measures 3/16". Insulate the top and bottom edges of this slot with electrical tape or continuous grommet (a U-shaped plastic channel material). An alternative is to file the slot larger than 3/16 inch so the board cannot inadvertently short to the cabinet if flexed slightly. Third, drill holes in the cabinet bottom to mount the switches, Light Emitting Diode (LED), and a feed-through grommet for the incoming power cable. Wrap several layers of electrical tape over the ribbon cable where it feeds through the slot in the connector rear. While holding the cable straight squeeze the connector closed using an ordinary vise. After trimming and stripping the ribbon cable end according to the listing in Fig. 5 insert the cable through the cabinet. Finally, insert the individual wires through the board and solder the pads on both sides.

Installation and Operation

I did not provide a power switch for the printer interface, since power would be applied to the plug-in transformer supply even with the power switch off. It will not harm the interface to be powered-up continuously, but for maximum safety (and convenience) connect all your computer equipment to a common switchable alternating current (ac) power outlet strip.

Turn off the TRS-80, printer, and printer interface before making any interconnections. Insert both the printer and the printer interface card-edge connectors with the ribbon cable exiting the bottom of the con-




Fig. 4. Component placement


VISAGRAPH*

PRINTER GRAPHICS
PROGRAM

TRANSFORM YOUR VISICALC™ FILES INTO HIGH-RESOLUTION CUSTOM
GRAPHS ON YOUR TRS-80™ COMPUTER AND GRAPHICS PRINTER.




ELECTRONIC WORKSHEET											
January 81	NYCI	DATA	DJT	DUJ	SUP	500	Advances	Declines	Up Vol	Down Vol	
1231	77.86	963.97	390.10	114.42	135.76	1040	573	24,538	11,306		
102	78.26	972.78	401.43	115.12	135.34	1062	495	17,275	8,465		
105	78.62	972.35	403.77	117.01	135.79	1066	433	41,159	14,469		
106	79.14	981.69	402.89	117.16	135.12	1049	540	38,463	23,709		
107	77.29	969.77	391.19	115.19	135.68	215	1555	17,763	85,844		
109	76.20	965.70	385.24	114.07	133.04	578	1028	11,757	37,073		
109	76.44	968.69	384.93	112.89	133.48	907	620	20,933	15,739		
112	76.52	960.77	388.34	112.25	133.52	928	633	23,613	19,192		
113	76.35	965.10	387.10	112.49	133.29	578	993	12,407	24,532		
114	76.55	966.47	389.55	112.35	133.47	414	612	23,382	13,773		
115	76.99	969.77	391.10	112.69	133.29	787	671	21,567	13,526		
115	77.33	973.27	401.78	113.22	134.77	699	642	23,222	14,423		
119	78.10	978.79	401.55	114.55	134.77	740	756	16,154	15,338		
120	75.81	959.68	394.09	113.86	131.83	371	1172	5,659			
121	75.37	946.25	392.46	113.80	131.35	617	954	15,737			
122	74.78	940.44	392.03	113.09	130.26	467	1061	11,057			
123	74.72	940.19	391.61	111.75	130.25	683	792	16,604			
126	74.45	938.81	389.19	111.47	129.84	584	565	14,694			
127	75.19	949.41	394.64	111.72	131.12	943	557	26,173			
128	74.79	942.50	395.43	112.49	133.34	605	768	19,433			
127	74.69	948.57	393.04	112.74	130.21	774	719	17,432			
130	74.27	947.27	402.22	112.82	129.55	727	776	16,777			

WORKSHEET				
buys	NYSE Vol	10d NYCI	A-D	ASL
1231	41,21	77.85	447	-1572
102	28,87	77.49	567	-1025
105	38,74	77.78	893	-132
106	67,40	78.92	407	277
107	92,69	77.39	-133	-1062
109	55,35	77.59	-450	-1512
109	50,19	77.38	287	-1223
112	48,76	77.23	295	-928
113	40,82	77.07	-415	-1343



SELECTED INTEREST RATES

— = FEDERAL FUNDS RATE
— = 3 MONTH TREASURY BILL YIELD
— = DISCOUNT RATE



SEE YOUR
LOCAL
SOFTWARE
DEALER
OR ORDER
DIRECT.

MODEL I
\$ 79.00
MODEL III
\$ 89.00

USER REQUIREMENTS

COMPUTER

* TRS-80 MODEL I 48K
* TRS-80 MODEL III 48K
* LNM80 48K

DOS

* TRSDOS 1.3
* NEMDOS, NEMDOS/80
* DOSPLUS 3.4

DISK DRIVES

* MODEL I: SINGLE DRIVE
* MODEL III: DUAL DRIVE

GRAPHICS PRINTER

• MX-80/GRAFTRAX
• MX-100
• LINEPRINTER VIII
• NEC 8023A-C
• IDS 440-G (MODEL I only)

++

++ OTHER VERSIONS IN DEVELOPMENT

* HIGH RESOLUTION - 60 x 72 data points/inch. * LARGE DATA CAPACITY - 1000 Input Data Points per graph. * SELECTABLE GRAPH SIZES - From 1" sq. to 7" x 24" * STANDARD DATA SOURCE - Plots Data from VISICALC or USER'S OWN PROGRAMS using the DIF™ Standard Format. * GRAPH FEATURE SELECTION - Fill out Pre-formatted Form on VISICALC screen or in user's own program. * MINIMAL ENTRY REQUIREMENTS - Enter only name of Datafile and location therein of data to be plotted. * MULTIPLE FUNCTION GRAPHS - Plots up to 10 Data Sets per graph. * DATA SYMBOLS - Plots data with user composed symbol shapes. * DATA INTERPOLATION - connects data points with user composed line shapes. * LINE/SYMBOL LIBRARY - Plots each Data Set with different line/symbol shape chosen from 12 line library. * CUSTOM LINES AND SYMBOLS - Has interactive screen-graphics program for composing symbol shapes. * AUTO ADJUSTING - Selects scale values for ease of graph interpretation. User adjustable Mantissa Table. * GRID SELECTION - Prints selectable number of vertical and horizontal grid lines. * CALENDAR SCALE - Optionally prints names of month on horizontal scale. * CURVE SELECTION - Each Data Set may be plotted with linear or stair-step curves. * OPTIONAL MIN/MAX VALUES - Extends graph beyond the values of the Data Sets. * DATA SET DESCRIPTIONS - Prints text descriptions of each Data Set in graph legend. * TEXT ENTRIES - Prints graph title, axis labels, and date on graph. * USER FRIENDLY - Checks validity of input data and displays cause of errors. * COMPLETE DOCUMENTATION - Comprehensive 40 page Users Manual with examples covering data preparation, graph feature entry, composing lines and symbols, and technical notes.

TO ORDER: Send check, purchase order, or request for COD shipment. Specify Model and Printer Type. Include \$2.50 for postage and handling. Calif. residents add 6% tax.

MICRO SOFTWARE SYSTEMS

PHONE
(714) 526-8435

1815 SMOKEWOOD AVE. • FULLERTON, CA 92631

526

DEALER
INQUIRIES
WELCOME

* NOTICE: To ensure our customers identify our programs as a product of MICRO SOFTWARE SYSTEMS and NOT a product of VISICORP we have changed the name VISICORP to VISAGRAPH.

TRADEMARKS: VISICALC (VISICORP); TRS-80, TRSDOS, LINEPRINTER VIII (TANDY CORP); DIF (SOFTWARE ARTS INC); NEMDOS, NEMDOS/80 (APPARAT INC); DOSPLUS (MICRO-SYSTEMS SOFTWARE); MX-80/GRAFTRAX, MX-100 (EPSON OF AMERICA); NEC PC-8023A-C (NEC AMERICA INC); IDS 440-G (INTEGRAL DATA SYSTEMS); LNM80 (LNU RESEARCH CORP)

necter. If you need to connect additional peripheral devices to the keyboard use Alpha Products' Expandabus, which allows connection of from one to four devices in addition to the printer interface.

The pause and resume switches may be used at any time while printing. If your printer stores an entire line of characters before printing the line it will complete the printout of that line before stopping. The "busy" LED appears to be on steadily during a printout; it is actually being turned on and off very rapidly.

With all equipment turned on but not in the print mode alternately depress the pause and resume switches to turn the LED on and off. This test of the voltage supply and a small portion of the logic circuitry works only if the interface is connected to a printer.

The printer interface should provide years of dependable service. Together with the 32K Memory Modification (Part II, coming up) and the Disk Controller (Part III) you have the

basis for a low-cost Peripheral Support Interface™ for your TRS-80. ■

Readers of 80 Micro are welcome to use the etch patterns contained in this article to construct the Printer Interface

for their personal use only.

An etched and drilled epoxy-glass PC board with plated-through holes is available for \$20.95 postpaid in the U.S. A complete kit of parts is also

available, including PC board, cabinet (not predrilled—see text), IC sockets, and all other parts listed for \$62.95, postpaid in the U.S. Arizona residents add 4 percent sales tax. Order from: PVP Industries, P.O. Box 35667, Tucson, AZ 85740.

RIBBON CABLE CONNECTIONS TO THE INTERFACE BOARD, WITH CABLE AND BOARD ORIENTED AS SHOWN, FROM TOP TO BOTTOM:

NC
A2
NC
A6
A5
A7
NC
A3
A4
D2
NC
D0
NC
D5
NC
D3
NC
D6
NC
D1
NC
D7
A9
D4
RD
NC
WR
NC
A8
NC
A11
A14
A15
GND
A12
A13
NC
A10
NC
NC




Fig. 5. Ribbon cable conductor usage and orientation

COLOR COMPUTER DISK USERS

FLEXPLUS DOS

FLEXPLUS is a powerful, easy-to-use disk operating system. Spectral Associates has adapted TSC's FLEX to the best DOS completely compatible with Radio Shack software for use on the Color Computer. Eliminate the need for Radio Shack's TRS DOS - use FLEXPLUS with Editor/Assembler and have the options of a full range of utilities. FLEXPLUS works on the 32K Radio Shack disk system with 64K memory chips with a High Resolution multi-screen format that supports a 24 line by 51 character display! Also included are special enhancements to Radio Shack's Disk system when you are running FLEX with single or double sided, single or double density, 35, 40 and 80 track drives.

- Built-in Machine Language Monitor

Advantages of FLEXPLUS are:

- Best price anywhere
- Easy start-up - just type "RUN FLEX+"
- Allows you to save RS compatible disk files from FLEXPLUS
- All FLEX compatible software will run including INTERRUPT DRIVEN SOFTWARE
- NO HARDWARE MODIFICATIONS NEEDED
- Warranty will not be voided - no need to open computer
- Wide range of available software
- Requires Supercharger board
- \$149.95 for FLEXPLUS, Editor/Assembler and Supercharger

PRICE INCLUDES:
FLEX PLUS
EDITOR/ASSEMBLER
SUPERCHARGER
FULL DOCUMENTATION
264 PAGE MANUAL

FLEX PLUS BASED SOFTWARE
TABULA RASA - spreadsheet
SUPER SLEUTH - super disassembler
CROSS ASSEMBLER - 6800/1, 6805, 6502, 8080/1/9, 2-80
INTROL C - compiler for 6809
DYNACALC - spreadsheet

SUPERCHARGER

If you have a 32K E series printed circuit board, the SUPERCHARGER will let you switch your computer to full 64K RAM mode. It just plugs into the ROM PAK port and you can use BASIC or not as you wish. NO MODIFICATION is needed and it will not void your warranty. It allows you to still plug ROM pack and/or the disk controller board into the computer. ONLY \$39.95

THE FACTS

At last, a complete description of the "guts" of the Color Computer. Specs on all the ICs, complete schematics, theory of operation and programming examples.

\$14.95

UTILITIES

- EDITOR/ASSEMBLER \$34.95
- SUPER MONITOR 19.95
- EPROM PROGRAMMER 89.95
- (Program your own ROMs for the ROM-PAK port)
- MAGIC BOX 24.95
- Load MOD I/III Basic Tapes into color computer

SPECTRAL ASSOCIATES

141 Harvard Ave.
Tacoma, Washington 98466
(206) 565-8483

WRITE FOR COMPLETE CATALOG

ADD 3% FOR SHIPPING NO COD

VISA OR MASTERCARD ACCEPTED

All prices in U.S. funds

ORDERS ONLY TOLL FREE


800-426-1830

EXCEPT WA, HI, AK

✓119


COLOR COMPUTER

SPECTRAL ASSOCIATES, the LEADER in TRS-80 Color Computer software, presents the best in 16K machine language, fast action, high resolution arcade games. Extended Basic not required.




COSMIC INVADERS

The best invaders type game available. Complete with 16 skill levels, dynamite sound and 4 color hi-res graphics. Can you dodge the bombs long enough to blast the alien ship and invaders? \$21.95.




GHOST GOBBLER

An exciting version of the popular PAC-MAN game with power dots, 8 bonus shapes, super sound and 16 skill levels. Hours and hours of challenging fun. Joysticks \$21.95




ROBOT BATTLE

Can you dodge the never ending horde of robots while avoiding the fatal touch of the Android? Realistic voices and 16 skill levels provide a tremendous arcade type challenge. Joysticks. \$21.95.




SPACE WAR

Maneuver your spaceship through the defenses of the Death Star for the killing shot while avoiding space mines, enemy ships and the gravity pull of the BLACK HOLE. Two Color hi-res graphics. Joysticks. \$21.95



COSMO ZAP

Super new space game! You must dodge the incoming photon torpedos before they can penetrate the defenses of your ship. Once you think you've got the upper hand, defensive fighters may appear and attack. \$9.95



GALAX ATTAX

If you like Space Invaders, you'll love Galax Attax! Alien fighters leave formation to attack your ground base and you must fight them off! Exciting, fast-action machine language game with super sound and high resolution graphics. 16K and joysticks required. \$21.95

FANTASTIC!

MORE 16K MACHINE LANGUAGE GAMES

★ Any 3 \$21.95 games for only \$59.95 ★

- KEYS OF THE WIZARD \$19.95
Best new adventure game! Over 200 rooms filled with creatures, tricks, treasures and magic spells. Cassette save feature built-in.
- COLOR OUT \$9.95
Like Breakout, you must knock out six layers of blocks using your paddle to prevent missiles from escaping. Joysticks optional.

Sound and Utilities

- SOUNDSOURCE \$24.95
Designed to explore the sound capabilities of the Color Computer. Comes with cable.
- COMPUVOICE \$44.95
This voice synthesizer is a completely software based phoneme speech generation program.

- STAR FIRE \$21.95
Like the arcade version of DEFENDER.
- CROID \$12.95
Carry on an intelligent conversation with the computer with this version of the ELIZA artificial intelligence program.
- CC THELLO \$14.95
Super arcade quality OTHELLO game.

- MAGIC BOX \$24.95
Load MOD I/III Level II 500 baud BASIC programs into the Color Computer.

LOOK AT THIS!

Expand Memory from 16K to 32K.

RAMCHARGER - for series D and earlier printed circuit board.

DYNOCARGER - for series E printed circuit board.

Either for only \$79.95.

GAME PAK III \$14.95
A treasury of 8 Basic games.

CC POKER \$9.95
Enjoy 5 card Draw Poker written in 16K extended Basic.

BRAND NEW ITEMS!

COLOR TEXT STAR \$49.95

A WORD PROCESSOR especially written for the color computer with either cassette or disk. Features include typewriter, editor and printer modes. The printer mode will allow you to concatenate files and the line width and number of lines per page may be specified at print time. Prints any line width up to 133 characters depending upon your printer. Disk version allows a file of data such as name and address to be inserted into a document such as printing copies of a letter addressed to various persons. Features a hi-res 51 character X 24 line display. Manual included.

SPECTRAL ASSOCIATES FIRST ANNUAL GAME CONTEST
Submit your original, complete machine language color high resolution graphic game to us by November 15, 1982. Write or call us for details.

FIRST PRIZE - \$2000 and the coveted PRISM TROPHY
SECOND PRIZE - \$500
THIRD PRIZE - \$200

TO ORDER 800-426-1830

except WA, AK, HI (8:30 - 4:00 Monday - Friday)

ASK FOR OUR CATALOG
VISA OR MASTERCARD

All Prices U.S. Funds Add 3% Shipping


SPECTRAL ASSOCIATES

141 Harvard • Tacoma, WA 98466

For Information Call (206) 565-8483

80 Micro, October 1982 • 225

DISPLAYED VIDEO'S DONE IT AGAIN!!!



**"DV'S"
COLOR
COMPUTER
FIRST
DRIVE
"\$425.00"**



**"PRICE"
"CUT"**

DISPLAYED VIDEO IS DRIVING DOWN PRICES ON DISKS!

80 TRACK TEAC DISK DRIVE W/CASE & POWER SUPPLY*

\$289.00

40 TRACK TEAC DISK DRIVE W/CASE & POWER SUPPLY

\$239.00

TWO DRIVE CABLE \$23.99

With Gold Plated Connectors

NEWDOS 80 \$125.00 MODEL I OR III

Bare Drives & Cases Available Upon Request

By the time you see this ad, DISPLAYED VIDEO's *Hard Disk* will be available to you.
Call for the Lowest Prices Available

**"PRICE"
"CUT"**

EPSON PRICES

We're not going to make you call for prices.
Here they are in black and white!!

MX 80 (W/GRAPHTRAX) PLUS \$459.00

MX80FT (W/GRAPHTRAX) PLUS \$565.00

MX100 (W/GRAPHTRAX) PLUS \$719.00

PRINTER CABLE \$23.99

With Gold Plated Connectors
We Carry A Full Line of OKIDATA Printers

Stop in to our Two New Retail Locations:

886 Ecorse Road, Ypsilanti, MI 48197
(313) 426-5086/ (313) 482-4424

or

111 Marshall Street, Litchfield, MI 49252
(517) 542-3280

And Present this **COUPON** to pick
up your free **Diskette** or **Two C10
Cassettes**.

Limit one per family.

Offers expires 9-1-82.

*TRS-80 is a trademark of the Tandy Corporation

COUPON



**Grand Opening of our Radio Shack Authorized Dealership at:
111 Marshall Street, Litchfield, Michigan 49252 #P142**

To Order: Call (313) 426-5086 or (313) 482-4424 or (517) 542-3280 or write DISPLAYED VIDEO,
886 Ecorse Road, Ypsilanti, Michigan 48197

Prices subject to change without notice

COUPON

IMMEDIATE DELIVERY

**90 Days Parts and Labor Warranty
DEALER INQUIRIES INVITED**

*Free Shipping in the U.S.
48 Contiguous States*



DISPLAYED VIDEO IS DRIVING DOWN PRICES ON DISKS!

DISPLAYED VIDEO is now offering TRS-80* MODEL III with TANDON disk drives, one of the most reliable disk drive systems on the market, for incredibly low prices.

MODEL III with 48K, dual 40 track double density disk drives, complete systems with TRSDOS and ONE BOX OF DISKETTES

PLUG IT IN AND GO. \$1,799.00

MODEL III with 48K, dual 40/40 track double density disk drives, complete systems with NEWDOS 80 and ONE BOX OF DISKETTES

PLUG IT IN AND GO. \$2,199.00

MODEL III with 48K, dual 80 track double density disk drives, complete systems with NEWDOS 80 and ONE BOX OF DISKETTES

PLUG IT IN AND GO. \$2,199.00

MODEL III with 48K, dual 80/80 track double density disk drives, complete systems with NEWDOS 80 and ONE BOX OF DISKETTES

PLUG IT IN AND GO. \$2,499.00

MODEL III 16K w/Free Shipping. **\$839.00**

16K Color Computer. **\$459.00**

MODEL III Internal Drive Kit: Includes controller board, dual drive mounting bracket, dual power supply, all hardware cables and connectors (gold plated) **\$399.00**

MODEL 16 w/1 drive /w/2 drives **CALL**

Visit Our Two NEW RETAIL LOCATIONS:

886 Ecorse Road, Ypsilanti, MI 48197
(313) 426-5086/ (313) 482-4424

111 Marshall Street, Litchfield, MI 49252
(517) 542-3280



**DISPLAYED
VIDEO**



IMMEDIATE DELIVERY
120 Days Parts and Labor Warranty
DEALER INQUIRIES INVITED

Free Shipping in the U.S.
48 Contiguous States

Grand Opening of our Radio Shack Authorized Dealership at:
111 Marshall Street, Litchfield, Michigan 49252 #P142

To Order: Call (313) 426-5086 or (313) 482-4424 or (517) 542-3280 or write DISPLAYED VIDEO,
886 Ecorse Road, Ypsilanti, Michigan 48197

*TRS-80 is a trademark of the Tandy Corporation

Prices subject to change without notice



Better note timing and harmonic clarity.

Programming Pitch—Part III

Merton L. Davis
3A Palmetto Arms
Camden, SC 29020

Several months ago I wrote a program that uses a TRS-80 to generate music (see "Programming Pitch," *80 Micro*, May 1982 and June/July 1982). But a project like this is never really done. After programming some more (and listening to the same pieces of music on my TRS-80 over and over), I've come up with a new improved version. I have corrected mathematically inexact divisions in timing (from 32nd to whole notes) and the inferior harmonic clarity, particularly in the upper registers.

The Problems

The defect in note timing resulted from two problems. First, the note duration *D* is inversely proportional to a logarithmic function of the note period, *P* (rather than to *P* itself). Second, the interval of silence between notes is the same whether the note is of 1/32nd value or whole. Consequently, playing 32 32nd notes took considerably more time than one whole note. This problem is corrected by introducing the corrected *B* value, *BC*.

I improved note clarity by coding the machine-language music generator to permit greater dispersion of note periods in the range of the piano keyboard.

New Basic Program

The first 155 lines of the Basic driver (see Program Listing 1), like the original, load the

keyboard and the music generator machine language in reserved space of upper memory in a 16K system. At line 160 the Basic driver sets the *USR* entry from Basic to the keyboard at 7A6CH (decimal 31340). The driver also sets certain parameters prior to the note-playing and rest-playing loops. Key parameters and variables of the original Basic driver and the new program are explained in Table 1. The parameters set in line 160 of the new Basic driver are:

- *K*—the proportionality constant for relating the duration *D* to *B*, and to the tempo *AT*. *K* varies from note to note because the logarithmic function of *P* that corrects timing is incorporated in *K*.

- *X*—*VARPTR* location of *K* that informs the machine-language keyboard the address to place the table value of *K* called for by the note string.

- *D* = one. The rest flag is recognized in the new machine-language program by *D* equals zero rather than by *D* equals one as

in the original program. *D* must be given any value other than zero to start the music.

- *AB* = the time in *B*-value units between the end of one note and the beginning of the next. The value of 1.46 was experimentally determined.

- *CK*, *DK* and *EK*—the rest constants in the original program revised according to experimental data.

Line 170 is similar to line 130 of the original program. The repeat flag *H* is no longer included, and the multiplicative factor to obtain the tempo *AT* from *AP* has been changed to .03525 from .2. With .03525, a tempo selection of five will play the music at a metronome 84 for a quarter note (*B* equals 16).

Line 195 corrects the assigned *B* value (note value from Fig. 3 of the original article) with *BC*. With *AB* equal to 1.46, the new program will allow no *B* value lower than 1.5 (equivalent to 1/64th dot). If you desire more exact mathematical timing for notes equal

Symbol	Explanation
A	Single Precision (SP) note duration
AD	SP rest duration
AP	SP tempo entered by user
AT	SP tempo calculated for program use
B	SP note value from 64 for a whole note to one for a 1/64th note
D	Integer value of note duration
CK,DK,EK	Constants of quadratic equation for rest duration as function of RK
NT\$	3-character note string with first 2 characters describing note: AF = A Flat CN = C Natural FS = F Sharp
	Third character designates octave (zero to seven)
L	Numerical value if NT\$ has one character L=0 Directs to rest loop L=1 Initiates reading of NT\$ only if B>0; ends music if B<0 L=2 Initiates special effects with B designating line number to go to L=3-5 Lowers B-value during NT\$-only reading L=7-9 Proportionately increases B-value during NT\$-only reading L=6 Initiates reading of NT\$ and associated "B" if in Read NT\$ only
P	Period of a note or integer value of rest duration
RK	Integer product of B and tempo AP for a rest

Table 1. Key parameters and variables in original Basic driver

The Key Box

Model I or III
16K RAM
Cassette Basic
Amplifier

Program Listing 1. New Basic Driver

```
1 'MUSIC DRIVER VII FOR MUSIC KEYBOARD AT 7A6CH AND MUSIC GENERA
TOR AT 7FBBH
```

```
2 'PROGRAM FOR TRS-80 MODEL I LEVEL II 16K
```

```
3 ' BY MERTON L. DAVIS
```

```
4 ' 3A PALMETTO ARMS
```

```
5 ' CAMDEN S. CAROLINA 29020
```

```
6 'RUN FIRST TO LOAD KEYBOARD AND MUSIC GENERATOR
```

```
7 'THEN RUN TO PLAY MUSIC AT TEMPO OF YOUR CHOICE
```

```
8 '
```

```
9 DATA 205,127, 10,229, 33, 33,123,205, 13, 38
```

```
10 DATA 235, 94, 35, 86,225,122,179,202,210,127
```

```
11 DATA 35, 94, 35, 86,213,253,225,221, 33, 35
```

```
12 DATA 123, 42,254,127, 1,168, 0,253,126, 0
```

```
13 DATA 254, 65,202,190,122,221, 9,254, 66,202
```

```
14 DATA 190,122,221, 9,254, 67,202,190,122,221
```

```
15 DATA 9,254, 68,202,190,122,221, 9,254, 69
```

```
16 DATA 202,190,122,221, 9,254, 70,202,190,122
```

```
17 DATA 221, 9, 1, 56, 0,253,126, 1,254, 78
```

```
18 DATA 202,210,122,221, 9,254, 83,202,210,122
```

```
19 DATA 221, 9, 1, 7, 0,253,126, 2,254, 48
```

```
20 DATA 202, 9,123,221, 9,254, 49,202, 9,123
```

```
21 DATA 221, 9,254, 50,202, 9,123,221, 9,254
```

```
22 DATA 51,202, 9,123,221, 9,254, 52,202, 9
```

```
23 DATA 123,221, 9,254, 53,202, 9,123,221, 9
```

```
24 DATA 254, 54,202, 9,123,221, 9,221,126, 5
```

```
25 DATA 119, 35,221,126, 6,119, 33,187,127, 34
```

```
26 DATA 142, 64,221,102, 4,221,110, 3,195,154
```

```
27 DATA 10, 68, 0, 65, 78, 48, 76, 10, 13, 0
```

```
28 DATA 65, 78, 49, 38, 5, 26, 0, 65, 78, 50
```

```
29 DATA 147, 2, 52, 0, 65, 78, 51, 74, 1,101
```

```
30 DATA 0, 65, 78, 52,165, 0,199, 0, 65, 78
```

```
31 DATA 53, 82, 0,121, 1, 65, 78, 54, 41, 0
```

```
32 DATA 173, 2, 65, 78, 55, 21, 0,111, 4, 65
```

```
33 DATA 83, 48,184, 9, 14, 0, 65, 83, 49,220
```

```
34 DATA 4, 27, 0, 65, 83, 50,110, 2, 55, 0
```

```
35 DATA 65, 83, 51, 55, 1,108, 0, 65, 83, 52
```

```
36 DATA 156, 0,209, 0, 65, 83, 53, 78, 0,139
```

```
37 DATA 1, 65, 83, 54, 39, 0,203, 2, 65, 83
```

```
38 DATA 55, 19, 0,176, 4, 65, 78, 48, 0, 0
```

```
39 DATA 2, 0, 65, 78, 49,117, 5, 24, 0, 65
```

```
40 DATA 70, 50,186, 2, 48, 0, 65, 78, 51, 93
```

```
41 DATA 1, 96, 0, 65, 78, 52,175, 0,187, 0
```

```
42 DATA 65, 78, 53, 87, 0,100, 1, 65, 78, 54
```

```
43 DATA 44, 0,135, 2, 65, 78, 55, 22, 0, 51
```

```
44 DATA 4, 66, 78, 48, 45, 9, 15, 0, 66, 78
```

```
45 DATA 49,150, 4, 29, 0, 66, 78, 50, 75, 2
```

```
46 DATA 58, 0, 66, 78, 51, 38, 1,114, 0, 66
```

```
47 DATA 78, 52,147, 0,222, 0, 66, 78, 53, 73
```

```
48 DATA 0,164, 1, 66, 78, 54, 37, 0,226, 2
```

```
49 DATA 66, 78, 55, 18, 0,226, 4, 66, 83, 48
```

```
50 DATA 169, 8, 16, 0, 66, 83, 49, 85, 4, 31
```

```
51 DATA 0, 66, 83, 50, 42, 2, 61, 0, 66, 83
```

```
52 DATA 51, 21, 1,120, 0, 66, 83, 52,139, 0
```

```
53 DATA 234, 0, 66, 83, 53, 69, 0,184, 1, 66
```

```
54 DATA 83, 54, 35, 0, 17, 3, 66, 83, 55, 17
```

```
55 DATA 0, 0, 5, 66, 78, 48,184, 9, 14, 0
```

```
56 DATA 66, 78, 49,220, 4, 27, 0, 66, 78, 50
```

```
57 DATA 110, 2, 55, 0, 66, 78, 51, 55, 1,108
```

```
58 DATA 0, 66, 78, 52,156, 0,209, 0, 66, 78
```

```
59 DATA 53, 78, 0,139, 1, 66, 78, 54, 39, 0
```

```
60 DATA 203, 2, 66, 78, 55, 19, 0,176, 4, 67
```

```
61 DATA 78, 48,169, 8, 16, 0, 67, 78, 49, 85
```

```
62 DATA 4, 31, 0, 67, 78, 50, 42, 2, 61, 0
```

```
63 DATA 67, 78, 51, 21, 1,120, 0, 67, 78, 52
```

```
64 DATA 139, 0,234, 0, 67, 78, 53, 69, 0,184
```

```
65 DATA 1, 67, 78, 54, 35, 0, 17, 3, 67, 78
```

```
66 DATA 55, 17, 0, 0, 5, 67, 83, 48, 45, 8
```

```
67 DATA 16, 0, 67, 83, 49, 22, 4, 32, 0, 67
```

```
68 DATA 83, 50, 11, 2, 64, 0, 67, 83, 51, 6
```

```
69 DATA 1,127, 0, 67, 83, 52,131, 0,247, 0
```

```
70 DATA 67, 83, 53, 65, 0,208, 1, 67, 83, 54
```

```
71 DATA 33, 0, 52, 3, 67, 83, 55,132, 3, 38
```

```
72 DATA 0, 67, 78, 48, 45, 9, 15, 0, 67, 78
```

```
73 DATA 49,150, 4, 29, 0, 67, 78, 50, 75, 2
```

```
74 DATA 58, 0, 67, 78, 51, 38, 1,114, 0, 67
```

```
75 DATA 78, 52,147, 0,222, 0, 67, 78, 53, 73
```

```
76 DATA 0,164, 1, 67, 78, 54, 37, 0,226, 2
```

```
77 DATA 67, 78, 55, 18, 0,226, 4, 68, 78, 48
```

```
78 DATA 183, 7, 17, 0, 68, 78, 49,220, 3, 34
```

```
79 DATA 0, 68, 78, 50,238, 1, 68, 0, 68, 78
```

```
80 DATA 51,247, 0,135, 0, 68, 78, 52,123, 0
```

```
81 DATA 4, 1, 68, 78, 53, 62, 0,227, 1, 68
```

```
82 DATA 78, 54, 31, 0, 76, 3, 68, 78, 55, 37
```

```
83 DATA 0,217, 2, 68, 83, 48, 72, 7, 18, 0
```

```
84 DATA 68, 83, 49,164, 3, 37, 0, 68, 83, 50
```

```
85 DATA 210, 1, 72, 0, 68, 83, 51,233, 0,143
```

```
86 DATA 0, 68, 83, 52,117, 0, 16, 1, 68, 83
```

```
87 DATA 53, 58, 0,251, 1, 68, 83, 54, 29, 0
```

```
88 DATA 122, 3, 68, 83, 55, 37, 0,217, 2, 68
```

```
89 DATA 70, 48, 45, 8, 16, 0, 68, 78, 49, 22
```

```
90 DATA 4, 32, 0, 68, 78, 50, 11, 2, 64, 0
```

```
91 DATA 68, 78, 51, 6, 1,127, 0, 68, 78, 52
```

```
92 DATA 131, 0,247, 0, 68, 78, 53, 65, 0,208
```

```
93 DATA 1, 68, 78, 54, 33, 0, 52, 3, 68, 78
```

```
94 DATA 55, 37, 0,208, 2, 69, 78, 48,224, 6
```

```
95 DATA 19, 0, 69, 78, 49,112, 3, 39, 0, 69
```

```
96 DATA 78, 50,184, 1, 77, 0, 69, 78, 51,220
```

```
97 DATA 0,150, 0, 69, 78, 52,110, 0, 30, 1
```

```
98 DATA 69, 78, 53, 55, 0, 21, 2, 69, 78, 54
```

```
99 DATA 27, 0,172, 3, 69, 78, 55, 37, 0,217
```

```
100 DATA 2, 69, 83, 48,125, 6, 20, 0, 69, 83
```

```
101 DATA 49, 62, 3, 41, 0, 69, 83, 50,159, 1
```

```
102 DATA 81, 0, 69, 83, 51,208, 0,159, 0, 69
```

```
103 DATA 83, 52,104, 0, 48, 1, 69, 83, 53, 52
```

```
104 DATA 0, 52, 2, 69, 83, 54, 26, 0,197, 3
```

```
105 DATA 69, 83, 55, 37, 0,208, 2, 69, 78, 48
```

```
106 DATA 72, 7, 18, 0, 69, 78, 49,164, 3, 37
```

```
107 DATA 0, 69, 78, 50,210, 1, 72, 0, 69, 78
```

```
108 DATA 51,233, 0,143, 0, 69, 78, 52,117, 0
```

```
109 DATA 16, 1, 69, 78, 53, 58, 0,251, 1, 69
```

```
110 DATA 78, 54, 29, 0,122, 3, 69, 78, 55, 37
```

```
111 DATA 0,217, 2, 70, 78, 48,125, 6, 20, 0
```

```
112 DATA 78, 78, 49, 62, 3, 41, 0, 78, 78, 50
```

Listing 1 continues

Introducing...


ColorZAP™

A powerful utility that opens a window into the Color Computer's disks.

COLORZAP uses the power of the Color Computer to provide both rapid scanning and full screen modification capabilities. You can now examine, modify, and copy programs or data while they're stored on disk. Access them by filename or location.

COLORZAP is programmed largely in BASIC so that you can modify it if you'd like, but part of it is in machine language to provide fast response. All accesses to disk are performed with standard interfaces, so any standard Color Computer disk can be examined. You can directly access the disk's directory and control information to examine a clobbered disk, recover a killed file, or find parts of a file when other parts have been lost. With this new window into its disks, the Color Computer sheds its image as a toy. Now you can use this exciting machine like other powerful microcomputers.

For the TRS-80 Color Computer. Available on disk with an accompanying manual from **Software Options**, 19 Rector Street, New York, N.Y. 10006. 212-785-8285. **Toll-free order line: 800-221-1624.** Price: \$49.95 (plus \$3.00 per order shipping and handling). New York State residents add sales tax. Visa/Master-card accepted.



SOFTWARE
OPTIONS INC.™

Listing 1 continues

```

113 DATA 159, 1, 81, 0, 70, 78, 51,208, 0,159
114 DATA 0, 70, 78, 52,104, 0, 48, 1, 70, 78
115 DATA 53, 52, 0, 52, 2, 70, 78, 54, 26, 0
116 DATA 197, 3, 70, 78, 55, 37, 0,217, 2, 70
117 DATA 83, 48, 32, 6, 22, 0, 70, 83, 49, 16
118 DATA 3, 43, 0, 70, 83, 50,136, 1, 86, 0
119 DATA 70, 83, 51,196, 0,168, 0, 70, 83, 52
120 DATA 98, 0, 66, 1, 70, 83, 53, 49, 0, 84
121 DATA 2, 70, 83, 54, 24, 0,247, 3, 70, 83
122 DATA 55, 37, 0, 32, 3, 70, 70, 48,224, 6
123 DATA 19, 0, 70, 70, 49,112, 3, 39, 0, 70
124 DATA 70, 50,184, 1, 77, 0, 70, 70, 51,220
125 DATA 0,150, 0, 70, 70, 52,110, 0, 30, 1
126 DATA 70, 70, 53, 55, 0, 21, 2, 70, 70, 54
127 DATA 27, 0,172, 3, 70, 70, 55, 37, 0,217
128 DATA 2, 71, 78, 48,200, 5, 23, 0, 71, 78
129 DATA 49,228, 2, 46, 0, 71, 78, 50,114, 1
130 DATA 91, 0, 71, 78, 51,185, 0,177, 0, 71
131 DATA 78, 52, 92, 0, 82, 1, 71, 78, 53, 46
132 DATA 0,106, 2, 71, 78, 54, 23, 0, 25, 4
133 DATA 71, 78, 55, 37, 0,216, 2, 71, 83, 48
134 DATA 117, 5, 24, 0, 71, 83, 49,186, 2, 48
135 DATA 0, 71, 83, 50, 93, 1, 96, 0, 71, 83
136 DATA 51,175, 0,187, 0, 71, 83, 52, 87, 0
137 DATA 100, 1, 71, 83, 53, 44, 0,135, 2, 71
138 DATA 83, 54, 22, 0, 51, 4, 71, 83, 55, 37
139 DATA 0,218, 2, 71, 70, 48, 32, 6, 22, 0
140 DATA 71, 70, 49, 16, 3, 43, 0, 71, 70, 50
141 DATA 136, 1, 86, 0, 71, 70, 51,196, 0,168
142 DATA 0, 71, 70, 52, 98, 0, 66, 1, 71, 70
143 DATA 53, 49, 0, 84, 2, 71, 70, 54, 24, 0
144 DATA 247, 3, 71, 70, 55, 37, 0,218, 2,205
145 DATA 127, 10,229, 33, 33,123,205, 13, 38,235
146 DATA 94, 35, 86,225, 14, 1, 62, 3,169, 79
147 DATA 211,255,125,183,229,194,217,127, 44, 69
148 DATA 16,254,203,124, 32, 5, 37,250,235,127
149 DATA 36, 37, 46,254,195,217,127,122,179,225
150 DATA 202,245,127, 27,195,204,127, 33,108,122
151 DATA 34,142, 64,195,154, 10
153 POKEL6562,122:POKEL6561,107:CLR100:FORZ=31340TO32765:READX
:S=S+X:POKEZ,X:NEXT
155 IFS=97735THEN300 ELSE PRINT"BAD CHECKSUM IN DATA":STOP
160 DEFINTC-Z:POKEL6527,122:POKEL6526,108:K=2500:D=1:AB=1.46:CK=
-6:DK=1980:EK=-20335:X=VARPTR(K):POKE32766,PEEK(VARPTR(X)):POKE3
2767,PEEK(VARPTR(X)+1)
170 CLS:G=0:INPUT"TEMPO 1 TO 20 (1 IS FASTEST)";AP:AT=.03525*AP:
RESTORE
180 IF G=0 READ NT$,B ELSE READNT$
185 IF LEN(NT$)=2 ORLEN(NT$)>3 THEN PRINT NT$;" BAD":STOP: 'DELE
TE THIS LINE AFTER DEBUGGING
190 IFLEN(NT$)=1THEN230
195 BC=B-AB
200 P=USR(VARPTR(NT$)):A=K*BC*AT
205 IF A>65535 THEN PRINT"BC*AT PRODUCT";BC*AT;"TOO LARGE":STOP
'DELETE THIS LINE AFTER DEBUGGING
210 IFA<32768THENB=AELSEB=A-65536
215 PRINTNT$;B: 'DELETE THIS LINE AFTER DEBUGGING DATA
220 F=USR(P):GOTO180
230 L=VAL(NT$):IFL<>0THEN270
240 RK=B*AP:IFRK<15THENFORZ=1TO INT(2.74*RK):NEXT:D=1:GOTO180
250 AD=CK*RK*RK+DK*RK+EK:D=0
255 IF AD>65535 THEN PRINT"AD";AD;"IS TOO LARGE":STOP 'DELETE TH
IS LINE AFTER DEBUGGING DATA
260 IFAD<32768THENP=AD:F=USR(P):D=1:GOTO180 ELSEP=AD-65536:F=USR
(P):D=1:GOTO180
270 IFL=1ANDB>0THENG=1:GOTO180ELSEIFL=1THEN170
280 IFL=2THEN350
290 IFL=3THENB=.2*B:GOTO180ELSEIFL=4THENB=.5*B:GOTO180ELSEIFL=5T
HENB=.8*B:GOTO180ELSEIFL=6THENG=0:GOTO180ELSEIFL=7THENB=1.25*B:G
OTO180ELSEIFL=8THENB=2*B:GOTO180ELSEIFL=9THENB=5*B
300 CLS:PRINT"MUSIC GENERATOR READY FOR RUNNING":DELETE1-155
310 F=USR(USR(VARPTR(NT$))):FORZ1=1TODR:NEXT:RETURN
350 'SPECIAL EFFECTS FOR CHOPIN "BERCEUSE"--TREBLE CLEF--
351 ONBGOTO400,500,600,650,700
400 N=INT(.45*AP):D=13:DR=15:READN1$,N2$
410 FORZ=1TON
420 NT$=N1$:GOSUB310:NT$=N2$:GOSUB310:NEXTZ
430 NT$=N1$:GOSUB310:GOTO180
500 N=INT(.45*AP):D=13:DR=15:READN1$,N2$,N3$
510 FORZ=1TON
520 NT$=N1$:GOSUB310:NT$=N2$:GOSUB310:NEXTZ:N=N/2
530 FORZ=1TON
540 NT$=N3$:GOSUB310:NT$=N2$:GOSUB310
550 NEXTZ:NT$=N2$:D=32:GOSUB310:GOTO400
600 FORZ=1TO138:READNT$:P=USR(VARPTR(NT$)):D=3510/P:F=USR(P):FOR
Z1=1TODR:NEXT:NEXTZ
610 FORZ=1TO22:READNT$:P=USR(VARPTR(NT$)):D=3000/P:F=USR(P):FORZ

```

Listing 1 continues

to or shorter than 1/64th dot, you must use the special effects illustrated below.

Line 200 finds P (the period) in the machine-language keyboard, as in the original program. It also now finds the K value for the particular period as well. K is then used to determine the single-precision A in line 200, from which D (the duration integer) is derived in line 210.

Line 220 plays the note and returns for the next one. The Basic program no longer needs the time to POKE a new USR entry before playing the note, as in the original program.

The rest-treating loop, lines 240-260, is still accessed by reading e (via lines 190 and 230) into NT\$, but now the RK value is determined in line 240 rather than in the note-playing loop. If the new RK value is less than 15, the quadratic equation of line 250 no longer applies. Line 240 will then send the program back to get the next note after a Basic timing delay.

Line 250 determines the rest duration and sets D equal to zero for the machine language to flag a rest. I calculated the constants CK, DK and EK, fixed in line 160, by linear regression from experimental data. I used a metronome to find the rest duration AD for a series of RK values. As before, the rest timing will no longer apply if you appreciably alter the note-playing or rest-playing loops in the Basic program.

Line 260 determines the rest period and plays the rest. In this new version, D must be set to some value other than zero before returning for the next note.

One additional line (line 310) facilitates handling special effects. The note-playing subroutine in line 310 is especially handy for trills.

Lines to Delete

Four lines in the new program must be deleted if the timing constants in line 160 and .03525 in line 170 are to apply. Lines 185, 205, 215 and 255 help find bugs in your musical data during the first playback. After debugging they serve no useful purpose and should be deleted.

Line 185 will catch bad data entries from reaching the machine language. Line 215 will tell you the offending sour note or B-value timing after the break key is depressed during initial playback. In the interest of keeping the B-value correction constant AB as small as possible, delete line 215 before the final performance.

Line 205 interrupts the music if the note duration exceeds the capacity of a two-byte integer. If this should occur, try a faster tempo. If you are still unsatisfied, lower the note B value a bit and make up the timing difference with a rest.

Line 255 interrupts if the rest duration exceeds capacity. You may play a faster tempo or divide the rest into two or more with B value totaling the B value of the original rest.

Chopin's Berceuse


I have chosen *Berceuse* for illustrating

DAISY WHEEL

New Smith Corona TP-1
Price Breakthrough

True letter quality printer for less than the cost of an office typewriter! Priced \$500 less than other popular daisy wheel printers!

SALE PRICE:
\$669



FEATURES:

- ★ Friction feed
 - ★ 15 cps, 120 wpm
 - ★ Changeable daisy wheels
 - ★ Parallel or serial interface
 - ★ Compatible with R/S, Apple, etc.
- We will Match or Beat any Advertised Price!**



SUNLOCK SYSTEMS
4217 Carolina Ave.
Richmond, Va. 23222

Write for free brochure & type samples.

To order call collect, 0-804-321-9191
We accept MasterCard, Visa and CODs

✓456

MICRO MOONLIGHTER NEWSLETTER

The ONLY publication devoted exclusively to helping you create, build, and maintain a home-based business using your micro-system. **SUBSCRIBE NOW** to what may be the most important publication in YOUR FUTURE!

1 Year (12 issues) only \$25 U.S., \$29
Canada, \$35 World Wide

J. Norman Goode, Publisher

Micro Moonlighter Newsletter

2115-D Bernard Avenue • Nashville, TN 37212

Visa and Mastercard welcome. Send account number and expiration date. 615-297-5106.

☐ Visa Acct # _____ Exp. _____

☐ M/C Acct # _____ Exp. _____

Name _____

Address _____

City _____ St. _____ Zip _____

✓270

Introducing...

Data-Writer™

A powerful information processing system that interfaces text processing and data management.

Users have praised Midwest Data System's Auto-Writer for its unique, versatile approach to data base management.

Now DATA-WRITER does even more:

- New Data Entry program to create your data base or add records to an existing data base. It has error checking features and supports both fixed and variable length fields.
- New File Editor lets you edit your data base without an independent word processor. Or, if you prefer, use your own word processor (Electric Pencil, Lazy Writer or Scripsit) to create and edit your data base.
- New Field Manager that lets you add, delete, re-order or append fields and merge or split data bases.
- New interactive, double-precision Math program that processes up to 20 equations of up to 255 characters using numbers you enter and your data base field labels. It includes an in-memory scratch pad to store temporary values. Insert them into other equations for a cascade of increasingly complex mathematical statements. Store your series of equations on disk as procedure files to use any time you need them.
- New two-level Sort that enables you to use nested sorts for complex ordering of data files. Sort on any field, without having previously designated it as a key.
- New Mailing Label program that allows you to print multiple labels from one to four across and to insert a variable from the keyboard or a fixed message on every label.
- Form Letter processor that allows you to insert data from your data base into a form letter or contract.
- Report Generator for columnar tabulations with automatic headings, pagination, totals and subtotals, and sophisticated formatting control. **DATA-WRITER'S** unique flexibility enables you to modify your report format as you wish, without the need to scrap it and start fresh.
- Powerful Select-If command that lets you define a subset of your data base. New instring selection capabilities. With Select-If and Sort, you can create dozens of new data bases for specific purposes.
- Statistical check on your data base to locate data entry errors. Stats also reports maximum entered data length for each defined field, a tremendous aid when designing a report.

DATA-WRITER is both powerful and easy to use. It has speed and versatility not available in any so-called data base management system. As one Auto-Writer user said, "Why hasn't someone done this before!"

For the TRS-80 Model I/III (48K, 2 disk drives, lower case required). Available at your favorite software store, or order from **Software Options**, 19 Rector Street, New York, N.Y. 10006. 212-785-8285. **Toll-free order line: 800-221-1624.** Price: \$125 (plus \$3 per order shipping and handling). New York State residents add sales tax. Visa/Mastercard accepted.



✓537


```

1=1TODR:NEXT:NEXTZ
620 GOTO180
650 FORZ=1TO9:READNT$:P=USR(VARPTR(NT$)):D=2600/P:F=USR(P):FORZ1
=1TODR:NEXT:NEXTZ:GOTO180
700 FORZ=1TO72:READNT$:P=USR(VARPTR(NT$)):D=3510/P:F=USR(P):FORZ
1=1TODR:NEXT:NEXTZ:GOTO180
1000 'DATA FOR CHOPIN "BERCEUSE" TREBLE CLEF
1010 DATAFN4,24,EF4,8,AF5,8,FN4,8,EF4,8,FN4,8,DF4,8,BF4,8,CN4,8,
EF4,8,AF4,8,DF4,14,1,8,EF4,GF4,BF5
1020 DATAAF5,GF4,FN4,EF4,DF4,EF4,FN4,CN4,BF4,EF4,AF5,FN4,EF4,FN4
,DF4,BF4,CN4,EF4,AF4,DF4,BF4,EF4,GF4,BF5,AF5,DF5,BF5,GF4,CN5,AF5

1030 DATAFN4,BF5,GF4,EF4,AF5,FN4,EF4,FN4,DF4,BF4,CN4,EF4,4,AF4,F
N3,DF4,EF3,DF3,DF4,EF4,CN4,GF4,BF4,BF5,GF4,AF5,FN4,DF5,EF4,BF5,D
F4,GF4,DN4,CN5,AF4,AF5,AF4,6
1040 DATAAF5,2,AF4,22,AF5,2,AF4,6,AF5,2,AF4,6,FN4,2,AF4,6,EF4,2,
AF4,6,FN4,2,AF4,6,DF4,2,AF4,6,BF4,2,AF4,6,CN4,2,AF4,6,EF4,2,AF4,
6,AF5,2,AF4,6,CN4,2,AF4,6,DF4,2,AF4,6
1045 DATADN4,2,AF4,6,EF4,2,AF4,6,EN4,2,AF4,6,FN4,2,AF4,6,BF5,2,A
F4,6,GN4,2,AF4,6,AF5,2,AF4,6,BF5,2,AF4,6,GF4,1.7,GN4,1.7,AF4,4.6

1050 DATAFN4,1.7,2,1,AF5,BF5,1,2,GN4,AF5,DF5,BF5,FN4,GF4,CN5,AF5
,EN4,FN4,BF5,GF4,DN4,EF4,AF5,FN4,CN4,DF4,GF4,EF4,BN4,CN4,FN4,DF4
,AN4,BF4,EF4,CN4,GN3,AF4,BF4,CN4,DF4,EF4,AF4,GF4,EN4,GF4

1060 DATAGN4,AF5,AN5,CF5,BF5,CN5,BN5,DF5,CN5,DN5,DF5,EF5,DN5,FF5
,EF5,FN5,EN5,GF5,FN5,GN5,GF5,AF6,GN5,BF6
1070 DATAAF6,FN6,EF6,DF6,FN5,DF6,CN6,BF6,DF5,BF6,AF6,GF5,BF5,GF5
,FN5,EF5,GF4,EF5,DF5,CN5,EF4,CN5,BF5,AF5,6
1075 DATAAF5,8,FN5,12,BF5,3,EF5,2.7,AF5,2.7,DF5,2.7,GF4,2.7,CN5,
2.7,FN4,2.7,BF5,1.7,EF4,1.7,AF5,1.7,DF4,1.7,GF4,1.7,CN4,1.7
1080 DATAFN4,12,CN4,4,FN4,4,BF4,4,FN4,3,BF4,3,FN4,3,BF4,3,FN4,3,
BF4,3,EF4,3,BF4,3,1.2,67,AF4,AN4,BF4,BN4,CN4,DF4,DN4,EF4,EN4,FN4
,FS4,GN4,AF5,AN5,BF5,BN5,CN5,DF5
1090 DATADN5,EF5,EN5,FN5,FS5,AF6,BF6,AF6,BF6,EF5,BF6,DF5,BF6
,CN5,BF6,BF5,BF6,AF5,DF6,6,0,5,0,5,1,2.67,DF6,AF5,0,GF5,CN6,0,GF
5,EF4,0,EF5,BF6,0
1100 DATABF6,EF4,0,DF5,AF6,0,FN5,DF4,0,AN5,FN5,0,EF5,CN4,0,GF4,C
N5,0,AF5,FN3,0,DF4,AF5,0,DF5,AF4,0,GF4,EF5,0,GF5,EF4,0,EF5,BF6,0
1110 DATABF6,EN4,0,DF5,AF6,0,DF6,AF5,0,GF5,EF6,0,FN6,CN5,0,EF5,C
N6,0,0,6,DF5,2,DF6,8,67,1,2.67,CN6,CN6,CF6,BF6,BF6,AN6,AF6,AF6,GN5
,GF5,GF5,FN5,FF5,FF5
1120 DATAEF5,DN5,DN5,DF5,CN5,CN5,CF5,BF5,BF5,AN5,AF5,AF5,GN4,GF4
,GF4,FN4,EF4,EN4,AF4,GF4,FN4,AF4,FN4,EF4,AF4,EF4,FN4,AF4,AF5,GF4
,AF4,GF4,FN4,AF4,FN4,GF4
1130 DATAAF4,GF4,GN4,AF4,GN4,AF5,AF4,AF5,AN5,AF4,AN5,AF5,AF4,AF5
,GN4,AF4,AF5,GF4,6,FN4,2,0,2,AF5,2,0,2,DF5,2,0,2,EF5,2,0,2,FN5,2
,0,2,GF5,2,0,2,FN5,2,0,2,EF5,2,0,2,CN5,2,0,2,BF5,2,0,2,AF5,2.67
,BF5,2.67,BF5,2.67
1140 DATAAF5,2,0,2,AF5,2,0,2,1,1.75,DF5,0,DF5,0,GF5,0,FN5,0,AF6,
0,DF6,0,DF6,0,CN6,0,BF6,0,AF6,0,EF5,0,FN5,0,CN5,0,BF5,0,AF5,0,6,
1,2,AF4,AF5,CN4,BF4,BF4,AF5,DF4,CN4,CN4,AF5
1145 DATAEF4,DF4,BF4,AF5,DF4,CN4,CN4,AF5,DF4,DF4,AF5,FN4,EF4

1150 DATADF4,BF5,FN4,FF4,EF4,CN5,GF4,FN4,FF4,DF5,GN4,GF4,FN4,DN5
,AF5,GN4,GF4,EF5,AN5,AF5,GN4,FF5,BF5,AN5,6
1160 DATAFN5,8,2,3,BF5,GF5,BF5,AF5,FN5,AF5,BF5,GF5,BF5,FN4,DF5,F
N4,AF5,FN5,AF5,GF4,EF5,GF4,AF5,FN5,AF5,EF4,CN5,EF4,GF4,EF5,GF4,F
N4,DF5,FN4
1170 DATAGF4,EF5,GF4,DF4,BF5,DF4,FN4,DF5,FN4,EF4,CN5,EF4,FN4,DF5
,FN4,CN4,AF5,CN4,EF4,CN5,EF4,DF4,BF5,DF4,EF4,CN5,EF4,BF4,GF4,BF4
,DF4,BF5,DF4,CN4,AF5,CN4
1180 DATAAF4,FN4,AF4,AN4,FS4,AN4,BF4,GN4,BF4,BN4,AF5,BN4,CN4,AN5
,CN4,DF4,BF5,DF4,DN4,BN5,DN4,EF4,CN5,EF4,EN4,CS5,EN4,FN4,DN5,FN4
,FS4,EF5,FS4,GN4,EN5,GN4
1190 DATAAF5,FN5,AF5,AN5,FS5,AN5,BF5,GN5,BF5,BN5,AF6,BN5,CN5,AN6
,CN5,DF5,BF6,DF5,DN5,BN5,EN5,EF5,CN6,EF5,EN5,CS6,EN5,FN5,DN6,FN5
,FS5,EF6,FS5,GN5,EN6,GN5
1200 DATAAF6,FN6,FF6,EF6,DF6,CN6,BF6,AF6,GF5,FN5,FF5,EF5,DF5,CN5
,BF5,AF5,GF4,FN4,FF4,EF4,DF4,CN4,CF4,2,2,2,AN4,BF4,AF4,AF4,BF4,2
,4,FN3,AF4,DF4,FN4,BF5,AF5,AF5,AF5,BF6,AF6,2,0,2
1205 DATABF4,2,2,1,AF4,BF4,2,4,GN3,AF4,EF4,GF4,BF5,AF5,AF5,AF5,B
F6,AF6,2,0,2
1210 DATA2,5,DF6,BF6,DF6,AF6,DF6,FN5,DF6,GF5,DF6,FN5,DF6,DF5,DF6
,FN5,CN6,DF5,CF6,FN5,BF6,CN5,AN6,GF5,AF6,CN5,GN5,EF5,GF5,AN5,FN5
,CN5,EF5,AF5,GF5,GF4,CN5,AF5
1220 DATADF5,BF5,DF5,AF5,DF5,FN4,DF5,GF4,DF5,FN4,DF5,DF4,DF5,FN4
,CN5,DF4,CF5,FN4,BF5,CN4,AN5,GF4,AF5,CN4,GN4,EF4,GF4,AN4,FN4,CN4
,EF4,AF4,GF4,GF3,CN4,AF4
1230 DATADF4,16,DF4,8,CN4,4,DF4,4,EF4,4,GF4,4,BF5,4,BF4,4,AF4,16
,AF4,8,GF3,4,AF4,4,CN4,4,EF4,4,GF3,4,GF3,4,FN3,4,0,4,AF5,4,GN4,4
,AF5,4,BF5,4,AF5,4,CN4,4,GF4,4,CN5,4,GF5,4
1240 DATAFN5,4,EF5,4,DF5,4,FN4,4,AF5,4,CN5,4,BF5,4,GF4,4,EF4,4,B
F4,4,CN4,4,EF4,4,AF4,24,1,2.67,GN3,AF4,BF4,CN4,DF4,EF4,FN4,GF4,B
F5,6,AF5,24,1,2.67,GN4,AF5,CN5,BF5,AF5,GF4,EF4,BF4,CN4
1250 DATABF4,AF4,EF4,DF4,EF4,GF4,FN4,GF4,BF5,AF5,AF6,BF5,AF6,DF5
,AF6,CN5,AF6,FN5,EF5,DF5,CN6,BF6,AF6,FN5,EF5,DF5,CN5,BF5,AF5
,FN4,EF4,DF4,CN4,BF4,AF4,6

```

Listing 1 continues

the new program because the music includes special effects not required of *Carmen's March*. These include an extended passage of cadenzas and trills played at a rate considerably faster than the lower limit of B value (1.5) allows.

Lines 400-550 show how trills are handled with the new program. It is no longer necessary to read the note period directly from the data for trills because the new program does not require change of USR call vector after finding the period and before playing the note. Therefore each note involved in the trill is read as a three-character string. Line 1050 directs the program to line 400, which reads two trill notes, N1\$ and N2\$, which follow the 2,1 combination. This reading occurs immediately after setting the N, D and DR parameters required for trill duration.

Lines 420-430 play the trill before returning to line 180 for the next note. Each note of the trill is played by a GOSUB 310. The subroutine requires, before the call, the note string (NT\$), a note duration D, and a duration between notes DR.

Lines 600-700 handle the cadenzas and trills. Line 700, for example, plays a cadenza of 72 notes. They are read by the 72-note strings that follow the 2,5 combination in line 1210. The 2,5 now directs the program to line 700. After each note is read, the period P is found, the duration D calculated, and the note played. The subroutine at 310 is not used in this case because the cadenza covers such a wide range of the keyboard that a duration D must be calculated as a function of P for each note. The constant (3510 in the case of line 700) used to calculate D may be adjusted to time the cadenza to the measure-to-measure beat you wish.

The form of the data section of *Berceuse* is similar to that of *Carmen March* except the special effect call is followed with three-character note strings rather than with periods. In a number of places I had to shade the timing division to allow for the BC value in line 195. For example, the 1.75 following the one in line 1140 directs the program to read only NT\$ (via lines 190, 230, 270 and 180) and to use a 1.75 B value for the series of notes and rests that follow. Exact mathematical timing required a B value of 1.33 but this would have resulted in a note of negative duration (-.08). If the time shading is contained within one measure, such as for grace notes, then the longer duration note that follows or precedes may be shaded in the opposite direction. For example, if the total shading of two grace notes preceding a quarter note amounts to .4 B value, then the quarter note may be given a B value of 15.6 rather than 16. In the case in line 1140 of *Berceuse*, the shading extends over several measures. If precise timing is critical, such as for an accompanying bass, then the B values in the accompanying bass must be adjusted in accord with the measures in the treble.

Toward the end of line 1140 is a six between a rest reading of zero and a pair 1,2. The six directs the program to read notes

Disk Drives and Cases

The B.T. Enterprises Mini-Floppy 5-1/4 inch Disk Drive Case is unique in that it is constructed of clear plexiglass. This innovative design is the first on the market which enables the user to actually see the Disk Drives working while using the computer. The case is constructed of a 1/4 inch durable plexiglass base with a 1/16 inch clear plexiglass cover. The case and power supply are available for single or dual drives. One advantage of the dual design is that both floppy drives are built into one case for saving space and easier handling.

The unit is equipped with a linear filtered power supply that is regulated to match the power consumption of the mini drives. The power is AC fuse protected with a chassis mounting fuse on the back of the case for easy maintenance. An on/off switch is provided on the back of the case. The AC line cord is a standard 3 prong plug designed to meet UL listing.

FLOPPY DISK DRIVES

201100*	5-1/4 Disk Drive Case & Power Supply (Sgl)	\$ 79.95
201200*	5-1/4 Disk Drive Case & Power Supply (Dbl)	\$ 109.95
201101*	Tandon 40tk SH w/case & Supply	\$ 299.95
201102*	Tandon 40tk DH w/case & Supply	\$ 399.95
201103*	Tandon 80tk SH w/case & Supply	\$ 399.95
201104*	Tandon 80tk DH w/case & Supply	\$ 499.95
201201*	Dual Tandon 40tk SH w/case & Supply	\$ 579.95
201202*	Dual Tandon 40tk DH w/case & Supply	\$ 779.95
201203*	Dual Tandon 80tk SH w/case & Supply	\$ 779.95
201204*	Dual Tandon 80tk DH w/case & Supply	\$ 979.95
200300	Disk Drive Extender Cable	\$ 9.95

*Complete with extender cable


Bare Drives

200101	Tandon 40tk SH Bare	\$ 259.95
200102	Tandon 40tk DH Bare	\$ 359.95
200103	Tandon 80tk SH Bare	\$ 359.95
200104	Tandon 80tk DH Bare	\$ 459.95

Helpful Products for Your Computer

Printer Stands

End the paper mess on your computer desk. Our printer stand allows your paper to be fed from under the printer, making room for the used paper to stack behind the print out of the way. Available with an optional removable shelf (Shown) for easy computer forms change. Available in Large size also, for MX-100 and other large printer users also. Also available with center slot for bottom feed printers. (Large only).



Regular Stand	(300010)	\$29.95
Regular w/shelf	(300011)	\$44.95
Large Stand	(300020)	\$34.95
Large w/shelf	(300021)	\$49.95
Large w/slot	(300050)	\$49.95

Diskettes

Elephant Memories Systems Diskettes at a special LOW price!!!

Single Density/Single Sided/Soft Sector	500351	\$22.50
Double Density/Single Sided/Soft Sector	500352	\$26.50
Double Density/Double Sided/Soft Sector	500353	\$32.50

Portable Disk Bulk Eraser

Clean all old data off of your diskettes before reusing them! This is a MUST for your computer room. Easy to use, non-electric, portable!!!

500102	Only	\$4.95
--------	------	--------

Ribbon Reloads for MX 70/80/100

Reload your old ribbon cartridge for much less than replacing the cartridge! Quick and easy to do, takes only about 2 minutes each to reload. Includes complete instructions. Available in Black and 4 popular colors!

Black Reload	(500000)	\$3.95 ea.	(500001)	\$39.95 dz.
Red Reload	(500010)	\$4.95 ea.	(500011)	\$49.50 dz.
Blue Reload	(500020)	\$4.95 ea.	(500021)	\$49.50 dz.
Green Reload	(500030)	\$4.95 ea.	(500031)	\$49.50 dz.
Brown Reload	(500040)	\$4.95 ea.	(500041)	\$49.50 dz.

Ribbon Cartridges for MX 70/80

Replacement cartridges for your printer. Complete cartridge for your printer at great savings! Available in Black and 4 popular colors! Buy in 3 packs and save!

Black Cartridge	(500050)	\$10.95 ea.	(500051)	\$29.95/3
Red Cartridge	(500060)	\$11.95 ea.	(500061)	\$31.95/3
Blue Cartridge	(500070)	\$11.95 ea.	(500071)	\$31.95/3
Green Cartridge	(500080)	\$11.95 ea.	(500081)	\$31.95/3
Brown Cartridge	(500090)	\$11.95 ea.	(500091)	\$31.95/3



171 Hawkins Rd.
Centereach, N.Y. 11720
(516) 981-8868 (voice)
(516) 888-8836 (modem)
Dealer Inquiries Welcome
Prices subject to change



N.Y.S. Residents Add Tax Add \$2 shipping - handling ✓300

```

1260 DATADF4,24,2,4,CF4,DF4,FN4,BF5,AF5,EF4,CF4,FN3,CF4,EF4,AF4,
DF4,CF4,DF4,FN4,BF5,AF5,EF4,CF4,FN3,CF4,EF4,AF4,DF4,CF4,DF4,FN4,
AF5,CF5,DF5
1270 DATAEF5,GF5,FN5,EF5,CF5,AF5,EF4,GF4,FN4,DF4,CF4,AF4,6,BF4,2
4,1,4,DF4,GF4,AF5,BF5,CF4,BF4,DF4,GF4,AF5,BF5,DF5,GF5,AF6,BF6,GF
5,EF5,DF5
1280 DATAFN5,EF5,BF5,CN5,EF5,DF5,AF5,BF5,DF5,CN5,GF4,AF5,CN5,BF5
,FN4,GF4,BF5,AF5,EF4,FN4,AF5,GF4,DF4,EF4,6,FN4,24,1,8,EF4,AF5,FN
4,EF4,FN4,DF4,BF4,DF4,AF4
1290 DATA BF4,DF4,AF4,GF3,DF4,FN3,6,0,6,0,6,0,6,0,6,FN3,8,AF4,8,
EF3,8,EF3,8,AF4,8,DF3,8,0,6,0,6,0,6,0,6,0,6,0,6,0,6
1300 DATA GF2,2,AF3,2,CN3,2,EF3,42,FN2,2,DF3,14,1,-1

```

347 'SPECIAL EFFECTS FOR CARMEN MARCH--USE WITH Vll MUSIC DRIVER

Listing 2 continues

I determined the set of K values associated with P values experimentally. First, I gave middle C (CN3) a K-value 120. Then I adjusted the tempo constant (multiplicative factor of AP in line 170 of the Basic program) until a metronome of 84 sounded 24 beats during the play of six successive middle C notes with a B value of 64 and an AP tempo setting of five. (From there came the .03525 factor). Finally I played six succes-


```

1140 DATADF5,4,0,4,DF5,2,0,2,DF5,2,0,2,DF5,2,0,2,EF5,2,0,2,FN5,2,  
0,2,EF5,2,0,2,DF5,8,DF5,4,DF5,4,DF5,4,AF5,4,GF4,4,AF5,4,DF5,16,  
DF5,8,0,8,BN4,4,0,4,BN4,2,0,2,BN4,2,0,2,BN4,2,0,2,FN3,2,0,2,EN3,  
2,0,2,FN3,2,0,2  
1145 DATABNA4,4,0,4,BN4,2,0,2,BN4,2,0,2,BN4,2,0,2,CS4,2,0,2,DS4,2,  
0,2,CS4,2,0,2,BN4,4,0,4,BN4,2,0,2,BN4,2,0,2,BN4,2,0,2,FN3,2,0,2,  
EN3,2,0,2,FN3,2,0,2  
1150 DATABNA4,16,BN4,8,0,8,EN3,21.33,EN3,5.33,EN3,5.33,DN3,21.33,  
DN3,5.33,DN3,5.33,CS3,21.33,CS3,5.33,CS3,5.33,BN3,21.33,BN3,5.33,  
BN3,5.33,EN4,16,FS4,12,EN4,4,CS4,16,CS4,16  
1160 DATACS4,12,BN4,4,CS4,12,DN4,4,CS4,24,0,8,DN4,16,BN4,12,EN4,4,  
CS4,32,AN4,16,FS3,12,BN4,4,EN3,24,0,4,BN4,16,BN4,12,BN4,4,BN4,8,  
FS4,8,EN4,8,DN4,8  
1170 DATACS4,8,BN4,8,CS4,8,DN4,8,CS4,24,0,8,GS3,16,CS4,12,CS4,4,4,  
CS4,16,BS4,12,DS4,4,GS4,16,ES2,8,0,8,GS2,8,0,8,CS2,8,0,8,BN3,8,FS4,  
2.67,GS4,2.67,FS4,2.67,ES4,8,FS4,8  
1180 DATABN4,8,CS4,8,DN4,16,EN2,8,CS4,2.67,DN4,2.67,CS4,2.67,AN4,  
8,FS4,8,EN4,8,CS5,2.67,DN5,2.67,CS5,2.67,AN5,8,FS5,8,EN5,8,AN5,  
2.67,BN5,2.67,AN5,2.67,EN4,8,DN5,8,CS5,16,BN5,16,1,2,AN5,0,0,0,A  
N5,0,AN5,0,AN5,0,EN4,0,DN4,0,EN4,0  
1190 DATAAN5,0,0,0,AN5,0,AN5,0,AN5,0,BN5,0,CS5,0,BN5,0,AN5,0,0,0,  
AN5,0,AN5,0,AN5,0,EN4,0,DN4,0,EN4,0,AN5,0,0,0,AN5,0,AN5,0,AN5,0,  
BN5,0,CS5,0,BN5,0,AN5,0,EN4,0,DN4,0,EN4,0,AN5,0,BN5,0,CS5,0,BN5,  
0,AN5,0,EN4,0,DN4,0,EN4,0,AN5,0  
1195 DATABN5,0,CS5,0,BN5,0  
1200 DATAAN5,0,BN5,0,CS5,0,BN5,0,AN5,0,BN5,0,CS5,0,BN5,0,AN5,0,B  
N5,0,CS5,0,BN5,0,AN5,0,BN5,0,CS5,0,BN5,0,AN6,EN2,AN3,EN2,AN6,AN3,  
AN6,AN3,AN6,AN3,EN5,AN3,DN5,AN3,EN5,AN3,CS5,EN2,AN3,EN2,EN5,AN3,  
EN5,AN3,EN5,AN3,CS5,AN3,BN5,AN3,CS5,AN3  
1210 DATAAN5,EN2,AN3,EN2,CS5,AN3,CS5,AN3,CS5,AN3,AN5,AN3,GS4,AN3,  
AN5,AN3,EN4,AN3,AN5,AN3,DN4,AN3,EN4,AN3,CS4,AN3,EN4,AN3,BN4,AN3,  
CS4,AN3  
1215 DATA6,AN4,8,0,4,AN5,4,AN5,8,0,4,AN5,4,AN5,8,0,4,AN5,4,AN5,8,  
0,4,AN5,4,AN2,2,AN3,2,AN4,2,AN5,42  
1220 DATAL,-1

```

		00100	;PIANO KEYBOARD AND MUSIC GENERATOR, VERSION XI
260D		00110	VARPTR EQU 260DH
0A9A		00120	RETURN EQU 0A9AH
0A7F		00130	ENTER EQU 0A7FH
408E		00140	USR EQU 408EH
7FFF		00150	ENDMEM EQU 7FFFH ;OR BFFFFH OR FFFFFH
7A6C		00160	ORG ENDMEM-1427
7A6C	CD7F0A	00170	KYBRD CALL ENTER ;ARGUMENT IN HL
7A6F	E5	00180	PUSH HL ;SAVE
7A70	21217B	00190	LD HL,DVAR ;DETERMINE IF ARGU-
7A73	CD0D26	00200	CALL VARPTR ;MENT IS VARPTR
7A76	EB	00210	EX DE,HL ;LOCATION OF NOTE
7A77	5E	00220	LD E,(HL) ;STRING BY TESTING

for those occasions (lines 6270-6280) and the test for a completed period delay (lines 6290-6300) must be bypassed.

Using the New Program

Run Program Listing 1 and wait for the ready signal to indicate that the machine-language program is loaded. Connect the auxiliary lead from the keyboard to the cassette recorder to an auxiliary input of your stereo through a suitable adapter. Then play the music by entering Run and responding to the tempo query with entry of six or seven.

If the music plays without a false note, press break in response to the tempo query at the end of the piece and delete lines 185, 205, 215 and 255. Otherwise make the corrections in the data before you delete any lines. After all corrections are made, play the music and record it on your stereo if you wish. I have found a tempo of about six right for *Berceuse*.

For Model III Users

I have not tried this program on a Model III, but I foresee no major technical problem. I do expect that a Model III would be tuned to a higher pitch with the same periods as on a Model I. If you find that intolerable, change the pitch by calculating new periods for each note from the formula $P = C/F$. Lower the pitch by increasing the value C from the 72500 used in the Model I program. The frequency (F) for A above middle C is assigned 440 Hertz, and the multiplicative factor of 1.05946 is used for each half step (interval on the equally tempered chromatic scale) up from A. You may assign new K values by calculating differences from the associated P value proportionate to the differences between P and K for each note in Listing 3. Better still, redetermine experimentally the new K values by the procedure discussed under "New Machine-language Program."

Whether or not you alter the periods, I am sure the timing constants in line 160 of the Basic program will no longer accurately apply. The AB constant, for example, would be lowered by an amount that you could estimate from the difference in clock speed, but it should be experimentally determined. If the experimental value is below one, you may be able to eliminate line 195 altogether and use B in the equation for A in line 200 in place of BC. If you eliminate line 195, the CK and DK constants in line 160 will remain unchanged, the EK constant becomes more negative by about 10000, the multiplicative factor of .03525 in line 170 becomes .035, and 15 as the lower limit for RK in line 240 becomes 19.

For Systems Greater Than 16K

With the information in this article and no special hardware for music synthesis other than your 16K Level II TRS-80 and stereo, you can play over 50 percent of the classical music literature and many modern forms of musical expression as well. The main limitation is the amount of RAM available. If

Listing 3 Continued

7A78 23	00230	INC	HL	; "D" FOR ZERO.
7A79 56	00240	LD	D, (HL)	
7A7A E1	00250	POP	HL	; GET ARGUMENT.
7A7B 7A	00260	LD	A, D	; IF ZERO IN DE
7A7C B3	00270	OR	E	; ARGUMENT IS REST
7A7D CAD27F	00280	JP	Z, BYTONE	; PERIOD. GO IF SO
7A80 23	00290	INC	HL	; LO BYTE OF LOCATION
7A81 5E	00300	LD	E, (HL)	; TO POINT DE TO
7A82 23	00310	INC	HL	; FIRST BYTE OF
7A83 56	00320	LD	D, (HL)	; NOTE STRING.
7A84 D5	00330	PUSH	DE	; POINTER INTO
7A85 FDE1	00340	POP	IX	; IX
7A87 DD21237B	00350	LD	IX, NOTES	; TABLE POINTER
7A8B 2AFE7F	00360	LD	HL, (KADRA)	; POINTS TO "K"
7A8E 01A800	00370	LD	BC, 168	; NO. BYTES A TO B
7A91 FD7E00	00380	LD	A, (IX+0)	; 1ST BYTE
7A94 FE41	00390	CP	41H	; ADD TO IX UNTIL
7A96 CABE7A	00400	JP	Z, SHARP	; NOTE A TO G IS
7A99 DD09	00410	ADD	IX, BC	; FOUND AND THEN
7A9B FE42	00420	CP	42H	; PROCEED TO FIND
7A9D CABE7A	00430	JP	Z, SHARP	; SECOND BYTE
7AA0 DD09	00440	ADD	IX, BC	; MATCH.
7AA2 FE43	00450	CP	43H	
7AA4 CABE7A	00460	JP	Z, SHARP	
7AA7 DD09	00470	ADD	IX, BC	
7AA9 FE44	00480	CP	44H	
7AAB CABE7A	00490	JP	Z, SHARP	
7AAE DD09	00500	ADD	IX, BC	
7AB0 FE45	00510	CP	45H	
7AB2 CABE7A	00520	JP	Z, SHARP	
7AB5 DD09	00530	ADD	IX, BC	
7AB7 FE46	00540	CP	46H	
7AB9 CABE7A	00550	JP	Z, SHARP	
7ABC DD09	00560	ADD	IX, BC	
7ABE 013800	00570	LD	BC, 56	; NO. BYTES NAT. TO SHARP
7AC1 FD7E01	00580	LD	A, (IX+1)	; 2ND BYTE IN A
7AC4 FE4E	00590	CP	4EH	; CONTINUE ADDITION
7AC6 CAD27A	00600	JP	Z, OCTAVE	; UNTIL
7AC9 DD09	00610	ADD	IX, BC	; NAT. OR SHARP OR FLAT IS
7ACB FE53	00620	CP	53H	; FOUND AND THEN
7ACD CAD27A	00630	JP	Z, OCTAVE	; PROCEED
7AD0 DD09	00640	ADD	IX, BC	; TO THIRD BYTE
7AD2 010700	00650	LD	BC, 7	; NOTE INTERVAL
7AD5 FD7E02	00660	LD	A, (IX+2)	; 3RD BYTE IN A
7AD8 FE30	00670	CP	30H	
7ADA CA097B	00680	JP	Z, FOUND	; CONTINUE UNTIL
7ADD DD09	00690	ADD	IX, BC	; OCTAVE MATCH IS
7ADF FE31	00700	CP	31H	; FOUND
7AE1 CA097B	00710	JP	Z, FOUND	
7AE4 DD09	00720	ADD	IX, BC	
7AE6 FE32	00730	CP	32H	
7AE8 CA097B	00740	JP	Z, FOUND	
7AEB DD09	00750	ADD	IX, BC	
7AED FE33	00760	CP	33H	
7AEF CA097B	00770	JP	Z, FOUND	
7AF2 DD09	00780	ADD	IX, BC	
7AF4 FE34	00790	CP	34H	
7AF6 CA097B	00800	JP	Z, FOUND	
7AF9 DD09	00810	ADD	IX, BC	
7AFB FE35	00820	CP	35H	
7AFD CA097B	00830	JP	Z, FOUND	
7B00 DD09	00840	ADD	IX, BC	
7B02 FE36	00850	CP	36H	
7B04 CA097B	00860	JP	Z, FOUND	
7B07 DD09	00870	ADD	IX, BC	
7B09 DD7E05	00880	LD	A, (IX+5)	; LO BYTE OF 'PC'
7B0C 77	00890	LD	(HL), A	; IN ADDRESS
7B0D 23	00900	INC	HL	
7B0E DD7E06	00910	LD	A, (IX+6)	; HI BYTE OF 'PC'
7B11 77	00920	LD	(HL), A	; IN ADDRESS
7B12 21BB7F	00930	LD	HL, MUSIC	; USR VECTOR POINTS
7B15 228E40	00940	LD	(USR), HL	; TO MUSIC
7B18 DD6604	00950	LD	H, (IX+4)	; RETURN WITH NOTE PER-
7B1B DD6E03	00960	LD	L, (IX+3)	; IOD IN HL
7B1E C39A0A	00970	JP	RETURN	
7B21 44	00980	DEFM	'D'	
7B22 00	00990	DEFB	0	
7B23 41	01000	DEFM	'AN0'	; TABLE OF NOTE DESIG-
7B26 4C0A	01010	DEFW	2636	; NATION VS PERIOD
7B28 0D00	01020	DEFW	13	
7B2A 41	01030	DEFM	'AN1'	
7B2D 2605	01040	DEFW	1318	
7B2F 1A00	01050	DEFW	26	
7B31 41	01060	DEFM	'AN2'	
7B34 9302	01070	DEFW	659	
7B36 3400	01080	DEFW	52	
7B38 41	01090	DEFM	'AN3'	
7B3B 4A01	01100	DEFW	330	
7B3D 6500	01110	DEFW	101	

Listing 3 Continues

YOU'VE JUST FOUND THE MISSING LINK!



Computer Shopper is *your link* to individuals who buy, sell and trade computer equipment and software among themselves nationwide. No other magazine fills this void in the marketplace chain.

Thousands of cost-conscious computer enthusiasts save by shopping in Computer Shopper every month through hundreds of classified ads. And new equipment advertisers offer some of the lowest prices in the nation.

Computer Shopper's unbiased articles make for some unique reading among magazines and there's a "help" column to answer difficult problems you may have with interfacing, etc.

For a *limited time* you can subscribe to Computer Shopper with a 6 month trial for \$6 or 12 months for \$10.

You risk nothing, because if you're not 100% satisfied after receiving the first issue, you may cancel and receive a full refund. No questions asked!

If you want faster service, call in your subscription and charge on your MasterCard or VISA account.

Our business office is open from 8 a.m. to 5 p.m. Monday through Friday. Call for charge card orders or send your check or money order TODAY while the offer is still good.

6 month trial, \$6 or 12 months for \$10

 **COMPUTER SHOPPER**

P.O. Box F323 • Titusville, FL 32780
305-269-3211

Listing 3 Continued

7B3F 41	01120	DEFM	'AN4'
7B42 A500	01130	DEFW	165
7B44 C700	01140	DEFW	199
7B46 41	01150	DEFM	'AN5'
7B49 5200	01160	DEFW	82
7B4B 7901	01170	DEFW	377
7B4D 41	01180	DEFM	'AN6'
7B50 2900	01190	DEFW	41
7B52 AD02	01200	DEFW	685
7B54 41	01210	DEFM	'AN7'
7B57 1500	01220	DEFW	21
7B59 6F04	01230	DEFW	1135
7B5B 41	01240	DEFM	'AS0'
7B5E B809	01250	DEFW	2488
7B60 0E00	01260	DEFW	14
7B62 41	01270	DEFM	'AS1'
7B65 DC04	01280	DEFW	1244
7B67 1B00	01290	DEFW	27
7B69 41	01300	DEFM	'AS2'
7B6C 6E02	01310	DEFW	622
7B6E 3700	01320	DEFW	55
7B70 41	01330	DEFM	'AS3'
7B73 3701	01340	DEFW	311
7B75 6C00	01350	DEFW	108
7B77 41	01360	DEFM	'AS4'
7B7A 9C00	01370	DEFW	156
7B7C D100	01380	DEFW	209
7B7E 41	01390	DEFM	'AS5'
7B81 4E00	01400	DEFW	78
7B83 8B01	01410	DEFW	395
7B85 41	01420	DEFM	'AS6'
7B88 2700	01430	DEFW	39
7B8A CB02	01440	DEFW	715
7B8C 41	01450	DEFM	'AS7'
7B8F 1300	01460	DEFW	19
7B91 B004	01470	DEFW	1200
7B93 41	01480	DEFM	'AF0'
7B96 0000	01490	DEFW	0
7B98 0200	01500	DEFW	2
7B9A 41	01510	DEFM	'AF1'
7B9D 7505	01520	DEFW	1397
7B9F 1800	01530	DEFW	24
7BA1 41	01540	DEFM	'AF2'
7BA4 BA02	01550	DEFW	698
7BA6 3000	01560	DEFW	48
7BA8 41	01570	DEFM	'AF3'
7BAB 5D01	01580	DEFW	349
7BAD 6000	01590	DEFW	96
7BAF 41	01600	DEFM	'AF4'
7BB2 AF00	01610	DEFW	175
7BB4 BB00	01620	DEFW	187
7BB6 41	01630	DEFM	'AF5'
7BB9 5700	01640	DEFW	87
7BBB 6401	01650	DEFW	356
7BBD 41	01660	DEFM	'AF6'
7BC0 2C00	01670	DEFW	44
7BC2 8702	01680	DEFW	647
7BC4 41	01690	DEFM	'AF7'
7BC7 1600	01700	DEFW	22
7BC9 3304	01710	DEFW	1075
7BCB 42	01720	DEFM	'BN0'
7BCE 2D09	01730	DEFW	2349
7BD0 0F00	01740	DEFW	15
7BD2 42	01750	DEFM	'BN1'
7BD5 9604	01760	DEFW	1174
7BD7 1D00	01770	DEFW	29
7BD9 42	01780	DEFM	'BN2'
7BDC 4B02	01790	DEFW	587
7BDE 3A00	01800	DEFW	58
7BE0 42	01810	DEFM	'BN3'
7BE3 2601	01820	DEFW	294
7BE5 7200	01830	DEFW	114
7BE7 42	01840	DEFM	'BN4'
7BEA 9300	01850	DEFW	147
7BEC DE00	01860	DEFW	222
7BEE 42	01870	DEFM	'BN5'
7BF1 4900	01880	DEFW	73
7BF3 A401	01890	DEFW	420
7BF5 42	01900	DEFM	'BN6'
7BF8 2500	01910	DEFW	37
7BFA E202	01920	DEFW	738
7BFC 42	01930	DEFM	'BN7'
7BFF 1200	01940	DEFW	18
7C01 E204	01950	DEFW	1250
7C03 42	01960	DEFM	'BS0'
7C06 A908	01970	DEFW	2217
7C08 1000	01980	DEFW	16
7C0A 42	01990	DEFM	'BS1'
7C0D 5504	02000	DEFW	1109

7C0F 1F00	02010	DEFW	31
7C11 42	02020	DEFM	'BS2'
7C14 2A02	02030	DEFW	554
7C16 3D00	02040	DEFW	61
7C18 42	02050	DEFM	'BS3'
7C1B 1501	02060	DEFW	277
7C1D 7800	02070	DEFW	120
7C1F 42	02080	DEFM	'BS4'
7C22 8B00	02090	DEFW	139
7C24 EA00	02100	DEFW	234
7C26 42	02110	DEFM	'BS5'
7C29 4500	02120	DEFW	69
7C2B B801	02130	DEFW	440
7C2D 42	02140	DEFM	'BS6'
7C30 2300	02150	DEFW	35
7C32 1103	02160	DEFW	785
7C34 42	02170	DEFM	'BS7'
7C37 1100	02180	DEFW	17
7C39 0005	02190	DEFW	1280
7C3B 42	02200	DEFM	'BF0'
7C3E B809	02210	DEFW	2488
7C40 0E00	02220	DEFW	14
7C42 42	02230	DEFM	'BF1'
7C45 DC04	02240	DEFW	1244
7C47 1B00	02250	DEFW	27
7C49 42	02260	DEFM	'BF2'
7C4C 6E02	02270	DEFW	622
7C4E 3700	02280	DEFW	55
7C50 42	02290	DEFM	'BF3'
7C53 3701	02300	DEFW	311
7C55 6C00	02310	DEFW	108
7C57 42	02320	DEFM	'BF4'
7C5A 9C00	02330	DEFW	156
7C5C D100	02340	DEFW	209
7C5E 42	02350	DEFM	'BF5'
7C61 4E00	02360	DEFW	78
7C63 8B01	02370	DEFW	395
7C65 42	02380	DEFM	'BF6'
7C68 2700	02390	DEFW	39
7C6A CB02	02400	DEFW	715
7C6C 42	02410	DEFM	'BF7'
7C6F 1300	02420	DEFW	19
7C71 B004	02430	DEFW	1200
7C73 43	02440	DEFM	'CN0'
7C76 A908	02450	DEFW	2217
7C78 1000	02460	DEFW	16
7C7A 43	02470	DEFM	'CN1'
7C7D 5504	02480	DEFW	1109
7C7F 1F00	02490	DEFW	31
7C81 43	02500	DEFM	'CN2'
7C84 2A02	02510	DEFW	554
7C86 3D00	02520	DEFW	61
7C88 43	02530	DEFM	'CN3'
7C8B 1501	02540	DEFW	277
7C8D 7800	02550	DEFW	120
7C8F 43	02560	DEFM	'CN4'
7C92 8B00	02570	DEFW	139
7C94 EA00	02580	DEFW	234
7C96 43	02590	DEFM	'CN5'
7C99 4500	02600	DEFW	69
7C9B B801	02610	DEFW	440
7C9D 43	02620	DEFM	'CN6'
7CA0 2300	02630	DEFW	35
7CA2 1103	02640	DEFW	785
7CA4 43	02650	DEFM	'CN7'
7CA7 1100	02660	DEFW	17
7CA9 0005	02670	DEFW	1280
7CAB 43	02680	DEFM	'CS0'
7CAE 2D08	02690	DEFW	2093
7CB0 1000	02700	DEFW	16
7CB2 43	02710	DEFM	'CS1'
7CB5 1604	02720	DEFW	1046
7CB7 2000	02730	DEFW	32
7CB9 43	02740	DEFM	'CS2'
7CBC 0B02	02750	DEFW	523
7CBE 4000	02760	DEFW	64
7CC0 43	02770	DEFM	'CS3'
7CC3 0601	02780	DEFW	262
7CC5 7F00	02790	DEFW	127
7CC7 43	02800	DEFM	'CS4'
7CCA 8300	02810	DEFW	131
7CCC F700	02820	DEFW	247
7CCE 43	02830	DEFM	'CS5'
7CD1 4100	02840	DEFW	65
7CD3 D001	02850	DEFW	464
7CD5 43	02860	DEFM	'CS6'
7CD8 2100	02870	DEFW	33
7CDA 3403	02880	DEFW	820
7CDC 43	02890	DEFM	'CS7'
7CDF 8403	02900	DEFW	900


Listing 3 Continues

7CE1	2600	02910	DEFW	38
7CE3	43	02920	DEFM	'CF0'
7CE6	2D09	02930	DEFW	2349
7CE8	0F00	02940	DEFW	15
7CEA	43	02950	DEFM	'CF1'
7CED	9604	02960	DEFW	1174
7CEF	1D00	02970	DEFW	29
7CF1	43	02980	DEFM	'CF2'
7CF4	4B02	02990	DEFW	587
7CF6	3A00	03000	DEFW	58
7CF8	43	03010	DEFM	'CF3'
7CFB	2601	03020	DEFW	294
7CFD	7200	03030	DEFW	114
7CFF	43	03040	DEFM	'CF4'
7D02	9300	03050	DEFW	147
7D04	DE00	03060	DEFW	222
7D06	43	03070	DEFM	'CF5'
7D09	4900	03080	DEFW	73
7D0B	A401	03090	DEFW	420
7D0D	43	03100	DEFM	'CF6'
7D10	2500	03110	DEFW	37
7D12	E202	03120	DEFW	738
7D14	43	03130	DEFM	'CF7'
7D17	1200	03140	DEFW	18
7D19	E204	03150	DEFW	1250
7D1B	44	03160	DEFM	'DN0'
7D1E	B707	03170	DEFW	1975
7D20	1100	03180	DEFW	17
7D22	44	03190	DEFM	'DN1'
7D25	DC03	03200	DEFW	988
7D27	2200	03210	DEFW	34
7D29	44	03220	DEFM	'DN2'
7D2C	EE01	03230	DEFW	494
7D2E	4400	03240	DEFW	68
7D30	44	03250	DEFM	'DN3'
7D33	F700	03260	DEFW	247
7D35	8700	03270	DEFW	135
7D37	44	03280	DEFM	'DN4'
7D3A	7B00	03290	DEFW	123
7D3C	0401	03300	DEFW	260
7D3E	44	03310	DEFM	'DN5'
7D41	3E00	03320	DEFW	62
7D43	E301	03330	DEFW	483
7D45	44	03340	DEFM	'DN6'
7D48	1F00	03350	DEFW	31
7D4A	4C03	03360	DEFW	844
7D4C	44	03370	DEFM	'DN7'
7D4F	2500	03380	DEFW	37
7D51	D902	03390	DEFW	729
7D53	44	03400	DEFM	'DS0'
7D56	4807	03410	DEFW	1864
7D58	1200	03420	DEFW	18
7D5A	44	03430	DEFM	'DS1'
7D5D	A403	03440	DEFW	932
7D5F	2500	03450	DEFW	37
7D61	44	03460	DEFM	'DS2'
7D64	D201	03470	DEFW	466
7D66	4800	03480	DEFW	72
7D68	44	03490	DEFM	'DS3'
7D6B	E900	03500	DEFW	233
7D6D	8F00	03510	DEFW	143
7D6F	44	03520	DEFM	'DS4'
7D72	7500	03530	DEFW	117
7D74	1001	03540	DEFW	272
7D76	44	03550	DEFM	'DS5'
7D79	3A00	03560	DEFW	58
7D7B	FB01	03570	DEFW	507
7D7D	44	03580	DEFM	'DS6'
7D80	1D00	03590	DEFW	29
7D82	7A03	03600	DEFW	890
7D84	44	03610	DEFM	'DS7'
7D87	2500	03620	DEFW	37
7D89	D902	03630	DEFW	729
7D8B	44	03640	DEFM	'DF0'
7D8E	2D08	03650	DEFW	2093
7D90	1000	03660	DEFW	16
7D92	44	03670	DEFM	'DF1'
7D95	1604	03680	DEFW	1046
7D97	2000	03690	DEFW	32
7D99	44	03700	DEFM	'DF2'
7D9C	0B02	03710	DEFW	523
7D9E	4000	03720	DEFW	64
7DA0	44	03730	DEFM	'DF3'
7DA3	0601	03740	DEFW	262
7DA5	7F00	03750	DEFW	127
7DA7	44	03760	DEFM	'DF4'
7DAA	8300	03770	DEFW	131
7DAC	F700	03780	DEFW	247

Listing 3 Continues

PREMIUM CASSETTES

COMPUTER GRADE
100% ERROR-FREE
FULLY GUARANTEED



The Micro-Trac™ Generation

- High Frequency Response • Wide Dynamic Range •
- Used by Software Firms & Computer Hobbyists •
- Choice of School Districts Nationwide •

LENGTH	12-PAK	24-PAK
C-05.....	\$.69	\$.59
C-10.....	\$.79	\$.69
C-20.....	\$.99	\$.89
C-30.....	\$1.19	\$1.09
C-60.....	\$1.49	\$1.39
C-90.....	\$1.79	\$1.69
*CASES.....	\$.21	\$.20

*Cases recommended to protect sensitive cassettes.

—UPS SHIPPING—

(No P.O. Boxes please)

\$2.00 (12-pak) \$3.00 (24-pak)

—Canadian shipping multiply by 2—

#1 COMPUTER TAPE
IN THE USA!

—write for volume prices—

TOLL-FREE
(orders only)

1-800-528-6050
ext. 3005

In Arizona State
1-800-352-0458
ext. 3005



MICRO-80™ INC.

E. 2665 Busby Road
Oak Harbor, WA 98277

—Distributors Wanted—


132

7DAE 44	03790	DEFM	'DF5'	7E7E 5100	04680	DEFW	81
7DB1 4100	03800	DEFW	65	7E80 46	04690	DEFM	'FN3'
7DB3 D001	03810	DEFW	464	7E83 D000	04700	DEFW	208
7DB5 44	03820	DEFM	'DF6'	7E85 9F00	04710	DEFW	159
7DB8 2100	03830	DEFW	33	7E87 46	04720	DEFM	'FN4'
7DBA 3403	03840	DEFW	820	7E8A 6800	04730	DEFW	104
7DBC 44	03850	DEFM	'DF7'	7E8C 3001	04740	DEFW	304
7DBF 2500	03860	DEFW	37	7E8E 46	04750	DEFM	'FN5'
7DC1 D002	03870	DEFW	720	7E91 3400	04760	DEFW	52
7DC3 45	03880	DEFM	'EN0'	7E93 3402	04770	DEFW	564
7DC6 E006	03890	DEFW	1760	7E95 46	04780	DEFM	'FN6'
7DC8 1300	03900	DEFW	19	7E98 1A00	04790	DEFW	26
7DCA 45	03910	DEFM	'EN1'	7E9A C503	04800	DEFW	965
7DCD 7003	03920	DEFW	880	7E9C 46	04810	DEFM	'FN7'
7DCF 2700	03930	DEFW	39	7E9F 2500	04820	DEFW	37
7DD1 45	03940	DEFM	'EN2'	7EA1 D902	04830	DEFW	729
7DD4 B801	03950	DEFW	440	7EA3 46	04840	DEFM	'FS0'
7DD6 4D00	03960	DEFW	77	7EA6 2006	04850	DEFW	1568
7DD8 45	03970	DEFM	'EN3'	7EA8 1600	04860	DEFW	22
7DDB DC00	03980	DEFW	220	7EAA 46	04870	DEFM	'FS1'
7DDD 9600	03990	DEFW	150	7EAD 1003	04880	DEFW	784
7DDF 45	04000	DEFM	'EN4'	7EAF 2B00	04890	DEFW	43
7DE2 6E00	04010	DEFW	110	7EB1 46	04900	DEFM	'FS2'
7DE4 1E01	04020	DEFW	286	7EB4 8801	04910	DEFW	392
7DE6 45	04030	DEFM	'EN5'	7EB6 5600	04920	DEFW	86
7DE9 3700	04040	DEFW	55	7EB8 46	04930	DEFM	'FS3'
7DEB 1502	04050	DEFW	533	7EBB C400	04940	DEFW	196
7DED 45	04060	DEFM	'EN6'	7EBD A800	04950	DEFW	168
7DF0 1B00	04070	DEFW	27	7EBF 46	04960	DEFM	'FS4'
7DF2 AC03	04080	DEFW	940	7EC2 6200	04970	DEFW	98
7DF4 45	04090	DEFM	'EN7'	7EC4 4201	04980	DEFW	322
7DF7 2500	04100	DEFW	37	7EC6 46	04990	DEFM	'FS5'
7DF9 D902	04110	DEFW	729	7EC9 3100	05000	DEFW	49
7DFB 45	04120	DEFM	'ES0'	7ECB 5402	05010	DEFW	596
7DFE 7D06	04130	DEFW	1661	7ECD 46	05020	DEFM	'FS6'
7E00 1400	04140	DEFW	20	7ED0 1800	05030	DEFW	24
7E02 45	04150	DEFM	'ES1'	7ED2 F703	05040	DEFW	1015
7E05 3E03	04160	DEFW	830	7ED4 46	05050	DEFM	'FS7'
7E07 2900	04170	DEFW	41	7ED7 2500	05060	DEFW	37
7E09 45	04180	DEFM	'ES2'	7ED9 2003	05070	DEFW	800
7E0C 9F01	04190	DEFW	415	7EDB 46	05080	DEFM	'FF0'
7E0E 5100	04200	DEFW	81	7EDE E006	05090	DEFW	1760
7E10 45	04210	DEFM	'ES3'	7EE0 1300	05100	DEFW	19
7E13 D000	04220	DEFW	208	7EE2 46	05110	DEFM	'FF1'
7E15 9F00	04230	DEFW	159	7EE5 7003	05120	DEFW	880
7E17 45	04240	DEFM	'ES4'	7EE7 2700	05130	DEFW	39
7E1A 6800	04250	DEFW	104	7EE9 46	05140	DEFM	'FF2'
7E1C 3001	04260	DEFW	304	7EEC B801	05150	DEFW	440
7E1E 45	04270	DEFM	'ES5'	7EEE 4D00	05160	DEFW	77
7E21 3400	04280	DEFW	52	7EF0 46	05170	DEFM	'FF3'
7E23 3402	04290	DEFW	564	7EF3 DC00	05180	DEFW	220
7E25 45	04300	DEFM	'ES6'	7EF5 9600	05190	DEFW	150
7E28 1A00	04310	DEFW	26	7EF7 46	05200	DEFM	'FF4'
7E2A C503	04320	DEFW	965	7EFA 6E00	05210	DEFW	110
7E2C 45	04330	DEFM	'ES7'	7EFC 1E01	05220	DEFW	286
7E2F 2500	04340	DEFW	37	7EFE 46	05230	DEFM	'FF5'
7E31 D002	04350	DEFW	720	7F01 3700	05240	DEFW	55
7E33 45	04360	DEFM	'EF0'	7F03 1502	05250	DEFW	533
7E36 4807	04370	DEFW	1864	7F05 46	05260	DEFM	'FF6'
7E38 1200	04380	DEFW	18	7F08 1B00	05270	DEFW	27
7E3A 45	04390	DEFM	'EF1'	7F0A AC03	05280	DEFW	940
7E3D A403	04400	DEFW	932	7F0C 46	05290	DEFM	'FF7'
7E3F 2500	04410	DEFW	37	7F0F 2500	05300	DEFW	37
7E41 45	04420	DEFM	'EF2'	7F11 D902	05310	DEFW	729
7E44 D201	04430	DEFW	466	7F13 47	05320	DEFM	'GN0'
7E46 4800	04440	DEFW	72	7F16 C805	05330	DEFW	1480
7E48 45	04450	DEFM	'EF3'	7F18 1700	05340	DEFW	23
7E4B E900	04460	DEFW	233	7F1A 47	05350	DEFM	'GN1'
7E4D 8F00	04470	DEFW	143	7F1D E402	05360	DEFW	740
7E4F 45	04480	DEFM	'EF4'	7F1F 2E00	05370	DEFW	46
7E52 7500	04490	DEFW	117	7F21 47	05380	DEFM	'GN2'
7E54 1001	04500	DEFW	272	7F24 7201	05390	DEFW	370
7E56 45	04510	DEFM	'EF5'	7F26 5B00	05400	DEFW	91
7E59 3A00	04520	DEFW	58	7F28 47	05410	DEFM	'GN3'
7E5B FB01	04530	DEFW	507	7F2B B900	05420	DEFW	185
7E5D 45	04540	DEFM	'EF6'	7F2D B100	05430	DEFW	177
7E60 1D00	04550	DEFW	29	7F2F 47	05440	DEFM	'GN4'
7E62 7A03	04560	DEFW	890	7F32 5C00	05450	DEFW	92
7E64 45	04570	DEFM	'EF7'	7F34 5201	05460	DEFW	338
7E67 2500	04580	DEFW	37	7F36 47	05470	DEFM	'GN5'
7E69 D902	04590	DEFW	729	7F39 2E00	05480	DEFW	46
7E6B 46	04600	DEFM	'FN0'	7F3B 6A02	05490	DEFW	618
7E6E 7D06	04610	DEFW	1661	7F3D 47	05500	DEFM	'GN6'
7E70 1400	04620	DEFW	20	7F40 1700	05510	DEFW	23
7E72 46	04630	DEFM	'FN1'	7F42 1904	05520	DEFW	1049
7E75 3E03	04640	DEFW	830	7F44 47	05530	DEFM	'GN7'
7E77 2900	04650	DEFW	41	7F47 2500	05540	DEFW	37
7E79 46	04660	DEFM	'FN2'	7F49 D802	05550	DEFW	728
7E7C 9F01	04670	DEFW	415	7F4B 47	05560	DEFM	'GS0'

Listing 3 Continues

Poor Man's Floppy

HIGH SPEED CASSETTE SYSTEM



Now the widely acclaimed JPC Cassette System is available for your TRS-80* computer. The price is only \$90.00

TC-8 Cassette System
JPC Products
Albuquerque, NM
Kit: \$90
Assembled: \$120

by Carl A. Kollar

I guess I don't have to tell any TRS-80 owners how frustrating the cassette system that comes with the computer can be. Even with the factory mod that's available, the annoyance of loading and checking programs becomes just barely tolerable.

If you're like me, after you've just plunked down a chunk of money for a Level II 16K machine, "you ain't got nuttin left" for even one disk drive at 500 bucks apiece. So you suffer.

A reasonable alternative is the Exatron Stringy Floppy (ESF). This will cost you about 250 bucks and totally eliminates your loading and saving problems, automatically and fast. I've had one of these for about six months and love it!

But, if the price is still too steep, have I got a device for you!

The Device

The February 1980 issue of *Microcomputing* had an ad that intrigued the hell out of me. It was a high-speed cassette system by JPC Products acclaimed as a "poor man's floppy." It made all sorts of seemingly ridiculous claims such as "loads five times faster," "stores 50,000 bytes on a 10-minute cassette," "less than one bad load in a million bytes with the volume control anywhere between one and eight."

All this for a measly [90] bucks? How could this be? A call to Albuquerque answered a few questions: Yes, it had its own power supply, and, it stored programs five times faster because it utilized higher density data. The computer outputs the information at a higher rate out of the rear keyboard connector.

The ad had even claimed anyone could build it even if you have never soldered before. JPC would make it work, if you couldn't—for free. I was sold. I placed my order, and it arrived about two months later (parts shortage).

I work in electronics, so I found the unit exceptionally easy to build. It took about an hour. The manual is superb. (That's better than great.) It was clear, concise and exact with no

[Reprint of June 1980 Review, 80 *Microcomputing*]

ambiguities. Important parts placements are stressed (polarity markings on electrolytics, bands on diodes, etc.).

JPC was right! With these instructions, you couldn't go wrong. The board quality is excellent. It is double-sided and parts locations are clearly marked on the component side of the board. There are no jumper wires to install. JPC utilizes PC traces and plated-through holes for connections to traces on the other side of the board.

Also, there are absolutely no adjustments or settings to bother with.

The documentation is a sheaf of 8½ × 11 papers stapled together. It is written in the nicest format I've seen in a while. Each command and/or subjects is covered on its own sheet in large type. All explanations are in easy to read English—not computerese.

Commands and Features

SAVE"filename": Saves your BASIC program on cassette.

LOAD: Reads the next BASIC program from the cassette.

LOAD"filename": Searches for and loads the specified file from cassette.

LOAD? and LOAD?"filename": Reads file from cassette, and compares contents to memory.

LOADN: Prints a list of all the programs on a cassette, until interrupted by the "break" key.

LOADN"filename": Same as above except the tape will stop at the end of the program named.

KILL: Removes the file manager program from memory so that the extra memory can be used by large programs.

RSET: Allows the operator to rewind and position the tape on tape recorders that have these functions tied to the motor control jack.

RUN"filename": TC-8 searches for a specified program and runs it immediately.

PUT"filename": Same as SAVE "filename", except it is for use with system tapes.

GET: Same as LOAD, except it is for use with system tapes.

GET"filename": Same as LOAD "filename", except it is for use with system tapes.

GET? and GET?"filename": Same as LOAD? and LOAD?"filename", except it is for use with system tapes.

GETN and GETN"filename": Same as

LOADN and LOADN"filename", except it is for use with system tapes.

OPEN: Required before cassette input or output of a data file can be attempted.

CLOSE: Required to end a cassette data file.

PRINT#: Allows numerical or string data to be output to a cassette file.

INPUT#: Allows numerical or string data to be input from a cassette file.

I haven't counted them, so I don't know about the "one load in a million bytes" claim, but my son, Anthony (age 11), loaded about 30 of his programs from his Radio Shack format tape to a new TC-8 format tape. He's run them all and found no bad loads.

Unlike the standard tape system, you can position your tape anywhere before the program you want and not have to look for a blank spot between programs. The TC-8 patiently waits for the program you want and then starts loading without getting confused by the portion of the previous program you just fed it.

Try that on your regular cassette system; you'll wear out the reset button. ■

ORDER NOW

To order your TC-8 kit, send your check or money order for \$90.00 plus \$3.50 postage and handling to JPC PRODUCTS CO., 12021 Paisano Ct., Albuquerque, NM 87112 (New Mexico residents add 4% sales tax). Credit card orders accepted by phone or mail. Personal checks will delay shipment. We will otherwise immediately ship you the TC-8 kit, the cabinet, the ribbon cable, the power adapter, an instruction manual, and a cassette containing the software.

For Mod I Level II only.



✓ 42

JPC PRODUCTS CO.

Phone (505) 294-4623

12021 Paisano Ct.

Albuquerque, N.M. 87112

you have a 32K or 48K system, you may assemble, with the aid of EDTASM, the keyboard and music generator program of Listing 3 at top of memory. Save memory at 47723 for 32K or at 64107 for 48K. Then load the machine-language program and press break to load the Basic driver (lines 160-310 of Listing 1).

Two changes in line 160 of the Basic program are necessary. First, POKE 16527,186 for a 32K system (or POKE 16527,250 for 48K) for USR entries. The second change is the location for placing the K value address in memory. POKE locations - 16386 with PEEK(VARPTR(X)) and - 16385 with PEEK(VARPTR(X) + 1) for a 32K system. Likewise POKE locations -2 and -1 for a 48K system.


You should now be ready to append the special effects and note data for almost any piece of music. With 32K, I have programmed for computer play J.S. Bach's complete *Tocatta and Fugue in D Minor*, and all three movements of Beethoven's *Moonlight Sonata* in two voices (treble and bass), by the stereo synchronization technique described in "Programming Pitch" (80 Micro, May 1982).

All you budding composers out there can let your imaginations run wild with musical effects not attainable with any musical instrument other than your computer. ■

Merton Davis, a retired chemist, enjoys piano, golf and chess.

FREE

If we can't meet or beat any currently advertised price for TRS-80 software, you get a free diskette or cassette with your purchase. Just for calling or writing, you get a free 6 month subscription to "COMPUTER TIMES," the up-to-date review of all the latest software and hardware including handy hints for beginning and advanced users.



CompuWaire

P.O. Box 2720, Long Beach, CA 90810
(213) 548-6647
Micronet No. 70635,365
Master Card/Visa Accepted

484

Listing 3 Continued

7F4E	7505	05570	DEFW	1397		
7F50	1800	05580	DEFW	24		
7F52	47	05590	DEFM	'GS1'		
7F55	BA02	05600	DEFW	698		
7F57	3000	05610	DEFW	48		
7F59	47	05620	DEFM	'GS2'		
7F5C	5D01	05630	DEFW	349		
7F5E	6000	05640	DEFW	96		
7F60	47	05650	DEFM	'GS3'		
7F63	AF00	05660	DEFW	175		
7F65	BB00	05670	DEFW	187		
7F67	47	05680	DEFM	'GS4'		
7F6A	5700	05690	DEFW	87		
7F6C	6401	05700	DEFW	356		
7F6E	47	05710	DEFM	'GS5'		
7F71	2C00	05720	DEFW	44		
7F73	8702	05730	DEFW	647		
7F75	47	05740	DEFM	'GS6'		
7F78	1600	05750	DEFW	22		
7F7A	3304	05760	DEFW	1075		
7F7C	47	05770	DEFM	'GS7'		
7F7F	2500	05780	DEFW	37		
7F81	DA02	05790	DEFW	730		
7F83	47	05800	DEFM	'GF0'		
7F86	2006	05810	DEFW	1568		
7F88	1600	05820	DEFW	22		
7F8A	47	05830	DEFM	'GF1'		
7F8D	1003	05840	DEFW	784		
7F8F	2B00	05850	DEFW	43		
7F91	47	05860	DEFM	'GF2'		
7F94	8801	05870	DEFW	392		
7F96	5600	05880	DEFW	86		
7F98	47	05890	DEFM	'GF3'		
7F9B	C400	05900	DEFW	196		
7F9D	A800	05910	DEFW	168		
7F9F	47	05920	DEFM	'GF4'		
7FA2	6200	05930	DEFW	98		
7FA4	4201	05940	DEFW	322		
7FA6	47	05950	DEFM	'GF5'		
7FA9	3100	05960	DEFW	49		
7FAB	5402	05970	DEFW	596		
7FAD	47	05980	DEFM	'GF6'		
7FB0	1800	05990	DEFW	24		
7FB2	F703	06000	DEFW	1015		
7FB4	47	06010	DEFM	'GF7'		
7FB7	2500	06020	DEFW	37		
7FB9	DA02	06030	DEFW	730		
		06040	;MUSIC GENERATOR FOR USE WITH BASIC DRIVER			
		06050	;*****			
7FBB	CD7F0A	06060	MUSIC	CALL	ENTER	;PERIOD IN HL
7FBE	E5	06070		PUSH	HL	;SAVE IT
7FBF	21217B	06080		LD	HL,DVAR	;VARIABLE 'D'
7FC2	CD0D26	06090		CALL	VARPTR	;POINTER IN DE
7FC5	EB	06100		EX	DE,HL	;NOW IN HL
7FC6	5E	06110		LD	E,(HL)	;LO BYTE IN E
7FC7	23	06120		INC	HL	;AND
7FC8	56	06130		LD	D,(HL)	;HI BYTE IN D
7FC9	E1	06140		POP	HL	;GET PERIOD
7FCA	0E01	06150		LD	C,01	;TO TOGGLE A
7FCC	3E03	06160	TONE	LD	A,03	;TOGGLED FROM 2 TO 1
7FCE	A9	06170		XOR	C	;BY VALUE IN C
7FCF	4F	06180		LD	C,A	;SAVE TOGGLE
7FD0	D3FF	06190		OUT	(0FFH),A	;SEND VIBRATION
7FD2	7D	06200	BYTONE	LD	A,L	;IF REG. L HAS
7FD3	B7	06210		OR	A	;ZERO, IT MUST BE
7FD4	E5	06220		PUSH	HL	;INCREMENTED AFTER
7FD5	C2D97F	06230		JP	NZ,DELAY	;PERIOD IS SAVED
7FD8	2C	06240		INC	L	;ON STACK.
7FD9	45	06250	DELAY	LD	B,L	;LO BYTE OF PERIOD
7FDA	10FE	06260		DJNZ	S	;FOR DELAY
7FDC	CB7C	06270		BIT	7,H	;IF >7FH IN H REG.
7FDE	2005	06280		JR	NZ,REST	;GO TO REST CASE.
7FE0	25	06290		DEC	H	;ELSE DECREMENT H
7FE1	FAEB7F	06300		JP	M,FIN	;UNTIL MINUS AND
7FE4	24	06310		INC	H	;CONTINUE DELAY BY
7FE5	25	06320	REST	DEC	H	;RELOADING 'L'
7FE6	2EFE	06330		LD	L,0FEH	;WITH DELAY COUNT
7FE8	C3D97F	06340		JP	DELAY	;AND LOOP BACK.
7FEB	7A	06350	FIN	LD	A,D	;IF DE HAS REACHED
7FEC	B3	06360		OR	E	;ZERO THEN
7FED	E1	06370		POP	HL	;GET PERIOD AND
7FEE	CAF57F	06380		JP	Z,BASIC	;RETURN TO BASIC
7FF1	1B	06390		DEC	DE	;ELSE DECREMENT
7FF2	C3CC7F	06400		JP	TONE	;AND CONTINUE TONE.
7FF5	216C7A	06410	BASIC	LD	HL,KYBRD	;VECTOR POINTS
7FF8	228E40	06420		LD	(USR),HL	;TO KEYBOARD
7FFB	C39A0A	06430		JP	RETURN	;BEFORE RETURN
0002		06440	KADRA	DEFS	2	
7FBB		06450		END	MUSIC	

For serious business microcomputing, only one operating system exactly fits.

Whether you're in business and do microcomputing, or in computing and sell to business, you'll like OASIS.* Not a hobby or scientific system warmed-over for business use, OASIS is the only operating system designed from the ground up for business.

SERIOUS BUSINESS COMES IN ALL SIZES.

Whatever your business need, OASIS has the operating system to match: 8-bit or 16-, single-user or the multi-user system that professionals tell us makes micros run like minis. And that's even truer now with new OASIS-16.** (OASIS exact business fit #1: choice.)

A SYSTEM IS ONLY AS GOOD AS THE BUSINESS PROGRAMS IT RUNS.

The acid test for any business operating system is the application software available to run on it. There's plenty for OASIS—for nearly any job.

And it's top quality, too, because our integrated tools are top quality—and there are more of them. Like a high-level BASIC Interpreter/Compiler/Editor/Debugger; ISAM/Keyed/Direct/Sequential Files; a smart Print Spooler; Automatic Record Locking (OASIS exclusives!); plus COBOL & 'C' Languages. These tools are mandatory for high-quality business application program development—ask any developer. (OASIS exact business fit #2: high-quality application software.)

PORTABILITY PROTECTS BUSINESS SOFTWARE INVESTMENTS.

OASIS is custom-fitted to manufacturers' hardware so application software developed to run on one OASIS equipped machine can also run on others—and is upwardly compatible from 8-bit OASIS Single-User to Multi-User, on up to OASIS-16. This kind of application software portability is exclusive with OASIS.

Device independence allows various printers and terminals to be used—with no modification to application

software: OASIS system software compensates for differences. (OASIS exact business fit #3: portability.)

ACCURATE DATA & A SECURE SYSTEM REDUCE BUSINESS RISKS.

Data integrity—a challenge for any multi-user system—is insured by OASIS File & Automatic Record Locking. With it, normally all users can view a record at the same time. BUT, if the record is being updated by one user, other users are automatically denied access until the update is complete. That means data is always accurate and up-to-date. It's still another OASIS exclusive.

For system security, there's OASIS Logon, Password & Privilege Level. User Accounting keeps track of who used the system, when. (OASIS exact business fit #4: data integrity/system security.)

A FRIENDLY SYSTEM IS GOOD BUSINESS.

For user-friendliness, OASIS sets new standards. Example: the EXEC Job Control Language is so smart it walks users through their applications—and around the operating system.

With our 'HELP' feature, if you are unsure of the functions and options

available, type 'HELP' and the command function title—OASIS displays the syntax and options available.

Of course it's all in your language—not computerese. (OASIS exact business fit #5: user-friendliness.)

AND, AND, AND...

Some of the best, most extensive documentation in the industry; a packed Application Software Directory; multi-level training; direct telephone support; worldwide sales & service; options like CONTROL Relational Data Base Management System and MASTERPLAN Financial Modeling Package; OASIS has it all. (OASIS exact business fits #6 through #12.)

Now you know why there's no reason to struggle trying to put a square peg in a round hole. For serious business microcomputing,

there is one operating system that exactly fits: **OASIS**. Call or write us today for details.

* For Z80

** For 8086, 68000, Z8000, LSI-11, & others.

OASIS

STRICTLY BUSINESS

PHASE ONE SYSTEMS, INC.

7700 Edgewater Drive, Suite 830
Oakland, CA 94621-3051
Telephone 415/562-8085 TWX 910-366-7139

I'm serious about my business—please send me:

- ☐ OASIS-16 Manual, \$75
 - ☐ OASIS Manual, \$60
 - ☐ Free Application Software Directory and put me on your mailing list.
- (Add \$3 for shipping; California residents add sales tax.)

Name _____

St. (No. Box #) _____

City _____ State _____ Zip _____

☐ Check enclosed ☐ VISA ☐ Mastercharge
☐ UPS C.O.D. ☐ American Express

Card No. _____ Exp. date _____

Signature _____

New concepts set this DOS apart.

DOSPLUS 3.4

DOSPLUS 3.4
Micro Systems Software Inc.
5846 Funston St.
Hollywood, FL 33023
\$149.95 disk

John Ratzlaff
Mount Pisgah Academy
Candler, NC 28715

Several new concepts are evident in DOSPLUS 3.4. One of these is the cylinder idea, replacing tracks on disks. This idea comes from hard-disk technology. (The DOSPLUS 3.4 manual is also the manual for DOSPLUS 4.0 which is Micro Systems' new hard-disk operating system.) On single-sided drives, a cylinder is equivalent to a track, and the owner of such drives might see no need for the new terminology, but on double-sided drives, there is a world of difference. DOSPLUS 3.3 handled double-sided drives as separate drives: The first side of the disk was called drive 0 or 0A, while the back side was referenced as drive 0B. This meant that each side had its own directory and files could not span both sides. On DOSPLUS 3.4 both sides are seen as one drive and files can span both sides. Track 1 goes around the first side of the disk and then continues on the back side, so that there are six granules per track (with six sectors per granule). One directory takes care of both sides. Thus a double-sided, 40-track drive is essentially identical to a single-sided 80-track drive. A double-sided 80-track drive would have over 700 kilobytes of space available.

DOSPLUS 3.4 can also read and write 40-track disks in an 80-track drive (with some restrictions). This is done by skipping every other track, and guidelines are given in the manual for carrying this out successfully. This ability partly removes one obstacle

to using 80-track drives: the problem of compatibility with the more common 40-track drives. The only real difficulty remaining is its inability to read self-booting 40-track disks in an 80-track drive.

Another new concept implemented in DOSPLUS 3.4 is that of complete device-handling. The Force and Join commands allow you to tie devices together or redirect them. Even more important is it allows you to use disk files as devices, so all printer or video output could be sent to a disk file for later examination, for instance. It works the other way, too. You can specify a device in place of a file name, such as in a Copy command or in saving or loading from Basic. For example, in Basic you could type SAVE""DO", which sends the current program to the video display—an interesting but pointless equivalent to List.

A far more important application is saving to the RS-232 device by typing SAVE""RO". Assuming you were connected via an RS-232 to a friend's computer, also equipped with DOSPLUS 3.4, you could transfer a Basic program very simply. Using the copy command you can transfer practically anything (as long as it is an ASCII file). You could even type and have it appear on his video screen (assuming he was prepared appropriately) by typing COPY *KI TO *RO. To receive type COPY *RI TO *DO. By joining these devices to a disk file or the printer, you can have a permanent record of the conversation.

A third new concept introduced in DOSPLUS 3.4 is that of the wildcard disk file specification. When converting, transferring or purging (along with a few other utilities and functions), you may use a wildcard mask so all fields meeting the desired conditions (such as beginning with CRS or ending with /DAT) will receive the specified action.

The Convert utility (Model III only) now

allows you to convert a single file from a TRSDOS disk, or a select group of files, rather than the whole disk.

To make it easier to remember which files are desired, it is now possible to read the directory of a TRSDOS disk from DOSPLUS.

The new command, CAT (catalog), produces a short directory of a disk (including TRSDOS disks, if specified) showing just the file names and extensions. This is handy if you don't want to wade through all the information that the normal directory gives.

Finally, DOSPLUS 3.4 allows you to save certain system parameters and make them a permanent part of the operating system. In DOSPLUS 3.3 you used the Forms and RS-232 interface parameters, respectively, but it was necessary to reenter these parameters each time you booted the system. In DOSPLUS 3.3 you used the Forms and RS-232 commands to set printer and RS-232 interface parameters, respectively. But it was necessary to reenter these parameters each time you booted the system. Under DOSPLUS 3.4 these parameters may be saved to disk, so the system will always boot up in the desired configuration. The Forms command also has the new option of configuring the printer driver specifically for the popular Epson MX-80 printer so that it will print TRS-80 graphics without sacrificing its other capabilities.

Other new features include the following: The last DOS command typed may be repeated without retyping by entering a slash. You can set the top of memory (HIMEM) from DOS using the clear command. Eight-inch drives are now supported, although appropriate controller hardware is necessary. The new tape utility transfers machine-language programs from tape to disk, allowing relocation and attaching an appendage where necessary to disable DOS upon program load.

There are two significant new additions

to Basic. The first is the INPUT@ command, which vastly improves input formatting. Using this command, you can place the input question anywhere on the screen, and more importantly, you can specify input field lengths so the input string will not overflow the desired length. For example, a program to store names and addresses might have a 15-character address field; using INPUT@128,"Enter the address:",15,"\$";AD\$ would put an underline on the screen 15 units long, and would not accept any more than 15 characters. In fact, you have the option of directing the program to return as soon as the specified number of characters has been entered, even before enter is pressed. You can also tell it to accept only numeric input.

The other new Basic command is CMD"O", an array sorting utility. Its syntax is compatible with CMD"O" in Model III TRSDOS, but it is far more flexible. It sorts numeric as well as string arrays in ascending or descending order, and will sort other arrays in conjunction with the main array, as either key or tag arrays. For example, a mailing-list program might need all names and addresses sorted by zip code, with the names sorted alphabetically within any given zip-code group. The zip array would be the primary key array, with last names being a secondary key array, and first names and addresses being two tag arrays that would be sorted along with the key arrays. Even with all its flexibility, it is extremely fast. A 1,000-element string array and a 1,000-element numeric tag array will be sorted in about 15 seconds.

The manual is vastly improved. The manual no longer lists only the differences between DOSPLUS and TRSDOS; it now explains everything and gives plenty of examples. It also includes a 42-page technical section detailing the available DOSPLUS system calls.

Drawbacks

There are a few drawbacks to DOSPLUS 3.4. The authors have reverted to the ROM screen printer in the Model III version (in the interest of saving space), which means that graphics will not be sent to the printer. Diskzap, the disk editor, is not set up under the cylinder concept. To examine the back side of a disk you must ask for drive 0B—a fact not mentioned at all in the manual. Unfortunately, the price of DOSPLUS 3.4 has risen with its new capability: DOSPLUS 3.4 costs about \$150, putting it in the same price category as NEWDOS80 and LDOS, thus removing one of the arguments in its favor.

All these new features, along with all the old DOSPLUS 3.3 strong points, such as complete Model I to Model III compatibility, automatic density recognition, variable-save option when chaining programs, all DOS commands available from Basic, print spooling, Basic shorthand commands, Diskzap, and so on, combine with its tremendous speed and ease of use to make it one of the best operating systems available for the TRS-80. ■

SAT*

Krell's College Board

SAT* Preparation Series

New for '82

A COMPREHENSIVE PREPARATION PACKAGE / 30 PROGRAMS

1. Diagnostic analysis
2. Prescription of individual study plans
3. Coverage of all SAT* skills
4. Unlimited drill and practice
5. SAT* Exam Question simulator
6. All questions in SAT* format and at SAT* difficulty level
7. Instantaneous answers, explanations and scoring for problems
8. Worksheet generation and performance monitoring - (optional)
9. A complete record management system - (optional)
10. Systematic instruction in pertinent math, verbal & test taking skills - (optional)

Krell's unique logical design provides personalized instruction for each student according to individual needs.

Krell's College Board SAT* 81/82 Prep. Series has demonstrated a mean combined math and verbal score increase of more than 100 points by using sophisticated drill & practice techniques alone. This new series is much expanded and updated. In addition extra cost options are now available to provide worksheet generation, record management, and systematic instruction in all math and verbal areas tested by the SAT*.

All versions of Krell College Board SAT* Preparation Series provide answers, explanations and instantaneous raw scoring. Standard package \$299.95

APPLE, ATARI, COMMODORE, CP/M, IBM, AND RADIO SHACK*

Spectacular Results —
Increases Score up to 250 points.
"No High School should be
without these programs." —
J.C., N.Y.S.

A program that delivers
what it promises.



Be sure to enter Krell's giant
\$30,000

EDUCATIONAL SOFTWARE CONTEST

WRITE FOR DETAILS: LUDWIG BRAUN, D.E.E.
DIRECTOR OF EDUCATIONAL PRODUCT DEVELOPMENT

Micro-Deutsch

MICRO-DEUTSCH set includes 24 grammar lessons, covering all materials of an introductory German course. Four test units also included. Grammar lessons use substitution transformation drills, item ordering, translations and verbal drills. Drill vocabulary based on frequency lists. Suitable for use with any high school or college textbook. Extensively field tested at SUNY, Stony Brook.

APPLE*, PET* \$179.95
Isaac Newton + F.G. Newton

Perhaps the most fascinating and valuable educational game ever devised - ISAAC NEWTON challenges the players to assemble evidence and discern the underlying "Laws of Nature" that have produced this evidence. Players propose experiments to determine if new data conform to the "Laws of Nature". FULL GRAPHICS NEWTON - presents all data in graphic form. This game is suitable for children. Players may select difficulty levels challenging to the most skilled adults. Both Games \$49.95

Pythagoras and the Dragon

Mathematics in a fantasy game context. Based on THE SWORD OF ZEDEK introduces Pythagoras as a mentor to the player. When called on for aid, Pythagoras poses math questions and depending on the speed and accuracy of response, confers secret information. With Pythagoras as an ally, the quest to overthrow Ra, The Master of Evil, assumes a new dimension of complexity. Depending on the level chosen, problems range from arithmetic through plane geometry. APPLE, TRS80, PET, ATARI* 32K \$39.95

Competency/Proficiency Assessment Examination Preparation Series

A COMPREHENSIVE MULTI-MODULE
TUTORIAL AND EXAMINATION
SIMULATION PACKAGE

- Diagnostic analysis
- Prescription of individual study plans
- Systematic instruction in all facets of math and verbal skills
- Unlimited drill and practice with selection by skill area or level of difficulty
- Worksheet generation and performance monitoring
- Practice exam simulations
- A complete record management system

Krell's unique logical design provides personalized instruction for each student according to individual needs.

ALSO AVAILABLE:

Time Traveler
Odyssey in Time
Sword of ZedeK
Krell Game Pak
Super Star &

All Time Super Star Baseball
CALL FOR DETAILS AND PRICES

KRELL®

SOFTWARE CORP.

The state of the art in educational computing
1320 Stony Brook Road / Stony Brook NY 11790
Telephone 516-751-5139

Krell Software Corp. has no official ties with the College Entrance Examination Board or the Educational Testing Service. Krell is, however, a supplier of products to the E.T.S.

*Trademarks of Apple Comp. Corp., Tandy Corp., Commodore Corp., Digital Research Corp., I.B.M., Atari Corp., Terrapin Inc. N.Y.S. residents add sales tax

Writing flowcharts and documentation.

Technological Destiny—Part V

Gary Dillio
1109 Madison Avenue
Prospect Park, PA 19076

The first four parts of this series have covered the system development process, from concept to program design. This article will demonstrate flowcharting and programming the initial program in our fictitious COMS system and discuss testing and implementation phases of the system development process.

From the documentation prepared so far—system flowcharts, functional statements and screens—the programmer has the necessary data to begin

flowcharting. The flowchart of our COMS system appears in Fig. 1. This flowchart uses the four most common flowcharting symbols: the decision diamond, the continuation circle, the functional rectangle and the oblong terminator/initiator. The flowchart logic is straightforward, presenting the programmer with a good step-by-step guide.

The Program Listing is the result of the flowchart in Fig. 1. Table 1 defines the most common data elements used in the Listing.

It should be easy to follow the program's functions by comparing the flowchart to the Listing. The oblong Begin block in the flowchart symbolizes program and data field initialization and commentary. Program lines 10–

30 correspond to the Begin block. The next three rectangular blocks—Display Title Screen, CLS, Display Instructions—are carried out in lines 40–60 and the timing subroutine is at line 340. The routines for retrieving cookie names and boxes sold are in lines 70 and 80. The program follows the flowchart very closely. This will allow simplified debugging during test and implementation.

Test Phases

The testing and implementation phase of the system development process can be further divided into five sub-phases: program testing; system compatibility testing; system concurrency testing; implementation; and maintenance documentation.

The first step in program test-

ing is to prepare a reasonable sample of data designed to test each leg of the program. Too often test data simulates perfect input, giving the programmer a false sense of security. That security usually lasts only until the first batch of real production input is processed; production input is rarely perfect. Test data should simulate possible common errors as well as good entries.

Once the program has processed the test data, the computer system analyst inspects the input and output manually, performs the programming calculations and, if acceptable, approves the program's validity.

Next, all the programs that combine to make up the system are run together. Careful analysis of data bridges (outputs of one program that serve as inputs to another program) and other outputs usually allow the analyst and the programmers to iron out any compatibility bugs between programs before they are implemented. In this stage (system compatibility) the success or failure of the analyst begins to become apparent. Continuity links are often overlooked in the analyst's haste to develop a system. If this phase is successful during its first

The Key Box

Basic Level II
Model I
16K RAM
NEWDOS80
One 80-track Disk Drive
Epson MX-100 Printer

ANSS	Yes or No reply
B	Boxes sold of each type last year
C	Boxes per case
G	Percent of last year's order to order initially
K	Number of children selling cookies last year
N	Number of cookie types
NMS	Cookie name
P	Price per box
Q	Current cost per case
R	Number of children selling cookies this year
TA	Total boxes sold last year
TT1	Total cases to order initially

Table 1

TRS-80[®]

COMPUTERS

**CONSUMER
DISCOUNT
PRICES**

BUY DIRECT
PURE RADIO SHACK EQUIPMENT
LOW **DISCOUNT** PRICES

**BUY DIRECT
SAVE
MONEY**

MICRO MANAGEMENT SYSTEMS, INC.

TRS-80 DISCOUNT PRICED FROM
COLOR COMPUTER.....\$299
MODEL III.....\$609

TRS-80 DISCOUNT PRICED FROM
MODEL II.....\$2988
MODEL 16.....\$4158

We offer you the total package.....

- SATISFACTION..... thousands of satisfied customers since 1978!
- PRICE..... consistently offer the best value! Save money
- HONESTY..... no gimmicks, no worry - mail order ease!
- INVENTORY..... large, full line to assure fast delivery!
- RELIABLE PRODUCTS..... backed by major Name Brand manufacturers!
- ALL U.S.A. SHIPMENTS..... are fully insured against damage or loss!
- TOLL FREE PHONES..... doesn't cost you a penny to call us!

CALL US TOLL FREE FOR YOUR DISCOUNT PRICES!

WRITE FOR FREE CATALOG

ATARI

CENTRONICS[®]

TRS-80
PERSONAL COMPUTERS
PRINTERS
SOFTWARE

Smith-Corona[®]
DAISY WHEEL

SONY[®]

FRANKLIN

commodore
COMPUTER

MICRO MANAGEMENT SYSTEMS, INC.

PARCEL DIVISION-DEPT. NO. 4

2803 Thomasville Road East • Cairo, Georgia 31728

GA. & INFO 912-377-7120

All **TRS-80** Equipment is Pure Radio Shack Factory Built. Free copy of Radio Shack
Warranty available upon request. TM - Tandy Corporation

ORDER TOLL FREE 1-800-841-0860

✓96




Figure 1

test, it usually indicates the analyst's planning and development was sound and logical.

With the first two sub-phases completed and changes initiated, sub-phase three (concurrency testing) begins. Concurrency testing is the process of running the newly developed system along with the system it is designed to replace. The current system, whether manual or mechanical, is processed as usual. Careful notes of system specifications are gathered, including total time spent to obtain meaningful reports, amount of manual effort and so on. The identical input is processed next through the newly developed system and accuracies of their products are compared. This phase is repeated until the

programmer, analyst and user gain confidence in the new system.

Hopefully, during the comparison, the new system was found to be quicker, easier and more accurate than the old. If the products from the two systems differ, the new system's results should be more accurate. If the old system is quicker, easier, or more accurate, the design phase was probably at fault. As with every phase of the system development process, when the new system does not perform to expectations, retreat and redo any unacceptable phase. Finally, when concurrency testing has proven the new system to be superior, the current system can be scrapped and the new sys-

tem implemented.

That will do for our Girl Scout cookie drive, but in developing a more complex system implementation is phased in. The old and new systems are broken down into phases so that the inputs and outputs of each phase in the systems produce the same data. A phase-initiator plan is drawn up similar to Fig. 2. This payroll system implementation plan details the phases to be taken over by the new system in stages and the proposed date of each takeover.

On February 4th the payroll operation is still being run entirely by the old system. Gradually, new phases are transferred into the system. Finally, on March 18th the old system is inactive and the new system is

in place and fully operational. User, analyst and programmer collectively sigh in relief, adjourn to a nearby tavern and celebrate. It has been my observation that programmers celebrate with a greater abandon than do analysts and rightly so, because any mistake the analyst has made through the system development process usually results in the programmer doing a disproportionate share of the rework.

Documentation

After the celebration, the analyst and programmer face the most mundane and hated phase of the system development process: documentation. One has only to review some documentation to see just how hated this process is. A programmer, after debugging and creating a successful program, usually wants to go on to new programs and challenges, not reiterate his past program. Yet his successful program or system is compromised without good documentation. In business, where a program belongs not to the programmer but to the business itself, documentation is very important because the person designated to maintain and enhance the system is very often not the original programmer. The Department of the Navy has established a good guide to system documentation that includes, but is not limited to, the following documents:

● Functional Description—

This is a document containing the original user concept of the proposed system, along with its developmental proposed costs and benefits over existing systems.

● System Specification—

An extension of the functional description, the system specification describes the interfaces of the proposed system, the data necessary to accomplish each phase and a step-by-step description of the logic.

● Program Specifications—

This document encompasses a complete description of record formats, magnetic media, file sizes, flowcharts, program listings and variable names and descriptions used within the pro-

gram. Each program in the system has its own programming specifications.

• **Maintenance Manual**—Written by the programmer, this contains any information not available in the program specifications that might aid a future programmer in enhancing the original program.

• **Operations Manual**—This manual is designed specifically for the system user, detailing in non-technical language step-by-step operating procedures.

Of all the packages detailed above, perhaps the most important is the Operations Manual. No matter how successful the system or its individual programs, the system is a failure if the user does not understand how to get the most out of it. There are dozens of good programs available for the TRS-80 in this issue of *80 Micro* alone, but much software available for microcomputers lacks effective user documentation. The programmer interested in marketing his own software should

study some of the more successful efforts at documentation on the market today. Two I have found to be excellent cases of documentation are Lazywriter and Exador's Data Manager. Both are written clearly and effectively, and spiced with frequent examples and applications. Both are organized in a logical step-by-step instructional pattern and in plain English.

David Welsh's Lazywriter uses a technique I strongly recommend: The user manual is written by Welsh's wife, Theresa. The programmer is often so tied up in his program that he makes two major mistakes. He usually passes too much technical information to the user and not enough obvious information. If the program author wants to supply the user with technical information designed to enhance the utility of the program, he should do so in a technical section separate from the user instructional segment of the manual. Both Lazywriter and

TRS-80TM COMPUTERS

1-800-841-0860 Toll Free

BUY DIRECT
PURE RADIO SHACK EQUIPMENT
LOW DISCOUNT PRICES

TRS-80 Color Computer



**BUY
DIRECT**

**PRICED
FROM**

\$299

TRS-80 Model II Computer



**BUY
DIRECT**

**PRICED
FROM**

\$2988

TRS-80 Model III Computer



**BUY
DIRECT**

**PRICED
FROM**

\$609

TRS-80 Model 16 Computer



**BUY
DIRECT**

**PRICED
FROM**

\$4158

Smith Corona TP-1 Daisy Wheel Printer



**BUY
DIRECT**

LIST \$895⁰⁰

\$639

NEW!

**Radio Shack TRS-80
HARD DRIVES
For Model I & III
Call For Prices**

**TM - TANDY CORPORATION
FREE COPY OF WARRANTY
UPON REQUEST**

**CENTRONICS 739-1
\$469**

WRITE FOR YOUR FREE CATALOG

We Carry The Full TRS-80 Product Line

**MICRO MANAGEMENT
SYSTEMS, INC**

**PARCEL DIVISION-DEPT. NO. 4A
2803 Thomasville Road East**

Cairo, Georgia 31728

GA. & INFO 912-377-7120

SCM SMITH-CORONA

VIC-20
The friendly computer

Thousands of Satisfied Customers Since '78 ✓96

HOW YOUR TRS-80® CAN OUTSMART IBM-PC®

With XYZT software your TRS-80 becomes a real pro!

INTERACTIVE CONTROL LANGUAGE (rel.2-A) . . \$59.00/\$10 ma

The most powerful control language ever designed for the micro. Intended for control of computer operation, software enhancement and customization. Just check list of features:

- Complete control over computer operation
- Powerful command language processor
- Interaction with operator
- Control interception*
- Queue structure for data manipulation*
- Variables and information passed between programs
- Virtual I/O for keyboard and display operations*
- Interactive program/ICL coexecution*
- Enhances DOS, assemblers, compilers, wordprocessors, database, etc.*
- Provides data for keyboard input
- Access to display output*
- &RETCODE indicates result of execution*
- Conditional execution of DOS commands & /CMD files

* Exclusive ICL feature

LIBRARY SUPPORT OPTION . . \$79.00/\$10 ma

Upgrade your DOS with libraries! Organize your files neatly - put all /BAS files into BAS/LIB, /CMDs to CMD/LIB, /RELs to REL/LIB, etc. Use regular DOS commands to list, copy, kill, print, load, save... files directly to/from libraries. Your processing will be faster, plus LSO saves space - minimal file size is 1 sector, not granule! In addition, the compress option saves another 30% of space. Using LSO we managed to place all files that previously occupied 2.5 diskettes onto one diskette and still 10% of space remained free!

SPECIAL OFFER: ICL and LSO . . . \$99.00

To order, specify Mod I/III and DOS.

Check, M.O., C.O.D. plus \$2.50 s/h

Foreign orders - extra \$10.00

XYZT COMPUTER DIMENSIONS, INC.


2 PENN PLAZA, SUITE 1500

NYC, N.Y. 10121

(212) 244-3100 ✓158

Dealers inquiries welcomed * -registered trademarks

NEWDOS/80* □ DOSPLUS* □ LDOS* □ TRSDOS* □ NEWDOS+* □






Fig. 2. New payroll system implementation phases: 1—tax statements; 2—other withholding statements; 3—sick time and vacation time; 4—social security; 5—check stub; 6—checks.

```

10 CLEAR500:DIMA$(15):DIMB(15)
20 TT1=0
30 REM COOKIE MANAGEMENT SYSTEM INITIAL ORDER PROGRAM
40 CLS:PRINT@341,"COOKIE MANAGEMENT SYSTEM"
50 PRINT@530,"INITIAL COOKIE ORDER PROGRAM":GOSUB340
60 CLS:PRINT"YOU WILL BE ASKED TO TYPE THE COOKIE NAME AND THE TOTAL NUMBER OF
BOXES SOLD LAST YEAR":PRINT"WHEN YOU ARE FINISHED ENTERING DATA ANSWER COOKIE N
AME WITH AN 'END'":PRINT:PRINT
70 FORX=1TO10:INPUT"COOKIE NAME":NM$(X):IF NM$(X)="END"THEN GOTO 90
80 INPUT"BOXES SOLD":B(X):NEXT
90 N=X:CLS:INPUT"HOW MANY BOXES IN EACH CASE":C
100 INPUT"WHAT IS THE PRICE OF 1 BOX":P
110 CLS:PRINTTAB(5);"NAME":PRINTTAB(16);"QUANTITY":PRINTTAB(5);"----":PRINTTAB
(16);"-----":PRINT
120 FORX=1TON-1:PRINTTAB(5);NM$(X);PRINTTAB(20);B(X):TA=TA+B(X):NEXT
130 PRINTTAB(5);"TOTAL BOXES":PRINTTAB(20);TA
140 PRINTTAB(5);"TOTAL CASES":PRINTTAB(20);TA/C
150 PRINTTAB(30);"TOTAL VALUE $":TA*P:GOSUB340
160 PRINT@896,"DO YOU WANT THIS INFORMATION PRINTED (Y/N)":INPUTANS$
170 IF ANS$="Y"THEN CMD"JKL" ELSE 180
180 CLS:INPUT"HOW MANY CHILDREN SOLD THESE COOKIES":K
190 CLS:PRINTTAB(10);"AVERAGE SALES PER CHILD"
200 FORX=1TON-1:PRINTTAB(5);NM$(X);PRINTTAB(20);B(X)/K:AVB(X)=B(X)/K:NEXT
210 PRINT:PRINTTAB(15);"TOTAL PER CHILD":PRINTTAB(30);TA/K
220 INPUT"PRESS ENTER TO CONTINUE":Z$
230 CLS:INPUT"HOW MANY CHILDREN ARE SELLING COOKIES THIS YEAR":R
240 INPUT"WHAT PERCENT OF AVERAGE SALES WOULD YOU LIKE TO ORDER INITIALLY (ENTER
50% AS .5)":G
250 INPUT"WHAT IS THE CURRENT COST PER CASE":Q
260 CLS:PRINTTAB(20);"INITIAL ORDER - IN CASES":PRINTTAB(20);"-----"
270 PRINTTAB(5);"COOKIE":PRINTTAB(20);"CASES":PRINTTAB(5);"-----":PRINTTAB(20
);"-----"
280 FORX=1TON-1:PRINTTAB(5);NM$(X);Y=AVB(X)*R:S=Y/C:W=INT(S*G):TT1=TT1+W:PRINTT
AB(20);W:NEXT
290 PRINTTAB(10);"TOTAL CASES":PRINTTAB(25);TT1
300 PRINTTAB(20);"TOTAL COST":PRINTTAB(40);TT1*Q;" DOLLARS"
310 PRINT@896,"DO YOU WANT TO PRINT THIS INFORMATION (Y/N)":INPUTZ$
320 IFZ$="Y"THEN CMD"JKL" ELSE 330
330 CLS:PRINT@475;"THE END":FORX=1TO2000:NEXT:END
340 FORX=1TO2000:NEXT:RETURN

```

Program Listing

Data Manager use this approach. Obvious information to the programmer is not always

obvious to the user. By allowing his wife to write the Lazywriter manual, Welsh avoids this trap.

In order to write the manual, Theresa Welsh had to understand the program from the

user's standpoint. She successfully sorts extraneous information from pertinent information, resulting in a clear presentation of a complex and powerful program.

Beyond the user, the second reason for good complete documentation is maintenance. No system remains static; no program is ever completed. Design a good program, test and revise it until you feel it is perfect. Use it until you are satisfied with its operation. Then submit the program to a software house. Suddenly the program is no longer perfect. Pages of suggested changes arrive in the mail from the software publisher and you must begin again: Revise, edit, enhance and finally, your program submission is accepted. Do not rejoice yet! Before finishing the bottom third of that special bottle you've been saving for this occasion, a letter will arrive from Joe User complaining that you provided no print option for his unique modified toaster-printer. This is usually followed by a 3 a.m. phone call from a user interested in a program modification to allow his microwave oven to begin heating his dinner when the last report begins printing. Once again, with modification proposals littering your desktop, it's back to the drawing board.

Summary

These articles have attempted to broaden your understanding of a logical sequential approach to developing a system. While all of these steps may not be necessary for a simple system, any programmer should be able to benefit from some of the concepts presented. Remember, a slow, logical, deliberate approach to a new system assures the success of your efforts.

Describing the entire system development procedure in five articles can only superficially cover the subject. An in-depth review would take several volumes. It is my hope that this introduction will serve as a catalyst for you to investigate the many excellent data processing guides available in the field. I wish you success! ■

WE WILL NOT BE UNDERSOLD

SOFTWARE

MICROPRO	
Wordstar	\$269.00
Mailmerge	89.00
Customization Notes	\$359.00
Spellstar	\$239.00
Datastar	\$199.00
Calcstar	\$199.00
MICROSOFT	
Basic Interpreter	\$349.00
Basic Compiler	\$389.00
Fortran 80	\$499.00
Cobol 80	\$695.00
DATA BASE	
FMS80	\$595.00
dBase II	\$599.00

NEW! IBM PC SOFTWARE NEW!

INFORMATION UNLIMITED	
Easy Writer	\$289.00
Easy Speller	\$149.00
Easy Filer	\$319.00
VISICORP	
Visicalc 256K	\$190.00
VisiDex	\$199
VisiFile	\$229
VisiTrend/VisiPlot	\$229
MICROPRO	
Wordstar	\$299.00
MISCELLANEOUS	
Supercalc by Sorcim	\$229.00
Superwriter by Sorcim	\$289.00
Home Accountant Plus	\$139.00
ENTERTAINMENT	
Deadline	\$39.00
Temple of Apshai	\$29.00
Curse of Ra	\$15.99
Call For More IBM Software And Accessories	

DISK DRIVES

CCI 100 for the TRS-80 Model 1	
5 1/4 40 track	\$299.00
CCI 189 for the Zenith Z-89	
5 1/4 40 track	\$379.00
CORVUS 5M with Mirror	\$3089.00
CORVUS 10M with Mirror	\$4489.00
CORVUS 20M with Mirror	\$5389.00
CORVUS Interfaces	CALL
RANA SYSTEMS add-on Disk Drive for the Apple II	CALL
Elite One 40 Track	CALL
Elite Controller	CALL
Elite Two 80 Track	CALL
Elite Three 80 Track double-sided	CALL

DISKETTES

Maxell 5 1/4 single side	\$39.00
Maxell 8 single side	\$49.00
Maxell 5 1/4 double side	\$45.00
Maxell 8 double side	\$55.00
BASF 5 1/4	\$26.95
BASF 8	\$36.00
Verbatim 5 1/4	\$26.95
Verbatim 8	\$36.00
Wabash 5 1/4	\$24.95
Wabash 8	\$29.95

IBM PC ACCESSORIES

64K Card by Microsoft	\$435.00
Joystick by T & G	\$49.00
128K Card	\$579.00
192K Card	\$629.00
256K Card	\$699.00
Combo Card by Apparat	\$249.00
Call for more IBM PC add-ons	

For fast delivery, send certified checks, money orders, or call to arrange direct bank wire transfers. Personal or company checks require one to three weeks to clear. All prices are **mail order only** and are subject to change without notice. **Call for shipping charges.**

APPLE SOFTWARE

MICROPRO	
Wordstar	\$269.00
MailMerge	\$99.00
Spellstar	\$149.00
DataStar	\$199.00
Calcstar	\$189.00
Supersort I	\$159.00
VISICORP	
VisiCalc	\$199.00
VisiTerm	\$79.00
VisiDex	\$199.00
VisiPlot	\$169.00
VisiFile	\$199.00
VisiSchedule	\$259.00
VisiTrend/Plot	\$239.00
VisiPac	\$539.00
MISCELLANEOUS	
Micro Courier	\$219.00
Screen Director	\$129.00
Executive Briefing System	\$169.00
Supercalc	\$199.00
Personal Filing System	\$115.00
PFS Report Writer	\$75.00
Word Handler	\$169.00
CP/M Power	\$59.00
ENTERTAINMENT	
Wizard and Princess	\$29.00
Twerps	\$28.00
Beer Run	\$28.00
Zork I, II	\$26.95
Deadline	\$39
Chop Lifter	\$24.95
Pinball	\$24.95
Cannonball Blitz	\$29.95
Knights of Diamonds	\$29.95
Midnight Magic	\$32.00
Wizardry	\$45.00
Time Zone	\$79.00
Tuesday Morning Quarterback	\$24.95
Crush, Crumble & Chomp	\$24.95
Datestones of Ryn	\$15.99
Morloc's Tower	\$15.99
Star Warrior	\$31.99
Snack Attack	\$23.95
Star Blazer	\$24.95
Kabul Spy	\$29.95
Cyclod	\$23.95

APPLE ACCESSORIES

ADVANCED LOGIC	
Add-Ram 16K Card	\$99.00
Z-Card CP/M for the Apple II	\$225.00
Smarterm 80 Column Board w/Softswitch	\$249.00
The Synergizer	
All of the above plus "The CP/M Handbook"	\$545.00
Z-80 Card by Microsoft	\$319.00
16K Card by Microsoft	\$159.00
32K Card by Saturn	\$199.00
Keyboard Enhancer II by Videx	\$125.00
Videoterm by Videx	\$259.00
Game Paddles by TG	\$49.00
Joystick by TG	\$49.00
Numeric Keypad by Keyboard Co.	\$139.00
ALF 9 Voice Board	\$159.00
ALF 3 Voice Board	\$229.00
System Saver by Kensington	\$75.00
Versacard by Prometheus	\$229.00
8088 Card by Coprocessor	\$789.00
Microbuffer II 16K w/graphics	\$259.00
Microbuffer II 32K w/graphics	\$299.00
APPLE INTERFACE CARDS BY CCS	
Serial Asynch. #7710	\$139.00
Serial Synch. #7712	\$149.00
Call for other CCS cards	

RAM

16K Ram Kit for Apple II; TRS80	\$17.50
200 nano seconds, 4116 chips	

COMPUTERS

CALIFORNIA COMPUTER SYSTEM	
Mainframe 2200a	\$485.00
Z-80 CPU 2810a	\$265.00
64K RAM 2065	\$569.00
Floppy Controller 2422a	\$359.00
ZENITH	
Z-89 48K	CALL
Z-90 64K	CALL
Call For Prices On The Complete Zenith Line	
CASIO FX702P Pocket Computer	\$179.00
Sanyo MBC1000 64K	\$1649
Call For Prices On Complete Sanyo Computer Line	

PRINTERS

NEC 7710 Serial	\$2395.00
NEC 7720 KSR	\$2749.00
NEC 7730 Parallel	\$2395.00
NEC 3510 Serial	\$1850.00
NEC 3530 Parallel	\$1850.00
NEC 8023 Dot Matrix 100cps	\$539.00
Olivetti DY211 Letter Quality	
Daisy Wheel Printer	\$1095.00
Parallel Only	\$995.00
Epson MX-80	CALL
Epson MX-80FT	CALL
Epson MX-100	CALL
IDS 560	CALL
IDS Prism 80	CALL
IDS Prism 132	CALL
Okidata Microline 80	CALL
Okidata Microline 82A	CALL
Okidata Microline 83A	CALL
Okidata Microline 84	CALL
Centronics 739	\$675.00
Datasouth 180 cps	CALL
Zenith Z-25 150 cps	CALL

MONITORS

Amdek 12" B & W	\$109.00
Amdek 13" Color	\$329.00
Sayno 9" B&W	\$135.00
Sayno 9" Green	\$140.00
Sayno 12" B&W	\$179.00
Sayno 12" Green	\$189.00
Sayno 13" Color	\$359.00
Zenith 12" Green	\$99.00
Zenith 13" Color	\$339.00
Electrohome 13" HI-RES	
Color Monitor	\$829.00
Electrohome 13" Color	\$349.00
Electrohome 12" B&W	\$179.00
Electrohome 12" Green	\$189.00
Electrohome 9" B&W	\$149.00
Electrohome 9" Green	\$159.00

SPECIAL OF THE MONTH

RANA SYSTEMS

add-on disk drive for Apple II
Elite One 40 track CALL

TERMINALS

ADDS Viewpoint	\$495.00
Zenith Z-19	\$679.00
Televideo 910	\$595.00
Televideo 925	\$779.00
Televideo 950	\$969.00

TELECOMMUNICATIONS

Prentice Star Modem	\$129.00
Novation Cat Modem	\$139.00
Novation D-CAT	\$149.00
Novation AUTO-CAT	\$199.00
Novation APPLE CAT	\$299.00
Hayes Smart Modem	\$249.00
Hayes Micro-Modem	\$295.00
Hayes Chronograph	\$225.00

The CPU Shop

TO ORDER CALL TOLL FREE 1-800-343-6522

420-438 Rutherford Ave., Dept. MI-09, Charlestown, Massachusetts 02129




Hours 9 AM - 9 PM (EST) Mon.-Fri. (Sat. till 6)
Technical information call 617/242-3361

TWX- 710-348-1796

Massachusetts Residents call 617/242-3361
Massachusetts Residents add 5% Sales Tax

See List of Advertisers on page 371

80 Micro, October 1982 • 251



The facts.
And nothing but the facts.

Epson.

Our MX Series printers are the best-selling dot matrix printers in the entire world. This is why.

Fact One: We've got your type.

Epson invented correspondence quality printing. And we still do it better than anybody.

But more importantly, we do *more* of it than anybody. On every Epson MX printer, you get a choice of *sixty-six* different type styles, including italics, a handy subscript and superscript for scientific notation and small print, enough international symbols to print most Western languages, and one-pass underscore. All in a tack-sharp, easy-to-read 9x9 matrix with full descenders.

If print quality is important to you, your next printer is an Epson.

Fact Two: Ultra-high resolution graphics.

There simply is no higher resolution graphics than GRAFTRAX-PLUS. And it comes standard on every MX.

You get bit image graphics free of wander, walk and jitter; graphics with blacker blacks and better definition because you can precisely place a dot at any of 25,920 positions inside a square inch (that's 120 DPI h x 216 DPI v); graphics that make our printers rival plotters.

If graphics is what you want, your next printer is an Epson.

Fact Three: Feature shock.

The Epson MX Series is packed with the features printer fanatics want most. A bidirectional print head with logical seeking of the shortest line. Programmable tab, form length and right margin. Top of forms recognition. Skip over perf. Software printer reset. True

backspace. Self test. The world's only disposable print head. And more. Lots more. On our MX-100 and MX-80 F/T, you even get both friction *and* tractor paper feed.

If you want performance, your next printer is an Epson.

Fact Four: Incredible reliability.

Epson MX Series printers are the most reliable printers ever made. And the reason is precision.

Take a look inside one and you'll understand. Notice the simplicity, the fit, the finish. That's why Epson has an out-of-box reliability rate others can only envy: 98%. And why our mean cycles between failures (MCBF) is over five million lines.

The whole package is neatly wrapped in a rugged plastic injection-molded case designed to look good — and stay looking good.

If you want a printer that works, and keeps on working, your next printer is an Epson.

Fact Five: World's best seller. Period.

Within months after we introduced the Epson MX-80, it was the best selling dot matrix printer in the world. It still is. Not because of anything *we* said, but because tens of thousands of computer enthusiasts went out and did some serious comparison shopping. *They* decided it was the best printer for the money they could buy. And who are we to argue?

If you want the world's best seller, your next printer is an Epson.

Fact Six: Quality doesn't cost more.

Don't take our word for it. Check it out. Look at what they give you. Then look at what we give you. Then look at the price.

There is only one logical choice. Epson. And that's the truth.

*"In my judgment,
this is the
best printer
you can buy."*



Your next printer.

EPSON
EPSON AMERICA, INC. ✓97
COMPUTER PRODUCTS DIVISION

3415 Kashiwa Street
Torrance, California 90505
(213) 539-9140

Twenty graphics programs and a disk directory for your CC.

The Colorful Computer—Part III

Franklyn D. Miller
8871 Falmouth Drive
Cincinnati, OH 45231

We begin this final installment with programs for those without Extended Color Basic. Program Listing 1 (Printing) relies on the use of strings for very rapid graphics and changing patterns of color.

Program Listing 2 (Random POKE) gives rapidly changing patterns of a different type using POKE for quick graphics. Line 30 prevents printing blank screens, since every 16th character between 128 and 255 is all pixels off. There are eight such black character blocks. You only have 120 colored graphics characters.

In Program Listing 3 (Blocks), strings are again used to print patterns, but the strings are constructed in a different fashion. In this case blank spaces are desirable, eliminating the need for a line equivalent to line 30 above. Program Listing 4 (Blocks 1) is a variation on the same theme. Try other variations by changing the values of A, B, C, and D, and by using different random number generators. Even programs this simple produce intricate displays.

Most graphics commands and options of Extended Color Basic were explained and illustrated in the previous articles. This time around, we'll put the functions to use rather than discuss them.

The Programs

Ellipses (Program Listing 5) makes use of the HW option as well as C, the color option. In Program Listing 6 (Sunburst 2) full circles are used along with with Get and Put. Don't forget the G in line 70 and the PSET in line 100.

Program Listing 7 (Circle-Star) was prompted by the problem of drawing a star within a circle on the Model I. On the Color Computer this task is almost trivial.

The Key Box

Color Basic and Extended Color Basic
16K RAM
Color Computer

```
10 REM LISTING 1 PRINTING
20 CLS0
30 FOR T=1 TO 31: A$=A$+CHR$(RND(127)+128): NEXT T
40 FOR X=1 TO 14
50 PRINT A$;: NEXT X
60 PRINT A$;
70 PRINT A$;
80 PRINT LEFT$(A$,15);
90 FOR I=1 TO 1900: NEXT I
100 GOTO 20
110 REM MEM = 137
```

Program Listing 1. Printing

```
10 REM LISTING 2 RANDOM POKE
20 CLS0
30 C=RND(128)+128: IFC/16=INT(C/16) THEN 30
40 FOR A=155 TO 1 STEP -1: FOR B=1024 TO 1535 STEP A: POKE B,C: NEXT B: CLS0: NEXT A: RUN
50 REM MEM = 103
```

Program Listing 2. Random POKE

```
10 REM LISTING 3 BLOCKS
20 CLEAR 500
30 CLS0: A=160: B=128: C=171: D=128
40 A$="": B$="": C$="": D$=""
50 FOR I=0 TO 15
60 A$=A$+CHR$(A)+CHR$(B): B$=B$+CHR$(B)+CHR$(C)
70 C$=C$+CHR$(C)+CHR$(D): D$=D$+CHR$(D)+CHR$(A): NEXT I
80 CLS0: FOR I=1 TO 3
90 PRINT A$; B$; C$; D$;
100 NEXT I
110 PRINT A$; B$; C$;: PRINT @479, D$;
120 A=D: D=C: C=B: B=RND(113)+142
130 FOR I=1 TO 500: NEXT I: GOTO 40
140 REM MEM = 288
```

Program Listing 3. Blocks 1

```
10 REM LISTING 4 BLOCKS 2
20 CLEAR 500
30 A=150: B=128: C=155: D=128
40 A$="": B$="": C$="": D$="": FOR I=0 TO 15
50 A$=A$+CHR$(A)+CHR$(B): B$=B$+CHR$(C)+CHR$(D): C$=C$+CHR$(A)+CHR$(C)
60 D$=D$+CHR$(B)+CHR$(D): NEXT I
70 CLS0: FOR I=1 TO 3
80 PRINT A$; B$; C$; D$;: NEXT I
90 A=D: D=C: C=B: B=RND(113)+142
100 FOR I=1 TO 500: NEXT I: GOTO 40
110 REM MEM = 272
```

Program Listing 4. Blocks 2

Blanket, in Program Listing 8, again uses the HW option of Circle with the C option. Try changing the Screen instruction to 1,0. You might also try varying values for HW to create other designs.

Program Listing 9 (Shapes) combines Circle, Line, Draw and Paint to form solid geometric figures in perspective. A good exercise in graphics programming would be to construct other figures, such as truncated cones and truncated pyramids, in various perspectives. A crystallographer might work up a file of standard crystal structures and add dots to them to indicate if, for ex-

ample, a cube is face centered or body centered.

Program Listing 10 (Shell) was originally published in *80 Micro* and is rewritten here to take advantage of Extended Color Basic. It uses mathematical equations to form its interesting patterns. Program Listing 11 (Fan) is a somewhat similar program giving a completely different pattern. Program Listing 12 (Moire), also an *80 Micro* rerun, has been rewritten for the Color Computer, and again uses mathematical functions to create a moire design. In Program Listing 13 (Petal), again using the same functions, yet another interesting pattern is created. Try experimenting with sine and cosine to form other attractive displays. The Line instruction is particularly versatile and easy to use.

Letters (Listing 14) is one way to create alphanumerics in high-resolution graphics. In the interest of keeping the program short, only five letters of the alphabet are used.

I recently saw another method for doing this using PSET, but it is woefully slow. Each letter in the program forms in such a way as to allow concatenation on the screen. You might need to change letter sizes and spacing to suit your tv. C1\$ provides a space between letters drawing

blank spaces whenever it is used.

The string in line 140 could be concatenated with the string in line 130 to reduce memory and speed of execution. Incidentally, my programs are in extended format for legibility. You could use multiple statement lines to reduce memory and improve execution speed.

Line 110 provides wraparound in case the string entered is too long. The program does not, however, provide an error trap to prevent printing below the lower or above the upper screen boundaries. This program could be used as a subroutine in another program if sufficient alphanumerics were provided in data statements. The easiest way is to use a disk and the Merge command to add it to the main program. The various letters could be called by proper use of INKEY\$.

Program Listing 15 (Arrow) is an example of the use of Get and Put to create simple animation. Two arrays are used: one to store the picture of the arrow and the second to store a blank square of equal dimensions. The arrow is then moved across the screen and erased after each move. The last few lines show where the arrow has been in reverse graphics by the use of the PRESET option. Other effects can be obtained by us-

```
10 REM LISTING 5 ELLIPSES
20 PMODE3,1:PCLS:SCREEN1,0
30 FORI=6TO60STEP6
40 C=RUN(3)+5:IFR=C THEN40
50 CIRCLE(127,96),I,C,1.5
60 R=C
70 NEXT
80 FORI=6TO90STEP6
90 C=RUN(3)+5:IFR=C THEN90
100 CIRCLE(127,96),I,C,.7
110 R=C
120 NEXT
130 GOTO130
140 REM MEM = 183
```

Program Listing 5. Ellipses

```
10 REM LISTING 6 SUNBURST 2
20 PMODE4,1:PCLS:SCREEN1,1
30 DIMV(15)
40 FORI=0TO12STEP3
50 CIRCLE(12,12),I
60 NEXT
70 GET(0,0)-(24,24),V,G
80 FORI=0TO182STEP24
90 FORJ=0TO236STEP24
100 PUT(J,I)-(J+24,I+24),V,PSET
110 NEXTJ,I
120 GOTO120
130 REM MEM = 175
```

Program Listing 6. Sunburst 2

```
10 REM LISTING 7 CIRCLE-STAR
20 PMODE3,1:PCLS:SCREEN1,0
30 CIRCLE(127,96),88
40 LINE(50,60)-(204,60),PSET
50 LINE(50,60)-(190,158),PSET
60 LINE(204,60)-(62,158),PSET
70 LINE(62,158)-(127,10),PSET
80 LINE(127,10)-(188,156),PSET
90 GOTO90
100 REM MEM = 179
```

Program Listing 7. Circle-Star

```
10 REM LISTING 8 BLANKET
20 PMODE3,1:PCLS:SCREEN1,1
30 FORY=10TO180STEP10
40 C=RUN(3)+5:IFR=C THEN40
50 FORX=20TO230STEP10
60 CIRCLE(X,Y),20,C,.3
70 NEXTX:R=C:NEXTY
80 GOTO80
90 REM MEM = 155
```

Program Listing 8. Blanket

```
10 REM LISTING 9 SHAPES
20 PMODE4,1:PCLS:SCREEN1,1
30 CIRCLE(40,20),16,,14/32
40 LINE(24,20)-(24,80),PSET
50 LINE(56,20)-(56,80),PSET
60 CIRCLE(40,80),16,,7/17,0,.5
70 PAINT(40,36),5,5
80 LINE(124,20)-(82,80),PSET
90 LINE(124,20)-(146,72),PSET
100 LINE(82,80)-(120,90),PSET
110 LINE(124,20)-(120,90),PSET
120 LINE(120,90)-(146,72),PSET
130 PAINT(120,40),5,5
140 CIRCLE(208,50),40
150 CIRCLE(208,50),40,,.3,0,.5
160 CIRCLE(208,50),30,,1.3,.25,.75
170 LINE(40,140)-(160,180),PSET,B
180 DRAW"BM40,140E26R120G26
190 DRAW"BM185,115D40G26
200 PAINT(120,150),5,5
210 GOTO210
220 REM MEM = 459
```

Program Listing 9. Shapes

```
10 REM LISTING 10 SHELL
20 PMODE4,1:PCLS:SCREEN1,0
30 R=.8:PI=3.14159:P1=PI/30:P2=2*PI/3
40 FORT=0TO3.24STEPPI
50 R=R*1.17557
60 X1=COS(T)*R+127:Y1=SIN(T)*R+96
70 A=T*P2
80 X2=COS(A)*R+127:Y2=SIN(A)*R+96
90 LINE(X1,Y1)-(X2,Y2),PSET
100 B=T*P2
110 X1=COS(B)*R+127:Y1=SIN(B)*R+96
120 LINE(X1,Y1)-(X2,Y2),PSET
130 X2=COS(T)*R+127:Y2=SIN(T)*R+96
140 LINE(X1,Y1)-(X2,Y2),PSET
150 NEXT
160 GOTO160
170 REM MEM = 341
```

Program Listing 10. Shell

ing And, Or or Not.

Program Listing 16 (Boxes) uses the Draw command along with the Scale option to fill the screen with nested boxes. The actual colors you get will depend upon your television set and the degree of color fringing in your set. Cubes, in Program Listing 17, uses Draw with the S option to draw a set of nested cubes which takes on a secondary three-dimensional aspect of its own.

Program Listing 18 (Herringbone) is a slow program using PSET to draw a herringbone pattern. This is another method for creating fabric patterns.

Rockets (Program Listing 19) draws a series of rocket-like images in various solid colors without the use of Paint. Program Listing 20 (Patterns) is for VLR graphics to quickly draw ever-changing and colorful patterns. Line 40 is included to eliminate blank spaces.

Disk Treat

Program Listing 21 (Directory) is an extra for Color Disk owners. It is a Color Disk Basic program that was written in a hurry after much frustration in trying to outwit the computer's DIR command. A pause should have been used to halt scrolling as in the Model I DOS. Instead shift, @ is used.

Color Basic Disk has some nice features. For one, it is in ROM (very convenient because it is available at all times from a Basic program or from the command mode). This way the directory is available without jumping back and forth between DOS and Basic. But! There is no convenient way to list a portion of the directory, to screen or printer, short of using machine language or a special Basic program. To stop a displaying directory requires rapid digital manipulation of the shift, @ keys (and it doesn't always stop).

Directory does not record file extensions or number of granules allocated, but could be easily changed to do so. In general, DOS places programs in the directory in the same order as they were saved in, and entries are not shifted as frequently as with the Model I. The program could be dressed up by adding more explanations for the user and by eliminating some of the screen printing, but it does work and will give the reader some idea of how the disk directory is stored. The purpose of Directory is to provide an alphabetical listing of the disk directory on either the screen (with appropriate pauses) or output to the Line Printer VII. You

may need to change parts of the program for other printers.

The disk directory is on track 17 (same as

the Model I), and each of the 18 sectors can hold eight file names. Every sector can be accessed in any order by using the DSKI\$

```
10 REM LISTING12 MOIRE
20 PI=3.14159:PI=PI/160
30 PMODE3,1:PCLS:SCREEN1,1
40 COLOR6,5
50 FOR T=0 TO PI/2 STEP PI
60 X1=FIX(COS(T)*60):Y1=SIN(T)*60
70 X2=FIX(COS(T)*255):Y2=SIN(T)*191
80 LINE(X1,Y1)-(X2,Y2),PSET
90 X1=255-X1:Y1=191-Y1
100 X2=255-X2:Y2=191-Y2
110 LINE(X1,Y1)-(X2,Y2),PSET
120 NEXT
130 GOTO130
140 REM MEM = 255
```

Program Listing 12. Moire

```
10 REM LISTING 13 PETAL
20 PMODE3,1:PCLS:SCREEN1,1
30 COLOR7,5
40 PI=3.14159:PI=2*PI:P2=PI/75:P3=PI/3
50 FOR T=0 TO PI STEP P2
60 R=COS(2*T)*127
70 X1=COS(T)*R+127:Y1=SIN(T)*R+127
80 A=T+P4
90 R2=COS(2*A)*94
100 X2=COS(A)*R2+127:Y2=SIN(A)*R2+96
110 LINE(X1,Y1)-(X2,Y2),PSET
120 NEXT
130 GOTO130
140 REM MEM = 249
```

Program Listing 13. Petal

```
10 REM LISTING 14 LETTERS
20 C1$="BR18
30 FOR I=1 TO 5
40 READ A$(I)
50 NEXT
60 CLS:INPUT"ENTER A STRING USING A, B, C, D, E";A$
70 INPUT"ENTER THE X, Y COORDINATES OF THE STARTING POINT OF THE
  STRING";X,Y
80 PMODE3,1:PCLS:SCREEN1,1
90 FOR I=1 TO LEN(A$)
100 K=ASC(MID$(A$,I,1))-64
110 IF X>255 THEN Y=Y+12:X=X/0
120 X1=X
130 DRAW"BM"+STR$(X1)+"",STR$(Y)+A$(K)
140 DRAW C1$
150 X=X+12
160 NEXT
170 GOTO170
180 DATAR6D8BU3L5BD3U8
190 DATAR4F2D4G2L4U4R4BL4U4
200 DATAR6BD8L6U8
210 DATAR4F2D4G2L4U8
220 DATAR6BD8L6U4R4BL4U4
230 REM MEM = 431
```

Program Listing 14. Letters

```
10 REM LISTING 11 FAN
20 PMODE4,1:PCLS:SCREEN1,1
30 A=388:B=103:C=90
40 AN=360/A
50 FOR N=1 TO A STEP 4:T=N*AN
60 X=B*COS(T)+128
70 Y=C*SIN(T)+96
80 LINE(128,96)-(X,Y),PSET
90 NEXT
100 GOTO100
110 REM MEM = 155
```

Program Listing 11. Fan

Program Listing 15. Arrow

```
10 REM LISTING 15 ARROW
20 PMODE3,1:PCLS:SCREEN1,1
30 DRAW"BM0,10R20U5F7G7U5L20U4
40 PAINT(4,12),8,8
50 DIM V(16),V1(16)
60 GET(0,0)-(28,18),V,G
70 GET(29,0)-(57,18),V1,G
80 PCLS:J=0
90 FOR I=0 TO 244 STEP 35
```

Listing 15 continues

MULTIDOS

Model III Now Available

What Do You Use Your TRS-80® For ?

★★★ Word Processing ?

MULTIDOS will permit you to 'grab' a formatted diskette, shove it into a track compatible drive, and write to it — no matter if it is single density, double density, or DBLDOS™ density. This is possible because of **MULTIDOS'** automatic density, recognition which includes diskettes formatted by DBLDOS™ — similar to NEWDOS/80 2.0.

★★★ Basic Programming ?

"MULTIDOS' BASIC is unequalled, in both features and size, among TRS-80® Disk Basics"
— Paul Wiener, 1982

Included is B BASIC/CMD which has all of the "BOSS" single step and trace features. Now you can insert 'break points' to turn on/off the trace and/or single stepping in your BASIC program. Now you can save the screen as formatted and look at variable values. Afterward, return the screen as before and continue your BASIC program.

★★★ Whatever . . .

MULTIDOS Is Easy To Learn — Easy To Use !

DOS commands may be repeated, even multiple DOS commands. System utilities never require more than 2 keystrokes per query . . .

Now That's Easy ! To Make It Easier There Is A 'Help File' !

MULTIDOS Model I or Model III

Only **\$79⁹⁵**

(Watch The Competition Squirm !)

MULTIDOS Now Available From:

WARLOCK WAREHOUSE
1691 Eason, Pontiac, MI 48054
(313) 673-2224 or (313) 673-8700

— AND —

POWERSOFT
11500 Stemmons Fwy., Suite 125
Dallas, TX 75229
(214) 484-9428

Cosmopolitan Electronics Corporation

P.O. Box 234 • Plymouth, Michigan 48170
(313) 397-3126

— Dealer Inquiries Welcomed —



COD - Cash or Certified Check
Personal Checks - Allow
2 Weeks To Clear.

ADD \$3.00
For Shipping & Handling.
Michigan Residents Include
4% Sales Tax.

✓58

command which has the format DSKI\$ A, B, C, A\$, B\$, where A is the drive number, B is the track number, C is the sector number, and A\$ and B\$ are sector sections. After execution of DSKI\$, each of the strings A\$ and B\$ will contain 128 bytes of data in ASCII format.

Although 18 sectors are available, the first two do not contain any directory entries, hence the statement in line 40. Space is allocated on the disk in granules, with 68 available for program files. Consequently, since each sector may contain eight file names, it is not necessary to scan all 18 sectors because all files can be stored in nine sectors.

The counterpart of DSKI\$ is DSKO\$, which permits bypassing of the directory and placement of invisible files on a disk which need not be accessed sequentially, and which will not appear in the directory. Color DOS does not allow the use of passwords. Of course, a key to these files must be maintained, preferably off line. There is no provision for placing such files in the directory except by the use of DSKO\$. Since this program is rather simple, only a brief explanation will be given.

Line 10 clears more than enough string space and dimensions just about enough string-array memory. The string array must be greater than 68 because of the limitations of DSKI\$ in accessing sectors. Line 20 allows you to designate a drive number if you have more than one, otherwise you may as well set A to zero.

In line 30, L is a counter for the sorting routine. Lines 40 and 50 tell Basic to start with sector 3. Line 60 jumps out of the loop if A\$ does not contain an entry, and line 100 does the same if B\$ is empty. Since the directory entries are stored 32 bytes apart, line 70 scans only those portions of the string containing file names.

M is incremented by two in line 140, because there are two strings. The file names are stored in the C\$ array in their order of appearance. The program then goes to a modified Shell-sort subroutine (published by CINTUG, a Cincinnati computer club) to sort the file names. This will sort 63 names in about 30 seconds. The program then returns and gives the user the option of screen printing or output to the printer.

This is a handy program for obtaining a permanent disk index. The printer output is in five-column format. You could rewrite the program placing many disks (within the limits of memory) in a single index. It is also possible to add to the list a file-name extension, number of granules, disk number, and so on.

The number of programs on a disk varies widely. There are 2,304 bytes per granule. The very longest program in a 32K computer uses about 24 granules. Because one granule is allocated for each program, any program of less than 2,304 bytes would still require one granule, leaving much of the disk empty. But using 500 bytes in a granule does not necessarily mean the remaining space must go unused. It can be used for

Listing 15 continued

```
100 PUT(I,J)-(I+28,J+18),V,PSET
110 PUT(I,J)-(I+28,J+18),V1,PSET
120 NEXT
130 J=J+20:IFJ>179THEN140ELSE90
140 FORI=1TO500:NEXT
150 PCLS:J=0
160 FORI=0TO244STEP35
170 PUT(I,J)-(I+28,J+18),V,PRESET
180 NEXT
190 J=J+20:IFJ>179THEN200ELSE160
200 GOTO200
210 REM MEM = 362
```

```
10 REM LISTING 16 BOXES
20 PMODE4,1:PCLS:SCREEN1,1:H=10:V=10
30 B$="BM"+STR$(H)+", "+STR$(V)+"R4D4L4U4
40 FORX=1TO18STEP2
50 C$="S"+STR$(X)+B$
60 DRAWCS
70 NEXT
80 H=H+20:IFH>245THENH=10:GOTO90ELSE30
90 V=V+20:IFV>180THEN100ELSE30
100 FORI=1TO1000:NEXT
110 SCREEN1,0
120 GOTO120
130 REM MEM = 216
```

Program Listing 16. Boxes

```
10 REM LISTING 17 CUBES
20 A$="BM":B$="S":C$="R20D20L20U20E14R20G14BE14D20G14
30 PMODE3,1:PCLS:SCREEN1,0
40 J=127:K=90
50 FORS=2TO18STEP2:E$=STR$(S)
60 D$=A$+STR$(J)+", "+STR$(K)
70 DRAWB$+E$+D$+C$
80 J=J-10
90 NEXT
100 FORI=90TO180STEP8
110 PAINT(127,I),2,4
120 NEXT
130 GOTO130
140 REM MEM = 230
```

Program Listing 17. Cubes

```
10 REM LISTING 18 HERRING BONE
20 FORP=0TO1
30 PMODE3,1:PCLS:SCREEN1,P:Y=0:K=0
40 R=RND(3)+5:S=RND(3)+5:IFR = S THEN40
50 FORX=0TO220STEP20:FORI=X TOX+10:PSET(I,Y+K,R):Y=Y+1:NEXT:Y=K:
NEXT
60 FORX=10TO230STEP20:FORI =X TOX+10:IFY+K+10>191THEN100
70 PSET(I,Y+10+K,S):Y=Y-1:NEXT:Y=K:NEXT
80 K=K+2:IFK>180THEN100
90 Y=K:GOTO40
100 NEXTP
110 GOTO110
120 REM MEM = 259
```

Program Listing 18. Herringbone

Program Listing 19. Rockets


```
10 REM LISTING 19 ROCKETS
20 FORL=1TO10
30 PMODE1,1:PCLS:SCREEN1,P
40 COLORRND(3)+1,5
50 J=0
60 FORI=128TO218
70 LINE(I,J)-(I,96),PSET
80 J=J+2
90 NEXT
```

Listing 19 continues

the judicious storage of data using the DSKO\$ function. Remember that if you do this, all data will need to be stored in strings. Therefore, the files must be in ASCII. Also, it will be necessary to keep an independent file of where the information resides and in what form.

I hope these programs will help you enjoy your Color Computer—I have. Used properly, it is a very powerful computer. ■

CRUSH THE EMPIRE IN ENLIST MEGA WARS KRYON



MegaWars, a real-time space battle between the forces of the Colonists and the Kryon Empire. Join an intergalactic shootout with up to eight starship commanders transmitting orders from the keyboard cockpits of their craft anywhere in the U.S.A.

THE ULTIMATE COMPUTER CONFLICT

Attacking, evading, scanning, communicating. That's MegaWars. Easy to learn but difficult to master. That's why CompuServe will give one free hour to every MegaWars player entering a game before December 31, 1982.

Call toll free
800-848-8990.

You'll receive the illustrated guide to CompuServe, America's most comprehensive Videotex service, plus the MegaWars Commanders Briefing.

CompuServe

5000 Arlington Centre Blvd.
Columbus, Ohio 43220
800-848-8990

LETTERQUICK

- (1) Headings
- (2) New Letter
- (3) View Text
- (4) Add Text
- (5) Delete Line
- (6) Change Line
- (7) Insert Line
- (8) Print Style
- (9) DBL Space
- (0) Disk Storage
- (E) Envelope Address
- (D) Directory

Quick & complete Small Business form & letter writer for Model I & III. Send stamped envelope for FREE info or \$38. for disk.

MICRO-QUICK ✓ 422

1417 W. Busch Blvd., Tampa, FL 33612

ABSOLUTE DISK I/O

FOR MODEL III MON83

Features of MON83:

- * Hex and Ascii Display of Memory
- * Disassembler
- * Single and Double Density Sector Read and Write
- * Go. with Breakpoints

SEND CASH OR CHECK FOR \$29.95
PLUS \$2.00 FOR SHIPPING AND
HANDLING TO:

**ROCO
SOFTWARES**

3 Martin Court
Johnson City, TN 37601 ✓ 429

—Meet the— Computer \$9.95

Teach youngsters simple programming for TRS-80.

A 77-page book by Marjorie Crabbe, an experienced elementary teacher. Easy to understand language. Clear instructions child can follow with minimal supervision. Upon completion of suggested activities, child should be capable of writing own programs.

- Significant concepts set off in boxes to aid learning.
- Important ideas repeated throughout text.
- 7-page glossary with concise definitions.
- Cross-referenced index.
- Illustrated. Bound with plastic binding . . . lies flat.

To Order: **Crabbe Associates** ✓ 493
212 W. Graham Ave., Lombard, IL 60148

☐ Send _____ copies of Meet The Computer @ \$9.95. Add \$1.50 for shipping per copy. Illinois residents add sales tax.

Name _____
Street _____
City _____ State _____ Zip _____



Listing 19 continued

```
100 J=0:FORI=128TO32STEP-1
110 LINE(I,J)-(I,96),PSET
120 J=J+2
130 NEXT
140 I=100:FORJ=100TO190
150 LINE(I,J)-(I+50,J),PSET
160 NEXT
170 IFP=0THENP=1ELSEP=0
180 FORK=1TO500:NEXT
190 NEXTL
200 GOTO200
210 REM MEM = 270
```


```
10 REM LISTING 20 PATTERNS
20 CLEAR50:CLS0
30 K=1:A=RND(2):P=240-A
40 M=RND(127)+128:IFM/16=INT(M/16) THEN40
50 Z$=CHR$(M)
60 Y$=STRING$(A,Z$)
70 FORI=1TOA*K:PRINT@P,Z$;P=P+1:NEXT
80 K=K+1
90 FORI=1TOK:PRINT@P,Y$;P=P-32:NEXT:P=P+31
100 FORI=1TOA*K:PRINT@P,Z$;P=P-1:NEXT:P=P+33
110 K=K-1
120 FORI=1TOK:PRINT@P,Y$;P=P+32:NEXT
130 K=K+2:IFK<13THEN40
140 FORJ=1TO1000:NEXT:CLS0
150 GOTO30
160 REM MEM = 307
```

Program Listing 20. Patterns

```
10 REM LISTING 21 DIRECTORY
20 CLEAR1000:DIMC$(80)
30 CLS:B=17:INPUT"ENTER THE DRIVE NUMBER";A
40 FORI=3TO12
50 DSKI$A,B,I,A$,B$
60 IFASC(A$)<48ORASC(A$)>91THEN150
70 FORJ=1TO97STEP32
80 C$(I+M-2)=MID$(A$,J,8)
90 PRINTC$(I+M-2),
100 C$(I+M-1)=MID$(B$,J,8)
110 IFASC(C$(I+M-2))=255ANDASC(C$(I+M-1))=255THEN160
120 PRINTC$(I+M-1),
130 M=M+2:L=L+2
140 NEXTJ:A$="":B$=""
150 NEXTI
160 L=L+3:GOSUB370
170 CLS:INPUT"ENTER (L)IST ON SCREEN OR (O)UTPUT TO PRINTER";D$
180 IFD$="L"GOSUB200ELSEGOSUB290
190 PRINT:INPUT"WANT ANOTHER DISK (Y/N)";Z$:IFLEFT$(Z$,1)="Y"THE  
NRUNELSECLS:END
200 CLS
210 IFC$(I1)=""THENIFC$(I1+1)=""THEN240ELSEPRINTC$(I1+1);:GOTO24  
0
220 IFASC(C$(I1))=255THEN280
230 PRINTC$(I1),C$(I1+1),
240 I1=I1+2:IFI1>80THEN280
250 Z=Z+1:IFINT(Z/13)=Z/13THEN270
260 GOTO210
270 INPUT"PRESS ENTER";N:CLS:GOTO210
280 RETURN
290 INPUT"HAS THE PRINTER BEEN TURNED ON";X
300 FORI=1TO73STEP5
310 FORK=0TO4:IFC$(I+K)=""THEN330
320 PRINT#-2,C$(I+K),
330 NEXTK
340 PRINT#-2,""
350 NEXT
360 GOTO190
370 G=L
380 G=INT(G/2):IFG>0THENG=(G OR1)ELSEReturn
390 FORS=1TOL-G:J1=S
400 IFC$(J1)>C$(J1+G)THENK$=C$(J1):C$(J1)=C$(J1+G):C$(J1+G)=K$:J  
1=J1-G:IFJ1>0THEN400
410 NEXTS:GOTO380
420 REM MEM = 946
```

Program Listing 21. Directory

LNW80 COMPUTERS



IN STOCK NOW!! CALL FOR SPECIAL
PRICES ON LNW80s, NEC PRINTERS,
RGB COLOR MONITORS, AND TANDON
DISK SYSTEMS.

***** NEW LNW SOFTWARE! *****

EXCELLONIX

7180 WOODROW WILSON DR
LOS ANGELES, CA 90068

(213) 650-5754 - (714) 973-1939

MASTER ELECTRONICS, INC.


*TRS-80 is a trademark of Tandy

CAN SET YOU UP IN A

TRS-80

STATE-OF-THE-ART-COMPUTER

STARTING AT 15% DISCOUNT!



FULLY STOCKED

IN: Model II's

Model III's

ALL-PRINTERS

AND — MORE!!

* PLUS *

THE ALL NEW:

Model 16 and the 8.5 meg. Hard Drive!

CALL US NOW!!!

Toll FREE: 1-800-531-7323


TEXAS CALL COLLECT: 512/689-5536



MASTER ELECTRONICS, INC.
154 NORTH 5th
RAYMONDVILLE, TX 78580



✓ 146



GEAP DOT WRITER



Another GEAP expansion module for Epson Graftrax Owners

FEATURES: GEAP CHARACTER FONTS • Create High Res Drawings without TRS-80 modifications or programming knowledge • Create or modify fonts • Print time options such as magnify, dot, spacing control, reverse and more • Library function allows saving to disk, printing or re-editing.

ACTUAL CHARACTER FONTS / SIZE

NOTICE



ABCD

ABCD

ABCD

GEAP

abcd

ABCDE

ABCD

ABCDE F

abcd

SAMPLES - High Res
and Modified Characters

ABCD

ABCD

abcd

"E"



"A"



GEAP — The ultimate in graphics utilities. Draw, Rotate, Magnify, Merge, Create a BASIC Program - are just a few of the options available! Expansion Modules allow limitless additions. Here is what the critics have said about GEAP 1.3:

"I have seen other programs that claim to do what GEAP does, but no other has lived up to my expectations" - Richard McGarvey, 80 Microcomputing, March 1982, p. 57

"Of all the TRS-80 programs that have passed my way, none has exceeded my expectations as this one has, GRAPHICS EDITOR AND PROGRAMMER by Bill Mason" - Margaret M. Grothman (Softside Magazine, Jan. 1982)

Now there is GEAP 2.1 and its powerful high resolution graphics companion, GEAP DOT WRITER.

JF Consulting

West Coast
74355 Buttonwood
Palm Desert, Ca. 92260
MOD I/III (714) 340-5471

East Coast
221 Hirschfield Dr.
Williamsville, NY 14221
(716) 634-3026

✓ 273

GEAP 2.1 has - all of 1.3 plus more power and speed; more than 10 expansion modules; instant graphic letters; EPSON/OKIDATA "block graphics" (for other printer support - call); QuickCursor with 2, speed controllable cursors, instant rectangle, line and circle commands; NewScript interactive module and much more! 48K + Disk required. Condensed versions for smaller systems available. GEAP 2.1 \$45.95

DOT WRITER (plus GEAP 2.1) turns the TRS-80 and Epson MX 80/100 into high resolution graphics TYPESETTER! Create graphics or use supplied fonts like those above. 9 Fonts ready now - many more being designed! Even create Full Page Graphics! DOT WRITER requires 48K, minimum 1 disk and EPSON 80/100 with Graftrax 80/100/Plus. GRAFTRAX available for easy, at home installation. DOT WRITER and GEAP 2.1 \$75.95

We also carry NEWSRIFT Word Processor 7.0, \$124.95; FASTER BASIC code optimizer \$29.95 and RPM Disk speed monitoring program \$24.95.

MC/VISA

Use your micro at the festivities.

Birthday Party

Simon Zuckerbraun
2417 Esplanade
New York, NY 10469

This birthday party, for kids of all ages, consists of three programs: Scoreball, Dynamic Birthday Card and Cops 'N' Robbers.

Type in and Csave Scoreball Program Listing 1 as the first program on your tape. For the next program, Dynamic Birthday Card, record the Happy Birthday song or any other special message for your guest following Listing 1. Determine how many seconds it takes to play the message back. Next type in Program Listing 2. Adjust the timing loop in line 270 to give the required delay (for my 30-second message I used 15,000). Rewind to the beginning of the message and Csave the Birthday Card program. At the end, re-record the birthday message. Key in Cops 'N' Robbers (Program Listing 3), and Csave it immediately after the birthday message.

After each Csave, New out the

old program. This prevents it from getting intertwined with later programs. Rewind the cassette to the beginning and press Play. Now you are ready for the party (unless you forgot the paper hats).

The Party Begins

To play ball, type Cload and Run. The program clears the screen, draws a table and displays a scoreboard. The scoreboard has your tally (the number of 3-pixel jumps your ball has traveled), how many times the ball has been hit, your bonus points (the number of times the ball hits the edge



of the table) and the game number. The ball is pitched and travels across the screen. When the ball gets close to the edge

press the space bar and it reverses direction—a hit. The closer the ball is to the edge, the higher your score. If you do not

```

3 FOR Z=1 TO 3:B=0:C1=0
5 CLS:FOR X=0 TO 126:SET(X,6):NEXT
7 FOR Y=6 TO 46:SET(0,Y):SET(126,Y):NEXT
10 X=0:Y=0:C=3:ON ERROR GOTO 50:PRINTSTRING$(21,134);" S C O R
E B A L L ";STRING$(21,137):X$=INKEY$
20 Y=23:X=3:FOR P=0 TO 9:SET(0,23):SET(126,23):IF X=126 OR X=0 T
HEN B=B+1
30 SET(X,Y):FOR T=1 TO 5:NEXT:RESET(X,Y):X=X+C:PRINT@64,"TALLY:"
;C1,"BONUS:";B,"HIT";P,"GAME";Z;
40 C1=C1+1:IF INKEY$="" OR X>6 AND X<108 THEN 30 ELSE C=-C:NEXT
P:GOTO 60
50 CLS:PRINTCHR$(23);"YOU WENT THROUGH THE WALL...":PRINT"YOU LO
SE! YOUR SCORE IS";C1+B*100:RESUME 70
60 CLS:PRINTCHR$(23);"YOU WIN! YOUR SCORE IS";C1+B*100
70 PRINT"YOU HAVE";B;"BONUS POINT";:IF B<>1 THEN PRINT"S"
72 IF X<0 OR X>127 THEN 80
75 IF B<6 THEN PRINT"N.T.G.—NOT TOO GOOD" ELSE IF B>5 AND B<8 TH
EN PRINT"O.K."
77 IF B>7 THEN PRINT"TERRIFIC!":IF B=9 THEN PRINT"YOU ARE THE GR
EATEST!"
80 FOR T=1 TO 1500:NEXT T,Z
85 PRINT"SEND THAT BIRTHDAY CARD. "
86 PRINT"CLOAD AWA A A Y!"

```

Program Listing 1

The Key Box

Basic Level II
Model I
16K RAM



After three years of selling my Model I and Model III programs, I've earned back my development costs. So I can lower the price.

Now I'm offering my Model I and Model III programs for \$75 each.

They've been checked out by thousands of TRS-80* users, most of whom get in touch with me, Irwin Taranto. Thousands of phone calls later, these systems are completely developed, checked out, glitch-free.

When people call, we've heard all the questions and we can answer them right off. I don't have to get on the phone and work through problems like I used to.

Since I'm getting off so easy, the least I can do is drop the price—50% for General Ledger, 25% for the rest.

These are my Model I and Model III programs:

Accounts Payable It links to the General Ledger, calculates and prints checks and makes reports. It's an invoice-linked system.

Accounts Receivable It keeps track of billed and unbilled invoices, open and closed items and aging. It prints statements and links to the General Ledger.

General Ledger It keeps track of data by month, quarter, year and the previous three quarters. It even includes a Cash Journal.

Inventory Control It gives an immediate read-out on any item inquiry, including quantity and dollar total.

Invoicing It prints your detailed invoices and links to Accounts Receivable and the General Ledger.

Payroll It keeps the files, computes pay and deductions, prints forms and checks, figures taxes, overtime and piecework pay in any state tax routine, and prints the 941-A and W-2 forms.

They're all yours, for \$75 each. You also need documentation when you run our systems. The Osborne books—one for Accounts Payable and Receivable, one for General Ledger, one for Payroll—cost \$20 each. Our invoicing book costs \$10.

Just send me the coupon, or call us toll free. We'll ship within 48 hours.

Please send me the following programs at \$75 each:

book ☒

Accounts Payable		
Accounts Receivable		
General Ledger		
Inventory Control		
Invoicing		
Payroll		
Add \$4.50 per order for handling		
6% tax (California only)		
AMOUNT ENCLOSED		

If you need the books, add \$20 each. The invoicing book is \$10.

Mastercharge ☐ Visa ☐ No. _____ Expires _____

☐ Please send me information on other Taranto business programs, including TRS-80 Model II accounting systems.

Your name _____

Company name _____

Address _____

City/State/Zip _____

Taranto
& ASSOCIATES, INC.

The Total System Store,™ 121 Paul Drive, San Rafael, CA 94903. Mail inquiries to P.O. Box 6216, San Rafael, CA 94903. Outside California, toll free (800) 227-2868. In California, (415) 472-2670.

*A trademark of the Tandy Corporation

✓70

hit in time, the ball goes past the edge and off the screen. The screen clears and displays YOU LOSE! It also displays your score and bonus points.

If you catch a hit ball at the opposite edge, a hole appears and you earn a bonus point. Each bonus point is multiplied by 100 and added to the final

score. If you get ten hits without missing, the computer displays your score, bonus points and the message YOU WIN! The program plays three games and re-

turns to ready. Next is the main event of any birthday party.

Take a Byte

Load and run the Dynamic Birthday Card program. The screen will ask "Who is this party for?" Type in the person's name and Enter. Pull out the earphone plug of the tape recorder and call in the guest. The program will clear the screen and display **DYNAMIC BIRTHDAY CARD** in 32 character mode. It next displays a cake in 64 character mode. After a short time delay, the computer draws three candles and lights them. The candles flicker as the guest reads the message on the screen. Tell the guest to blow out the candles. When he does, you secretly press the B key. Out go the candles and on comes the message: Hooray! Happy Birthday _____. After a short delay the computer resets a column of pixels from the cake to give the effect of a large slice being cut. Then it prints Have a slice! Using an Out statement, the computer turns on the recorder. The pre-recorded message comes out of the speaker. When the recorder stops, leave the Play key down and replace the earphone plug for the next Cload.

More Fun and Games

The object of Cops 'N' Robbers is to move the cop (C) onto the robber (R). The cop is controlled with the arrow keys. There are two tricks: When you move, the robber will try to move in the other direction; and if you move onto position 1023 (the last position on the screen), the screen will scroll and fill with cops and robbers. If you catch the robber, the computer will display a graphic block (143) where he was caught and the message You caught me! If the robber runs off the bottom of the screen, it will display I got away! If you wander off the top or bottom of the screen, it will display You got lost! This program will play five games—and then the party is over. ■

Simon, a ten-year old computer whiz, enjoys playing the piano.

```

3 REMINDER *** PRESS THE "B" KEY TO BLOW OUT THE CANDLES ***
5 CLEAR 70
10 INPUT"WHO IS THIS PARTY FOR";N$
15 PRINT"NOW PULL OUT THE EARPHONE PLUG FROM THE CASSETTE"
20 PRINT"CALL ";N$;" IN, PLEASE.":FOR T=1 TO 2000:NEXT:CLS:FOR T=
1 TO 2000:NEXT T
50 PRINT CHR$(23);"**DYNAMIC BIRTHDAY CARD**":FOR T=1 TO 1000:NE
XT:CLS:GOTO 110
60 PRINT@208,CHR$(160);:PRINT@223,CHR$(160);:PRINT@238,CHR$(160)
;
70 PRINT@272,CHR$(141);:PRINT@287,CHR$(141);:PRINT@302,CHR$(141)
;:GOTO 124
80 PRINT@336,CHR$(191);:PRINT@351,CHR$(191);:PRINT@366,CHR$(191)
;
90 PRINT@400,CHR$(191);:PRINT@415,CHR$(191);:PRINT@430,CHR$(191)
;:FOR T=1 TO 1000:NEXT:GOTO 60
93 FOR PAP=456 TO 520 STEP 64:PRINT@PAP,STRING$(47,191);:NEXT PA
P
95 FOR PAP=581 TO 709 STEP 64:PRINT@PAP,STRING$(53,191);:NEXT PA
P
100 FOR PAP=771 TO 963 STEP 64:PRINT@PAP,STRING$(57,191);:NEXT P
AP:FOR T=1 TO 1000:NEXT:GOTO 80
105 STOP
110 SET(0,47):SET(1,47):SET(2,47):SET(3,47):SET(4,47):SET(5,47)
120 SET(120,47):SET(121,47):SET(122,47):SET(123,47):SET(124,47):
SET(125,47):SET(126,47):SET(127,47):GOTO 93
124 PRINT@0,"CLOSE YOUR EYES AND MAKE A WISH,";N$;"!"
126 PRINT@64,"NOW BLOW OUT THE CANDLES!"
130 IF INKEY$="B" THEN 200 ELSE ON RND(3) GOTO 160,180
140 IF POINT(93,11) THEN RESET(93,11):SET(92,11):RESET(92,12):SE
T(93,12):GOTO 130
150 RESET(92,11):SET(93,11):RESET(93,12):SET(92,12):GOTO 130
160 IF POINT(33,11) THEN RESET(33,11):SET(32,11):RESET(32,12):SE
T(33,12):GOTO 130
170 RESET(32,11):SET(33,11):RESET(33,12):SET(32,12):RESET(33,12)
:GOTO 130
180 IF POINT(63,11) THEN RESET(63,11):SET(62,11):RESET(62,12):SE
T(63,12):GOTO 130
190 RESET(62,11):SET(63,11):RESET(63,12):SET(62,12):GOTO 130
200 PRINT@208," ";:PRINT@223," ";:PRINT@238," "
220 PRINT@128,"HOORAY! HAPPY BIRTHDAY,";N$;"!"
230 FOR T=1 TO 1000:NEXT T:PRINT@336," ";:PRINT@351," ";:PRINT@3
66," "
240 PRINT@400," ";:PRINT@415," ";:PRINT@430," ";
250 FOR Y=21 TO 46:RESET(31,Y):NEXT Y
260 PRINT@0,"HAVE A SLICE!";CHR$(30):PRINT:PRINT
270 OUT 255,4:FOR X=1 TO 15000:NEXT:OUT 255,0
275 PRINT@0,"NOW HOW ABOUT A GAME OF COPS 'N' ROBBERS? JUST CLOA
D."

```

Program Listing 2

```

2 ON ERROR GOTO 130:CLS:PRINT"(*) (*) (*) (*) C O P S   ' N '
R O B B E R S (*) (*) (*) (*)":FOR F=1 TO 5:OUT 255,8:FOR T=1 TO
200:NEXT T:OUT 255,0:FOR T=1 TO 200:NEXT T,F
3 FOR Z=1 TO 5
5 CLS:CY=1:CY=7:RX=31:RY=0
10 CP=(CY*64)+CX:RP=(RY*64)+RX
20 PRINT@CP,"C";:PRINT@ABS(RP),"R";:FOR M=1 TO 2
30 X$=INKEY$:IF X$<>" " THEN PRINT@CP," ";
40 IF X$="[" THEN CY=CY-1
50 IF X$=CHR$(10) THEN CY=CY+1
60 IF X$=CHR$(8) THEN CX=CX-1
70 IF X$=CHR$(9) THEN CX=CX+1
80 CP=(CY*64)+CX:PRINT@CP,"C";
90 IF CP=ABS(RP) THEN PRINT@CP,CHR$(143);:PRINT@0,"YOU CAUGHT ME
!":GOTO 165 ELSE NEXT M
100 PRINT@ABS(RP)," ";:RX=RX+SGN(RX-CX):RY=RY+SGN(RY-CY)
110 RP=(RY*64)+RX:IF ABS(RP)=CP THEN 90
120 GOTO 20
130 IF ERL=20 THEN PRINT@0,"HE GOT AWAY!"; ELSE 140
135 FOR T=1 TO 700:NEXT T:RESUME 170
140 PRINT@0,"YOU GOT LOST!":GOTO 135
165 FOR T=1 TO 700:NEXT T
170 NEXT Z
180 FOR T=1 TO 2000:NEXT:CLS
190 PRINT"SORRY THE PARTY'S OVER--IT'S BEEN LOTS OF FUN."
200 PRINT"GOOD BYE,EVERYBODY!"

```

Program Listing 3

For TRS-80

THE FANTASTIC FOUR

FROM  **Adventure**
INTERNATIONAL



STARFIGHTER

BY SPARKY STARKS

Creative Computing says, "The game is great — nothing less than excellent."

STARFIGHTER is the finest space battle simulation ever written for the TRS-80, and that's no idle boast. 80-U.S. Journal says that **STARFIGHTER** "... is like no other game ever seen." **BYTE** magazine reports that the game "... offers excitement and excellent use of TRS-80 graphics and sound." **STARFIGHTER's** Arcade Action Graphics(tm) and sounds are enjoyably combined to produce truly mind-challenging game situations.

The **STARFIGHTER** package includes two cassettes (with separate Main Mission and New Pilot Training Simulator tapes), or one self-loading disk. Also included is an extremely detailed 32-page instruction manual.

16K Tape Model 1 and 3
010-0120 \$24.95
32K Disk Model 1 and 3
012-0120 \$29.95



BRAND NEW!



LASER BALL


BY NEIL MATSON AND MATTHEW McMAHON

"This is the one I've been waiting for ... an incredible game in every sense of the word!" Will Hathaway, Arcader
"Superb graphics, great sounds, and, best of all, the game really taxes your playing skills ..." Pat Henderson, Arcader

Stand back, arcaders, it's **LASER BALL** — a white-hot sound and graphics extravaganza that'll practically fuse the circuits in your TRS-80! Your **LASER BALL** must race through a twisting maze avoiding or attacking killer disruptoids, depending on your energy status. Only the fast will survive — can you?

LASER BALL doesn't miss a trick with its crisp Arcade Action Graphics(tm), high score save, 24 separate playing levels, joystick compatibility and more. Brand new from Adventure International!

16K Tape Model 1 and 3
Now Available \$24.95
32K Disk Model 1 and 3
Now Available \$24.95



LUNAR LANDER

BY MIKE WALL AND JACK MONCRIEF

"Certainly one of the most realistic and imaginative simulations for the TRS-80 ..." 80-U.S. Journal

The tension is nearly unbearable as your Lunar Excursion Module plummets towards a craggy lunar surface that's rife with jagged peaks and impossibly deep fissures. Only a firm hand on the controls and a steady eye on the monitor screen can spell the difference between a successful landing and an explosive death.

Your Lunar Lander comes fully equipped with everything that you'll need to challenge this dangerous landing site, including sound, running high score, two player option and breathtaking Arcade Action Graphics(tm).



16K Tape Model 1 and 3
010-0094 \$24.95
32K Disk Model 1 and 3
012-0094 \$24.95



SPACE INTRUDERS


BY DOUG KENNEDY

"The program is fantastic ... the graphics are excellent." 80-U.S. Journal
Those crafty Invaders are back with a vengeance and Adventure International has 'em! **SPACE INTRUDERS** has been praised by major microcomputing publications from 80-U.S. to Creative Computing as "fantastic," "excellent," "top of the line," and, well, you get the idea! **SPACE INTRUDERS** faithfully reproduces the hit Deluxe arcade machine in all of its frustratingly enjoyable glory. An absolute must for any serious game collection!

SPACE INTRUDERS comes ready for battle with two player option, sounds, joystick compatibility and Arcade Action Graphics(tm) that'll knock your socks off.



16K Tape Model 1 and 3
010-0116 \$24.95
32K Disk Model 1 and 3
012-0116 \$24.95



ORDER FROM YOUR FAVORITE DEALER
or CALL TOLL FREE (800) 327-7172
(ORDERS ONLY PLEASE)
SHIPPING & HANDLING ARE EXTRA
PRICES SUBJECT TO CHANGE WITHOUT NOTICE

 **Adventure**
INTERNATIONAL

BOX 3435, LONGWOOD, FL 32750
(305) 830-8194 (QUESTIONS)
Send for our free catalog of 180 programs

The relational DBM is a powerful tool.

Data Ace

Data Ace
Computer Software Design Inc.
Anaheim, CA
\$850, Model II
\$345, Models I & III
\$1,400, Model 16

Tim Daniel
 7 Peabody Drive
 Oxford, OH 45056

For years I have been searching for the ultimate data-base program. My journey has exposed me to seasoned veterans like Versafile and Profile®. I have tried several of the "world's best" mailing-list and inventory-management packages, only to be bitterly disappointed after spending a dozen or more hours learning how to use them and entering data. Workhorses like Maxi Manager for the Model III and sophisticated CP/M programs like dBase II have not escaped my scrutiny.

I admit that I still have not found my Holy Grail. But I have come close. Computer Software Design's Data Ace is good, very good. It is also tough, perhaps too tough. Like the mountain climber who suffers frostbite and exhaustion, only to find the view at the top of the world a bit cloudy, I am beginning to think that my search for the ultimate data base may end up meaning more than reaching the summit.

Data Ace is a "relational systems language and operating system." Understanding relational data-base structure is important if you want to grasp the power that Data Ace offers. In the adjoining sidebar I've explained how relational bases work. For more details consult the referenced article and book.

The secret behind powerful data bases seems to be flexibility, exactly what Data Ace's relational format offers. Unlike the

popular indexed sequential-access memory systems (ISAM), your applications are separate from the actual data storage. Once you know the kinds of information you are going to store, the rules of relational data-base structure dictate just how it is organized. When you go to use the data, programs are written to give you the desired results. The existing data can be easily reorganized to meet the needs of a new program. I'll take a closer look at writing programs for Data Ace later.

Data Ace is a completely integrated package. It features its own operating system (no need for TRSDOS or CP/M); data-management software; a query language allowing you to examine files directly; a structured programming

language for manipulating data; a full-screen editor to write programs; and a catalog mode to store help files, programs, and procedures. A second disk contains a collection of utilities for tasks like back-up, data recovery, and data-base initialization. Since Data Ace is self-contained and provides no means for backing up the system disk, you must take care to prevent damage for the two copies provided, although Computer Software Design offers replacements for \$30. In addition to the system disks and the utility disk you get a data disk for demonstration purposes.

Query Language

With the system disk in drive 0 and the demo disk in drive 1 you are ready to start

```
( PROCEDURE - LEADLIST      DATE 06/13/82  TIME HH.MM )
LIST CUSTOMERS WHERE ZIP = 45056 AND CRED.LIMIT >= 10000 AND YTD
.SALES < 1000 ( EXCLUDE CUS.NUM STREET )
```

Part A


CUS.NAME	CITY	STATE	ZIP	PHONE#	YTD.SALES
CIRCLE SYSTEMS	OXFORD	OH	45056	5135552233	500
CRED.LIMIT 15000					

CUS.NAME	CITY	STATE	ZIP	PHONE#	YTD.SALES
ENERGY EXCHANGE	OXFORD	OH	45056	5135551623	0
CRED.LIMIT 10000					

Part B

Fig. 1. Using the Data Interrogation Language (DIL), a procedure can be written that selects records for firms that have a 45056 zip code, credit limits equal to or greater than \$10,000 and year to date sales less than \$1000. Part A shows the procedure, part B shows the data for two firms that meet this criteria. The DIL procedure also directed Data Ace to delete the street address and customer numbers from the listing.

INCOME TAX OFFICES: MULTIPLY YOUR OUTPUT.



WITH TaxPro™

THE PROFESSIONAL INCOME TAX SYSTEM.

TAXPRO DOES MORE.

Five years of successful use and system improvement has pushed TAXPRO far beyond Form 1040 and its supplemental schedules. This versatile system also totals W-2s, computes FICA overpayment, calculates tax alternatives . . . even prepares client billing.

TAXPRO IS INTELLIGENT. It analyzes the client's tax picture, suggests the best route to go. Determines eligibility for special forms such as minimum/maximum tax, income averaging, to name a few.

TAXPRO IS EASY.

Because it follows the tax forms line by line. Taxes are automatically figured, entered everywhere they apply. Change any entry, and all relevant data is automatically revised. Produces a printout that exactly fits 1040 and

IRS-approved schedule forms.

TAXPRO IS GUARANTEED. We stand behind TAXPRO completely. Full, no-charge support through the tax season. Inexpensive, yearly system updates. Over 5 million returns prepared with no reported errors.

TAXPRO BUILDS PROFITS. The door is open to higher profits than you have ever enjoyed. Double, triple, or quadruple your output; pay for TAXPRO **and** the computer in one tax season.

If you do income tax returns, you need

TAXPRO, the truly professional, computerized income tax preparation system.

Look into it today.
Contract Services
Associates,
706 South Euclid,
Anaheim,
California 92802,
(714) 635-4055.

45-PAGE DESCRIPTIVE
SYSTEM MANUAL: \$7.50



CONTRACT SERVICES ASSOCIATES

Improving the bottom line.

learning. When booted up, the system automatically goes into the DIL or Data Interrogation Language. Via simple syntax you can examine records, either individually or in groups. (Don't know what a record is? Read the explanation of relational data bases.) For instance, my demo disk had a relation called Customers where there was one key field, a customer number. Other non-key fields in each record included the customer's name, address, phone number, year-to-date sales, and credit limit.

Using the DIL query language you can do something as simple as list the customer whose number is 1071, or something as complex as listing those customers whose zip code is 45056, have a credit limit greater than \$10,000, and have purchased less than \$1,000 this year. Your salesman can use this printed list on his next visit to the 45056 zip-code area, concentrating on those customers who can afford a lot but for some reason have not chosen to buy much this year. If your salesman works by telephone, you may want to get a printout that does not include the addresses. Figure 1 shows a DIL procedure that accomplishes this. As you can see, Data Ace's DIL mode is reasonably easy to use and very flexible.

Using the query language is straightforward since most of the commands are words like "where" and "sum" or the arithmetic symbols < and >. In addition to listing files you can add data, change files and delete files. When printing reports you

can use the built-in column headings or define your own headings to give a custom look. The actual placement of the printed fields is still under the control of Data Ace. Single layer sorts, based on a key field, are available as is the capability to sum a group of numeric fields. If you are well versed in the structure of your data then you can make good use of the DIL Join command to select data from one relation, based on the value of data in another relation, and list data from two or more relations as if it all came from relation.

The power of Data Ace's DIL mode is substantial and can be taken advantage of with a minimum of training. If you need to do the same type of thing many times, you can store a string of DIL commands as a procedure using the catalog mode. By creating a library of procedures a user can have the advantages of speed and simplified access that relational bases offer, with a minimum of hassle.

The biggest drawback is the inability to customize reports that often call for complex manipulations of numbers, not to mention special printing. In this respect the DIL mode of Data Ace is inferior when compared to the overall power of many other data-base managers.

Structured Programming


If the DIL mode was all Data Ace offered I would have been very disappointed. Howev-

er, Data Ace is vitalized by its unique programming language, otherwise known as Data Manipulation Language (DML). Here you have total control. You can open up to 12 different relations at any one time, shuffling data back and forth, inputting data when necessary, and printing it out just the way you want it. There is, however, a price to pay for all of this power. DML is a derivative of Polyforth (the language Data Ace is written in). If you are a non-programmer, you are likely to be scared stiff. If you're just used to languages like Fortran and Basic, you have a lot of learning to do. Advertisements claim Data Ace's programming language offers the "...ease of Basic, the power of Pascal and the structure of C." So much for the advertisement. But you can learn how to use DML.

If you know something about Forth and are comfortable with stack and string manipulation, precision arithmetic, and relational data structures, then dive right in, using the 40-page introductory chapter on DML as a reference. The rest of us mortals will need to drag out volume two of the Data Ace user's guide. Here you'll find 100 plus pages devoted to detailed explanations of example programs. Spend a couple of evenings poring over these examples then sit down in front of your computer and give them a try. This approach is preferable to beating your head against the wall by starting out with your own application. Chris Horrocks, vice president of Computer Soft-

DAISY WHEEL PRINTER

NEW



LETTER QUALITY

SMITH-CORONA TP-1

- Parallel Centronics Interface
- Serial RS232 Interface
- 120 Word/min.

AS LOW AS **\$645**

MICRO TECHNOLOGY

7817 Ivanhoe Ave.
La Jolla, CA 92037 ✓486
(714) 457-2149

The Exemplory Company Inc
Valve Manufacturing Divn.

Imperial Castings Foundry Inc
15961 Imperial Highway
Yorba Linda, Ca 92689

06/13/82

Dear Mr. Runner,

We are in the process of reviewing our production planning process and wish to review all lead times within our system.

Would you please be good enough to review the following and confirm that the lead times which we are assuming are still accurate.

PART	DESCRIPTION	LEAD TIME
1000	Valve Bonnet Casting	10
1010	Valve Body Casting	10


Thank you very much for your assistance. I would appreciate your speedy reply.

Yours truly,

H. Smith
Buyer

Fig. 2. Data Ace allows text files and data files to be combined, giving a unique word processing capability.

Practical Peripherals
Buffered Parallel Interface
for Epson Printers



MBP-16K
EPSON PARALLEL INTERFACE
16,384 Byte Buffer

\$159.95

Plus Shipping
And Applicable Tax

Master Charge & VISA

The MBP-16K is an intelligent Centronics-compatible parallel interface for the Epson MX-80, MX-80 F/T, and MX-100 printers, with 16,384 bytes of on-board RAM for data buffering.

The buffering capability of the MBP-16K increases your data processing efficiency by eliminating the wait normally experienced while printing. An Epson printer prints at 80 characters per second; at this speed it takes about five minutes to print a 16,000 character document. During most of this time the computer is waiting for the Epson to finish one line so it can send the next. The computer can't do anything else during this period because it's tied to the printer. By using the MBP-16K it takes the computer only *four seconds* to send a 16,000 character document. The Practical Peripherals MBP-16K interface typically accepts data as fast as the computer can send it, until full, returning use of the computer to you while it handles the printing. You can continue with other processing while simultaneously printing data from a previous job, gaining all the time you normally would have spent waiting for the printer to finish. The net result is to eliminate the computer-waiting-for-printer/printer-waiting-for-computer bottleneck, and keep both working. Any program that involves printed output will be speeded up by using the MBP-16K.

The MBP-16K supports all standard Epson Commands, is compatible with GRAFTRAX-80, and is plug compatible with the standard Epson cable. The MBP-16K does not require any user software for control.

The MBP-16K is easy to install — it simply plugs into the existing auxiliary interface connector inside the Epson without modification of the printer.

Micro Solutions, Inc.

THE SOFTWARE STORE


9949 E. Harwin

Houston, TX 77036

(713) 789-5443

THE BIGGEST NAME IN LITTLE COMPUTERS™

**TRS-80™ Model II — Your Best Buy
In a Business Microcomputer**



**UP
TO
15%
OFF!**

**TRS-80™ computers, on
software and peripherals**

Similar values on all merchandise
CALL COLLECT:

800-351-1580

Texas Residents call: 915-283-2920

Van Horn Office Supply ✓169

701 W. Broadway -- P O Box 1060

Van Horn, Texas 79855

DEALER G055

Form F48 Provided

Standard Warranty in Effect

THE NATIONWIDE SUPERMARKET OF SOUND®




COOSOL COMPUTER PRODUCTS

PRINTERS



- EPSON MX70 \$288
- EPSON MX80 GRAFTRAX+ CALL
- EPSON MX80 F/T GRAFTRAX+ CALL
- EPSON MX100 GRAFTRAX+ CALL
- NEC PC-8023A-C CALL
- NEC 3550 CALL
- NEC 3510, 3515, 3530 \$1695
- NEC 7710, 7715, 7730 \$2275
- NEC 7720, 7725 \$2645
- C.I.TOH 8510AP CALL • 8510ACD CALL
- C.I.TOH 1541SP CALL • 1541SRE CALL
- C.I.TOH F10-40PU \$1395 • F10-40RU \$1495
- OKIDATA 82A CALL • 83A CALL
- OKIDATA 84A CALL • 82A TRACTOR \$60
- TALLY MT 1602 MT 1605 \$1495
- TALLY MT 1802 MT 1805 \$1795
- DIABLO 630R132 \$2395 • 630R101 \$1749
- DIABLO 630R104 \$2395 • 630K104 \$2949
- QUME SPRINT 5 45/R0, KSR & 55/R0, KSR CALL
- ANADEX ADX-9500-P, ADX-9501-P \$1295
- COMREX CR-1-S, CR-1-C, CR-1-Q CALL
- SMITH-CORONA TP-1 CALL

**HAYES SMART
MODEM & CHRONOGRAPH**




- HAYES SMARTMODEM \$229
- RS-232C COMPATIBLE
- FULL and HALF-DUPLEX OPERATION WITH BOTH
- TOUCH TONE and PULSE DIALING
- AUTO-ANSWER/DIAL/REPEAT
- COMPLETELY PROGRAMMABLE
- BUILT-IN AUTO MONITOR
- STATUS AT A GLANCE
- DIRECT-CONNECT DESIGN
- HAYES CHRONOGRAPH \$209
- NOVATION AUTO-CAT AUTO ANS \$219
- Monitors**
- NEC JC-1202DH RGB HIGH RES. COLOR \$799
- AMDEK COLOR-II RGB HIGH RES. COLOR \$769
- NEC PC-1201M(A) HIGH RES. GREEN \$179

Terminals

- TELEVIDEO 910 \$595, • 912 \$705
- TELEVIDEO 920 \$750, • 950 \$959
- ADDS Viewpoint A1, A2, A3, \$535

NEC COMPUTER



- Above NEC System with PC-8001A CPU/KBD, PC-8012A I/O Exp., PC-8031A Dual Disk, & JB-1201 Green Monitor \$2149
- NEC ACCESSORIES & SOFTWARE CALL

Other Computers

- ATARI 800 (16K) \$659
- ATARI 400 (16K) \$329
- ATARI Accessories & Software CALL
- ALTOS Computer Systems CALL
- ADDS Computer Systems CALL
- NEC PC-8001A, PC-8012A, PC-8031A, JB-1201 \$2149
- NEC Other CPU's and Software CALL
- DYNABYTE 5605-6-1 \$5999
- DYNABYTE OTHER SYSTEMS CALL
- SANYO MBC-1000 \$1599
- SANYO MBC-2000 \$2699
- SANYO MBC-3000 \$4999
- XEROX 820 SYSTEM w/5 1/4" DRIVES \$2499
- XEROX 820 SYSTEM w/8" DRIVES \$2995
- SOFTWARE FOR THE ABOVE CALL

COOSOL, INC. P.O. BOX 743, ANAHEIM, CALIFORNIA 92805-0743

Calif. (714) 545-2216

(800) 854-8498

✓105

ware Design, put it nicely, "When you start out using structured programming like Data Ace's DML there appears to be a high risk, but when you finish the job there is a visceral thrill." Horrocks went on to say, "Once you are familiar with this you won't want to touch anything else."

Catalog Mode

Data Ace's catalog mode allows the user to add programs and procedures (made up of DIL commands), and edit, list, or delete programs and procedures already on disk. A full-screen editor is available to assist you in writing and debugging programs and procedures. It offers more than 20 commands, and like other editors, is mastered through practice and patience.

The most recent release of Data Ace features word-processing capabilities. You can use the editor to write a letter or report that is stored as a text file. Then a DML program can access the text file, inserting names, addresses, and the like to give custom printouts. An example of this is shown in Fig. 2.

Data Ace has the distinction of allowing

programs to be run with either a compiler or an interpreter. Source code for the interpreted programs is stored on the data disk and can be quickly altered in the catalog mode

"Data Ace has the distinction of allowing programs to be run with either a compiler or an interpreter."

and rerun. Compiler operation is preferred for software that is debugged since it is stored on the system disk in a more compact form. The power and efficiency of Data

Ace's Forth-like language is evident when you compile a routine. For example, a program that uses two or three relations, requires data input, and provides several different printouts can often have a compiled length of less than 2K. The compiled code for Data Ace is about 135K (said to be 900K of source code), leaving room for more than 400K of applications software on the system disk.

Data Definition

The importance of relational data structures is apparent through the fact that the system uses relations of its own to store programs, text, and procedures as well as keeping track of the various user-defined relations and their fields. At first glance a Data Ace relation may seem limited when compared to other data-base managers. You are allowed three key fields, with a total of no more than 27 bytes. The field total (key and non-key) is 25. The maximum length of a record is 256 bytes. This may seem restrictive until you break your data down into normalized form. Chances are you will end up with several smaller relations. If need be,

AFRAID OF HIGH SOFTWARE PRICES?

6 to 8 programs on CASSETTE every MONTH
for (shudder) about 75 cents per program!

TRS-80

MODEL I & III



The Fine Print

All issues from Oct '78 on available — ask for list (24 Level I issues also). Programs are for 16K Level II, 16K Model III, and occasionally for disks.

TRS-80 is a trademark of Tandy Corp.

P.O. Box 1448

Santa Barbara, CA 93102 (805) 962-6271



102

The Bottom Line:

1 year (12 issues) \$50.00
6 months (6 issues) \$30.00
Single copies \$ 6.00
Good Games #1 \$12.00
Adventures #1 \$13.00

California residents add 6% to single copies. North America — First Class Postage Included Overseas — add \$10 to subscriptions, and \$1 to single copies.

Sent AO rate



103

The Bottom Line:

1 year (12 issues) \$45.00
6 months (6 issues) \$25.00
Single copies \$ 5.00
Calif. residents add 6% to single copies.

North America — First Class Postage Included

Overseas — add \$10 to subscriptions, and \$1 to single copies.

Sent AO rate

P.O. Box 1087,

Santa Barbara, CA 93102

(805) 963-1066

COLOR

COMPUTER

The Fine Print: Issues are sent First Class Mail. All issues from July 1981 on available — ask for list. Programs are for the Extended BASIC model and occasionally for disks.

you can violate one rule of normalization and have two relations that share the same key fields. The total number of records is limited only by your disk storage space.

Once you have defined a relation and started to enter data you are not locked in. You may, with some limitations, add and delete fields or change the field type. Data Ace has nine different field types, ranging from one-byte unsigned binary numbers to 255-character alphabetic strings. Your choice of fields affects the amount of disk space needed to store the data. If you find the data you so painstakingly entered is not the way you want it, just create a new relation that uses your existing records. It is worth mentioning again, one of Data Ace's strongest selling points is the fact that the storage and the application of the data are two separate and distinct functions.

Speed

What about speed? I am a cynic when it comes to benchmark tests for data-base managers. The room for error is great and

the results often have little real-life value. Suffice it to say that Data Ace is fast. Speed is enhanced by storing an index in memory that shows the cylinder location for each

"I am a cynic when it comes to benchmark tests for data-base managers. Suffice it to say that Data Ace is fast."

record. That way it only takes one seek operation to locate a record on the disk.

Efficiency is also increased by using notional relations, a relatively new addition to Data Ace. A notional relation has data that

is identical to the original relation except that the order is different. This "alternate pathing" allows you to sort the data (also known as "inverting a field") by every field. When you update the original relation its notional is changed too.

Documentation and Utilities

All of the power and flexibility offered by Data Ace is useless if you can't learn the ropes. Computer Software Design supplies two manuals with each system. The first manual has nine chapters covering the fundamentals of using DIL, data definition (DDL), the catalog and editor, system utilities, and an introduction to programming with DML. After reading the two chapters on DIL and experimenting with the sample relations you'll soon be proficient.

The later chapters are not so easy to master. Unlike the monkey see, monkey do approach of giving examples that many manuals use, the Data Ace documentation concentrates on spelling out the functions individually. The information is all there but

Aunt Betilda's Flower Club

Your sweet Aunt Betilda (the one who bakes those fantastic cookies) has asked you to use your computer to help keep records for her flower club. Being a loyal (and hungry) nephew you agree. A simple job, right?

Don't reach for those cookies quite yet. Here is what Aunt Betilda wants you to keep track of: each member's name, how long they have been a member of the club, the different kinds of flowers they grow (including the number of colors and source for each type, assuming there is only one source for

each type), and whether or not a member has paid his or her dues. All this information is recorded on file cards. You have to organize it in a data base so that when Auntie asks, "Which members have been in the club for less than three years, have two colors of tulips started from bulbs provided by Bea Phillips, and haven't paid their dues?" you can answer.

There are a number of ways to organize data, but this time you are going to try the relational method. Relational structures require that all the data be stored in the form of a two-di-

mension table. Unfortunately, the file cards you have aren't quite in a *normalized* form yet; Aunt Betilda is guilty of having *unnormalized* data (Fig. 1). When we fix this transgression the resulting 2-D tables of normalized data will be known as *relations*.

Rule number one: Each row in our relation must be different. Put another way, no two rows can be alike. If all but one column of two different rows are the same, that's okay, that one column makes the difference, it is the key to telling the two rows apart. Why not use the members' names as a key. After all, no two people have the same name.

Rule number two: Each column must contain a unique piece of data and the columns must be nonrepetitive. Hence it is not fair to list both the flower and number of colors in one column, nor can we have two or more columns giving the types of flowers. They need to be spread out, with one item per column. At this point you should tactfully explain to Aunt Betilda that you can only list up to four kinds of flowers for each member. (If you are really hungry you might go for five or six kinds, it is up to you. But remember, each kind will require a row.) The result after you have completed this step is shown in Fig. 2. At this point there are two keys that identify a row: the name and the flower type.

Our next rule is that the data in every column must be dependent on the key columns. This presents some problems. If we use the name as a key we

Name: Frieda Jones
Yrs. of membership 4
Dues paid: no

Flower type	# of colors	Source
Daisies	1	Betilda Smith
Tulips	3	Ben Phillips
Roses	2	Ellie Brown
Petunias	4	Esther Connors

Fig. 1. Unnormalized data looks like this. Normalization converts the information into a two-dimensional table that fits the rules of a relational data structure.

Name	Yrs.	Dues	Flower	Colors	Source
F. Jones	4	no	Daisies	1	B. Smith
F. Jones	4	no	Tulips	3	B. Phillips
F. Jones	4	no	Roses	2	E. Brown
F. Jones	4	no	Petunias	4	E. Connors
M. Williams	18	yes	Marigolds	17	F. Franklin
M. Williams	18	yes	Petunias	1	E. Connors

Fig. 2. The data has been organized into a table where each row is different and each column holds a unique piece of data. Note that there are two keys: the club member's name and the flower type. The key columns have been highlighted.

Continued on page 272

it may seem overwhelming and a bit terse. A comprehensive index would be a great addition. Volume two is a user programming guide devoted to example D, charts and program listings. The sample application, a cash-disbursement program for property management, is shown in both initial and revised versions.

The Data Ace offers two forms of back-up. Fast-copy allows you to duplicate the data disk, in identical form, on another data disk. Back-up also copies the data, but at the same time reorganizes it. Back-up is usually followed by Restore, which returns the reorganized data to the original disk. In addition to disk formatting and data-base initialization, the utilities disk contains a program that checks the integrity of your data files. This is recommended as a regular checkup rather than a last resort. A recent release of Data Ace has improved utilities, including the capability of expanding

your data files as your disk capacity grows.

Applications

Okay, we have beaten Data Ace to death, but what can it do? Or perhaps a better question is what can it do better than other data-base managers? Does your company have an inventory-control system that relies on a timesharing system that is as expensive as it is unreliable? Data Ace offers an alternative to this kind of problem.

To tap its power you have to know something about data-base management and relational data structures in particular. A strong background in structured programming is helpful, although it isn't essential. There are some kinds of applications that could be solved through Data Ace but are more easily solved with canned programs; examples of these are general-ledger or checkbook packages.

Data Ace excels in situations where prepackaged software won't do. The manager who is faced with spiraling timesharing costs won't flinch at Data Ace's price since the development and debugging time is reduced from months, often required for truly custom software, to only weeks or days. The actual programming probably won't be done by the manager, but will be turned over to an in-house programmer or an outside service. Put another way, Data Ace is straightforward for the end user, once the data base is established and the programs and procedures are perfected by a skilled or semi-skilled programmer.

Perhaps Data Ace's most exciting prospects are still untapped. There are hundreds of businesses that must rely on custom programming or prepackaged software that works only in a mainframe or minicomputer environment. The relatively low price of Radio Shack hardware combined with

RELATION #1

Name	Yrs.	Dues
F. Jones	4	no
M. Williams	18	yes

RELATION #2

Name	Flower	Colors	Source
F. Jones	Daisies	1	B. Smith
F. Jones	Tulips	3	B. Phillips
F. Jones	Roses	2	E. Brown
F. Jones	Petunias	4	E. Connors
M. Williams	Marigolds	17	F. Franklin
M. Williams	Petunias	1	E. Connors

Fig. 3. Each column in a relational data table must be dependent on the key column(s). When this occurs, there are two separate relations. The first is keyed on the club member's name while the second has a member's name and flower type as keys.

RELATION #1

Name	Yrs.	Dues
F. Jones	4	no
M. Williams	18	yes

RELATION #2

Name	Flower	Colors
F. Jones	Daisies	1
F. Jones	Tulips	3
F. Jones	Roses	2
F. Jones	Petunias	4
M. Williams	Marigolds	17
M. Williams	Petunias	1

RELATION #3

Flower	Source
Daisies	B. Smith
Tulips	B. Phillips
Roses	E. Brown
Petunias	E. Connors
Marigolds	F. Franklin

Fig. 4. The final stage of this data normalization ensures that the data in non-key columns depends directly on the data in key columns. To accomplish this a third relation is formed—one that has two fields, both of them keys, showing the flower type and the source.

continued from page 271

are okay, as long as we look at years of membership, dues paid, and types of flowers. The other two pieces of information, source and number of colors, are also dependent on the type of flower. Yet type of flower has no bearing on years of membership and dues. The solution is to establish more than one relation. Figure 3 shows the result; we have eliminated any partial dependence on a key. In the case of the number of colors per flower it depends on two things, who has them and what kind they are, so we use two keys: name and type.

The final rule is that the data in the non-key columns must depend directly on the key columns. Can you see the problem in Fig. 3? The source of flowers isn't dependent on who has the flowers. We need a separate relation, giving just the source and flower, with both acting as keys. This final step is carried out in Fig. 4. It may look like a lot more than we started with and seem like a lot more bother to normalize data but consider how easy it is to answer questions like, "Which members with three colors of tulips have paid their dues?"

Before grabbing a cookie and pouring a glass of milk, let's take a look at a few more terms. We usually refer to columns as *fields*. There are *key* fields and there are *non-key* fields. Each row (a group of two or more fields) is usually called a *record*. A group of records make up a *relation*. That about does it, enjoy the cookies. ■

For more information on relational data base structure see:

"Fundamentals of Relation Data Organization," Neely and Stewart, *Byte*, November 1981, page 48.

Computer Data Base Organization, James Martin, Prentice Hall, 1977.

Quality Computer Services Presents ... Hard Disk Sub-Systems 20 Megabytes for Under \$3500!

Our Systems Are Compatible with Your

TRS-80® Model I, II, III, XVI

Apple II®

IBM® PC

NEC™

S-100™

Altos™

NorthStar™

Superbrain™


Panasonic™

Epson™

Heath/Zenith™

and Others

**Now
Available!
Optional
10 Meg.
Tape
Back-up**



Now you can expand the capability of your microcomputer with cost-effective mass storage from Q.C.S. Our integrated family of 6-, 12-, 20-, and 40-million-byte systems lets you operate your micro with the speed, convenience, and proven reliability of systems costing thousands of dollars more! And as your needs grow, Q.C.S. mass storage can grow too. You can start with an entry-level 6-million-byte system and expand 80 million bytes ... without scrapping your existing programs or operating system.

The completely assembled and tested system includes:

- Switching power supply
- Winchester drive
- Host adapter card
- Sealed case

- Expansion (enclosure, controller, and power supply designed for future backup hardware or increased storage)
- Software
- Auto-attach CP/M
- Hard disk utilities
- Realtime clock
- Formatting program (assigns alternates for any weak sectors detected during formatting—assuring the lowest possible error rate)
- Warranty (a full one-year warranty on all parts and workmanship)

Also available:

- Attach program for TRSDOS and OASIS
- New CP/M dynamic generator: configured software; menu-driven for 6-, 12-, 20-, 40-, 80-megabyte drives

The following systems software can be utilized:

TRS I, III—attach software for DOS 4.0,* LDOS

TRS II, XVI—CP/M Racet for TRSDOS,* Turbo DOS, OASIS

TRS Models II and XVI use 6 Meg for CP/M and 6 Meg for TRSDOS.

Apple—CP/M and DOS 3.3

NEC—CP/M

S-100—CP/M

Heath/Zenith—CP/M

IBM—PC DOS, USCD, etc.

* Available at an additional cost.

See your local dealer or call:


QCS Quality Computer Services ✓ 48
Lu... inc

178 Main Street, Metuchen, New Jersey 08840
Telephone: 201/548-2135

Toll-free number: (800) 631-5944


Quantity discounts available. Distributor, Dealer and OEM inquiries invited.

TRIPLE YOUR COMPUTERS POWER



80 CHARACTER VIDEO DISPLAY

- * 80 x 24 display with upgraded monitor.
- * Simple to install, just plug into a HOLMES EXPANSION MAINFRAME.
- * Model I graphics or Model II reverse video.
- * Basic programs work without modification.
- * Memory mapped - uses empty address spaces in the Model I/PMC or "overlays" keyboard and video in Model I or Model III.



SPEED UP YOUR COMPUTER 2 TO 3 TIMES - ADD A SPRINTER

- * Plugs directly into Z80 socket - no soldering required.
- * Select 2/3 to 3 times normal speed with hardware or software.
- * Automatic switch to normal speed during disk and I/O operation (optional)
- * Trouble free, tested Z80B microprocessor included.
- * TRS 80® Expansion Interface modification available.
- * Versions available for TRS 80® Model I, III, Xerox®, PMC®.


Price \$99.50



ADD UP TO 4 DISK DRIVES WITH HOLMES DISK CONTROLLER

- * Any combination of 5 1/4" or 8" drives.
- * Single or double density.
- * Simple installation - just plug into HOLMES EXPANSION MAINFRAME
- * Printer port included.
- * Compatible with all standard hardware and software.
- * Reliable state-of-the-art LSI data separator.
- * Quality gold plated connectors.
- * DD adapter for the TRS 80® Expansion Interface (E.I.) available.


TRS 80® EI Adapter	\$99.50	Single Density	\$148.50
		Double Density	\$219.00



INCREASE INTERNAL MEMORY TO 48K - RELIABLY

- * Plugs directly into the keyboard unit - No soldering required.
- * Reliable because it does not use an expansion buss to drive the memory system.
- * Power supply loading is not a problem.
- * Only the finest (tested & approved) materials used - each unit tested before shipping.
- * No Expansion Interface needed.
- * Compatible with all HOLMES products.

IM-1	\$ 86.00	32K (Without RAM)	\$66.00)
IM-2	\$139.00	48K (Without RAM)	\$99.50)



HOLMES EXPANSION MAINFRAME RELIABLE COMPUTER EXPANSION. WHAT YOU WANT - WHEN YOU WANT IT.

Pictured here is the HOLMES EXPANSION MAINFRAME. All of the HOLMES Products are in this system, yet all that is exposed is the "box" and the cables. Its clean, its simple, it has 48K IM, speed up SPRINTER, 80 character display, disk controller - and it works.

Look inside the "box". This picture shows the EXPANSION MAINFRAME with only one of the 4 possible modules "plugged in".

- * Has its own power supply. Doesn't compete with the computer for power.
- * Simple plug in modules. You add to the system only as your needs demand.
- * Reliable gold plated connectors.
- * Sturdy metal case suppresses noise.

COMPACT, EFFICIENT, SIMPLE. IT WORKS - AND KEEPS ON WORKING.
Price \$150.00

OTHER PRODUCTS:

- RS-232 • Extended memory • Self-contained drive/controller • Single module case • Hard disk

One year warranty on all Holmes products.

Terms: VISA, MASTER CHARGE, CASH, COD. Add \$9.00 shipping for the EXPANSION MAINFRAME and \$3.00 for other products in US & Canada. All others add 15%.

Holmes Engineering

3555 SOUTH 3200 WEST
SALT LAKE CITY, UTAH 84119 PHONE 801-967-2324

153

dealer inquiries invited / prices subject to change without notice



Data Ace's quick development time results in a complete package that could be sold by OEMS to a small or mid-sized business. And if need be, the OEM can customize the Data Ace application for individual users. The price tag on such a system could easily exceed \$10,000 and still be an attractive alternative. I can think of a half dozen specific packages that could be developed and marketed this way.

Apparently Computer Software Design has the same idea in mind. They offer a very attractive quantity discount for Data Ace. The first Model II package costs you \$850. If you buy between five and ten systems the price drops to \$340 each. As your out-of-pocket costs for each new package drop, your profit increases.

Model I and III

Data Ace's power is no longer limited to the Model II. This spring Computer Software Design released a version for the Models I and III. To run Data Ace on these machines you need Miller Microcomputer Systems' Forth. The total cost for a Model I/III package, including MMSForth is \$345. I have no first-hand experience with Data Ace for the Model I/III, but am under the impression that it has the same features as the Model II version.

The development of Data Ace is an ongoing process. The version I first worked with (1.2) has been improved with addition of notional relations, word processing, and increased utility power. There is every indication that these kinds of improvements will continue, and perhaps Computer Software Design will offer update packages.

Data Ace for the Model 16 and a hard-disk version for the Model II were being developed in the spring of 1982. The hard-disk version will run under Radio Shack's operating system. With hard disks becoming prevalent on the Model III perhaps Computer Software Design will tackle this next. Hopefully they'll allow Data Ace to run under a recognized operating system, avoiding the claustrophobia I felt using a dedicated operating system.

The best way to learn about Data Ace is through their demonstration package. For \$19.95 you get a one-disk system with sample relations and full DIL and DML capability. There are even 20 pages of documentation on the disk to get you started. This low price makes it easy for you to decide if Data Ace will fill your needs.

Conclusion

My experience with Data Ace has convinced me of its tremendous power and flexibility. It has taught me the virtues of relational data structure. I have also learned that a truly versatile data base is probably going to take a knowledge of programming to be mastered. Each new data manager I am exposed to leaves me a bit disappointed, so I'm not going to stop looking. But in the meantime, Data Ace will be part of my collection of survivors. ■



PANIK (BY WILLIAM DEMAS)

- MACHINE LANGUAGE
- JOY STICK COMPATIBLE
- SUPER ENHANCED DISK VERSION
- ARCADE STYLE GAME
- SOUND
- 10 HIGH SCORE SAVE
- HIGH RESOLUTION GRAPHICS

All Sound effects including voice are output through cassette aux plug.

The arcade game of the century. It has a little of all arcade games built in but it is its own original game. If you like arcade games with a lot of action and excitement, this one is a must.

See List of Advertisers on page 371

(SEE YOUR LOCAL DEALER)

● ● OR ORDER FROM ● ●

FANTASTIC SOFTWARE

P.O. Box 27734

Las Vegas, Nevada 89126

(702) 362-1457

MASTER CHARGE

VISA

PRICE** 16K TAPE (\$19.95)**

32K DISK (\$24.95)

MODEL I & III

TAPE VERSION WILL NOT TRANSFER TO DISK



Add new commands and features.

Inside Scripsit—Part II

Craig A. Lindley
P.O. Box 704
Colorado Springs, CO 80901

In the first part of this series I pointed out many of Scripsit's design features and philosophies and outlined a general methodology for approaching program modification. In this part I will show you how to add features to the Scripsit word processing program, and on a more general level, how to modify any large program.

The First Step

Before modifying any program you must decide what features and functions you would like to add and exactly how they should work. The modification code that you will write is the instructions to your computer on how to carry out the functions you want to perform.

A tried and true method for completely specifying the exact functions you want is a process called "stepwise refinement." Take a blank sheet of paper and write the main idea for your modification near the top and draw a box around it. I call this the "black box." You proceed by breaking the

black-box task into smaller tasks (boxes) until you cannot go any further (the tasks are non-divisible). At that point, you should have completely specified the problem and taken all the possible variables into consideration. This approach leads to a top down type of structure which makes the design, coding and maintenance of the program modifications much easier. I use this method in every computer program I write.

After I decided on the functions I wanted to add to the Scripsit program and designed them using the method stated above, the next problem to solve was how to execute these additional commands. After analyzing the functions to be added, I concluded that the two different types of commands would fit nicely into the existing two-level command structure on which Scripsit is based. I put commands that should not be executed accidentally such as Query the directory, Kill and New on the special command level. By placing them on this level, you must press the break key first before you can execute them. This reduces the chance of accident. I placed all the new cursor commands on the text-entry level so that they are available at all times.

Table 1 lists all of the added commands and how they are executed. I made numerous changes to the normal Scripsit command structure to accommodate the execution key combinations that I wanted.

The first set of commands I wanted to add to Scripsit are the ones now executed by the @, right-arrow and the @, left-arrow key combinations. These commands move the cursor to the start of the next word or end of the previous word respectively. The problem was that Scripsit used the @, right-arrow combination for the tab function and

the @, left-arrow key combination didn't return a unique key code as did all the other control key combinations (the @, left-arrow combination returned the same key code as the left-arrow key). I solved the first problem by overlaying the tab-key code byte in the main command lookup table (79AAH) with a 14H or the @, T key code. This effectively changes the tab character from the @, right-arrow to the @, T key combination and opens up the @, right-arrow key combination for use with the function stated above.

The second problem was more difficult to remedy because the keyboard driver routine located at 6061H didn't provide a unique key code for the @, left-arrow combination. I patched the keyboard driver (at address 6156H) with the Keymod routine shown in Program Listing 1. This patch causes the @, left-arrow key combination to return a 7H code (the same as the @, G key combination which performs the same function), and therefore allows me to use the key as desired.

After freeing the key combinations needed for use by the patch program, I had to couple these key codes to the desired new function routines. I did not add these new command mnemonics to the existing command lookup tables. Instead, I generated new auxiliary lookup tables that are scanned when a command mnemonic match is not found in the main lookup tables. I needed two such auxiliary command lookup tables: one for the text entry-level command lookup and one for the special command lookup. Lines 610-810 of Listing 1 show these new command lookup tables and lines 4080-4190 show the routines that process these new tables.

I placed a branch in Scripsit after the nor-

The Key Box

Model I or III
16K RAM
One disk drive
Printer required
Scripsit

mal command lookup table is scanned for the command mnemonic. Ordinarily, if the command mnemonic is not found, Scripsit branches to the illegal command message output routine. I directed this branch to the routine that processes the auxiliary command lookup table. If the command mnemonic matches that found in the auxiliary table then it is executed. If it is not found, the error message routine is executed and the message is output.

New Functions

Anyone familiar with Scripsit's operation will recognize the command syntax and therefore realize how to use the added commands. In Table 1 a \$ represents a space that is necessary for the command to be correctly interpreted and executed. Most commands are self-explanatory, but a few require discussion.

Enter the directory command and all other special commands after pressing break. I input the mnemonic Q (for Query) along with a qualifier or drive number to select the desired disk drive. If you enter just the mnemonic, you will see a directory of drive 0. If you specify a number between zero and three, you will see that drive's directory. If you enter any other number or letter, an illegal command message will be displayed. If the selected disk drive is non-existent or not ready, you will be informed accordingly. This condition will not cause Scripsit to hang up. You will be returned to the text entry mode at the point in the text where you left off.

Execute the kill-file function by typing the complete word, Kill, or just the first letter, K, followed by a mandatory space and the file-spec of the file you wish to kill. If the file is

found, it will be deleted. If it is not found, you will be told so. This command and the directory command return you to the exact spot in the text where you left off.

The printer-pause function, which is invoked with the shift, P key combination, allows you to pause the line printer at the beginning of any print line. To use this function hold down the shift and P keys until the pause message appears on the display command line. The printer will then stop at the beginning of the next print line. The cursor will flash on the command line until you press any key, and at that time, printing will resume.


The underline feature in its present form will work for the Line Printer IV (Centronics 747) or any other printer that uses the codes 0FH to turn underlining on and 0EH to turn it off. If your printer uses some other single control character to turn the underlining function off and on, you can replace the 0EH and 0FH codes on lines 550 and 560 of the listing with these codes. If your printer uses multiple control codes to activate the underlining function, then modify the underlining routine (UNDRNL: lines 1120-1280) accordingly.

To initiate the underlining function, place the cursor immediately preceding where you want the underlining to begin and insert the shift, zero key combination at that point. This will place the underscore character at the cursor position. When the document is printed, underlining will begin at the first occurrence of the underscore character and continue until another underscore character is found in the text. All text between the underscore characters including spaces will be underlined. The underlining function will not terminate at the end of print line.

Num	How executed	Function
1	Break QD where D=drive=0-3	Query disk directory of any disk drive. Indicates name, date, free space along with all non-system files.
2	Break K or KILL\$filespec	Kills specified file, if found.
3	Break N or New	Reinitializes Scripsit completely. Destroys resident document. Like Basic New statement.
4	Break E or End	Returns to DOS instead of rebooting.
5	Break X=CC1,CC2...	Sends printer initialization codes to the line printer. CC1 and so on are decimal printer control codes from 1-31. You can send any number. They must be used before the document is printed. The message "Printer Initialized" will be output if all codes are in range.
6	<shift><P>	Pauses the line printer while printing. Hit any key to continue. Hitting clear while paused aborts printing.
7	@T	New tab function key. Replaced @→ which was needed for a new command.
8	WPSL or U*	Asterisks in filespec causes reentry. See text for explanation.
9	<shift>0	Placing the underscore character in the text causes underlining. See text for explanation.
10	Break S	When saving files to disk, a new or updated message will be output to indicate a new or updated file.
11	@H	Homes cursor to upper left corner of display screen.
12	@>	Moves cursor to beginning of next word or first alphanumeric character after space.
13	@<	Moves cursor to end of last word or the first alphanumeric character before a space.
14	@up arrow	Scrolls window 13 lines towards beginning of text.
15	@down arrow	Scrolls window 13 lines towards end of text.
16	@F	Moves cursor 13 lines towards beginning of text.
17	@B	Moves cursor 13 lines towards end of text.

\$ represents a mandatory space.

Table 1



EPROM Storage Alternative to Tapes and Discs

Need reliable turn-key operation for your TRS-80*?

Can't afford tape/disc problems?

Plug Bug Systems has the cure!

15 day money back guarantee

THE IDEA

A Modularized REPROGRAMMABLE EPROM** memory system for user creation of up to 24K "burned" in BASIC or MACHINE LANGUAGE programs, instantly accessible without tapes or discs, for Model I and III. 48K options available. No soldering or EPROM handling: all units have their own power supplies!

THE SYSTEM

A CONTROLLER MODULE is plugged into the TRS-80*. Individual "unburned" 12K or 6K EPROM memory packs are then plugged into the controller. Under direction of our system software, the user loads his target program and "burns" it into 1 or 2 packs, thus providing up to 24K storage. The CONTROLLER MODULE also provides the interface for transferring the "burned" programs or data into RAM avoiding tape and disc load errors! BASIC and MACHINE LANGUAGE programs/data can be called up by file name and start executing immediately. Disc and cassette functions still valid.

OR

Programs can be executed directly from a pack without the CONTROLLER MODULE by plugging them into the TRS-80* (Model I 16K, 32K) keyboard connector bus.

SYSTEM SUPPORT

Plug Bug RAM

6K static read/write memory for program development includes a write protect switch, thereby simulating EPROMs. Programs executed directly or accessed via CONTROLLER MODULE.

Software

PRBURN cassette system control program supervises burn, verify and filespec naming of programs. Can be transferred to disc.

Documentation

Complete, straightforward instructions. Machine language knowledge not required.

Burn Service

We provide a reprogramming service for your Plug Bug packs (non disclosure agreement provided).

PLUG BUG PACKS

6K (EPROM).....	\$84.95
12K (EPROM).....	\$94.95
48K (EPROM SYSTEM).....	INQUIRE
6K (RAM).....	\$94.95
CONTROLLER MODULE.....	\$119.50
"BURN" SERVICE PACK.....	\$14.95

To order, send cashiers check or money order to:

PLUG BUG SYSTEMS

RFD 3, Box 300
Mt. Kisco, N.Y. 10549
914-666-7672

C.O.D. on request:

add \$3.00 for shipping and handling

add \$5.00 for Canada and Mexico



*Trade Mark Tandy Radio Shack Corp.

**Packs erasable with ultra-violet lamp.

✓ 377

**MODEL III
PROFILE**
Users, would you like:
Fast, indexed access to records?
Enhanced search capabilities?
Multiple report formats?
Multiple-line reports?
Mailing labels?
**PRODEX
CAN PROVIDE IT!**
\$59.95 (MO, COD, Check-2wks to clir)
Maine residents add 5% sales tax
For more information, call or write:
DowneastMicrocomputing
P.O. Box 68
Columbia Falls, Me. 04623
(207) 483-4400 (6pm-10pm)
\$PROFILE is a tm of Tandy Corp.

MODEL I/III
Owners!
WE HAVE ANALOG TO DIGITAL
AND DIGITAL TO ANALOG
CONVERTERS TO GET YOU
STARTED IN HARDWARE
ADC-kit \$59
DAC-kit \$59
Other kits available
DAYTON-MICROSUPPORT
P.O. BOX 482 W.B. BR.
DAYTON, OH 45409

\$\$\$
\$  **D/Punch?**  \$
\$
HOW WOULD YOU LIKE A 500% RETURN
ON INVESTMENT IN 10 MINUTES? IN
ACTUALITY, YOUR ROI INCREASES EACH
TIME YOU USE D/PUNCH. D/PUNCH IS
SPECIALLY ENGINEERED TO MAKE IT
EASY FOR YOU TO PUNCH A CUTOUT
ON YOUR FLOPPY DISKS-THEREBY
ALLOWING YOU TO WRITE (SAVE) ONTO
THE OTHER SIDE WHEN YOU SEND US
YOUR ORDER. BE SURE TO TELL US
YOUR SYSTEM CONFIGURATION
a) D/PUNCH 6 95
b) LABELS (100) 3 00
c) WRITE-PROTECT STICKERS (105) 2 65
d) DISK SAVER 5 1/2" 10 99
e) DISK SAVER RINGS (50) 5 25
ADD \$2.00 FOR SHIPPING & HANDLING
MA RESIDENTS ADD 5% TAX
SEND CHECK OR MONEY ORDER TO
D/Punch Co. (EM-10)
P.O. BOX 201
NEWTON HIGHLANDS, MA 02161
(617) 964-2126
\$ ALLOW 4-6 WEEKS FOR DELIVERY \$499 \$
\$\$\$

The underscore character is stored in the document's text. Because of this, when a line of text is justified for printing, the underscore character is counted just like all other characters in the print line. This means that the justified line will be short by the number of underscore characters in the print line. This problem shows up in the justify and flush-right text modes of Scripsit.

The Program

The complete patch program is shown in Listing 1. The program consists of two segments starting at locations 7AA5H and 7C62H respectively. This is one large program broken up this way to allow a large piece of the program (the one starting at

7AA5H) to be placed in the 381-byte memory area from 7AA5H to 7C28H that is unused by the Scripsit program. By breaking up the program in this manner, the approximately 1,380-byte patch program reduces the available text buffer space by only 980 bytes. This gives you many additional functions for less than 1K of memory.

The first segment of the program contains the underlining routine, program storage areas, auxiliary command lookup tables, disk I/O buffers, the Scripsit loading routine, and the program patch code. It also contains the code that checks and performs reentry to the Scripsit program. I chose the contents of this segment not to group certain functions together, rather to

Program Listing 1


```

00100 ;*****
00110 ;*****      SCRIPSIT PATCH PROGRAM      *****
00120 ;***      LISTING ONE      ***
00130 ;***      OCTOBER 1981      ***
00140 ;***      WRITTEN BY      ***
00150 ;*****      CRAIG A. LINDLEY      *****
00160 ;*****
00170 ;
00180 ;SYSTEM EQUATES: * REFERS TO ADDRESSES WITHIN SCRIPSIT
00190 ;
7CD1 00200 BUFFER EQU 7CD1H ;*DISK I/O BUFFER
6BE9 00210 CCMDL EQU 6BE9H ;*CLEAR CMD LINE ROUTINE
6708 00220 CHKPRM EQU 6708H ;*CHECK PARAMETER(S) ROUTINE
4428 00230 CLOSE EQU 4428H ;*CLOSE DISK FILE OPSYS ROUTINE
58F0 00240 CMDSCH EQU 58F0H ;*COMMAND SEARCH ROUTINE
6C4C 00250 CONV EQU 6C4CH ;*ASCII DECIMAL TO HEX ROUTINE
54FB 00260 CURLFT EQU 54FBH ;*CURSOR LEFT ROUTINE
5518 00270 CURRHT EQU 5518H ;*CURSOR RIGHT ROUTINE
5E25 00280 DREAD EQU 5E25H ;*READ DISK RECORD
7697 00290 FENUM EQU 7697H ;*FIND END OF NUMERIC STR ROUTINE
6F76 00300 ILLCMD EQU 6F76H ;*ILLEGAL CMD OUTPUT ROUTINE
5FCC 00310 KEYIN EQU 5FCCH ;*WAIT FOR KEY INPUT
4430 00320 LOAD EQU 4430H ;*LOAD CMD FILE OPSYS ROUTINE
4467 00330 LOUT EQU 4467H ;*STRING OUT OPSYS ROUTINE
54B9 00340 MCURD EQU 54B9H ;*MOVE CURSOR DOWN ROUTINE
552D 00350 MCURUP EQU 552DH ;*MOVE CURSOR UP ROUTINE
5E1F 00360 OPEN EQU 5E1FH ;*OPEN DISK FILE
6BC8 00370 OPCMDL EQU 6BC8H ;*OUTPUT MSG ON CMD LINE
402D 00380 OPSYS EQU 402DH ;*REENTRY OPSYS ROUTINE
441C 00390 PARSE EQU 441CH ;*PARSE FILESPEC OPSYS ROUTINE
6F8B 00400 RECOV EQU 6F8BH ;*CMD RECOVERY ROUTINE
75C2 00410 SKIPBC EQU 75C2H ;*SKIP BLANK AND COMMA ROUTINE
5463 00420 WINDWN EQU 5463H ;*WINDOW DOWN ROUTINE
5411 00430 WINDUP EQU 5411H ;*WINDOW UP ROUTINE
00440 ;
00450 ;*****
00460 ;THIS CODE IS PLACED IN SCRIPSIT'S UNUSED MEMORY AREA
00470 ;*****
00480 ;
7AA5 00490 ORG 07AA5H
00500 ;
00510 ;SYSTEM STORAGE AREA
00520 ;
00530 ;DIRPTR DEFS 2 ;DIRECTORY DISPLAY PTR
7AA7 00540 UNDFLG DEFB 0 ;UNDERLINE FLAG
7AA8 00550 UNDOFF DEFB 14 ;TURN UNDERLINE OFF
7AA9 00560 UNDON DEFB 15 ;TURN UNDERLINE ON
00570 VDVR DEFS 2 ;VIDEO DVR TEMP STORAGE
00580 ;
00590 ;ADDITION TO THE MAIN CMD LOOKUP TABLE
00600 ;
7AA0 00610 CMDTBL DEFB 4 ;NEW CMDS
7AAD 00620 DEFB 2 ;CURSOR BACKWARD ROUTINE
7AAE 00630 DEFB 8 ;HOME CURSOR
7AAF 00640 DEFB 1FH ;ADV TO START OF NEXT WRD
7AB0 00650 DEFB 7 ;BACKUP TO END OF LAST WRD
7AB1 00660 DEFW RSKP
7AB3 00670 DEFW FSKP
7AB5 00680 DEFW 6E56H
7AB7 00690 DEFW CURDWN
00700 ;
00710 ;ADDITION TO THE BREAK CMD LOOKUP TABLE
00720 ;
7AB9 00730 CMDTB2 DEFB 4 ;NEW CMDS
7ABA 00740 DEFB 'K' ;KILL DISK FILE
7ABB 00750 DEFB 'N' ;RESTART SCRIPSIT
7ABC 00760 DEFB 'X' ;EXECUTE PRINTER INIT
7ABD 00770 DEFB 'Q' ;QUERY DISK
7ABE 00780 DEFW QUERY
7AC0 00790 DEFW PRINT
7AC2 00800 DEFW 5200H
7AC4 00810 DEFW KILL

```

Program Listing 1 Continues

This Smart Little Program Lets You Talk Back To Big Computers.



TRS-80™ users now have an easy way to talk with Source,™ Compuserve,™ other computers and a variety of bulletin board systems. COMMWHIZ™ is so simple to use, you'll wonder why it hasn't been done before. Yet it offers professional terminal capabilities to Mod I and Mod III users who have 32K with one disk or more. And at \$79.95 post-paid, talk is cheap. Specify Mod I or III. VISA, M/C accepted. (VA residents add 4% sales tax.) All popular DOSs/Cassette Vers. Avail./Includes free auto file xfer program. From Dr. Dobbs Journal review: "We recommend COMMWHIZ... both powerful and easy to learn... a fine and truly 'smart' terminal program which we will continue to use... its creators are responsive, helpful and available." Source - TCV527. Compuserve - 70220, 235.

Fall Discount Combo: Hayes Smartmodem & COMMWHIZ — \$299 plus shipping.

VolksMicro Computer Systems Inc.

✓549

202 Packets Court, Suite C, Williamsburg, Virginia 23185 804-220-0005

TRS-80 and Scripts are TMs of the Tandy Corp. Electric Pencil is the TM of Michael Shryver Software Inc.

TRS-80* MODEL I/III UO-LISP

Solve artificial intelligence problems, prove theorems, symbolic algebra, TRS-80* graphics. UO-LISP is a complete software development program.

OPTIMIZING COMPILER AND ASSEMBLER

For the first time on a microcomputer: optimized native Z80 code from LISP. The UO-LISP optimizing compiler creates programs that run up to 50 times faster than interpreted code. Optimized code runs 20 to 30 times faster than equivalent interpreted BASIC.

FAST LOAD LIBRARIES

Compiled code can be stored in relocatable files. 8 fast load libraries are included in the distribution package.

INTERPRETER

Over 125 functions are implemented in the base interpreter.

DOCUMENTATION

The manual is 110 pages covering all aspects of the system. Numerous examples of each facility are included.

REQUIREMENTS

TRS-80* Model I or Model III, 48K, dual disks.

ORDERING

Manual only \$ 20.00
Complete System \$109.00
When ordering specify Model I or Model III.

VISA & MASTERCARD: Please include expiration date and card number.


Send to:



**FAR WEST
SYSTEMS & SOFTWARE**
P.O. BOX 3301
EUGENE, OREGON 97403
503-485-5155 ✓454

TRS-80 Model I is alive and well at the Micromint. We still have the expansion interfaces you need!

Disk-80 Expansion Interface



As featured in Ciarcia's Circuit Cellar
Byte Magazine, March 1981

Reviewed in March '82 "80 Microcomputing"

DSK01	Disk-80 Expansion Interface with 32k RAM A & T	\$330.00
DSK02	Disk-80 Expansion Interface with 32k RAM & Printer Port A & T	380.00
DSK03	Disk-80 Complete Kit with 32k RAM & Printer Port	275.00
DSK04	Disk-80 Bare Printed Circuit Board	48.00
DSK05	Printer/Power Supply Circuit Board	16.00

The Disk-80 Expansion Interface is the perfect peripheral for converting your TRS-80 Model I into a professional computer system. The Disk-80 controls up to four 35 to 77 track mini-disk drives, and contains a hardware data separator which substantially increases the reliability of data transfers. Attaches to the CPU/Keyboard connector and comes complete with mini-disk controller, 32K expansion memory, power supply, optional Centronics compatible printer port, real time clock and buffered bus expansion connector.

"Reviewing Disk-80 is almost incongruous, because any comments can be summarized with the sentence, 'It works.'" Dennis Bathory Kitz, 80 Microcomputing, March 1982.

All interfaces are Radio Shack hardware and software compatible and carry a 60 day warranty including parts and labor.
All units include user's manual, power supply & auxiliary TRS-BUS connector for future expansion.

Dealer Inquires Invited


N.Y. State residents please add appropriate sales tax.

To Order: Call Toll Free: 1-800-645-3479
(In N.Y. State Call: 1-516-374-6793)


For Information Call: 1-516-374-6793



MICROMINT INC.
917 Midway
Woodmere, N.Y. 11598



Comm-80



As featured in Ciarcia's Circuit Cellar
Byte Magazine, May and June 1980

The COMM-80 is the only interface you need to turn your TRS-80 Model I into a time sharing terminal with provisions for a printer. The COMM-80 combines the most used features of the RS expansion interface in a low cost unit containing a built-in RS-232-C interface, a full 8-bit parallel port and a 40 pin bus connector for future expansion. Terminal software is included at no extra cost.

- RS-232-C Serial output port (50-19200 baud) with standard DB25 connector.
- Centronics compatible parallel printer port (34 pin)
- 40 pin card edge connector for bus expansion
- Connects directly to CRT terminals, modems, printers, other computers.
- Includes case, power supply & interconnecting cable.

CM01 COMM-80 Serial/Parallel
I/O Interface A&T. \$150.00

TRS-80 is a trademark of Tandy Corp.

✓117


```

00820 ;
00830 ;DISK DISK CONTROL BLOCK STORAGE (DCB)
00840 ;
7AC6 53 00850 LCP DEFW 'SCRIPSIT/LC' ;FILESPECS
7AD1 03 00860 DEFB 3 ;FOR UPPER
7AD2 53 00870 UCP DEFW 'SCRIPSIT/UC' ;AND
7ADD 03 00880 DEFB 3 ;LOWER CASE
00890 ;
00900 KDCB DEFS 32 ;KILL FILE DCB
00910 ;
00920 ;DCB FOR DIRECTORY READ
00930 ;
7AFE 8020 00940 DIRDCB DEFW 2080H ;SHOW FILE OPEN
7B00 00 00950 DEFB 0
7B01 D17C 00960 DEFW BUFFER ;PHYSICAL BUFFER
7B03 00 00970 DEFB 0
7B04 0010 00980 DEFW 1000H ;DEC OF FILE IN 1ST ENTRY
7B06 0000 00990 DEFW 0 ;LRL & EOF OFFSET TO 0
7B08 0000 01000 DEFW 0 ;INIT NRN TO 0
7B0A FFFF 01010 DEFW 0FFFFH ;ENDING RECORD NUMBER
7B0C 001F 01020 DEFW 1F00H
7B0E 2000 01030 DEFW 20H
7B10 101F 01040 DEFW 1F10H
7B12 4000 01050 DEFW 40H
7B14 201F 01060 DEFW 1F20H
7B16 6000 01070 DEFW 60H
7B18 301F 01080 DEFW 1F30H
7B1A 8000 01090 DEFW 80H
7B1C 401F 01100 DEFW 1F40H
01110 ;
01120 ;POWER OF TENS LOOKUP TABLE
01130 ;
7B1E F0D8 01140 TENTBL DEFW -10000
7B20 18FC 01150 DEFW -1000
7B22 9CFF 01160 DEFW -100
7B24 F6FF 01170 DEFW -10
7B26 FFFF 01180 DEFW -1
01190 ;
01200 ;UNDERLINE ON/OFF ROUTINE
01210 ;
7B28 E5 01220 UNDRLN PUSH HL ;SAVE REG
7B29 FE40 01230 CP 40H ;@ ?
7B2B 2015 01240 JR NZ,UN2 ;IF NOT THEN
7B2D 21A77A 01250 LD HL,UNDFLG ;GET UNDERLINE FLAG
7B30 CB46 01260 BIT 0,(HL) ;IS FUNCTION ON ?
7B32 2808 01270 JR Z,UN1 ;IF NOT THEN
7B34 CB86 01280 RES 0,(HL) ;IF ON - TURN OFF
7B36 21A87A 01290 LD HL,UNDOFF ;PT AT UNDERLINE OFF CODE
7B39 7E 01300 LD A,(HL) ;GET FUNCTION CHAR
7B3A 1806 01310 JR UN2
7B3C CBC6 01320 SET 0,(HL) ;IF OFF - TURN ON
7B3E 21A97A 01330 LD HL,UNDON ;PT AT UNDERLINE ON CODE
7B41 7E 01340 LD A,(HL) ;GET FUNCTION CHAR
7B42 32E837 01350 UN2 LD (37E8H),A ;OUTPUT NORMAL CHAR TO
01360 ;THE LINE PRINTER
7B45 E1 01370 POP HL ;RESTORE REG
7B46 C3745F 01380 JP 5F74H ;BACK TO SCRIPSIT
01390 ;
01400 ;*****
01410 ;START OF THE MAIN PROGRAM
01420 ;*****
01430 ;
7B49 211A43 01440 START LD HL,431AH ;3RD POS CMD INPUT BUF
7B4C 3E0D 01450 LD A,13 ;CR ?
7B4E BE 01460 CP (HL)
7B4F CA2D40 01470 JP Z,OPSYS ;IF YES ERROR
7B52 D7 01480 RST 10H ;FIND 1ST NON BLANK CHAR
7B53 E5 01490 PUSH HL ;SAVE CHAR POS
7B54 FE55 01500 CP 'U' ;SELECT UPPER CASE ?
7B56 2005 01510 JR NZ,ST1 ;IF NOT THEN
7B58 11D27A 01520 LD DE,UCP ;LOAD UPPER CASE PROGRAM
7B5B 1803 01530 JR ST2
7B5D 11C67A 01540 ST1 LD DE,LCP ;LOAD LOWER CASE PROGRAM
7B60 CD3044 01550 ST2 CALL LOAD ;LOAD FILE
7B63 C22D40 01560 JP NZ,OPSYS ;IF ERROR THEN
7B66 CD2844 01570 CALL CLOSE ;CLOSE DISK FILE
7B69 F3 01580 DI ;INTERRUPTS OFF
01590 ;
01600 ;*****
01610 ;PERFORM SCRIPSIT PATCHING HERE
01620 ;*****
01630 ;
01640 ;INSERTION POINT #1 - PATCH FOR MODEL III OPERATION
01650 ; CALL MODIII
01660 ;
01670 ;CHANGE LOCATION OF TXTBUF TO MAKE ROOM FOR PATCHES
01680 ;
7B6A 214283 01690 LD HL,TXTBUF
7B6D 227752 01700 LD (5277H),HL
7B70 221654 01710 LD (5416H),HL
7B73 223255 01720 LD (5532H),HL
7B76 229359 01730 LD (5993H),HL
7B79 22CB59 01740 LD (59CBH),HL
7B7C 22B65D 01750 LD (5DB6H),HL
7B7F 221663 01760 LD (6316H),HL
7B82 225263 01770 LD (6352H),HL
7B85 22DF66 01780 LD (66DFH),HL
7B88 22B469 01790 LD (69B4H),HL
7B8B 22256E 01800 LD (6E25H),HL
7B8E 221A74 01810 LD (741AH),HL
7B91 222874 01820 LD (7428H),HL
01830 ;

```

Program Listing 1 Continues

fill the unused memory area as completely as possible.

The second segment of the patch program contains the new video output messages and all routines that provide all the new functions. This second segment starts at the text buffer location of the original Scripsit program. For this reason, I moved the text buffer location to immediately after the end of this segment. The text buffer is shown in the listing as TXTBUF. The start of the text buffer is now at 8342H instead of the normal 7F62H.

Program Operation

Assemble the program shown in Listing 1 with the name WP/CMD. The program will work for either a 32K or 48K machine. The assembled program, along with a copy of Scripsit (either upper or lowercase) must be resident (but not necessarily on the same disk) in your system when you want to use your modified word processor. Now, instead of typing either Scripsit/UC or Scripsit/LC to execute Scripsit, type either WP L or WP U. This loads either the upper or lowercase version of Scripsit that you requested, makes the necessary patches, and then enters the word processor program. The default is the lowercase version of Scripsit so WP X loads the lowercase version unless X = U specifically. You must specify something. Typing just WP returns you to the operating system.

If you leave Scripsit with the End command and return to DOS, and while in DOS do not modify memory above 7C21H, you can reenter Scripsit with the text buffer still intact. This means that you can load and execute a small Basic program without disturbing your Scripsit document. To reenter Scripsit, just type an asterisk after the case specification in the file name as follows: WP U* or WP L*.

This program will check to see if reentry is possible, and if it is, moves you to the beginning of the file with all of the text still intact. If the program determines that memory above 7C21H has been disturbed, it will reinitialize Scripsit accordingly. If, after reentry, your document seems to be partially missing, the chances are good that important pointers in Scripsit have been disturbed. Under these conditions, use the New command to start your editing over. This will delete the text in the text buffer and reinitialize all of Scripsit's pointers. You will have to reload your document file to continue editing, but it is better to start over than risk a system crash somewhere down the line.

Model III Operation

You can operate the Model I Scripsit patch program on a Model III with a parallel printer by adding the code in Program Listing 2 to that of Listing 1. There are only three areas of the Scripsit program that need to be modified for Model III operation: final character output to the line printer, the polling of the shift keys, and the tape I/O routines. By incorporating the code in Listing 2 into the patch program, Scripsit



Microline 82A

\$439⁸⁸ UPS DELIVERED

- 120 cps, bi-directional, logic-seeking print action
- Parallel & RS-232C interfacing standard
- True descenders on 9x9 matrix, full 96 character ASCII
- Program-selectable pitch, emphasis, & linespacing
- Rear & bottom paper paths take four-part forms

OKIGRAPH Dot-addressable ROM **\$44⁸⁸**
 Adjustable Tractor **\$59⁸⁸**
 Roll Paper Holder **\$49⁸⁸**

Okidata Printers

MICROLINE 80	\$339⁸⁸
MICROLINE 83A	\$699⁸⁸
ML83A OKIGRAPH ROM	\$44⁸⁸
RS-232C 2K BUFFER	\$159⁸⁸
MICROLINE 84 Parallel	
200 cps.....	\$1049⁸⁸
MICROLINE 84 RS-232C	
200 cps.....	\$1169⁸⁸

Anadex Printers

DP-9500A	\$1459⁸⁸
DP-9510A	\$1459⁸⁸
DP-9620A	\$1554⁸⁸
WP-6000	\$2999⁸⁸

Brother Printers



DAISYWRITER 2000 **\$1099⁸⁸**
 16.5 cps, bidirectional, letter-quality printer with 48K data buffer included. 10, 12, 15 and proportional pitches. Includes Parallel, RS-232C, IEEE488, & Current Loop interfacing. Friction fed on 16.5" carriage, uses IBM typewriter ribbons.

DAISYWRITER 1500
 Parallel only **\$979⁸⁸**
 TRACTOR **\$149⁸⁸**

Centronics Printers

CENTRONICS 122	\$989⁸⁸
CENTRONICS 739	
Parallel Interface	\$559⁸⁸
CENTRONICS 739	
RS-232C Interface	\$679⁸⁸
739 COLOR OPTION	\$79⁸⁸


IDS Printers

PRISM 80	\$999⁸⁸
Includes Sprint Mode, Dot Plot, and Cut Sheet Guide	
PRISM 132	\$1699⁸⁸
4-Color Graphics, Sprint Mode, Dot Plot, and Cut Sheet Guide	

CALL FOR PRICES

On NEC Spinwriters, QUME & DIABLO Daisywheels. QUANTEX, DATASOUTH, DIP, MPI and other printers available.

TEC Printers



DMP85 **\$479⁸⁸**
 Generic version of NEC & Pro-writer printers. Features 120 cps, bi-directional, logic-seeking, 1.3K buffer. 5 fonts, 8 sizes on 9x9 matrix, w/proportional print, true descenders, & Greek/Math font. 160 x 144 dots/inch Hi-Res graphics matrix, 1/144" line feed. Friction & tractor standard, rear paper path. Parallel only.

NEC PC-8023A-C	\$509⁸⁸
C/TOH PROWRITER	\$509⁸⁸
C/TOH PROWRITER	
Parallel & RS-232C	\$664⁸⁸
C/TOH PROWRITER 2	\$739⁸⁸
C/TOH PROWRITER 2	
Parallel & RS-232C	\$799⁸⁸
F-10/40 STARWRITER 40cps	
Parallel or RS-232C	\$1494⁸⁸
F-10/55 PRINTMASTER 55cps	
Parallel or RS-232C	\$1799⁸⁸
F-10 TRACTOR	\$289⁸⁸

Smith-Corona

SMITH CORONA TP-1	\$649⁸⁸
Specify 10 or 12 cpi	
Specify Parallel or RS-232C	


Microfazers

Stand-alone print/data buffers	
8K MICROFAZER	\$144⁸⁸
8K MICROFAZER (RS-232C	
to Parallel)	\$184⁸⁸
16K MICROFAZER	\$164⁸⁸
32K MICROFAZER	\$184⁸⁸
64K MICROFAZER	\$229⁸⁸
ADAPTER CABLE	\$14⁸⁸

Interfaces & Cables

MODEL I/III CABLE	\$29⁸⁸
MODEL II/16 CABLE	\$39⁸⁸
TRS-80 COLOR CABLE	\$29⁸⁸
TRS-80 COLOR CONVERTOR	
(Parallel to RS-232C)	\$99⁸⁸
RS-232C CABLES	
Male to Male	\$29⁸⁸
Female to Male	\$29⁸⁸

Signalman Modem



A compact, direct connect, 300 baud originate/answer modem, including both RS-232C & telephone cables. Sends voice or data signals, & automatically switches from originate to answer. Direct connection between telephone handset & base unit. Long-life 9V battery powered (optional 9V power pack also available).

SIGNALMAN MARK I **\$99⁸⁸**

Modems

HAYES SMARTMODEM ...	\$239⁸⁸
HAYES 1200 BAUD	
SMARTMODEM	\$579⁸⁸
NOVATION AUTO CAT ..	\$229⁸⁸
NOVATION AUTO CAT	
1200 BAUD	\$569⁸⁸
NOVATION CAT	\$159⁸⁸
NOVATION D-CAT	\$159⁸⁸

DOSPLUS 3.4

Specify Mod I or III, single or double density, & 40 or 80 track drive when ordering.
 DOSPLUS 3.4 **\$119⁸⁸**

Quic-N-Easi

Quic-N-Easi lets *anyone* write custom business application programs without BASIC—and you do it faster. Now you can try **Quic-N-Easi** for 15 days FREE. You're satisfied or your \$195 refunded—no questions asked. Non-programmers & experts alike can write sophisticated business programs with **Quic-N-Easi**. Inventory, records, sales tracking, budgeting—and you program faster, with greater flexibility, like a pro—or your money back.

TRS-80 Model I/III
 Quic-N-Easi **\$195⁸⁸**
 Model II/16 (CP/M required)
 Quic-N-Easi **\$195⁸⁸**
 And if you like **Quic-N-Easi**, you'll love the PRO—a professional development language that exploits all **Quic-N-Easi's** unique features

TRS-80 Model I/III
 Quic-N-Easi PRO **\$395⁸⁸**
 Quic-N-Easi PRO (Model II/16 CP/M version) **\$395⁸⁸**

NewScript 7.0

ProSoft's **NEWSSCRIPT** supports most printers (including the new Microline 84), and features true right-justified proportional printing, single and double-width type within text, subscripts, superscripts, underlining, boldfaces, multiple character pitch, full-screen editing, global search/replace, customized "form" letters, plain english commands, typeahead/print-ahead buffers for speed & a professional manual, & customer support from the author himself.
 NewsScript **\$109⁸⁸**

Orders & Information: CALL (603)-673-8857

Orders Only: CALL (800)-343-0726

No Hidden Charges

No surcharge for credit cards—No charge for UPS shipping—Stock shipments next day
 All equipment shipped factory fresh with manufacturer's warranty—\$50 minimum per order
 No foreign orders accepted—Open PO's not accepted We accept CODs
 Prices subject to change—call for quotes

HIGH TECHNOLOGY AT AFFORDABLE PRICES

THE BOTTOM LINE

Milford NH 03055-0423



can automatically be configured for use with the Model III computer at runtime.

Because the Model III uses a port to output characters to the line printer instead of a memory-mapped location as does the Model I, no printed output is available from the stock Model I Scribes program when you run it on the Model III. To fix this problem, replace every occurrence of the instruction to send a character to the memory-mapped location 37E8H for printed output with a call to a routine that contains the output port instruction.

Replace LD (37E8H),A with OUT (0F8H),A. This occurs five times in the unmodified Scribes program and two additional times in the patch program. All seven of these occurrences must be changed. The first portion of the code shown in Listing 2 performs these patches.

The shift keys are handled differently on a Model III than on a Model I. This difference makes one of them incompatible with the Model I Scribes program. By replacing the code that polls the shift keys in the Scribes program with the Shift routine shown in Listing 2, both shift keys on the Model III can be made to work just as they do on the Model I machine.

The tape routines contained in the Model I Scribes program are not compatible with the Model III computer. For this reason, they will be replaced with calls to the Model III ROM to make the tape I/O work. If you use only disk I/O, you needn't worry about this fix. The patches for fixing the tape I/O are shown in the last portion of Listing 2.

Installing these Model III patches into Program Listing 1 is a simple task. First, add the code of Listing 2 at the end of Listing 1, immediately before the TXTBUF label (insertion point 2). Second, make a call to this code as shown at insertion point 1 in Listing 1. This will patch both the patch program and the Scribes program and then return to the initialization portion of the patch program. Third, run the Convert program on both the patch program and the Scribes program. You should now be able to execute your enhanced Scribes program on your Model III computer as explained in the preceding section.

After the patch program executes Scribes, proceed as usual with your word processing. All the commands are exactly the same except those previously noted in this article. With the additional features now available through this patch program, your word processing should be easier than ever.

The structure of the patch program makes adding more new commands simple. Just use the information presented in the first article, decide exactly what the new commands should do, investigate the portions of Scribes that will be involved with these modifications, assemble the changes into the code of Listing 1, and then test and debug the result. ■

Craig Lindley is self-employed with Clockwork Software. He enjoys playing the guitar and backpacking.

Program Listing 1 Continued

```

01840 ;INSERT LONG JUMP CODE FOR PATCH INSERTION INTO SCRIPSIT
01850 ;
7B94 3EC3          LD      A,0C3H          ;LONG JMP CODE
7B96 325561        LD      (6155H),A      ;PATCH KEYBOARD ROUTINE
7B99 329E7A        LD      (7A9EH),A      ;UNDERLINE ROUTINE
7B9C 32AF5F        LD      (5FAFH),A      ;VIDEO UNDERSCORE
7B9F 32A273        LD      (73A2H),A      ;PRINTER PAUSE
7BA2 32165E        LD      (5E16H),A      ;NEW/UPDATED FILE MSG
01920 ;
01930 ;STORE PATCH ROUTINE ADDRESSES IN SCRIPSIT
01940 ;
7BA5 216C80        LD      HL,KEYMOD
7BA8 225661        LD      (6156H),HL
7BAB 21287B        LD      HL,UNDRN
7BAE 229F7A        LD      (7A9FH),HL
7BB1 21F480        LD      HL,UNDERL
7BB4 22B05F        LD      (5FB0H),HL
7BB7 21C780        LD      HL,LPWAIT
7BBA 22A373        LD      (73A3H),HL
7BBD 21E080        LD      HL,NEWOLD          ;NEW OLD FILE ROUTINE
7BC0 22175E        LD      (5E17H),HL
7BC3 21B080        LD      HL,LKUP1          ;PATCH MAIN CMD TBL
7BC6 22F852        LD      (52F8H),HL
7BC9 21BC80        LD      HL,LKUP2          ;PATCH BRK CMD TBL
7BCC 226664        LD      (6466H),HL
7BCF 21B982        LD      HL,RETURN          ;PATCH END ROUTINE
7BD2 229565        LD      (6595H),HL
7BD5 212580        LD      HL,UPWSRL          ;UP WINDOW SCROLL ROUTINE
7BD8 22D979        LD      (79D9H),HL
7BDB 210680        LD      HL,DWSRL          ;DOWN WIND SCROLL ROUTINE
7BDE 22D779        LD      (79D7H),HL
7BE1 211780        LD      HL,CURUP          ;CURSOR UP ROUTINE
7BE4 22BF79        LD      (79BFH),HL
02170 ;
02180 ;PATCH SCRIPSIT CMD TABLE TO ACCEPT @T FOR TAB INSTEAD
02190 ;OF THE USUAL @ -> COMBINATION.
02200 ;
7BE7 3E14          LD      A,14H          ;@T PATCH
7BE9 32AA79        LD      (79AAH),A
02230 ;
02240 ;OVERLAY SCRIPSIT SIGN ON MSG WITH A NEW ONE
02250 ;
7BEC 21627F        LD      HL,MSG1          ;PT AT NEW SIGN ON MSG
7BEF 11F757        LD      DE,57F7H
7BF2 013300        LD      BC,51
7BF5 EDB0          LDIR          ;MOVE INTO PLACE
02300 ;
02310 ;THIS ROUTINE CHECKS TO SEE IF REENTRY INTO SCRIPSIT IS
02320 ;POSSIBLE. IF IT IS THEN CONTROL IS RETURNED TO SCRIPSIT
02330 ;WITH THE TEXT BUFFER INTACT. IF TEXT BUFFER IS DAMAGED
02340 ;SCRIPSIT WILL AUTOMATICALLY REINITIALIZE.
02350 ;
7BF7 E1           POP      HL          ;RESTORE CMD BUF PTR
7BF8 23           INC      HL
7BF9 E5           PUSH     HL
7BFA DDE1        POP      IX
7BFC 3E2A        LD      A,'*'
7BFE BE         CP      (HL)
7BFF 2007        JR      NZ,ST3
7C01 3A217C      LD      A,(TSTBYT)
7C04 FE5A        CP      5AH
7C06 2808        JR      Z,ST4
7C08 3E5A        LD      A,5AH
7C0A 32217C      LD      (TSTBYT),A
7C0D C33F52      JP      523FH
02490 ;
7C10 F3         ST4     DI
7C11 31FC41      LD      SP,41FCH
7C14 21C052      LD      HL,52C0H          ;COPY INTERNAL CONDITION
7C17 E5         PUSH     HL          ;ON STACK
7C18 3E8B        LD      A,8BH          ;BEG OF FILE CODE
7C1A DD360020    LD      (IX),20H        ;CLEAR CMD BUF
7C1E C3DD52      JP      52DDH          ;JUMP INSIDE SCRIPSIT
02570 ;
7C21            TSTBYT EQU $          ;REENTRY TEST BYTE
02580 ;
02590 ;
02600 ;*****
02610 ;END OF CODE PLACED IN SCRIPSIT'S UNUSED MEMORY AREA
02620 ;*****
02630 ;
02640 ;
02650 ;*****
02660 ;CODE FOR NEW SCRIPSIT FUNCTIONS - INTO OLD TEXT BUF AREA
02670 ;*****
02680 ;
7F62            ORG      07F62H        ;PATCHES IN OLD TXTBUF AREA
02700 ;
02710 ;SYSTEM MESSAGES
02720 ;
7F62 2A         MSG1     DEFB     '*** SCRIPSIT PATCH PROGRAM **'
7F82 42         DEFB     'BY CRAIG A. LINDLEY'
02750 ;
7F95 13         MSG2     DEFB     19
7F96 50         DEFB     'PRINTER INITIALIZED'
02780 ;
7FA9 09         MSG3     DEFB     9
7FAA 4E         DEFB     'NEW FILE!'
02810 ;
7FB3 0D         MSG4     DEFB     13
7FB4 46         DEFB     'FILE UPDATED!'
02840 ;

```

Program Listing 1 Continues

Freedom Technology International

ANNOUNCES

BigScreen

80 X 24 Video Display for your TRS-80

From the company that brought you
CP/M Compatibility Plus 64K RAM

Freedom Option

CP/M Compatibility for your
TRS-80 Model I and III, PMC 80
and 81, and LNW 80 systems.

Freedom Plus

CP/M Compatibility Plus
64K RAM for your TRS-80
Model I and III.

TWO SYSTEMS IN ONE

Run CP/M application
programs in addition to
TRSDOS

INDUSTRY STANDARD

Enter the world of powerful
CP/M application programs;
WordStar, dBase II, etc.

OPEN AND SHUT CASE

EASY to install, plug-in
boards; no wires or traces to
cut; no soldering.

TECHNICAL BACKGROUND

Over 50 years of high
technology experience...from
Maxi's to Micro's...both
Hardware and Software.

FREEDOM OF CHOICE

T8/OS (our powerful Z-80
code operating system) and
CP/M 2.2 if you choose.

- Dealer Inquiries Invited
- Six Month Warranty
- 30 Day Money Back
Guarantee

MANUAL\$25.00

Call us for information about
our large selection of CP/M
application programs.

SEE YOUR LOCAL
DEALER OR CALL
TOLL FREE

1-800-523-4067

In Pennsylvania call
(215) 569-2381

TRS-80 is a registered trademark of
Tandy Corp.
LNW-80 is a registered trademark of
LNW Research Corporation
PMC 80,81 is a registered trademark of
Personal Microcomputer Inc.
TRSDOS is a registered trademark of
Tandy Corp.
CP/M is a registered trademark of Digital
Research Inc.
WordStar is a registered trademark of
MicroPro Int. Corp.
dBase II is a registered trademark of
Ashton-Tate

Freedom Technology International

119 North 18th Street, Philadelphia, PA 19103

*TRS-80 ASSEMBLY LANGUAGE PROGRAMMERS

Make the most of your programming time. ULTPLS could be the best assembly aid to be found anywhere, any price! A keyboard monitor+powerful utilities. Both sharable. Load and schedule your (any) program, debug and modify, make and verify tapes.

ULTPLS COMMANDS--@sharable programs.

@LOAD MEMORY--From tape. (1st & by filename)

DUMP MEMORY--to tape. 3 address ranges+name.

@VERIFY TAPE--display of address range+name.

BREAK POINT--full display. Register cond.

@FIND DATA--displays address to screen (user).

DISPLAY and CHANGE MEMORY--both sequential.

SCHEDULE & DESCHEDULE PROGRAM--yours or any EDTASM 1.2 (Yours)--to & from ULTPLS.

ULTPLS standard mod 1 lev 2 specify mod 3. User Manual & Tape 19.95 (We pay postage)

BULLDOG SOFTWARE

210 LERAM

PALESTINE, TEXAS 75801

*TRS-80 is a trademark of Tandy Corp.

✓448

POCKET COMPUTER USERS

Here is what you have been looking for to protect and transport your complete TRS-80, PC-1, PC-2 or Sharp PC-1211, PC-1500 Pocket Computer System.

THE PC SYSTEM ATTACHE CASE

A durable, handsomely molded black case with two drawbolt keylocks. The interior has a soft foam lining which is cut to safely hold all this:

- Pocket Computer
 - Printer/Interface
 - Power Supply/Charger
 - Small Tape Recorder*
 - Two Rolls of Printer Paper
- Plus Room For Manuals Etc.

✓446

PLEASE SPECIFY:

PC-1, PC-1211 SYSTEM CASE - 54.50

PC-2, PC-1500 SYSTEM CASE - 59.50

*Instructions Included On How To Make Cut Out For Your Own Small Tape Recorder

SHALE DIVERSIFIED ENTERPRISES

108 Ferris Ave., Chardon, Ohio 44024

2 OR MORE PRINTERS TO CONNECT TO YOUR COMPUTER(S)?.....VICE VERSA?

- STOP PLUGGING AND UNPLUGGING CABLES to change back and forth. It may damage them....or you may damage your computer.
- UNIVERSAL PrinterPicker® switching unit lets you change printers at the flip of a switch. One PrinterPicker® will control 2 printers, and
- MULTIPLE PrinterPicker® UNITS MAY BE INTERCONNECTED to form a system to interswitch any number of printers and/or computers.
- LOCATE PrinterPicker® WHEREVER IT'S CONVENIENT FOR YOU.... within the 3 ft. reach of the adaptor cable.
- WORKS WITH ALL STANDARD, PARALLEL-INTERFACED PRINTERS.
- WORKS WITH ALL COMPUTERS with appropriate adaptor cable set (we can provide those listed below).
- ALL CONNECTIONS ARE GOLDPLATED for maximum reliability.
- VICE VERSA? You bet! PrinterPicker® will also interswitch multiple, intermixed or similar computers to one or more printers.

ALL ORDERS add \$3.50 for shipping and handling.

PrinterPicker® Switch Unit.....\$65.00
Adaptor Cable Set.....\$25.00

* Each PrinterPicker® Switching Unit requires an Adaptor Cable Set. Specify type: TRS-80, Model I, Model II, or Model III; or EXTENDER (for connection to another PrinterPicker® Switch Unit); or NON-TRS-80 (for all other computers).

NOTE: All computer systems require a TRS-80 Model I or III Printer Cable Set for each printer (No. 26-1401). our price: \$25.00.

*TRS-80 is a trademark of the Tandy Corporation.

✓511



COMPUWARE Corporation
1008 Abington Road
Cherry Hill, NJ 08034
609-428-2309

New Jersey buyers: ADD 5%
Terms: CASH, MC, or Visa

Program Listing 1 Continued

```

7FC1 46      02850 MSG5   DEFM   'FREE GRANS - DIRECTORY - DRIVE X'
7FE1 20      02860      DEFM   ' - FILENAME - DATEXXXX'
7FF7 0D      02870      DEFB   13
              02880 ;
              02890 ;*****
              02900 ;ADDED SCRIPSIT FUNCTION ROUTINES
              02910 ;*****
              02920 ;
              02930 ;THIS COMMAND MOVES THE CURSOR DOWNWARD THROUGH THE FILE
              02940 ;
7FF8 3E0D    02950 CURDWN LD   A,13      ;13 LINES
7FFA F5      02960 CURD1  PUSH AF        ;SAVE COUNT
7FFB CDB954  02970      CALL MCURD     ;WINDOW DOWN ROUTINE
7FFE CDF382  02980      CALL FIXPTR    ;HOUSE KEEPING
              02990      POP AF         ;FINISH PTR UPDATE
8001 F1      02990      DEC A          ;GET COUNT
8002 3D      03000      JR   NZ,CURD1   ;LOOP FOR ALL 13
8003 20F5    03010      RET
8005 C9      03020      ;
              03030 ;
              03040 ;THIS COMMAND CAUSE THE SCREEN TO SCROLL DOWNWARD THROUGH
              03050 ;THE FILE USING THE WINDOW FUNCTION.
              03060 ;
8006 3E0D    03070 DWSRL  LD   A,13      ;13 LINES
8008 F5      03080 DWNW1  PUSH AF        ;SAVE COUNT
8009 CD6354  03090      CALL WINDWN    ;WINDOW DOWN ROUTINE
800C FD710E  03100      LD   (1Y+0EH),C ;HOUSE KEEPING
800F CDF382  03110      CALL FIXPTR    ;FINISH PTR UPDATE
8012 F1      03120      POP AF         ;GET COUNT
8013 3D      03130      DEC A          ;
8014 20F2    03140      JR   NZ,DWNW1   ;LOOP FOR ALL 13
8016 C9      03150      RET
              03160 ;
              03170 ;THIS ROUTINE MOVES THE CURSOR UPWARD THROUGH THE FILE.
              03180 ;
8017 3E0D    03190 CURUP  LD   A,13      ;13 LINES
8019 F5      03200 CURU1  PUSH AF        ;SAVE COUNT
801A CD2D55  03210      CALL MCURUP    ;MOVE CURSOR UP ROUTINE
801D CDF382  03220      CALL FIXPTR    ;FINISH PTR UPDATE
8020 F1      03230      POP AF         ;
8021 3D      03240      DEC A          ;
8022 20F5    03250      JR   NZ,CURU1   ;LOOP FOR ALL 13
8024 C9      03260      RET
              03270 ;
              03280 ;THIS ROUTINE CAUSES THE SCREEN TO SCROLL UPWARD THROUGH
              03290 ;THE FILE USING THE WINDOW FUNCTION
              03300 ;
8025 3E0D    03310 UPWSRL LD   A,13      ;13 LINES
8027 F5      03320 UPWS1  PUSH AF        ;SAVE COUNT
8028 CD1154  03330      CALL WINDUP    ;WINDOW UP ROUTINE
802B FD710E  03340      LD   (1Y+0EH),C ;HOUSE KEEPING
802E CDF382  03350      CALL FIXPTR    ;FINISH PTR UPDATE
8031 F1      03360      POP AF         ;GET COUNT
8032 3D      03370      DEC A          ;
8033 20F2    03380      JR   NZ,UPWS1   ;LOOP FOR ALL 13
8035 C9      03390      RET
              03400 ;
              03410 ;THIS ROUTINE SKIPS THE CURSOR FORWARD TO THE START OF
              03420 ;THE NEXT WORD EVERYTIME THE @ -> KEYS ARE PRESSED.
              03430 ;
8036 1A      03440 FSKP   LD   A,(DE)    ;GET TXTBUF CHAR
8037 FE20    03450      CP   20H        ;LOOP UNTIL SP CODE FOUND
8039 2809    03460      JR   Z,W1
803B CD1855  03470      CALL CURRHT    ;MOVE CURSOR RIGHT
803E CDF382  03480      CALL FIXPTR    ;FINISH PTR UPDATE
8041 C8      03490      RET Z          ;IF EOF THEN
8042 18F2    03500      JR   FSKP      ;LOOP UNTIL NON SP FOUND
8044 CD1855  03510 W1     CALL CURRHT    ;FINISH PTR UPDATE
8047 CDF382  03520      CALL FIXPTR    ;IF EOF THEN
804A C8      03530      RET Z
804B 1A      03540      LD   A,(DE)
804C FE20    03550      CP   20H
804E C0      03560      RET NZ
804F 18F3    03570      JR   W1
              03580 ;
              03590 ;THIS ROUTINE SKIPS THE CURSOR BACK TO THE END OF THE
              03600 ;PREVIOUS WORD EVERY TIME THE @ <- KEYS ARE PRESSED.
              03610 ;
8051 1A      03620 RSKP   LD   A,(DE)    ;GET TXTBUF CHAR
8052 FE20    03630      CP   20H        ;LOOP UNTIL SP CODE FOUND
8054 2809    03640      JR   Z,W2
8056 CDFB54  03650      CALL CURLFT    ;MOVE CURSOR LEFT
8059 CDF382  03660      CALL FIXPTR    ;FINISH PTR UPDATE
805C D8      03670      RET C          ;IF BEG OF FILE THEN
805D 18F2    03680      JR   RSKP
805F CDFB54  03690 W2     CALL CURLFT    ;LOOP UNTIL NON SP FOUND
8062 CDF382  03700      CALL FIXPTR    ;FINISH PTR UPDATE
8065 D8      03710      RET C          ;IF BEG OF FILE THEN
8066 1A      03720      LD   A,(DE)
8067 FE20    03730      CP   20H
8069 C0      03740      RET NZ
806A 18F3    03750      JR   W2
              03760 ;
              03770 ;THIS ROUTINE PATCHES THE KEY INPUT ROUTINE TO PROVIDE
              03780 ;UNIQUE CODES FOR THE @ -> (1FH) AND THE @ <- (07H)
              03790 ;KEY COMBINATIONS.
              03800 ;
806C FE9D    03810 KEYMOD CP   9DH        ; -> ?
806E 2005    03820      JR   NZ,KEY2    ;IF NOT THEN
8070 3E1F    03830      LD   A,1FH      ;NEW CODE
8072 C37961  03840 KEY1  JP   6179H
8075 FE9E    03850 KEY2  CP   9EH        ;@ <- ?

```

Program Listing 1 Continues

FOR TRS-80* USERS
(Mod. I/II/III/16/COLOR)

**EIGHTY SYSTEM
NEWSLETTER**



NEWSLETTER

June 15, 1978

HEAVY METALS INCONTINENT The fact that most people in the West that have been exposed to lead, mercury, cadmium, and other heavy metals in the environment are unaware of the danger is a major reason why the problem is so serious. The fact that the government has been so slow to act is another major reason. The fact that the public has been so slow to act is another major reason. The fact that the government has been so slow to act is another major reason.

MAJOR DISASTERS The fact that the government has been so slow to act is another major reason. The fact that the public has been so slow to act is another major reason. The fact that the government has been so slow to act is another major reason. The fact that the public has been so slow to act is another major reason.

LOGO UNWASHABLE The fact that the government has been so slow to act is another major reason. The fact that the public has been so slow to act is another major reason. The fact that the government has been so slow to act is another major reason. The fact that the public has been so slow to act is another major reason.

DRINK DISK The fact that the government has been so slow to act is another major reason. The fact that the public has been so slow to act is another major reason. The fact that the government has been so slow to act is another major reason. The fact that the public has been so slow to act is another major reason.

NEWSLETTER INQUIRY The fact that the government has been so slow to act is another major reason. The fact that the public has been so slow to act is another major reason. The fact that the government has been so slow to act is another major reason. The fact that the public has been so slow to act is another major reason.

(Also for dealers, mfg. and industry personnel.)

Published 52 times per year
and mailed First Class

- ☐ Latest TRS-80* System News
- ☐ Product Notes & Reports
- ☐ New Hardware & Software
- ☐ Industry Trends
- ☐ User Notes & Comments
- ☐ TRS-80* Article Summaries

\$39.00 Year – First Class
(US, Canada & Mexico)

\$75.00 Year – Foreign (Air)
(Must be in US Funds)

SAMPLE COPIES \$2.00

3001 Route 27 Franklin Pk., NJ 08823

- ☐ \$39.00 (1-Year Subscription)
☐ \$75.00 (Foreign-Air-US Funds)
☐ \$ 2.00 (2 Sample Issues)

Name _____

Company _____

Address _____

City _____

State _____ Zip _____

(MC & VISA OK—Include card number, expiration date & signature.)

*TRS-80 is a Registered Trademark of Tandy Corporation/Radio Shack Div.

```

8077 C25D61 03860 JPNZ,515DH
807A 3E07 03870 LD A,7 ;NEW CODE
807C 18F4 03880 JR KEY1
      03890 ;
      03900 ;THIS ROUTINE IS USED TO KILL A DISK FILE WHILE IN
      03910 ;SCRIPST.
      03920 ;
807E D5 03930 KILL PUSH DE ;SAVE PTR
807F FD361220 03940 LD (IY+12H),20H ;SEARCH PARMS
8083 FD361320 03950 LD (IY+13H),20H
8087 CD0867 03960 CALL CHKPRM ;FIND PARMS
808A 382D 03970 JR C,CMDILL ;IF NOT FOUND THEN
808C EB 03980 EX DE,HL
808D CDC275 03990 CALL SKIPBC ;SKIP BLANKS AND COMMAS
8090 EB 04000 EX DE,HL ;"HL"-> FILENAME IF ANY
8091 D5 04010 PUSH DE
8092 7E 04020 LD A,(HL) ;1ST CHAR OF BUFFER
8093 CDF5F3 04030 CALL 53FFH ;CR ?
8096 2821 04040 JR Z,CMDILL
8098 11DE7A 04050 LD DE,KDCB ;DCB FOR FILE KILL
809B CD1C44 04060 CALL PARSE ;PARSE CMD, MOVE TO DCB
809E 0600 04070 LD B,0 ;LRL=256
80A0 21D17C 04080 LD HL,BUFFER ;DISK I/O BUFFER
80A3 CD1F5E 04090 CALL OPEN ;OPEN FILE
80A6 CD2C44 04100 CALL 442CH ;KILL FILE
80A9 A22F5E 04110 JP NZ,5E2FH ;IF ERROR THEN
80AC D1 04120 POP DE ;RESTORE PTR
80AD C38B6F 04130 JP RECOV
      04140 ;
      04150 ;THIS ROUTINE EXTENDS THE SCOPE OF AVAILABLE CMDS FOR
      04160 ;THE MAIN SCRIPST CMD LOOKUP ROUTINE.
      04170 ;
80B0 3A3E7C 04180 LKUP1 LD A,(7C3EH) ;RESTORE CMD CHAR
80B3 21AC7A 04190 LD HL,CMDTB1 ;NEW CMD LOOK UP TBL
80B6 CDF058 04200 CALL CMDSCH ;SEARCH FOR CMD
80B9 C3766F 04210 CMDILL JP ILLCMD ;ILL CMD IF NOT FOUND
      04220 ;
      04230 ;THIS ROUTINE EXTENDS THE SCOPE OF AVAILABLE CMDS FOR
      04240 ;THE SCRIPST BREAK CMD LOOKUP ROUTINE.
      04250 ;
80BC 3A3A7C 04260 LKUP2 LD A,(7C3AH) ;RESTORE CMD CHAR
80BF 21B97A 04270 LD HL,CMDTB2 ;NEW CMD TBL
80C2 CDF058 04280 CALL CMDSCH ;SEARCH FOR CMD
80C5 18F2 04290 JR CMDILL ;IF NOT FOUND THEN
      04300 ;
      04310 ;THIS ROUTINE IS USED TO PROVIDE A PAUSE FOR THE PRINTER
      04320 ;DURING THE OUTPUT OF A PRINTED DOCUMENT. IT IS EXECUTED
      04330 ;BY THE <SHIFT> P KEY COMBINATION.
      04340 ;
80C7 CD7771 04350 LPWAIT CALL 7177H ;PRINT LINE
80CA E5 04360 PUSH HL
80CB C5 04370 PUSH BC
80CC D5 04380 PUSH DE
80CD CD6160 04390 CALL 6061H ;SCAN KEYS
80D0 D1 04400 POP DE
80D1 C1 04410 POP BC
80D2 E1 04420 POP HL
80D3 B7 04430 OR A ;TEST FOR 0
80D4 2807 04440 JR Z,LP1 ;IF NO KEY THEN
80D6 FE50 04450 CP 'P' ;LP WAIT ?
80D8 2003 04460 JR NZ,LP1 ;IF NOT PAUSE CHAR
80DA CDD282 04470 CALL CPWAIT ;WAIT FOR KEY
80DD C3A573 04480 LPI JP 73A5H ;RETURN TO ROUTINE
      04490 ;
      04500 ;THIS ROUTINE DISPLAYS A NEW/UPDATED MSG WHEN WRITING
      04510 ;A FILE TO DISK.
      04520 ;
80E0 C22F5E 04530 NEWOLD JP NZ,5E2FH ;IF DISK ERROR THEN
80E3 3005 04540 JR NC,NEW1 ;IF OLD FILE THEN
80E5 21A97F 04550 LD HL,MSG3 ;NEW FILE MSG
80E8 1803 04560 JR NEW2
80EA 21B37F 04570 LD HL,MSG4 ;UPDATED MSG
80ED CDE96B 04580 NEW2 CALL CCMDL ;CLEAR CMD LINE
80F0 C8C86B 04590 CALL OPCMDL ;OUTPUT MSG ON CMD LINE
80F3 C9 04600 RET
      04610 ;
      04620 ;THIS ROUTINE CHECKS EACH VIDEO OUTPUT CHAR TO SEE IF
      04630 ;IT IS AN @ CHAR. IF IT IS THE VIDEO IS SENT AN
      04640 ;UNDERSCORE CHAR INSTEAD.
      04650 ;
80F4 FE40 04660 UNDERL CP 40H ;@ CHAR ?
80F6 2004 04670 JR NZ,VUL ;IF NOT THEN
80F8 2B 04680 DEC HL ;BACK UP CURSOR
80F9 365F 04690 LD (HL),5FH ;REPLACE CHAR
80FB 23 04700 INC HL
80FC FD3406 04710 VUL INC (IY+6)
80FF C3B25F 04720 JP 5FB2H
      04730 ;
      04740 ;THIS ROUTINE OUTPUTS A SERIES OF CONTROL CODES TO THE
      04750 ;LINE PRINTER FOR INITIALIZATION. THESE CODES MUST BE
      04760 ;IN THE RANGE 1-31 DECIMAL.
      04770 ;
8102 D5 04780 PRTINT PUSH DE ;SAVE REGS
8103 C5 04790 PUSH BC
8104 FD36123D 04800 LD (IY+12H),3DH ;PARMS TO CHK
8108 FD36133D 04810 LD (IY+13H),3DH
810C CD0867 04820 CALL CHKPRM ;CHECK FOR =
810F 382E 04830 JR C,EXIT ;IF NOT FOUND ABORT
8111 EB 04840 EX DE,HL ;"DE" -> NUM POS
8112 1A 04850 LD A,(DE) ;GET BYTE
8113 FE1E 04860 CP 1EH ;CR ?
8115 2828 04870 JR Z,EXIT ;IF YES ABORT

```

Program Listing 1 Continues

AMAZING PRICES

Tandon Drives:	Bare	Complete
T-1, 40 tk, SS	\$199.95	\$230.00
T-2, 40 tk, DS	259.95	315.00
T-3, 80 tk, SS	259.95	315.00
T-4, 80 tk, DS	339.95	365.00
Orchestra-85 or 90		89.95
D.C. Hayes Smart Modem		215.00
D.C. Hayes Chronograph		205.00
Anchor Signalman MK1/MKZ		84.00
Big Five Trisstick		34.00
Talk-80 CBBS System		129.00
Talk-80 with Smart Modem		299.00

Call for lowest prices on Epson,
Okidata and Nec printers, ribbons and disks

EAST COAST DATA

4825 Wycliff Rd. • Portsmouth, Va. 23703
804/484-6636 (Voice) • 804/484-9636 (Data)

Call for shipping and ordering information

Prices and specifications subject to change.

✓513

Leaders
Games
Pins
Handicaps
Blind Scores
Teams
Players

BOWLING LEAGUE STATISTICS

High Game
High Series
Lanes
Substitutes
Points
Averages
Scratch

For the TRS-80*

BOWLSTAT 2.0 will generate team standing sheets suitable for posting with full team and player statistics, and also prints league scoring sheets. A wide range of handicapping and scoring options meets almost any league's requirements. Entry of weekly scores is fast and simple with extensive prompting and error detection.

On Diskette with User's Manual
for the Model I, II or III

\$79.95

Manual Only

(Deductible on purchase of Diskette)

\$9.95

Pa. residents add 6% Sales Tax

Datascore

P. O. Box 995, Sharon, Pa. 16146

*Trademark of Tandy Corp.

✓438

Save Grief & Aggravation

—Know Before You Buy—

READ

"Consumer Protection for the Microcomputer Owner"

COVERS:

1. Preliminary Considerations before Buying
2. Legal Differences between Mail Order and Local Store
3. Pitfalls and Protection of Paying by Cash, Check, Credit Card, etc.
4. What a Warranty Really Is
5. How to Complain Effectively
6. How to Legally Reject and Revoke Acceptance of Goods
7. Miscellaneous Hints and Suggestions

ONLY \$15 Post Paid (COD \$3 Extra)

Send Check or Money Order to

L. J. KUTTEN, ATTORNEY

201 South Central

P.O. Box 16185

St. Louis (Clayton), MO 63105

314-721-6644

Mo. Residents add 4.625% sales tax

Compuserve ID #70655,376 Source ID# TCK092

✓444

Program Listing 1 Continued

```

8117 21957F 04880 LD HL,MSG2 ;LP MSG
811A CDC86B 04890 CALL OPCMDL ;OUTPUT ON CMD LINE
811D CDC275 04900 PRTCMD CALL SKIPBC ;SKIP BLANKS AND COMMAS
8120 1A 04910 LD A,(DE) ;GET NEXT CHAR
8121 FE1E 04920 CP 1EH ;DONE WITH LIST ?
8123 281A 04930 JR Z,EXIT ;IF YES THEN
8125 EB 04940 EX DE,HL ;CLEAR FLAGS
8126 B7 04950 OR A ;SAVE POS OF NUM START
8127 E5 04960 PUSH HL ;CONVERT ASCII DEC TO HEX
8128 CD4C6C 04970 CALL CONV ;MSW OF CONVERTED NUMBER
812B 7C 04980 LD A,H ;A ZERO ?
812C B7 04990 OR A ;IF NOT TOO BIG
812D C2766F 05000 JP NZ,ILLCMD ;LSW OF CONVERTED NUMBER
8130 7D 05010 LD A,L ;NUM LESS THAN 32 ?
8131 FE20 05020 CP 20H ;IF NOT THEN ERROR
8133 D2766F 05030 JP NC,ILLCMD ;ELSE OUTPUT TO PRINTER
8136 32E837 05040 PRTCL LD (37E8H),A ;RESTORE NUM START
8139 D1 05050 POP DE ;FIND END OF NUMBER
813A CD9776 05060 CALL FENUM ;PROCESS ALL OF LIST
813D 18DE 05070 JR PRTCMD ;RESTORE REGS
813F C1 05080 EXIT POP BC
8140 D1 05090 POP DE
8141 C9 05100 RET

05110 ;
05120 ;THIS ROUTINE PROVIDES A DIRECTORY OF ANY DISK WHILE
05130 ;IN SCRIPTSIT. THE CURSOR IS RETURNED TO THE EXACT PLACE
05140 ;WHERE THE EDITING LEFT OFF.
05150 ;

8142 3E08 05160 NODRV LD A,8
8144 C32F5E 05170 DIRERR JP 5E2FH ;REPORT ERROR
05180 ;

8147 D5 05190 QUERY PUSH DE
8148 11D37D 05200 LD DE,7DD3H ;POINT AT BRK BUF
814B 1A 05210 LD A,(DE) ;GET CHAR AFTER Q
814C FE1E 05220 CP 1EH ;CR ?
814E 2004 05230 JR NZ,Q1 ;IF NOT THEN
8150 3E30 05240 LD A,'0' ;LOAD DRIVE 0 CODE
8152 180E 05250 JR Q2
8154 CDC275 05260 Q1 CALL SKIPBC ;SKIP BLANKS AND COMMAS
8157 1A 05270 LD A,(DE) ;GET CHAR
8158 FE30 05280 CP '0' ;RANGE CHECK CHAR
815A DA766F 05290 JP C,ILLCMD
815D FE34 05300 CP '4'
815F D2766F 05310 JP NC,ILLCMD
05320 ;
8162 32E07F 05330 Q2 LD (MSG5+31),A ;PUT DRIVE # IN DIR MSG
8165 D630 05340 SUB 30H ;CVRT TO BINARY
8167 32047B 05350 LD (DIRDCB+6),A ;STUFF DRIVE -> DCB
816A 07 05360 RLCA
816B 07 05370 RLCA
816C 07 05380 RLCA
816D F6C7 05390 OR 0C7H
816F 327481 05400 LD (SETDRV+1),A
8172 AF 05410 XOR A
8173 CBC7 05420 SETDRV SET 0,A
8175 32B482 05430 LD (SELDRV+1),A
8178 CDB382 05440 CALL SELDRV
817B 010000 05450 LD BC,0
817E CD6000 05460 CALL 60H ;WAIT FOR RESTORE
8181 CDA182 05470 CALL RESTOR ;SEEK TRK 0
8184 3AEC37 05480 TSTBSY LD A,(37ECH)
8187 CB47 05490 BIT 0,A ;DRIVE BUSY ?
8189 20F9 05500 JR NZ,TSTBSY
818B CB7F 05510 BIT 7,A ;DRV NOT RDY ?
818D 20B3 05520 JR NZ,NODRV
818F CB57 05530 BIT 2,A ;NO TRK 0 ?
8191 28AF 05540 JR Z,NODRV
8193 01CD00 05550 LD BC,205 ;TEST FOR DISK IN DRIVE
8196 0B 05560 TST1 DEC BC ;INDEX OFF FIRST
8197 78 05570 LD A,B
8198 B1 05580 OR C ;TIME RUN OUT ?
8199 28A7 05590 JR Z,NODRV
819B 3AEC37 05600 LD A,(37ECH)
819E CB4F 05610 BIT 1,A
81A0 20F4 05620 JR NZ,TST1
81A2 019D19 05630 LD BC,6557 ;DISK TURNING ?
81A5 0B 05640 TST2 DEC BC ;MUST SEE INDEX BEFORE
81A6 78 05650 LD A,B ;LOOP TIMES OUT
81A7 B1 05660 OR C
81A8 2898 05670 JR Z,NODRV
81AA 3AEC37 05680 LD A,(37ECH)
81AD CB4F 05690 BIT 1,A ;INDE ?
81AF 28F4 05700 JR Z,TST2
81B1 CDBF82 05710 CALL CLRSCN ;CLEAR SCREEN
05720 ;
81B4 110000 05730 LD DE,0 ;READ BOOT TRK
81B7 ED53087B 05740 LD (DIRDCB+10),DE ;INFO INTO DCB
81BB 21D17C 05750 LD HL,BUFFER ;DISK I/O BUF
81BE E5 05760 PUSH HL
81BF CD4182 05770 CALL RDSCTR ;DIR GAT SECTOR
81C2 11AA00 05780 LD DE,170 ;SAVE BUF ADDR
81C5 D5 05790 PUSH DE ;GET GAT SECTOR
81C6 E5 05800 PUSH HL
81C7 ED53087B 05810 LD (DIRDCB+10),DE
81CB CD4182 05820 CALL RDSCTR
81CE E1 05830 POP HL
81CF AF 05840 XOR A
81D0 4F 05850 LD C,A ;ZERO GAT COUNTER
81D1 0660 05860 LD B,96 ;96 TRKS TOTAL ALL DRIVES
81D3 7E 05870 GATLP1 LD A,(HL) ;GET GRAN STATUS
81D4 2F 05880 CPL ;COMPLIMENT FOR FREE

```

Program Listing 1 Continues

TRS-80™ Model 1 & 3 Software

MACHINE LANGUAGE SOFTWARE

MONITOR #5 \$59.95
Disassembler; memory displays; move, search, modify memory; read and write machine language cassettes; object code relocater; hexadecimal arithmetic; disk file input and output; direct input and output of disk sectors; RS-232-C input and output; complete debugging package including single stepping, setting and displaying registers, setting breakpoints and executing machine instructions.

SYSTEM DIAGNOSTIC \$99.95
Tests for every component of your TRS-80 Model 1 or 3: ROM, RAM, Video Display, Keyboard, Cassette Recorder, Line Printer, Disk Drives, RS-232-C Interface. Disk drive tests handle single and double density, 35, 40, 80 track drives.

SMART TERMINAL \$74.95
Model II CP/M Version \$79.95
The intelligent telecommunication program. Automatic transmission and reception of data. True BREAK key. Complete character mapping, lower case. Cassette and disk files compatible with both SCRIPSIT™ and Electric Pencil™. Same program supports both cassette and disk systems.

Documentation to any program can be purchased separately for \$10.00, deductible from later software order.

Specify TRS-80 Model 1 or 3.

Send S.A.S.E. for FREE software catalogue.

Add \$3.00 for postage and handling.

New York State residents add 4 1/4% sales tax.

HOWE SOFTWARE

14 Lexington Road, New City, New York 10956

(914) 634-1821

TRS-80 is a registered trademark of Tandy Corp.

✓175

OMNITEK COMPUTERS INTERNATIONAL, INC.

1300 MAIN STREET TEWKSBURY, MASS

617-851-4580

Smith-Corona Daisy Wheel Printer.....639.00

Verbatim 5.25" D. L.....25.00

16K RAM KITS.....13.00

Okidata Microline 80.....319.00

Okidata Microline 82A.....434.00

Okidata Microline 83A.....679.00

Epson MX-80.....439.00

Epson MX-80 FT.....544.00

Epson MX-100.....689.00

Radio Shack Mill w/48K.....879.00

Radio Shack Mill w/48K and 2 40T dr

1649.00.....and RS232.....1739.00

40 track economy drive Power Supply

with case.....179.00

Tandon drives with Power Supply and case

40 track single head.....249.00

dual head.....359.00

80 track single head.....339.00

dual head.....437.00

5.25" Power Supply and case.....39.00

8" Power Supply and case.....99.00

CENTRONICS 739 Printer.....469.00

Omnitek Computers International Inc.

TRS-80 is a reg. trademark of Tandy Corp.

Prices are for mail order only TERMS: Check,

money order, Mastercard and Visa accepted.

F.O.B. Tewksbury-freight extra. Mass residents add

5% sales tax. Write for FREE CATALOG.

✓195

Dealers
SELL

Selling 80 Micro will make money for you. Consider the facts:

Fact #1: Selling 80 Micro increases store traffic—our dealers tell us that 80 Micro is the hottest-selling computer magazine on the newsstands.

Fact #2: There is a direct correlation between store traffic and sales—increase the number of people coming through your door and you'll increase sales.

Fact #3: Fact #1 + Fact #2 = INCREASED SALES, which means more money for you. And that's a fact.

For information on selling 80 Micro, call 800-343-0728 and speak with Ginnie Boudrieau, our bulk sales manager. Or write to her at 80 Micro, 80 Pine St., Peterborough, NH 03458.

80micro
the magazine for TRS-80 users

80 Pine Street Peterborough, NH 03458

800-343-0728



PRO FOOTBALL *HARNESS* *GREYHOUND* SPORTS HANDICAPPING AIDS FOR YOUR *TRS-80

If you consider yourself a serious sports handicapper, you really should take time to review this ad. With your TRS-80 (models I, III & PC1) home computer and our sports handicapping aid software, you'll find your time spent with handicapping computations reduced while your selection performance is significantly increased.

The WelMur Corporation has, for sometime now, offered its HARNESS and GREYHOUND Handicapping Aids for the TRS-80 home and pocket computer systems. Both aids have proven to be most effective and, not surprisingly, quite popular among handicappers throughout the U.S. and Canada alike. We are now adding to our fine stable of handicapping aids: PRO FOOTBALL.

Our PRO FOOTBALL handicapping software is based on a proven handicapping system in use for the past decade. The algorithms used include such variables as:

- points scored/allowed
- rushing yards gained/allowed
- passing yards gained/allowed
- fumbles lost/recovered
- interceptions thrown/made
- penalty yards against/for
- number of home/away games
- number of key offensive/defensive player injuries
- key injuries to outstanding offensive/defensive players
- key injury to offensive/defensive superstars

As you can see, we've taken a most comprehensive approach. And, this approach has paid off! Against the spread, our system has accumulated a 61% accuracy record for the 1980 and 1981 pro football seasons. You can expect like success!

Whatever handicapping system you select, PRO FOOTBALL, HARNESS or GREYHOUND, you can be assured that you are receiving the very best. HARNESS and GREYHOUND are available both cassette (\$29.95 models I, III & PC1) and 5 1/4" disk (\$34.95 models I and III only) Level II 16K min (models I and III). PRO FOOTBALL is available on 5 1/4" disk (\$79.95 models I and III) Level II 48K min. All systems include the program medium (disk or cassette), loading instructions, and a useful easy to read user's manual.

Shop around — you can't beat the WelMur value — the most cost effective systems on the market. Dealer discounts available. Allow 3-4 weeks for delivery. Send check, money order (add \$1.00 shipping & handling, Calif. add 6% sales tax) or request for additional information to:

WelMur of California, Inc.
P.O. Box 7073
Fremont, CA 94537

*Trademark of Tandy Corp.

✓508

RATFOR

Rational Fortran

Structured programming for FORTRAN. The best implementation of Ratfor available anywhere! Full Standard Ratfor, plus strings, conditional compilation, and more. Includes pretty printer for automatic indentation of source programs. Complete tutorial User's Manual. Totally compatible with all Microsoft Fortrans (not included!).

- TRS-80 Model I/III: \$74.00
- CP/M, IBM-PC (MS-DOS), or
- TRS-80 Mod II: \$139.00

✓316

Aspen Software Co.

P.O. Box 339 Tijeras, NM 87059
(505) 281-1634



4 MHz FOR THE MOD 3

PC BOARD & DOC. ONLY \$19.95

THIS EASY TO INSTALL KIT WILL DOUBLE THE SPEED OF YOUR MOD-ELIII COMPUTER.

COMPLETE KIT \$59.95
ASSEMBLED & TESTED \$99.95

CALL OR WRITE
J.E.S. GRAPHICS
P.O. BOX 2752
TULSA, OK. 74101
PHONE (918) 742-7104

✓202

Professional REAL ESTATE SOFTWARE

for APPLE, TRS-80 & CPM SYSTEMS

PROPERTY MANAGEMENT SYSTEM: \$375

- Tenant History
- Late Rent Report
- Vacancy Report
- Income Report
- Auto Late Charge
- Returned Checks
- Operating Stmt.
- Building Reports
- Utilities Report
- Tax Expense Report
- Prints Checks
- Prints Receipts

PROPERTY LISTINGS/COMPARABLES: \$325

- SCREEN BY —
- 22 Items/Listing
- 1000 Listing/Disk
- Listing Memo Field
- Max/Min Price
- Units/Zone/City
- Max Price/Income
- Max Price/Sq Foot
- Min Cashflow

REAL ESTATE ANALYSIS MODULES: \$50/Module

- Home Purchase
- Income Prop Analysis
- Property Sales
- Construction Cost/Profit
- Tax Deferred Exchange
- APR Loan Analysis
- Loan Amortization
- Depreciation/ACRS Analysis

WORD PROCESSOR — MAGIC WAND: \$265



At Computer Stores Everywhere
or Order CDD Direct
Cal Residents add 6% Sales Tax
(213) 372-9419

Suite E, 1116-8th Street, Manhattan Beach, CA 90266

Program Listing 1 Continued

```

81D5 1F 05890
81D6 89 05900
81D7 4F 05910
81D8 23 05920
81D9 10F8 05930
      05940 ;
81DB 2A1E40 05950
81DE 22AA7A 05960
81E1 215E5E 05970
81E4 221E40 05980
81E7 69 05990
81E8 2600 06000
81EA CD0383 06010
81ED 21A17D 06020
81F0 11E47F 06030
81F3 010800 06040
81F6 C5 06050
81F7 EDB0 06060
81F9 13 06070
81FA 13 06080
81FB 13 06090
81FC C1 06100
81FD EDB0 06110
81FF 21C17F 06120
8202 CD6744 06130
8205 CD2783 06140
8208 CD2783 06150
820B D1 06160
820C 13 06170
820D 13 06180
820E ED53A57A 06190
8212 ED53087B 06200
8216 E1 06210
8217 0608 06220
8219 160B 06230
821B C5 06240
821C D5 06250
821D CD4182 06260
8220 ED5BA57A 06270
8224 13 06280
8225 ED53A57A 06290
8229 ED53087B 06300
822D D1 06310
822E CD4782 06320
8231 C1 06330
8232 10E7 06340
8234 CDD282 06350
8237 2AA7A 06360
823A 221E40 06370
823D D1 06380
823E C38B6F 06390
      06400 ;
8241 11FE7A 06410
8244 C36444 06420
      06430 ;
8247 E5 06440
8248 0608 06450
824A C5 06460
824B E5 06470
824C 7E 06480
824D 07 06490
824E 3844 06500
8250 07 06510
8251 3841 06520
8253 07 06530
8254 07 06540
8255 303D 06550
8257 7D 06560
8258 C605 06570
825A 3001 06580
825C 23 06590
825D 6F 06600
825E 0E08 06610
8260 7E 06620
8261 FE20 06630
8263 C4FD82 06640
8266 23 06650
8267 0D 06660
8268 20F6 06670
826A 0E03 06680
826C 7E 06690
826D FE20 06700
826F 280F 06710
8271 3E2F 06720
8273 CDFD82 06730
8276 7E 06740
8277 FE20 06750
8279 C4FD82 06760
827C 23 06770
827D 0D 06780
827E 20F6 06790
8280 15 06800
8281 200E 06810
8283 CDD282 06820
8286 CDBF82 06830
8289 21CE7F 06840
828C CD6744 06850
828F 160D 06860
8291 CD2783 06870
8294 E1 06880
8295 7D 06890
8296 C620 06900

RRA
ADC A,C
LD C,A
INC HL
DJNZ GATLP1
LD HL,(401EH)
LD (VDVR),HL
LD HL,5E5EH
LD (401EH),HL
LD L,C
LD H,0
CALL WRLNO
LD HL,BUFFER+0D0H
LD DE,MSG5+35
LD BC,8
PUSH BC
LDIR
INC DE
INC DE
INC DE
POP BC
LDIR
LD HL,MSG5
LOUT
WRRET
WRRET
POP DE
DE
DE
DE
LD (DIRPTR),DE
LD (DIRDCB+10),DE
POP HL
LD B,8
LD D,11
PUSH BC
PUSH DE
CALL RDSCTR
LD DE,(DIRPTR)
INC DE
LD (DIRPTR),DE
LD (DIRDCB+10),DE
POP DE
CALL PRDIR
POP BC
DJNZ SCTRLP
CALL CPWAIT
LD HL,(VDVR)
LD (401EH),HL
POP DE
JP RECOV

;SET CARRY IF 1 OR 3
;INC C BY 1 OR 2
;GET TO NEXT TRACK STATUS
;loop until thru
;GET VIDEO DVR ADDR
;REPLACEMENT DVR
;WRITE # OF FREE GRANS
;INSERT FILENAME & DATE
;MOVE IN DISKNAME
;MOVE IN DATE
;OUTPUT DIRECTORY HEADER
;RECOVER SECTOR #
;POINT TO SECTOR 2
;RECOVER BUFFER PTR
;INIT FOR 12 DISPLY LINES
;SAVE SCREEN COUNTER
;GET NEXT SECTOR
;INC NRN BY ONE
;OUTPUT ANY VISIBLE DEC'S
;OUTPUT WAIT MSG
;RECOVER VIDEO DVR
;READ DISK SECTOR
;SAVE PTR TO BUFFER
;INIT FOR 8 DECS/SECTOR
;SAVE COUNTER
;SAVE BUF PTR
;BYPASS DEC IF SPARE
;PT TO FILENAME
;IF NO CARRY
;ELSE BUMP PTR
;INIT FOR 8 BYTES
;INIT FOR EXT
;BYPASS IF NO EXT
;WRITE A "/"
;REGET CHAR
;WRITE IT IF NON-BLANK
;DEC LINES/SCREEN
;OUTPUT WAIT MSG
;CLEAR SCREEN
;DISPLAY
;REINIT TO 12
;PT TO NEXT DEC

```

Program Listing 1 Continues

OUR PRICES, SELECTION AND SAME-DAY SHIPPING MAKE US COMPETITIVE. OUR PEOPLE MAKE US EXPERTS.

Red Baron. Home of the Nation's Largest Computer Printer Inventory.

NEC 8023

Outstanding Graphics, Print
Quality & Performance




144 x 160 dots/inch • Proportional Spacing
• Lower case descenders • N x 9 dot matrix
• 8 character sizes • 5 unique alphabets
• Greek character set • Graphic symbols
• 100 CPS print speed • Bi-directional logic-seeking
• Adjustable tractors • Single-sheet friction feed • Vertical & horizontal tabbing

NEC 8023
Dot Matrix List \$795 **\$Call**

IDS Paper Tiger

Prism 80/132
Affordable Color, Speed




Dot Resolution Graphics • 9-wire staggered printhead • Lowercase descenders • Over 150 CPS • Bi-directional, logic-seeking
• 8 character sizes • 80-132 columns
• Proportional spacing • Text justifications
• Optional Color

Prism 80 Base List \$999 **\$Call**
Prism 132 Base List \$1,299 **\$Call**

Smith Corona TP-1

Daisy Wheel Printer For Under \$900



Letter quality • Standard serial or parallel data interface • Drop-in ribbon • 144 WPM • Various fonts available • Loads paper like typewriter • Handles single sheets for forms

Smith Corona TP-1 List \$895 **\$Call**

Televideo CRT's

Price, Performance & Reliability

910 List \$699 **\$Call**
925 List \$995 **For low Prices**
950 List \$1195 **Prices**

The Epson Series

High-Quality Printers
at a Low Price.

FREE
GRAFX
PLUS




Epson MX80 List \$645 **\$Call**
Epson MX80FT List \$745 **\$Call**
Epson MX-100 List \$995 **\$Call**

Full Line of Epson Accessories.

The Okidata Series

Hi-Res & TRS 80 Block Graphics



120 CPS • 9 x 9 Matrix • Bidirectional logic seeking printing • Lower case descenders
• Four print styles • Optional Hi-Res Graphics

Okidata 82A List \$649 **\$Call**
Okidata 83A (w/Tractor) List \$995 **\$Call**

Other Quality Printers at Red Baron

	List	Discount
Anadex DP-9500A	\$1725	\$Call
Anadex DP-9620A	\$1845	\$Call
Anadex DP-6000	\$3250	\$Call
C. Itoh 8510 Prowriter	\$795	\$Call
C. Itoh F-10	\$1995	\$Call
Diablo 630/6	\$2995	\$2570
NEC Spinwriter RO		
Serial Parallel 77xx	\$3055	\$2575
Parallel 35xx	\$2290	\$1900

Interface Equipment

Complete Stock of Options,
Cables and Accessories.

GRAPPLER + APPLE INTERFACE \$175
CCS APPLE SERIAL Interface & Cable . \$150
ORANGE INTERFACE for Apple II
Parallel Interface Board and Cable . . \$90
NOVATION D-CAT
direct connect modem \$180
Novation Cat Acoustic Coupler \$175
COMPLETE STOCK OF EPSON
ACCESSORIES **\$Call**
CUSTOM PRINTER CABLES FOR Apple,
Atari, IBM, TRS-80 (all models) **\$Call**
HAYES MICROMODEM \$300
PRINTER STANDS: Large \$99
Small \$25
PRINTER RIBBONS—Most Types **\$Call**



Our People, Our Product: Both Are Specialized.

Red Baron is an organization of computer printer specialists. They know the capabilities of each printer, and how to match one to your exact need. Call for expert consultation today!



Here's How To Order:

Phone orders are welcome; same-day shipment on orders placed before 11:00 a.m. Free use of MasterCard and Visa. COD's accepted. Personal checks require 2 weeks clearance. Manufacturer's warranty included on all equipment. Prices subject to revision. APO/FPO Orders Welcome.

Call For Free Catalog:

(800) 854-8275

CA, AK, HI (714) 630-3322



1100 N. TUSTIN #207
ANAHEIM, CA 92807

275

TRS-80

COMPUTER DISCOUNTS

- Factory Direct
- Best Prices Anywhere
- No Out-of-State Taxes
- 100% Radio Shack Warranty
- Free Price List

SCOTT TASSO

Owner

Radio Shack Associate Store #7053

175 E North Delsea Drive
Vineland, N.J. 08360

800-257-0426

NJ 609-691-7100

510

TRS-80 MODEL I T.M.* GOLDPLUG - 80

Eliminate disk re-boots and data loss due to poor contact problems at card edge connectors. The GOLD PLUG - 80 solders to the board card edge. Use your existing cables.

CPU/keyboard to expansion interface. . . . \$18.95

Expansion interface to disk, printer, RS232, screen printer (specify) \$9.95 ea

Full set, six connectors. . . \$54.95



EAP COMPANY

P.O. Box 14, Keller, TX 76248
(817) 498-4242

*TRS-80 is a trademark of Tandy Corp.

216

FILE FORCE

A Disk File Program Designed for the Small Businessman

File Force is designed to readily keep track of all your business files and programs by utilizing all the power of your TRS-80 and Disk Basic. This program is specially designed to combine the power of a disk utility, the speed of random access, and the ease of use of a general database manager.

File Force will automatically read the information on your disks and allow you to search the masterfile by

- the name of the disk
- the name of a program
- the name of a business file
- any extension such as a date CMD

310

Other special features include easy updating. Where some software houses have protected their disks to make them unreadable, File Force will let you assign a disk name and enter those program names. It will also create a master printout of all business files and records on your disks for safe keeping and better management of your resources.

System Requirements TRS-80 Model I 48K One Disk Drive TRS-DOS Version 2.3 \$19.95 Please add \$2 for handling and postage \$5 overseas for your convenience you may phone in VISA or M/C orders

SOFTWAREHOUSE INTERNATIONAL

We've Moved! P.O. Box 1383 Tandy Corp

Clovis, CA 93613; (209) 251-7877

California Residents add 6% sales tax

Program Listing 1 Continued



```

8298 3001      06910      JR      NC,END1      ;IF NOT CARRY
829A 24        06920      INC      H      ;IF CARRY
829B 6F        06930      LD      L,A
829C C1        06940      POP      BC
829D 10AB      06950      DJNZ    PRTLPI
829F E1        06960      POP      HL
82A0 C9        06970      RET
               06980      ;
82A1 CDB382    06990      RESTOR  CALL    SELDRV
82A4 3E03      07000      LD      A,3
82A6 32EC37    07010      LD      (37ECH),A      ;RESTORE
82A9 CDB382    07020      RES1    CALL    SELDRV      ;SELECT DRIVE
82AC 3AEC37    07030      LD      A,(37ECH)
82AF 0F        07040      RRCA
82B0 D0        07050      RET      NC
82B1 18F6      07060      JR      RES1
               07070      ;
82B3 3E00      07080      SELDRV LD      A,0
82B5 32E137    07090      LD      (37E1H),A
82B8 C9        07100      RET
               07110      ;
82B9 CDBF82    07120      ;THIS ROUTINE MAKES SCRIPSIT EXIT TO DOS INSTEAD OF
82BC C32D40    07130      ;REBOOTING EACH TIME.
               07140      ;
82B9 CDBF82    07150      RETURN  CALL    CLRSCN      ;CLEAR SCREEN
82BC C32D40    07160      JP      OPSYS      ;BACK TO DOS NOT REBOOT
               07170      ;
82B9 CDBF82    07180      ;THESE ARE MISC SUBROUTINES USED IN THE SCRIPSIT MODS.
82BC C32D40    07190      ;
82B9 CDBF82    07200      ;CLEAR SCREEN ROUTINE
82BC C32D40    07210      ;
82BF E5        07220      CLRSCN  PUSH    HL
82C0 3E20      07230      LD      A,20H      ;SPACE CODE
82C2 21003C    07240      LD      HL,3C00H      ;1ST DISPLAY ADDR
82C5 222040    07250      LD      (4020H),HL      ;INITIALIZE CURSOR
82C8 CB74      07260      CLR1    BIT      6,H      ;ALL SCREEN CLEARED ?
82CA 2004      07270      JR      NZ,CLR2      ;IF YES THEN
82CC 77        07280      LD      (HL),A
82CD 23        07290      INC      HL
82CE 18F8      07300      JR      CLR1
82D0 E1        07310      CLR2    POP      HL
82D1 C9        07320      RET
               07330      ;
82D2 E5        07340      ;WAIT FOR KEY PRESS ROUTINE
82D3 C5        07350      ;
82D4 21803F    07360      CPWAIT  PUSH    HL
82D7 0640      07370      PUSH    BC
82D9 368C      07380      LD      HL,3F80H
82DB 23        07390      LD      B,40H
82DC 10FB      07400      CP1     LD      (HL),8CH
82DE 218A6A    07410      INC      HL
82E1 CDC86B    07420      DJNZ    CP1
82E4 010080    07430      LD      HL,6A8AH      ;WAIT MSG
82E7 CD6000    07440      CALL   OPCMDL      ;DISPLAY ON CMD LINE
82EA CDD25F    07450      LD      BC,8000H      ;SELECT DELAY LENGTH
82ED CDE96B    07460      CALL   60H
82F0 C1        07470      CALL   5FD2H      ;GET KEY
82F1 E1        07480      CALL   CCMIDL      ;CLEAR CMD LINE
82F2 C9        07490      POP      BC
               07500      POP      HL
               07510      RET
               07520      ;
82F3 ED53437C  07530      ;THIS ROUTINE UPDATES THE CURRENT FILE POSITION AND
82F7 2A2B7C    07540      FIXPTR  LD      (7C43H),DE      ;UPDATE FILE PTR
82FA 3600      07550      LD      HL,(7C2BH)      ;PT AT EOF
82FC C9        07560      LD      (HL),0      ;STORE EOF CHAR
               07570      ;
82FD D5        07580      ;WRITES CHAR IN "A" ON SCREEN AT CURRENT CURSOR POSITION
82FE CD3300    07590      WRCHR  PUSH    DE
8301 D1        07600      CALL   33H
8302 C9        07610      POP      DE
               07620      ;
8303 E5        07630      ;CONVERTS # IN "HL" TO ASCII DECIMAL AND STORES IT
8304 D5        07640      ;ON THE DISPLAY.
8305 C5        07650      ;
8306 111E7B    07660      WRLNO  PUSH    HL
8309 1A        07670      PUSH    DE
830A 4F        07680      PUSH    BC
830B 13        07690      LD      DE,TENTBL      ;PT AT TENS TABLE
830C 1A        07700      LD      A,(DE)      ;LOAD INTO "BC"
830D 47        07710      LD      C,A
830E 13        07720      LD      DE,A,(DE)
830F D5        07730      LD      B,A
8310 3E2F      07740      INC      DE
8311 3C        07750      PUSH    DE
8312 54        07760      LD      A,02FH      ;NEXT TBL VALUE
8313 54        07770      WN1    LD      D,A      ;SAVE PTR
8314 5D        07780      INC      A      ;INIT FOR ASCII DIGIT
8315 09        07790      LD      D,H      ;DIGIT + 1
8316 38FA      07800      LD      E,L      ;MOVE #
8318 EB        07810      ADD     HL,BC      ;ADD NEG POWER OF TEN
8319 D1        07820      JR      C,WN2      ;OVERFLOW UNTIL CORRECT
               07830      EX      DE,HL      ;# TO "HL"
               07840      POP      DE      ;GET TBL PTR

```

Program Listing 1 Continues

TURN YOUR COMPUTER INTO A GRAPHICS MACHINE



WITH THE MIKEEGRAPHIC™ GRAPHIC SYSTEM!!

MIKEEGRAPHIC is a hardware/software system designed for the TRS-80 Model I & III computers. When installed, your 80 will come alive with graphic ability!!

If you've been waiting for a graphic system with the best dots/dollars ratio, take a look at our MIKEEGRAPHIC.™

HARDWARE

- TOTAL SCREEN INVERSE VIDEO
- TWO MODES OF DENSITY:
 - 384 x 192 or 191 x 192 for Model I
 - 512 x 192 or 256 x 192 for Model III
- EVERY DOT CAN BE SET, RESET or TESTED
- 12288 BYTES OF FAST 200 ns MEMORY
- FUNCTIONS SELECTED BY OUTPUT PORT #254
- MEMORY MAPPED FOR SPEED
- OCCUPIES LAST 16K BLOCK OF MEMORY
- CAN BE USED AS NORMAL MEMORY (if you have 32K or more of memory)
- COLOR COORDINATED ENCLOSURE
- DOES NOT CONFLICT WITH DISK OR CASSETTE I/O
- SELF SWITCHING POWER SUPPLY (Powers up with Computer)
- COMES WITH ITS OWN WALL TRANSFORMER
- NOT A CHARACTER GENERATOR!!
- EASY INSTALLATION (Requires only 16 solder connections and one trace/pin cut)

*1 MIKEEGRAPHIC is a trademark for Mike Electronics Corp.
*2 TRS-80 is a trademark for the Tandy Corp.
*3 Opening your TRS-80 will void the limited warranty.
*4 90 day warranty, full refund or replacement.
*5 Formerly named MIKEANGELO

SOFTWARE

- COMES WITH SAMPLE AND DRIVER SOFTWARE
- USABLE THROUGH BASIC OR MACHINE LANGUAGE
- EXCELLENT INSTALLATION/OPERATION MANUAL

TOOL KITS AVAILABLE FOR JUST \$15.00
MANUAL AVAILABLE SEPARATELY FOR \$15.00
Full price of manual will be deducted from the Purchase Price of MIKEEGRAPHIC™ when ordered.
PREPAID, C.O.D., MASTERCARD, VISA, or MASTER CARD ORDERS ACCEPTED. FOB: Bellevue, Wa.
U.S. Currency ONLY. Stock to 30 days delivery.

DEALERS INQUIRIES INVITED.
ORDER NOW FOR ONLY \$340.
Complete with power supply, case software and manual

WRITE FOR FREE BROCHURE or call for more information.

MIKEE ELECTRONICS CORPORATION

P.O. Box 3813 Bellevue, Washington 98009
Telephone 206/451-0574

COLOR COMPUTER USERS

**FHL COLOR FLEX, THE MOST POPULAR DOS FOR THE 6809
FROM THE LARGEST SUPPLIER OF FLEX SOFTWARE IN THE WORLD!**

Now you can run FLEX, OS-9 and Radio Shack disk software on your Color Computer. If you have a 32K Color Computer with the Radio Shack disk system, all you need to do is make a trivial modification to access the hidden 32K. Please note that this will only work with the Radio Shack disk system and 32K/64K memory chips that RS calls 32K. Maybe they put 64K's in yours, too. If you send a legal size SASE (40¢ stamps), we'll send you info on how to get 64K.

Using this system to run FLEX AND OS-9 has many advantages. First, it gives you 48K from zero right up to FLEX. This means that ALL FLEX compatible software will run with NO MODIFICATIONS and NO PATCHES! There are no memory conflicts because we moved the screen up above FLEX which leaves the lower 48K free for user programs.

We have a multi screen format so you can page backward to see what scrolled by and a Hi-Res screen that will enable you to have a 24 line by 51 character display.

We implemented a full function keyboard, with a control key and escape key. All ASCII codes can now be generated from the Color Computer keyboard!

We added some bells and whistles to Radio Shack's Disk system when you're running FLEX or OS-9. We are supporting single or double sided, single or double density, 35, 40 and 80 track drives.

MOVEROM moves Color Basic from ROM to RAM. Single Drive Copy, Format and Setup commands plus an online help system are included.

Color FLEX includes an external terminal program that lets you use a standard terminal hooked to the RS-232 port. This will let you use a full sized keyboard with a 24x80 display. Your printer is then hooked to the terminal. The system will automatically control the printer. No hardware or software modifications are required.

Installing FLEX is simple. Insert the disk and type: **RUN "FLEX"**

That's all there is to it! You are now up and running in the most popular disk operating system for the 6809. There are hundreds of software packages now running under the FLEX system. We have 100 packages ourselves. Open your Color Computer to a whole new world of software with FLEX.

FLEX \$99.00

✓262

**INCLUDES OVER 25 UTILITIES!
DOES NOT REQUIRE ADDITIONAL HARDWARE!
OPTIONS**

ED/ASM is a very powerful editor/assembler package.

Both programs have been set up for FHL Color FLEX and cost ONLY 100.00.

DBASIC allows the use of the standard Disk Extended Color Basic under FLEX. All disk input and output operations are done through FLEX and are completely compatible with the normal FLEX utilities. This means that files and programs written to disk by DBASIC may be manipulated by FLEX editors, sort/merge, etc. Also included is a DBASIC program to read a Radio Shack Disk and write to a FLEX disk.

All of the BASIC language components described in the Radio Shack manuals are implemented, with the following exceptions:

1. Random files are not supported. FIELD, LSET, RSET etc. will be of no use.
2. BACKUP, COPY, and DSKINI are not implemented. Use the FLEX utilities instead.

3. A new BASIC command called FLEX will terminate DBASIC and return to FLEX.


4. DSKIS and DSKOS are completely implemented.

DBASIC is only \$30.00 when purchased with Color FLEX. \$40.00 later.
TRS-80 COLOR COMPUTER COMPLETE WITH 64K RAM, 24K ROM, SINGLE DISK DRIVE AND FLEX, SET UP AND READY TO RUN FOR ONLY \$1,275. Includes 120 day extended warranty. If you have a Computer, call about RS disk controllers and drives.

FRANK HOGG LABORATORY, INC.

130 MIDTOWN PLAZA•SYRACUSE NEW YORK 13210•(315)474-7856

FREE SHIPPING



TRS®-80 MOD III


W/48K, 2 TANDON
5 1/4" DISK DRIVES
INCLUDES TRS DOS
(No RS 232)

RS232 **\$99.95**
Instructions
Included

\$1750


TRS-80 MOD III Disk Controller

Includes Disk Controller,
Power Supply, Mounting
Hardware, Cables and
Instruction Manuals



\$279
COMPLETE

PRINTERS



MX80 \$425
MX80F/T 535
MX100 685

SMITH-CORONA TP-1 635

(Letter Quality, Daisy Wheel Printer)

Printer Cable \$26.95
(\$20 w/purchase of printer)

TANDON DISK DRIVES

TM100-1 Single 40 Track Drive **\$210**
With Cabinet & Power Supply **\$265**

TM 100-2 Double 40 Track Drive
\$330

TM 100-3 Single 80 Track Drive
\$330

TM 100-4 Double 80 Track Drive
\$425



16K MEMORY KIT \$15

VISA, MASTERCARD (\$100 Min. Add 2%)

Or Certified Check

90 Day Warranty (Parts & Labor)

TRS 80 is a Registered Trademark, Tandy Corp.

Prices Subject to Change Without Notice

DATA-MAIL
P.O. Box 818, Reseda, CA 91335

✓452

FREE SHIPPING IN CONTINENTAL U.S.
(TRS 80 MOD III EXCEPTED)

(213) 993-4804

Data Acquisition and Control for the TRS-80* \$230 ppd.

The STARBUCK-8882 is a complete eight channel data acquisition and control system, plug compatible with the Model I Level II TRS-80. It includes 8 protected analog inputs (0-5 Vdc with 8 ± 1 bit accuracy), 8 protected digital inputs, 8 optoisolated digital outputs, and two joystick ports. Interrupt-driven software package allows simultaneous data acquisition and storage while using the TRS-80 for any other purpose!

Application manual covers home security, energy monitoring, weather station use, appliance control, graphics and games. Price includes case, power supply, extra expansion card edge, connector cable, complete software package and detailed applications manual. Manuals only are available for \$5.00 ppd. Model III version \$250 ppd. To order, write or call

STARBUCK DATA CO.

P.O. Box 24, Newton, MA 02162
617-237-7695

✓205

Massachusetts residents add 5% sales tax *TRS-80 is a trademark of Tandy Corp.

NEW

Software Games

Absolutely The Best SciFi HYPERGATE CENTURION

You are the Guardian of the Gateway to other galaxies in the most innovative, the most sophisticated "real time" simulation ever offered. A REAL BLOCKBUSTER

HYPERGATE PATROL

Navigate the Hypergates of the Local Supercluster in search of pirates, monsters, and smugglers.

BOTH HAVE SUPER ACTION SOUNDS & GRAPHICS

TRS-80 Model I or III required
specify: 16K L2 32K disk system 48K disk system

BOTH GAMES ON ONE CASSETTE \$39.95 ppd.

Send CHECK or MONEY ORDER to:

Synergistic Solar, Inc.

PO Box 560595, Miami FL 33156

Write for our brochure of top notch game programs

DEALER INQUIRY INVITED

* TRS-80 TRADEMARK TANDY CORP.

TM TRS80 color

From the January 1981 issue of the CSRA Computer Club newsletter:

There was some amusement at the November meeting when the Radio Shack representatives stated that the software in the ROM cartridges could not be copied. This month's 68 Micro Journal reported they had disassembled the programs on ROM by covering some of the connector pins with tape. They promise details next month. Never tell a hobbyist something can't be done! This magazine seems to be the only source so far of technical information on the TRS-80 color computer. Devoted to SS-50 6800 and 6809 machines up to now, 68 Micro Journal plans to include the TRS-80 6809 unit in future issues.

To get the MOST from your 6809 CPU - This is the BEST SOURCE! The ONLY Magazine for the 6809 Computer. Months Ahead of All Others!

68 MICRO JOURNAL

5900 Cassandra Smith Rd.
Hixson, TN 37343

USA

1 Yr. — \$24.50 2 Yr. — \$42.50 3 Yr. — \$64.50

*Foreign Surface Add \$12 Yr. to USA Price

Foreign Air Mail Add \$35 Yr. to USA Price

*Canada & Mexico Add \$5.50 Yr. to USA Price

✓213

Program Listing 1 Continued

```

831A CDFD82 07920      CALL   WRCHR      ;OUTPUT DIGIT
831D 0C      07930      INC     C          ;END OF TBL ?
831E 20E9    07940      JR      NZ,WN1
8320 C1      07950      POP     BC
8321 D1      07960      POP     DE
8322 E1      07970      POP     HL
8323 3E20    07980      LD      A,20H
8325 18D6    07990      JR      WRCHR
          08000 ;
          08010 ;LIKE LFCR EXCEPT THAT IT DOESN'T ERASE NEXT LINE
          08020 ;
8327 E5      08030 WRRET  PUSH    HL          ;SAVE REG
8328 D5      08040      PUSH    DE
8329 C5      08050      PUSH    BC
832A 0E40    08060      LD      C,40H      ;LINE # INC
832C 2A2040  08070      LD      HL,(4020H) ;GET CURSOR POS
832F 7D      08080 LF1   LD      A,L      ;LSW
8330 B9      08090      CP      C          ;GREATER THAN "C" ?
8331 3807    08100      JR      C,LP2     ;IF YES THEN
8333 3E40    08110      LD      A,40H     ;INC
8335 81      08120      ADD     A,C      ;ADD LINE # INC
8336 4F      08130      LD      C,A      ;BACK INTO "C"
8337 30F6    08140      JR      NC,LF1    ;TRY AGAIN
8339 24      08150      INC     H          ;CARRY INC MSW
833A 69      08160 LF2   LD      L,C      ;REPLACE LSW
833B 222040  08170      LD      HL,(4020H),HL ;NEW CURSOR POSITION
833E C1      08180      POP     BC      ;RESTORE REGS
833F D1      08190      POP     DE
8340 E1      08200      POP     HL
8341 C9      08210      RET
          08220 ;
          08230 ;INSERTION POINT #2 - ADD LISTING TWO CODE HERE
          08240 ;FOR MODEL III OPERATION
          08250 ;
8342          08260 TXTBUF EQU    $          ;START OF NEW TXTBUF
          08270 ;
          08280 ;
          08290 ;
7B49          08290      END      START
00000 TOTAL ERRORS

```

Program Listing 2

```

00100 ;*****
00110 ;*****      SCRIPSIT PATCH PROGRAM      *****
00120 ;***          LISTING TWO          ***
00130 ;***          OCTOBER 1981          ***
00140 ;***          CHANGES TO RUN ON MODEL III      ***
00150 ;***          WRITTEN BY          ***
00160 ;*****          CRAIG A. LINDLEY          *****
00170 ;*****
00180 ;
00190 ;THIS ROUTINE SHOULD BE PLACED RIGHT BEFORE THE START
00200 ;OF THE MODIFIED TEXT BUFFER (TXTBUF) AS SHOWN IN
00210 ;LISTING ONE. A CALL TO THIS ROUTINE SHOULD BE PLACED
00220 ;IN THE INITIALIZATION PORTION OF THE PATCH PROGRAM.
00230 ;SEE TEXT FOR DETAILS.
00240 ;
00250 ;*****
00260 ;ADDED SUBROUTINES TO MAKE SCRIPSIT COMPATABLE
00270 ;*****
00280 ;
00290 ;THIS SENDS THE CHAR TO BE PRINTED TO THE PRINTER
00300 ;OUTPUT PORT INSTEAD OF THE MODEL I MEMORY MAPPED
00310 ;LOCATION. EVERY LD (37E8H),A WILL BE REPLACED
00320 ;BY A CALL TO THIS ROUTINE.
00330 ;
00340 ;CHROUT OUT      (0F8H),A      ;OUTPUT CHARACTER
00350 ;RET
00360 ;
00370 ;THIS MAKES THE RIGHT SHIFT KEY WORK ON THE MODEL III.
00380 ;
00390 ;SHIFT LD      A,(3880H).      ;GET SHIFT STATUS
00400 ;OR      A          ;IS IT 0 ?
00410 ;RET      Z          ;IF YES THEN
00420 ;LD      A,1          ;ELSE RETURN A 1
00430 ;RET
00440 ;
00450 ;*****
00460 ;PATCHES TO MODEL I SCRIPSIT TO RUN ON THE MODEL III.
00470 ;*****
00480 ;
00490 ;*****
00500 ;THIS PATCH PLACES CALLS TO CHROUT AS STATED ABOVE.
00510 ;*****
00520 ;
00530 ;MODIII LD      A,0CDH      ;SUB CALL CODE
00540 ;LD      (UN2),A          ;PATCH PATCH PROGRAM
00550 ;LD      (PRTC1),A        ;" " "
00560 ;LD      (5244H),A        ;PATCH SCRIPSIT
00570 ;LD      (665EH),A
00580 ;LD      (6722H),A
00590 ;LD      (7A97H),A
00600 ;LD      (7A9EH),A
00610 ;LD      (60CDH),A        ;CALL FOR SHIFT ROUTINE
00620 ;LD      (60F9H),A
00630 ;

```

Program Listing 2 Continues

```

00640 ;NOW PLACE ADDRESS OF CHROUT AFTER SUB CALL CODE
00650 ;
00660 LD HL,CHROUT ;NEW PRINT SUBROUTINE
00670 LD (UN2+1),HL ;PATCH PATCH PROGRAM
00680 LD (PRTCL+1),HL ; " " "
00690 LD (5245H),HL ;PATCH SCRIPSIT
00700 LD (665FH),HL
00710 LD (6723H),HL
00720 LD (7A98H),HL
00730 LD (7A9FH),HL
00740 ;
00750 ;*****
00760 ;PATCH SHIFT POLLING TO ALLOW BOTH KEYS TO WORK
00770 ;*****
00780 ;
00790 LD HL,SHIFT ;NEW POLLING ROUTINE
00800 LD (60CEH),HL
00810 LD (60FAH),HL
00820 ;
00830 ;*****
00840 ;THE FOLLOWING PATCHES ALLOW THE TAPE FUNCTIONS TO WORK
00850 ;ON THE MODEL III MACHINE.
00860 ;*****
00870 ;
00880 LD A,0C3H ;LONG JUMP CODE
00890 LD (63CBH),A
00900 LD (63DAH),A
00910 LD (63AFH),A
00920 LD (6381H),A
00930 LD (63F9H),A
00940 ;
00950 ;NOW PLACES ADDRESSES OF APPROPRIATE TAPE ROUTINES AFTER
00960 ;THE LONG JUMPS JUST INSTALLED.
00970 ;
00980 LD HL,287H ;WRITE LEADER AND SYNC
00990 LD (63CCH),HL
01000 LD HL,296H ;FIND LEADER AND SYNC
01010 LD (63DBH),HL
01020 LD HL,264H ;WRITE BYTE TO TAPE
01030 LD (63B0H),HL
01040 LD HL,235H ;READ BYTE FROM TAPE
01050 LD (6382H),HL
01060 LD HL,1F8H ;CASSETTE OFF
01070 LD (63FAH),HL
01080 ;
01090 RET ;RETURN TO PATCH PROGRAM
01100 ;
01110 ;

```

ComSoft

MEANS BUSINESS

Hardware and Software

Products for the TRS 80®
Models I & III

DBM 5
A Data Base For All Seasons
The File Clerk
for the
TRS-80® Models I & III

VERSION 5.5
SPECIFICATIONS:

- A multi-feature file manager
- Plus a simple data base (multi-file data sets)
- Up to 20 user defined fields
- File handling capacity for up to 12000 records
- Files extend across multiple diskettes
- Automatic DISK MOUNT requests
- Assembly language sorts on single and combined data fields
- Multiple search/chained parameters
- Fast (KSAM) record retrieval on sorted keys
- Flexible REPORT GENERATOR
- User titles and pagination
- Computed Fields
- 140-page MANUAL

DBM5 provides three data management features.

- A comprehensive file manager for defining your records, data entry or edit, and general record retrieval.
- A flexible report generator for information retrieval.
- A simple data base is provided for more advanced applications, where data sets involving file pairs can be defined.

PRICES:
#DB-5I \$99 (MOD I)
#DB-5III \$99 (MOD III)

AMS1.0 Apartment Management System

Efficient Property Management
General Ledger Compatibility

PRODUCT BRIEF:

Written by a CAP for his own property management company, this menu driven system provides a practical, proven method for efficiently managing rental property.

REPORTS

1. LATE RENTS. Lists tenants, apt. #, amount of rent due, date rent was due, number of days late, payments on account.
2. VACANT APARTMENTS. List apts., description of unit, date vacated, number of days vacant.
3. SCHEDULE OF RENTS. Lists tenants' names (up to 4 per apt.), type of unit, amount of rent and other charges, and the last month rent was paid.
4. SECURITY DEPOSITS held by apartment
5. LEASE EXPIRATIONS of all units in order of expiration
6. RENT INCREASES lists date of last increase plus current information.
7. ALPHABETICAL listing of all tenants in building.
8. MAILING LABELS for all tenants

This apartment management system is a complete package designed to promote ease of management. The reports listed can be run at any time so there is no delay on checking tenants or obtaining any other information desired.

Requires Model III and 132 column printer. Maintains up to 300 UNITS per diskette.


PRICES
#AMS-III \$395
Manual Only \$ 30

VIEW \$29.00
A SCREEN FORMATTER FOR DBM5

- Full CURSOR control
- Protected fields
- User form DESIGN
- File data entry, inquiry, & edit
- Elegant & professional look
- Flashing messages
- Creates formal and random data files for DBM5
- Includes DBM5 fast(KSAM) master key
- View is a compiled basic program
- Basic source code is included

TRS-80 is a Tm of Radio Shack, Tandy Corp.
NEWDOS80 is a Tm of Apparat, Inc.
TRS232 is a Tm of Small System Software Co.

ComSoft
203 Arden Street
Glendale, California 91203
(213) 649-0369



SERIAL I/O
MPR-232

AT LAST! A serial input/output interface designed for connection to the TRS80 Model I with or without an expansion interface.

MPR2321 Specifications

- Glitch free operation
- Connects with card edge connector
- Baud rates 75-19,200 are switch selectable
- Integral Power Supply included!
- May be daisy chained with other MPR 232s

The MPR 2321 is compatible with Model I software including TSHARE. Specify Model I or III.

PRICES:

#MPR2321
Assembled and Tested \$129.00 (MOD I)
PC Board Only \$29.00 (MOD I)
#MPR2321II
Assembled and Tested \$139.00 (MOD III)
PC Board Only \$29.00 (MOD III)

CSTOCK \$79.00

A) CSTOCK maintains a securities data base

- Maintains data on up to 3 stock market indexes
- Weekly Stock Data (Price, Vol., P/E, and Yield)
- Weekly Stock Option Data (Near, mid, and Far)

- Two years of continuous data per stock
- B) CSTOCK is a professional technical analysis tool

- Stock and market averages, highs, and lows with respect to any time span
- Linear regression analysis of stock behavior versus any of 3 market indexes
- Short term betas computed (stock volatility in terms of market return)

- Data plotting capabilities for stocks and options
- C) CSTOCK provides a parametric portfolio selection system as an aid in evaluating investment strategies in relation to risk.

TSHARE 2.0 MULTI-USER

SYSTEM
TRS-80®



MODELS I & III

SPECIFICATIONS:

TSHARE is a multi-tasking operating system for two users. It patches itself to your NEWDOS or TRSDOS. SYSTEM TSHARE allows simultaneous and separate operations for two users within a single computer.

AVAILABLE USER MEMORY ABOVE 7F80 HEX

- 32K TRS-80 16K FREE
- 48K TRS-80 32K FREE

TIMESHARING MODES:

- SIMPLEX MODE: With TSHARE 1.3 and 2A Only
- STANDARD MODE: With All Systems

SUPPORT EQUIPMENT:

- One + Disk Drive
- 32K + Memory
- SIMPLEX MODE: STANDARD MODE:
- A Printer •A Terminal
- Small System •Radio Shack's
- Software's RS-232 or
- TRS232 Interface Micro Project's
- (optional) MPR-232

EXECUTION SPEED STANDARD MODE:

- (Without Clock Speedup Mods)
- BENCHMARK executed by 2 simultaneous users: 37 sec
- BENCHMARK executed once by standard TRS-80: 14 sec

FEATURES:

- Type-ahead during Disk I/O (V2.0 Only)
- Communications between users
- Concurrent execution of single program
- Foreground/background task design
- Address up to two printers

PRICES:

#TS-13 for TRSDOS 2.3 \$89 (MOD I)
#TS-13 for NEWDOS 2.1 \$89 (MOD I)
#TS-2A for NEWDOS V1 \$99 (MOD I)
#TS-2B for NEWDOS V2 \$99 (MOD I)
#TS-2BIII for NEWDOS V2 \$99 (MOD III)

DISK DRIVE WOES?
PRINTER INTERACTION?
MEMORY LOSS?
ERRATIC OPERATION?

Don't Blame The Software!

Power Line Spikes, Surges & Hash could be the culprit! Floppies, printers, memory & processor often interact! Our patented ISOLATORS eliminate equipment interaction AND curb damaging Power Line Spikes, Surges and Hash. MONEY BACK GUARANTEE!

- ISOLATOR (ISO-1) 3 filter isolated 3-prong sockets; Integral Surge/Spike Suppression; 1875 W Maximum load, 1 KW load any socket \$69.95
- ISOLATOR (ISO-2) 2 filter isolated 3-prong socket banks; (6 sockets total); Integral Spike/Surge Suppression; 1875 W Max load, 1 KW either bank \$69.95
- SUPER ISOLATOR (ISO-3) similar to ISO-1 except double isolation & suppression \$104.95
- SUPER ISOLATOR (ISO-11) similar to ISO-2 except double isolation & suppression \$104.95
- MAGNUM ISOLATOR (ISO-17) 4 Quad isolated sockets; For ULTRA-SENSITIVE Systems \$181.95
- CIRCUIT BREAKER, any model (Add-CB) Add \$9.00
- REMOTE SWITCH, any model (Add-RS) Add \$16.00

AT YOUR DEALERS

MasterCard, Visa, American Express
ORDER TOLL FREE 1-800-225-4876
(except AK, HI, PR & Canada)

Electronic Specialists, Inc.
171 South Main Street, Box 389, Natick, Mass. 01760
(617) 655-1532

Aerocomp's Proven Best-By Test! The "DDC"

Double Density Controller

★ Technical Superiority

At last! A double density controller for Model I with HIGHER PROBABILITY OF DATA RECOVERY THAN WITH ANY OTHER DOUBLE DENSITY CONTROLLER ON THE MARKET TODAY! The "DDC" design phase lock loop data separator has a wider capture window than the digital types currently on the market. The finest resolution available with digital circuitry is 100 ns. The units presently on the market use a write precompensation tolerance is extremely wide - in the order of ± 100 ns. The bottomline is state of the art reliability!

★ Test Proven

Tests were conducted on AEROCOMP'S "DDC", Percom's Radio Shack TRS80*** Model I, Level 2, 48 K with TFD100* disk drive (Siemens Model 82). Diskette was Memorex 3401. The test consisted of formatting 40 tracks on the diskette. The test pattern was chosen because it is recommended as the best pattern for testing disk drives under adverse conditions. The test was then made to read each sector on the diskette. The test was run ten times with each double density controller and the data averaged. Test results are shown in the table.

★ Features

TRS80 Model I owners who are ready for reliable double density operation will get (1) 80% more storage per diskette, (2) single and double density data separation with far fewer disk I/O errors, (3) single density compatibility and (4) simple plug-in installation. Compatible with all existing double density software.

★ Value

\$139.95 for the BEST double density controller on the market.

\$179.95 for "DDC" complete with DOSPLUS 3.3D

\$229.95 for "DDC" complete with LDOS

Data Separators

The advances that make the "DDC" great are incorporated in the new AEROCOMP Single Density and Double Density Data Separator ("DDS").

★ Has your original manufacturer left you holding the bag?

If you already own a Percom "Doubler A", "Doubler II" or LNW "LNDOUBLER", the AEROCOMP "DDS" will make it right. Look at the test results:

MFR. & PRODUCT	SECTORS LOCKED OUT	
	WITHOUT "DDS"	WITH "DDS"
PERCOM "DOUBLER II"	18	1
PERCOM "DOUBLER A"	250	0
LNW "LNDOUBLER"	202	0


Note: Same test procedures as "DDC".

** Trademark of Percom Data Co.

*** Trademark of LNW

*** Trademark of Tandy Corporation

Plugs directly into your existing Double Density Controller.



"DDC"

Satisfied customer writes
A. Brandwein, D.D.S.
New York, New York
I received your (DDC) on 11/07/81. . . . to my astonishment the first attempt to copy my system disk was successful. . . . prior to purchasing your double density board I had tried LNW's and Percom's boards without success. My drives are the oldest RS ones that came out. . . . The serial numbers are below 33000. Percom says you should have . . . numbers above 70000 for double density to work.
Yours truly,
A. Brandwein

★ TEST RESULTS ★

MFR & PRODUCT	SECTORS LOCKED OUT (AVC)
AEROCOMP "DDC"	0
PERCOM "DOUBLER II"	18
PERCOM "DOUBLER A"	250
LNW "LNDOUBLER"	202

Note: test results available upon written request. All tests conducted prior to 8-25-81

Aerocomp's 14 day money back guarantee applies to hardware only.

Specials will be prorated. Shipping \$2.00 in Cont. US. See opposite page for details.

Happy DDS customer writes . . .

I don't often write letters such as this, but I feel I should in this case. . . . I am surprised and pleased with your DDS. It is not often a product is better than one expects. . . . This (these) test(s) used a Percom Doubler "A". (Test without DDS installed showed many errors). (With DDS) not one error!!! After ten (10) tests of formatting and verifying and zeroing NOT ONE FAILURE OR LOCK OUT. Great!!!

Phil Gnadt
Kansas City, Kansas

Phil Gnadt


★ "DDS" . . . \$49.95
(Use 1791 chip from your DD Controller)

★ "DDS" with disk controller chip included . . . \$79.95

★ Disk controller chip . . . \$34.95

(Shipping \$2.00 Cont. US - see opposite page for details)

See opposite page



TRS 80*

DISK DRIVES 40 & 80 TRACK

as low as **\$259.95**

ORDER TODAY!

- ★ 40-Track Drive. \$299.95
- ★ 80-Track Drive. \$409.95
- ★ 40-Track "FLIPPY" Drive. . . . \$329.95
- ★ 80-Track "FLIPPY" Drive. . . . \$419.95
- ★ 40-Track Dual-Head Drive. . . \$419.95
- ★ 80-Track Dual-Head Drive. . . \$569.95

All above drives are complete with silver enclosure, power supply and external drive cable connection. 115 VAC, 50/60 Hz, 230 VAC, 50/60 Hz available on special order.

- ★ 40-Track Bare Drive. \$259.95
- ★ 80-Track Bare Drive. \$359.95
- ★ 40-Track "FLIPPY" Bare Drive \$279.95
- ★ 80-Track "FLIPPY" Bare Drive \$369.95

★ SPECIAL PACKAGES★

STARTER A. \$339.95
40-Track Drive, 2-drive cable, TRSDOS 2.3 Disk & Manual, Freight & Ins.

STARTER B. \$369.95
40-Track "FLIPPY" Drive, cable, TRSDOS 2.3 Disk & Manual, Freight & Ins.

COMBO C. \$465.00
40-Track "FLIPPY" Drive, 2-drive cable, **LDOS**, Freight & Ins.

COMBO D. \$559.00
80-Track "FLIPPY" Drive, 2-drive cable, **LDOS**, Freight & Ins.

COMBO E. \$709.00
Two 40-Track "FLIPPY" Drives, 4-Drive cable, TRSDOS 2.3 Disk & Manual, Freight & Ins.

COMBO F. \$989.00
Two 80-Track "FLIPPY" Drives, 4-drive **LDOS** Ins.

COMBO G. \$889.00
Two 40-Track Dual-Head Drives, cable, TRSDOS 2.3 Disk & Manual, Freight & Ins.

COMBO H. \$1289.00
Two 80-Track Dual-Head Drives, cable, **LDOS**, Freight & INS.

DOSPLUS 3.3 or NEW/DOS / 80,2.0 available with any package.

Add \$5.00 per drive for shipping & handling (Cont. US)

FREE TRIAL OFFER

Order your AEROCOMP Disk Drive and use it with your system for up to 14 days. If you are not satisfied for ANY REASON (except misuse or improper handling), return it, packed in the original shipping container, for a full refund. (Hardware only. Special packages will be prorated.) We have complete confidence in our products and we know you will be satisfied! **ORDER TODAY!!!**

WARRANTY

We offer you a 120 day unconditional warranty on parts and labor against any defect in materials and workmanship. In the event service, for any reason, becomes necessary, our service department is fast, friendly and cooperative.

100% TESTED

AEROCOMP Disk Drives are completely assembled at the factory and ready to plug in when you receive them. Each drive is 100% bench tested prior to shipment. We even enclose a copy of the test checklist, signed by the test technician, with every drive. AEROCOMP MEANS RELIABILITY!!

ORDER NOW!!

To order by mail, specify Model Number(s) of Drive, cable, etc. (above), enclose check, money order, VISA or MASTERCARD card number and expiration date, or request C.O.D. shipment. Texas residents add 5% sales tax. Add \$5.00 per drive for shipping & handling (Cont. US). Please allow 2 weeks for personal checks to clear our bank. No personal checks will be accepted on C.O.D. shipments-cash, money orders or certified checks only. You will receive a card showing the exact C.O.D. amount before your shipment arrives. Be sure to include your name and shipping address. You will be notified of the scheduled shipping date. Your bank credit card will NOT be charged until the day we ship!!

DRIVE CABLES

2-DRIVE. \$24.95
4-DRIVE. \$34.95

WRITE AEROCOMP TODAY FOR MORE VALUES !!!

CALL TOLL FREE FOR FAST SERVICE (800) 824-7888, OPERATOR 24

FOR VISA/MASTERCARD/C.O.D. ORDERS

California dial (800) 852-7777, Operator 24, Alaska and Hawaii dial (800) 824-7919, Operator 24.

TOLL FREE LINES WILL ACCEPT ORDERS ONLY!

For Applications and Technical information, call (214) 337-4346 or drop us a card.

Dealers inquiries invited

AEROCOMP

Redbird Airport, Bldg. 8
P.O. Box 24829
Dallas, TX 75224

NEW LOW PRICES

Thanks to you our sales volume has allowed us to cut costs and we're passing the savings along. We offer the best disk drive value in the market place. Reliability, features and cost tough to beat. We deliver...and we stand behind our products. AEROCOMP is the only manufacturer to offer FREE TRIAL! Buy Aerocomp drives today. You deserve the best.

BEST FEATURES

- ★ Fast 5 ms. track-track access time.
- ★ Operates single or double density.
- ★ "FLIPPY" feature for lower media cost (40-1 & 80-1).
- ★ Head load solenoid.
- ★ Disk ejector.
- ★ Easy entry door.
- ★ **NEW** EXTERNAL DRIVE CABLE CONNECTION. (no longer need to remove the cover to hook up cable)

EPSON MX80 PRINTERS \$469.00

TRS80 Cable (I & III). \$9.95*
APPLE Cable & Interface. . \$105.00
RS232 Interface. \$69.95
Ribbon Cartridge, Black. . . \$9.95
Add \$6.00 shipping (Cont. U.S.) does not include cable.

MX80 F/T

All the features of MX80 plus Friction Feed. Shipping & cables as above.

\$579.00

*With Purchase of Printer



You will too when you use this data encryption-decryption program.

I Have a Secret

James T. Demberger
7280 60th Avenue, North
St. Petersburg, FL 33709

Are you interested in cryptograms, hidden word puzzles, or in cryptography? You can find a solution to most cryptograms if a pattern exists and

you test all possible characters in all positions of the pattern. Gilbert S. Vernam's algorithm for data encryption does not create any pattern and, as a result, you cannot decrypt the data unless you know the correct cipher key. For additional information regarding the Ver-

nam algorithm see *The Codebreakers* by David Kahn and an article in *Kilobaud Microcomputing*, November 1980.

Vernam's Algorithm

The Vernam algorithm, when used with a computer to encrypt or decrypt data, proceeds as follows:

- The data to be encrypted is considered one long string of bytes (a string of characters);
- The computer generates a cipher key that is a string of bytes (a string of random characters);
- The computer Exclusive-Ors (XORs) each byte of the data string with the corresponding byte of the cipher key to produce an encrypt data string;
- To recover the original data string the computer XORs each byte of the encrypt data string with the corresponding byte of the cipher key.

Level II Basic does not have a logical operation that uses the logical XOR instruction of the Z80 microprocessor. I needed a Level II Basic operation that would substitute for the logical XOR operation; I did not want to write an encryption/decryption program in Level II Basic that would require Assembly language code. The XOR to encrypt a byte flips bits into a new

pattern; the XOR to decrypt a byte flips the bits back to the original bit pattern.

An add instruction followed by a subtract instruction produces the same result when only the right byte of an integer field is considered. Figure 1 contains a short program that illustrates byte-by-byte character string addition and subtraction. This is not logically or literally the same as encryption/decryption resulting from the logical XOR instruction, but the substitution works.

The Cipher Key

The length of the cipher key and the number of different characters in the key determine the key's randomness. If you recycle a short key when encrypting a string of data, you may create a pattern that will reveal the key length and characters used in

```
1000 CLEAR MEM/2: F1$="ABCDEFGH": F2$="CIPHERKEY": F3$="": F4$=""
1010 0% = 90 '0% IS - / + TO PRODUCE ASCII CODE IN RANGE 32 TO 90
1020 LPRINT " ": LPRINT " ": FOR I% = 1 TO 9
1030 F3$ = F3$ + CHR$(ASC(MID$(F1$, I%, 1)) + ASC(MID$(F2$, I%, 1)) - 0%)
1040 F4$ = F4$ + CHR$(ASC(MID$(F3$, I%, 1)) - ASC(MID$(F2$, I%, 1)) + 0%)
1050 LPRINT ASC(MID$(F1$, I%, 1)); " + ";
1060 LPRINT ASC(MID$(F2$, I%, 1)); " - "; 0%; " = ";
1070 LPRINT ASC(MID$(F3$, I%, 1)); " - ";
1080 LPRINT ASC(MID$(F2$, I%, 1)); " + "; 0%; " = ";
1090 LPRINT ASC(MID$(F4$, I%, 1))
1100 NEXT I%: LPRINT " "
1110 LPRINT F1$ + " + " + F2$ + " = " + F3$
1120 LPRINT F3$ + " - " + F2$ + " = " + F4$
1130 LPRINT " ": END
```

RUN


```
65 + 67 - 90 = 42 - 67 + 90 = 65
66 + 89 - 90 = 65 - 89 + 90 = 66
67 + 80 - 90 = 57 - 80 + 90 = 67
68 + 72 - 90 = 50 - 72 + 90 = 68
69 + 69 - 90 = 48 - 69 + 90 = 69
70 + 82 - 90 = 62 - 82 + 90 = 70
71 + 75 - 90 = 56 - 75 + 90 = 71
72 + 69 - 90 = 51 - 69 + 90 = 72
73 + 89 - 90 = 72 - 89 + 90 = 73
```

```
ABCDEFGH + CIPHERKEY = *A920>83H
*A920>83H - CIPHERKEY = ABCDEFGH
```

Figure 1

The Key Box

Level II Disk Basic
Model I or III
48K RAM
TRSDOS 1.3 or NEWDOS80
1 or more disk drives



More powerful programming tools for the TRS-80™. Now on disk.

Better results. Microsoft's Level III BASIC and Editor/Assembler-Plus are programming tools that help you write complex programs in less time, with less effort and utilizing less memory. Better programs. No matter what your programming skill. And for the first time these tools are available on disk.

Editor/Assembler-Plus. A powerful editing, assembly and debugging tool with many sophisticated features that make writing TRS-80 assembly language programs easier, faster and more efficient.

- Full disk capabilities.
- Assembly directly into memory. No need to save object code then reload for execution.
- Macro capability that allows you to define macros for commonly used sequences of instructions.
- Conditional assembly that allows you to generate more than one version of a program.
- Eight breakpoints at a time for program debugging.
- The INCLUDE statement that allows you to call additional disk files for assembly.
- Other features include extensive operators, automatic origin, symbol table printout, quash command, hex, decimal and octal constants, single step-through instructions in memory, five type-out modes, four type-in radices, plus extensive edit commands.

A more powerful BASIC. With Level III BASIC, you get power to perform tasks in BASIC that used to require assembly language. Plus, new ease-of-use features for your TRS-80.

- Advanced graphics. Develop charts, graphs, even animation in Level III BASIC. Draw a line, an outline box or

a solid box by specifying just two points. Then save and recall it with BASIC commands.

- MENU. One command that allows you to construct an entire menu.
- CHAIN and COMMON commands allow you to call another program and pass variables to it.
- Powerful editing commands such as COPY/TRANSFER, FIND and CHANGE.
- DUMP command that makes debugging easier.
- Time-limit response. New INPUT # LEN and LINE INPUT # LEN commands allow you to set a time limit on response.
- RS-232 output from BASIC. With a single command.
- More. Level III gives you automatic line numbering, 26 user-definable single stroke instructions, and more.

Disk or cassette. Disk versions of Level III and Editor/Assembler-Plus are brand new. Cassette versions are also available with many of the same capabilities.

Talk to your Microsoft™ dealer. Ask for a demonstration of two of the most powerful tools you can get for your TRS-80: Level III BASIC and Editor/Assembler-Plus. On disk or cassette. From Microsoft.

TRS-80 is a trademark of Radio Shack, a division of Tandy Corporation. Microsoft is a trademark of Microsoft, Inc. Microsoft Consumer Products is a division of Microsoft, Inc.

282
MICROSOFT
CONSUMER PRODUCTS

10700 Northup Way, Bellevue, WA 98004. (206) 828-8080

CENTRONICS 779 / RS LINE PRINTER I

MAKE YOUR PRINTER A REAL WORKHORSE WITH OUR NEW PRINTER CONTROLLER BOARD

Remove the controller board in your printer and plug ours in to add the following capabilities:

- Bidirectional printing
- Full UPPER/lower case ASCII *plus* TRS-80 graphics or DSE scientifics character sets in 9 x 7 dot matrix format (9 x 9 available as option — requires print head change)
- Motor control — turns off the motor when the printer is not in use
- 2048 character buffer
- Software selectable features
 - transfer protocol (XON/XOFF or none)
 - character densities (10, 12, 15, 16.5 cpi *plus* double width in each size)
 - self-test
 - forms, length, control

\$350 assembled and tested

✓ 269

Radix Technologies

Suite 400 Carolyn Building
10400 Eaton Place
Fairfax, VA 22030

(703) 385-0900

VISA, MasterCard, check, COD accepted

```
1000 CLEAR MEM/2: K1$ = "IN": K2$ = "THE": K3 = "YARD"
1010 L1% = LEN &K1$: L2% = LEN(K2$): L3% = LEN(K3$)
1020 M1% = 1: M2% = 1: M3% = 1: LPRINT " ": LPRINT " ": FOR I% = 1 TO 24
1030 LPRINT MID$(K1$,M1%,1); MID$(K2$,M2%,1) MID$(K3$,M3%,1);
1040 IF M1% = L1% THEN M1% = 1 ELSE M1% = M1% + 1
1050 IF M2% = L2% THEN M2% = 1 ELSE M2% = M2% + 1
1060 IF M3% = L3% THEN M3% = 1 ELSE M3% = M3% + 1
1070 IF (M1% + M2% + M3%) = 3 THEN LPRINT " "
1080 NEXT I%: LPRINT " ": LPRINT " "
1090 LPRINT " " Fig. 2": END
```

RUN

```
ITYNHAIERNTDIHYNEAIRNHDIEYNTAIRHNE
ITYNHAIERNTDIHYNEAIRNHDIEYNTAIRHNE
```

Figure 2

the key.

You can use three key words to generate a long random string of characters for the cipher key. The first letter of the first key word, followed by the first letters from the second and third key words, become the first three characters of the cipher key. The second letters from each key word generate the next three characters of the cipher key. When you reach the end of any key word, use the first character of that particular key word for the next character. Figure 2 contains a program using the key words "IN," "THE" and "YARD" that generate a 36 character cipher key. Assuming that only uppercase letters are used, this method has at most only 26 different characters or ASCII decimal codes for each position of the cipher key.

Program Listing 1 uses one letter or space from each of the three key words to generate one character or ASCII decimal code for each position of the cipher key. The ASCII decimal codes can have 79 different values even though only uppercase letters or spaces are used in the key words.

I wrote the encryption/decryption program in Listing 1 to study the result of encryption/decryption using different cipher keys, to develop cipher key generation and encryption/decryption subroutines that I can use in other programs, and to verify with a disk processing program that the subroutines perform as intended. The program's disk file processing section processes a random file of 20 records, each record including an integer record number

and a 62 byte string. You can easily change the program to increase the number of records or to increase or decrease string length.

The cipher key word input subroutine accepts uppercase letters A through Z and spaces for the key words. Each key word can have up to 26 letters or spaces. The subroutine computes and displays the length of the cipher key generated by the three key words. Use key words that contain a good mix of all letters. If the same letters are used repeatedly in all three key words, the cipher key will not be very random. If all three key words use only the letter Z, the encrypted string will be the same as the input string.

Key words with lengths equal to three different prime numbers generate a very long cipher key compared to the length of a cipher key generated by key words with lengths equal to the next higher even numbers. Key word lengths of 3, 5 and 7 generate a 105 byte cipher key while lengths of 4, 6 and 8 generate a cipher only 24 bytes long. The longest cipher key generated with key word lengths of 26 or less occurs when the lengths are 23, 25 and 26. With no letter repeated in any one key word, the cipher key will run for 14,950 bytes before the same sequence of more than 23 bytes is repeated.

The encryption/decryption subroutine accepts strings with a length of up to 256 bytes. Setting variable ED\$ to E encrypts the string; setting ED\$ to D decrypts the string. The subroutine encrypts all characters

with ASCII decimal codes 32-127 except ASCII decimal code 96, the lowercase @ sign. The subroutine substitutes lowercase @ for space (ASCII decimal code 32) on encryption; consequently, the subroutine decrypts any real uppercase @ as a space. The uppercase @ is used as a substitute for a space to prevent a pattern of low decimal values in the encrypted strings. The subroutine does not encrypt control codes with ASCII decimal codes 0-31; if these codes are in the input string, the subroutine passes them to the output string. The subroutine encrypts all graphic and space compression codes (ASCII decimal codes higher than 127) as uppercase @ signs (ASCII decimal 64). You may encrypt integer, single and double precision variables after you convert them to strings with the STR\$ function.

Encrypted characters or codes can have any decimal value from 33 to 205. Encryption does not produce any control codes that will interfere with printing or displaying the encrypted string or with writing or reading the string to and from a disk file. The last two lines of the subroutine display the decimal codes for output strings; systems without the lowercase modification display the lowercase ASCII codes as if they were uppercase.

Only one character of the cipher key is in memory at any one time. This character is a decimal value equal to 270 minus the ASCII decimal codes for one letter from each of the three key words. The cipher key value 0-78 is added to the ASCII decimal code of a character on encryption and subtracted from the decimal code value of a character for decryption. The key word input subroutine stores the ASCII decimal codes for each letter or space in the three key words in arrays N1%, N2% and N3% so they won't have to be repeatedly recomputed in the encryption/decryption subroutine. A blinking symbol in the upper right corner of the display assures the user that the program has not hung up or died.

The user and test records entry subroutine accepts up to 10

```

118 141 151 169 137 146 158
118 180 164 151 147 169 127
131 160 141 151 146 108 94
138 109 133 147 122 140 113
118 114 132 141 109 150 85

```

Figure 3

records for encryption/decryption. The subroutine prompts the user for generating three types of test records and for repeating the previous record to save time keying test data. Variable N% is a loop index and a switch for prompt messages in this subroutine. In addition, the encryption/decryption subroutine uses N% to reset key word character pointers M1%, M2% and M3% to the first character of each key word for each group of strings. In general, you should not reset the character pointers at regular intervals (after each record or string) to avoid a pattern of characters in encrypted data. This subroutine has optional code to compute the character rate per second for encryption/decryption.

The file processing sections create or initialize a disk file, add records to a file and print records from a file. File initialization creates file header and trailer records. The header record gives the number of the last user or data record in the file; additions to the file start with the next record. The trailer record marks the end of the file for the print routine. The key word character pointers are reset when the first encrypted record in the file or the first record of any additions to the file is processed. For additions to the file, the program resets the pointers when it encounters a flag in the last record preceding the file addition. This flag (K4%) is the first two letters from each of the key words. It is written into the leftmost six bytes of the last encrypted record of the original file and the last record of any additions to the file when the rightmost six characters of an input string are ENDEND. When the encryption/decryption subroutine finds the flag, the pointers are reset so the cipher key stays in step with the encrypted strings.

The timer code in the program indicates an encryption or decryption speed of approximately

YORK 10 BASF-DPS WORLD STANDARD TAPE



**MONEY BACK
GUARANTEE**


PREMIUM 5-SCREW
SHELL FITS ALL
STANDARD RECORDERS

COMPUTER GRADE BLANK CASSETTES

DATA TRAC / C-05, C-10, C-20



PHILIPS (NORELCO)
TYPE HARD BOXES



SOFT PROPYLENE
HINGED BOXES



6 CAPACITY
CASSETTE ALBUMS



TRACTOR FEED
BLANK DIE-CUT LABELS

**HERE'S WHAT
USERS SAY ABOUT YORK 10 CASSETTES:**

"We monitored the output to the computer with a specially built meter and found absolutely no dropouts throughout the tape..."
Stace Papadopoulos
Beaverton, OR

"Your price is slightly higher than the competition, but your quality is vastly superior..."
F. L. Brandon
Greenville, TX

"It's nice to have a tape you can rely on 100% of the time to perform with such quality. And the fast, courteous service was a pleasant surprise."
Tom Parkinson
Madison, OH

"Your price is right - your service and quality is excellent. We'll be doing business again!"
Richard P. Thrun
APO New York

YOU'VE TRIED THE REST,
NOW BUY THE BEST!



Call: 213/710-1430

for IMMEDIATE SHIPMENT
on Credit Card Orders.



ORDER NOW... YORK 10 Computerware

MAIL TO: 24573 Kittridge St., #80J, Canoga Park, CA 91307

ORDER FORM

ITEM	1 DOZEN	2 DOZEN	TOTAL
C-05	<input type="checkbox"/> 7.50	<input type="checkbox"/> 13.50	
C-10	<input type="checkbox"/> 8.00	<input type="checkbox"/> 14.40	
C-20	<input type="checkbox"/> 10.00	<input type="checkbox"/> 18.00	
Hard Box	<input type="checkbox"/> 2.50	<input type="checkbox"/> 4.00	
Soft Box	<input type="checkbox"/> 2.00	<input type="checkbox"/> 3.40	
6 Cap. Album @ \$6.95 each	quantity _____		
Blank labels	<input type="checkbox"/> 4.00/100	<input type="checkbox"/> 30.00/1000	
SUB TOTAL			
Calif. residents add 6% sales tax			
Shipping 1 doz. \$2; 2 doz. \$3.50; 3 doz. \$4.50			
each additional doz. \$.50			
For Parcel Post instead of UPS ADD \$1			
Outside Continental USA, ADD \$2			
TOTAL			

Each cassette includes two YORK 10 labels only. Boxes are sold separately. Shipments are by UPS unless Parcel Post requested.

Boxes, albums, & blank labels are free of shipping charges when ordered with cassettes. When ordered separately Minimum shipping is \$2.00

PLEASE SEND
QUANTITY
DISCOUNTS ☐

Check or M.O. enclosed ☐ Charge to Credit Card: ☐ VISA ☐ MASTERCARD

Card No. _____ Exp. _____

Name _____

Address _____

City _____ State/Zip _____

Signature _____

Computer make & model _____

DISCOUNT

COMPARE OUR
PRICES!

FREE
SHIPPING


*on all prepaid
cash orders
over \$50.

DISKIT III

MODEL III UPGRADE

FEATURES:

- Gold Plated Edge Connectors
- Switching Power Supply (Runs cooler)
- 40/80 Track supported
- Single/Dual Head supported
- Metal Disk Drive Brackets
- All Hardware and Cables for 2 Disk Drive
- 1 Hour or Less for Installation
- 100% Compatible
- No Soldering Needed
- 180 Days Warranty on Controller



DISKIT III
W/Out Drives

\$32900

DISKIT III
W/One Tandem
100-140 Tack Drive

\$54900

DISKIT III
W/Two Tandem
Disk Drives

\$76400

DEALER INQUIRIES WELCOME


EPSON

NEW LOWER PRICES!
WITH GRAPHTRAX
MX-80

MX-80 F/T

MX-100

CALL



THE NEW MICROBUFFER™

ACCEPTS DATA AS FAST AS
YOUR COMPUTER CAN SEND IT

MBP—16K Parallel \$159.00
MBS— 6K Serial \$159.00

INTERFACE CARDS

8141 (RS-232) \$ 75
8150 (2K Buffered RS-232) \$150
8161 (IEEE 488) \$ 55
8131 (Apple Card) \$ 85
8230 (Apple Cable) \$ 25
8220 (TRS-80 Cable) \$ 25

OKIDATA MICROLINE 82A \$ 549.00

OKIDATA MICROLINE 83A \$ 799.00

OKIDATA MICROLINE 84 \$1199.00

MODEL I complete MODEL III

DISK DRIVES

Includes Case, Power Supply
90 Days 100% Warranty

\$28995

BARE DRIVES

TANDON 5 1/4 INCH

100 1 SINGLE HEAD 40 TRK 229.00
100 2 DUAL HEAD 40 TRK 299.00
100 3 SINGLE HEAD 80 TRK 299.00
100 4 DUAL HEAD 80 TRK 429.00

MODEMS

UDS 103 LP DIRECT CONNECT 175.00
UDS 103 JLP AUTO ANS 209.00
HAYES MICROMODEM II (APPLE) 299.00
HAYES 100 MODEM (S-100) 325.00
HAYES SMART MODEM (RS-232) 249.00

DISKIT III IS A OF MDS

MOST ORDERS
SHIPPED WITHIN
ONE BUSINESS DAY
Products damaged in
transit will be
exchanged.

Prices, Specifications
and Offerings subject
to change without
notice.

WE ACCEPT
• VISA
• MASTER CHARGE
• CHECKS
• MONEY ORDERS
• C.O.D.

• ADD \$3.00 FOR SHIP-
PING & HANDLING
• \$6.00 EXTRA FOR
C.O.D.
• OHIO RESIDENTS
ADD 6% SALES TAX



MDS MICRO DATA SUPPLIES

22295 EUCLID AVE.
EUCLID, OHIO 44117
Call: (216) 481-1600

459

seven characters per second. Speed may not be much of a problem since, in many cases, you need to encrypt only certain fields in a file. In a payroll file you need to encrypt only the dollar fields to provide salary information security.

I assigned all variables in the program as integer (%) or string (\$) so if you merge the subroutines into other programs, the variable names and attributes will not conflict with variable names or with DEFINT or DEFSTR statements. You can change the number of records in the file and the length of the encrypted string making up the body of the record by assigning other values to the variables NR% and SL% at line 2830. You can change the values of NR% and SL% without making any other changes to the program. Keyboard input at line 3070 drops to the next line of the display after 62 characters are entered as a warning that too many characters have been entered for a 62 byte string.

There is little probability that

the encrypted character strings produced by the subroutine can be decrypted unless the key words used to generate the cipher key are known. This assumption is made with qualification—the keywords should contain a good mix of most of the letters of the alphabet and the cipher key length should be as long as or longer than the total length of the encrypted strings. Figure 3 is a list of 35 numbers representing the encrypted ASCII decimal codes for a 35 character message. If anyone decrypts the message in Fig. 3, I will admit there is a serious flaw in the encryption/decryption subroutine logic.

If you think you have decrypted the message, send it to me together with a stamped, self-addressed envelope for a reply. ■

Mr. Demberger is a retired Army officer and retired IBM systems engineer who has been working in the data processing field since 1949, and with small computers since 1965.

Program Listing

```

1000 ' PROGRAM NAME "CRYPTO"
1010 ' LANGUAGE: TRS/80 LEVEL II DISK BASIC
1020 ' AUTHOR : JAMES T. DEMBERGER
1030 '
1040 ' VARIABLE USAGE
1050 '
1060 ' CR$ COPYRIGHT STRING
1070 ' DS DATE
1080 ' EDS ENCRYPT/DECRYPT SWITCH
1090 ' F0$,F1$,F2$ RECORD FIELDS
1100 ' I% LOOP INDEX, COUNTER
1110 ' IN% SUBRECORDS PER SECTOR
1120 ' IR% RECORD NUMBER
1130 ' IS% SUBRECORD NUMBER
1140 ' J% LOOP INDEX, COUNTER
1150 ' K1$,K2$,K3$ USER'S KEY WORDS
1160 ' K4$ POINTER RESET FLAG
1170 ' L1$,L2$,L3$ LENGTH OF K1,K2,K3
1180 ' M% LOOP INDEX, COUNTER
1190 ' M1$,M2$,M3$ ARRAY POINTER TO N1,N2,N3
1200 ' N% SUBSCRIPT FOR RN ARRAY
1210 ' N1$,N2$,N3$ ASCII ARRAY FOR KEY WORD LETTERS
1220 ' NE% LAST RECORD SWITCH
1230 ' NF% FILE NAME
1240 ' NK% VALUE OF NTH CHARACTER OF ENCRYPTION KEY
1250 ' NR% NUMBER OF RECORDS
1260 ' NS% RESET SWITCH FOR EN/DECRYPT (FILE PROCESSING)
1270 ' RIS INPUT RECORD TO EN/DECRYPT SUBROUTINE
1280 ' RNS USER/TEST RECORDS TO BE EN/DECRYPT
1290 ' ROS OUTPUT RECORD FROM EN/DECRYPT SUBROUTINE
1300 ' RS% OPTION SWITCH
1310 ' SL% STRING LENGTH IN DISK RECORD
1320 ' TC% TOTAL CHARACTERS EN/DECRYPT
1330 ' TS% HAVE TIMER SWITCH
1340 ' T0%-T5% MINUTES/SECONDS COUNTERS
1350 '
1360 CLEAR MEM/2: DIM RNS(10): DIM CR$(3)
1370 CR$(1)="COPYRIGHT 1981 BY JAMES T. DEMBERGER"
1380 CR$(2)="7280 60TH AVE NO, ST PETERSBURG, FL 33709"
1390 CR$(3)="PHONE 813-546-1182: ONERRORGOTO 3570
1400 K1$=STRING$(26," "): K2$=STRING$(26," "): K3$=STRING$(26," ")
1410 R1$=STRING$(255," "): R0$=STRING$(255," ")
1420 DIM N1$(26), N2$(26), N3$(26): CLS: PRINTTAB(18)"CRYPTO PROGRAM"
1430 PRINTTAB(9) CR$(1): PRINTTAB(7) CR$(2): PRINTTAB(16) CR$(3)
1440 '
1450 ' DRIVER MENU
1460 '
1470 IF K4$="" THEN GOSUB 1640
1480 GOSUB 2680
    
```

Program continues

electronic mail

A PERFECT TRIO - The Hayes Stack Smartmodem, ACEMAIL, and the TRS-80. Now you can access other computers and information systems nationwide over the telephone!

The unique Automated Computer Electronic MAIL package allows you to send and receive ASCII files from your **COMPLETELY UNATTENDED TRS-80!** The new, highly sophisticated version 1.4 works in conjunction with the popular Hayes Stack Smartmodem featuring auto-answer/auto-dial, RS232C compatibility, 0-300 baud, 7 LED indicators, an audio monitor, over 30 commands, and is programmable in any language. ACEMAIL operates with NEWDOS/80 or DOSPLUS and is supplied on 'tiny' DOSPLUS - ready to run!

HAYES STACK SMARTMODEM - \$239
ACEMAIL SOFTWARE 1.4 - \$79



**NEW! 4 TIMES FASTER!!!
SMARTMODEM 1200 - \$649**

ACEMAIL 1200 - \$119

**ACE COMPUTER PRODUCTS
OF FLORIDA, INC.**

✓197



1640 N.W. 3rd St. Deerfield Beach, FL 33441
Data (305) 427-6300/Voice (305) 427-1257

MC/VISA accepted FL res. add sales tax Freight incl. (UPS ground-Cont. USA)

1-800-327-2283


Micro-Grip™

FRICION FEED FOR YOUR EPSON

MX-70* or MX-80*

*MX-70 and MX-80 are Trademarks of EPSON, Inc.

- Converts your printer for friction feed of SINGLE SHEETS or ROLL PAPER.
- SIMPLE Installation (all you need is a screwdriver, no soldering).
- Tractor feed remains undisturbed.
- Only **\$39⁹⁵**
(add \$1.50 for postage)



SATISFACTION GUARANTEED OR YOUR MONEY BACK



✓161

MICRO-GRIP, Ltd.
P. O. Box 4278

VISA & Master Card Accepted


Norton AFB, CA 92409

(714) 864-6643

**Computer
case
company**

AN OPEN AND SHUT CASE FOR COMPUTERS

RS204



Your sizable investment in your computer should be protected. If you have to load and unload your computer every time you want to move it, you must consider the possible damage. Computer Case Company has solved your computer protection problem. Once your equipment is safely inside the attache-style carrying case, it never has to be taken out again. Simply remove the lid, connect the power, and operate. For storage, disconnect the power, enclose your disks, working papers, and manuals in the compartments provided, and attach the lid. Case closed. Judge for yourself.

CALL TOLL FREE: (800) 848-7548

• RS201	TRS-80 Model I, Expansion Unit & Drives	\$109
• RS202	TRS-80 Monitor or TV set	84
• RS204	TRS-80 Model III	129
• RS205	Radio Shack Color Computer	89
• P401	Paper Tiger 440/445/460	99
• P402	Line Printer II/IV	89
• P403	Epson MX70, MX80 or IBM Matrix	89
• P404	Epson MX100	99
• CC80	Matching Attache Case (5")	85
• CC90	Matching Attache Case (3")	75
• CC91	Matching Accessory Case	95

5650 Indian Mound Court • Columbus, Ohio 43213 • (614) 868-9464



✓139



NEW TRS-80 SOFTWARE! From Single SOURCE Solution™

Single SOURCE Solution brings the TRS-80 owner new innovative software at the most reasonable prices in the industry. Unless specified, software is available on all models.

TRSFLOW™ 1.1—ONLY \$59.95

TRSFLOW™ 1.1—is a hydraulic model based upon the popular Hardy-Cross method of pipe network analysis. By telling the program certain system parameters such as the length, diameter and type of pipes, TRSFLOW™ calculates head values at up to 150 pipe junctions and the flows through 150 system elements. Within the 150 system elements, TRSFLOW™ can handle 10 pumps and 10 fixed head conditions. TRSFLOW™ allows the system designated to accurately determine pump and pipe sizes in any desired network. TRSFLOW™ works with level II Basic on TRSDOS.

FPSS™—FINANCIAL PACKAGE FOR SERVICE STATIONS—ONLY \$249.50

FPSS™ is a complete financial and bookkeeping package for Retail Petroleum Service Stations. FPSS is written in Microsoft Basic™ for the TRS-80 Model III. FPSS™, which includes a 90 page detailed User's Manual, offers specialized accounting modules tailored for the retail petroleum industry. FPSS™ is menu driven, keeps track of each sale, purchase, charge and collection of a service station, with daily, weekly, monthly or annual reports at the user's command. Inventory control is especially detailed, allowing for determining gasoline leakage. Commissions to employees can be tracked, with two commission rates setup.

TRS-ED™ VERSION 2.1—ONLY \$29.95

TRS-ED™ Version 2.1—is an ideal text editor for the personal computer owners who don't want a major course in word processing. A variety of different kinds of printers may be used. TRS-ED™ 2.1 provides features not available anywhere else at any price. Four different printed character methods may be chosen from, and the lower case conversion kit is not necessary unless you want to see in advance what you print. Commands are all single keyed. TRS-ED™ 2.1 is written in Basic. A handy command card is included for easy reference.

BISPLAN™—\$59.95

BISPLAN™ is a program for making business plans and projections. With BISPLAN™ you are led through screen prompts to enter data concerning your business plans. You can enter estimates of a business proposal that you are considering and produce projections of potential earnings. BISPLAN™ will help you assess: financing requirements, loan payoff rates, length of time before return on investment, and profit potential. Estimates can be projected up to five years, and dumped from screen to line printer. BISPLAN™ is menu driven and includes a manual. Available in 16K for the Model I with a more extensive version in Models II and III.

CONCRETE—\$19.95

Concrete—is a series of programs that allow owners of the pocket computer to calculate the material necessary for concrete work. The first program, Cement, is for figuring the amount of cement, sand and gravel necessary to build any given project. The second program, Steel, will determine the linear feet of reinforcing steel needed and its weight in metric tons. The third program, Earth, is for figuring the amount of earth which must be removed from a construction site in order to build footings, basements, etc.

Mail your order for any of the above software directly to: Single SOURCE Solution, 2699 Clayton Road, Concord, California 94519 or call (415) 680-0202.

✓458

Sales Opportunity


A few select territories available

Join a fast growing company involved in the microcomputer industry as a direct salesman. Sales involve our wide selection of books, four publications and software. We are looking for a non-smoking individual with a good sales background and a basic understanding of microcomputers. An excellent career awaits the person who wants to be "on his own." It will be the responsibility of our direct salesman to become familiar with all makes of computers and their sales outlets, amateur radio and electronic stores, book stores, and other outlets for our products in your given territory. We will also add other lines as they become available. Arrangements are being made to coordinate efforts with some other firms in the

area, including a major printer manufacturer. We offer an excellent growth potential with a highly motivated, young corporation. If you or someone you know is interested in the opportunities available at Wayne Green Inc., please submit your background in detail, including sales experience, recent work history, knowledge of the microcomputing industry, educational background and references to:

Sales Manager
Wayne Green, Inc.
Peterborough, NH 03458

All replies will be immediately acknowledged and held in the strictest of confidence.



WAYNE GREEN, INC.
(E-10) Pine Street
Peterborough, N.H. 03458

Program continued

```

1490 PRINT:PRINT" TEST OPTIONS"
1500 PRINT"EN/DECRYPT USER RECORDS - ENTER R"
1510 PRINT"EN/DECRYPT TEST RECORDS - ENTER T"
1520 PRINT"CHANGE CYPHER KEY - ENTER K"
1530 PRINT"PROCESS DISK FILE - ENTER F"
1540 PRINT" END PROGRAM - ENTER E": PRINT" ENTER OP
TION
1550 RS$=INKEY$: IF RS$="" THEN 1550 ELSE PRINT"OPTION "; RS$: PR
INT
1560 IF RS$="R" OR RS$="T" THEN GOSUB 2220: GOTO 1490
1570 IF RS$="K" THEN GOSUB 1640: GOTO 1490
1580 IF RS$="F" THEN 2740 ELSE IF RS$="E" THEN 1600
1590 PRINT"NOT R T K F OR E": GOTO 1490
1600 CLS: PRINT"END OF PROGRAM": END
1610 ' END DRIVER MENU
1620 '
1630 ' KEY WORD INPUT SUBROUTINE
1640 PRINT: PRINT" CYPHER KEY INPUT": PRINT
1650 PRINT"ENTER THREE KEY WORDS/LINES FOR THE CYPHER KEY"
1660 PRINT"USE ONLY UPPERCASE CHARACTERS A THRU Z OR SPACE"
1670 FOR I%=1 TO 3: IF I%=1 THEN RI$=K1$: GOTO 1690
1680 IF I%=2 THEN RI$=K2$ ELSE IF I%=3 THEN RI$=K3$
1690 PRINTUSING"OLD KEY WORD/LINE # ";I%: PRINT RI$: RS$=""
1700 PRINTUSING"NEW KEY WORD/LINE # ";I%: LINEINPUT RI$
1710 PRINTUSING" WORD/LINE LENGTH ##": LEN(RI$)
1720 FOR J%=1 TO LEN(RI$)
1730 IF MID$(RI$,J%,1)="" THEN MID$(RI$,J%,1)="@": GOTO 1770
1740 IF MID$(RI$,J%,1)<"A" THEN 1760
1750 IF MID$(RI$,J%,1)>"Z" THEN 1760 ELSE 1770
1760 PRINT"MUST BE UPPERCASE CHARACTERS A-Z OR SPACE": GOTO 1700
1770 IF J%>26 THEN PRINT"<1 OR >26 CHARACTERS, RE-": GOTO 1490
1780 IF I%=1 THEN K1$=RI$: N1$(J%)=90-ASC(MID$(RI$,J%,1)): GOTO 1810
1790 IF I%=2 THEN K2$=RI$: N2$(J%)=90-ASC(MID$(RI$,J%,1)): GOTO 1810
1800 IF I%=3 THEN K3$=RI$: N3$(J%)=90-ASC(MID$(RI$,J%,1))
1810 NEXT: NEXT
1820 K4$=LEFT$(K1$,2)+LEFT$(K2$,2)+LEFT$(K3$,2)
1830 L1$=LEN(K1$): L2$=LEN(K2$): L3$=LEN(K3$)
1840 I%=26: IF L1<I% THEN I%=L1
1850 IF L2<I% THEN I%=L2 ELSE IF L3<I% THEN I%=L3
1860 J%=I%
1870 IF INT(I%/L1%)=I%/L1% THEN 1880 ELSE 1900
1880 IF INT(I%/L2%)=I%/L2% THEN 1890 ELSE 1900
1890 IF INT(I%/L3%)=I%/L3% THEN 1910 ELSE 1900
1900 I%=I%+J%: GOTO 1870
1910 PRINTUSING"GENERATED CYPHER KEY LENGTH IS ##### BYTES": I%
1920 PRINT: RETURN
1930 ' END KEY WORD INPUT SUBROUTINE
1940 '
1950 ' ENCRYPT/DECRYPT SUBROUTINE
1960 IF LEN(RI$)<1 THEN PRINT"NO DATA": STOP
1970 IF ED$="E" THEN PRINT"EN": GOTO 2000
1980 IF ED$="D" THEN PRINT"DE": GOTO 2000
1990 PRINT"EN/DECRYPT SWITCH NOT E OR D": STOP
2000 PRINT"CRYPT TEXT"
2010 RO$="": IF N%=1 OR N$=1 THEN M1%=1: M2%=1: M3%=1: N$=0
2020 FOR J%=1 TO LEN(RI$)
2030 IF POINT(127,2) THEN RESET(127,2): SET(127,1): GOTO 2050
2040 RESET(127,1): SET(127,2)
2050 I%=ASC(MID$(RI$,J%,1)): IF I%<32 THEN 2090
2060 IF ED$="E" THEN IF I%=32 THEN I%=96 ELSE IF I%>127 THEN I%=
64
2070 NK%=N1$(M1%)+N2$(M2%)+N3$(M3%)
2080 IF ED$="E" THEN I%=I%+NK% ELSE I%=I%-NK%: IF I%=96 THEN I%=
32
2090 RO$=RO$+CHR$(I%)
2100 IF M1%=L1% THEN M1%=1 ELSE M1%=M1%+1
2110 IF M2%=L2% THEN M2%=1 ELSE M2%=M2%+1
2120 IF M3%=L3% THEN M3%=1 ELSE M3%=M3%+1
2130 NEXT: IF ED$="E" THEN 2150 ELSE IF LEFT$(RO$,6)<>K4$ THEN 2
150
2140 RO$=RIGHT$(RO$, (LEN(RO$)-6)): M1%=1: M2%=1: M3%=1
2150 PRINT RO$
2160 ' RETURN "CHANGE TO REM TO ACTIVATE CODE PRINT
2170 FOR J%=1 TO LEN(RO$): PRINTUSING"### ";ASC(MID$(RO$,J%,1)):
2180 NEXT: PRINT: RETURN
2190 ' END ENCRYPT/DECRYPT SUBROUTINE
2200 '
2210 ' USER & TEST RECORDS ENTRY SUBROUTINE
2220 INPUT"NUMBER OF RECORDS TO ENCRYPT - 10 OR LESS ";NR%
2230 IF NR%<1 OR NR%>10 THEN 2220 ELSE IF RS$="R" THEN 2280
2240 PRINT"FOR CHARACTERS WITH ASCII CODES:"
2250 PRINTTAB(13)"32 TO 127 ENTER <TESTP>"
2260 PRINTTAB(14)"0 TO 127 ENTER <TESTA>"
2270 PRINT" FOR 100 LETTER <X> ENTER <CHARX>"
2280 FOR N%=1 TO NR%
2290 PRINTUSING"REC NO ## ENTER TEXT": N%;
2300 IF N%=1 THEN PRINT: GOTO 2320
2310 PRINT" - TO DUPLICATE PREVIOUS RECORD ENTER <.,/>"
2320 LINEINPUT RN$(N%): IF RN$(N%)="" THEN 2290
2330 IF N%=1 THEN 2350
2340 IF RN$(N%)="" THEN J%=N%-1: RN$(N%)=RN$(J%): GOTO 2420
2350 IF LEFT$(RN$(N%),4)="" THEN 2360 ELSE 2370
2360 RN$(N%) = STRING$(100, (MID$(RN$(N%),5,1))) : GOTO 2420
2370 IF LEFT$(RN$(N%),5)="" THEN 2380 ELSE 2400
2380 RN$(N%)="" : FOR J%=0 TO 127
2390 RN$(N%)=RN$(N%)+CHR$(J%): NEXT: GOTO 2420
2400 IF LEFT$(RN$(N%),5)="" THEN 2410 ELSE 2430
2410 RN$(N%)="" : FOR J%=32 TO 127: RN$(N%)=RN$(N%)+CHR$(J%): NEXT
2420 PRINT RN$(N%)
2430 NEXT
2440 IF TS%=1 THEN GOSUB 2590
2450 ED$="E": FOR N%=1 TO NR%: PRINTUSING"REC NO ## "; N%;
2460 IF TS%=1 THEN TC%=TC%+LEN(RN$(N%))
2470 RI$=RN$(N%): GOSUB 1960: RN$(N%)=RO$: NEXT
2480 IF TS%=1 THEN GOSUB 2590: GOSUB 2590
2490 ED$="D": FOR N%=1 TO NR%: PRINTUSING"REC NO ## "; N%;
2500 IF TS%=1 THEN TC%=TC%+LEN(RN$(N%))
2510 RI$=RN$(N%): GOSUB 1960: NEXT
2520 IF TS%=1 THEN GOSUB 2590
2530 RETURN
2540 ' TIMER SUBROUTINE
2550 'DELETE GOTO LINES IN NEXT THREE LINES TO REMOVE TIMER CODE
2560 ON TS% GOTO 1320,1330,1340,1480,2440,2460,2480,2500
2570 ON TS% GOTO 2520,2540,2550,2560,2570,2580,2590,2600,2610

```


Program continues

Program continued

```

2580 ON TS% GOTO 2620,2630,2640,2650,2660,2670,2680,2690,2700
2590 IF T0%=1 THEN 2610 ELSE T0%=1
2600 T1%=VAL(MID$(TIMES,13,2)): T2%=VAL(MID$(TIMES,16,2)): RETURN
2610 T0%=0: T3%=VAL(MID$(TIMES,13,2)): T4%=VAL(MID$(TIMES,16,2))
2620 IF T2%<T4% THEN 2630 ELSE T4%=T4%+60: T3%=T3%-1
2630 IF T1%<T3% THEN 2640 ELSE T3%=T3%+60
2640 T5%=T4%-T2%: T5%=T5%+60*(T3%-T1%)
2650 PRINTUSING"TOTAL CHAR ##### SECONDS #### "; TC%,T5%;
2660 IF T5%=0 THEN TC%=0: PRINT: RETURN
2670 PRINTUSING"CHAR/SEC ##.##"; TC%/T5%: TC%=0: RETURN
2680 INPUT"TIME EN/DECRYPTION? ENTER 1 FOR YES "; TS%
2690 PRINT: IF TS%=1 THEN RETURN ELSE TS%=0: RETURN
2700 ' END TIMER SUBROUTINE
2710 ' END USER & TEST RECORDS SUBROUTINE
2720 '
2730 ' FILE PROCESSING MENU
2740 PRINT: PRINT " FILE PROCESSING": IF D$="" THEN 2750 ELSE
2770
2750 PRINT: LINEINPUT"ENTER DATE (MM/DD/YY) "; D$
2760 IF LEN(D$)<>8 THEN PRINT"RE-": GOTO 2750
2770 PRINT: PRINT"ADD RECORDS TO FILE - ENTER A"
2780 PRINT:PRINT RECORDS - ENTER P"
2790 INPUT"RETURN TO MAIN MENU - ENTER M"; RS$: IF RS$="M" THEN
1490
2800 IF RS$="A" OR RS$="P" THEN 2810 ELSE PRINT"NOT A P M": GOTO
2770
2810 PRINT: LINEINPUT"ENTER FILE NAME OR <ENTER> "; NF$
2820 IF NF$="" THEN 1490
2830 OPEN "R",1,NF$: M%=1: NE%=0: NR%=20: SL%=62
2840 IF SL%+2>256 THEN STOP ELSE IN%=INT(256/(SL%+2))
2850 IR%=INT((M%-1)/IN%)+1: IS%=M%-IN%*(IR%-1)
2860 FIELD 1, ((IS%-1)*(SL%+2)) AS F0$, 2 AS F1$, SL% AS F2$
2870 GET 1,1: PRINT"FILE HEADER (RECORD 1) ="
2880 PRINTUSING"### "; CVI(F1$): PRINT F2$: CLOSE: PRINT
2890 IF LEFT$(F2$,8)="CRYPPFILE" THEN 2930
2900 PRINT"FILE DOES NOT EXIST - ENTER C TO CREATE"
2910 LINEINPUT" ENTER R TO REENTER NAME "; F1$
2920 IF F1$="C" THEN 3450 ELSE 2810
2930 IF RS$="A" THEN SR%=CVI(F1$)+1: GOTO 3000
2940 INPUT"ENTER STARTING RECORD NUMBER "; SR%
2950 IF SR%>0 AND SR%<NR% THEN 3300
2960 PRINTUSING"<1 OR>##, RE-"; NR%: GOTO 2940
2970 ' END FILE PROCESSING MENU
2980 '
2990 ' ADD RECORDS ROUTINE
3000 PRINT: PRINT" ADD RECORD ROUTINE"
3010 PRINT"ADD THE WORD ENDEND TO LAST RECORD TO BE ADDED"
3020 PRINT" THE WORD ENDEND TERMINATES ADD ROUTINE"
3030 NS%=1: N%=0: OPEN "R",1,NF$
3040 FOR M%=SR%TONR%: IR%=INT((M%-1)/IN%)+1: IS%=M%-IN%*(IR%-1)
3050 FIELD 1, ((IS%-1)*(SL%+2)) AS F0$, 2 AS F1$, SL% AS F2$
3060 GET 1,IR%
3070 PRINT: PRINTUSING"ENTER REC ##"; M%: LINEINPUT"
"; RI$
3080 'LINEINPUT ABOVE IS QUOTE, DOWN ARROW, SPACE, SPACE, QUOTE
3090 IF LEFT$(RI$,6)="K4$ THEN PRINT"USED K4 FLAG - REENTER": GOT
O 3070
3100 IF LEN(RI$)>0 AND LEN(RI$)<=SL% THEN 3120
3110 PRINTUSING"LENGTH < 1 OR >###"; SL%: GOTO 3070
3120 IF RIGHT$(RI$,1)="" THEN RI$=LEFT$(RI$,LEN(RI$)-1): GOTO
3120
3130 IF RIGHT$(RI$,6)<>"ENDEND" THEN 3150
3140 NE%=1: RI$=LEFT$(RI$,LEN(RI$)-6): RI$=K4$+RI$: GOTO 3160
3150 IF RIGHT$(RI$,1)="" THEN RI$=LEFT$(RI$,LEN(RI$)-1): GOTO
3150
3160 ED$="E": GOSUB 1960: LSET F2$=RO$: LSET F1$=MKIS(M%)
3170 PUT 1,IR%: IF NE%=1 THEN 3180 ELSE NEXT M%
3180 RI$=STR$(M%): RI$=MID$(RI$,2,4): J%=M%: M%=M%+1
3190 RO$="CRYPPFILE NAME "+NF$+" UPDATED "+D$+" LAST RECORD "+RI$
3200 IR%=INT((M%-1)/IN%)+1: IS%=M%-IN%*(IR%-1): PRINTJ%,M%,IR%;I
S%
3210 FIELD 1, ((IS%-1)*(SL%+2)) AS F0$, 2 AS F1$, SL% AS F2$
3220 GET 1,IR%: LSET F2$=RO$: LSET F1$=MKIS(M%)
3230 PUT 1,IR%: M%=1: IR%=INT((M%-1)/IN%)+1: IS%=M%-IN%*(IR%-1)
3240 FIELD 1, ((IS%-1)*(SL%+2)) AS F0$, 2 AS F1$, SL% AS F2$
3250 GET 1,IR%: LSET F2$=RO$: LSET F1$=MKIS(J%)
3260 PUT 1,IR%: CLOSE: PRINT"END ADD RECORDS": PRINT: GOTO 2740
3270 ' END ADD RECORDS ROUTINE
3280 '
3290 ' PRINT ROUTINE
3300 PRINT: PRINT" PRINT ROUTINE": PRINT: NS%=1: N%=0
3310 OPEN "R",1,NF$
3320 FOR M%=SR%TONR%: IR%=INT((M%-1)/IN%)+1: IS%=M%-IN%*(IR%-1)
3330 FIELD 1, ((IS%-1)*(SL%+2)) AS F0$, 2 AS F1$, SL% AS F2$
3340 GET 1,IR%: IF M%>1 AND LEFT$(F2$,8)="CRYPPFILE" THEN 3410
3350 IF M%=1 THEN PRINT"FILE HEADER (RECORD 1) =" ELSE GOTO 3370
3360 PRINTUSING"### "; CVI(F1$): PRINT F2$: NEXT M%
3370 ED$="D": RI$=F2$: PRINTUSING"REC ## "; M%:
3380 IF RIGHT$(RI$,1)="" THEN RI$=LEFT$(RI$,LEN(RI$)-1): GOTO
3380
3390 GOSUB 1960 'RO$ PRINTED BY ENCRYPT/DECRYPT SUBROUTINE
3400 NEXT M%
3410 CLOSE: PRINT: PRINT" END PRINT ROUTINE": GOTO 2740
3420 ' END PRINT ROUTINE
3430 '
3440 ' CREATE FILE ROUTINE
3450 OPEN "R",1,NF$
3460 FOR M%=1TONR%: IR%=INT((M%-1)/IN%)+1: IS%=M%-IN%*(IR%-1)
3470 FIELD 1, ((IS%-1)*(SL%+2)) AS F0$, 2 AS F1$, SL% AS F2$
3480 IF M%>2 THEN 3520 ELSE RO$=STRING$(10,32)
3490 LSET RO$=NF$: J%=1: RI$=STR$(J%): RI$=MID$(RI$,2,4)
3500 RO$="CRYPPFILE NAME "+RO$+" UPDATED "+D$+" LAST RECORD "+RI$
3510 LSET F2$=RO$: LSET F1$=MKIS(J%): GOTO 3530
3520 RO$=STRING$(SL%,CHR$(32)): LSET F1$=MKIS(M%): LSET F2$=RO$
3530 PUT 1,IR%: NEXT M%: CLOSE: PRINT NF$+" FILE CREATED": GOTO
2740
3540 ' END PRINT ROUTINE
3550 '
3560 ' ERROR TRAP
3570 CLOSE: PRINT"ERROR ";ERR/2+1;" AT LINE ";ERL
3580 PRINT"WANT TO CONTINUE OR TO ABORT? C/A "
3590 RS$=INKEY$: IF RS$="" THEN 3590
3600 IF RS$="C" THEN RESUME 1490 ELSE RESUME 1600
3610 '
3620 ' LAST LINE CRYPTO PROGRAM

```



RETRIEVAL SYSTEM 80

Instantaneous access to all the articles and programs in 80-micro* for TRS-80* users:

Fast random access retrieval.

Super fast Z80* index search and scan.

Index search by one to three criteria keys.

Help-page: displays all keys by category.

Hardcopy any displayed article index.

Easy to use single entry menu commands.

ARCHIVE RETRIEVAL SYSTEM

Create and maintain your own magazine archives with all of the above great features, plus:

User defined search keys.

Z80 data entry and edit routines.

Super fast in-memory key file sorting.

Up to 500 model I and 1000 model III records.

READY TO RUN DATA DISKS

No typing necessary.

Entire year of 80 microcomputing*.

Covers every article and program published.

General and programmers' archives'

programs disks for use with both of the above.

Retrieval System 80 **29.95**

Archive Retrieval System **44.95**

General Data 80 & 81 each **29.95**

Program Data 80 & 81 each **29.95**

Rainbow Software Services catalogue only \$3.

(Catalogue price applied toward your first order)

For 48K I/III 2 Disk TRSDOS* and NEWDOS/80* 2.0

MAIL ORDERS:

Rainbow Software Services Ltd.

7070B Farrell Road Southeast

Calgary, Alberta. T2H 0T2 Canada

VISA AND MASTERCARD ORDERS:

1 (403) 253-6142

TRS-80 Registered Trademark of Tandy Corporation

80-micro Registered Trademark of 1001001 inc.

Z80 Registered Trademark of ZILOG Corporation

TRSDOS Registered Trademark of Tandy Corporation

NEW DOS/80 Registered Trademark of Apparat inc.

Dealer inquiries welcome.

CANADIAN COMPUTER SERVICES

460

Eight-bit printer driver for the Color Computer.

LP VII Patch for the CC

Roger L. Degler
814 W. Keating Ave.
Mesa, AZ 85202

The Radio Shack Color Computer is simple to use, interface to, and expand. Despite the TRS-80C's simplicity (in terms of design, construction, and ease of use), it is an amazingly powerful machine. However, TRS-80C is not perfect.

I am dissatisfied with the line printer driver routine contained in the Color Basic ROM. The link

between the printer and the computer is serial RS-232. For some reason, Radio Shack and Microsoft decided that seven data bits, rather than eight, are adequate. For most printers it probably is.

But Radio Shack introduced the low-cost (less than \$400) Line Printer VII as a mate to the Color Computer. It requires the eighth bit for its graphics mode. This dot-matrix printer can print upper and lowercase ASCII characters and dot-controlled graphics. It connects easily to the TRS-80C via an inexpensive four-wire cable and works well for the alphanumeric characters.

However, to use the dot-controlled graphics mode you must send eight data bits with the most significant bit set. If the computer sends only seven bits, how can you send the eighth bit? Radio Shack claims it is easy. Simply go to your local Radio Shack store or Computer Center and get a copy of a program catalog number 700-2013. (Take your own tape to the store and Radio Shack will copy it to your tape at no charge.) That would be fine if the stores could get the program themselves.

After waiting three months for the local Computer Center to receive their copy I gave up and wrote one myself (see Program Listing 1).

How the Program Works

In the Color Basic ROM, at address \$A282, is a subroutine I call OUTCH for Output Character. This subroutine outputs the character which is in the A register to whichever output device you have specified (the screen, line printer, or the cassette re-

ues normally. If, however, a JMP instruction is present in the trap (addresses \$0167-\$0169), you can divert control from the ROM subroutine into a RAM resident routine to do whatever you like.

Program Listing 1 is divided into two sections—Start and Here. The Start section saves the current contents of the RAM trap and installs a JMP instruction that transfers control to the Here section every time OUTCH is called. The Start section should be executed only once

"I am dissatisfied with the line printer driver routine contained in the Color Basic ROM."

The Key Box

Color Computer
4K RAM
Editor/Assembler
8-bit serial line printer

corder). This subroutine starts with a JSR \$0167 instruction. This is a call to a RAM trap at address \$0167. When you turn on or reset the computer this address contains an RTS instruction (\$39). If the RTS instruction is still intact the effect of the trap is nil. Control returns to OUTCH and processing contin-

ues after loading the program into memory.

The Here section takes control each time OUTCH is called. It determines if the output device is to be the printer, and if so, it makes sure the character is output with eight data bits rather than seven. If the output device is not the line printer, then

the instruction which was originally in the trap location is executed. In Color Basic this will be an RTS instruction which returns control to OUTCH. In Extended Color Basic this will be a JMP instruction to a routine at address \$8273. In either case, if the output device is not the line printer, then control returns to wherever the original trap would have sent it.

When Here determines that the line printer is the output device, the logic starting at label A@ gets the ROM-resident line-printer driver to output the full eight data bits and then JMPs into the middle of the ROM driver so that it will carry out this

task. The comment, "out 1 stop bit," in Listing 1 is not an error. It should be a start bit, but the order in which the ROM driver works is: output one stop bit, output one start bit, output seven (or eight) data bits, and output one stop bit. The first step seems out of place, but it works.

The program is position independent. You can load it into any available memory and execute it there at label Start. The program sets up the trap so that control is transferred to Here no matter where Here is.

You may load the program into your computer with POKE statements and then save it to cassette using Extended Color

```

0001 0600          NAM  PRTRV
                    *****
                    *
                    * PATCH TO ALLOW 8-BIT SERIAL *
                    * TO THE LINE PRINTER SO THAT *
                    * GRAPHICS MAY BE PRINTED.   *
                    *
                    * ** POSITION INDEPENDENT **  *
                    *
                    * AUG. 15, 1981  12:30 AM    *
                    * ROGER L. DEGLER          *
                    *****

0002 0600          ORG  $0000

0003 0000          TRAP EQU $0167      'OUTCH' TRAP
                    *
                    * INITIAL START-UP
                    *

0004 0000 8E0167    START LDX  #TRAP      SAVE OLD TRAP
0005 0003 A684      LDA  0,X
0006 0005 A78D001B  STA  EXIT,PCR
0007 0009 EC01      LDD  1,X
0008 000B ED8D0016  STD  EXIT+1,PCR

0009 000F 867E      LDA  #$7E          SET NEW TRAP
0010 0011 A784      STA  0,X
0011 0013 308D0004  LEAX HERE,PCR
0012 0017 BF0168    STX  TRAP+1

0013 001A 39        RTS                RETURN TO CMND LOOP

                    *
                    * VECTOR TO HERE FOR EVERY
                    * CALL TO 'OUTCH'
                    *

0014 001B 3404      HERE PSHS B          SAVE B
0015 001D D66F      LDB  <$006F        TST FOR PRTR
0016 001F 5C        INCB
0017 0020 3504      PULS B
0018 0022 2B03      BMI  A@           BR IF YES
0019 0024 000000    EXIT BSZ  3        NO -- OLD TRAP
                    *
0020 0027 3262      A@  LEAS 2,S        BUMP RTRN ADR
0021 0029 3417      PSHS CC,A,B,X     SAVE REGS
0022 002B 1A50      ORCC #$50         DISABLE INTRPTS
0023 002D BDA2FB    JSR  $A2FB        OUT 1 STOP BIT
0024 0030 C609      LDB  #9           B=BIT CTR
0025 0032 3404      PSHS B            SAVE CTR ON STK
0026 0034 5F        CLRB              CLR C-BIT

0027 0035 7EA2CC    JMP  $A2CC        BACK TO ROM

0028 0038          END  START

```

Program Listing 1

SOFTWARE CONCEPTS DALLAS TEXAS

AVIATION PROGRAMS

- Pilot Flight Planning
- Financial Trip Information
- Flight Plan Revisions
- Determination of optimum altitude
- Area Navigation
- Course Reversal
- IFR Alternate
- Great Circle Courses
- Cost Projections
- Cash Flow
- Weight & Balance
- More

Aviation (Model III disk only)..... \$99.00

RETAIL INVENTORY CONTROL

- Maintain Inventory
- Sales Register
- Full Editing
- User Configured
- Track Backorders
- Tracks Re-order Time
- Prints Purchase Orders
- More

Retail Inventory (Mod I/III Disk)\$99.00

With Cash Register Module\$148.00

THE DISASSEMBLER

- Disassemble Command Files
- Generate EDAS Source Code
- Insert User Defined Labels
- Generate ORG's & EQUates

The Disassembler (MOD I/III Disk) \$39.00

EDAS \$75.00

ELECTRA SKETCH

- Screen Graphics
- Mix Graphics & Text
- Dump Screen to MX-80
- Movie Display Mode
- Load Screens Fromom BASIC
- Instant Recall of Screens
- More

Electra Sketch (Mod I/III Disk) \$29.00

FINE LINE

- Graphics Drawing in COLOR!
- Movie Mode
- Save screens to Tape

Fine Line (Color 16K Tape)\$34.00

(Most TRS software available at similar discounts. CALL!)

SOFTWARE CONCEPTS
105 Preston Valley Shopping Center
Dallas, Texas 75230

Our retail store is located at the SW corner of
Preston & LBJ

(214) 458-0330

MasterCard, Visa, American Express, COD

COLORQUEST™ presents the ADVENTURE TRILOGY

A machine code, high-res Adventure Game

for the TRS-80C™ Color Computer


This TRILOGY OF 3-D FANTASY GAMES takes you to the **WORLD UNDER THE CIMEON MOON**. Engage in ritual combat with Tooamoath Narthokc Monsters and skilled warriors. Advance in rank with play experience. Then adventure through **DAZMAR'S UNDERWORLD OF DOOM** to the forbidden ruins of Castle Argaan. Search for the Eye of Dazmar while avoiding the sorcerer's intricate traps. Survivors must then negotiate the perilous peaks of the Ugrek Mountains to the **FORSAKEN GULCH** where the wicked idol awaits restoration.

16K Tape \$24.95 (Ext. Basic not reqd.)

32K Disk \$29.95



by Kevin Herrboldt
and Tim Nelson



The TRILOGY CONTEST

Conquer the TRILOGY and win the new COLORQUEST adventure
BEYOND THE CIMEON MOON


The **GRAND PRIZE**, a Super "Color" Writer & Super "Color" Terminal ROMPAK or DISK program-set valued at up to \$170.00, will be drawn from the winning entries. Consult the September issue of **COLOR COMPUTER NEWS** published by REMarkable Software at 1781 5th Street, Muskegon, MI, 49441; (616) 728-9100 for contest details, or see **RULES** with the game.

When ordering include \$2.00 for shipping. Extra \$2.00 for C.O.D.

DEALER INQUIRIES INVITED



**NELSON
SOFTWARE
SYSTEMS**



P.O. Box 19096 - Minneapolis, MN 55419 - 612/827-4703

TRS-80C is a registered trademark of Tandy Corp.

Basic's CSAVEM command. A much simpler method is to use a monitor program such as CBug from The Micro Works.

The program listing starts at address \$0000. Since the program is position independent, do not load the program at that address. Rather, depending upon how much RAM you have in your system, select an address high out of the way of your Basic program. You can protect this top end of memory from being overwritten by Basic via the Clear command.

The Line Printer VII has a three-position slide switch on its back for selecting the desired interface. The three choices are seven-bit serial, eight-bit serial, and Centronics-compatible parallel. The normal selection for use with a TRS-80C is seven-bit serial. With the switch in the eight-bit serial position, and without this program, the printer accepts data from the computer, but never prints it because the computer is sending seven-bit data followed by two stop

bits. This appears to the printer as eight-bit data followed by one stop bit with the eighth data bit always high. This makes it impossible for the printer to recognize any of the control codes necessary to begin the print cycle.

Each time you turn on your computer you must load this program via the CLOADM command and execute it via the EXEC command. You can then put the switch into the eight-bit serial position and all will be well. All normal alphanumeric characters will print normally, and you may use the dot-controlled graphics mode at will. You must refer to the user's manual for your printer to see what control codes to send to achieve the desired results.

Program Listings 2-4 are short programs demonstrating that the new eight-bit program in Listing 1 works correctly. ■

*Mr. Degler is president of
Micro Technical Products Inc.*

```
10 PRT=-2
20 PRINT #PRT,CHR$(18);
30 FOR CC=0 TO 127
40 MD=CC-INT(CC/12)*12
50 IF MD>6 THEN MD=12-MD
60 CHAR=1
70 IF MD=0 THEN 90
80 FOR I=1 TO MD: CHAR=CHAR*2: NEXT I
90 CHAR=CHAR+128
100 PRINT #PRT,CHR$(CHAR);
110 NEXT CC
120 PRINT #PRT,CHR$(30)
130 END
```

'Printer device #.
'Select graphics mode.
'CC = Column Counter.
'Calculate modulo 12.
'Calculate correct bit pattern.
'Set MSB.
'Output character to printer.
'Advance to next column.
'Select character mode.

Program Listing 2

```
10 PRT=-2
20 '
30 LBS=CHR$(128+64)
40 MBS=CHR$(128+8)
50 HBS=CHR$(128+1)
60 LVS=CHR$(128+8+16+32+64)
70 HVS=CHR$(128+1+2+4+8)
80 CYS=LVS+MBS+MBS+HVS+HBS+HBS+HVS+MBS+MBS+LVS+LBS+LBS 'Cycle string.
90 '
100 PRINT #PRT,CHR$(18);
110 FOR CC=1 TO 20
120 PRINT #PRT,CYS;
130 NEXT CC
140 PRINT #PRT,CHR$(30)
150 END
```

'Printer device #.
'Low Bar string.
'Middle Bar string.
'High Bar string.
'Low Vertical string.
'High Vertical string.
'Cycle string.
'Select graphics mode.
'CC = Cycle Counter
'Select character mode.

Program Listing 3

```
10 PRT=-2
20 PRINT #PRT,CHR$(18);
30 FOR I=128 TO 255
40 PRINT #PRT,CHR$(I);
50 NEXT I
60 PRINT #PRT,CHR$(30)
70 END
```

'Printer device #
'Select graphics mode.
'Output graphics character with MSB set.
'Select character mode.

Program Listing 4

SECURE PROGRAMS

WITH

COPY-NOT

CODE 4's BIG BROTHER IN THE
OPERATING SYSTEM. NOW WITH
COPY-NOT "BASIC" SOFTWARE
AUTHORS BECOME THE SOLE SOURCE
OF THEIR LABORS NOT PIRATES.

Send Money Order or Check for

\$275.00

TO: **HPB VECTOR CO.**



130 Center St., E. Stroudsburg, PA 18301
Allow 4-5 Weeks for Delivery

COPY-NOT IS FOR USE WITH A TRS80 MODEL I
LEVEL 2 BASIC WITH DISK DRIVES.
P.S. MONEY ORDERS ARE RUSH ORDERS.

✓ 487

NO.

FOR
**COLOR
COMPUTER
PRODUCTS**

GAMES

Arcade Graphics • Strategy Adventure •
Invaders • Pac Attack • Storm • Magikube
• Cave Hunter • Berserk • Maze Race •
Calixto Island • Black Sanctum •
Starship Chameleon

HOME & WORK

Home Money Minder • Finance
• Scribe Word Processor •
Color Data Organizer • Address Factory
• 3D Drawing Board

PROGRAMMING AIDS

PASCAL • Diagnostics • Editor •
Assembler • Monitor
• Macro Assembler

CASSETTE & DISKETTE

HARDWARE

16K • Memory Expansion
• Modems • Printers •
Lower Case Adapter
• 64K Memory • TV Adapter

ACCESSORIES • SUPPLIES • BOOKS

Dealer Inquiries Invited

Call or Write:



COMPUTERWARE®

6809 Specialists

Dept C. • Box 668
Encinitas, CA 92024 • (714) 436-3512


Computerware is a trademark of Computerware

✓ 369



CHECK US FIRST!

for
DISCOUNT TRS-80® COMPUTERS



BUY DIRECT

- ✓ No Out-of-State - Taxes - Kansans Add 4%
- ✓ Large Inventory for Immediate Shipment
- ✓ 100% TRS-80® Equipment
- ✓ Convenient Order Number
- ✓ F-48 Form Provided

TRS-80

**CALL US FOR
OUR PRICES
and PRICE List**

1-800-835-9056

- ✓ Visa, Mastercard
- ✓ Wire Transfers
- ✓ Bank Cashier's
Checks & Money
Orders.

Jimscot, Inc.

1023 N. Kansas
P.O. Box 607
Liberal, Ks. 67901

Kansas Residents:
316-624-1919 (Collect)

TRS-80 is a registered Trademark of Tandy Corp.

✓ 254

On the leading edge of data-base technology.

Profile III+

Wynne Keller
RD1, Box 4130
Solon, ME 04979

There is a considerable difference between the listed price for the Radio Shack version of Profile III+ and The small Computer Company version. The reason for the price difference is volume sales; Radio Shack offers a lower price due to their huge market. I asked the president of The small Computer Company why anyone would want to buy the program from him instead of Radio Shack. His reply was service; his company helps clients with any installation and initialization problems, and if any software bugs develop, registered owners can expect solutions within hours or, at most, days.

Profile III+ comes on two disks: the creation disk, which initializes the data base, and a run-time disk. If the creation disk is damaged it can usually be restored from a back up, but the back-up disk itself is unusable. The creation disk is vital initially, but not in everyday use. If it does have to be replaced, timing is not likely to be crucial, since you can still run the program while obtaining the new copy. Run-time disks are not protected.

Capacity

The maximum number of characters per record is 1,020; up to 255 of these can be in the key segment. The key segment includes all the fields for sorting or searching. All other fields go to different segments. Total capacity depends on the number of drives available, but if each record were 255 characters, about 250 records would fit on drive 0. This drive also holds the run-time programs, and about 600 on drive 1.

In practice, segments must be carefully allotted to the various drives to fill the

drives uniformly. If any one drive fills, the empty space in the rest becomes unusable. Plan carefully to ensure that the smallest segment goes on drive 0. Total four-drive capacity with 255-character records is about 2,000. For some applications, this may not be enough.

Unfortunately, the program is only compatible with TRSDOS, and cannot be used on hard-disk drives. It would be nice if a future version of Profile III+ were compatible with DOSPLUS or LDOS so it could be used on hard-disk drives.

Sort is in memory, and the capacity depends on the length of the field chosen. On a three-character field, about 6,000 records can be sorted. On a 50-character field, about 850 records is the limit. If you want a two-field sort, capacity is reduced because the number of characters in the first field of the sort is added to the second, and all must fit in memory. If the records don't fit, select a portion to sort at one time. Although this is annoying, what the sort lacks in capacity it gains in speed.

Profile III+ allows math formulas using add, subtract, multiply, or divide. Up to 16 formulas can be written, using up to 20 fields per formula. The math fields let you calculate taxes, commissions, totals, sub-totals, and so on. Used properly formula fields are very powerful.

They cannot do everything, however, and it might be helpful to point out a limitation: A typical business problem is inventory control. You cannot write a formula that takes the total on hand at the beginning of the year, and subtracts from it another field that is to be daily sales of the item. A field cannot add or subtract something from itself and store the result back in the original field. The only practical solution is to write a program to accept daily sales data and access the Profile III+ files to

automatically alter the field containing total on hand.

Initialization

Setting up any data base is difficult for a novice. Standard data-base terms, such as file, field, record, sector, key, and Boolean logic, must be understood completely to use the program. The manual assumes the reader is a business user who is approaching data-base software for the first time. Worksheets are provided to help the user determine what fields are needed, and includes typical field lengths. However, nothing but experience will teach you exactly how to initialize the program for greatest utility.

The manual, although explicit in some areas, is vague in others. It does, however, include a helpful glossary.

Profile III+ has a useful field type called associated fields. This is the first data base I've encountered with this type of field, and it is very powerful. Suppose you were indexing a library and had a book that belonged under two topics, perhaps history and humor. If you don't have associated fields, the only way to give the book two category listings is to enter it twice into the data base. This involves needless duplication of the author's name and book title, just to have another record putting the book in a second category.

The solution is associated fields. Create two (or more) associated fields for the category; type history into one, and humor into the other. Profile III+ searches or sorts by each associated field. The book will show up in a category list twice: once for humor, once for history, but you only had to type the information once. Associated fields must all be the same length, and must be in the same segment of the record (probably the key segment).



- * SUPPORTS ALL MX-80 PRINT STYLES
- * WORDPROCESSING TEXT CONTROL MODE
- * MENU MODE FOR GENERAL APPLICATION
- * TRUE PROPORTIONAL JUSTIFICATION

- * UNDERLINES ANYWHERE
- * SUBSCRIPTS
- * DYNAMIC CONTROL OF LINE SPACING IN 1/72 IN. INCREMENTS
- * ITALICS WITH MX-80 GRAFTRAX
- * WORKS WITH MOST PROGRAMS INCLUDING SCRIPSIT™
- * CENTERS TITLES
- * SUPERSCRIPTS

Maxprint is an extraordinary user oriented printer driver utility program which allows you to select any MX-80 print style or function such as underlining on a character by character basis within word processing text. Maxprint also features proportional right margin justification within a block of standard text to give your printout a truly professional appearance.

The standard Maxprint works with all BASIC programs. Adapter programs available for SCRIPSIT, PENCIL, and LAZYWRITER. Minimum system requirements are a 32K Model I or Model III with one disk drive. (Model III needs two drives to convert only.)

Unleash the true potential of your MX-80. Maxprint is supplied on disk with manual, adapter programs, and shipping for only:

* * \$27.95 * *

TO ORDER: Call (408) 737-2253 Visa / Mastercard
Send check or money order to:
Peggytronics,
381 First Street, Suite 317
Los Altos, California 94022

CA residents add 6% sales tax // Scrpsit TM of Tandy Corp.

✓ 333


Disk-O-Tier

STORES & PROTECTS 11 DISKETTES

Disk-O-Tier organizes and protects diskettes close at hand, and in minimum space. Convenient, upright storage avoids "wipe-outs" caused by scratches, coffee spills, and cigarette ashes; plus, titles are easy to read.

Disk-O-Tier is molded of smoked, sturdy NAS plastic and safely files eleven 5¼" or 8" diskettes, in or out of jackets.

Priced at \$9.50 each, include \$2.00 postage or \$19.00 for twin-pack which includes postage. Ohio orders add 5½%. Check or Money Order please. Non-U.S. orders add \$5.00.



ETS Center

Dept. 10 Box 651, 35026-A, Turtle Trail
Willoughby, OH 44094 • (216) 946-8479

✓ 482

CONVERT YOUR SERIAL PRINTER TO PARALLEL

The UPI serial printer interfaces allow an ASCII serial printer to be connected to the parallel printer port on TRS-80 Models I, II and III.

Software compatibility problems are totally eliminated because the TRS-80 "Thinks" that a parallel printer has been attached. No machine language driver needs to be loaded into high memory. VISACALC, SCRIPSIT, BASIC, FORTRAN, etc. all work as if a parallel printer was in use.

The UPI interfaces are completely self contained and ready to use. A 34 conductor cable and connector plugs onto the parallel printer port of the Model I expansion interface or onto the parallel printer port on the back of Models II and III. A DB25 socket mates with the cable from your serial printer. The UPI interfaces convert the parallel output of the TRS-80 printer port into serial data in both the RS232-C and 20 MA. loop formats.



BINARY DEVICES

Formerly SPEEDWAY ELECTRONICS
11560 TIMBERLAKE LANE
NOBLESVILLE, IN 46060
(317) 842-5020

TRS 80 is a trademark of Tandy.

VISA MasterCard

Switch selectable options include:

- Linefeed after Carriage Return
- Handshake polarity (RS232-C)
- Nulls after Carriage Return
- 7 or 8 Data Bits per word
- 1 or 2 Stop Bits per word
- Parity or no parity
- ODD or EVEN parity

NEW VARIABLE BAUD RATE MODELS

Switch selectable from 110-4800 BAUD

UPI-3VB for models I or II

\$159.95

UPI-2VB for model II

\$159.95

CLOSEOUT ON SINGLE BAUD RATE MODELS

Our UPI-2 and UPI-3 will drive virtually any ASCII serial printer.

UPI-3 for model I or III

Closeout \$109.95

UPI-2 for model II

Closeout \$109.95

Specify BAUD rate 50-4800. Quantities limited.

Shipping and handling on all orders.

\$4.00

90 day warranty on all interfaces

Ten day return privilege on UPI-3VB and UPI-2VB

Longer cables available

✓ 106

Profile III + sorts more than one field at a time, but the fields to be sorted must be in the proper order, and you cannot change the order later. So, if you plan to sort mailing lists by zip codes and names within each zip code, initialize the zip-code field first, and then the last-name field, followed by the first-name field. This works well, except if you later want the list in some other order, it cannot be done. In some applications this can be a problem.

Initialization is more complicated if the file is to occupy more than one drive. The key segment must include all fields to search or sort later. Other segments contain less vital information, which can go on another drive. The manual assumes that if you assign segments to another drive, you have at least three because the instructions state to assign the first segment to drive 1, and the second to drive 2 (the creation disk is on drive 0).

If you have two drives, you'll want to use drive 0 also, and swap the creation disk out so a segment goes on drive 0. It's easy to put the wrong disk in, or the right disk at the wrong moment, and have initialization fail. The manual needs better step-by-step directions for initializing with a two-drive system, stating exactly when to swap disks, as well as when to use the run-time disk, and when a formatted disk.

Add / Update / Inquire

As you begin using the program, the most striking features are speed and flexibility. Program sections load rapidly, and all programs are in machine code for greatest possible operation speed. You can design as many as five different screens for adding and viewing records. Screens can be protected with passwords, and portions of screens can be protected from data entry or changes. The different screens can be accessed by various personnel allowing access to only portions of the data. It is also possible to force some fields to fill before

the user can consider the entry complete.

Designing screens is easy. You specify the field number, and indicate the type of data to enter with various characters. Among the format choices are alphanumeric, numeric, dollar and cents decimal, protected, month/day/year, year/month/day, and must-fill versions of all of these.

The cursor can move anywhere on the screen, and a counter tells you the cursor's location. Any type of user instructions can be included on the screen, and the entry prompt doesn't have to be the field name. During viewing of records, you can switch from one screen to another quite easily. For adding records it is best to work with only one screen at a time.

Add, update, and search are all available from the same master program, so there's no delay. As in all random-access data bases, there's a brief delay after each entry while the record writes to the disk. The program appears forgiving of user errors. The break key doesn't cause lost records. Break is under program control, and pressing it twice moves you from one section to another.

Adding records includes the ability to duplicate a previous entry in each field with a single key. Enter and the arrow keys control cursor movement. If you try to record the screen before all the must-fill fields have received data, the screen flashes the fields that still need data. For speed in adding records, set up the screen so that all must-fill fields are first. When the record is complete, the clear key records it.

Searching can be on any key segment field. You can also build an index file that allows more rapid searches on the indexed field. Records can be accessed directly by record number, scanned one at a time using the arrow keys, or searched via any key field. Once you find the record, you can look at adjacent records, or press enter to con-

tinue the search and see if any other records meet the search criterion. Changes can be made on any record displayed. The search can find records even if the uppercase/lowercase configuration of the letters does not match the original entry.

There is a wild-card search in which you can specify a particular position for the match, and not care if the rest of the positions match. This is useful for coded inventories; a letter or number in a certain position can mean something special, and all records with a match in that position can be found.

A potentially serious flaw in the program is the search on numeric fields. Numeric entries are right justified after they are typed. If the field is 10 characters long and you type five, the five characters move over when you press enter. This looks fine, until you try to search that field. If the search data is only five digits, the record is not found! Type five blank spaces ahead of the number for a match to occur. This can cause serious usage problems, especially if the person using the program is not the one who set it up and doesn't know the field's length.

Extended selection is available for reports or labels, allowing searches on up to 16 fields, if you have that many key fields. Specify the option before making the menu choice for printouts. In extended and regular (two field) selection, enter each field to search, and the Boolean relationship (equals, greater than, less than, and so on). The records can match if they meet the selection criteria in every field (and relationship) or if they meet the criteria in any field (or relationship), or you can mix and/or relationships as needed. This is complicated to describe but not that difficult to use, and is similar to most data bases, except that using default values makes simple one-field selections easier. In the extended selection mode, associated fields lose their associated status, and each must be entered in-

THE SPECIALS COLUMN

C. ITOH F-10 \$1339

5 MEG HARD DISK
W/DOS (MOD III ONLY)
\$1649

Offer Ends October 31, 1982

BARGAIN

EXPANSION INTERFACES

LNW RESEARCH:		
BARE BOARD \$69	W/GOLD	\$95
METAL CASE		\$55
ASSM/TST/GOLD/CABLE/CASE		\$349

MICRO DESIGN:		
MDX-2 BARE \$69	ASSM/TST	\$349
MDX-3 BARE \$69	ASSM/TST	\$299
ALUM. CASE FOR MDX-2		\$45

HOLMES ENG. ADD-IN MEMORY:		
32K W/RAM \$79	48K W/RAM	\$129

DISK DRIVES		
BASF 40 TRACK S/S		\$215
TANDON 100-1 40 TRACK S/S		\$225

AM ELECTRONICS:		
5 MEG HARD DISC W/DOS		\$1679

PRINTERS		
CENTRONICS 739		\$499
C. ITOH F-10 PAR		\$1365
C. ITOH PROWRITER PAR		\$469
EPSON MX-80 \$435	MX-80/FT	\$559

MICHIGAN RESIDENTS ADD 4% TAX — CALL FOR POSTAGE — PRICES ARE DISCOUNTED FOR CASH AND MONEY ORDERS (NOW CERTIFIED CHECKS ALLOW 3 WEEKS TO CLEAR) — MASTERCARD & VISA ADD 3% — NO C.O.D. — MAIL ORDER ONLY.

PRICES !

NEC 8023	CALL
SMITH CORONA TP-1	\$695

CRT MONITORS

AMDEK	
B & W 100	\$89
GREEN	\$159
COLOR	\$359
RGB	\$439

MODEMS

MICROPERIPHERAL:	
MODEL I/III/COLOR	\$189

ANCHOR AUTOMATION:

SIGNALMAN DIR CONN	\$8
--------------------	-----

TRS-80 COMPATIBLES

PMC-81	\$565
LNW-80	\$1295

SOFTWARE

LAZY WRITER	\$159
ELECTRIC WEBSTER	\$149
MAXI MANAGER	\$89

VESPA COMPUTER OUTLET
16727 Patton, Detroit, MI 48219, (313) 538-1112

518

WHY PAY MORE FOR LESS WHEN YOU CAN HAVE BOTH 5" & 8" FLOPPIES FOR ONLY \$169.95*

Some manufacturers charge you an arm and a leg for their Model-III# disk controller and then it only works with 5" floppy drives.


Some manufacturers sell controllers with cheaply made PC boards. These boards have poorly plated holes that can sometimes become intermittent. None are UL approved. Check our features and compare.

Almost none of the competitive boards have gold plated card edge connectors for reliability.

Some manufacturers sell controllers with part of the power supply included on the PC board to generate excessive heat to keep your disk controller warm on cold (and hot) days.

Some manufacturers get creative with their data separator circuitry to save money. These data separators generally work only with single sided disk drives.

Some manufacturers put only one connector on their PC board and give you a non-detachable umbilical cord hanging out the bottom to constantly get in your way.



FDC-3C FEATURES

☐ Gold Plated Card Edge Connectors for Reliability ☐ Proprietary Digital Phase Locked Lock Loop for NO MAINTENANCE operation with DOUBLE SIDED DRIVES ☐ Fully compatible with the Model-III# computer system ☐ Temperature Compensated Data Separator Circuitry ☐ Aerospace grade PC board material ☐ PC board material is UL Approved (R2 194V-O) ☐ Controls 5 1/4" Single and Double Density Drives ☐ Controls 8" Single and Double** Density Drives ☐ Controls Double Sided Drives ☐ 180 Day Warranty ☐ Switching Power Supply & Installation Kit available at extra cost.

Partial Dealer Listing (*denotes distributor)

*B.T. Enterprises (NY)	(516) 981-8568	Milo Systems (Mich)	(517) 487-4500
Compukit (Houston)	(713) 474-7342	Micro Systems Software (Florida)	(800) 327-8724
*Data-Mail (LA)	(213) 993-4804	Pioneer Electronics (Oregon)	(503) 668-8666
Freedom Technology (PA)	(215) 569-2381	Racet Computes (LA)	(714) 997-4950
Kif Computers (N. CA)	(707) 425-3472	Stevens Radio Shack (PA)	(800) 345-6279
*Level IV Products (Mich)	(313) 525-6200	Texas Computer Syst. (Dallas)	(800) 433-5184
Micro Data Supplies (Ohio)	(261) 951-6502	Traxx Computer (Chicago)	(800) 621-3102
Micro Facts (Florida)	(813) 876-4287		

Dealer Inquiries Appreciated

Attention OEMs and Manufacturers!!!

Micro Mainframe can supply your component parts at attractive prices. We also have a series of switching power supplies available for both floppy and hard disk subsystems. Please call or write with your requirements.

MICRO MAINFRAME
11325 Sunrise Gold Circle Building E
Rancho Cordova, CA 95670
(916) 635-3997

to the search separately, if you want to search all fields.

Reports / Labels

Sorting is part of the report or label options. The whole file can be sorted, or a selection of records. If the field to sort is very large, it may be necessary to select only a portion of the records at a time. It is also possible to sort less than the entire field (perhaps just the first three characters) if an exact sort isn't needed. This feature increases sort speed and capacity.

Report and label formats are designed by the user in much the same way as screens. A report can have only two lines per record, and if both lines are used, a space is automatically inserted between records. Labels may have eight lines, and any field

can be pushed left to meet the end of the previous field, so no undesirable long gaps are left between fields such as last name, first name. It is possible to use labels up to six across, an important feature for heavy business use.

All reports and labels can be designed for 80 or 132-character printers, but, unfortunately, you cannot software select the 132-character mode in a printer that uses 8½-inch paper. It would be helpful for the user to have the option of entering the 132-character control code his printer uses. The only way around this problem is to load Basic from some other disk before loading Profile III+ and send your 132-character control code to the printer.

Designing report formats is easier with Profile III+ than any other data base I've

tested. Profile III+ allows you to visualize the report on screen. A grid across the top of the screen marks print positions up to 132 characters. One part of the screen is for column headings, and the part directly below is for the field number to go with the heading. Up to five different report formats are allowed per file.

Special Features

Profile III+ has features designed to simplify use or increase flexibility. Perhaps the most important of these are the connections to Super Scripsit (not regular Scripsit) and VisiCalc. It was not possible to test these interfaces, but according to the manual, it is possible to design form letters with Super Scripsit and print them with names and addresses and other information from Profile III+. The VisiCalc interface allows you to specify whether each field is a label or a value. You then select the records you want and save them to disk in a manner compatible with VisiCalc.

You can also customize menus. A user menu automatically bypasses several questions that must normally be answered, and is useful to employees who know little about computers. After customization, the appropriate file name, program, and format are loaded by pressing one menu selection. With a user menu, it took 15 seconds from the moment the add-records selection was made until the initial phase for adding records was on screen. While this didn't save a lot of time (it took 18 seconds with the regular menu), it was easier and removed possibilities for error. User menus can be further customized to include selection and sort criteria if you regularly use the same parameters to print your reports.


Mass operations are very powerful. These include mass recalculate, delete, printout, and purge. Mass recalculate allows you to change an amount in a formula, then recalculate the records that use that formula. Mass purge first makes printouts, then deletes. Mass delete removes records without making a printout first. The printouts in mass operations are screen prints, one per page.

The sophistication of data-base software continues to improve. This program has more features than the best I have previously reviewed, and also offers greater speed and less aggravation. The convenience, of course, has a higher price tag. But convenience is not all you're buying. There are some new features not previously available in Model I or III data-base software. These include associated fields, user-created menus, VisiCalc interface, user-created input screens, and different protection levels at various parts of the program.

The small Computer Company's Profile III+ sells for \$300. Their address is: The small Computer Company, 230 West 41st St., Suite 1203, NY, NY 10036. Radio Shack's Profile III+, catalog #26-1592, sells for \$199. ■

Is your floppy a flop?

Book the new ARMdisk/525 Winchester subsystem with your personal or small business computer and enjoy a performance no floppy can equal. Hard disk capacity of up to 30 megabytes keeps you packin' them in when most other systems are playing to a full house.




And eight—count 'em—eight heads team up to cut data accessing time by as much as 80%.

Backstage, the ARMdisk/525 uses an intelligent controller to help ensure data integrity and an error correction code that's stored on-disk to make data

loss practically impossible.

On the supporting bill are TRSDOS compatible operating systems to provide for media back-up as well as *intelligent* file save-and-restore. With a MTBF of 8,000 hours and a multiplex feature that allows up to four hosts to share the same unit, the ARMdisk/525 has the kind of star quality that legends are made of.



You'll applaud the price / performance of the Winchester disk from ARM.

Clip this coupon and learn how you can add an ARMdisk/525 to your cast.

I own a: ☐ TRS-80 Model II
☐ Model III ☐ Apple II
☐ IBM PC ☐ NEC
☐ Other
Dealer inquiries invited.

Name _____
Address _____
City _____ State _____ Zip _____

For further information, please contact:
Automated Resource Management
3613 West MacArthur Boulevard
Santa Ana, California 92704
(714) 850-9792

✓543

PC-Au

WAR

In The . . . SOUTH ATLANTIC

This exciting, realistic war simulation puts you in the commander's seat of the British Armed Forces. Deal with unpredictable weather, political unrest, and the unruly Argentine Forces to win the ultimate goal.....sovereignty over the

FALKLAND ISLANDS!

War in the South Atlantic is available for: TRS-80 Models I and III on:

16K Cass - \$14.95

32K Disk - \$19.95

Order by Check, Money Order, MC or VISA

PROGRAMS FOR THE 80's 317-849-2055

P.O. Box 50160

Indianapolis, Indiana 46250

(IN residents add 4% sales tax) ✓418

TRS-80 is a trademark of Tandy Corp.

BASF 6106A DISK DRIVES

Reconditioned to new unit performance, 40 track, 12 M Sec T-T, SS, SD or DD. Compatible with TRS-80* MOD I, III and color also Heath 8/9 computer.

BARE DRIVE	\$124.95
2-DRIVE CABLE	21.00
4-DRIVE CABLE	32.00
TECH MANUAL	10.00

(Sold only with drive)

POWER SUPPLIES

DUAL P/S W/CASE	74.95
DUAL P/S (BARE)	59.95
SINGLE P/S W/CASE	44.95
SINGLE P/S (BARE)	34.95

Cases finished in black wrinkle. Color options available, add \$2.00. Specify color: Tan, Blue, Green, Silver.

POWER SUPPLY KITS

DUAL P/S W/CASE	54.95
SINGLE P/S W/CASE	34.95

BASF DRIVE REPAIR 35.00 PLUS PARTS 90 DAY GUARANTEE

Terms:

Add 3% Visa/MC, COD, M.O. cashier's check, personal checks delay shipment.

Send to:

COMPUTER PERIPHERAL RESOURCES

(C.P.R.)

P. O. BOX 834, OAK HARBOR, WA 98277

or PHONE (206) 679-4797, ORDER NUMBER ✓420

All shipping UPS ground, western states add \$4.00, midwest and east add \$8.00. Washington residents add 6% sales tax.

Your Software Department Store...

THE ALTERNATE SOURCE

Put together your order, & call for our best price!

INFORMATION DEPARTMENT

TAS Programmer's Journal • Past Issues
TAS Volume I & II (both book form)
Model III TRSDOS Commented
Model III ROM Commented
Disk Interfacing Guide • Inside Level II
BASIC Decoded • BASIC Faster & Better
Disk Mysteries • Custom TRS-80

DOSES & DISKS

Allenbach disks: box (10), bank (10), bulk
NEWDOS/80 Version 2.0 • DOSPLUS
LDOS

GAME DEPARTMENT

Fortress • Space Castle • Eliminator
Alien Defense • Adventures 1-12
Missile Attack • Lunar Lander • FLY
Caterpillar • Star Fighter • Planetoids
Defense Command • Space Intruders

WORD PROCESSING DEPT.

Lazy Writer • Electric Pencil 2.0
Hexspell 2.0 • Quill Driver

HARDWARE DEPARTMENT

Epson Ribbons & Reloads • Sprinter II
LNW Interface • Disk & Printer Cables
Smith Corona Printers • Epson Printers
Cassettes (10-20-30) • Cassette Labels
Disk Banks • Joystick Kits • Memory
Comp/Set* Typesetter Interface to I/III

UTILITY DEPARTMENT

TASMON • KBE • TRAKCESS
STOPPER • TASORT • MODEM 80
ADVENTURE SYSTEM • DDSD • ISAR
EDITOR ASSEMBLER PLUS • INTASM
SUPER UTILITY • ZAPSIT • FASTER

COMING SOON

EDM, the programmable editor!
TRAKCESS for the Model III

ASK FOR

Information sheets • Games flyer
Current flyer • Inventory Listing
Listing of closeout specials

PLEASE NOTE:

We carry software products by all of the companies listed below, not just what you see here. Put together the best order you can, and give us a call! We'll give you the best discount we can! We'll be happy to meet or beat other offers you find.

Adventure International • Cornsoft
Big Five • Med Systems • Soft Sector
MISOSYS • Racet Computers • IJG
Breeze/QSD • Microsoft • Acorn
Instant Software • Hayden • Mumford

We actively support and serve Model I and III TRS-80 owners - check our bingo number for a free flyer, or send your name and address on a postcard for immediate SERVICE!

704 North Pennsylvania Avenue
Lansing, Michigan 48906

Ph. 800-248-0284
Ph. 517-482-8270 ✓69

Add \$3 shipping charges, \$1.75 COD.
Visa & Master Card welcome.

*Comp/Set is a trademark of AM International.



Great Autumn Offerings

ADVENTURE: THE SYSTEM

By Hansen and Moluf from The Alternate Source
Everything you need to know to write and edit your own adventures. Detailed manual with complete instructions for creating, entering and running adventure data bases including: basic format—conditions and commands; solving techniques and modifications. Plus information on marketing your own original programs. All you need are some good ideas and THE SYSTEM! Ring-binder manual + disk.

48K Disk, \$39.95

KAIV Warriors of RAS, Volume II

By Masteller from Med Systems
Can you find the treasure buried deep within the catacombs of the KAIV? You'll need all your skill and ingenuity to find and master the powers of magic wands and potions, while avoiding the dreadful creatures that try to devour you. Second in the role-playing series of Warriors of RAS. Characters may be used interchangeably among vols. I, II, III.

48K Tape or Disk, \$29.95

Also available, Volume I, DUNZHIN,
48K Tape or Disk, \$29.95

HOPPY

From Dubois and McNamara
Can you get all your frogs across the busy highway, avoiding heavy traffic, so they aren't squashed? So far, so good. Now, get them across the river by jumping on floating logs and hopping on swimming turtles. You score each time a frog crosses the river safely. Joystick compatible.

16K Tape, \$16.95

MICROSOFT ADVENTURE

By Gordon Letwin from Microsoft
Prepare yourself for the adventure of your life as this classic, fantasy logic game takes you into the world of the Colossal Cave. Your computer is your guide as you search for treasures, solve puzzles, explore, and avoid the dangers that lurk within.

Complete version of the original Adventure, originally written for the DEC PDP 10 in FORTRAN. The program has been translated to bring you all the enjoyment in your home computer. Model I only.

32K Disk, \$29.95

Special, \$14.95

Over 1500 Programs for TRS-80,

ATARI 400/800, APPLE & IBM.

**For Information Call
202-363-9797**

Visit our other stores:
Seven Corners Center, Falls Church, VA
W. Bell Plaza, 6600 Security Blvd., Baltimore MD
829 Bethel Rd., Columbus OH • Coming Soon to Greensboro NC.



ASTROBALL

By John Allen from Acorn

Once you load ASTROBALL into your TRS-80, the arrow keys become flipper buttons, the screen becomes the play board, and you become the "Pinball Wizard!" A flying saucer, spaceships, meteors, and black holes add to the fun as your ball realistically zings around the board. Five skill levels.

16K Tape or Disk, \$19.95



SPACE ROCKS

By Steven Kearns from Acorn

Gigantic antimatter rocks appear on the Tactical Display Screen of your spacecraft. You blast away with lasers and they just explode into smaller chunks. To score in this fast arcade game with sound, you must destroy the rocks. To stay in the game at all, you must avoid them!

16K Tape or Disk, \$19.95

PENETRATOR

By Philip Mitchell from Beam

Armed with missiles and bombs, you must fly your fighter to the enemy's cache of neutron bombs and destroy them. Your mission is in four stages, involving rugged terrain, caverns and manmade obstacles—not to mention enemy radar, missiles and paratroopers. This new departure in arcade gaming allows you to set up your own terrain and enemy emplacements, then save them for future use. Make your mission as hard or easy as you like. Joystick compatible.

16K Tape or 32K Disk, \$24.95



FLIGHT SIMULATION

By Bruce Artwick from Sub-Logic

A graphic tour de force that will truly captivate you. If you haven't seen this brilliant program, you haven't fully utilized the capabilities of your computer! During FLIGHT SIMULATION, you instantly select instrument flight, radar, or a breathtaking pilot's-eye-view. But be sure to strap yourself in—you're liable to get dizzy!

Once you put in some air time learning to fly your computer head for enemy territory and try to bomb the fuel depot while fighting off five enemy warplanes. Good Luck! Please specify Model I or III.

16K Tape, \$25.00

32K Disk, \$33.50

Programmers' Corner

Write Arcade Games in BASIC with...

ACCEL 3

BASIC COMPILER

By Southern Systems from Algorix
Ever wish your programs would run faster? Assembly language is one answer. But—even after you spend the time needed to learn Z-80 code—it is a long, tedious process to write in assembly language, and debugging is very difficult. Fortunately, there is another way—compiled BASIC.

In our opinion ACCEL 3 is the best compiler for the TRS-80. It's flexible: works with tape or disk, Model I or III, and requires as little as 16K of memory. It's fast: only a few seconds to compile. It's a memory miser: only a 15-35% increase in program size in most cases.

ACCEL 3 will work under TRSDOS, NEWDOS or LDOS, and there are very few programming restrictions. To save ACCEL-compiled programs on tape you will need TSAVE (sold separately, \$9.95)

Tape or Disk, \$99.95

SARGON II

By Dan & Kathe Spraklen from Hayden

Acclaimed the best of the microcomputer chess programs. SARGON II came in third in the 9th North American Computer Chess Championship, playing against much bigger machines! You haven't really played chess against your computer until you've tried this brilliant program.

16K Tape, \$29.95

32K Disk, \$34.95

INSECT FRENZY

From Dubois and McNamara

Don't let the Centipede get you!! Each time you hit it, only one segment disappears. You must keep firing until the whole thing is gone—or, when you have been hit 4 times. And whatever you do, avoid the Giant Spider! Joystick compatible.

16K Tape, \$16.95

LANGUAGE TEACHER

By Cindy and Andrew Bartorillo from Acorn

Learn the basics of a foreign language. LANGUAGE TEACHER offers hundreds of word combinations, verb conjugations and phrases. There is an option for having multiple-choice answers and for being retested on missed items. Full printer capability and a great deal of "human engineering" further enhance the programs. Teachers will appreciate the ample documentation and the ability to get printouts of quizzes. Currently available languages are: French, and Spanish. Italian & German.

32K Disk, \$29.95 for each program.

**To Order Call Toll-Free
800-424-2738**



MAIL ORDERS: Send check or M.O. for total purchase price, plus \$1.00 postage & handling. D.C., MD. & VA.: add sales tax. Charge cards: include all embossed information on the card.

4200 Wisconsin Avenue, NW, Dept. 8E210 Box 9609 Washington, D.C. 20016

For Your TRS-80 I & III



By Jeff Zinn from Big Five

This new arcade game from Big Five continues their tradition of bringing you the most exciting action in innovative space games. Your fighting spacecraft must run the gauntlet of the attacking alien's weaponry in order to accomplish your defense mission. You'll use all your skill and dexterity just to survive! Joystick Compatible.

16K Tape, \$15.95 32K Disk, \$19.95

ARMORED PATROL



By Westmoreland & Gilman from Adventure
As commander of a lumbering T-36 tank you have the firepower to destroy the enemy—if you can find them. They may be hiding behind the houses scattered about, the bleak terrain and your only view is thru the drivers port (your screen). Impressive animation in this arcade game.

16K Tape, \$19.95 32K Disk, \$24.95


VOYAGE OF THE VALKYRIE



By Leo Christopherson from AOS

Combine the animation and music techniques pioneered by Christopherson with the challenge of his first fast-moving arcade game and you have VOYAGE OF THE VALKYRIE! You speed through a magical maze guarded by ferocious birds that swoop down to attack if you don't get them first. To list all the play and options of this exciting game would take the 16 pages of instruction included.

16K Tape, \$34.95 32K Disk, \$39.95



METEOR MISSION 2

By Hogue & Konyu from Big-Five

Six astronauts are stranded on a desolate planet. You must undock from your command module and maneuver your rescue shuttle through the asteroid field to save them. You can only save one at a time, and each landing burns away parts of your landing sites. Order this realtime action game now or live with the astronauts' pitiful screams forever. Joystick Compatible.

16K Tape, \$15.95 32K Disk, \$19.95




CATERPILLAR

From Soft Sector Marketing

This is the fast-action arcade game you've been waiting to play at home! You must hit mushrooms and caterpillars—segment by segment—moths and tumble bugs. The challenges: they are all moving; when hit they split into additional segments or metamorphose into different shapes; when you destroy a caterpillar, the new one that replaces it is a segment *longer* than the original!

16K Tape, \$15.95 32K Disk, \$19.95

DEFENSE COMMAND



By Hogue & Konyu from Big Five

You are the lone defender of 10 Krotnium fuel cells essential for the survival of the planet. Aliens swoop down from above to steal the fuel; it's your job to destroy them. You can still save the cells after a raid, but you must shoot the alien and simultaneously move under the cell to catch it. If things look bad you can set off one of your 4 antimatter bombs and destroy all enemies on the screen! Arcade fun with action and sound. Joystick Compatible.

16K Tape, \$15.95 32K Disk, \$19.95


MISSILE ATTACK



By Philip Oliver from Adventure Int.

You must use your twin silos of ABMs to fend off barrage after barrage of enemy missiles that rain down toward your cities. As your skill increases so does the difficulty and speed of this machine language arcade game. Watch the skies and may your aim be true! MISSILE ATTACK has sound and fast-moving graphics galore.

16K Tape, \$14.95 32K Disk, \$20.95



ELIMINATOR

By Westmoreland & Gilman from A.I.

You'll need all your keyboard manipulative skills to keep up with the action in this arcade game. You travel across the planet's low-altitude airspace in an effort to prevent the marauding enemy from capturing your energizer cells. All manner of alien craft await your arrival with destructive forces. For 1 or 2 players, with sound.

16K Tape, \$19.95 32K Disk, \$24.95



Crush, Crumble and Chomp!

From Epyx

It's a monster movie, and you are the monster! You can be The Glob, Kraken, Mantra, Mechismo, Arachnis, or Goshilla—or even design your own "custom" monster (disk version only). This hilarious action game is loaded with graphics and sound as you practice your villainy.

16K Tape or 32K Disk, \$29.95



FORTRESS

By Larry Ashmun from Soft Sector

You are in charge of a massive fortress. Your number one priority is its defense against alien attackers. With your protection and firepower, fending off the first attackers is like swatting flies—but just wait!! Joystick Compatible.

16K Tape, \$15.95 32K Disk, \$19.95

INVADERS FROM SPACE



By Carl Miller from Acorn

A fast machine language approach to this classic (and addictive) space game. The aliens drop bombs and move from side to side trying to overrun your bases. You choose the speed, enemy bomb frequency and accuracy; your number of shots on screen and bases. Unlike most such games, you can move your base and simultaneously fire at the invaders. Full sound effects add even more excitement to the incredible action of INVADERS FROM SPACE. Fun for all ages and skill levels.

16K Tape, \$14.95 32K Disk, \$20.95

ALIEN ARMADA

By Waldron Hodsdon from Liberty

Hmmm. Looks like another "Space Invaders" type game. Nice neat racks of aliens poised over your defensive base...but WATCH OUT! Here they come, swooping down with their bombs and Kamakazi-like dives. There are individual attackers plus group flights—all intent on destroying your three bases before you destroy them. ALIEN ARMADA allows up to two players and has three levels of difficulty from beginner to expert.

16K Tape, \$13.95 32K Disk, \$17.95

THE PROGRAM STORE • Dept. 8E210 • Box 9609 • 4200 Wisconsin Avenue, NW • Washington, D.C. 20016

Item	Tape/Disk/Book	Price	Postage \$1.00	Name
			Total	Address
				City
				State
				Zip
				Card #
				Exp

☐ CHECK ☐ VISA
☐ MASTERCARD

Does practice make perfect?

Production Learning Curve

J. R. Jeffrey
8 Hope Road
Eatontown, NJ 07724

How much will the 123rd widget off your production line cost? How much should you pay the XYZ Corporation for the 300 items they will produce for you? How do you determine the average cost of items coming off your assembly line for amortization purposes?

You may answer all these questions completely or in part by using the production learning-curve program presented here.

The theoretical beginnings of the learning curve arose in studies and practice as far back as the 1920s. During the 1920s engineers and program managers recognized that people engaged in manufacturing processes could work faster as time passed. They found that this reduction in labor hours per item appeared to be a constant function and could be plotted on logarithmic paper. The resulting plot was a linear depiction of the labor-hour reduction arising from the learning involved in production.

Researchers have shown that the labor-hour reduction resulting from the learning process is a function that causes a set percentage decline in costs per labor hours as the number of units produced is doubled.

The Key Box

Model III
32K RAM
Disk Basic

Learning rate = 85 Number of items = 125 Cost of first item = 1,000,000.00

*****These computations assume that the unit cost decreases by a constant percentage at each doubling of the quantity produced.

unit numb	unit cost	cumulative average	total cost
1	1,000,000.00	1,000,000.00	1,000,000.00
2	850,000.02	925,000.01	1,850,000.02
3	772,914.83	874,304.95	2,622,914.85
4	722,500.03	836,353.72	3,345,414.88
5	685,671.09	806,217.19	4,031,085.97
6	656,977.65	781,343.94	4,688,063.62
7	633,656.50	760,245.73	5,321,720.12
8	614,125.01	741,980.64	5,935,845.14
9	597,397.39	725,915.84	6,533,242.52
10	582,820.48	711,606.30	7,116,063.00
11	569,940.63	698,727.60	7,686,003.63
12	558,431.03	687,036.22	8,244,434.65
13	548,048.56	676,344.86	8,792,483.21
14	538,608.01	666,506.52	9,331,091.23
15	529,965.34	657,403.77	9,861,056.57
16	522,006.33	648,941.43	10,383,062.90
17	514,638.78	641,041.28	10,897,701.68
18	507,787.82	633,638.31	11,405,489.50
19	501,391.23	626,677.93	11,906,880.74
20	495,397.33	620,113.90	12,402,278.07
21	489,762.51	613,906.69	12,892,040.58
22	484,449.51	608,022.28	13,376,490.09
23	479,426.62	602,431.16	13,855,916.71
24	474,666.30	597,107.63	14,330,583.01
25	470,144.81	592,029.11	14,800,727.81

Fig. 1. Unit cost learning curve—complete schedule

Learning rate = 85 Number of items = 125 Cost of first item = 1,000,000.00


*****These computations assume that the unit cost decreases by a constant percentage at each doubling of the quantity produced.

unit numb	unit cost	cumulative average	total cost
125	322,364.72	416,132.57	52,016,571.16

Fig. 2. Unit cost learning curve—single unit



Color Computer Collection For Your TRS-80



Color Space War

From Spectral Associates

You command the last combat Viper, and must break through the defenses of the Death Star while avoiding the pull of gravity of the Black Hole. Watch out for space mines and enemy ships. Extended BASIC not required. Joysticks.

16K Tape, \$21.95

Galloping Gamblers



By Fred Scerbo

From Illustrated Memory Banks

Exciting racetrack game for 1 to 4 players. Each player gets \$100 to bet. There are 4 horses in each of 12 races; odds are posted at the bottom of the screen for each. The outcome of the race *cannot* be predicted. At the end of the race, the computer awards wins or losses. No joystick required; one player must enter information at the keyboard. Extended BASIC required.

16K Tape, \$18.95

Cocobug

Debugging Monitor for TRS-80 Color Computers

By Allen Gelder From Allen Gelder Software

COCOBUG is a compact monitor program. "With COCOBUG you may examine RAM and ROM in hexadecimal, ASC II or mixed hex and ASC II form. In addition, the powerful MC6809E CPU is made available in a pair of 6809 Programming Models that depict the CPU features at entry and exit (via a restorable Breakpoint) of your machine code string. Byte entry and Breakpointing, plus the ability to direct real-time program flow, are made easy and natural through a line-entry of addresses, bytes and certain control characters."

4K Color BASIC, Tape, \$19.95

16K Extended Color BASIC.


Co-Resident Editor/Assembler (CO-RES9)

From Cer-Comp

CO-RES9 is a M6809 processor machine language program for the color computer. You can enter the text of your article, letters, or a chapter of your newest book; then go back and revise. The tape contains two copies of a demonstration program that you can use to familiarize yourself with the Editor and Assembler entry format.

Tape, \$29.95

Cosmic Super Bowl



From Spectral Associates

An excellent simulation of the popular handheld football games, but with a *cosmic* flavor. You must maneuver your player through a field of defenders. 5 action skill levels. Extended BASIC not required.

16K Tape, \$14.95

Kosmic Kamikaze

By Fred Scerbo

From Illustrated Memory Banks

Test your reflexes in this arcade-type space game. Your fighter craft is armed with automatic laser cannons and rechargeable shields to blast the enemy pirate saucers which pop in and out of hyperspace. Comets can destroy you and end game unless you hit them *dead center*. 3 levels of difficulty; challenging. Extended BASIC, joysticks required.

16K Tape, \$18.95

6809

Assembly Language Programming

By Lance Leventhal from McGraw Hill

This comprehensive book covers 6809 assembly language programming in detail. The entire instruction set is presented and fully explained. The book contains many fully debugged, practical programming examples with solutions in both object code and source code. Discussion of assembler conventions, I/O devices, and interfacing methods is also included. If you've never before programmed in assembly language, this book will teach you how. If you're an experienced programmer, you'll find this book an invaluable reference to the 6809 instruction set and programming techniques.

Softcover, \$16.95


6809 Microcomputer Programming and Interfacing with Experiments

Ed. by Staagaard from Howard W. Sams

This book offers a complete description of how to program and interface the 6809 microprocessor. Topics include: chip structure and basic 6809 concepts; addressing modes; registers and data movement instructions; arithmetic, logic and test instructions; branching; input and output signals; interfacing and applications. Review questions and answers for each chapter, plus 4 appendices.

Softcover, \$14.95

Cosmic Invaders



From Spectral Associates

Fast-action invaders-type game, complete with 16 skill levels, dynamite sound and 4-color hi-res graphics. Use the special mobile defense shield to help you dodge the invaders' bombs. With Mystery Invader who zooms in and out of hyperspace. Extended BASIC not required.

16K Tape, \$21.95

Starbase Attack

By Fred Scerbo

From Illustrated Memory Banks

You are the lone defender of 3 starbase cities on the far edge of our galaxy in this exciting simulation. Your cities are under attack by either alien warheads or bombarding asteroids. You only have a limited time to evacuate your population. You must ward off attack while launching your escape vehicles and your own ship. Extended BASIC, one joystick required.

16K Tape, \$12.95

The Color Computer Disassembler

By Commander from Interpro

This utility allows you to gain knowledge of the Color Computer ROM to aid you in machine language programming. It will disassemble any portion of the Color Computer's memory. With BASIC program to help you understand how memory is organized and disassembled. Extended BASIC required.

16K Tape, \$19.95

Super "Color" Writer II

From Nelson Software

Fast, machine code, full-featured, character (screen) —oriented word processing system for the TRS-80 Color Computer and *any* printer. Movable print *window* displays text in green characters on black background for reading ease. Simple enough for beginners; versatile enough for the professional writer. Features include: scrolling; exchange/delete; footnote position; quick paging; block move, copy and delete; merge or append files; underline; superscript/subscript and *much more!* Create or edit Super "Color" Terminal files, ASC II files, BASIC programs or Editor/Assembler source listing.

Tape, \$49.95 ROM Pak, \$74.95

Disk, \$99.95



For Information Call
202-363-9797

To Order Call Toll-Free 800-424-2738



the PROGRAM STORE

4200 Wisconsin Avenue, NW, Dept. 8E210 Box 9609
Washington, D.C. 20016

Visit our other stores: Seven Corners Center, Falls Church, VA • W. Bell Plaza, 6600 Security Blvd., Baltimore, MD
829 Bethel Rd., Columbus OH • Coming Soon to Greensboro NC.

THE PROGRAM STORE • Dept. 8E210 • Box 9609 • 4200 Wisconsin Avenue, NW • Washington, D.C. 20016

Item	Tape/Disk/Book	Price	Postage	\$1.00	Name
		Total			Address
		<input type="checkbox"/> CHECK <input type="checkbox"/> VISA			City
		<input type="checkbox"/> MASTERCARD			State
					Zip
					Card #
					Exp

The curve that describes this observation is $Y = A \cdot x^{**}B$, where Y equals the unit or average cost of the item, A equals the cost of the first unit (FUC), and x equals the number of units in the run.

B is a function related to the percent slope of the logarithmic cost line. A 50 per-

cent learning rate gives a 45-degree slope to the logarithmic line. Slopes of 80-90 percent are common for production of electronic equipment. B equals $\text{LOG}(S)/\text{LOG}(2)$, where S is the learning rate (R) expressed as a decimal (for example, R equals 90 percent gives S equals 0.9). I used an equivalent ex-

pression in the program to decrease the rounding error.

The above equation defines two curves. The first is the unit log-linear learning curve, which results when the cost of each unit declines at a constant percentage (learning rate) as the number of units produced is doubled. The second curve is the cumulative-average log-linear learning curve, which results when the average unit cost decreases at a constant percentage as the number of units produced is doubled.

Although the cumulative and unit curves have the same basic defining equation, the results of its use are different. $Y = A \cdot x^{**}B$ in the unit curve gives the cost of the last unit of the production run in either monetary or labor units. For the cumulative average curve the equation $Y = A \cdot x^{**}B$ gives the cumulative average value of the cost of the units in that production run in either monetary or labor units.

"During the 1920s engineers and program managers recognized that people engaged in manufacturing processes could work faster as time passed."

In practice, learning curves are applied to estimate the cost of producing a given number of prime-mission equipment items within an equipment category. The estimate may be expressed in terms of monetary units (dollars or other currency) or labor units (man-hours, man-months or some other such measure). The estimate is composed of contractor (producer) quantity related recurring costs and includes administrative costs and fees or profit associated with production of the end items. It normally will not include any contractor non-recurring or non-quantity related costs (for example, project management, test and evaluation; training; in-house government production costs; government furnished equipment (GFE); data; special test equipment; or initial spares and repair parts).

The Program

You may use either the unit or cumulative average curve. To use the program you must know or assume certain things:

- The curve the production costs follow (is it unit or cumulative average?);
- The slope or learning rate;
- The cost of the first unit; and
- The number of units in the production run.

Figures 1-4 show example runs using a TRS-80 with a disk drive and Epson MX-80

Learning rate = 85 Number of items = 25 Cost of first item = 1,000,000.00

*****These computations assume that the cumulative average cost follows a log-linear curve.

unit numb	unit cost	cumulative average	total cost
1	1,000,000.00	1,000,000.00	1,000,000.00
2	700,000.05	850,000.02	1,700,000.05
3	618,744.43	772,914.83	2,318,744.48
4	571,255.62	722,500.03	2,890,000.10
5	538,355.35	685,671.09	3,428,355.46
6	513,510.47	656,977.65	3,941,865.92
7	493,729.59	633,656.50	4,435,595.51
8	477,404.59	614,125.01	4,913,000.11
9	463,576.38	597,397.39	5,376,576.48
10	451,628.27	582,820.48	5,828,204.75
11	441,142.14	569,940.63	6,269,346.89
12	431,825.46	558,431.03	6,701,172.35
13	423,458.87	548,048.56	7,124,631.23
14	415,880.98	538,608.01	7,540,512.20
15	408,967.91	529,965.34	7,949,480.12
16	402,621.21	522,006.33	8,352,101.33
17	396,757.96	514,638.78	8,748,859.29
18	391,321.54	507,787.82	9,140,180.83
19	386,252.58	501,391.23	9,526,433.41
20	381,513.18	495,397.33	9,907,946.59
21	377,066.22	489,762.51	10,285,012.81
22	372,876.32	484,449.51	10,657,889.13
23	368,923.19	479,426.62	11,026,812.31
24	365,178.82	474,666.30	11,391,991.14
25	361,629.07	470,144.81	11,753,620.21

Fig. 3. Cumulative average learning curve—complete schedule

Learning rate = 85 Number of items = 125 Cost of first item = 1,000,000.00

*****These computations assume that the cumulative average cost follows a log-linear curve.

unit numb	unit cost	cumulative average	total cost
125	247,013.72	322,364.72	40,295,589.72

Fig. 4. Cumulative average learning curve—single unit

Program Listing

```

10 REM *****Production learning curve program
20 REM *****Written by J.R. Jeffrey
30 REM *****      8 Hope Road
40 REM *****      Eatontown, NJ 07724
50 REM *****      December 20, 1981
60 REM *****Based on the Boeing curve and the book:
70 REM *****Planning Production Costs by E.B. Cochran
80 '*****Headliner 90-100 *****
90 CLS:PRINT@320,CHR$(23)TAB(9)"Log-linear":PRINTTAB(11)"Learnin
g":PRINTTAB(13)"Curves"
100 PRINT@896,"";GOSUB1310
200 '*****Function and variable definition*****
210 DEFDBL B,C,U,N,R,T
220 DEFSTR Q,P
230 DEFINT A,K
240 DEF FN C(C1,N,B)=C1*N[B 'Change if disks not available
250 PU="###,###,###.##" 'Edit string for unit & cum costs
260 PT="###,###,###.##" 'Edit string for total cost
300 '*****Instructions and data entry 310-470*****
310 CLS:PRINT"This program will compute values for log-linear le
arning or      production experience curves. Are your production

```

Listing continues



AMERICAN


118 SO. MILL ST
PRYOR, OK 74361
(918) 825-4844

Small Business COMPUTERS

ALL LISTED PRICES REFLECT A 3% CASH DISCOUNT. C.O.D. AND CHARGE ORDERS ARE 3% MORE. PLEASE CALL FOR CURRENT SHIPPING CHARGES.

☆ RETAIL STORE LOCATION: 447 S. WOOD, SOUTHWOOD SHOPPING PLAZA, PRYOR, OK. 74361 ☆

TRS-80 MODEL III



16K.....\$825

48K.....\$849

48K 1 DRIVE.....\$1499

48K 2 DRIVE.....\$1749

RS-232 (INSTALLED).....\$92.00

CASSETTE.....\$55.00

THERE'S NO SECRET

There's no secret as to why we can sell TRS-80 computer equipment for less. Low overhead — that's the reason — pure, simple and straight!! As everyone knows, Radio Shack is a huge corporation...with huge expenses. We are able to buy the bare-bones computers from Radio Shack. To these computers, we add our own memory chips, disk drives, cables, etc. The result is a computer system which is equal to, or in many cases, superior to the one you would get from Radio Shack in both price and performance capabilities. There is one thing that you don't get from Radio Shack — their 90 day warranty. What you get in its place is the exclusive 180 days American Small Business Computer's Warranty. So...if you like the Radio Shack computer, but don't like the price...CHECK US OUT!!!

American Small Business Computers is not an authorized Radio Shack Dealer. We do not offer a Radio Shack 90 Day Warranty on our computers. Instead, we offer the American Small Business Computers **180 Day Warranty**. If you have a problem with your computer, return it to us for about 48 hours. If we can't fix it, we'll replace it!

★ ATTENTION ★
IBM OWNERS
NEW PRODUCT!

✓ 217

ADD ON MINI DISK DRIVE FOR IBM
PERSONAL COMPUTER!!

Did you just buy an IBM with one drive and find out that you actually needed two drives? Then we have just the thing. Complete kit - takes 10 minutes to install. Fully compatible - **ONLY \$229.00!!!!!!**

918-825-4844

printer. Figure 1 is a complete schedule for a production run of 25 items on an 85-percent unit-cost learning curve with a FUC of \$1,000,000. Figure 2 is a computation for a single unit (the 125th) on the same 85-percent curve with an FUC of \$1,000,000. Figures 3 and 4 provide similar computations for the cumulative-average learning curve using the same starting inputs.

There is a rounding error in the computations amounting to about two cents per million dollars. Item 2 in Figs. 1 and 3 confirm this. The figures that read 850,000.02 in both examples should read exactly 850,000. This also very neatly shows the difference between the two curves; the cumulative average in the cumulative curve equals the unit cost in the unit curve. Be sure you know which curve you are using or you could introduce a very large unintentional error into your computations.

A single-value computation on the unit-cost learning curve is an approximation that begins to show errors in the fifth significant figure for a million-dollar FUC and unit numbers greater than 10. I used the approximation to get a faster single-value response since a full run of the unit curve would have been necessary otherwise. No approximation is required for the cumulative curve because of the simpler mathematics involved.

Neither disk nor printer are necessary to run the program. The Program Listing shows you where to change the program so disks aren't needed. The program is already constructed to allow you to go around the printer output by putting all the output on the screen.

You could further develop the program by determining first-unit costs when all values for a single lot in the production run are known or by handling multiple lot computations. ■

Listing continued

```
costs decreasing at a constant rate for each unit or for the cumulative
average of all units produced?"
320 PRINT:PRINT:PRINTTAB(10)"<1> Each unit":PRINTTAB(10)"<2> Cumulative
average"
330 PRINT:PRINT:INPUT"Answer with 1 or 2";A1
340 IF A1 <1 OR A1>2 PRINT"YOU MADE AN ERROR":GOTO330
350 CLS:INPUT"Input cost of first production unit";C1
360 PRINT:PRINT:INPUT"Enter the learning rate (generally called
the slope)";R
370 IF R<50 OR R>100 PRINT"YOUR ANSWER MUST BE BETWEEN 50 AND 100":GOTO360
380 B=LOG(100/R)/(-0.6931471824645996) 'Alternative form used to
reduce rounding error FROM .08 TO .02 CENTS PER MILLION $
390 CLS:PRINT"Do you want to compute for a particular unit, e.g.,
unit #556 or do you want a complete schedule from the first unit
to a particular unit?"
400 PRINT:PRINT:PRINTTAB(10)"<1> Particular unit":PRINTTAB(10)"<2> Complete
schedule"
410 PRINT:PRINT:INPUT"Answer with 1 or 2";A2
420 IF A2<1 OR A2>2 PRINT"YOU MADE AN ERROR":GOTO410
430 PRINT:PRINT:INPUT"What is the number of the particular unit
or last unit if a complete schedule";N
435 N1=N
'Save N to allow normal use in computations
440 CLS:PRINT"Do you want your answer printed on your MX-80 printer?"
:PRINT:PRINT
450 PRINTTAB(10)"<1> On printer and screen":PRINTTAB(10)"<2> Just the
screen"
460 PRINT:PRINT:INPUT"Answer with 1 or 2";A3
470 IF A3<1 OR A3>2 PRINT"YOU MADE AN ERROR":GOTO460
500 *****Compute single values*****
510 IF A2=2 GOSUB600 :GOTO1400 'GOSUB to compute complete schedule
520 ON A1 GOSUB840 ,810 :ON A1 GOSUB920 ,900 :GOSUB940 :GOSUB970 :GOSUB1310
'Compute single value to screen
530 IF A3=1 THEN GOSUB1320 ELSE GOTO1400
540 IF Q="Y" THEN LPRINTCHR$(18):Q="":ON A1 GOSUB1120 ,1110 :GOSUB1130 :ON A1
GOSUB1150 ,1140 :GOSUB1160 :GOSUB1190 :ON A1 GOSUB1150 ,1140 :LPRINTCHR$(18):LPRINTCHR$(140):GOSUB1400
550 IF Q="N" THEN GOTO1400
560 PRINT"YOU MADE AN ERROR!":GOTO530
600 *****Compute complete curve schedule*****
610 N=0 'N save earlier to allow normal use in computations
620 IF A3=1 THEN GOSUB1320 ELSE GOTO 660
630 IF Q="Y" THEN LPRINTCHR$(18): Q="":ON A1 GOSUB 1120 ,1110 :GOSUB1130 :ON A1
GOSUB 1150 ,1140 :GOSUB1160 :GOTO660
640 IF Q="N" THEN Q="":GOTO660
650 PRINT"YOU MADE AN ERROR!":GOTO620
660 ON A1 GOSUB 920 ,900 :GOSUB940
670 'To allow continuous printing on both screen & printer remove FOR...NEXT
and following INPUT stmt.
680 FOR K=1 TO 12
690 N=N+1
700 IF A3=1:IF PEEK(16425)>=61 THEN POKEL6425,0:LPRINTCHR$(140):GOSUB1130 :ON A1
GOSUB 1150 ,1140 :GOSUB1160
```

Listing continues

OMNITERM

What is OMNITERM?

OMNITERM is a professional communications package for the TRS-80 that allows you to easily communicate and transfer files or programs with almost any other computer. We've never found a computer that OMNITERM can't work with. It's a complete package because it includes not only the terminal program itself, but also conversion utilities, a text editor, special configuration files, serious documentation and serious support.

Why do I need it?

You need OMNITERM if you need to communicate efficiently with many different computers, or if you want to customize your TRS-80 for use with one particular computer. You need OMNITERM to SOLVE your communications problems once and for all.

What do I get?

The OMNITERM package includes the OMNITERM terminal program, four conversion utilities, a text editor, and setting files for use with popular computers such as CompuServe, the Source, and Dow Jones — just as samples of what you can

The ULTIMATE TRS-80 Terminal Package

do for the computer you want to work with. The package includes six programs, seven data files, and real documentation: a 76-page manual that has been called "the best in the industry." And OMNITERM comes with real user support. We can be reached via CompuServe, Source, phone, or mail to promptly answer your questions about using OMNITERM.

What do I need to use OMNITERM?

A Model I or Model III TRS-80, at least 32K of memory, one disk, and the RS-232 interface, or Microconnection modem. OMNITERM works with all ROMs and DOSes, and will work with your special keyboard drivers.

What will it do?

OMNITERM allows you to translate any character going to any device: printer, screen, disk, keyboard, or communications line, giving you complete control and allowing you to redefine the character sets of all devices. It will let you transfer data, and run your printer while connected for a record of everything that happens. OMNITERM can reformat your screen so that 80, 32, or 40 column lines are easy to read and look neat on your TRS-80 screen. It even lets you get on remote computers with just one keystroke! The program lets you send special characters, echo characters, count UART errors, configure your UART, send True Breaks and use lower case. It accepts VIDEOTEX codes, giving you full cursor control. It will even let you review text that has scrolled off the screen! Best of all, OMNITERM will save a special file with all your changes so you

can quickly use OMNITERM for any one of many different computers by loading the proper file. It's easy to use since it's menu driven, and gives you a full status display so you can examine and change everything.

"OMNITERM has my vote as the top TRS-80 terminal program available today" Kilobaud Microcomputing, June 1981, pages 16-19.

OMNITERM is \$95 (plus shipping if COD) Call for 24 hour shipment. Manual alone \$15, applied toward complete package. Visa, M/C, and COD accepted. MA residents add 5% tax. Dealer inquiries invited.

Available this fall, OMNITERM for the TRS80 Model II and IBM personal computer. Contact Lindbergh Systems for details.

Lindbergh Systems

41 Fairhill Road, Holden, MA 01520 (617) 852-0233

Source: TCA818 CompuServe: 70310267 TRS-80 is a "™ of Tandy Corp

135



118 SO. MILL ST
PRYOR, OK 74361
(918) 825-4844

Small Business COMPUTERS

ALL LISTED PRICES REFLECT A 3% CASH DISCOUNT. C.O.D. AND CHARGE ORDERS ARE 3% MORE. PLEASE CALL FOR CURRENT SHIPPING CHARGES.

☆ RETAIL STORE LOCATION: 447 S. WOOD, SOUTHWOOD SHOPPING PLAZA, PRYOR, OK. 74361 ☆

EPSON PRINTERS WITH FREE 180 DAY GUARANTEE!!!

We sell the complete EPSON line at the lowest prices!

If you don't believe it, give us a call. But, just as important, we offer an unprecedented **180 Day Warranty!** How do we do it? It's easy. We sell the most reliable printer in the world — EPSON!

TRS-80* MODEL 1 MINI DISK DRIVES


Our Mini Disk Drives are based on the world famous TEAC and TANDON Mini Disk Units. The TEAC unit features a lead screw type head positioner which is quieter, and very accurate. The TANDON features a split-band type positioner. The band positioner is much faster. Track-to-track access time for the TEAC is 25 milliseconds. The TANDON track-to-track access time is better than 5 milliseconds. The TEAC unit has a one year warranty. The TANDON unit is guaranteed for 90 days. We feel that these two drives offer the best price/performance ratio on the market! All drives come complete with power supply and cabinet and are burned in and tested.

\$249⁰⁰

40 TRACK SINGLE SIDE.....	\$249
40 TRACK DOUBLE SIDE.....	\$340
80 TRACK SINGLE SIDE.....	\$340
80 TRACK DOUBLE SIDE.....	\$475
VERBATIM DISKETTES.....	\$29.95
(BOX OF 10)	
2-DRIVE CABLE.....	\$29.95
4-DRIVE CABLE.....	\$39.95

**COMPLETE DRIVE
WITH POWER SUPPLY**

918-825-4844



**WE STOCK
DISK DRIVES!**

OPTIONS-80, NOW FOR
APPLE* & TRS-80*

OPTION INVESTING

PROGRAM ANALYSES
RETURN FROM LISTED
STOCK OPTION
INVESTING

HANDLES CALLS, PUTS, SPREADS, IN
AND OUT; COMMISSIONS, RISK, COST
OF MONEY, DIVIDENDS. TABLES AND
GRAPHS. PRINTS, STORES TO DISK.
INDEXED MANUAL A COMPLETE GUIDE
TO OPTION INVESTING. M/C & VISA.
\$125. SEND FOR FREE BROCHURE.
OPTIONS-80, BOX 471
CONCORD, MASS 01742

*TRADEMARK TANDY CORP *TRADEMARK APPLE COMPUTER, INC

✓ 206

MS

MANAGEMENT
SYSTEMS
SOFTWARE

Business Programs

	TRS-80 Model 1010	Model II
Proforma Cash-Budget	\$125	\$175
Proforma Income and Balance Sheet	125	175
Lease-Purchase Decision	100	150
Business Analysis Package (12 individual programs)	100	150
Procurement	100	150

Educational Programs

College Enrollment		
Projection	100	150
Gradebook	50	100

All programs on disk with extensive documentation.
Send for a brochure which fully describes the programs.

MANAGEMENT SYSTEMS
SOFTWARE, INC.

2912 Brandemere Drive
Tallahassee, Florida 32312
Phone (904) 386-6563

✓ 457



ABS Suppliers

3352 Chelsea Circle
Ann Arbor, MI 48104
(313) 971-1404

B17 TAPE OPERATING SYSTEM will let you
• Save & Load programs 6X faster than Model-1.
• Save & Load Data Arrays over 800X faster.
• Backup standard System tapes that load-n-go.
• Certify cassette tapes for B17 use.
\$14.95 Specify Model 1/3 16K/32K/48K RAM.
Inexpensive Upgrades available. 3rd year of sales.

B17 DISK/BAS is a Disk version. Lets you save any
disk file to cassette at 3000 baud. Inexpensive way
to backup your files. Works with any DOS. Includes
tape certifier. Requires 32K RAM-up.
\$14.95 Specify Model 1/3.

WORDSMITH Word-processing program in BASIC.
A 'Trainer' for more complex W/P programs. Easy-
to-use. Specify Tape/Disk version. Tape version
requires B17 Tape Operating System (above). Disk
version requires 32K RAM-up. Uses MX-80 Printer.
\$14.95 Specify Model 1/3.

Add \$1.50 postage/handling per item.

✓ 173

Listing continued

```

710 ON A1 GOSUB860 ,810 :GOSUB970 'line to screen
720 IF A3=1 THEN GOSUB1190
730 IF N>=N1 AND A3=1 LPRINTCHR$(18):LPRINTCHR$(140):RETURN
740 IF N>=N1 THEN RETURN
750 NEXT
760 GOSUB1310
770 GOTO660
800 *****Computational routines*****
805 *****Change 810, 820, 840, 860 if disks not available*****
810 CN=FN C(C1,N,B):IF N=1 THEN CM=0:TM=0:GOTO830
820 CM=FN C(C1,N-1,B):TM=(N-1)*CM
830 TN=N*CN:UC=TN-TM: RETURN
835 *****840 is an estimate of the curve for point values*****
840 UC=FN C(C1,N,B):TN=(C1/(1+B))*((N+0.5)*((1+B)+1+B-((1.5)*((1
+B)))):CN=TN/N
850 RETURN
860 UC=FN C(C1,N,B):TN=TN+UC:CN=TN/N
870 RETURN
900 *****Screen print routine*****
910 CLS:PRINT*****These computations assume that the cumulative
average cost follows a log-linear curve.:PRINT:RETURN
920 CLS:PRINT*****These costs assume that the unit cost decreases
by a constantpercentage at each doubling of the quantity produc
ed.:PRINT:RETURN
930 PRINT:PRINT*****The cumulative average and total costs are
estimates differing from unit costs sums. They become more
accurate as N increases.:PRINT:RETURN
940 PRINT"unit";TAB(22)"unit";TAB(32)"cumulative";TAB(57)"total"

950 PRINT"numb";TAB(22)"cost";TAB(34)" average";TAB(57)" cost":P
RINT
960 RETURN
970 PRINTN;TAB(12)USING PU;UC;
980 PRINTTAB(28)USING PU;CN;
990 PRINTTAB(44)USING PT;TN
1000 RETURN
1100 ***** Printer output routines*****
1110 LPRINTCHR$(14)"CUMULATIVE AVERAGE LEARNING CURVE":LPRINTCHR
$(15):RETURN
1120 LPRINTCHR$(14)"UNIT COST LEARNING CURVE":LPRINTCHR$(15):RET
URN
1130 LPRINT"Learning rate = ";R;" Number of items = ";N1;"Cost
of first item = ";USING PU;C1:RETURN
1140 LPRINT:LPRINT*****These computations assume that the cumul
ative average cost":LPRINT"follows a log-linear curve.":RETURN
1150 LPRINT:LPRINT*****These computations assume that the unit
cost decreases by":LPRINT"a constant percentage at each doubling
of the quantity produced.":RETURN
1160 LPRINT:LPRINT"unit";TAB(22)"unit";TAB(32)"cumulative";TAB(5
7)"total
1170 LPRINT"numb";TAB(22)"cost";TAB(34)" average";TAB(57)" cost"
:LPRINT
1180 RETURN
1190 LPRINTN;TAB(12)USING PU;UC;
1200 LPRINTTAB(28)USING PU;CN;
1210 LPRINTTAB(44)USING PT;TN
1220 RETURN
1300 *****Interrogatives*****
1310 INPUT"Press <ENTER> to continue.":Q:RETURN
1320 Q="":POKE16425,0:CLS:INPUT*****IS YOUR PRINTER READY? PAPE
R AT TOP OF PAGE! ANSWER Y OR N. N MEANS YOU HAVE NO PRINTER OR
YOU DO NOT WANT TO USE THE ONE YOU HAVE.":Q:RETURN
1400 Q="":INPUT*****Do you want to run more values? Answer Y or
N.":Q 'Program termination or repeat
1410 IF Q="Y" CLEAR:GOTO200
1420 IF Q="N" STOP
1430 PRINT"YOU MADE AN ERROR!":GOTO1400
1500 '
1510 '
1600 *****THE MAIN VARIABLES ARE*****
1610 ' A1 Operator response - Type of curve
1620 ' A2 operator response - schedule LEN
1630 ' A3 Operator response - Print option
1640 ' B Curve slope function
1650 ' C DEF FN for learning curve
1660 ' C1 Cost of first unit (fuc)
1670 ' CM Cost of (N-1)st unit
1680 ' CN Cost of Nth unit
1690 ' K Loop counter
1700 ' N Number of units to be considered
1710 ' N1 Used to save N
1720 ' PT Edit string for total cost
1730 ' PU Edit string for unit/cum cost
1740 ' Q Operator response - YES/NO
1750 ' R Learning rate
1760 ' TM Total (N-1)st unit
1770 ' TN Total Nth unit
1780 ' UC Unit cost

```



AMERICAN

118 SO. MILL ST
PRYOR, OK 74361
(918) 825-4844

Small BUSINESS COMPUTERS


ALL LISTED PRICES REFLECT A 3% CASH DISCOUNT. C.O.D. AND CHARGE ORDERS ARE 3% MORE. PLEASE CALL FOR CURRENT SHIPPING CHARGES.

☆ RETAIL STORE LOCATION: 447 S. WOOD, SOUTHWOOD SHOPPING PLAZA, PRYOR, OK. 74361 ☆

DISCOUNT PRINTERS

TRS-80™ DAISY WHEEL PRINTER II

By Radio Shack



\$1649⁰⁰

EPSON PRINTERS

FREE GRAFTRAX MX-80
MX-80 FT.

**FREE 180 DAY ASBC
EXTENDED WARRANTY**

CALL FOR PRICES!

**COMPLETE LINE OF EPSON
ACCESSORIES IN STOCK**

TRS-80 PRINTERS BY RADIO SHACK

LINE PRINTER V \$1579⁰⁰

Wide Carriage, 160 characters per second print speed

LINE PRINTER VI \$779⁰⁰

Wide Carriage, 100 characters per second print speed

LINE PRINTER VII \$320⁰⁰

Narrow Carriage, 30 characters per second print speed

LINE PRINTER VIII \$619⁰⁰

Narrow Carriage, 40-100 characters per second print speed

OKIDATA PRINTERS

MICROLINE 80 \$350⁰⁰

Narrow Carriage, 80 characters per second print speed
7 wire print head

MICROLINE 82A \$469⁰⁰

Narrow Carriage, 120 characters per second print speed
9 wire print head, lower case descenders, parallel &
RS-232 Interface

MICROLINE 83A \$719⁰⁰

Same as 82A, but has a wide carriage

MICROLINE 84 CALL FOR PRICE

Wide Carriage, 180 characters per second print speed,
9 wire print head, parallel & RS-232 interface, lower case
descenders

C. ITOH PRINTERS

PROWRITER \$489⁰⁰

Narrow Carriage, 120 characters per second print speed
graphics capability, accepts tractor or friction type paper
RS-232 Conversion.....\$639.00

F10-40 \$1450⁰⁰

Daisy Wheel type printer with typewriter quality print.
40 Characters per second print speed

F-10-55 \$1750⁰⁰

Same as F10-40, but prints at 55 characters per second

OLIVETTI PRINTER

TYPEWRITER QUALITY PRINT!!

THE NEW OLIVETTI PRINTER CAN DOUBLE AS
AN ORDINARY OFFICE TYPEWRITER OR YOUR
COMPUTER PRINTER! A STANDARD PARALLEL
INTERFACE ALLOWS EASY HOOK-UP TO ANY TRS-80
OR MOST ANY COMPUTER. PRINTS APPROXI-
MATELY 10-15 CHARACTERS PER SECOND! ✓ 219

918-825-4844

SPECIAL PRICE → \$779⁹⁵

Invest wisely; read this and reap.

High Finance

Ted Byrne
45 Woodbridge Terrace
South Hadley, MA 01075

The new all-saver savings account isn't for all savers; it isn't even for a majority of savers. If you're an accountant, tax lawyer, broker, or banker how are you advis-

ing your clients? Here's a fast, user-friendly program to make the calculations you need for each individual case.

Savings and loan associations and banks are restricted in the maximum amount of interest they can pay their depositors. In the past few years, money market funds have developed that pay higher interest on accounts and behave like checking and saving accounts. While unin-

sured, these accounts are backed by safe securities and consequently have attracted a lot of deposits. Even though banks and savings and loans can pay competitive rates to stop the flow of their depositors to the money funds, they still face an awful problem. Over the years they made long term loans, like mortgages, that were paying fixed low rates of interest. So even if they raised their interest to depositors, they receive insufficient income to pay those competitive high interest rates.

Savings and loans offer all-saver securities in answer to the money funds. The attraction of these securities is their tax-exempt feature. All interest earned on these 12-month deposits are exempted from taxes up to \$1,000 for a depositor who files individually, or up to \$2,000 for a couple filing jointly.

Some savings and loans are pushing these accounts as if they're the answer to everyone's needs. You can enjoy safe comparable interest rates as high as 16, 17, and 18 percent before taxes, but only 12 to 13 percent on the all saver. Which is better, 18 percent before taxes or 13 percent after? It depends.

The marginal tax rate is different for almost everyone, depending upon your income, your exemptions, and your deductions. At lower income levels or higher deduction levels, the 18-percent rate is best. But for 25 percent of the population in

Program Listing

```
10 CLEAR500
30 GOSUB 2440
40 PRINT@327,"Compute Tax Exempt Yield."
50 ' ** TAXABLE YIELD PROGRAM **
60 ' ** COPYWRITE TED BYRNE 08/30/81 **
70 CLS:PRINTCHR$(23):PRINT@384,"Hello. Please Type in your first
name and ";
80 PRINT"Press 'Enter'.";
90 INPUT NME$
100 ' ** MENU INSTRUCTIONS **
110 CLS:PRINT@132,"Welcome to 'Tax Yield' - Here's my menu "NME$
:GOTO130
120 CLS:PRINT@148," ** MENU **
130 PRINT@268,"1. Compute Taxable Yield."
140 PRINT@332,"2. Compute Tax Exempt Yield."
150 PRINT@396,"3. Develope A Taxable Yield Table."
160 PRINT@460,"4. Compute Maximum 'All Saver' Investment."
170 PRINT@524,"5. Quit."
180 PRINT@660,"Type number of selection (1-5)";
190 FOR OVER =0 TO 127
200 SET(OVER,0)
210 SET(OVER,47)
220 NEXT OVER
230 FOR UNDER =0 TO 47
240 SET(0,UNDER)
250 SET(127,UNDER)
260 NEXT UNDER
270 N$=INKEY$:IFN$="" GOTO 270
280 IF VAL(N$)<1 OR VAL(N$)>5 GOTO 300
290 ON VAL(N$) GOTO 310 ,780 ,1180 ,1640 ,2260
300 PRINT@844,"OOPS! I asked for a number from 1 to 5.":FOR X=1
TO 500: NEXT X:CLS:GOTO120
```

Listing continues

The Key Box

Model I or Model III
16K or 32K RAM
Cassette or Disk Basic



118 SO. MILL ST
PRYOR, OK 74361
(918) 825-4844

Small Business COMPUTERS

ALL LISTED PRICES REFLECT A 3% CASH DISCOUNT. C.O.D. AND CHARGE ORDERS ARE 3% MORE. PLEASE CALL FOR CURRENT SHIPPING CHARGES.

☆ RETAIL STORE LOCATION, 447 S. WOOD, SOUTHWOOD SHOPPING PLAZA, PRYOR, OK. 74361 ☆


CAMEO HARD DISK DRIVES FOR TRS-80 MODEL II

The Cameo Hard Disk offers TRS-80 Model II users 10 million bytes of on-line disk storage. Five million bytes are stored on a standard non-removable disk platter. The second five million bytes are stored on a removable "disk pack". This configuration allows, for example, the accounts receivable to be stored on one disk pack, accounts payable on still another disk pack, mailing list on another, etc., etc.


The Cameo also allows up to four computers to share the same disk drive. This means one person working at one computer can be updating accounts payable, while another person working at another computer can be retrieving records from a data base. So...when your business needs soar beyond a floppy disk limitations, call AMERICAN SMALL BUSINESS COMPUTERS and ask for THE CAMEO CONNECTION.

CALL FOR PRICING INFORMATION

★ Dealers needed for all Cameo Hard Disk Products ★



**ALSO
AVAILABLE:**



RADIO SHACK 8.4 MEGABYTE PRIMARY \$4040⁰⁰


MODEL 16

TRS-80* MODEL 16

ONE DISK DRIVE.....\$4499.00

TRS-80* MODEL 16

TWO DISK DRIVES.....\$5199.00



FREE Installation if you purchase both the 8.4 Meg Hard Disk and a Model II

MODEL 2

64K MODEL 2

ONE DRIVE.....\$2995.00

MODEL II

One Drive Expansion.....\$1049.95

Two Drive Expansion.....\$1549.95

Three Drive Expansion.....\$2049.95

AW...WHAT THE HECK

RAM Memory Chips for the TRS-80


It is the policy of American Business Computers to offer merchandise at the lowest price possible. Several months back, we began selling RAM Memory Chips for the TRS-80 for \$45.00 per set. Someone else sold chips for \$44.00. We sold them for \$38.00. They sold them for \$37.95. So we say "AW...WHAT THE HECK!" Let's see the other guys beat this price.

\$16⁹⁵

PER 16K SET

These chips are brand new "4116's". These 200 nano-second chips are fully compatible with all TRS-80 products. Instructions for insertion are included; however, the dip shunts required for converting a 4K Model I to a 16K Model I are not included at this low price.

COLOR COMPUTER



16K LEVEL I **\$435**

16K EXT. BASIC **\$535**

32K EXT. BASIC **\$599**

918-825-4844

Listing continued

310 CLS

320 ' ** TAXABLE YIELD **

330 '** INSTRUCTIONS **

340 CLS:PRINT@74,"PART I. COMPUTING TAXABLE YIELD."

350 PRINT@256,"Do you want an explanation of 'Taxable YIELD' (Y or N)?"

360 T\$=INKEY\$:IFT\$="GOTO 360

370 IF T\$="Y" GOTO 390

380 IF T\$="N" GOTO 550 ELSE 350

390 CLS:PRINT@64,"This is a program "NME\$", designed to tell

400 PRINT"you the amount you would have to earn to equal a

410 PRINT"tax exempt yield, or the taxable interest rate

420 PRINT"which is equivalent to that you will receive on a

430 PRINT"security which pays a known amount of tax deductible

440 PRINT"interest.

450 PRINT" To operate the program you will have to know the

460 PRINT"rate of interest paid on the tax exempt security and

470 PRINT"the marginal tax rate of the holder of the security."

480 T= 800: FOR X= 1 TO T: NEXT X

490 PRINT" FOR EXAMPLE: If your marginal tax rate is 50%, and

500 PRINT"a tax exempt bond has a yield of 10% , then this pro-

510 PRINT"gram will compute that you would need to make at least

520 PRINT"20% to do as well with a taxable security."

530 PRINT" PRESS THE 'SPACE BAR' TO GO ON"

540 IF INKEY\$=" " GOTO 550 ELSE 540

550 CLS:FORG=1 TO 63:PRINT@G+63,"*";:NEXT G

560 ' ** COMPUTING TAXABLE YIELD **

570 ' **Instructions**

580 PRINT@192,"I am going to request data from you now "NME\$".

590 PRINT"FIRST please type the marginal tax rate in % and press 'ENTER'."

Listing continues

higher tax brackets, the all saver makes sense.

My bank is trying to provide responsible information to customers. We've set up a personal banking center with a telephone hot line, and we've given the staff the best data on the customers' needs so we can advise them on the all savers depending upon their needs.

The Program Listing is a result of that project. It allows you to compare the advantages of the all-saver rates to those of taxable securities for any known marginal tax rate (parts I and II). Since the rates on all savers can change from month to month, part III allows you to construct a comparison range for different rates on all savers at different marginal tax rates. You set a range by choosing the basis point spread anticipated in the coming period.

Part IV allows you to instantly generate the maximum deposit a saver should make into this account if parts I-III have shown it beneficial. You can specify a range of basis points around a known rate to allow some speculation about various liquidity needs for various returns on all-saver accounts.

The program is user-friendly with abundant use of instructions, INKEY\$, and personalizing features. The program is written for a TRS-80 Model III with TRSDOS 1.3.

One last point: Part IV is constructed using simple interest; the modifications for various types of compounding can be made to line 2070 according to your needs. ■

COPY MODEL III, SCRIPSIT / VISICALC® Only \$20

Works with all model III Visicalc/Scrpsit and allows unlimited backups of master disks. Works even if you're already backed up twice. Simple, 17 line program.

And look at these other outstanding values!

APPARATS NEWDOS/80®, 2.0 \$129.95

Convert Model I Scrpsit and Visicalc to Model III, plus: Renumber program lines - move program lines - move blocks of program lines - duplicate program lines - selective variable clearing - program single stepping - memory sort multi-dimensioned arrays - swap variables - read and write to model I disks - reference keywords - spool printing - change disk speeds - disable BREAK and CLEAR - Much, much more!

FREE "Layman's Guide to Newdos 80" included with this purchase.

HAYES SMARTMODEM®.. \$249.95

Talk with other computers over regular telephone lines. SMARTMODEM can auto dial - auto answer - repeat - allow for audio monitoring - programmable - is FCC approved direct-connect - full or half duplex capability. 0-300 baud - RS-232C interface - seven status LED's.

VERBATIM® DATA-LIFE DISKETTES

5" diskettes come in a reusable plastic storage box.

Use VISA - Mastercard - Money Orders - Allow 2 weeks for personal checks. Kansas residents add 3.5% sales tax.

ST80 III®..\$129.95

Smart terminal communications package. Allows file uploading/downloading. Emulates many different terminals. Total operator control. (Written by Lance Micklus.)

FREE Catalog price list

of all Sales Data Direct-Order merchandise available upon request. Super prices . . . Rapid delivery . . . Quality products.

**SALES
DATA, INC.**

526 E. 4th Hutchinson, Kansas 67501
316/665-3611

Dealer Inquiries Invited.

Phone or write Sales Data, Inc. ✓ 142



AMERICAN

118 SO. MILL ST
PRYOR, OK 74361
(918) 825-4844

Small Business COMPUTERS

ALL LISTED PRICES REFLECT A 3% CASH DISCOUNT. C.O.D. AND CHARGE ORDERS ARE 3% MORE. PLEASE CALL FOR CURRENT SHIPPING CHARGES.

☆ RETAIL STORE LOCATION: 447 S. WOOD, SOUTHWOOD SHOPPING PLAZA, PRYOR, OK. 74361 ☆

DISCOUNT SOFTWARE FOR THE TRS-80

FARM & RANCH MANAGEMENT PROGRAMS

BEEF PROJECTION	\$20.00
BEEF RATION	\$15.00
DAIRY COW	\$15.00
FEED LOT	\$35.00
Models I and III	
Model II	\$100.00
FARM RECORD	\$35.00
GOVERNMENT PROGRAM	\$15.00
GRAIN STORAGE	\$15.00
LOAN	\$15.00
MACHINE COST	\$20.00
RECORD MANAGEMENT	\$15.00
ESTATE TAX	\$25.00
FEED FORMULATOR	\$35.00
PASTURE PROJECTION	\$20.00

HARDWARE REQUIREMENTS FOR THE ABOVE PROGRAMS: (MINIMUM) TRS-80 Model I or III with 48K and one disk drive. For Model II Versions of the above programs, please add \$5.00 per program (Feed Lot Program Add \$65). Buy all the above programs and save even more! Model I and III Versions only \$250.00 (Save \$30). Model II Versions Only \$350 (Save \$35).

NEW DOS/80 2.0

OR

DOS PLUS 3.4

YOUR CHOICE, ONLY \$139

DOS PLUS 3.4 and NEWDOS/80 2.0 are two of the most advanced operating systems ever available for the TRS-80. After spending thousands of dollars on your computer, why limit yourself by using an inferior operating system? Order Today!!

RADIO SHACK SOFTWARE

MODEL I, III

Cassette Scripsit	26-1505
Cassette Portfolio	26-1506
Stock Pack	26-1507
Disk Mailing List	26-1551
General Ledger I	26-1552
Inventory Control I	26-1553
Accts. Payable	26-1554
Accts. Receivable	26-1555
Disk Payroll	26-1556
Business Mailing List	26-1558
Profile	26-1562
Scripsit	26-1563
Visicalc-Mod I	26-1566
Visicalc-Mod III	26-1569
Project Manager	26-1580
Checkwriter	26-1584
Super Scripsit	26-1590

\$34.95
\$24.95
\$44.95
\$34.95
\$87.95
\$87.95
\$138.00
\$138.00
\$175.00
\$87.95
\$69.95
\$87.95
\$87.95
\$175.00
\$87.95
\$87.95
\$175.00

Scripsit Dictionary
Profile III Plus
Desktop Plan-80
Budget Mgmt.
Advanced Stat. Analysis

26-1591	\$131.00
26-1592	\$175.00
26-1594	\$175.00
26-1603	\$22.00
26-1705	\$39.95

MODEL II

Gen. Ledger 1 Disk	26-4501
Inventory Mgmt. System	26-4502
Mod II Visicalc	26-4511
Profile II	26-4512
Profile II Plus	26-4515
Mod II Scripsit 2.0	26-4531
Scripsit Dictionary	26-4534
Inventory Mod II	26-4602
Order Entry ICS	26-4607

\$175.00
\$175.00
\$263.00
\$170.00
\$275.00
\$375.00
\$175.00
\$275.00
\$465.00

↓ GAMES FOR THE COLOR COMPUTER ↓

★ New Release ★ OFFENDER

We believe this is, without a doubt, the most advanced game for the color computer! In this game, you must fly a rescue mission to save trapped hostages. Enemy ships tend to spirit away hostages while you are not looking. If you blast the enemy and rescue the hostage, you are awarded bonus points. A very fast paced machine code game which allows two-dimensional flying via the joysticks. Requires 16K

Cassette Version.....\$29.95
Disk Version.....\$34.95

Still A Big Favorite!! PACKET MAN

The object of this machine code game is to consume mass quantities of dots before the little munchkins eat you! Multitudes of these games were sold at \$24.95 BUT GUESS WHAT? The price has now dropped to only \$21.95!!!!!!!!!!!!!!

Other Favorites


Moon Lander	\$14.95
Meteroids	\$21.95
Space Invaders	\$21.95

★ ATTENTION SOFTWARE AUTHORS ★

American Small Business Computers is one of the nation's largest suppliers and distributors of TRS-80 related software. If you have a program which you would like to market, please contact Ms. Jeanie Phillips at American Small Business Computers. She will test and evaluate each program received. If the program meets our high standards, an offer of acceptance, along with our terms, will be returned with the software. All types of games, business and scientific programs will be considered. Highest royalties are now being paid for Color Computer programs.

Verbatim flexible disks

Call Free (800) 235-4137 for prices and information. Dealer inquiries invited. C.O.D. and charge cards accepted.



VISA

PACIFIC EXCHANGES
100 Foothill Blvd.
San Luis Obispo, CA
93401. In Cal. call
(800) 592-5935 or
(805) 543-1037.

✓207

MOD 2

MERGIT-GLII

LINKS MODEL 2 ONE DISK GENERAL LEDGER (PN 26-4501) PROGRAM WITH SCRIPSIT™ 2.0 ALLOWING ULTIMATE FLEXIBILITY IN REPORT FORMATS AUTOMATICALLY.....\$89.95

GAMES-V

5 assorted GAMES for mod2 \$19.95

SAVE!! Buy both for..... \$99.95

INDEPENDENT SOFTWARE

POB 3126


FEDERAL WAY, WA 98003

(206)941-6022 WA res add 6.5% tax
no COD orders please

"trademark of TANDY CORP

✓494

PRESERVE 80micro BINDERS & FILE CASES



Keep your issues of 80 Micro together, handy and protected in handsome and durable library files or binders. Both styles bound in dark green leatherette with the magazine logo stamped in gold.

Files: Each file holds 6 issues, spines visible for easy reference. \$5.95 each, 3 for \$17.00, 6 for \$30.00

Binders: Each binder holds 6 issues and opens flat for easy reading. \$7.50 each, 3 for \$21.75, 6 for \$42.00 (Postage paid in USA. Foreign orders include \$2.50 per item)

Please state years: 1980 to 1983

Send check or money order to:

JESSE JONES BOX CORP.

P.O. Box 5120

Philadelphia, PA 19141

Please allow 6-8 weeks for delivery

Listing continued

```
600 PRINT" (For Example, if marginal tax rate is 25%, type 25)
610 INPUTM$:M=VAL(M$)
620 PRINT:PRINT"Thank you "NME$". Now in percent, type in the r
return or
630 INPUT"yield on the tax exempt in % and press 'ENTER'.";R$:R=
VAL(R$)
640 R1=R*.01:M1=M*.01:I=R1/(1-M1) '** HERE'S THE FORMULA **
```

```
650 PRINT
660 PRINT"","","THEN YOU WOULD"
670 PRINT"","","NEED AT LEAST"
680 PRINT"IF MARGINAL","AND YIELD ON","THIS RATE ON"
690 PRINT"TAX RATE IS..","TAX EXEMPT IS..","A TAXABLE SECURITY";
```

```
700 PRINT:FOR G= 1 TO 63:PRINT"*";:NEXT G
710 PRINT@960,USING"###.###";M;
720 PRINT@980,USING"###.###";R;
730 PRINT@998,USING"###.###";I*100
740 PRINT;:PRINT"Do you want to compute more 'Taxable Yields' "N
MES "(Y or N)?"
750 T$=INKEY$:IFT$="" GOTO 750
760 IF T$="Y" GOTO 550
770 IF T$="N" GOTO 120 ELSE 740
```

```
780 ' ** COMPUTE TAX EXEMPT YIELD **
```

```
790 ' **Instructions **
```

```
800 CLS:PRINT@74,"PART II. CALCULATION OF TAX EXEMPT YIELD ."
810 PRINT@256,"Do you want an explanation of tax exempt yield
820 PRINT"calculations (Y or N)?"
830 T$=INKEY$:IF T$=""GOTO 830
840 IFT$="Y"GOTO 860
850 IFT$="N"GOTO 980
860 CLS:PRINT"This is a program "NME$", which will compute
870 PRINT"the interest you would have to receive on a tax
880 PRINT"exempt security to be equal to that received on
890 PRINT"a taxable security.";FORX=1 TO 500:NEXT X
900 PRINT:PRINT" FOR EXAMPLE, If you can get 18% on a
910 PRINT"taxable security, and you're in the 30% marginal
920 PRINT"tax bracket, then a tax exempt security would have
930 PRINT"to pay at least 13%.
931 PRINT:PRINT
940 PRINT" PRESS 'SPACE BAR' TO CONTINUE"
950 ' ** COMPUTATION **
960 N$=INKEY$:IF N$="" GOTO 960
970 IF N$=" " GOTO 980 ELSE 970
980 CLS:PRINT@192,"Type in the marginal tax rate and press 'ENTE
R' "NME$". ";:INPUTM$:M=VAL(M$)
990 PRINT@322,"Good "NME$", now type in the interest the taxabl
e security
1000 PRINT@386,"is paying and press 'ENTER' ". ";:INPUT I$:I=VAL(I
$)
1010 I1=I*.01:M1=M*.01:R=I1*(1-M1) '** The Formula **
1020 PRINT@512,"You need a tax exempt rate of ";
1030 PRINTUSING"###.###";R*100;
1040 PRINT" to enjoy the same"
1050 PRINT@576,"after tax income as you would on the taxable sec
urity
1060 PRINT@640,"paying ";
1070 PRINTUSING"###.###";I;
1080 PRINT" when the marginal tax rate is ";
1090 PRINTUSING"###.###";M;
1100 PRINT"."
1110 PRINT:PRINT"Wanna' compute some more of these (Y or N)?"
1120 T$=INKEY$:IFT$="" GOTO1120
1130 IFT$="Y" GOTO 980
1140 IFT$="N" GOTO 120 ELSE 1110
1150 IFT$="Y" GOTO 980 :IFT$="N" GOTO 120 ELSE 1120
1160 ' ** TAXABLE YIELD TABLE **
```

```
1170 ' ** Instructions **
```

```
1180 CLS:PRINT@10,"PART III. COMPILING A TAXABLE YIELD TABLE."
1190 PRINT:PRINT"This component of the program will allow you to
compute
1200 PRINT"the amount someone would have to receive on a taxable
1210 PRINT"security to match the rate received on a tax exempt
1220 PRINT"security."
1230 PRINT:PRINT"What's special here "NME$", is that a chart will
```

Listing continues

CLEVELAND ELECTRONICS IS QUITTING BUSINESS SELLING OUT TO THE BARE WALLS —DEALERS WELCOME—

Computer Equipment At Ridiculous Prices

ALL INVENTORY MUST GO!

Name Brands Like Radio Shack, Epson, TEAC, TANDON, C. Itoh, Okidata,
Florida Data, Centronics, NEC, Cameo

ALL PRICES "CUT TO THE BONE"

NEW EQUIPMENT

Bare Tandon or Teac Mini Disk Drives 40 Tracks, Single Sided, Double Density.....	\$190.00
Perfect for Radio Shack, IBM, etc. Requires Power Supply	
Power supply for above drives.....	\$45.00
Radio Shack tape recorders CTR-80.....	\$50.00
Epson MX-80's — ***Limited Supply***.....	\$425.00
Epson MX-80 FT — ***Limited Supply***.....	\$525.00
Epson MX-100 — ***Limited Supply***.....	\$699.00
Okidata Microline 82A Printer.....	\$450.00
Okidata Microline 83A Printer.....	\$699.95
NEWDOS 80 version 2.0 Operating System for TRS-80 MOD I, or MOD III.....	\$110.00
DOSPLUS version 3.4 Operating System for TRS-80 MOD I, or MOD III.....	\$110.00
Memory Chips (set of 8) for TRS-80's, Apples, etc.	\$13.95

DEMO EQUIPMENT

Radio Shack TRS-80's with Tandon disk drives and NEC memory	
Two drives.....	\$1649.00
One drive.....	\$1499.00
RS-232 Interface for above computers.....	\$92
Radio Shack TRS-80 MOD II 64K, One drive.....	\$2899.00
16K Radio Shack Color Computer with Extended Basic.....	\$425.00
Radio Shack Daisy Wheel II Printer.....	\$1599.00
One only-C. Itoh Starwriter I (serial version, 25 CPS print speed).....	\$1750.00
One only-C. Itoh Starwriter I (parallel version, 25 CPS print speed).....	\$1250.00
Four only-Demo. Epson MX-80 Printers.....	\$400.00
Two only-Demo Epson MX-70 Printers.....	\$299.00
Eight only-TRS-80 MOD I expansion interfaces (reconditioned).....	\$329.95
One only-Centronics 761 printer (as is, not working).....	\$99.95
Florida DATA 600c (600 CPS) Printer Ultra-Fast! Retail \$6000 plus.....	\$3500.00

TERMS AND CONDITIONS OF SALE

Equipment listed as NEW is guaranteed to be brand new and still in original boxes with original documentation. New equipment is covered by manufacturer's warranty. Consult Cleveland Electronics or manufacturer for further warranty information. Equipment listed as Demonstrator is used. Demonstrator Equipment is guaranteed to be in working condition upon arrival unless marked "as is" or "non-working". Prices listed on above equipment DO NOT reflect shipping charges. Please call for shipping charges. Prices listed on above equipment are already 3% cash discounted. C.O.D.'s are welcome. No additional charges will be added for items which can be shipped by UPS; however, items shipped by other means are subject to C.O.D. collection fees charged by the carrier. NOTICE: Because of reductions in staff and the expected volume of business, NO walk-in sales will be accommodated.

222

453 S. WOOD ST.
PRYOR, OK. 74361

1-800-331-3896

IF BUSY, CALL
918-825-4902

GREAT SAVINGS!
featuring Top Quality diskettes by
Verbatim®

- Disk Packs
- Labels
- Magnetic Tape
- Ribbons

Dealer inquiries invited.

Call Toll Free 1-800-237-8931.
In Florida, call 813-577-2794.



Tech Data Corporation

3251 Tech Drive North
St. Petersburg, FL 33702

✓440

TAXES

TRS-80 MODEL II

TRSDOS or CP/M

A complete coordinated tax system that includes most used forms and schedules. All schedules printed, no masks, no data field entered more than once. All data automatically passed between schedules and 1040. Fully supported all year. Partial or full system. System can be run for single or multiple returns. Extremely flexible.

FULL SYSTEM - \$600.00
OTHER CP/M SOFTWARE AVAILABLE

ANALYTICAL PROCESSES CORP.

635 MAIN ST. — NASSAU BLDG.

P.O. BOX 1313

MONTROSE, COLO. 81402

VISA

303-249-1400

✓341

Subscription Problem?

80 Micro does not keep subscription records on the premises, therefore calling us only adds time and doesn't solve the problem.

Please send a description of the problem and your most recent address label to:

80micro
Subscription Dept.
PO Box 981
Farmingdale, NY 11737

Thank you and enjoy your subscription.

Listing continued

```

1 be
1240 PRINT"constructed for you. Thus if you know an approximate

1250 PRINT"rate for the tax exempt, you'll be able to compute it
's
1260 PRINT"advantages over a range of near values."
1270 PRINT:PRINT:PRINT"  PUSH THE 'SPACE BAR' TO CONTINUE"
1280 IF INKEY$= " " GOTO 1310 ELSE 1280

1290 ' ** Intake Data For Calculations **

1310 CLS:INPUT"Type in the probable rate on the tax exempt secur
ity and press 'ENTER'. ";Y$:Y=VAL(Y$)
1320 PRINT:INPUT"Type in the number of basis points by which the
range should be constructed and press 'ENTER'. ";B$:B=VAL(B$)
1330 B1=(B*.01):Y1=Y-4*B1
1340 CLS:PRINT"TABLE 1: REPRESENTATIVE "
1350 PRINT"TAXABLE EQUIVALENT YIELDS ON TAX EXEMPTS AROUND "Y"%

1360 PRINT"If Tax"
1370 PRINT"Exempt", "    And The Marginal Tax Rate Is...."
1380 PRINT"Offers"
1390 PRINT@268,"20%":PRINT@276,"25%":PRINT@284,"30%":PRINT@292,"
35%":PRINT@300,"40%":PRINT@308,"45%":PRINT@316,"50%"
1400 FORX=1 TO64:PRINT"-";:NEXT X
1410 '** BODY OF TABLE AND CALCULATIONS **
1420 ' **COMPUTING COLLUMNS **

1430 FOR C= 1 TO 9
1440   PRINT USING "##.##"; Y1;
1450 ' ** COMPUTING ROWS **
1460 M1 =0
1470   FOR X=1 TO 7
1480     R=Y1*.01:M=(.20+M1):I=(R/(1-M))*100
1490     P=11+C2:PRINT TAB(P) ; USING "##.##"; I;
1500     M1= M1 + .05
1510 C2=C2+8
1520   NEXTX
1530 C2=0:P=0
1540 Y1=Y1+B1
1550 NEXT C
1560 PRINT@646,"**";
1570 PRINT@960,"-----Do You Want To Run Another Table "NME$" (
Y or N)-----";
1580 FOR UNDER=8 TO44
1590   SET(18,UNDER)
1600 NEXT UNDER
1610 T$=INKEY$:IF T$=" "GOTO 1610
1620 IF T$="Y" GOTO 1310
1630 IF T$ = "N" GOTO 120   ELSE 1570

1640 ' ** PARTIV -- MAXIMUM INVESTMENT TABLE **
1492'   ** INSTRUCTIONS **
1650 CLS:PRINT"PART IV : COMPUTING MAXIMUM SAVING IN 'ALL SAVER
ACCOUNTS"
1660 PRINT@192,"Will you need instructions "NME$(Y or N)?"
1670 T$=INKEY$:IF T$=" "THEN 1670
1680 IFT$="Y" GOTO 1700
1690 IFT$="N" GOTO 1910 ELSE 1670
1700 CLS:PRINT"    Tax changes in 1981 have allowed the sale of
'All Saver
1710 PRINT"Accounts' so that individuals could shield some of th
e interest
1720 PRINT"on their savings from taxes.":PRINT
1730 PRINT"    As the law is currently written, an individual c
an earn
1740 PRINT"$1,000, or a couple could earn $2,000 in interest fro
m such
1750 PRINT"an 'All Saver Account' without paying federal taxes o
n
1760 PRINT"this interest "NME$"."
1770 PRINT@842,"PRESS THE 'SPACE BAR' TO CONTINUE"
1780 N$=INKEY$:IFN$=" "GOTO1780
1790 IFN$=" "GOTO 1800 ELSE 1780
1800 CLS:PRINT:PRINT"    But, an account paying 10% will earn t
hat $1,000 on
1810 PRINT"a deposit of $10,000, while an account paying 20% wil
l need
1820 PRINT"a deposit of only $5,000 to earn the legal maximum in
terest.
1830 PRINT"As you can imagine then, how much you should put into

```

Listing continues


```

1840 PRINT"an 'All Saver Account' depends upon the rate it pays.
1850 PRINT:PRINT"      This is a program designed to compute the
maximum
1860 PRINT"useful deposit for an individual or a couple who file
taxes
1870 PRINT"jointly."
1880 PRINT:PRINT"PRESS THE 'SPACE BAR TO CONTINUE.'"
1890 N$=INKEY$:IFN$=""THEN1890
1900 IF N$=" " THEN 1910 ELSE 1890
1910 CLS:PRINT"Type in the anticipated percentage return on the
"
1920 INPUT"'All Saver' account and press 'ENTER' ." ;I1$:I=VAL(
I1$)
1930 '** THE FORMULA **

1940 PRINT"Type in the number of basis points the range should b
e
1950 INPUT"constructed over and press 'ENTER' ." ;R$:R=VAL(R$)
1960 R1=R*.01:I1=I-4*R1
1970 CLS:PRINT"TABLE 2:MAXIMUM DEPOSITS IF'ALL SAVER'IS RANGED A
ROUND "I"%
1980 '** FORMAT THE TABLE **

1990 PRINT"If'All Saver'", "      And You File Your Taxes
2000 PRINT"Tax Exempt"
2010 PRINTTAB(0);"Offers";:PRINTTAB(25);"Singly";:PRINTTAB(48);"
Jointly"
2020 '** BODY OF TABLE CALCULATIONS **
2030 PRINT
2040 FOR C=1 TO 9
2050 PRINTUSING" ###.###"; I1,
2060 I2=I1*.01
2070 DI=1000*(1/I2):DJ=2000*(1/I2)
2080 PRINTTAB(24 );USING"$$,####";DI,
2090 PRINTTAB(48);USING"$$$,####";DJ
2100 I1=I1+R1
2110 NEXTC
2120 PRINT@585,"*";
2130 FOR OVER =0 TO 127
2140 SET(OVER,13)
2150 NEXT OVER
2160 FOR UNDER = 6 TO 47
2170 SET(28,UNDER)
2180 NEXT UNDER
2190 FOR UNDER =8 TO 47
2200 SET(85,UNDER)
2210 NEXT UNDER
2220 PRINT@896,"-----Do you want to run another table "NME$" (Y
or N)----- ";
2230 T$=INKEY$:IFT$=""GOTO2230
2240 IFT$="Y" GOTO 1910
2250 IFT$="N" GOTO 120 ELSE 2230
2260 '** END OF PROGRAM **
2270 GOSUB 2350
2280 CLS:PRINT@64," ":FORX=1 TO 5 :PRINT"BYRNE-SOFT "":NEXTX
2290 PRINT@384,"I hope I was helpful "NME$". Remember now
2300 PRINT"....Please .. PLEASE .... Remove diskette(s) before
2310 PRINT"turning me off."
2320 PRINT:PRINT@665,"THANK YOU."
2330 PRINT@832," ":FORX=1 TO 5 :PRINT"BYRNE-SOFT "":NEXTX
2331 END
2350 CLS
2360 CLS:FORI=1 TO2
2370 FORB=26TO1 STEP-1
2380 FORC=1TO3
2390 A=A+.25
2400 PRINTTAB(28+SIN(A)*B);"BYRNE-SOFT"
2410 FOR Z=1TO10
2420 NEXT Z
2430 NEXTC,B
2440 CLS:PRINT@64,STRING$(64,147)
2450 PRINT@338,"Taxable Yield Computations"
2460 PRINT@540,"By"
2470 PRINT@724,"BYRNE - SOFT c. 1981"
2480 PRINT@960,STRING$( 63,178)
2490 T=925
2500 FOR I= 1 TO T : NEXT
2510 PRINT@836,"Prepared In South Hadley Ma. - All Rights Reserv
ed - TRB";
2520 FOR X= 1 TO T: NEXT
2530 RETURN

```

TRS-80 Model 16 & 68000 Systems Database & File Software

**relational database system
easy to use, powerful, & efficient**

menus & English subset query language
68000 code
sequential, indexed, & direct files
(incl. features never seen before
such as: always single access on
random records; sequential update
without rewrite)

multikey
report generation
data validation on entry
repetitive batch update
multi-extent files
reentrant code for shared usage
multiple precision & floating point
access security

**separate file and sort (core/disk)
packages available**

Send for catalog:

Data Management Systems

211 N. El Camino Real, 101C
Encinitas, CA 92024
or phone: (714) 942-0744

478

5 1/4" Floppy Disk Drives

TRS 80® model I & III Compatible

TANDON Model TM 100-1 .. \$199* ea.

TANDON Model TM 100-2 .. \$299* ea.

12" Green Phosphor Zenith Monitor .. \$109* ea.

Also available - TM 602S, 603S, and
603E Winchester Drives.

For info or orders

call — 316-683-9225

or 316-685-9445

MC / VISA or C.O.D. with certified check
or money order. Kansas residents add
3% sales tax.

* Plus shipping.



G-H Computer Systems, Inc.

923 Longfellow Street
Wichita, KS 67207

425

**This publication
is available
in microform.**

University Microfilms International

Please send additional information

Name _____

Institution _____

Street _____

City _____

State _____ Zip _____

300 North Zeeb Road
Dept. P.R.
Ann Arbor, Mi. 48106
U.S.A.

30-32 Mortimer Street
Dept. P.R.
London WIN 7RA
England

Adding the finishing touches.

Homebrew Data Base Management—Part III

Karl Townsend
103 Knollwood Drive
Lansdale, PA 19446

Most programs we write for our own use have very few features that make the human/computer interface work more effectively. I wrote this data base program for my own use and I know what to enter when it produces those enigmatic question marks. I know it is processing data even though there is no indication of activity, but you might think the program had died if you were unfamiliar with it.

This is too real a picture of some homebrewed (and commercial) software. Often, when we get the program to finally do the job we want, we stop all programming and documentation. This is fine so long as the program is fresh in our minds but what do we do when we want to run it or to fix a bug months later? Our only guides are missing or incomplete screen prompts, a few REM statements and some cryptic notes for documentation.

I am not going to discuss documentation as this program is fairly well documented through these articles. I left out the REM statements to conserve memory space, but with adequate documentation this will not be a problem. Instead I will look at the area of interfacing to the program. This is what I call "civilizing" a program.

At the conclusion of Part II of this series, we had finished the basic program. It still has a number of rough edges and it lacks those humanizing touches that can make the difference between drudgery or a pleasurable experience when you operate it. We

can clean up and smooth the program's operation in the following areas:

- The sorted report and the raw file print need improved formatting.
- Field names are needed.
- Screen indications are needed to let the operator know what is happening during the more time-consuming operations.
- Record counts on file save and load are needed.

Print Format

If we set up the report format as fixed length fields we will not be able to use the data base for general applications as originally planned. Instead, we must make provisions to enter the format specifications to agree with the field definitions when a new file is set up for the first time. Since we will be inputting the field names as well as the format, we can achieve both functions in the New subroutine. We will also include

a page change function for multiple page reports.

Program Listing 1 may look a little daunting on first inspection since it involves line changes and additions through several of the program's functions. However, it can easily be resolved into small, understandable segments. Some new entries will overwrite and substitute for some current program statements.

Line 13130 begins a continuation of the New routine. This prompt requests you to enter the name and width of each field that you are going to use. (Width is the maximum number of characters in a field.) The For...Next loop in lines 13140-13170 handles input. Notice that the loop cycles the same number of times as the number of fields you decided to use. The names are stored in the data array zero record position and the width information is stored in the chaining array zero record position. Little

The Key Box

Cassette or Disk Basic
Model I or III
16K RAM
Printer required

```
10 'DBIII/L01
3030 FL = 0
3040 POKE 16425,1
3050 GOSUB 15000
3120 LPRINT GO;
3160 LPRINTTAB(PR(J)) DA(GO,J);
3170 IF PR(J+1) = 5 THEN LPRINT
3200 LPRINT: LPRINT
3205 IF PEEK(16425) > 56 THEN GOSUB 15000
3230 LPRINT CHR$(12);
13130 PRINT "ENTER FIELD NAME, FIELD WIDTH."
13140 FOR I = 1 TO FC
13150 PRINT "FIELD ";I;
13160 INPUT DA(0,I), KY(0,I)
13170 NEXT I
13180 RETURN
15000 IF FL = 1 THEN LPRINTCHR$(12): GOTO 15060 ELSE FL = 1
15010 PR(1) = 5
15020 FOR J = 2 TO FC
15030 IF PR(J-1) + KY(0,J) => 80 THEN PR(J) = 5 ELSE PR(J) = PR(
J-1) + KY(0,J-1)
15040 NEXT J
15050 TT = (80 - LEN(TI$) - 5)/2
15060 LPRINT TAB(TT) TI$
15070 LPRINT
15080 FOR J = 1 TO FC
15090 LPRINT TAB(PR(J)) DA(0,J);
15095 IF PR(J+1) = 5 THEN LPRINT
15100 NEXT J
15110 LPRINT: LPRINT
15120 RETURN
```

Program Listing 1. Formatting and headings

Your best Model I/III peripheral buy is a modem.

Considering expanding your TRS-80 Model I or III? Then you should know that **only one kind of peripheral** can give you all these **extra capabilities** ... in a single unit:

- Computer-to-computer data communications, for better personal or business management.
- Access to free "bulletin board" resources.
- Access to Source, CompuServe and other time-sharing systems.
- Services like electronic mail, instant news and financial reports.
- An almost limitless supply of new games and other enthusiast activities.

Of course, we're talking about a modem. A far more **sensible** first step in expanding than, say, joysticks, or a voice box, or a printer. And, therefore, your **best peripheral buy**.

A modem opens up a whole new world to you. A world of **thousands of computers** and computer people just like you, in homes and businesses around the block and across the country. A world you tap through your telephone.

But don't simply settle for any modem. For the most modem satisfaction, you need to make the **best modem buy**.

And that's **LYNX**.



Lynx for
Model I/III.

The new LYNX for TRS-80 Model I and Model III. It's the latest innovation from the people who are making data communications affordable. It's the best first step you can take in expanding. It makes your microcomputer a whole new animal.

ESI LYNX

123 LOCUST STREET LANCASTER, PENNSYLVANIA 17602
Phone 717/291-1116

TRS-80 is a trademark of the Radio Shack Division of Tandy Corporation.
FCC Registration Number: A909KE-68171-DM-N

49



Consult your local microcomputer retailer, or call one of these LYNX handlers today—TOLL FREE:

THE BOTTOM LINE
Milford, NH
800/343-0726

BREEZE/QSD
Dallas, TX
214/484-2976

THE PROGRAM STORE
Washington, DC
800/424-2738

SIMUTEK
Tucson, AZ
800/528-1149

SOFT SECTOR MARKETING
Garden City, MI
800/521-6504

B. T. ENTERPRISES
Centereach, NY
516/981-8568

COMPUTER PLUS
Littleton, MA
800/343-8124

STEVENS COMPUTERS
Phoenixville, PA
800/345-6279

PROGRAMS UNLIMITED
Jericho, NY
800/645-6038

Your best Model I/III modem buy is LYNX.

The new LYNX is the ideal modem for your Model I or III. That's because it's the **key element** of a **total direct-connect telephone communications package**.

This package includes all serial and computer bus interfaces, cables and terminal software ... and comes to you with these remarkable features:

- **SINGLE PRICE: \$299.95!**
- Compatible with both Model I and III.
- No separate purchases required.
- One-year warranty.
- Auto dial/auto answer.
- Works with any software, including ST-80 by Micklus.
- Active clear, break, and "control" keys.
- Half or full duplex, variable word length, parity and stop bits.
- Dial from phone, keyboard, or memory.
- Works with or without Model I expansion interface.
- Works with or without Model III RS-232 card.
- Can be placed on either side of Model III.
- No tools needed to install.

No other modem gives you so much in a **single package**. And when you **compare** the LYNX price with the **total cost** of bringing any other modem on line, it could **save you OVER \$100!**

by little, we utilize the full capacity of the arrays. Once the program stores the names and field sizes, it returns to the menu.

To take care of the formatting and page control, we will enter a new subroutine starting at line 15000. This calculates the

field print positions, provides top-of-page form control and prints the title and field headings on each page of the report. Note that this subroutine assumes an 80-column printer. If your printer has other limits, adjust lines 15030 and 15050.

Line 15000 contains the instruction that causes the printer to go to the top of the page. It has a control flag so it will not act until the program is ready for the second printed page. The program assumes the printer to be mechanically positioned at the top of the page for the first page of printing. The flag FL is zero as the result of line 3030 when the print selection was first made. The first time through this routine, FL is zero and blocks a top-of-form instruction; FL is changed to one at this time. The second time through, when ready to begin page two, it will trigger a page change.

Lines 15010-15040 compute the print position for each field in the record. The first field will be tabbed five spaces in to allow room for the record number. The next field will be tabbed five spaces plus the width of the first field. The next will be five spaces plus the width of field 1 plus the width of field 2 and so on. This continues up to the printer column limitation, where the next field will print tab five spaces right on the next line. This avoids splitting a field over two lines.

The field print tab calculation takes place only when the heading for the first page is printed. The same flag (FL) that prevented the top of page instruction on the first page will cause a jump around the format computation for succeeding pages. Array PR holds the print positions to be used as each page is printed.

Line 15050 computes the location of the center of the page to print the title.

Actual printing of the heading starts at line 15060 where the title is printed using TT as a centering tab. The printer then skips a line (line 15070) and prints the field names spaced according to the position information contained in the PR array. Line 15095 provides for moving to the next line when the first has been completed if the total character count of all the field widths exceeds the printer's character capacity. An

```
10 'DBIII/L02
1080 CLS:PRINT @ 1, "RECORD MERGE"
1085 PRINT @ 65, "INSERTING RECORD # ";
1086 PRINT @ 91, "AT POSITION ";
1087 PRINT @ 110, "AT FIELD ";
1095 PRINT @ 83,I;
1105 PRINT @ 120,J;
1135 PRINT @ 103, GO;
6200 GOTO 1080
```

Program Listing 2. Sort action indicators

```
10 'DBIII/L03
6000 CLS: PRINT "STARTING PURGE ROUTINE"
6025 PRINT @ 65, "PURGING RECORD NO. ";
6026 PRINT @ 94, "CHECKING RECORD NO. ";
6035 PRINT @ 115, I-1
6043 PRINT @ 85, I
6046 PRINT @ 85,RC: GOTO 6045
```

Program Listing 3. Purge action indicators

```
10 'DBIII/L04
8005 CLS: PRINT @ 64,"WRITING RECORD NUMBER - ";
8025 PRINT @ 90, I
8045 PRINT "FILE - ";TI$, RC;" RECORDS SAVED"
9005 CLS: PRINT @ 64, "READING RECORD NUMBER - ";
9025 PRINT @ 90, I
9045 PRINT "FILE - ";TI$, RC;" RECORDS READ IN"
11007 CLS: PRINT @ 64, "WRITING RECORD NUMBER - ";
11033 PRINT @ 90, I
11065 PRINT "FILE - ";TI$, RC;" RECORDS SAVED"
12015 CLS: PRINT @ 64, "READING RECORD NUMBER - ";
12035 PRINT @ 90, I
12065 PRINT "FILE - ";TI$, RC;" RECORDS READ IN"
```

Program Listing 4. Save and load action indicators

PROFESSIONAL-GRADE SOFTWARE

TRS-80 MODEL I

CATALOG 48K, 1 Disk
Indexes disks and files of any type or system. Very fast, 2500 file capacity, single and double density.

\$69.50

EP-GRAPHICS 48K, 1 Disk
Epson 80 with GRAFTRAX, or 100 becomes printer/plotter. 512 x 512 or 480 resolution fills page. Machine language major software, call from short BASIC program.

\$79.50

TRS-80 MODELS I/III

TUMBLE 48K, 1 Disk
Control spin, speeds and tilts of moving 3-D geometric shapes. Real-time, fast screen displays teach and entertain.

\$39.50

GANTT-PACK 48K, 2 Disk
Projected, elapsed and over-run project schedules charted on screen/132 column printer. Random entry, automatic organization, fast update/edit. Play "what if..."

\$149.50

TRS-80 MODEL II

STAT-TO-PLOTTER 64K, 1 Disk
Program merges into R.S. Statistical Analysis package. Puts statistical work directly to R.S. plotter or other HI-PLOT 3-7. Publication quality charts.

\$99.50

FILE CARD 64K, 1 Disk
Look up records by powerful database and immediately see/print the text. Infinitely long text area for any entry. Replaces file card system.

\$224.50

GANTT-PACK 64K, 2 Disk
Enhanced version, early and late entries, expanded capacity.

\$224.50



LIBRA LABORATORIES
495 MAIN STREET
METUCHEN, NEW JERSEY 08840
(201) 494-2224

✓131

TRS-80 Trademark of Tandy Corporation
HI-PLOT Trademark of Houston Instruments
Epson Trademark of Shinshu Seiki Co., Ltd.
Libra Laboratories' programs copyright 1981, 1982.

Peripherals Unlimited...

FANTASTIC PRICES!

**OUR FAST SERVICE, PRODUCT
SELECTION AND OUR CUSTOMERS'
SATISFACTION MAKE US #1.**

ZENITH

Z-89-48K	\$2299
Z-90-64K DO	\$2588
Z-19 Terminal	\$777
Z-121 Monitor 12"	\$149

ATARI COMPUTERS

Atari 800 16K	\$649
Atari 400	\$318
Atari Interface Module	\$174
Atari 810 Single Disk	\$444
Atari 830 Modem	\$166
Programmer	\$59
Entertainer	\$84
Star Raiders	\$34
16K Mem. Exp. for Atari	\$74
32K Mem. Exp. for Atari	\$114

NEC PRINTERS

7710/30 Spinwriter R/O	CALL
7720 Spinwriter KSR	CALL
3510/30 Spinwriter R/O	CALL

NEC DOT MATRIX

PC-8023	\$474
---------	-------

Call for prices on ribbons, etc.

MORE PRINTERS

Anadex 9500/9501	\$1295
Anadex DP-9000	\$1049
Okidata Microline 82A	CALL
Okidata Microline 83A	CALL
Okidata Microline 84	CALL
Tractor (OKI80 + 82 only)	\$60
Diablo 630	\$2044

MONITORS

Sanyo 12" GRN Phosphor	\$266
Sanyo 12" Black + White	\$239
Amdek 12" 300 GRN Phosphor	\$149
Amdek 12" Color I	\$319
Amdek Color II	\$779
NEC 12" GRN Phosphor	\$164
NEC 12" Color	\$344

EPSON PRINTERS

MX-80 w/Graphics	CALL
MX-80 FT (Friction + Tractor)	CALL
MX-100 (15" Carriage)	CALL

Call for prices on
Ribbons, Cables and Interfaces

NEC-PC 8000

Series Microcomputer

PC-8001A Computer w/32K	\$888
PC-8012A w/32K + Exp. Slots	\$588
PC-8031A Dual Mini Disk	\$888
PC-8032A Add-on Mini Disk	\$777

Call for Software Prices

**FOR THE LOWEST
PRICE CALL
TOLL FREE
1-800-343-4114**

ORDERING INFORMATION

Our order lines are open 9AM to 6PM EST Monday thru Friday. Phone orders are welcome; same day shipment on orders placed before 10AM. Free use of Mastercard and VISA. Personal checks require 2 weeks clearance. Manufacturer's warranty included on all equipment. Prices subject to revision. C.O.D.'s accepted.

For service, quality and delivery call:

**PERIPHERALS UNLIMITED
(617) 655-7400**

62 N. Main St. • Natick, MA 01760

272

other line is skipped and the program returns to the print routine.

To accommodate the new formatted print function, we must make some changes to the print routine itself. Line 3030 sets the flag (FL) to zero for the first pass through the heading routine to indicate first page. Line 3040 POKes a one into the computer's internal line counter to tell it the printer is waiting at the top of a page and to count lines for page changing. Line 3050 provides the GOSUB that sends the pro-

gram to the heading/formatting subroutine.

Add or change the following lines in the print subroutine to allow the formatting to take place. Line 3120 prints the record number at the beginning of each record. Line 3160 tabs the print data to the proper field location and prints the data. Line 3170 provides the wrap-around for a record longer than a single print line. Line 3200 satisfies the open semicolon on printing the last field in a record and then skips a line. Line 3205 looks at the internal line counter to see if it

is time to start a new page. If so it transfers the program to the formatting/heading function. Line 3230 advances to top of form on completion of the final print statement.

When you have entered all the lines in Program Listing 1 and saved the program, run some tests. Generate a small file and exercise the New format input and the Print function. Make sure you allow enough characters in each field to hold your longest input plus a few extra for a separator between fields. You can easily generate a layout with some 80-column crosshatched paper worksheets. This enables you to plan what the print is to look like.

Program Listing 5. The complete data base program

```

10 'DBIII/V23 KARL L. TOWNSEND NOVEMBER 1981
100 CLEAR 2000
110 DEFSTRD: DEFINT A-C,E-Z
120 DIM DA(50,5), KY(50,5)
130 FOR I = 1 TO 50
140 KY(I,0) = 1
150 NEXT I
500 PRINT "MENU"
510 PRINT "ADD      -<1>          PURGE      -<6>
<11>"
520 PRINT "FILE P  -<2>          SELECT     -<7>
<12>"
530 PRINT "PRINT   -<3>          SAVE-T     -<8>
<13>"
540 PRINT "EDIT    -<4>          LOAD-T     -<9>
<14>"
550 PRINT "DELETE  -<5>          LOOK       -<10>
<15>"
560 INPUT ME
570 ON ME GOSUB 1000, 2000, 3000, 4000, 5000, 6000, 7000, 8000, 9
000, 10000, 11000, 12000, 13000, 14000
580 IF ME = 15 THEN GOTO 20000 ELSE GOTO 500
1000 INPUT "HOW MANY NEW RECORDS TO INPUT?";NC
1010 FOR I = RC+1 TO RC+NC
1020 PRINT "ENTER RECORD # ";I
1030 FOR J = 1 TO FC
1040 PRINT DA(0,J);
1050 INPUT DA(I,J)
1060 NEXT J
1070 NEXT I
1080 CLS:PRINT @ 1, "RECORD MERGE"
1085 PRINT @ 65, "INSERTING RECORD # ";
1086 PRINT @ 91, "AT POSITION ";
1087 PRINT @ 110, "AT FIELD ";
1090 FOR I = RC+1 TO RC+NC
1095 PRINT @ 83,I;
1100 FOR J = 1 TO FC
1105 PRINT @ 120,J;
1110 GO = 1
1120 FM = 1
1130 FOR K = 1 TO RC
1135 PRINT @ 103, GO;
1140 IF DA(I,J) =< DA(GO,J) THEN KY(I,J) = GO:
    KY(FM,J) = I:
    K = RC:
    GOTO 1180
1150 IF KY(GO,J) = 0 THEN KY(I,J) = 0:
    KY(GO,J) = I:
    K = RC:
    GOTO 1180
1160 FM = GO
1170 GO = KY(GO,J)
1180 NEXT K
1190 NEXT J
1200 RC = RC + 1
1210 NEXT I
1215 PRINT
1220 RETURN
2000 PRINT "START RAW FILE PRINT"
2010 LPRINT TI$: LPRINT
2020 FOR I = 0 TO RC
2030 LPRINT I,
2040 FOR J = 0 TO FC
2050 LPRINT DA(I,J),
2060 NEXT J
2070 LPRINT
2080 NEXT I
2090 RETURN
3000 PRINT "WHICH FIELD SHOULD THE PRINT FOLLOW? FIELD 1 - ";FC
3020 INPUT PC

```

Listing 5 Continues

Raw File Print

Although the raw file print is intended only to be used as a rough work listing as we are utilizing the data base program, we may as well use the same format in this

```

SAVE-D  -
LOAD-D  -
NEW      -
RESTORE -
STOP    -

```

location. Enter the two lines below and try the file print function.

```

2050 LPRINT TAB(PR(J)) DAZ(I,J);
2055 IF PR(J+1) = 5 THEN LPRINT

```

Line 2050 serves the same tab and print function as in the standard print routine and line 2055 prevents a split field. This change should make your work listing much more readable.

Add Headings

As long as we now have field names, why not use them for our prompts when adding new records? As the program presently works, the input prompt asks for your input by field number. It is rather easy to forget what the input is for field 3, but if the prompt were to ask "City?" for example, input will be much easier and more accurate.

Enter line 1040 as shown:

```
1040 PRINT DA(0,J);
```

Enter some new records. This makes a real difference in record entry, doesn't it?

Sort Indicators

You will find when you have finished adding a group of new records to a file containing a dozen or more records, the computer will appear to go dead while it merges the additions. It would be nice to have some indication on the screen during this process that the program is running as it should.

Program Listing 2 contains a group of PRINT @ statements that we will insert into the sort routine. Line 1080 starts by clearing the screen. As each record is brought into the insert routine, the "Inserting Record #"

INTRODUCING....

DATAMAN™

....Data Manager

DATAMAN is a multi-purpose, file-handler requiring ABSOLUTELY NO PROGRAMMING by the User. Anyone can build a new file in minutes, and Print a sample! DATAMAN allows: multiple files on one data disk, unlimited backups, and uses the same System disk for accessing all files. COMPLETELY USER FRIENDLY! DATAMAN features: AUTOMATIC screen formatting, AUTOMATIC printer formatting (Tabular or Record), and AUTOMATIC Sub-totals and Totals, across and down! DATAMAN is all MENU-driven: Add, Revise, Find, Delete, Sort, Global Search, Change Field Names and Print format; i. e., margins, line spacing, etc.! DATAMAN sorts nearly 3000 records, and re-arranges each Master Data File by any selected Field in minutes - not hours. Smaller files sort in seconds! DATAMAN has been field tested (in a business environment) for over one year. A built-in USER'S GUIDE called by menu, can be displayed to HELP the User! DATAMAN is available for the Model I and Model III with two disk drives, and 48K required. Printers supported: EPSON, Okidata, and most Radio Shack! DATAMAN is compatible with all major Disk Operating Systems, but is supplied without a DOS. When ordering, please state your operating system version!

INTRODUCTORY PRICE is only \$49.95!
For ORDERS ONLY, call 800-327-6590
Florida Residents add 5% Sales Tax
For Additional Information, Check
Reader Service, or Write Direct to

M/C or VISA Accepted
Inquiries: 305-351-0428

String Systems ✓ 443
1446 HAGEN LN, ROCKLEDGE, FL 32955

PROGRAM EPROMS AND PROMS WITH YOUR TRS 80-III!

EP-10 WILL PROGRAM POPULAR EPROM TYPES 2716 (5 VOLT), 2732 OR ANY EQUIVALENT PLUS POPULAR PROM TYPES 82S123, 82S129 FROM YOUR RADIO SHACK MODEL III. EP-10 COMES WITH MENU DRIVEN SOFTWARE FOR SIMPLE SINGLE KEY COMMANDS! EP-10 CONNECTS TO EXISTING 50 PIN CONNECTOR SO THERE IS NO EXTRA COST FOR A SERIAL PORT!

Riverlake Systems, Inc.

P.O. BOX 1927 • ROSWELL, GA. 30077 \$279.95
PHONE 404-475-0028 ✓ 436



MODEL 3* CHARACTERS for Model 1* and LNW-80**

Kit includes character generator with Model 3 like characters and lower case letters with true descenders, software allows access to special characters in a manner identical to Model 3 from BASIC. Two alternate character sets that are software selectable in LNW and hardware selectable in MODEL 1.

KT-1 for LNW-80 69.95
KT-1A for Model 1 69.95
Assembled & tested add 15.00
RS232 Board provides switches and
Baud Rate Generator for LNW-80
BD-3 12.95
Complex Sound Generator Board for
any 80
BD-5 15.95

THE MAINE SOFTWARE LIBRARY
P.O. BOX 197
STANDISH, ME 04084 ✓ 196

*Model 1 and Model 3 are products of Radio Shack
**LNW-80 is a product of LNW Research

SOFTWARE YOU CAN BET ON!



A five card stud program so realistic you'll swear you're facing six professionals. You decide who's bluffing and who has the cards. Your opponents learn your style and that of the others and modify their betting strategies as the game proceeds. You can define the players' characteristics to match those of your Friday night poker club or let your computer define them randomly.

Only \$15.00



A vastly improved version of the original TOUT horse race handicapper. Now, thousands of races are simulated in seconds to give you each horse's probability of winning and identity overlays. Horses are screened using factors derived from an operations research study. This handicapper outperforms programs and calculators selling for much more.

Only \$19.00



This is the poker playing program that's getting the rave reviews. "After a while each of the simulated players takes on its own individual personality it's most uncanny. DRAWS has definitely sharpened my playing skills." (Lloyd Martin, 80 Microcomputing, Jan. 1982) "If you like playing poker, buy this program it will be a long time before a better one comes along." (Richard Clope, Computer Shopper, Jan. 1982)

Only \$20.00

TRADE IN your old advertised handicapping and poker playing programs and receive a \$6.00 credit. Include original cassette/disk and documentation with your order.

All programs on cassette for Level II 16K (Models I and III). Loading guaranteed. Add \$3.50 to get one or more programs on a formatted diskette. Pa. residents add 6% sales tax.

WILSON

Software Division • 539 Springhouse Lane • Camp Hill, PA 17011

✓ 192

TRS-80 is a Tandy Corporation trademark.

CANADIANS NOW IN STOCK

ADVENTURE INTERNATIONAL
ACORN SOFTWARE
APPARAT INC.
BIG FIVE
COMPUTERWARE
EPSON PRINTERS
INSTANT SOFTWARE
MARK DATA
MED SYSTEMS
FANTASTIC SOFTWARE
SPECTRAL
WORD PROCESSORS
BOOKS
DISK DRIVES
DISKETTES

LOWER CASE MOD — MOD I
\$29.95 + \$2.00 S & H

AND MORE

MOD I • MOD III • COLOR

Visa & Mastercard

Phone or Write for Catalogue
(403) 423-3919

CMD MICRO
10546 - 106 Street
Edmonton, Alberta
T5H 2X6

✓ 181

PROFESSIONAL SOFTWARE

TRS-80® MODEL II & 16

NOW AVAILABLE!

BASIC COMPILER

• TRSDOS® 2.0 COMPATIBLE
• UP TO 30 TIMES FASTER

BY MICROSOFT • EASY TO USE

• INCLUDES M-80, CREF-80 & EDIT 80
• AUGMENTED WITH OUR DOCUMENTATION

DISK SORT

• YOU DON'T HAVE TO BE A PROGRAMMER TO USE IT!
• MENU DRIVEN • RANDOM FILES • EASY TO USE • SPEC'S SAVED ON DISK
• EASILY INSERTED INTO JOB STREAM FOR NON-STOP RUNNING • FULL DISK CAPACITY
• 1,000 REC'S. SORTING 15 BYTES, INCLUDING ALL DISK I/O = 2 MIN. 45 SEC'S.

BASIC CROSS REFERENCE

• SAVE HOURS!
• SEE USED LINES/NAMES AT A GLANCE • PRODUCES NICE PROG. LISTING • INDISPENSABLE

EPSON

MX-80 \$460.00 MX-100 \$700.00 HURRY-LIMITED TIME!

PAPER

9½x11 18lb WHITE STRIPS TO 8½x11 3,000/BOX

MAILING LIST

• HIGH CAPACITY • SPANS DISK • NO SORTING
• FAST RETRIEVAL-UPDATE • R/S CONVERSION INCLUDED • LONG/SHORT FORMATS
• ESTIMATED AVAILABILITY - DEC. 1982

*PLUS POSTAGE & HANDLING. PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

TRS-80 & TRSDOS ARE
REGISTERED
TRADEMARKS OF
TANDY CORP.

GOOD-LYDDON DATA SYSTEMS

5486 RIVERSIDE DR., CHINO, CA 91710

(714) 980-4563

✓ 186

MASTER CARD or
VISA accepted.

HARD
DISK
SUPPORTED

\$339.00*

\$69.99*

DOC. ONLY \$10*
DEDUCTIBLE
ON PURCHASES

\$59.99*

DOC. ONLY \$10*
DED. ON PURCH.

\$25.00*

\$149.95*

DOC. ONLY \$10*
DED. ON PURCH.



**State Of The Art Word Processing Tools
for CP/M®, TRS-80®, and IBM-PC Word Processors
Complete Document Proofreading Systems
Only From Aspen Software**

PROOFREADER™

Featuring Official Version of Random House® Dictionary

- Easy To Use - full menu driven
- Complete Accuracy - looks up every word; does not use less accurate root word analysis
- Full Interactive Correction* - shows complete context of unknown words; menu choice to correct, learn or accept words; all corrections double checked
- Instant Access to Dictionary - look up any word while correcting without manual dictionary
- Rapid Proofing and Correcting
- Compact** - Random House Dictionary supplied in size to fit your system (50,000 words standard)
- All Of The Additional Features, Same Competitive Price

GRAMMATIK™

Beyond Spelling Checking

- Detects typos, punctuation errors, capitalization errors, unbalanced parentheses and quotation marks
- Analyzes Your Writing Style for Average Sentence and Word Length, Word Use Profile and More
- Finds Non-Standard Usage and Spelling Errors
- Finds Overworked and Wordy Phrases Using Customizable Dictionary Containing Over 500 Entries
- Errors Optionally Marked for Easy Correction, Sent to Printer or Displayed on Screen

"If you use a word processor and a spelling checker, then you should investigate the unique capabilities of this program. Grammatik is a surprisingly fast and easy tool for analyzing writing style and punctuation."

---Bob Loudon in InfoWorld, 12/81

"The programs together (Proofreader and Grammatik) offer a dynamic tool for comprehensive editing beyond spelling corrections."

---Dona Z. Meilach in Interface Age, 5/82

"Grammatik is the perfect complement to a spelling check program."

---Dr. Alan R. Miller in Interface Age, 5/82

"For the user who is as tight with his dollars as I, Proofreader is the program of choice."

---Stephen Kimmel in Creative Computing, 3/82

Grammatik has been selected as an officially approved Osborne Computer software program.

GRAMMATIK™ + PROOFREADER™

= NO ERRORS

Aspen Software also has its own full featured word processor called Writer's Companion for all these systems. One of the best implementations of Ratfor (Rational Fortran) is available, too, along with an automatic pretty printer. Please call or write for more details about these products.

*Automatic correction optional on the TRS-80 Model I/III. Interactive dictionary access not available on TRS-80 versions.

**Standard dictionary sizes include 25,000, 35,000 and 50,000 words. Larger and British versions available for media charge. Osborne-1 supplied with 25,000 words, non-Random House dictionary. Legal, medical and foreign language dictionaries will be available in the near future.

--CP/M versions, require CP/M version 2, 48K. Standard 8" single density, Northstar, Osborne-1, Omikron and Apple formats available directly from Aspen Software. These and most other formats also available from Digital Marketing. Proofreader - \$129.00; Grammatik - \$150.00; Both - \$250.00.

--TRS-80 Model I/III require 32K, 1 drive; Model II requires 64K, 1 drive, TRS-80 Model I/III: Proofreader - \$59.00, Interactive correction option - \$30.00, Grammatik - \$59.00, All - \$139.00. TRS-80 Model II Proofreader - \$99.00, Grammatik - \$99.00, Both - \$179.00.

IMPORTANT ORDERING INFORMATION: You MUST specify computer model, operating system, memory size and format and number of disk drives when ordering either software or manuals alone. All U.S., Canada and Mexico orders include first class shipping in price. We accept cash, check, money order, VISA and Master Card. Cost on manual only orders can be credited to final purchase. NM residents add 4% sales tax. (Dealer and OEM inquiries welcome).

Random House is a registered trademark of Random House, Inc. Other registered trademarks: CP/M: Digital Research; TRS-80: Tandy Corp.; MS-DOS: Microsoft; IBM: IBM; Proofreader, Grammatik: Aspen Software Co.

--8086/8088 version will run under MS-DOS or equivalent (incl. IBM Personal Computer DOS), requires 64K. MS-DOS formats standard single density 8" and IBM PC 5.25". CP/M-86 version scheduled for Summer 1982 availability. Proofreader - \$129.00, Grammatik - \$150.00, Both - \$250.00. --Manuals only \$8.00 each, \$15.00 for both.

Distributed By:

**SOFTWARE
SOFTWARE
DIGITAL MARKETING
DIGITAL MARKETING™**



DIGITAL MARKETING CORPORATION

2670 CHERRY LANE • WALNUT CREEK • CALIFORNIA • 94596
(415) 938-2880 • Telex 17-1852 (DIGMKTG WNCX)



Aspen Software Co.

P.O. Box 339-M Tijeras, NM 87059 - (505) 281-1634


✓ 65


```

8040 NEXT I
8045 PRINT "FILE - ";TI$, RC;" RECORDS SAVED"
8050 RETURN
9000 INPUT "MOUNT TAPE AND SET FOR PLAY - <ENTER>";XS
9005 CLS: PRINT @ 64, "READING RECORD NUMBER - ";
9010 INPUT#-1,TI$,RC,FC
9020 FOR I = 0 TO RC
9025 PRINT @ 90, I
9030 INPUT#-1, KY(I,0), KY(I,1), KY(I,2), KY(I,3), KY(I,4), KY(I
,5), DA(I,0), DA(I,1), DA(I,2), DA(I,3), DA(I,4), DA(I,5)
9040 NEXT I
9045 PRINT "FILE - ";TI$, RC;" RECORDS READ IN"
9050 RETURN
10000 INPUT "ENTER STARTING RECORD NUMBER.";SN
10010 FOR I = 1 TO FC
10020 PRINT DA(SN,I),
10030 NEXT I
10040 PRINT
10050 INPUT "NEXT?";NN$
10060 IF NN$ = "N" THEN SN = SN + 1: GOTO 10010
10070 IF NN$ = "B" THEN SN = SN - 1: GOTO 10010
10080 IF NN$ = "-1" THEN RETURN
10090 GOTO 10050
11000 PRINT "CURRENT FILE IS ";CF$
11005 INPUT "SAVE FILE NAMED - ";CF$
11007 CLS: PRINT @ 64, "WRITING RECORD NUMBER - ";
11010 OPEN "O",1,CF$
11020 PRINT#1, TI$,""; RC; FC
11030 FOR I = 0 TO RC
11033 PRINT @ 90, I
11035 IF DA(I,0) = "" THEN DA(I,0) = "0"
11040 PRINT#1, KY(I,0); KY(I,1); KY(I,2); KY(I,3); KY(I,4); KY(I
,5); DA(I,0);","; DA(I,1);","; DA(I,2);","; DA(I,3);","; DA(I,4)
;","; DA(I,5)
11050 NEXT I
11060 CLOSE 1
11065 PRINT "FILE - ";TI$, RC;" RECORDS SAVED"
11070 RETURN
12000 INPUT "ENTER FILE NAME TO BE LOADED.";CF$
12010 OPEN "I",1,CF$
12015 CLS: PRINT @ 64, "READING RECORD NUMBER - ";
12020 INPUT#1, TI$, RC, FC
12030 FOR I = 0 TO RC
12035 PRINT @ 90, I
12040 INPUT#1, KY(I,0), KY(I,1), KY(I,2), KY(I,3), KY(I,4), KY(I
,5), DA(I,0), DA(I,1), DA(I,2), DA(I,3), DA(I,4), DA(I,5)
12050 NEXT I
12060 CLOSE 1
12065 PRINT "FILE - ";TI$, RC;" RECORDS READ IN"
12070 RETURN
13000 PRINT "PREPARE FOR NEW FILE"
13010 FOR I = 0 TO 50
13020 FOR J = 0 TO 5
13030 DA(I,J) = ""
13040 IF J <> 0 THEN KY(I,J) = 0 ELSE KY(I,J) = 1
13050 NEXT J
13060 NEXT I
13070 RC = 1
13110 INPUT "ENTER FILE TITLE.";TI$
13120 INPUT "HOW MANY FIELDS PER RECORD? 1-5";FC
13130 PRINT "ENTER FIELD NAME, FIELD WIDTH."
13140 FOR I = 1 TO FC
13150 PRINT "FIELD ";I;
13160 INPUT DA(0,I), KY(0,I)
13170 NEXT I
13180 RETURN
14000 FOR I = 1 TO RC
14010 KY(I,0) = 1
14020 NEXT I
14030 RETURN
15000 IF FL = 1 THEN LPRINTCHR$(12): GOTO 15060 ELSE FL = 1
15010 PR(1) = 5
15020 FOR J = 2 TO FC
15030 IF PR(J-1) + KY(0,J) => 80 THEN PR(J) = 5 ELSE PR(J) = PR(
J-1) + KY(0,J-1)
15040 NEXT J
15050 TT = (80 - LEN(TI$) - 5)/2
15060 LPRINT TAB(TT) TI$
15070 LPRINT
15080 FOR J = 1 TO FC
15090 LPRINT TAB(PR(J)) DA(0,J);
15095 IF PR(J+1) = 5 THEN LPRINT
15100 NEXT J
15110 LPRINT: LPRINT
15120 RETURN
20000 END

```

INTRODUCING 64K CP/M 2.2 FOR MODEL III \$299.



Now you can run WordStar, SuperCalc, SpellGuard, MailMerge and other CP/M based software on your TRS-80 Model III.

And walk away with incredible savings.

Memory Merchant's new Shuffleboard III is the first and only 64K CP/M 2.2 system available for your Model III.

SOPHISTICATED DESIGN

The Shuffleboard III's advanced design includes 16K of RAM, giving your Model III the power of full 64K CP/M 2.2, without interference of the ROM or the video memory.

COMPLETE CP/M SYSTEM

The Shuffleboard III is not a kit, nor a skeleton. You will receive a top quality, high performance system that is shipped to you completely assembled, burned-in, tested and insured with one of the industry's best warranties.

EASY INSTALLATION & USE

Illustrated step-by-step instructions insure fail-safe installation and reliable operation. No permanent modifications, cut traces or soldering is required.

The Shuffleboard III easily plugs into two existing sockets inside your Model III. Simple keyboard commands switch between CP/M and normal TRS-80 operation.

NO RISK TRIAL

We are so convinced that you will be absolutely delighted with your Shuffleboard III system that we offer a no risk trial. After purchasing the Shuffleboard III system, you may return it (intact) for any reason within 15 days after shipment and we will refund the purchase price (less shipping).

SHIPPED DIRECT FROM STOCK

The Shuffleboard III is shipped to you direct from stock, normally within 48 hours after receipt of your order.

INTRODUCTORY PRICE

For a limited time, Memory Merchant is offering the Shuffleboard III with CP/M 2.2 at an introductory price of only \$299.

1 YEAR LIMITED WARRANTY

The Shuffleboard III's reliability, through quality controlled production and proven performance, has enabled us to offer a full 1 year limited warranty.

HOW TO ORDER

Please send check, money order, VISA or MASTERCHARGE (add ICA #) with your order. Sorry, no C.O.D's. Specify quantity desired. Shipping and handling charge is \$5.00 per board (\$9.00 outside USA & Canada)* California residents add 6% or 6½% Sales Tax where applicable. Credit card purchases may be telephoned to (415) 483-1008. Order Today!

OEM and DEALER inquiries invited.

*Air Mail shipments to Canada & all other countries.

Memory Merchant

14666 Doolittle Dr., San Leandro, CA 94577
Telephone (415) 483-1008



Organize your billing procedures.

Invoice

J.L. Hackman
Box 194
Mount Pleasant, MI 48858

The job's not done until the paperwork is finished!" That old saw has been around since they invented paperwork and in a business for profit, it's gospel. There is no more important paperwork to be finished than the paper that goes to the customer, telling him how much to pay. Until *that* paperwork is done, there's no profit at all.

If you run a small business, Invoice will help you to get the bills out and keep track of them at the same time. Program Listing 1 is disk oriented (other versions appear at the end of this article). If you use your computer for business purposes, a disk system makes the system hum instead of plod. I recommend NEWDOS80 2.0 for business applications. I used a few of NEWDOS' tremendous extras in this program.

Invoice has four principle functions. First, data is input to identify the customer and related billing information. Second, the work done and parts used are entered. (You can delete either the labor billing if you are strictly a merchandiser, or the parts billing if you provide only professional services.) Third, the collected data is written to a disk file. Fourth, the data is recovered from disk and printed.

Any number of data sets may be entered over any time span; each is added to the

The Key Box

Model 1, Model III
16K, 32K, 48K RAM
Cassette or Disk Basic
Printer
NEWDOS80 (disk) V.2

Program Listing 1. Invoice

```
10 CLEAR 2000 : DEFSTR N,A,D,P,M : DEFINT Q,B
20 DIM PN(30),PD(30),PP(30),Q(30) : GS="#####.##" : G1$=STRING$(
8,"*")
30 CLS : PRINT "                INVOICE 1.5
MENU
-----"
40 PRINT : PRINT "1 - ENTER CUSTOMER
2 - ENTER BILLING
3 - ENTER PARTS BILLING
4 - STORE DATA / START NEXT INVOICE
5 - PRINT INVOICES
6 -
7 -
8 - HELP
9 - QUIT"
50 PRINT : IF K1=1 THEN PRINT "CUSTOMER INFO IN BUFFER ";
60 IF K2=1 THEN PRINT "LABOR INFO IN BUFFER ";
70 IF K3=1 THEN PRINT "PARTS INFO IN
BUFFER"
80 PRINT : X=980 : GOSUB 9300 : ON X GOTO 100,200,270,400,700,30
,30,30,9998
100 IF K1=1 THEN CLS : PRINT "INVOICE DATA FROM LAST ENTRY HAS N
OT BEEN STORED -

HIT @ TO IGNORE & CONTINUE ENTRY
HIT ANY OTHER KEY TO RETURN TO MENU" : X=330 : GOSUB 9350 : IF X
$<>"@" THEN 30
110 CLS : PRINT "CUSTOMER NAME
ACCOUNT NUMBER
CUSTOMER PO#
ADDRESS:
    STREET

    ADDITIONAL
    CITY
    STATE
    ZIP CODE
    TAX EXEMPT (Y/N)"
120 PRINT @ 0, "CUSTOMER NAME";:INPUT N : PRINT "ACCOUNT NUMBER"
;: INPUT NA : PRINT "CUSTOMER PO#"; : INPUT NPO : PRINT "ADDRESS
": PRINT "
    STREET"; : INPUT A1 : PRINT "                ADDITIO
NAL"; : INPUT A4 : PRINT "                CITY"; : INPUT A2
130 PRINT "                STATE"; : INPUT A3 : PRINT "                ZIP CODE"
;: INPUT A5
140 PRINT "                TAX EXEMPT (Y/N)"; : INPUT XS : IF XS="Y" THE
N K5=1 ELSE IF XS="N" THEN K5=0 ELSE GOTO 140
150 PRINT : PRINT "IS ALL DATA CORRECT (Y/N) ? "; : GOSUB 9400 :
GOSUB 9350 : IF XS="Y" THEN K1=1 : GOTO 30 ELSE IF XS="N" THEN
110 ELSE GOTO 150
```

Listing 1 continues

disk file as it is entered. A momentary power outage or operator mistake wipes out only one data set, not everything that has been entered. The print routine prints invoices on standard printer paper, not pre-printed invoice forms. For the smaller business, this eliminates hassle and expense. With a relatively small amount of work, the program can be adapted to pre-printed forms. After the file is printed, it is transferred to another disk file and the first file is killed. This leaves the print file empty and ready to receive new data, and retains the already printed data for record, bookkeeping and rebilling use.

How It Works

Looking at Program Listing 1, lines 10 and 20 clear string space, define string and integer variables and dimension the arrays. Lines 30 and 40 print the menu to the screen. Items 6 and 7 of the menu are blank and may be deleted or filled with your own routines. Item 8, Help, exists so you can write your own text file, listing hints and instructions that your operators may need.

Quit, item 9, provides a simple way out of the program. If this program is used as a subprogram in a business system, replace the End command in line 9998 with 9999. Line 9999 directs the computer to run the mother program (9999 RUN "business/BAS:0").

Lines 50-70 check for unstored data in the data buffers, and if found note the fact

Listing 1 continued

```
160 CLS : K1=1 : GOTO30
200 IF K2=1 THEN CLS : PRINT "PREVIOUS DATA IN BUFFER HAS NOT BE
EN STORED -


HIT @ TO IGNORE & CONTINUE
HIT ANY OTHER KEY TO RETURN TO MENU" : X=330 : GOSUB 9350 : IF X
$<>"@" THEN CLS : GOTO 30
210 CLS : IL=1 : PRINT "IF THIS IS A PARTS SALE ONLY, HIT 'P'
ELSE HIT ANY KEY"; : GOSUB 9400 : GOSUB 9350 : IF X$="P" THEN D(
1)="@" : K2=1 : GOTO 270 ELSE CLS
220 CLS : PRINT "LABOR BILLING: ";IL;"
```

```
DATE
HOURS
RATE/HR
DESCRIPTION"
230 PRINT @ 192, "DATE"; : INPUT D(IL) : PRINT "HOURS"; : INPUT
T(IL) : PRINT "RATE/HR"; : INPUT R(IL) : PRINT "DESCRIPTION?"; :
LINEINPUT M(IL)
240 PRINT "IS ALL DATA CORRECT (Y/N) ?"; : GOSUB 9400 : GOSUB 93
50 : IF X$="Y" THEN 250 ELSE IF X$="N" THEN 220 ELSE 240
250 PRINT : PRINT "IS THERE ANOTHER LABOR ENTRY TO BE MADE (Y/N)
?"; : GOSUB 9400 : GOSUB 9350 : IF X$="Y" THEN IL=IL+1 : GOTO
220 ELSE IF X$="N" THEN 260 ELSE 250
260 K2=1 : CLS : PRINT "ARE THERE PARTS ENTRIES TO BE MADE (Y/N)
?"; : GOSUB 9400 : GOSUB 9350 : IF X$="Y" THEN 270 ELSE IF X$="
N" THEN Q(1)=0 : K3=1 : GOTO 30 ELSE GOTO 260
270 IF K3=1 THEN CLS : PRINT "PREVIOUS DATA IN BUFFER HAS NOT BE
EN STORED -
```

```
HIT @ TO IGNORE & CONTINUE
HIT ANY OTHER KEY TO RETURN TO MENU" : X=330 : GOSUB 9350 : IF X
$<>"@" THEN CLS : GOTO 30
280 IP=1 : CLS : GOSUB 390
290 PRINT @ 896, IP; STRING$(50," ") : PRINT "QUANTITY
PART NUMBER
DESCRIPTION
PRICE/EACH" : GOSUB 390
300 PRINT @ 704, "QUANTITY"; : INPUT Q(IP) : PRINT "PART NUMBER?
```

Listing 1 continues

CONVERT YOUR TRS-80 MODEL-I OR III INTO A DEVELOPMENT SYSTEM



Now you can develop Z-80 based, stand-alone devices such as games, robots, instruments and peripheral controllers, by using your TRS-80 as a development system. The DEVELOPMATE plugs into the expansion connector of your TRS-80 and adds **PROM PROGRAMMING** and **IN-CIRCUIT-EMULATION** capabilities to your system (with or without expansion interface).

Complete instructions and sample schematics are included to help you design your own simple stand-alone microcomputer systems. THESE SYSTEMS CAN BE AS SIMPLE AS FOUR ICs: one TTL circuit for clock and reset, a Z-80, an EPROM, and one peripheral interface chip.

When the In-Circuit-Emulation cable is plugged into the Z-80 socket of your stand-alone system, the system becomes a part of your TRS-80. You can use the full power of your editor/assembler's debug and trace program to check out both the hardware and the software. Simple test loops can be used to check out the hardware, then the system program can be run to debug the logic of your stand-alone device.

Since the program is kept in TRS-80 RAM, changes can be made quickly and easily. When your stand-alone device works as desired, you use the Developmate's PROM PROGRAMMER to copy the program into a PROM. With this PROM, and a Z-80 in place of the emulation cable, your stand-alone device will work by itself.

The DEVELOPMATE is extremely compact: Both the PROM programmer and the In-Circuit-Emulator are in one small plastic box only 3.2" x 5.4". A line-plug mounted power supply is included. The PROM programmer has a "personality module" which defines the voltages and connections of the PROM so that future devices can be accommodated. However, the system comes with a "universal" personality module which handles 2758, 2508 (8K), 2716, 2516 (16K), 2532 (32K), as well as the new electrically alterable 2816 and 48016 (16K EEPROMs).

The COMPLETE DEVELOPMATE 81, for Model I, with software, power supply, emulation cable, TRS-80 cable, and "universal" personality module \$329

DEVELOPMATE 83, Model III version, same as above \$329

PM2 PERSONALITY MODULE for 2732A EPROM \$15

PM3 PERSONALITY MODULE for 2764 EPROM \$15

ORION
INSTRUMENTS

172 Otis Avenue, Dept. M, Woodside,
CA 94062

(415) 851-1172

Master Charge and Visa phone orders accepted.
California residents please add 6% sales tax.

at the bottom of the menu. Line 80 calls a subroutine that prints an input prompt at screen location X, obtains the input by the INKEY\$ function and routes the computer to the appropriate program line for the selected function.

Lines 100-150 are a module for inputting the customer billing information. At the beginning of each input module, the program checks for data already in the buffer (lines 100, 200 and 270). (The existence of this data has also been displayed at the bottom of the menu.) You may ignore and overwrite this data. The module lists all information that is going to be requested (line 110), and then asks for each item by moving the cursor. Information not needed or available may be marked blank by hitting the enter key in response to the cursor. Incidentally, NEWDOS80 offers a blinking cursor option that goes well here.

After requesting the customer name, the program asks for an account number. This permits setting up an account-number file that supplies the rest of the address information automatically. Should you use such a scheme, inputting the customer name also allows you to check the validity of the account number entered. (The name must match the account number.)

*"If you run a
small business
Invoice will help you
get the bills out."*

You are next asked the tax status of the customer. If the customer is exempt from sales tax, enter a Y to this query. The program will set a flag causing the invoice to be printed with "tax exempt" at the sales tax entry. After securing the customer information, the program prompts for correctness and returns to the menu.

Labor and Parts

Lines 200-390 input data for labor and parts billing. The format is similar to that for the customer input module. It is possible to enter labor data, exit to menu, and then enter the parts data. If a particular invoice is for a parts sale only, use menu 2 (enter billing) rather than item 3 (enter parts billing) and answer the "parts sale only?" query with Y. Storing an invoice on disk without passing through the labor submodule will very likely cause a disk error when you attempt to recover the information for printing.

After entering all data, menu item 4 (store data/start next invoice) causes the record to be written to the disk file by the module starting at line 400. First, the INVNUMBR file is read for the number of the last invoice written. This number is then incremented and restored in INVNUMBR and retained as

Listing 1 continued

```
" : LINEINPUT PN(IP) : PRINT "DESCRIPTION? " : LINEINPUT PD(I)
P) : PRINT "PRICE/EACH" : INPUT PP(IP)
310 PRINT @ 0, "HIT 'N' IF DATA IS NOT CORRECT
HIT SPACE BAR TO ENTER MORE PARTS
HIT ENTER IF NO MORE PARTS " : GOSUB 9400 : GOSUB 9350 : IF X$=
"N" THEN 290 ELSE IF X$=" " THEN IP=IP+1 : GOTO 290 ELSE IF ASC(
X$)=13 THEN CLS : K3=1 : GOTO 30
320 GOTO 310
390 PRINT @ 0, "PARTS USED:
-----
" : RETURN
400 CLS : PRINT "STORING DATA"
410 IF K1=0 THEN PRINT "
DATA INCOMPLETE - NO CUSTOMER INFO " : K4=1
420 IF K2=0 THEN PRINT "
DATA INCOMPLETE - NO LABOR INFO " : K4=1
430 IF K3=0 THEN PRINT "
DATA INCOMPLETE - NO PARTS INFO " : K4=1
440 IF K4=1 THEN PRINT : PRINT "HIT @ TO CONTINUE
HIT ANY OTHER KEY FOR MENU " : X=916 : GOSUB 9350 : IF X$<>"@" T
HEN K4=0 : GOTO 30 ELSE K4=0
450 OPEN "R",1,"INVNUMBR","MU"
460 GET 1,,,B : PRINT B : B=B+1 : PRINT B
470 PUT 1,,B;
480 CLOSE
490 OPEN "R",1,"PRINTFIL:0","MU"
500 X=LOC(1)% : PRINT X
510 PUT 1,,X,,B,N,NA,NP,A1,A2,A3,A4,A5,IL,IP,K5;
520 FOR I=1 TO IL
530 PUT 1,,,D(I),R(I),M(I),T(I);
540 NEXT I
550 FOR I=1 TO IP
560 PUT 1,,,Q(I),PN(I),PD(I),PP(I);
570 NEXT I
580 CLOSE
590 CMD "F=KEEP",G$,G1$
600 GOTO 30
700 CLS : PRINT "***** PRINTING INVOICES *****" : PRINT : PRINT
"HOW MANY COPIES ? " : GOSUB 9400 : GOSUB 9300 : K9=X : PRINT
710 PRINT : PRINT : PRINT "HIT ANY KEY WHEN PRINTER IS READY & P
APER IS AT TOP OF FORM " : X=410 : GOSUB 9350 : PRINT
720 POKE 16425,1
730 OPEN "I",1,"PRINTFIL:0","MU"
740 IF EOF(1) THEN CLOSE : GOTO 1440
750 GET 1,,,B,N,NA,NP,A1,A2,A3,A4,A5,IL,IP,K5;
760 I=1
770 GET 1,,,D,R,M,T;
780 T(I)=T : D(I)=D : R(I)=R : M(I)=M : IF I=IL THEN 790 ELSE I=
I+1 : GOTO 770
790 I=1
800 GET 1,,,Q,PN,PD,PP;
810 Q(I)=Q : PN(I)=PN : PD(I)=PD : PP(I)=PP
820 IF I=IP THEN 840 ELSE I=I+1 : GOTO 800
840 CLS:PRINT"PRINTING INVOICE"
850 FOR I9=1 TO K9
860 FOR I=0 TO 3 : LPRINT : NEXT I
870 LPRINT CHR$(31);CHR$(16);"35";"J.L. HACKMAN"
880 LPRINT CHR$(16);"35";"P.O.BOX 194"
890 LPRINT CHR$(16);"35";"MOUNT PLEASANT, MI"
900 LPRINT CHR$(16);"35";"48858"
910 LPRINT : LPRINT CHR$(16);"35";"TEL. 517-773-9004"
920 LPRINT :LPRINT "INVOICE #";B
930 LPRINT LEFT$(TIMES,8)
940 LPRINT :LPRINT: LPRINT CHR$(30);N
950 LPRINT A1
960 IF A4="" THEN 970 ELSE LPRINT A4
970 LPRINT A2;",";A3
980 LPRINT A5
990 LPRINT:LPRINT:LPRINT "GENTLEMEN:"
1000 LPRINT:LPRINT
1010 IF NPO="" THEN 1020 ELSE LPRINT "REFERENCE YOUR PURCHASE OR
DER #";NPO
1020 LPRINT "THE FOLLOWING SERVICES HAVE BEEN RENDERED TO YOU."
1030 LPRINT:LPRINT "DATE DESCRIPTION
1040 LPRINT "LABOR TIME (HOURS)","LABOR RATE","TOTAL"
1050 LPRINT"-----"
1060 LPRINT
1070 FOR I3=1 TO IL
1080 IF D(I3)="" THEN LPRINT " PARTS SALE ONLY":GOSUB9
500: GOTO 1130
1090 LPRINT D(I3);" " ;M(I3)
1100 LPRINT T(I3),,, : LPRINT USING G$;R(I3),: L(I3)=T(I3)*R(I3)
: LPRINT USING G$;L(I3)
1110 GOSUB 9500 : LPRINT
```

Listing 1 Continues

COMPUTER BOOKS FOR BEGINNERS

Everything you need to know to get started programming your own computer. These handy books of programs and about programming are jammed with easy-to-understand info for beginners. They are crammed with hundreds of tips, tricks, secrets, hints, shortcuts and techniques plus hundreds of tested ready-to-run programs. Our full line includes program books and programming aids for eight of the most popular computers for beginners: TRS-80 Color Computer, APPLE II, IBM Personal Computer, TRS-80, Sharp and Casio pocket computers, including the new TRS-80 PC-2 and Sharp PC-1500

Color Computer

101 Color Computer Programming Tips & Tricks, learn-by doing instructions, hints, secrets, techniques, insights, for TRS-80 Color Computer, 128 pages. **\$7.95**


55 Color Computer Programs for Home, School & Office, practical ready-to-run software with colorful graphics, 128 pages. **\$9.95**

55 MORE Color Computer Programs for Home, School & Office, handy book packed with useful type-in-and-run software, with colorful graphics, for TRS-80 Color Computer, 112 pages. **\$9.95**

Color Computer Graphics, complete guidebook loaded with tips, tricks, hints, secrets, shortcuts, for making the most of TRS-80 Color Computer video graphics. Learn-by-doing instructions plus complete programs, 128 pages. **\$9.95**

The Color Computer Songbook, 40 favorite pop, classical, folk & seasonal songs arranged for TRS-80 Color Computer, ready-to-run music programs, 96 pages. **\$7.95**

My Buttons Are Blue and Other Love Poems from the Digital Heart of an Electronic Computer, for poetry lovers, computer lovers, a hi-tech classic, 66 heartwarming poems written by a TRS-80 Color Computer, 96 pages. **\$4.95**



APPLE Computer

101 APPLE Computer Programming Tips & Tricks, secrets, hints, shortcuts, techniques, insights, for APPLE II, 128 pages. **\$8.95**

33 New APPLE Computer Programs for Home, School & Office, practical ready-to-run software for APPLE II, 96 pages. **\$8.95**

Program Worksheets

Handy printed forms make writing BASIC software easy and fun. Customized for your own computer system, or use the universal form good for any BASIC computer, 40-sheet tablets:

Color Computer Coding Form	\$2.95
Pocket Computer Coding Form	\$2.95
APPLE Computer Coding Form	\$2.95
IBM Personal Computer Form	\$2.95
Universal Coding Form	\$2.95



Pocket Computer

101 Pocket Computer Programming Tips & Tricks, secrets, hints, shortcuts, techniques from a master programmer, for TRS-80 PC-2, PC-1, Sharp PC-1500, PC-1211 pocket computers, 128 pages. **\$7.95**

Pocket Computer Programming Made Easy, new fast easy read-and-learn way to make TRS-80 PC-2, PC-1, Sharp PC-1500, PC-1211, Casio FX-702P pocket computers work for you. Learn BASIC quickly, 128 pages. **\$8.95**

50 Programs in BASIC for Home, School & Office, useful ready-to-run software for TRS-80 PC-2, PC-1, Sharp PC-1500, PC-1211 pocket computers, 96 pages. **\$9.95**

50 MORE Programs in BASIC for Home, School & Office, book of tested type-in-and-run software for TRS-80 PC-2, PC-1, Sharp PC-1500, PC-1211 pocket computers, 96 pages. **\$9.95**

Murder In The Mansion and Other Computer Adventures, murder mystery, space adventure, 24 games for TRS-80 PC-2, PC-1, Sharp PC-1500, PC-1211 pocket computers, 96 pages. **\$6.95**

35 Practical Programs for the Casio Pocket Computer, useful type-in-and-run software for the FX-702P, 96 pages. **\$8.95**

Order direct from this ad. Send check, money order, or MasterCard or VISA account number and expiration date. Include \$1 shipping for each item ordered up to a maximum of \$3. Or write for our free catalog. Mail to:

ARCsoft Publishers

Post Office Box 132 W
Woodsboro, Maryland 21798

(301) 663-4444



Customers outside North America wanting airmail send \$4 postage per book. Foreign customers pay in U.S. dollars. Maryland residents add 5% sales tax. Sorry, no COD. TRS-80 is a trademark of Tandy Corp./Radio Shack. APPLE is a trademark of APPLE Computer Inc.

variable B to identify the invoice and its disk record. The entire record is then written into the PRINTFIL file. The NEWDOS80 command F=KEEP is used in line 590 to clear all variables and arrays except G\$ and G1\$, and the program returns to menu. The entry process of modules 1, 2, and 4 is repeated for each of the invoices to be written, with each record being added to PRINTFIL in sequence.

Printing Invoices

After all the data is in, the invoices may be printed by menu item 5 (print invoices). The program is designed so power failures will not wipe out records already written. Also, invoicing data may be entered all day or in several sessions, while the time-consuming printing can be done at night, during lunch hour, or at times when the computer is not needed for other functions.

Line 700 starts the print module by asking the number of copies to be printed. If multi-part paper is used, only one print cycle is necessary. However, if you are using one-part paper, this function allows you to make file copies of invoices automatically.

Line 720 resets the line counter of the printer driver. It may be necessary to add POKE 16424,XX to this line (XX is the number of lines per page plus one for your printer/paper combination). I have found it necessary to POKE this location with a 66 instead of the default value of 67 when using

*"The job's not done
until the paperwork
is finished."*

certain printers in order to have succeeding invoices printed in proper registration.

Lines 730-820 read each record from PRINTFIL and load the data into variables and arrays. If you don't need the disk-file storage mode of this program, you can go directly from the menu after loading data to line 840 and print it. Alternatively, the disk-writing routine in the store-data module and the read routine in this module may be replaced with cassette I/O routines, if you are not yet ready to take the disk plunge.

Line 840 starts the print process, while lines 870-910 contain the return address information. Your name should be placed in line 1400.

The CHR\$(16),"35", sets the positioning for printing. If your printer does not recognize CHR\$(31) as setting the double-width mode, or if your printer allows some other print style you deem desirable for printing your letterhead, modify line 870 accordingly. In line 930, LEFT\$(TIME\$,8) extracts the system date from NEWDOS80 and uses it as the invoice date. The CHR\$(30) in 940 returns the printer to the

Listing 1 continued


```

1120 NEXT I3
1130 LPRINT:L=0
1140 FOR I5=1TOIL:L=L+L(I5):NEXT I5: LPRINT "SUBTOTAL FOR LABOR
      $"; : LPRINT USING G$;L
1150 LPRINT
1160 LPRINT : GOSUB 9500 : IF IP<1 THEN 1330
1170 IF D(1)<>"0" THEN LPRINT "DURING THE ABOVE LABORS, THE FOLL
      OWING PARTS WERE USED:" ELSE C=0 : CT=0 : GOTO 1310
1180 LPRINT : GOSUB 9500
1190 LPRINT "QUAN.", "PART NUMBER", "DESCRIPTION" : LPRINT "PRICE
      PER ITEM", "EXTENDED PRICE"
1200 LPRINT "-----"
      "-----"
1210 LPRINT : GOSUB 9500
1220 FOR I4=1 TO IP
1230 LPRINT Q(I4),PN(I4),PD(I4) : LPRINT PP(I4),,, : LPRINT USIN
      G G$;Q(I4)*VAL(PP(I4))
1240 GOSUB 9500 : LPRINT
1250 NEXT I4
1260 LPRINT : GOSUB 9500 : C=0
1270 FOR I6=1 TO IP
1280 C=C+(Q(I6)*VAL(PP(I6))):NEXTI6
1290 LPRINT "SUBTOTAL FOR PARTS $"; : LPRINT USING G$;C
1300 CT=INT(C*40)/1000:LPRINT "SALES TAX $"; : I
      F K5=1 THEN LPRINT "TAX EXEMPT" : CT=0 ELSE LPRINT USING G$;CT
1310 LPRINT "LABOR $"; : LPRINT USING G$;L
1320 CC=C+CT+L
1330 LPRINT "-----"
1340 LPRINT:LPRINT "TOTAL DUE $"; : LPRINT USING
      G$;CC
1350 IF PEEK(16425)>50 THEN LPRINT CHR$(11) : LPRINT : LPRINT :
      LPRINT : LPRINT
1360 LPRINT:LPRINT
1370 LPRINT "PLEASE BRING ANY ERRORS OR DISSATISFACTION TO MY AT
      TENTION IMMEDIATELY."
1380 LPRINT "THANK YOU FOR YOUR BUSINESS."
1390 LPRINT:LPRINT
1400 LPRINT "SINCERELY YOURS," :LPRINT:LPRINT:LPRINT"JOHN HACKMAN
      "
1410 LPRINT CHR$(11)
1420 NEXT I9
1430 GOTO 740
1440 CLS : PRINT "DONE PRINTING - OK TO MOVE INVOICES TO 'PENDIN
      G' FILE (Y/N) ?"
1450 X=148 : GOSUB 9350 : IF X$="Y" THEN 1480 ELSE IF X$="N" THE
      N 1460 ELSE 1440
1460 PRINT : PRINT "ENTER CHOICE -
      1 - REPRINT INVOICES
      2 - RETURN TO MAIN MENU
      3 - MOVE INVOICES TO 'PENDING' FILE"
1470 GOSUB 9400 : X=X+84 : GOSUB 9300 : ON X GOTO 700,30,1480,14
      60
1480 OPEN "I",1,"PRINTFIL","MU"
1490 OPEN "R",2,"PENDING","MU"
1500 X=LOC(2): PUT 2,IX
1510 IF EOF(1) THEN CLOSE : KILL "PRINTFIL:0" : GOTO 30
1520 GET 1,,B,N,NA,NP,AL,A2,A3,A4,A5,IL,IP,K5; : DI$=LEFT$(TIME
      $,8)
1530 PUT 2,,B,DI$,G1$,N,NA,NP,AL,A2,A3,A4,A5,IL,IP,K5;
1540 I=1
1550 GET 1,,D,R,M,T;
1560 PUT 2,,D,R,M,T; : IF I=IL THEN 1570 ELSE I=I+1 : GOTO 1550
1570 I=1
1580 GET 1,,Q,PN,PD,PP; : PUT 2,,Q,PN,PD,PP; : IF I=IP THEN 15
      90 ELSE I=I+1 : GOTO 1580
1590 GOTO 1510
9300 GOSUB 9350 : X=VAL(X$): RETURN
9350 PRINT@X," ? ";:FOR I9=0TO50:X$=INKEY$:IFX$=""THEN NEXT I9 E
      LSE RETURN
9360 PRINT@X-2,STRING$(7,CHR$(143));:FOR I9=0TO50:X$=INKEY$:IFX$
      =""THEN NEXT I9 ELSE RETURN
9370 GOTO 9350
9400 X=(PEEK(16417)*256)+PEEK(16416)-15356 : RETURN
9450 X=X+15360 : X1=INT(X/256) : X2=X-X1*256 : POKE 16417,X1 : P
      OKE 16416,X2 : RETURN
9500 IF PEEK(16425)>59 THEN LPRINT CHR$(11) : LPRINT : LPRINT :
      LPRINT : LPRINT : RETURN ELSE RETURN
9998 CLS : IF K1>0 OR K2>0 OR K3>0 THEN PRINT "UNSTORED DATA STI
      LL IN BUFFER

HIT SPACE TO RETURN TO MENU
HIT '@' TO QUIT ANYHOW "; : GOSUB 9400 : GOSUB 9350 : IF X$=" "
      THEN 30 ELSE IF X$="@" THEN END ELSE 9998

```


Beam Aboard for Billions and Billions of Exciting Intergalactic Adventures...



BIG FIVE SOFTWARE

P.O. Box 9078-185 • Van Nuys, CA 91409 • (213) 782-6861

Prices per Game: TRS-80 16K Lev2 Mod1 / Mod3 Cassette — \$15.95
TRS-80 32K Lev2 Mod1 / Mod3 Diskette — \$19.95
Optional Joystick for Model 1 — \$39.95

10% discount for 2 items, 15% for 3 or more.

Please add \$1.75 per order for postage & handling. Calif. residents add 6% sales tax.

Outside USA (except Canada) please add \$3.00 per order for postage & handling.

All Games ©1980, 1981 by Bill Hogue & Jeff Konyu.

Programs are written in machine language for high quality graphics & sound effects.

Voice & other sound effects are playable through the cassette AUX plug. High scores are automatically saved after each game on disk versions.


Call or write for our complete catalog.

Audiovisual licensed from Atari.

During the rest of the print routine, you will notice occasional GOSUB 9500s. This subroutine checks to see if the printing is approaching the end of the page and, if so, advances the printer to the next page with the proper top margin and resumes printing.

At the conclusion of each invoice, the program loops back to read the file for the next invoice. If an end-of-file marker is encountered and detected by line 740, the file is closed and the program drops to line 1440. Here, the normal routine is to kill PRINTFIL after transferring all of its records to the pending file. However, line 1440 provides means for interrupting this procedure. For instance, if invoice printing was done while no one was in attendance and your printer chose this time to eat all the paper in sight, 1440 permits another run.

Transferring records to the pending file and killing PRINTFIL clears PRINTFIL for new data. This is necessary since the data writes to PRINTFIL are sequential and would therefore just add and add. Moving the printed data to the pending file leaves us with a computer-usable record of billing sent out. The form of the file is such that other programs can access it, mark "paid" those records for which payment has been received, print reports of unpaid bills and re-bill overdues, and abstract data for use in general ledger, sales reports, inventory maintenance and customer histories and



**First in
Its Class
and
Looking
for
Work.**

TRS-80 Model I, II, III

Five multiple regression procedures (including stepwise, backward elimination, all subset, and ridge), 24 transformations, comprehensive data base manager (with search and sort), descriptive statistics, hypothesis testing (7 tests), time series analysis (7 models), random variate generation, discrete probability distributions, sampling distributions, nonparametrics (5 tests), and complete documentation.

Complete package with manual — \$125

To order, send payment plus \$2.00 shipping and handling to:

Quant Systems

P.O. Box 628
Charleston, S.C. 29402
803-571-2825

*S.C. residents add 4% sales tax
Overseas orders add \$7 for shipping

```
2000 CLS : DEFINIT B : INPUT "ENTER FIRST INVOICE NUMBER -1";B
2010 OPEN "R",1,"INVNUMBR","MU"
2020 PUT 1,!0,,B;
2030 CLOSE
2040 END
```

Program Listing 2

```

25 CLS : INPUT "DATE";DI$;INPUT "STARTING INVOICE NUMBER";B
40 PRINT : PRINT "1 - ENTER CUSTOMER
2 - ENTER BILLING
3 - ENTER PARTS BILLING
4 - STORE DATA / START NEXT INVOICE
5 - PRINT INVOICES
6 -
7 -
8 - HELP
9 - QUIT"
80 PRINT : X=980 : GOSUB 9300 : ON X GOTO 100,200,270,400,700,30
,30,30,9998
230 PRINT @ 192, "DATE"; : INPUT D(IL) : PRINT "HOURS"; : INPUT
T(IL) : PRINT "RATE/HR"; : INPUT R(IL) : PRINT "DESCRIPTION?"; :
INPUT M(IL)
240 PRINT "IS ALL DATA CORRECT (Y/N) ?"; : GOSUB 9400 : GOSUB 93
50 : IF X$="Y" THEN 250 ELSE IF X$="N" THEN 220 ELSE 240
300 PRINT @ 704, "QUANTITY"; : INPUT Q(IP) : PRINT "PART NUMBER?
"; : INPUT PN(IP) : PRINT "DESCRIPTION? "; : INPUT PD(IP) : PRI
NT "PRICE/EACH"; : INPUT PP(IP)
400 CLS : PRINT "STORING DATA" : PRINT
410 IF K1=0 THEN PRINT "NO CUSTOMER INFO" : K4=1
420 IF K2=0 THEN PRINT "NO LABOR INFO" : K4=1
430 IF K3=0 THEN PRINT "NO PARTS INFO" : K4=1
440 IF K4=1 THEN PRINT : PRINT "HIT '@' TO CONTINUE
HIT ANY OTHER KEY TO RETURN TO MENU"; : GOSUB 9400 : GOSUB 9350
: IF X$="@" THEN 450 ELSE 30
450 CLS : PRINT "HIT ANY KEY WHEN CASSETTE IS READY AND IN RECOR
D MODE"; : GOSUB 9400 : GOSUB 9350
460 PRINT #-1,B,DI$,N,NA,NP,A1,A2,A3,A4,A5,IL,IP,K5
470 FOR I=1 TO IL
480 PRINT #-1,D(I),R(I),M(I),T(I)
490 NEXT I
500 FOR I=1 TO IP
510 PRINT #-1,Q(I),PN(I),PD(I),PP(I)
520 NEXT I
530 K1=K2=K3=K4=0 : B=B+1
540 GOTO 30
550 '
730 CLS : PRINT "READY CASSETTE IN PLAY MODE"
740 INPUT #-1,B,DI$,N,NA,NP,A1,A2,A3,A4,A5,IL,IP,K5
750 CLS : IF DI$="@" AND N="@" THEN GOTO 30 ELSE PRINT "LOADING
DATA"
760 FOR I=1 TO IL
770 INPUT #-1,D(I),R(I),M(I),T(I)
780 NEXT I
790 FOR I=1 TO IP
800 INPUT #-1,Q(I),PN(I),PD(I),PP(I)
810 NEXT I
820 '
930 LPRINT DI$
1430 GOTO 730
2000 CLS : PRINT "CLOSING CASSETTE FILE" : PRINT : PRINT "HIT AN
Y KEY WHEN CASSETTE IS READY IN RECORD MODE"; : GOSUB 9400 : GOS
UB 9350
2010 PRINT #-1,0,"@","@","@","@","@","@","@","@","@","@",0,0,0
2020 GOTO 30

```

Program Listing 4

```

10 CLEAR 2000 : DEFSTR N,A,D,P,M : DEFINT Q,B
20 DIM PN(30),PD(30),PP(30),Q(30) : GS="#####.##" : GL$=STRING$(
8,"*")
25 CLS : INPUT "DATE";DI$ : INPUT "STARTING INVOICE NUMBER";B
30 CLS : PRINT "          INVOICE 1.5"
MENU
-----"
40 PRINT : PRINT "1 - ENTER CUSTOMER

```

Listing 4 continues

profiles.

In line 1530 the first part of each record is put into the pending file. You will notice that something extra is added to the data—items DI\$ (billing date) and G1\$ (defined in line 20 as eight asterisks). G1\$ can be used as a paid/not-paid marker for each record. When an invoice is paid, G1\$ can be updated to contain the date of the payment. The presence of asterisks in this field therefore tells us the bill has not yet been paid. The paid date in completed records allows computing the time each customer takes to pay his bills.

Lines 9300-9450 are handy subroutines used for display formatting and data input. Lines 9350-9370 place a flashing marker at location X on the screen and obtain X\$ by the INKEY\$ function. Line 9300 calls this subroutine and converts X\$ to its numerical value, returning it as X. Subroutine 9400 returns the current cursor position on the screen plus four. (The plus four positions the marker from 9350 without overlapping existing text on the screen.) Line 9450 permits setting the cursor position anywhere on the screen by specifying X in the same values as PRINT@ uses.

Initial Setup

Before running the main program for the first time, enter and run Program Listing 2. This creates the invoice-number file the main program expects to find when it runs, and allows you to set the starting invoice number you want. Also, it may be used to re-


Listing 4 continues

```

2 - ENTER BILLING
3 - ENTER PARTS BILLING
4 - STORE DATA / START NEXT INVOICE
5 - PRINT INVOICES
6 -
7 -
8 - HELP
9 - QUIT"
50 PRINT : IF K1=1 THEN PRINT "CUSTOMER INFO IN BUFFER ";
60 IF K2=1 THEN PRINT "LABOR INFO IN BUFFER ";
70 IF K3=1 THEN PRINT "PARTS INFO IN
BUFFER"
80 PRINT : X=980 : GOSUB 9300 : ON X GOTO 100,200,270,400,700,30
,30,30,9998
100 IF K1=1 THEN CLS : PRINT "INVOICE DATA FROM LAST ENTRY HAS N
OT BEEN STORED -
HIT @ TO IGNORE & CONTINUE ENTRY
HIT ANY OTHER KEY TO RETURN TO MENU" : X=330 : GOSUB 9350 : IF X
$<>"@" THEN 30
110 CLS : PRINT "CUSTOMER NAME
ACCOUNT NUMBER
CUSTOMER PO#
ADDRESS:
STREET
ADDITIONAL
CITY
STATE
ZIP CODE
TAX EXEMPT (Y/N)"
120 PRINT @ 0, "CUSTOMER NAME"; INPUT N : PRINT "ACCOUNT NUMBER"
; : INPUT NA : PRINT "CUSTOMER PO#"; : INPUT NPO : PRINT "ADDRESS
:" : PRINT "
STREET"; : INPUT A1 : PRINT " ADDITIO
NAL"; : INPUT A4 : PRINT " CITY"; : INPUT A2
130 PRINT " STATE"; : INPUT A3 : PRINT " ZIP CODE"
; : INPUT A5
140 PRINT " TAX EXEMPT (Y/N)"; : INPUT X$ : IF X$="Y" THEN
N K5=1 ELSE IF X$="N" THEN K5=0 ELSE GOTO 140
150 PRINT : PRINT "IS ALL DATA CORRECT (Y/N) ? "; : GOSUB 9400 :
GOSUB 9350 : IF X$="Y" THEN K1=1 : GOTO 30 ELSE IF X$="N" THEN
110 ELSE GOTO 150

```

**SAVE
TRS-80's**



TRS-80's and Hewlett-Packard

85, 87 & 125 Computers

Best Discounts Possible

WE PAY SHIPPING in the 48 continental states on prepaid orders of \$100.00 or more.

NO TAXES are collected on out-of-state shipments.

WE ACCEPT Visa, MasterCard and American Express, or you can save additional money by paying cash.


Pan American Electronics

TOLL FREE ORDER NUMBER 800/531-7466

1117 Conway • Dept. 36 • Mission, Texas 78572
Phone 512/581-2766 • Telex Number 767339

FORT WORTH BRANCH

2912 N. Main • Dept. 36 EM • Ft. Worth, Texas 76106
Phone 817/625-6333 • Telex Number 794836



Hewlett-Packard

TM — Trademark of Tandy Corporation



set the invoice-number file if your number system is not simple sequential. Caution—the variable type holding the invoice number in the main program is integer, therefore the invoice numbers cannot exceed 32767. If you wish to start your invoice numbers with the year (e.g., 82001) you must define variable B in line 10 as single or double precision. If your invoice numbering scheme is more complicated, you may wish to make B a string variable and build an automatic updating function using RIGHT\$, VAL, and so on.

Other Options

The program may be modified to meet your system configuration and needs. If cassette, rather than disk, storage is desired, use the code in Program Listing 3. After the data for each invoice is entered store it using menu function 4. At the end of an input session, or any time thereafter, the cassette file may be printed using menu function 5. The operation is similar to that under disk, except for the time and inconvenience involved in handling cassettes, and no new permanent record file is written after printing—you just save the cassette file you just printed. Also you must put in the starting invoice number and the date at the beginning of each input session.

To print invoices directly, without the use of data files, substitute the programming shown in Listing 4. If a disk system is never going to be used, delete lines 400–600, 730–820 and 1440–1590. The program will now request data that otherwise would have been supplied by the DOS and the disk files.

If you use a DOS other than NEWDOS80 2.0, the file I/O sections must be modified to conform to your DOS requirements. My system runs in double density with a Percom Doubler. Addition of the Doubler has substantially reduced the number of disk errors (to zero) while making a nice improvement in the amount of storage area (141 grans per disk). Obviously, NEWDOS or something similar is needed, since Model I TRSDOS can't handle 40 tracks. Tossing in the system control features of NEWDOS (expanded Auto function, control of the break key, ability to restrict disks to Run only, and so on) make a program like Invoice something you can turn over to clerical operators without major problems. However, if you *must* use TRSDOS, then you will have to make changes in the file-handling sections.

Many of the filespecs call for a specific drive. If you are using a single-drive system or want your data files on some other drive, check the filespecs in Listing 1 and make the appropriate changes.

The Bottom Line

This program has improved my business operations measurably. I get my billing out faster and more accurately. I have good records of what went out, was paid or is still pending. And I show my customers a glimpse of what a small computer can do in their business as well as mine. ■

Listing 4 continued

```

160 CLS : K1=1 : GOTO30
200 IF K2=1 THEN CLS : PRINT "PREVIOUS DATA IN BUFFER HAS NOT BE
EN STORED -
HIT @ TO IGNORE & CONTINUE
HIT ANY OTHER KEY TO RETURN TO MENU" : X=330 : GOSUB 9350 : IF X
$<>"@" THEN CLS : GOTO 30
210 CLS : IL=1 : PRINT "IF THIS IS A PARTS SALE ONLY, HIT 'P'
ELSE HIT ANY KEY"; : GOSUB 9400 : GOSUB 9350 : IF X$="P" THEN D(
1)="@" : K2=1 : GOTO 270 ELSE CLS
220 CLS : PRINT "LABOR BILLING:                ",IL;"
-----
DATE
HOURS
RATE/HR
DESCRIPTION"
230 PRINT @ 192, "DATE"; : INPUT D(IL) : PRINT "HOURS"; : INPUT
T(IL) : PRINT "RATE/HR"; : INPUT R(IL) : PRINT "DESCRIPTION?"; :
INPUT M(IL)
240 PRINT "IS ALL DATA CORRECT (Y/N) ?"; : GOSUB 9400 : GOSUB 93
50 : IF X$="Y" THEN 250 ELSE IF X$="N" THEN 220 ELSE 240
250 PRINT : PRINT "IS THERE ANOTHER LABOR ENTRY TO BE MADE (Y/N)
? "; : GOSUB 9400 : GOSUB 9350 : IF X$="Y" THEN IL=IL+1 : GOTO
220 ELSE IF X$="N" THEN 260 ELSE 250
260 K2=1 : CLS : PRINT "ARE THERE PARTS ENTRIES TO BE MADE (Y/N)
? "; : GOSUB 9400 : GOSUB 9350 : IF X$="Y" THEN 270 ELSE IF X$="
N" THEN Q(1)=0 : K3=1 : GOTO 30 ELSE GOTO 260
270 IF K3=1 THEN CLS : PRINT "PREVIOUS DATA IN BUFFER HAS NOT BE
EN STORED -
HIT @ TO IGNORE & CONTINUE
HIT ANY OTHER KEY TO RETURN TO MENU" : X=330 : GOSUB 9350 : IF X
$<>"@" THEN CLS : GOTO 30
280 IP=1 : CLS : GOSUB 390
290 PRINT @ 896, IP; STRING$(50," ") : PRINT "QUANTITY
PART NUMBER
DESCRIPTION
PRICE/EACH" : GOSUB 390
300 PRINT @ 704, "QUANTITY"; : INPUT Q(IP) : PRINT "PART NUMBER?
"; : INPUT PN(IP) : PRINT "DESCRIPTION? "; : INPUT PD(IP) : PRI
NT "PRICE/EACH"; : INPUT PP(IP)
310 PRINT @ 0, "HIT 'N' IF DATA IS NOT CORRECT
HIT SPACE BAR TO ENTER MORE PARTS
HIT ENTER IF NO MORE PARTS "; : GOSUB 9400 : GOSUB 9350 : IF X$=
"N" THEN 290 ELSE IF X$=" " THEN IP=IP+1 : GOTO 290 ELSE IF ASC(
X$)=13 THEN CLS : K3=1 : GOTO 30
320 GOTO 310
390 PRINT @ 0, "PARTS USED:
-----
" : RETURN
400 CLS : PRINT "STORING DATA" : PRINT
410 IF K1=0 THEN PRINT "NO CUSTOMER INFO" : K4=1
420 IF K2=0 THEN PRINT "NO LABOR INFO" : K4=1
430 IF K3=0 THEN PRINT "NO PARTS INFO" : K4=1
440 IF K4=1 THEN PRINT : PRINT "HIT '@' TO CONTINUE
HIT ANY OTHER KEY TO RETURN TO MENU"; : GOSUB 9400 : GOSUB 9350
: IF X$="@" THEN 450 ELSE 30
450 CLS : PRINT "HIT ANY KEY WHEN CASSETTE IS READY AND IN RECOR
D MODE"; : GOSUB 9400 : GOSUB 9350
460 PRINT #-1,B,DI$,N,NA,NP,A1,A2,A3,A4,A5,IL,IP,K5
470 FOR I=1 TO IL
480 PRINT #-1,D(I),R(I),M(I),T(I)
490 NEXT I
500 FOR I=1 TO IP
510 PRINT #-1,Q(I),PN(I),PD(I),PP(I)
520 NEXT I
530 K1=K2=K3=K4=0 : B=B+1
540 GOTO 30
550 '
700 CLS : PRINT "***** PRINTING INVOICES *****" : PRINT : PRINT
"HOW MANY COPIES ? "; : GOSUB 9400 : GOSUB 9300 : K9=X : PRINT
710 PRINT : PRINT : PRINT "HIT ANY KEY WHEN PRINTER IS READY & P
APER IS AT TOP OF FORM " : X=410 : GOSUB 9350 : PRINT
720 POKE 16425,1
730 CLS : PRINT "READY CASSETTE IN PLAY MODE"
740 INPUT #-1,B,DI$,N,NA,NP,A1,A2,A3,A4,A5,IL,IP,K5
750 CLS : PRINT "LOADING DATA"
760 FOR I=1 TO IL
770 INPUT #-1,D(I),R(I),M(I),T(I)
780 NEXT I
790 FOR I=1 TO IP
800 INPUT #-1,Q(I),PN(I),PD(I),PP(I)
810 NEXT I
820 '
840 CLS:PRINT"PRINTING INVOICE"
850 FOR I9=1 TO K9
860 FOR I=0 TO 3 : LPRINT : NEXT I
870 LPRINT CHR$(31);CHR$(16);"35";"J.L. HACKMAN"

```

Listing 4 continues

M-ZAL™

Release Two Is Here!

Our Users asked for it, and we made the best TRS-80 disk assembler even better! Now M-ZAL has:

- Recursive MACROS with full symbolic parameter substitution
- Conditional assembly with unlimited nesting
- Text Editor warm-start/recovery option
- Support for all popular source file formats
- Load Module inspect/superzap using LINKER

and the features that made it famous:

- True multi-pass assembly
- Full Screen Option Menus
- ENTRY/EXTERN symbols, relocation, and object module linking
- 8 character labels with sorted symbol table
- Built-in symbol table cross-reference
- Nested *INCLUDES (source file chaining/nesting)
- Lower case support (Model 3 only)
- Over 175 pages of documentation including Z-80 Technical Manual
- Full Screen Text Editing and much, much more!

M-ZAL provides a modular, structured development environment that makes programming your TRS-80 a truly enjoyable experience. Order yours today. (Requires 32k, 2 disk system)

#1050-10	Mod 1	\$149.00
#1250-10	Mod 3	\$149.00

CAU Development Software— The Professionals Choice:

Full Screen Text Editor for BASIC: we were the first to give the TRS-80 this indispensable ability! A must for every BASIC programmer:

#1010-20	Mod 1	\$24.95
#1210-20	Mod 3	\$29.95

T-ZAL: custom designed for the Model 3, this tape based assembler has many of M-ZAL's most desired features.

#1250-20	Mod 3 only	\$49.95
----------	------------	---------

XBUG: for machine language analysis and debugging—this tiny (2.5k) but powerful program lets you do it all!

#1020-10	Mod 1	\$19.95
#1220-10	Mod 3	\$19.95

FILEXFER: transfer any disk file between two TRS-80s. Use direct cable link or RS modems. Mod 1 and Mod 3 can be mixed. RS-232 and disk read.

#1040-10	Mod 1 and 3	\$49.95
----------	-------------	---------

"We've been using M-ZAL heavily for over two months now, and it's been worth its weight in gold"

—Chuck Tester
PROSOFT

"...well written software that is long overdue."

—Bruce Douglass
80 Microcomputing
BASIC Editor Review

"During the first 3 days of use, M-ZAL saved more money in programmers time than we had paid for the product."

—William Denman
Author of Asylum
MED SYSTEMS

"The editor has at least doubled my productive capacity..Having spent a good deal of money on so called 'utilities' that don't work, it's a delight to find one that not only lives up to its claims but surpasses the advertising."

—BASIC Editor user

Our choice for the best TRS-80 DOS:

DOSPLUS 3.4	Mod 1	\$149.00
DOSPLUS 3.4	Mod 3	\$149.00

Call or write for more information.

All products require level II.

Mail orders specify catalog #.

Send check, money order, or MC/VISA numbers and expiration date to:

Computer Applications Unlimited

P.O. Box 214, Dept. ABM Rye, New York 10580
(914) 937 6286

N.Y. State residents add applicable sales tax.
Outside USA and Canada add \$7.00 shipping.
Dealer Inquiries Invited.



CAU **COMPUTER APPLICATIONS UNLIMITED™**
a div. of CAU, Inc.

✓ 120

TRS-80 is a TM of Tandy Corp. M-ZAL is a TM of CAU, Inc.
Z-80 is a TM of Zilog, Inc.

Mayday

MAYDAY means HELP and here it is...
*TRS-80 Programming

HELP utility program for your TRS-80 disk... help command returns a mini-page display of the manual... for mod. I and mod. III... disk... **\$15**
ADR auto density recognition program lets you put mod. I discs in and get an automatic p-drive setup... makes it quick and easy... disk... **\$15**
COMPACTOR mod. I or mod. III disc compactor program... gets the most out of each of your discs... **\$15**
LISTR reads compacted programs and gives hard copy listing in an expanded and super legible format... disc... **\$15**

Get all four of the above on one disc for **\$45**

Is your search for a "good modem program" making a **TERMINAL CASE** out of you? There's lots of them for sale but check these features before you decide... Auto log on - 38 K buffer capture - DOS commands - Echo - Set parameters - Printer toggle - Warm restart - RS-232C on/off - can generate 8 spec. characters from keyboard - menu driven - variable transmission speed - well prompted - review buffer and much MORE... \$30.00 will get you the "No. 1 MODEM" program and for the price of \$60.00 you can get the source listing on the same disk with "No. 1 MODEM" for your own modification. This may sound like a cheap program but it isn't... it's just inexpensive.

Send check or money order only...
add \$1.50 for shipping... Wis. residents add 5% tax

Mayday SOFTWARE

Post Office Box 66, Phillips, Wisconsin 54555
715-339-3966

*TANDEM corp.
*APPARAT, inc.


✓407

Maxell Floppy Disks

The Mini-Disks
with maximum quality.



Dealer inquiries
invited. C.O.D.'s
accepted. Call
FREE (800) 235-4137.



PACIFIC EXCHANGES
100 Foothill Blvd., San Luis
San Luis Obispo, CA 93401.
In Cal. call (800) 592-5935 or
(805) 543-1037.

✓207

80micro

Back Issues



January 1980.....\$5.00
February to June 1980.....3.00
Single back issue
July 1980 on.....3.50
Single back issue

Add \$1.00 per magazine for shipping.

10 or more back issues
add \$7.50 per order for shipping.

Back Issues • Attn. Pauline Johnstone
80 Pine St. • Peterborough, NH 03458

Listing 4 Continued

```

880 LPRINT CHR$(16);"35";"P.O.BOX 194"
890 LPRINT CHR$(16);"35";"MOUNT PLEASANT, MI"
900 LPRINT CHR$(16);"35";"48858"
910 LPRINT : LPRINT CHR$(16);"35";"TEL. 517-773-9004"
920 LPRINT :LPRINT "INVOICE #";B
930 LPRINT DI$
940 LPRINT :LPRINT: LPRINT CHR$(30);N
950 LPRINT A1
960 IF A4="" THEN 970 ELSE LPRINT A4
970 LPRINT A2;",";A3
980 LPRINT A5
990 LPRINT:LPRINT:LPRINT "GENTLEMEN:"
1000 LPRINT:LPRINT
1010 IF NPO="" THEN 1020 ELSE LPRINT "REFERENCE YOUR PURCHASE OR
DER #";NPO
1020 LPRINT "THE FOLLOWING SERVICES HAVE BEEN RENDERED TO YOU."
1030 LPRINT:LPRINT "DATE DESCRIPTION
1040 LPRINT "LABOR TIME (HOURS)","LABOR RATE","TOTAL"
1050 LPRINT"-----"
1060 LPRINT
1070 FOR I3=1 TO IL
1080 IF D(I3)="@" THEN LPRINT " PARTS SALE ONLY":GOSUB9
500: GOTO 1130
1090 LPRINT D(I3);" ";M(I3)
1100 LPRINT T(I3);, : LPRINT USING G$;R(I3);, : L(I3)=T(I3)*R(I3)
: LPRINT USING G$;L(I3)
1110 GOSUB 9500 : LPRINT
1120 NEXT I3
1130 LPRINT:L=0
1140 FOR I5=1TOIL:L=L+L(I5):NEXT I5: LPRINT "SUBTOTAL FOR LABOR
$"; : LPRINT USING G$;L
1150 LPRINT
1160 LPRINT : GOSUB 9500 : IF IP<1 THEN 1330
1170 IF D(1)<>"0" THEN LPRINT "DURING THE ABOVE LABORS, THE FOLL
OWING PARTS WERE USED:" ELSE C=0 : CT=0 : GOTO 1310
1180 LPRINT : GOSUB 9500
1190 LPRINT "QUAN.,"PART NUMBER","DESCRIPTION" : LPRINT "PRICE
PER ITEM",,"EXTENDED PRICE"
1200 LPRINT "-----"
1210 LPRINT : GOSUB 9500
1220 FOR I4=1 TO IP
1230 LPRINT Q(I4),PN(I4),PD(I4) : LPRINT PP(I4),,, : LPRINT USIN
G G$;Q(I4)*VAL(PP(I4))
1240 GOSUB 9500 : LPRINT
1250 NEXT I4
1260 LPRINT : GOSUB 9500 : C=0
1270 FOR I6=1 TO IP
1280 C=C+(Q(I6)*VAL(PP(I6))):NEXTI6
1290 LPRINT "SUBTOTAL FOR PARTS $"; : LPRINT USING G$;C
1300 CT=INT(C*40)/1000:LPRINT "SALES TAX $"; : I
F K5=1 THEN LPRINT "TAX EXEMPT" : CT=0 ELSE LPRINT USING G$;CT
1310 LPRINT "LABOR $"; : LPRINT USING G$;L
1320 CC=C+CT+L
1330 LPRINT "-----"
1340 LPRINT:LPRINT "TOTAL DUE $"; : LPRINT USING
G$;CC
1350 IF PEEK(16425)>50 THEN LPRINT CHR$(11) : LPRINT : LPRINT :
LPRINT : LPRINT
1360 LPRINT:LPRINT
1370 LPRINT "PLEASE BRING ANY ERRORS OR DISSATISFACTION TO MY AT
TENTION IMMEDIATELY."
1380 LPRINT "THANK YOU FOR YOUR BUSINESS."
1390 LPRINT:LPRINT
1400 LPRINT "SINCERELY YOURS,":LPRINT:LPRINT:LPRINT"JOHN HACKMAN
"
1410 LPRINT CHR$(11)
1420 NEXT I9
1430 GOTO 730
9300 GOSUB 9350 : X=VAL(X$): RETURN
9350 PRINT@X," ? ";:FOR I9=0TO50:X$=INKEY$:IFX$=""THEN NEXT I9 E
LSE RETURN
9360 PRINT@X-2,STRING$(7,CHR$(143));:FOR I9=0TO50:X$=INKEY$:IFX$
=""THEN NEXT I9 ELSE RETURN
9370 GOTO 9350
9400 X=(PEEK(16417)*256)+PEEK(16416)-15356 : RETURN
9450 X=X+15360 : X1=INT(X/256) : X2=X-X1*256 : POKE 16417,X1 : P
OKE 16416,X2 : RETURN
9500 IF PEEK(16425)>59 THEN LPRINT CHR$(11) : LPRINT : LPRINT :
LPRINT : LPRINT : RETURN ELSE RETURN
9998 CLS : IF K1>0 OR K2>0 OR K3>0 THEN PRINT "UNSTORED DATA STI
LL IN BUFFER
HIT SPACE TO RETURN TO MENU
HIT '@' TO QUIT ANYHOW "; : GOSUB 9400 : GOSUB 9350 : IF X$=""
THEN 30 ELSE IF X$="@" THEN END ELSE 9998

```



ANNOUNCING

the

UCSD p-System*

for your

TRS-80 Model II or III[§]

Now you can write programs in

Pascal

FORTRAN

BASIC

and run them on

Altos, Apple, Commodore, Cromemco, DEC, IBM, Intertec, Philips, Ohio Scientific, Radio Shack, Terak, Texas Instruments, Vector Graphic, Xerox, Zenith, and many more...without change!†

Package includes operating system, compiler, file handler, interpreter, editors, assembler, linker and documentation for \$600.00. TRS-80 Model II p-System, Pascal compiler and Corvus (5, 10, 20 Mb) hard disk software for \$800.00. Free catalog of p-System application software available. Contact us for details.

PCD Systems

✓433

P.O. Box 143

Penn Yan, N.Y. 14527

(315)-536-7428

*trademark of the Regents of the University of California.

§trademark of Tandy Corporation

†PCD Supports Systems Software on DEC LSI-II, Radio Shack Models II & III, Altos & Terak only.



CALENDAR

October

- 1 Motorola Inc., Phoenix, AZ. **Seminar on 8-bit MPUs** Holiday Inn East, Wichita, KS.
- 1-3 Philadelphia Area Computer Society, Philadelphia, PA. **Philadelphia Area Computer Show** Philadelphia Center Hotel.
- 8-9 Tidewater Radio Conventions Inc., Portsmouth, VA. **Computer Show and Electronic Flea Market** Pavillion, Virginia Beach, VA.
- 8-11 Northeast Expositions Inc., Chestnut Hill, MA. **Electronica: Personal Electronics and Home Entertainment Products** Hynes Auditorium, Boston, MA.
- 12-13 The Yankee Group, Boston, MA. **The Home Talks Back: Seminar on Electronic Products, Electronically Delivered** New York City.
- 19-20 The Yankee Group, Boston, MA. **The Home Talks Back: Seminar on Electronic Products, Electronically Delivered** Palo Alto, CA.
- 19 Motorola Inc., Phoenix, AZ. **Seminar on 8-bit MPUs** Holiday Inn, Ft. Washington, PA.
- 20 Motorola Inc., Phoenix, AZ. **Seminar on 8-bit MPUs** Stratford Inn, Stratford, CT.
- 21 Motorola Inc., Phoenix, AZ. **Seminar on 8-bit MPUs** Sheraton Smithtown Inn, Smithtown, NY.
- 22 Motorola Inc., Phoenix, AZ. **Seminar on 8-bit MPUs** Sheraton-Lexington Motor Inn, Lexington, MA.
- 24-26 Texas Association for Educational Data Systems, Austin, TX. **18th Annual Convention** Villa Capri Hotel, Austin, TX.
- 25-26 University of Oregon, Eugene, OR. **First Annual Pacific Northwest Computer Graphics Conference** Eugene Conference Center/Hilton Hotel Complex.
- 25-27 Association for Computing Machinery, New York, NY. **Annual Convention** Dallas Hilton Hotel.
- 28-31 National Computer Shows,

Chestnut Hill, MA. **The Gulf Coast Computer Show and Applefest** Houston Civic Center.

28-31 National Computer Shows, Chestnut Hill, MA. **Third Annual Mid-Atlantic Computer Show and Office Equipment Exposition** Washington, DC, Armory.

30-2 The George Washington University, Office of Continuing Medical Education, Washington, DC. **Symposium on Computer Applications in Medical Care** Sheraton Washington Hotel, Washington, DC.

November

1-3 Online Inc., Weston, CT. **Online '82: Conference for Users of Data Bases** Atlanta Hilton.

7-9 New York State Association for Educational Data Systems, Ardsley, NY. **17th Annual Conference of the NYSAEDS** Americana Hotel, Albany, NY.

8-12 Virginia Polytechnic Institute and State University, Blacksburg, VA. **Workshop on Personal Microcomputer**

Interfacing and Scientific Instrumentation Automation Virginia Tech Campus.

9-10 Saginaw Valley Chapter of Data Processing Management Association, University Park, MI. **Ninth Great Lakes Computer Expo '82** Civic Center, Saginaw, MI.

11-14 National Computer Shows, Chestnut Hill, MA. **The Fourth Annual Northeast Computer Show and Office Equipment Exposition** Hynes Auditorium, Boston, MA.

15-17 Virginia Polytechnic Institute and State University, Blacksburg, VA. **Workshop on Microcomputer Interfacing, Design, and Programming Using the Z80/8085/8080** Virginia Tech Campus.

18-21 National Computer Shows, Chestnut Hill, MA. **Applefest** San Francisco Civic Center and Brooks Hall.

December

9-12 National Computer Shows, Chestnut Hill, MA. **The Second Annual Southeast Computer Show and Office Equipment Exposition** Atlanta Civic Center.

Coming Next Month

November's *80 Micro* takes you into the world of contemporary science and medicine. Can we expect to find micros there? You bet!

We can thank scientists working at the University of Iowa back in 1939, for the first computer. Computers have come a long way since then, as Tom Hager relates. One of the many scientific uses of microcomputers, measuring the temperature inside a running shoe, is detailed by James Lar-

sen of Nike, Inc. Color Computer enthusiasts will learn how to use their machine for stargazing in an article by John Fowler.

The use of micros in medicine is evolving rapidly as reported by Technical Editor Michael Vose. They are even using TRS-80s at the local hospital, as Wynne Keller has discovered.

All in all, a number cruncher's collector's item!

CHEAP THRILLS!

STRICTLY SOFTWARE

You don't have to go digging for treasure to put a little adventure in your life... We're selling Adventure™ Software at a special 1/3 off the retail price. 18 titles to choose from, in TRS-80 tapes and disks or Apple disks. Jazz up your microcomputing while the price is right... now!

	Retail	Our Price
AD Land/Pirate/Mission	\$39.95	\$26.77
R Pirate's Adventure	\$19.95	\$13.37
R Mission Impossible	\$19.95	\$13.37
R Voodoo Castle	\$19.95	\$13.37
AD Voodoo/Count/Odyssey	\$39.95	\$26.77
RD Voodoo/Count/Odyssey	\$39.95	\$26.77
R The Count	\$19.95	\$13.37
R Strange Odyssey	\$19.95	\$13.37
R Mystery Funhouse	\$19.95	\$13.37
AD Mystery/Pyramid/Ghost	\$39.95	\$26.77
RD Mystery/Pyramid/Ghost	\$39.95	\$26.77
R Ghost Town	\$19.95	\$13.37
RD Star Trek	\$19.95	\$13.37
R Kid Ventures	\$14.95	\$10.02
R Galactic Empire	\$14.95	\$10.02
RD Galactic Empire	\$19.95	\$13.37
RD Galactic Trilogy	\$39.95	\$26.77
RD Six Micro Stories	\$14.95	\$10.02
RD Local Call for Death	\$19.95	\$13.37
RD 2 Heads of the Coin	\$19.95	\$13.37
RD Savage Island	\$20.95	\$14.04
RD Savage Island	\$20.95	\$14.04


TUFTS
ELECTRONICS

61 LOWELL RD
HUDSON, NH 03051
603-883-5005

R = TRS-80 tape
RD = TRS-80 disk
AD = Apple disk

OPEN DAILY 9-6

SUNDAY 12-5



MX-80 OWNERS

MXPLUS™ ADDS NEW CONVENIENCE

- PERF-SKIP TO AUTOMATICALLY GIVE YOU TOP AND BOTTOM MARGIN ON EACH PAGE. (SWITCH SELECTABLE, OF COURSE)
- MANUAL PRINT MODE CONTROL TO LET YOU SELECT CONDENSED, EMPHASIZED, OR NORMAL PRINTING INSTANTLY USING THE PRINTER PANEL BUTTONS.

MXPLUS™ INSTALLS IN MINUTES, NO SOLDERING!

MXPLUS IS A PLUG-IN MODULE FOR MX-80, MX-80F/T, AND MX-100 AND IS COMPATIBLE WITH GRAFTRAX AND ALL INTERFACE BOARDS. MXPLUS IS UNCONDITIONALLY GUARANTEED FOR 30 DAYS.

MX-80, MX-80 F/T, AND GRAFTRAX ARE TRADEMARKS OF EPSON.

ORDER TODAY

ORDERS CALL 24 HR. 800-835-2246x441
INFORMATION CALL 213-969-2250

DRESSELHAUS COMPUTER PRODUCTS
22713 VENTURA BLVD., SUITE F
WOODLAND HILLS, CA 91364

✓353

ONLY

\$49.95

POSTPAID CALIF. ADD 6%
SAME DAY SHIPPING
WITH MC/VISA



UPGRADE

AT LAST!!! A Micro-Design Model III System Upgrade.

THE MICRO-DESIGN Model III upgrade includes Micro-Designs exceptional MDX-6 disk CONTROLLER board, ONE 40 TRACK TANDON Disk Drive, NECESSARY INSTALLATION CABLES AND HARDWARE.

FOR MORE INFORMATION & FREE LITERATURE
CALL OR WRITE

MICRO-DESIGN

6301 MANCHACA ROAD
AUSTIN TEXAS, 78745

TOLL FREE

1-800-531-5002

\$399.00

✓463

SEE OUR FULL PAGE Ad ON PAGE 145

It took a lot of headscratching, hours of telephone orders, a few trips to Radio Shack, 40 long hours of close work, and another dozen hours of troubleshooting. The question: Was it worth the work to save 700 bucks? The answer: You bet it was... at least for me.

What I've built is the machine I'm using to write this month's column—an LNW-80, built from a kit. Actually, LNW Research is hedging a little, calling these things semi-kits, since the units are nothing like a classic Heathkit (the standard of comparison) in either the ease of construction, the completeness of documentation, instructions, or parts.

I selected the full-blown semi-kit: printed circuit boards for the CPU section and an expansion interface (\$90 and \$85 with gold edge connectors), keyboard with numeric pad (\$100), metal case (\$85), three hard-to-find parts kits (\$140—more on that later), and a Level II ROM set (\$120). The semi-kit total, with shipping, was about \$640. To that total I had to add the expense of a bucketful of my own parts and quite a few purchases, including capacitors, resistors, integrated circuits (48K of memory, too), regulators, diodes, transistors, sockets, and miscellaneous whatsises like fuse cases and wire clamps—the kind of stuff I always thought I had in my oversized junkbox, but when it came down to needing it, the cupboard was bare. This investment came to about \$250 more, making the total kit cost about \$900. This is at least \$700 below an assembled LNW-80 (\$1,600), or about the same as a TRS-80 Model III purchased at discount.

Before jumping in with the construction, you might want to know what this LNW computer is. The manufacturer calls it a Model I/III-compatible micro-computer with added features. But the LNW-80 is both more and less than that. Model I/III users will find it very familiar, while first-time computer users will appreciate the wide range of features that TRS-80 owners have known for some time. But I'll hold off listing these capabilities until I describe the assembly and operation of the computer. For the moment, consider that this machine contains just about every feature Model

LNW-80 kit a worthwhile endeavor

I owners have hoped for or modified their units to contain, and many of those the Model III should have had. In addition, high-resolution graphics (384 by 192) and color are standard.

In the next two columns, I'll cover assembly and operation, plus some fixes, to the LNW-80. In addition to running through the assembly of the machine, I will also present a few quick and easy modifications that will facilitate using some of the LNW's special features.

Before I begin, readers, please take note: I'm going to sound harsh in some of my criticisms of LNW Research, their documentation and support, and some aspects of the computer itself. Nevertheless, I purchased the LNW because I had the opportunity to use one

and became convinced that it is a very good computer. Notwithstanding the amount of grief involved in the assembly of the machine, my views about its quality have not changed.

Opening the Box

The first surprise is how heavy the delivered box is—\$11.17 worth of UPS up here to New England. Although most of the weight turns out to be the heavy metal case, that heftiness gave me a reassuring feeling about the whole system. I'm always a sucker for appearances, but this hunch was a good one. The case is 1/16-inch solid steel, painted cream white, and packed in plenty of scratch protection. A few bags of screws dropped out, and underneath was a pair of printed circuit boards.

All the integrated circuits—the so-called hard-to-find parts kit—were thrown ignominiously into a plastic bag, with the static-sensitive ones bundled into little aluminum foil globs. The five-pound transformer had fortunately been packed well and prevented from crushing the other parts. The keyboard is complete and also well packed; the connector survived un-




Photo 1. All the parts assembled for a complete LNW-80 kit. Clockwise from back: necessary tools; case top and expansion PC board; case back; manuals; foil trays of integrated circuits; sockets and heat sinks; keyboard, cable, and power-supply capacitors; main PC board, cord, transformer, in case bottom; at center are remaining small parts and hardware; at very bottom (just visible) are schematic sheets.

bent. A hefty sheaf of documentation rose out of the packing material. Another chunk of case fit into the bottom of the box. Photo 1 shows the complete parts in the semi-kit, together with all the extra parts purchased to complete the computer. The next photos are close-ups of the carefully manufactured printed circuit boards. Just a few of the hundreds of extra parts purchased for the kit are shown in Photo 3.

Long ago I learned the lesson that it's important to read an entire construction manual before attempting to build a kit, so I held myself back from tearing into the pile of parts with my soldering iron ablaze, and sat down in a comfortable chair with some Dewars and the LNW manual. I was soon confronted with one of the biggest documentation cop-outs I have ever read: "The purchaser of the LNW-80 is assumed to have a certain degree of ability in assembling electronic equipment. Therefore, a detailed step-by-step assembly manual containing topics, such as how to install a resistor, transistor, or IC, will not be discussed. What the assembly instructions will include are general and specific construction hints that we felt would be useful in making your LNW-80 board as easy and simple to build as possible."

Okay, says I, that's on the inside edge of reasonable. However, LNW's definition of construction hints is to tell you only how to wire parts of the machine that otherwise defy logical construction. The entire assembly *and* testing section for this \$900 project is just 10 pages of dot-matrix printing, vague descriptions, and a few sketches. Compared with the detailed, clear, and carefully written documentation of the Archbold speed-up kit for the Model I, this assembly book is an inexcusable jumble: no photos, messy sketches, and dot-matrix printing. There is not a single valuable troubleshooting hint in the manual. Here's an example: "Turn system on and measure the following voltages... (voltage chart)... Turn power off and solder all power-supply jumpers indicated below... (jumper chart)... reably (sic) power and measure all supply voltages as you first did. After all voltages are present, you can install all components that you are to use."

What if it doesn't come up with the right voltages? Where do you look? How do you start? Don't look for help

in Section 8 (Circuit Description). This is so cursory (10 pages including an expansion bus pinout and abbreviated memory map) as to be useless. My 12-volt supply didn't work; here's what I found in their description: "CR15 rectifies the AC signal which is then filtered by C121. Q4 regulates the voltage to +12 volts. If the voltage at JP9 exceeds

13 volts, CR11 will begin to conduct. While the gate of Q6 remains unchanged, the anode will begin to rise above the gate voltage. This will cause Q6 to begin conducting and result in turning SCR2 on. F2 will then open. The +12 volts are used for both the LNW-80 and the Expansion Board." My fuse was intact, yet there was no





Photo 2. LNW-80 blank printed circuit boards. (a) Main CPU and high-resolution board; (b) expansion interface with gold edge connectors. The boards are setting on the case bottom and top, respectively.

+12 volts. Yeah, I found it, but not because I knew what the gobbledygook above was supposed to mean.

Okay, time to back up and summarize the manual's problems:

- It is incomplete in the description of the computer, assembly instructions, and technical data about the machine's operation and circuitry.
- It doesn't match the LNW-80 since the computer has been changed but the documentation hasn't. The errata don't cover all the changes.
- It specifies parts that physically do not fit on the printed circuit board—especially the variable resistors and

capacitors.

● It's unclear and not particularly literate (I've been misunderstood before when I said that about other publications. I don't mean literary; I merely mean knowing how to spell, punctuate, and produce a reasonably complete sentence.)

● It is disorganized; even the errata appear in several places. There is no logical flow for the builder, no clear breakdown for repairs, and no specifications or tolerances.

● LNW releases itself from responsibility by implication; that is, LNW Research continues to ship a manual

labeled "preliminary" even though it is dated March 1981 (and the expansion board documentation dated October 1979).

The LNW manual makes several assumptions that, two years after the Model I's demise, no longer make sense (if they ever did). The first and most problematic is that the user must already know how to operate a TRS-80. There is no Basic manual, no instructions for operation, no specifications for the language, not even a list of command words or errors. The first-time user of this machine will be lost. Beyond that, all the notions common to TRS-80 users are assumed—precision, speed of operation, even how to enter a program. And what of the confusion that results when a user releases the shift or caps lock and still sees uppercase letters? Although the keyboard implies it, there is no lowercase driver in the Basic! To use the LNW-80, then, it becomes imperative to have the background, manuals, and instruction books for Radio Shack's TRS-80. This is an economical cop-out for LNW (even if they did intend to be a software copycat of the Model I), yet it is a serious disservice to the LNW-80 buyer.

There's one more problem, and this one's a little more far-reaching. You simply cannot build this kit unless you have both good tools and test equipment, and that means more than a pocket voltmeter. It means you will probably need a temperature-controlled soldering unit (or at least an often-cleaned, low-wattage iron with several tips), a good multimeter (preferably a digital one), and an oscilloscope. I was scrupulous about assembling this LNW-80 (and it's far from the first computer I've put together) and it still would not function correctly when it was finished. The scope was essential.

Neither the advertisements nor the manuals suggest that this is a tough project. It is. And if you think that you can get started assembling the computer when it arrives, you're wrong; LNW Research sells only a hard-to-find parts kit, not the whole works. Although the kit does include some esoteric parts, it seems to be mostly a random collection of what was out of stock in southern California when LNW made up its list. Be prepared to search for a high-speed CPU, odd regulators and zener diodes, plus a host of obscure capacitors—tantals, variables, high-capacitance





Photo 3. Just a few of the extra parts that must be purchased before the kit can be built. (a) Hundreds of resistors, capacitors, voltage regulators, switches, variable resistors, LED, etc.; (b) bridge rectifiers, bypass capacitors, diodes, sockets, heat sinks.

THE ULTIMATE IN COLOR COMPUTING

WORD PROCESSING

THE SUPER "COLOR" WRITER II

The Word Processor that re-wrote the book on Word Processing

The Super "Color" Writer is a FAST, machine code, full featured, character (screen) oriented word processing system for the TRS-80(TM) Color Computer and ANY printer. The video display is styled after a professional phosphor (green characters on black background) display for hours of use without eye fatigue (optional orange on black). The unique print WINDOW frees you from 32, 51 or 64 character lines FOREVER! This window can be moved anywhere in the text file, up, down, left or right to display the text as it will be printed without wasting paper. You can create or edit Super "Color" Terminal files, ASCII files, BASIC programs or Editor/Assembler source listings. It's simple enough for beginners with 4K and for the professional writer with a 32K disk system and a lot to say, there's plenty of room to say it!

COMPARISON CHART	SUPER COLOR WRITER			THE COMPETITION		
	4K	16K	32K	4K	16K	32K
System Size	N/A	8K	24K	N/A	2K	18K
TAPE Text space	2.5K	15K	31K	N/A	N/A	N/A
ROMPAK Text space	N/A	6.5K	22.5K	N/A	0.5K	16.5K
DISK Text space	YES	YES	NO	NO	NO	NO
Right Justify	YES	YES	NO	NO	NO	NO
Video Window	YES	YES	NO	NO	NO	NO
Edit any ASCII File	YES	YES	NO	NO	NO	NO

The figures speak for themselves and with professional features like PROGRAMMABLE function string commands to perform up to 28 commands automatically, PROGRAMMABLE text file chaining, PROGRAMMABLE column insert & delete, and right hand JUSTIFICATION with punctuation precedence, the choice is clear but there's still more!

The Super "Color" Writer takes full advantage of the new breed of "smart printers" with Control codes 1-31, 20 Programmable control codes 0-255 for special needs and built in Epson MX-80, Centronics 737, 739 and R.S. Line Printer IV, VII, VIII drivers.

CHECK THESE FEATURES!!

HIGH SPEED & normal operations • 32K Compatible • Window • Key beep • HELP table • 128 character ASCII & graphics • Memory left • Lower case • Full cursor control • Quick paging • Scrolling • Word wrap around • Tabs • Repeat all functions • Repeat last command • Insert character & line • Delete character, delete to end of line, line to cursor, line & block • Block move, copy & delete • Global Search, Exchange & Delete • Merge or Append files • Imbed Control Codes in text • Underline • Superscripts • Subscripts • Headers, Footers & 2 Auxiliary footnotes on odd, even or all pages definable position • Flush right • Non-breakable space • 4 centering modes: 5, 8.3, 10 & 16.7 (CPI) • Full page & print formatting in text • Single sheet pause • Set Page length • Line length, Line spacing, Margins, page numbers • Title pages • Printer baud: 110, 300, 600, 1200, 2400 • Linefeeds after CR • Soft & hard formfeed • Works with 8 bit printer fix • and more!

SUPER "COLOR" WRITER DISK

The Disk version of the Super "Color" Writer works with the TRS-80C Disk System and has all the features listed above plus many more! Use with up to four Disk Drives. Includes an extended HELP table you can access at any time. Call a directory, print FREE space, Kill disk files and SAVE and LOAD text files you've created all from the Super "Color" Writer. Print, merge or append any Super "Color" Terminal file, ASCII file, BASIC program or Editor/Assembler source listing stored on the Disk or tape. The Super "Color" Writer Disk version has additional formatting and print features for more control over your printer and PROGRAMMABLE chaining of disk files for "hands off" operation. Print an entire BOOK without ever touching a thing!

Includes comprehensive operators manual.

TAPE \$49.95 ROM PAK \$74.95 DISK \$99.95

Manual only, \$7.00 Refundable with purchase

Allow 2 extra weeks for personal checks. C.O.D. orders add \$2.00. When ordering specify computer type and add \$2.00 for S/H. Minn. residents add 5% sales tax. VISA/Master Chg.

DEALER INQUIRES ARE INVITED.

TRS-80 is a registered trademark of the Tandy Corp.

COMMUNICATIONS

THE SUPER "COLOR" TERMINAL

Time Share, Smart Terminal, High-speed Data X'fer & Videotex

The Super "Color" Terminal turns the Color Computer into a Super-smart terminal with all the features of VIDEOTEX(TM) plus much more. COMMUNICATE with Dow Jones & Compuserve and with computers like the TRS-80(TM) MODEL I, II, III, APPLE etc. via modem or RS-232 direct! Save the data to tape or print it! Reduces ON-LINE cost to a minimum!

FEATURES

10 buffer size settings from 2-30K • Buffer full indicator • Lprints buffer contents • Full 128 ASCII keyboard • Compatible with Super "Color" Writer files • UPLOAD & DOWNLOAD ASCII files, Machine Language & Basic programs • Set RS-232 parameters • Duplex: Half/Full • Baud Rate: 110, 300, 600, 1200, 2400, 4800 • Word Lengths: 5, 6, 7 or 8 • Parity: Odd, Even or None • Stop Bits: 1-9 • Local linefeeds to screen • Tape save & load for ASCII files, Machine code & Basic programs • Unique clone feature for copying any tape

Super "Color" Terminal Disk

The Disk version offers all the features listed above plus Host ability in full duplex • Lower case masking • 10 Keystroke Multiplier (MACRO) buffers on disk to perform repetitive log-on tasks and send short messages (up to 255 bytes) • Programmable prompts for send next line • Selectable character trapping • Set printer line length • Pagination • Linefeed with CR option • Printer Baud: 110, 300, 600, 1200 & 2400 • Documentation.

TAPE \$39.95 ROM PAK \$49.95 DISK \$69.95

Documentation only, \$4.00 Refundable with purchase

ROMPAK KITS

Put your programs in a ROMPAK or execute tape based programs in a RAMPACK at \$C.O.O.O. Kit includes 1 socketed P.C. board that holds up to 4 2716 EPROMs or 4 2K Static Ram Chips for a total of 8K and a plastic housing to fit the rom port. \$24.95

2716 2K 5v EPROM \$5.95 ea

2K Static RAM \$19.95 ea

COLOR GAMES!!

FEATURING GREAT GRAPHICS & SOUND!

ADVENTURE 3-PAK Requires 16K Extended Basic. **TAPE \$24.95**

This TRILOGY OF 3-D FANTASY GAMES takes you to the **WORLD UNDER THE CIMEEON MOON**. Engage in ritual combat with Tooamoath Narthokc Monsters and skilled warriors. Advance in rank with play experience. Then adventure through **DAZMAR'S UNDERWORLD OF DOOM** to the forbidden ruins of Castle Argaan. Search for the Eye of Dazmar while avoiding the sorcerer's intricate traps. Survivors must then negotiate the perilous peaks of the Ugrek Mountains to the **FORSAKEN GULTCH** where the wicked idol awaits restoration.

VEGAS 5-PAK Requires 16K Extended Basic. **TAPE \$19.95**

The THRILLS OF A VEGAS CASINO at home. Five action packed Vegas games for up to four players. **CASINO CRAPS** • 21 • **ONE ARMED BANDIT** • **UP & DOWN THE RIVER** • **KENO**. Bank tracks players' winnings from game to game • realistic cards • regulation tables • boards • authentic sounds • lively graphics • official rules in each game.

COMBAT 3-PAK Requires 16K Extended Basic. **TAPE \$24.95**

Three action packed two player games featuring lifelike graphics and sound of LASER FIRE, CANNONS and PHOTON TORPEDOES. **2-1-0 TANK COMBAT** five terrains • the experienced arcade player can design combat scenario. **STELLAR BATTLE** pilot a Flex-Wing Fighter at incredible speeds in enemy space taking out Dorian Tye Fighters defending the Imperial Star Fortress. **GALACTIC BLOCKADE** maneuver your craft in a course that boxes your opponent but avoid cosmic debris and hostile space probes!



**NELSON
SOFTWARE
SYSTEMS**



✓ 128

P.O. Box 19096 Minneapolis, MN 55419 612/827-4703


TRS-80[®]
 BELL & HOWELL™ (APPLE)™
 ATARI™
 VIC COMMODORE™
 and OTHERS...

474

★ PREMIUM 5 SCREW SHELL ★ DIGITAL DATA QUALITY ★ LOW NOISE ★ MADE IN USA
★ GUARANTEED

Foreign orders include shipping at 16 oz. per dozen tapes/9 oz. per caddy/13 oz. per doz. boxes
Shipments in U. S. are by UPS (no delivery to PO boxes) Add \$1.50 per doz. tapes for First Class Mail

TIRED OF MISPLACED TAPES AND A CLUTTERED WORK AREA? TRY OUR HINGED TOP SMOKED PLASTIC CADDY THAT HOLDS 12 TAPES IN ONE HANDY LOCATION



★ DEALER INQUIRIES INVITED ★ QUANTITY DISCOUNTS AVAILABLE

LE Compiler



The logo for MISOFSK Serious Software is a diamond-shaped emblem. The word "MISOFSK" is written in a stylized, blocky font across the top half of the diamond. The words "SERIOUS" and "SOFTWARE" are written in a similar font across the bottom half, separated by a vertical line. The entire logo is rendered in black and white.

LDOS, Version 5.1 is the Ultimate in Operating Systems for the TRS-80 Models I and III. MISOSYS is your East Coast Headquarters for LDOS, the documented system! Version 5.1 is priced at \$129.00 + \$5.00 S&H per system. Deduct \$35 if ordering both.

LDOS 5.1

GRASP

Finally, user customized character sets for your MX-80 Graftrax and MX-100 printers. With **GRAphic Support Package** you create character sets usable from any and all applications. Create character sets of single-width, double-width, & 12-pitch, using the **GRASP** character editor, **ALTCHAR**. **GRASP** comes supplied with 7 character sets. Print Mod3 special characters on your Epson! Set MX options from your keyboard. Invoke underlining! Written by K.A.Hessinger & S.A.Loomer. **GRASP: \$50-\$25.00**



FOIb-1U

- o Assemble to disk or memory from multiple source files nestable to FIVE levels.
- o Assemble conditional code with IF, IFLT, IFEQ, IFGT, IFDEF, IFNDEF, IFREF to 16 levels with IF-ELSE-ENDIF
- o Automatic search of SOURCE subroutine libraries saved in ISAM-accessed structure to resolve references left undefined (requires PDS).
- o One-level MACROS support parameter substitution by position and by keyword.
- o Local labels in both MACRO expansions & PDS searches.
- o Supports +, -, *, /, .MOD, .AND., .OR., .NOT., .XOR.
- o Constants can be declared as base 2, 8, 10, & 16 or string, with more than one value on a single line.
- o 15-char labels including special chars: @, ?, \$, _
- o Extensive cross-reference utility & EQU generation.
- o Enter source in upper case or lower case. Line editor has COPY, CHANGE, and MOVE
- o Pseudo-OPs LORG, COM, PAGE, TITLE, SUBTTL, SPACE.

Model I/III for LDOS: **\$100**
 Model II for TRSDOS: **\$200**
 Add \$4 S&H + 4% VA tax.

types, and odd sizes. In fact, it took more than a dozen telephone calls to round up the parts that I didn't already own—although more than half of those “hard to find” parts I *did* have. Still curiously missing was an RGB ROM (for high-resolution color graphics), although assembled LNW-80s are being shipped with this ROM; instead, an NTSC ROM was included. Calls to LNW for information about the RGB ROM were fruitless.

Total time from receipt of LNW-80 kit to final rounding up of all remaining parts: 18 days.

First Steps

Once all the parts were at hand, I was more than ready. I commandeered an entire room of the house. Cats out.

I gave the boards another visual inspection, since the last thing I wanted to troubleshoot was a bashed trace on the board. I looked carefully, with a bright light and a magnifying glass, but the blearies got to me and I gave up. Bad move; more later on the problems caused by that single incomplete trace.

The 0.1 mF bypass capacitors went in first, since they were the smallest (and

prettiest) parts. I got a good quantity price on tiny Blue Max capacitors, since nearly 200 are used in the full system (Photo 4). Then the resistors went in—a real pain. These things are numbered counterclockwise from the middle-left side of the board . . . mostly. Finding the last 20 or so was improbable madness, since they are scattered out of order around the board. Some resistor numbers are left over because they are not used, contributing to the confusion (Photo 5). Finally, I inserted the remaining capacitors, which were also scattered about. Total time for resistors and capacitors: four hours.

After that 18-day wait, though, the energy level was high. I forced myself to take a break, then jumped into installing the sockets. Okay folks, that's—no kidding—1,848 solder points. That's two hours of continuous soldering, not counting the sneezing fits from solder




Photo 4. Installation of the capacitors. High-quality Blue Max miniature PC capacitors are used, although any 0.1 mF disks are adequate.




Photo 5. Resistors, regulators, capacitors, and connectors installed. Sockets will go in next.




Photo 6. Pocket Computers 1 and 2 compared.

PC-2 has a more legible display, but does not quite fit into the pocket.




Photo 7. PC-2 opened and separated. Visible are (top left) expansion connector; (top center) proprietary LH5801 CPU; (top right) battery compartment; (center) flexible interconnection cables; (bottom) memory chips.

flux smoke. But nevertheless, so far, so good. I put in miscellaneous parts such as crystals, voltage regulators, small connectors, and a DIP switch for selecting Level II or other ROMs.

The miniature glass diodes can be difficult to install because they are very small and their glass bodies break. So you might take the advice of an author years ago in *Popular Electronics* (I've long forgotten who; if you recall, let me know). Lay the diodes against the point

of a pencil and bend each lead around the pencil. It forms a kind of spring to protect the diode from snapping when installing it, plus gives the added bonus of providing a natural heat-sink during soldering (see Fig. 1).

After hours of little stuff, I decided to put some large hardware together. Ironically, this is the best documentation in the manual. The case assembly, transformer and keyboard installation, back panel, and various sockets and recep-

tacles (darn!, gotta buy a power cord, too!) fit perfectly in place. An automotive hose clamp made an excellent holder for the big capacitor, and for safety I purchased heavy bridge rectifiers and bolted them to the case. I slipped the PC boards in place just to admire my handiwork and went to bed.

Next time: Completing the assembly, testing, the disappointing LNW keyboard bounce, the RFI question, comparisons with Models I/III, the success of the 4 MHz speed, questions of weight and heat, screen deglitching, thoughts about reliability, easier dealings with high-resolution graphics, and a schematic map to keep you from tearing them up in frustration.

Inside the PC-2

Since this month is a potpourri of other computers, I have prepared a quick photo tour through the Radio Shack Pocket Computer 2. This is an astounding unit, by contrast with its PC-1 predecessor, and in comparison with any microcomputer of the recent past. It is surprisingly fast. FOR X=1 TO 200: NEXT X executes in an elephantine 37.5 seconds on the PC-1, 0.7 seconds on the Model I, and 3 seconds on the PC-2—putting the PC-2 in league with the full-size micros. (Imagine what images “full-size micro” might have conjured up a few years ago!) This new pocket unit is bigger (it won't fit in any of my overall pockets), and contains a host of interesting features, including extra Basic commands for internal status, printer size and color, displayable and printable high-resolution graphics, and so on.

Since the PC-2's printer draws letters and graphics with ball-point pen cartridges, its “printed” output is very legible. Its graphs and other work can be printed in black (one of the four available colors in the rotating print head),




Photo 8. 40-pin Z80 CPU as used in the Model I compared with compact 72-pin LH5801 proprietary CPU made by Sharp Electronics for the PC-2. It is the same CPU Sharp uses in its Model 500 Pocket Computer.




Photo 9. The PC-2 keyboard disassembled. Liquid crystal display unit is attached to the board. Rubber pop contacts connect gold-plated keyboard points in high-quality calculator style. Don't take this keyboard apart unless you have memorized where the keys go; all the keytops (at left) fell out when I separated the keyboard and case.





Fig. 1. Safe installation of small glass diodes. (a) Bend the leads around a pencil lead; (b) insert the finished diode easily on the board, providing both stress protection and heat-sinking.

Convert your TRS-80* into a World Class Computer that REDUCES EYE FATIGUE AND DOESN'T FLICKER

NOW ALSO
AVAILABLE
FOR
MODEL I...



...with LSI's new *Soft-View* Replacement CRT...

The black & white "TV Screen" CRT (picture tube) which came with your TRS-80* model II or III is an inexpensive rapid "P4" Phosphor CRT intended for TV use. The display is actually strobing 60 times a second. No amount of "green plastic" will stop this strobing or eliminate the eye fatigue it causes. But a new *Soft-View* CRT display tube with a slower decaying, colored Phosphor will.

- Available in slow-decay green (similar to new IBM* and APPLE III* monitors) or medium decay "European Orange" (easy on the eyes, elegantly beautiful, and the standard for CRT displays in Europe)
- Leaded glass stops X-ray emission
- Optional Anti-Glare Frosted Glass available to reduce eye strain from glare
- Easy installation — tube comes with pre-mounted hardware
- 30-Day Money-Back Guarantee
- Ideal for Word-Processing & Programming, fast enough for Games & Graphics
- Finest quality double-dark glass and phosphor fields make the letters seem to be coming out of black space

Try This Test:



Turn the brightness control on your TRS-80* all the way up. Wave your hand up and down in front of the screen. See how jerky it seems? Just like in front of a strobe light! That's because the screen actually is strobing at you. A slower-phosphor CRT will reduce that troublesome strobe effect. That's why most of the newer monitors, from IBM* to Apple III* are using the new slow-phosphor CRT's.

LSI's new *Soft-View* CRT

LSI SYSTEMS *Soft-View* CRT's:

80M-1082

- ☐ #GN42 Green Phosphor \$79.95
- ☐ #GN42G Green Phosphor with anti-glare \$89.95
- ☐ #OR34 Orange Phosphor \$89.95
- ☐ #OR34G Orange Phosphor with anti-glare \$99.95

ADD \$7 FOR PACKAGING AND UPS SHIPPING



Langley-St.Clair
Instrumentation
Systems, Inc.

✓462

To Order Call:

1-800-221-7070

Dealer Inquiries Invited

132 West 24th Street, New York, N.Y. 10011 212-989-6876

IBM, APPLE* and TRS-80* are trademarks of IBM, APPLE Computer & TANDY Corp.

pasted up, and reproduced directly in reports or scientific articles. The older PC-1 is still a good deal at the lower price (and it does fit in my overalls), but the PC-2 is the one to save your pennies for. Photos 6-12 give a rundown of the machine's packed innards.

Exatron Memory Expansion

Hey, Model I owners! With Radio Shack's Expansion Interface on its way out, there are only a few choices left. Two of these are complete expansion interfaces patterned on the Radio Shack concept: One is the familiar LNW expansion board (build it yourself or buy an expensive assembled piece), the other is the excellent, but poorly advertised, Micromint assembled expansion interface. (I've seen pretty advertisements for a Lobo expansion box, but never having heard from a Lobo user nor seen an actual unit in operation, I'll leave this one out.)

If you don't plan to go with a disk system, if you already have a printer cable, use a Stringy Floppy, have invested in other pieces such as a stand-alone modem, or are generally satisfied with your Model I keyboard, (except for its 16K memory limitation) then there is an excellent new product from Exatron (181 Commercial Street, Sunnyvale, CA 94086). It is the MM-800 Internal Memory-expansion Board, consisting of eight 64K memory chips, plus several interesting options. The cost is \$199.50 complete, but that's a good price for an assembled and tested unit with the convenience of this one. If you don't believe that, you can obtain the PC board for \$19.50, the 64K dynamic memories for \$79.50 per set, and the additional set of spare parts for \$19.50, including the gold standoff pins. You'll save \$80, but you will do at least \$80 worth of work fitting the pins in straight and precisely lining up the other parts.

The completed board (Photo 13) is simple to install. The documentation, though an improvement from Exatron's usual, is still weak, typewritten, and with sketchy diagrams. All the necessities are there, but the expansion board's several options are clouded by a sudden jump from "simple talk" to "tech talk" after the basic installation is complete. In fact, without digging, the manual hardly tells you what the board does!

So here is what the Exatron 64K




Photo 10. Bottom of the PC-2. Connector is for memory expansion and protrudes through the case bottom; beeper is at left, all-reset button at bottom center.




Photo 11. Quick comparison with PC-1 innards shows the same style integrated circuits, beeper, and compact board arrangement. Main physical difference is the stiff and breakable interconnect cable which only allowed the two boards to be separated a little. They have been stretched nearly to the breaking point for this photo.

keyboard memory expansion board provides:

- 48K memory with the Basic ROM, just as a standard expansion interface




Photo 12. Print mechanism of the PC-2 cassette/printer interface. Printing head (center) actually draws on the paper roll, which moves up or down (the head moves left or right), using ball-point pen cartridges.

would provide. This mode is standard at power-on.

- 64K memory with the Basic ROM, keyboard, and screen switched out. Machine-language subroutines can access the screen and keyboard when needed, or they can be used via...

- Memory-mapped I/O, separately selected and thus usable with either 48K or 64K options.

- High-speed CPU operation (50 percent or 100 percent).

- Spare latched ports for use in modifying the keyboard to control additional internal or external devices.

Installation is a two-hour job (see Photos 14-16)—the first hour spent deciphering the documentation and wishing for better drawings or actual photographs. It turned out to be far easier than the plodding documentation suggested. There was no debugging involved, and even though I thought I would break either the board or the

POCKET COMPUTER

NEWSLETTER



A NEWSLETTER FOR POCKET COMPUTER USERS

This timely, compact publication provides up to the minute information on pocket computers, including models such as the Radio Shack TRS-80 PC-1 and PC-2, Sharp Electronic's PC-1500 and PC-1211, Casio, Panasonic/Quasar HHCs, and others as they are announced. We only cover PCs capable of executing a high level language such as BASIC.

□ Up to the Minute News □ Product & Equipment Reviews
□ Important Operating Tips □ Practical Programs □ More
By Subscription Only: for a calendar year period (January - December). You get all issues published to date for the calendar year in which you subscribe, at the time you subscribe.

MC/VISA Phone Subscriptions: (203) 888-1946

- 1981/82 Charter Subscriber (Issues 1 - 20). \$40.00 in U.S. (U.S. \$48.00 to Canada. U.S. \$60.00 elsewhere.)
- 1982 Regular Subscriber (Issues 11 - 20). \$30.00 in U.S. (U.S. \$36.00 to Canada. U.S. \$45.00 elsewhere.)
- Sample issue. \$3.00 in U.S. (U.S. \$4.00 elsewhere.) *Due to credit card minimum, this item cannot be charged.


Orders must be accompanied by payment in full. We do not issue invoices for the POCKET COMPUTER NEWSLETTER.
Thank you for your remittance.

Name: _____
Addr: _____
City: _____ State: _____ Zip: _____
MC/VISA #: _____ Expires: _____
Signature: _____

POCKET COMPUTER NEWSLETTER
35 Old State Road, Oxford, CT 06483

✓ 25

Model 953A EPROM PROGRAMMER



- Programs 2508, 2758, 2516, 2716, 2532 and 2732 five volt EPROMS.
- Complete - no personality modules to buy.
- Intelligent - microprocessor based, programs and verifies any or all bytes.
- RS-232 serial interface - use with computer or terminal.
- Verify erasure command - verifies that EPROM is erased.
- Extended diagnostics - error output distinguishes between a bad EPROM and one which needs erasing.
- May be used for extremely reliable data or program storage.
- All power on programming socket under processor control. LED warning light indicates when power is applied.
- Complete with Textool zero insertion force socket.
- High performance/cost ratio.
- Standard DB-25 I/O connector.


PRICE \$289



BAY TECHNICAL ASSOCIATES, inc.

HWY. 603, P.O. BOX 387
BAY ST. LOUIS, MISSISSIPPI 39520
(601) 467-8231

✓ 243



5 1/4" \$1.99*

SINGLE SIDE
SINGLE DENSITY
W/HUB RING

100% CERTIFIED
2 YEAR WARRANTY

SOFT,
10 OR 16
SECTORS

8" \$1.99*

SINGLE SIDE
SINGLE DENSITY

100% CERTIFIED
2 YEAR WARRANTY

SOFT
OR 32
SECTORS

5 1/4" \$2.19*

SINGLE SIDE
DOUBLE DENSITY
W/HUB RING

100% CERTIFIED
2 YEAR WARRANTY

SOFT,
10 OR 16
SECTORS

8" \$2.49*

SINGLE SIDE
DOUBLE DENSITY

100% CERTIFIED
2 YEAR WARRANTY

SOFT
OR 32
SECTORS

5 1/4" \$2.99*

DOUBLE SIDE
DOUBLE DENSITY
W/HUB RING

100% CERTIFIED
2 YEAR WARRANTY

SOFT,
10 OR 16
SECTORS

8" \$3.09*

DOUBLE SIDE
DOUBLE DENSITY

100% CERTIFIED
2 YEAR WARRANTY

SOFT
OR 32
SECTORS

- * Minimum order 100 • For smaller quantities add 10%
- Packed 10 boxes of 10 diskettes with sleeves and labels
- Quantity discounts - 1,000 deduct 3%, 5,000 deduct 5%, 10,000 deduct 7%
- Add \$5.00 per case 5 1/4", \$7.00 per case 8"
- For shipping and handling Continental U.S.A., U.P.S. ground.

Box of 10 diskettes: 5 1/4" 8"
OPUS ss/ssd \$20 ss/ssd \$21
BASF ss/ssd \$23 ss/ssd \$24
MAXWELL
DYLAN
TOO LOW TO QUOTE CALL
SPECIFY SECTORING WHEN ORDERING
5 1/4" QUAD DENSITY IN STOCK

**DISK DRIVE HEAD
CLEANING KITS**
Prevent head
crashes and
ensure error-free
operation
5 1/4" or 8" \$19.50

HARDHOLE DISK PROTECTORS
Reinforcing rings
of tough mylar
protect disk hole
edge from damage.
Applicators \$3 \$4
Hardhole Rings (50) \$6 \$8

SFD C-10 CASSETTES... 10/\$7
(All cassettes include box and labels.)
Get 8 cassettes, C-10
Sonic, and Cassette/8
Library-Album,
as illustrated,
for only \$8

LIBRARY CASES
8" Kas-sette/10 \$2.99
5 1/4" Mini Kas-sette/10... \$2.49

5 1/4" or 8"
Vinyl
Storage
Pages 10/\$5

- Written purchase orders accepted from government agencies and well rated firms at a 10% surcharge (wabash media only) for net 30 billing.
- International orders accepted with a 15.00 surcharge for handling, plus shipping charges.
- C.O.D. requires a 10% deposit.
- We accept Visa, Mastercharge, Money Orders, and Certificate checks.
- Checks require bank clearances.
- All shipments F.O.B. San Diego.
- Minimum shipping and handling 2.00, minimum order 10.00.
- California residents all 6% sales tax.
- Prices and terms subject to change without notice.
- All sales subject to availability, acceptance, and verification.
- All sales are final.
- Satisfaction guaranteed or full refund.

We also offer printer ribbons, printwheels, type elements, equipment covers, power consoles, paper supplies, storage and filing equipment, furniture and many other accessories for word and data processing systems. Write for our free catalog.

Toll Free Order Only
800-854-1555

**ABM
PRODUCTS**

For Information
or California Orders
(714) 268-3537

8868 CLAIREMONT MESA BLVD.
SAN DIEGO, CALIFORNIA 92123

computer (it takes a lot of pressure to force nearly 90 pins into various sockets simultaneously), this installation worked the first time.

Updates, Kudos, and Caveats

A bust across the jaw for me. Model I users who have installed the destreakifier modification (January) should have no troubles with it. However, there is a theoretical problem that my friend Jack Decker pointed out. (I don't know whether to feel good or bad about this comeuppance, since Jack was an informal student of mine!) Anyway, Jack points out: "The problem is that the Q* output of the 74LS73 IC is connected directly to the CPU WAIT* line. The WAIT* line is normally held high by R51, the 4.7K resistor. Whenever a device wants the processor to wait, it places a low on the WAIT* line. The 74LS73 performs this function, but when it is not necessary for the CPU to wait, pin 8 (the Q* output) of the 74LS73 goes high, bypassing the 4.7K resistor. If any other device attempts to place the CPU into a wait state by pulling this line low, there will be a short between that device and pin 8 of the 74LS73 of the destreaker mod. Since it is not always possible to trace the circuitry of any accessory device to make sure that there is no conflict, it would be better to eliminate the problem at the destreaker itself."

Right you are, Jack. Just because I throw screwdrivers and soldering irons at everything I add to my system doesn't mean other folks do. I have not seen any peripheral device that uses WAIT*, but so what? And after jumping all over other authors for this type of design!

Jack suggests a good solution: "The easiest fix is to remove the wire from between pin 8 of the 74LS73 ('PIG55') and the bottom of resistor R51, and replace it with a silicon rectifier. (A 1N4001 or equivalent would do; the banded end goes to the 74LS73.)" See Fig. 2.

Another erratum: Color Computer ROM packs (August) had an anomaly. The drawing presented as Fig. 1 actually belonged on page 354 in the update to the Color Computer keyboard improvement, at the top of the second column, which reads, "A revised section of the diagram is shown below." The real Fig. 1 ended up being labeled Fig. 5. and is found on page 348. Sic transeunt graphes caerulei ebriosi...

Model I support folks just won't give

up. I'm now using a new Model I char-




Fig. 2. Jack Decker's modification to destreakifier that keeps external devices using WAIT* from causing a power short.

acter generator available as a plug-in replacement from Exatron. It has prettier characters, plus POKEable reverse letters if you have transparent lowercase modification circuitry in place (Radio Shack style). Two character sets (256 characters) are standard, and if you want other characters (such as Kata Kana or European), rumors are that they will be available as well. Cost is a dirt-cheap \$19.50 each (that's a generator on a PC board with gold standoffs, folks), with passable documentation, making it a far better deal than Radio Shack's lowercase upgrade.




Photo 13. Odd-shaped Exatron MM-800 memory expansion must squeeze around the insides of the Model I to make all the connections with minimal soldering.




Photo 14. The Model I ready for work. CPU is at right, memory below the heat-sinks at the top.



Rose®

You've Got

TOTAL ACCESS®

(Specializing in TRS80 & IBM)

TO YOUR COMPUTER HARDWARE & SOFTWARE NEEDS. CALL ROSE TODAY!

The complete line of Radio Shack products is available through TA with standard RS limited warranty. Call me for price and delivery. Just cause you don't see it don't mean we ain't got it. ROSE

I've got

★ **DISK DRIVES**

TA400 (40-T).....	\$289
TA800 (80-T).....	\$399
TA400 Flippy.....	\$319
TA800 Flippy.....	\$409
TA400-2 Dual Head.....	\$409
TA800-2 Dual Head.....	\$549

Complete with silver enclosure & power supply.

All TA Drives are MPI.

★ **CABLES**

2-Drive.....	\$23.95
4-Drive.....	\$33.95
Extender Cable.....	\$14.95

★ **BARE DRIVES**

TA400B.....	\$249
TA800B.....	\$349
TA400B Flippy.....	\$269
TA800B Flippy.....	\$359

★ **EPSON PRINTERS**

MX80.....	\$469.00
MX80 F/T.....	\$579.00
MX100.....	\$769.00
Parallel Cables.....	\$9.95*
MX 70-80 Ribbons.....	\$9.95

★ **OPERATING SYSTEMS**

TRSDOS 2.3 Disk & Manual.....	\$19.95
LDOS.....	\$119.95
NEWDOS/80.....	\$129.95
DOSPLUS 3.3,3.3D.....	\$89.95

★ **IRON**

Disk Drive Power Supply, Single.....	\$37
Disk Drive Case (silver) and Base.....	\$19
Diskettes (box of 10).....	\$25

90 day warranty on **DRIVES**. Add \$5.00 freight per drive in Cont. U.S. UPS COD charge \$1.50. There is also a 15 day FREE TRIAL on TA drives. If not completely satisfied I'll refund your money (less shipping). I'll take exception to improper use or mishandling.

★ **RADIO SHACK COMPUTERS**

26-1061 MIII, LI, 4K.....	\$595
26-1062 MIII, LI, 16K.....	\$835
26-1065 MIII, 48K, 1 Drive.....	\$1695
26-1066 MIII, 48K-2 Dr-RS232.....	\$2099
26-3001 4K Color Computer.....	\$315
26-3002 16K w/ext. Basic.....	\$485
26-3003 32K w/ext. Basic.....	\$566
26-3501 Pocket Computer.....	\$185
26-4002 MII, 64K, 1-dr.....	\$3288

★ **PERIPHERALS - Model I, II, III**

26-1140 OK Exp. Interface.....	\$299
26-1140 With 16K Mem. Tstd/.....	\$349
26-1140 With 32K Mem. Tstd/.....	\$375
26-1145 MII RS232 w/cable.....	\$85
26-1148 MIII RS232 w/cable.....	\$89
26-6001 M16, 128K, 1DR.....	\$4399
26-6002 M16, 128K, 2DR.....	\$5099
26-1172 D.C. Modem I.....	\$135
26-1173 D.C. Modem II.....	\$199
26-1206 CTR-80 Recorder.....	\$51
26-3008 CC Joysticks, pr.....	\$21
26-3010 13" Color Video.....	\$353
26-4150 MII 8.4MB Disk.....	\$3820
26-4151 MII Hard Disk No.2.....	\$2970
16K 200nsec Memory Guar 1yr.....	\$29

★ **OTHER PRINTERS & ACCESSORIES**

26-1158 Daisy Wheel II.....	\$1694
26-1455 Acoustic Cover.....	\$339
26-1447 Tractor Assy.....	\$208
26-1448 Sheet Feeder.....	\$1111
26-1165 Line Printer V.....	\$1581
26-1166 Line Printer VI.....	\$986
26-1167 Line Printer VII.....	\$339
26-1168 Line Printer VIII.....	\$679
26-1191 Flat Bed Plotter.....	\$1695
26-1195 Digitizer.....	\$379
ANADIX DP-9500, 9501.....	\$1295
Starwriter F10 Daisywheel.....	\$1499
Daisy Wheel Printer, 45cps.....	\$1779
Tractor for above.....	\$237
Sheet Feeder for above.....	\$1250
26-1308 Printer Stand.....	\$88
26-4302 Printer Stand.....	\$129
26-1401 or 4401 Printer Cable.....	\$32

HOT PRICES-CALL!!

ROSE GOES IBM ALL NEW DISK DRIVES FOR IBM PERSONAL COMPUTER

**INTERNAL & EXTERNAL
ADD-ON DRIVES**

"FLIPPY"® or STD. 40-track

★ **A&B INTERNAL DRIVES**

(First & Second)

Standard.....	\$249ea.
(List 569.99)	
Flippy.....	\$269ea
(Not available from IBM)	

Purchase your IBM PC without drives but with the disk drive controller/adaptor & cable and the Disk Operating System (DOS) and **SAVE A BUNCH!**

★ **C&D External Drives**

(Third & fourth)

Standard.....	\$289ea
"Flippy".....	\$319ea
complete with matching case & power supply	

★ **2 External Drive Cable \$23.95**

*"Flippy" allows flipping the diskette over & reading/writing to the back side. Cuts diskette cost in half. No special diskette required.

ZENITH MONITORS

12" Screen * Green Phosphor

This is the one you have been waiting for. Well built. Works great with the model I. Also has 40/80 column switch so the Apple folks can use it. 90 day warranty good Nationwide. Sell your old Model I monitor and be the first on your block to have a "real" green screen.

12" Zenith Green Phos. Mon.....	\$135
Cable for Model I.....	\$7

Why pay \$344.99 for an IBM monitor when you can buy this one. Requires 21022 color/graphics card.

★ **RADIO SHACK SOFTWARE**

I have most all R/S software in stock and it can be yours at 15% off the R/S retail price. Call me for the latest availability.

Double Density Disk Controller from Aerocomp ("DDC").....\$139.95

Make your Model I run in double density. The "DDC" has the most sophisticated data separation circuitry available. "DDC" is available with DOSPLUS 3.3D for a mere 179.95. **RUN FOR THE PHONE!**

ORDER NOW! TOLL FREE 800-527-3582

Write or call ROSE TOLL FREE at 1-800-527-3582. Texas residents call 214-458-1966. Please use the toll free lines for orders and literature requests only. Technical help or service use the Texas line. Prices are mail order only. You pay by VISA or MASTERCARD, you can send check or money order (allow a couple of weeks for personal checks to clear) or order COD (we ship COD'S cash, certified check or money order only). Rose will take American money in just about any form. Add freight (UPS where possible) on all orders. Texas residents cough up 5% sales tax. Allow 2-4 weeks for delivery. Order today - I need the money!

Prices subject to change without notice.

TOTAL ACCESS®
P.O. BOX 3002
RICHARDSON, TX 75080
214-458-1966

✓81

* With purchase of Epson Printer

Trademark of PERCOM DATA CO., **Trademark of LNW * TRS80 & Radio Shack are trademarks of Tandy Corp. Copyright 1981 TOTAL ACCESS

Never-thought-I'd-use-it department: Power Draw is an unlikely program. Its job is to permit users to create graphics or mixed graphics/text screens and store them on tape or disk. Although I had to fool around a bit to relocate the graphics screens in memory so I could call them up as needed, Power Draw made a potentially ardu-

ous task (manipulating and storing 15,360 bytes of screen graphics) a two-hour job; you'll see the results in an upcoming game program. (Game program? From Kitsz?) Kim Watt, one of the big boys in the utility biz, is the author of Power Draw. Power Draw, if you need it, is spectacularly prompted and error-checked. Available from

Breeze/QSD, Inc. 11500 Stemmons Expressway, Suite 125, Dallas, TX 75229. The cost is \$39.95 for a Model I/III disk. (Software freaks will also marvel at how Kim managed to make individual tracks both single and double density. Nice work, Kim.)

LNW-80 is "100 percent compatible with TRS-80 software?" Not quite. Don't get me wrong; the LNW-80 is a great computer. As mentioned at the beginning of this article, I recently ordered a kit version so I could modify it to run in my car—I just can't do without a computer when on the road! (Oops! I'm giving away my next column) But don't expect the LNW-80 to run all Model I software. There are enough hardware discrepancies to make the more sophisticated stuff (especially fancy games) trip up now and again. And, as I pointed out last time, LNW's support still needs lots of help. So if you plan to place an order based on "100-percent compatibility," first check out your needs with LNW (if they'll help) or, even better, contact the LNW Clearinghouse (c/o Steve Redmond, Redmond Designs, 456 North Street, Burlington, VT 05401).

Bad Model I Keys

Model I keys not working right? You've cleaned your old-style keyboard—or you're wondering what to do with your new ALPS keyboard—but you have to hit the keys really hard to get them to work, and sometimes they skitter a half dozen letters across the screen? I had the problem, too, and cleaning used to work. But later I would clean and clean with no results. By chance I turned the keyboard over to do some other work and noticed that after years of the shock of typing, the solder had actually broken loose from the circuit board where the key bottoms were soldered, causing intermittent contact and fake bounce. To check whether you have this problem, open the computer, gently turn the keyboard over, and examine the key bottoms with a magnifying glass. Some may show ridges of solder instead of smooth hills. Suspect these as bad connections; quickly and gently reheat each connection, applying a tiny bit of extra solder to form a good flow. Don't heat too much, or you may loosen the contacts inside the key. After this treatment, my most-used keys—colon, space, arrows, enter—worked like new. ■




Photo 15. Memory, CPU, and DIP shunt X3 have been removed to make way for the Exatron memory board. 16K memory and DIP shunt are not reused, but CPU is replaced in the Exatron board. Exatron recommends a Z80A for higher-speed options.





Photo 16. The MM-800 board installed. Only four extra wires (visible snaking along the bottom center) are installed to make the 64K memory board functional.

TRS-80™

**SAVE MONEY
BUY DIRECT**

**100% RADIO
SHACK
EQUIPMENT**



Similar Discounts On
All TRS-80™ Hardware

UP TO 20% OFF TRS-80 SOFTWARE

- Color Computer...\$410
(26-3002)
- Model III...\$1989
(26-1066)
- Model II...\$2999
(26-4002)
- Model 16...\$4850
(26-6002)

FREE PRICE LIST
GSB ELECTRONICS

Cherry Hill Mall
Cherry Hill, N.J. 08002

TOLL FREE
800-257-5225
in NJ (609) 779-8877

TM-TANDY CORP. ✓492

NEW PRODUCT RELEASE FROM **WINN & HARRISON**

THE CHECK RECORDING SYSTEM

- * MENU DRIVEN PROGRAMS USE SELF-EXPLANATORY SCREEN DISPLAYS
- * EASY DATA ENTRY AND FAST RECONCILIATION
- * STORES OVER 3,000 CHECKS ON A SINGLE MODEL III DISKETTE
- * CLASSIFY CHECKS WITH UP TO 150 CLASSIFICATION CODES
- * COMPLETE USER AND PROGRAMMER DOCUMENTATION
- * REQUIRES MODEL I OR MODEL III, 48K, ONE DISK, PRINTER

\$29.95

VISA & MASTERCARD WELCOME
ADD \$2.00 SHIP & HANDLE
WV RESIDENTS ADD 5% S.T.
MONEY BACK GUARANTEE

WINN & HARRISON
241 N. HILLS DR.
NORTH HILLS, WV 26101
(304) 428-7098 ✓488

RAT - MAZE MANIA

New Arcade Game With
Real Time Graphics,
Music and Sound Effects



Object is to guide the rat through
mazes which change randomly while
an intelligent dog chases the rat.

CAN YOU OUTWIT THE DOG ???


\$14.95

- Music & Sound effects
- High Scores saved with Disk Ver
- Alpha Joystick compatible
- Tape version req 16K L2, Disk Ver
works with most DOS req 32K

14.95 for tape and disk version on
tape. \$2.00 Shipping, CA add 6% tax
When ordering specify Mod. I or III

SHELBOY ENTERPRISES

P.O. BOX 1757 MANTECA, CA 95336
(209) 239-6775 ✓495



We Have Done It Again! ! !

**We said we had the best system, and now . . .
8 inch double density is here for the
Model III!**

FEATURES

1. 568K of storage on a single sided 8 inch drive, when used with our controller & speedup MOD and DOS plus 3.4.
2. The maximum storage capacity of your Model 3 will be 4.544 Megabytes - without a hard disk.
3. One 5 1/4 single sided and one 8 inch single sided drive will store 676K, with a full blown DOS plus 3.4.
4. One 5 1/4 single sided and one 8 inch double sided drive will store 1.244 Megabytes, with a full blown DOS plus 3.4.
5. Mix and match 5 1/4 and 8 inch drives, in any density, single or double sided. - All under software control.

We will also be able to provide DOS plus 3.4 on 8 inch diskettes. (Final price being negotiated).

1. Speedup for 8 inch drives only \$ 89
2. General purpose speed-up, which also
works with 8 inch drives \$129

Here's three good reasons to buy our system:

1. VERSATILITY

Our own proven, dependable drive controller will give you the hardware to run almost any drive configuration you can imagine:

- 5 1/4 and 8 inch drives in any combination.
- Internal/external drive combinations (Up to all 4 drives external).
- Single - and dual - headed drive combinations.

2. QUALITY

- We use quality drives - MPI and now new generation Siemens.
- We construct our own disk drive installation kits of heavy steel - no shielding Problems!
- We are now using a field proven switching supply.

3. PRICE (including installation and 90 day warranty)

- Drive controller kit with first drive \$679
- Second (internal drive) \$279
- Third drive (5 1/4 floppy with cable) \$359
- Fourth drive (5 1/4 floppy) \$329

If these sound like good deals, but you don't have the Model III yet, we've got the answer.

- TRS-80 Model III, 48K TRS DOS, 2 drives \$1899
- TRS-80 Model III, 48K, TRS DOS, 2 drives, Epson MX-80 \$2428
- Model III, 32K \$ 899




Process Control Technology

8030 Lorraine Ave., Suite 328 • Stockton, California 95210 • (209) 952-6576

We Accept Visa & Mastercard
DEALERS, WE HAVE DEALS FOR YOU TOO!

✓288

REMEMBER:



MORE THAN JUST ANOTHER PRETTY FACE.

Says who? Says ANSI.

Specifically, subcommittee X3B8 of the American National Standards Institute (ANSI) says so. The fact is all ElephantTM floppies meet or exceed the specs required to meet or exceed all their standards.

But just who is "subcommittee X3B8" to issue such pronouncements?

They're a group of people representing a large, well-balanced cross section of disciplines—from academia, government agencies, and the computer industry. People from places like IBM, Hewlett-Packard, 3M, Lawrence Livermore Labs, The U.S. Department of Defense, Honeywell and The Association of Computer Programmers and Analysts. In short, it's a bunch of high-caliber nitpickers whose mission, it seems, in order to make better disks for consumers, is also to

make life miserable for everyone in the disk-making business.

How? By gathering together periodically (often, one suspects, under the full moon) to concoct more and more rules to increase the quality of flexible disks. Their most recent rule book runs over 20 single-spaced pages—listing, and insisting upon—hundreds upon hundreds of standards a disk must meet in order to be blessed by ANSI. (And thereby be taken seriously by people who take disks seriously.)

In fact, if you'd like a copy of this formidable document, for free, just let us know and we'll send you one. Because once you know what it takes to make an Elephant for ANSI . . .

We think you'll want us to make some Elephants for you.

ELEPHANTTM HEAVY DUTY DISKS.

For a free poster-size portrait of our powerful pachyderm, please write us.

Distributed Exclusively by Leading Edge Products, Inc., 225 Turnpike Street, Canton, Massachusetts 02021

Call: toll-free 1-800-343-6833; or in Massachusetts call collect (617) 828-8150. Telex 951-624.

80 LIST OF ADVERTISERS

RS Number	Page	RS Number	Page	RS Number	Page	RS Number	Page
563 A-Prori Software	430	478 Data Management Systems	331	411 Marathon Software	180	468 Racet Computers Ltd.	211
443 A-String Systems	337	438 Data Score	286	241 Mark Data Products	46	140 Radio Ranch Inc.	119
555 A-String Systems	434	118 Data Services Inc.	192	146 Master Electronics Inc.	261	269 Radix Technologies	298
476 ABC Sales	109	588 Data Systems	425	469 Maximum Micro	167	264 Rainbow P & P Corp.	73
286 ABM Products	365	445 Dayton Microsupport	278	407 Mayday Software	352, 408	265 Rainbow P & P Corp.	28
173 ABS Suppliers	322	• Dealers	287	83 Med Systems Software	23, 117	400 Rainbow Software Services	303
38 A.M. Electronics	213	394 Decision Science Software Inc.	164	250 Melbourne House	65	296 Rainbow, The	77
543 APM	312	62 Displayed Video	226, 227	461 Memory Merchant	341	130 Rand's Inc.	135
107 Aardvark 80	22	483 Downeast Microcomputing	278	324 Merito Systems	166	Realty Software Company	288
26 Access Unlimited	152, 153	353 Dresselhaus Computer Products	356	188 Mercer Systems Inc.	209	275 Red Baron Computer Products	289
197 Ace Computer Products of FL	301	434 E-Plan Ltd.	212	507 Meridian	97	498 Red Wing Software	174
550 Adcock & Johnson	424	216 EAP Company	290	13 Meta Technologies Corp.	9, 11	114 Refware	119
21 Adventure International	50	313 EASI Software Inc.	385	149 Micro Architect	149	481 REM Industries, Inc.	210
19 Adventure International	121	271 EBG & Associates	137	247 Microcomputer Technology Inc.	Cil	145 REMarkable Software	137
22 Adventure International	265	49 ESI Lynx	333	552 Microcon Digital Systems Inc.	432	129 REMsoft	120
62 Aerocomp Inc.	294, 295	513 East Coast Data	286	553 Microcon Digital Systems Inc.	432	480 Rimes Computer Products	214
75 Alcor Systems	185	154 Eigen Systems	193	459 Micro Data Supplies	300	436 Riverlake Systems	337
503 Algorithmic Associates	379	• Eighty Micro Anniversary Issue	163	463 Micro-Design	355	314 Robert J. Brady Co.	64
136 Algorix	381	• Eighty Micro Back Issues	352	76 Micro-Design	145	429 Roco Software	260
178 All Systems Go	93	• Eighty Micro Book Shelf	390, 492	77 Micro-Design	145	349 Rogo Computer Products	150
473 Alpha Byte Stores	12, 13	• Eighty Micro Subscription	387	78 Micro-Design	145	437 SCF	212
17 Alpha Products Co.	18, 17, 19	• Eighty Micro's Young Programmer's Contest	407	132 Micro-80	239, 397, 416	35 SID	146
112 Alphanetics	103	329 Eighty US Journal	86	161 Micro-Grip Ltd.	301	568 SSSoft	430
113 Alphanetics	103	159 Electronic Specialists	293	157 Micro Images	141	266 STSC	75
69 Alternate Source, The	313	482 Electronic Time Service Center/ETS	309	464 Micro Labs Inc.	431	558 STSC	432
217 American Small Business Computers	319	344 Eltech Associates	150	465 Micro Labs Inc.	431	142 Sales Data Inc.	326
218 American Small Business Computers	321	Encyclopedia	98, 99	60 Micro-Mainframe	311	• Sales Opportunity	302
219 American Small Business Computers	323	97 Epson America Inc.	252, 253	96 Micro Management Systems	247, 249	• Sandpiper	102
220 American Small Business Computers	325	429 Excalibur Software	188	162 Micro-Mega	395	203 Scientific Engineering Lab	97
221 American Small Business Computers	327	• Excellonix	261	270 Micro Moonlighter Newsletter	279	510 Scott Tasso	290
222 American Small Business Computers	329	36 Fantastic Software	275	584 Micro Peripherals Inc.	434	474 Seneca Electronics	360
341 Analytical Processes Corp.	330	454 Far West Systems & Software	279	422 Micro-Quick	260	446 Shale Diversified Enterprises	284
40 Apparat Inc.	400	214 Fort Worth Computers	76	574 Micro School Programs - Bertamax Inc.	428	495 Shelby Enterprises	369
570 Applied 80 Softwares	425	262 Frank Hogg Laboratory Inc.	291	312 Microsette	377	• Shelf Boxes	399
6 ARCSOFT Publishers	345	442 Freedom Financial Enterprises of WA Inc.	148	282 MicroSoft CPD	297	579 Simplified Software Systems	428
65 Aspen Software Company	339	240 Freedom Technology Int'l Inc.	283	526 Micro Software Systems	223	12 Simutek	177, 179, 181
316 Aspen Software Company	288	66 Futuresoft	69	• Micro Solutions Inc.	269	458 Single Source Solution	302
28 Automated Simulations	187	425 GH Computer Systems Inc.	331	384 Micro Systems Software Inc.	113	213 Sixty-Eight Micro Journal	292
300 BT Enterprises	111, 233	492 GSB Electronic District	369	457 Micro Systems Software Inc.	322	84 Soft Sector Marketing	413
243 Bay Technical Assoc., Inc.	94	403 Galar	403, 404	339 Micro Tax	128	85 Soft Sector Marketing	413
152 BECOMPOCO	94	186 Good-Lyndon Data Systems	337	380 Micro Tech Exports Inc.	175	86 Soft Sector Marketing	413
134 Beard Software Development Co.	155	9 H & E Computronics Inc.	193-202	486 Micro Technology	268	87 Soft Sector Marketing	413
315 Bible Research Systems	159	409 HF Signalling Inc.	138	125 Micro Works	365	88 Soft Sector Marketing	417
29 Big Five Software	347	557 HPB Vector Co.	430	564 Mikee Electronics Corp.	291	89 Soft Sector Marketing	417
106 Binary Devices	309	487 HPB Vector Company	138, 307	72 Miller Microcomputer Services	118	379 Softcore Software Co., The	206
• Binders	328	• HW Electronics	55	123 Misosys	360	467 Softek Software Co.	379
• Bottom Line, The	281	244 Hacks	379	• Moving?	217	435 Softtel	208
448 Bulldog Software	284	426 Halrad Associates	210	588 Mr. William E. Mayes	424	43 Software Concepts	137, 305
20 Business Division, The	51	497 Harwood Technonics	430	67 Munro Micro Systems	191	520 Software, Etc.	107
138 C & S Electronics Ltd.	235	559 Harrison & Harrison	430	• NRI Schools	151	309 Softwarehouse International	290
181 CMD Micro	235	305 Hayden Book Co. Inc.	219	547 Nanos Systems Corp.	105	310 Softwarehouse International	290
100 CPU Shop, The	251	47 Heath/Zenith Company	169	505 Nat Hellman III Inc.	73	537 Software Options	229, 231
566 Charles Mann & Associates	424	46 Hexagon Systems	124	128 Nelson Software Systems Inc.	306, 359	327 Software Support	100
466 Checkmate	127	447 Hoffman Associates	166	496 Nepenthe Programs	208	119 Spectral Associates	224, 225
326 Cheever Microwave	110	153 Holmes Engineering	274	255 New Classics Software	125	506 Star Micronics	80, 81
502 Chicago FM Club	394	175 Howe Software	287	533 New England Business Services/NEBS	77	432 Star-Kits	421
587 Climate Assessment Technology Inc.	425	211 ICR Futuresoft	62	232 Nocona Electronics	423	205 Starbuck Data Co.	292
102 CLOAD Magazine Inc.	270	• IJG	27, 129	50 Omnikron	59	569 Storybooks of the Future	425
103 CLOAD Magazine Inc.	270	590 Innacc Associates	428	61 Omni Resources Corp.	167	71 Sublogic Communication Corp.	157
121 Cognito	331	404 Independent Software	328	195 Omniket Computers International Inc.	287	• Subscription Problem?	330
• Color Software Services	360	424 Individual Systems Inc.	214	206 Options-80	10	156 Sunlock Systems	231
61 Communications Systems Lab	395	300 InFlo, Inc.	433	275 Orange Micro	30	• Synergistic Solar Inc.	292
455 CompuKit	79	578 Instant Software	425	151 Orion Instruments	343	174 Syracuse R & D Center	394
567 Compu-Quote	424	351 Institute for Scientific Analysis	394	433 PCD Systems	353	590 Syzygy	434
235 CompuServe	259	560 Interpro	430	242 PMC Software	377	408 T & D Software	208
554 CompuSoft Publishing	428	561 Interpro	424	207 Pacific Exchanges	138, 210, 328, 352	579 Tcorp	95
500 Computer Advantages	221	413 Island Computer Services	287, 385	122 Pan American Electronics	349	443 TSASA Inc.	148
120 Computer Applications Unlimited	351	491 J Eli & Associates	174	333 Peggytronics	309	577 TYC Software	428
479 Computer/Business Services	394	202 JES Graphics	288	1 Percom Data Company	3, 42	189 Tab Sales Company	136
139 Computer Case Company	301	273 J.F. Consulting	261	1 Percom Data Company	43	70 Taranto & Associates Inc.	263
133 Computer Discount of America	207	42 JPC Products Co.	241	3 Percom Data Company	43	440 Tech Data Corp.	330
420 Computer Peripheral Resources	313	254 Jimsco Inc.	307	406 Peripheral People	73	504 Telexpress	93
18 Computer Plus	49	150 Johnson Associates	183	272 Peripherals Unlimited	335	95 Texas Computer Systems	155
109 Computer Shack	33, 35, 37	485 Kaiglo Electronics Co.	128	124 Perry Oil & Gas Inc.	398	450 Texas Digital	171
453 Computer Shack	39, 41	• Kengore Corp.	285, 432	• Phase I Systems Inc.	243	144 Thomas V. Lenz	107
39 Computer Shopper	237	51 Krell Software	245	290 Pickles & Trout	66	527 Tiny-C	103
256 Computer Sports Systems	107	31 KSoft	399	490 Pion Inc.	103	81 Total Access	367
369 Computware	307	358 Kwik Software	47	286 Pioneer Software	399	522 Two/Sixteen Magazine	95
585 Computware	425	444 L.J. Kuffen, Attorney	286	377 Plug Bug, The	277, 434	400 Tufts	355
27 Computex	170	30 LNW Research	Civ	73 Plus Computer Technology	172	• University Microfilms	331
581 Computing?	428	32 LNW Research	375	25 Pocket Computer Newsletter	365	509 Usage Software Group	31
484 CompuWare	242	33 LNW Research	124	61 Powersoft	112, 139	• VR Data Corp.	426, 427
511 CompuWare Corporation	284	462 LSI Systems	363	471 Powersoft	150	169 Van Horn Office Supply	269
104 ComSoft	293	191 Lawyers Microcomputer, The	209	11 Practical Peripherals	Cill	523 Verbatim	123
66 Contract Services Associates	267	472 Leading Edge	370	63 Precision Prototypes	63	518 Vespa Computer Outlet	310
105 Coscol Inc.	269	155 LEDS Publishing Co. Inc.	215	477 Priority One Electronics	165	493 Volks Microcomputer Systems Inc.	279
308 Cornsoft Group	57	358 Lemons Tech Services	47	288 Process Control Technology	369	431 W.C. Maxey	174
45 Cornucopia Software	71	• Level IV Products Inc.	143	80 Program Store	314, 315, 317	575 WVI Associates Inc.	428
58 Cosmopolitan Electronics Corp.	257	583 Liberty Software Company, The	434	245 Programmer's Institute	147	• Wayne Green Books	420
187 Cottage Software	142	131 Libra Laboratories Inc.	334	475 Programmer's Institute	149	576 Wayne Green Books	430
493 Crabbe Associates	260	136 Lindbergh Systems	320	418 Programs for the 80's	313	578 WeiMuro CA Inc.	287
190 Creative Computer	182	• Load 80	67, 395	143 Progressive Electronics	215	197 Western Operations	136
307 Custom Data	406	255 Logical Systems	115	91 Prosoft	21, 215, 429	212 William A. Fink	126
499 DiPunch Company	278	115 Lynn Computer Service	158	48 Quality Computer Services	273	192 Wilson Software Division	337
410 D.B. Software	94	427 MCSI	149	194 Quant Systems	348	488 Winn & Harrison	369
517 DCS Software	124	196 Maine Software Library	337	• R.N. Da Silva	167	158 XYZT Computer Dimensions Inc.	249
• DSC Publishing	119	457 Management Systems Software	322	41 Racet Computers Ltd.	211	156 York 10 Computerware	299

For further information from our advertisers, please use the Reader Service card.

Tandy and Harris help v-text take root on Midwest's farms

BY G. BERT LATAMORE
80 MICRO CONTRIBUTING EDITOR

Videotext is taking root in the Midwest where a small publisher using Tandy computers has struck a need of farmers and agribusinessmen.

"The market response has been overwhelmingly favorable. It's incredible," said Tom Bell, marketing director of Harris Electronic News.

Located in Hutchinson, KS, HEN is a branch of Harris Enterprises Inc., a chain of 11 newspapers and several tv and radio stations. The electronic news service slated its first public demonstration for the Kansas State Fair in August. But, Bell said, by the end of June—with no advertising beyond a single news release—more than 100 potential customers had contacted Harris, some of them looking to subscribe immediately, sight unseen.

Bell expected it to take years for the service to become self-supporting, but the initial demand for it has changed his mind. Now he sees a good chance it will become economically viable within two years. To break even, the service needs about 300 subscribers and a reasonable amount of advertising. But if the response of Hutchinson-area merchants is any indicator, Bell said, there will be no problem selling ads.

He maintained the keys to the positive response to the service is its use of Radio Shack hardware—making it inexpensive—and its data base, carefully designed to meet farm needs unmet by traditional media.

A subscription to the service costs \$15 a month for unlimited off-line service—an access method used by Tandy in its Tarrant County, TX, Star-Text elec-



tronic newspaper.

Videotext systems like CompuServe and The Source use on-line access. A subscriber logs on, searches through a series of menus for wanted information, uses it on line and disconnects when finished. This involves long log-on times, an expensive proposition for users charged per minute of access time.

Harris's service supplies subscribers with a printed menu. The subscriber programs his or her terminal to request information, then calls the service's data base housed in a TRS-80 Model II. The information is downloaded and the system disconnects, allowing the subscriber to view the information off line. The amount of information a user can receive is limited by the memory capacity of his or her terminal. For instance, a 4K Tandy Videotex terminal holds eight screens of material.

This approach is a major reason the service can offer subscriptions at—by industry standards—a ridiculously low price. It also minimizes the time a user accesses the data base. The more time users are on line, the more problems a videotext system will have.

A disadvantage of the off-line system

is it virtually precludes interactive services like electronic banking and electronic shopping. On the Harris service, those features would require two phone calls: one to get information from the data base and another to complete a transaction.

Bell noted the service provides subscribers a measure of interaction by giving them a limited amount of free classified advertising. Essentially, this creates a public bulletin board where subscribers can post anything from used-car ads to personals.

The service taps the resources of the eight Harris newspapers in Kansas, but is totally independent of them in content.

It offers commodity prices at local grain elevators and on the Kansas City and Chicago markets. Prices are updated continuously. It also carries market analysis by a University of Kansas professor, columns on animal health by veterinarians, and news and columns on other agribusiness areas.

The service's weather information gives farmers data available to professional meteorologists. It includes specialized data such as the soil temperature one foot underground where seeds germinate; columns on the effect of weather on specific crops; and weather information for other major crop growing regions, so a farmer can develop a sense of the worldwide supply-demand picture at harvest time.

In an exclusive interview with *80 Micro*, Bell praised Tandy's hardware: "At our level of operations, you cannot beat Tandy. The equipment is adequate and dependable without being expensive. And the company has given HEN excellent service, both by quickly replacing the one piece of hardware that did fail and developing answers to technical problems."

Although a Tandy Videotex terminal cannot handle color and offers only primitive graphics, Bell said a TRS-80 Color Computer can duplicate virtually

continued

MIDWEST V-TEXT_{continued}

anything more expensive terminals can do, and its \$399 price tag is less than many of them.

Bell said farmers are no strangers to computers. Many of them worked with

computers when they attended agricultural colleges, which began to use them in the 1950s, and now use the machines as a matter of course. The service estimates 700 to 800 microcomputer users live in the Hutchinson area and many more use computer services supplied by Kansas State University.

Videotext appeals to a farmer's sense of fierce independence, Bell contended. Over the last generation, agriculture has

become more complex and less accessible to the average yeoman. Farmers have had to rely increasingly on experts and middlemen to make critical marketing decisions. Videotext can help farmers make decisions and free them from the control of others. According to many computer market experts, it is that reason, more than any other, that the farm belt is becoming a center for computer communications. ■

Deep in your heart it will creep

30 percent of nation's office workers dread computers

BY JOHN P. MELLO JR.

80 MICRO NEWS EDITOR

When you sit at your TRS-80, you probably don't break out in a cold sweat and become wracked with nausea and vertigo, but for people with extreme cases of cyberphobia—fear of computers—that's exactly what happens when they confront any computer.

Although most cyberphobes experience only a vague uneasiness when they deal with a computer, 5 percent of them experience the traditional symptoms of severe phobia, according to Prof. Sanford B. Weinberg. The researcher at Philadelphia's St. Joseph's University College of Business estimates 30 percent of the U.S.'s office workers are cyberphobes. And the problem will get worse.

"I forecast an immediate rise as voice-activated systems increase the number of users," he predicted to *80 Micro*. "There will be a gradual decline after that."

He said major problems will crop up in non-technological countries like India and Nigeria, where 90 percent of the office workers have shown signs of cyberphobia. "One reason for the high incidence," he maintained, "is there's a political as well as psychological factor there. They equate computers—which use English—to Great Britain and the United States and colonialism."

Since 1979, with the help of private and corporate grant money, Weinberg has canvassed and tested 523 corporate managers and college students, even wiring some to a galvanic skin-response machine to measure their perspiration rates as they sat before com-



puter terminals.

"Individuals who are afraid of different technologies taking over are more likely to have a cyberphobic reaction," Weinberg told *80 Micro*. "But since the computer, in essence, replaces a brain, it creates a greater fear. The computer somehow replaces how you think and that seems much more threatening to people."

He added the people he tested did not fear machines in general.

He also found cyberphobia affected men and women equally. "We tested extensively for that," he said, "and found no sex difference."

"Cyberphobia is a direct result of a fear of loss of control," he said. "It apparently is preceded by some kind of bad experience: using a system before it's perfected or receiving an erroneous computerized billing or some other experience that develops a fear in a person that they lose control when they deal with a computer."

Two workshops have been created by Weinberg to address cyberphobia problems. The more successful program, he said, is one training managers how to introduce computers into a company without causing cyberphobia. The workshops have included participants from Fortune 500 companies in the United States, Canada, Japan, Switzerland and Germany.

The other workshop—described by some as aimed at deprogramming cyberphobes—has been in service for two and a half years. "I don't like to use the word deprogram," Weinberg observed. "It's a behavior modification. We explain how computers work and get people to try them and get some successes. Then they see they are tools and useful and not threatening."

"It has some success," he said, "but I'm not sure it's long-term."

At the University of Pennsylvania's Wharton School they call cyberphobia "terminal shock." It used to be accompanied by "symbol shock" when APL was the primary language taught

continued

CYBERPHOBIA_{continued}

MBA candidates, according to David V. Cossey, director of the school's computer center.

But he hasn't seen the severe symptoms of cyberphobia Weinberg's seen: "We don't see sweat or anything like that. The only symptom we see is students asking a lot of questions before they do anything. They come into the consultant area every five minutes. They're afraid they're going to destroy their program or something."

"After the first day or so," he added, "that seems to disappear."

Cossey, who teaches on the graduate level, said MBA students are under pressure to mask any anxiety they may suffer: "A lot of them would not admit being afraid of the computer. The reason for that is peer pressure. There's tremendous peer pressure when you see 25 other people in the terminal room sitting down and appearing to know what they're doing."

If there's cyberphobia among undergraduates, "we get them over it pretty fast," noted Louis Miller, associate professor of decision sciences. "Our attitude is sort of heartless. With our students, we don't do that much hand holding."

Miller, who taught the introductory computer course at Wharton during the 1981-82 academic year, explained instructors initially go through a terminal session and tell the students to do the same thing. "We orient our early exercises so students are worrying



about the terminal and not trying to do anything very creative," he noted. "That seems to work."

For his MBA class, Miller appeals to his budding executives' sense of power: "I tell them certainly in their positions they don't let people intimidate them, why should they let a stupid machine intimidate them?"

"One of the things that's been done here in the past with these people is let them play games," he added. "One teacher used to let them play Adventure and they loved that. Her experience was it really got them over it."

Dr. Howard Brown said as medical director of the *New York Times* his experience did not indicate cyberphobia affected 30 percent of the people working with VDTs: "It's more like 2 or 3 percent."

"We had one experience with a reporter who got very uptight and anx-

ious," he noted. "I think the problem there was he was in his late 50s. He had a hell of a time learning to use the VDTs. We had a couple of others that got so upset they took early retirement."

He went on to say: "All my experiences have been with workers over 50. I have not had any experiences with younger workers. They tend to pick up the new techniques and training programs fairly well."

"From my experience," he said, "this is not a serious problem, but I think it may be the tip of an iceberg. As more and more people talk about it, more and more people will come up with symptoms. Some people may have the symptoms and may just be hiding them. This is relatively common. The more you talk about a syndrome, the more cases you uncover. Toxic shock syndrome is an example of that." ■

English stirs no fear in Japanese

Her Majesty's tongue may contribute to cyberphobia in some non-English-speaking countries (see main story), but not in Japan.

According to the computer newspaper *InfoWorld*, Japanese professionals go through rigorous training in English to deal with the English-speaking world and its major computer markets.

Japanese programmers also must have rudimentary knowledge of English because many computer programs are written in English-based instructions using Roman characters. The same can't be said of English-speaking programmers and the Japanese language written in kanji script.

The result is the Japanese have a reservoir of technical per-

sonnel capable of copying, analyzing and improving U.S. software. Such a reservoir doesn't exist here.

The language problem has also spurred the Japanese to take the lead in developing laser printers to produce kanji, optical character readers for reading handwriting, and voice-recognition systems. ■

Expensive Expansion



EXPENSIVE – The LNW *System Expansion II* and built-in comes with a full 32K of 200ns RAM; RS232c 20 MA current loop serial interface. That's for starters. Next, consider our heavy gauge steel case, power indicator lamp, gold-plated connectors, FR-2 glass epoxy circuit board with solder mask and silk screen legends. Then there is the parallel printer port, screen printer port, real time clock, and extra heavy duty onboard power supply with over current protection, over voltage protection and thermal shutdown. If that's not enough then there is the floppy disk controller, guaranteed operation at a 4MHz CPU speed and our 6 month warranty. Every one of these features is **STANDARD**. This is true system expansion. You get every 'expensive' feature without spending more.

CHEAP – Our price is \$399.95. Any way you compare, features or price, LNW's *System Expansion II* is the clear winner. The LNW System has been field tested for over two years with thousands of users. It works with any DOS, is 100% TRS-80 Model I compatible and it works 'right out of the box'. If there is any doubt in your mind as to whether you should buy ours or the 'other guys', just ask an LNW owner!

WE ARE #1 – Number one in price, features, reliability, performance and delivery. LNW is committed to 'expensive' features and quality at reasonable prices. LNW is committed to support, thorough documentation, and reliability.

LNW Research Corp.

2620 WALNUT Tustin, CA. 92680
(714) 641-8850 (714) 544-5744

This has made us the number one manufacturer of system expansion units and accessories for the Model I computer. **EXPANSION OPTION** – 8-inch drive capability is as easy as plugging in the *LNDboubler 5/8* option*. Now you can have any combination of single- or double-density, single- or double-sided, 8" and/or 5" disks on-line! 8-inch disk storage increased to 591,360 bytes – 77-track single-sided, double-density or 1,182,720 bytes – 77-track double-density, double-sided.

The *LNDboubler's* unique 5/8 switch allows you to boot from 5- or 8-inch system disks and it's accessible from outside the interface. The \$219.95 *LNDboubler 5/8* comes with a double-density disk operating system (DOS+ 3.3.9), complete with BASIC and utility programs... ready to run your software.

Each of your present 40-track, single-sided 5-inch drives will store up to 184,320 bytes (formatted storage) – that's an 80% increase in storage capacity for only half the cost of just one disk drive. With three 8-inch double-density, double-sided drives your Model I will have 3.75 Megabytes of online storage – that's more storage than a Model II or Model III!



*8" drive operation requires special cable. 8" double-density requires 3.55MHz CPU speed-up modification or LNW-80 4MHz computer.

Think tank's network used to bind minds of nation's leaders

BY KERRY LEICHTMAN
80 MICRO STAFF

A West Coast think tank is using microcomputer networking to shave thousands off the cost of educating high-powered executives and hopes its program will be the cornerstone of a network linking the nation's most important leaders.

"The problem in the education of our leaders in all three sectors of American life—not just corporate, but government and non-profit as well—has been they don't have the time to go away and get the kind of graduate education that might be appropriate for facing a very uncertain and complex future," said Dr. Richard Farson.

The president of the Western Behavioral Science Institute of La Jolla, CA, added, "The people that need the education the most and desire it the most can't get away for even a brief period of time."

"They are now able to learn what is necessary for them to learn and stay on the job at the same time," Farson explained. "They don't miss a beat. And, on a daily basis, they are able to tap into a learning network that includes people like themselves, whom they enjoy immensely and have come to count on. And our faculty is available to help them in a way that they'd have to pay a fortune for if they tried to hire them as consultants."

Before the institute's seminar became wired, executive education was cost ineffective. Farson explained: "The cost of these programs was enormous, not necessarily the tuition, but the cost to the company. To send someone away for a year costs a couple of hundred thousand dollars. It's a terrible loss to an organization to lose its leaders for any extended period of time."

So what's a think tank to do? Link the seminar students together with a microcomputer network. In the institute's two-year seminar, which costs \$10,750 per student annually, execu-

tives meet at the institute at six-month intervals for eight days to begin another aspect of the seminar. They return home and continue the seminar linked by a microcomputer network.

Although the concept behind the seminar appeared sound, its developers saw a possible stumbling block: the common belief executives eschew using micros because they equate keyboard work with low-status clerical duties.

When the seminar began in January, "the resistance was very easily overcome," Farson said. "They learned it quickly and enjoyed it immensely."

"I think that's where computer people, generally, have been missing the boat in their sales pitch to executives. They haven't played upon the communications aspects."

"We offer it as a communication medium. That's what executives like to do. They don't like to delegate that. You put one of these in their hands and they know what to do with it. The computer industry's failure to realize that and sell to corporate leaders has slowed down the development of information systems."

The first seminar participants were linked through the New Jersey Institute of Technology's Electronic Information Exchange System—chosen for its storage, indexing and privacy features—and used Apple II+s with single disk drives. The second class, which began in July, will use Kaypro computers manufactured by Non-Linear Systems.

"The Apple comes with no software," Farson said, "and this one comes with about \$1400 worth: Select

word processor; Profit Plan, which is a VisiCalc-type program; SBasic; and the CP/M operating system.

"Another reason for the switch is we have had to convert the Apples to an 80-character screen width at a cost of \$300 per unit. The Kaypro is already an 80-character unit."

Moreover, Farson explained, participants were unable to take their Apples with them when shuttling from place to place. Andrew Kay, president of Non-Linear, designed the new computer with the busy executive in mind. It is completely portable, has two disk drives and—unlike the Osborne—has a 9-inch screen. Farson added: "It's a brand-new system. It hasn't gone through the debugging that the Apple has, but they're a very high-powered outfit and we know of their work from years ago."

The micro network encourages honest, bare-bones correspondence between participants, according to seminar participant Marvin Braude, a Los Angeles city councilman. "It's a new form of intimacy," he explained. "It also imposes a rigorous discipline. It forces you to eliminate rhetoric and chit-chat in favor of being succinct. It has another nice quality: People are tolerant of misspellings, bad grammar, and inconsistencies."

The micro's ability to provide a constant avenue for discussion is one of the seminar's aspects that has captivated Braude: "Ordinarily you have to write an article or publish a paper to get your idea reviewed by peers. Here you just go to the computer, type it in, and see many and varied responses right away."


"I am fascinated by the question of how you truly use the computer as a communication and educational tool," said another participant, Carl Hodges, director of a research lab for Superior Oil in Tucson, AZ.

"I bought my son a TRS-80 when he was 13," he continued, "and I've been very fascinated watching the new generation and computers."

"I am also interested in this question of how busy people really keep up to speed as far as what's going on in the world, what the latest techniques of management and science are. I think that after awhile the techniques we are

continued

DISKETTES CASSETTES



Our Prices Include Boxes and Shipping

CASSETTES

Item	10 Pack	50 Pack
C-10	\$ 7.50	\$ 32.50
C-20	9.00	39.00
C-60	11.00	50.00
C-90	15.00	70.00

DISKETTES 5¼-inch

MD-5	\$25.00	\$110.00
------	---------	----------

UPS shipment in continental
U.S.A. only.
We cannot ship to P. O. Boxes.

Item	Qty.	Price	Total
SUBTOTAL			
Calif. Cust. add Sales Tax			
TOTAL			

Shipping address enclosed ☐
 Check or money order enclosed ☐
 Charge to: Visa ☐ MasterCard ☐
 Account No. _____
 Expiration Date _____
 Signature _____

MICROSETTE CO.

**475 Ellis St., Mt. View,
CA 94043 (415) 968-1604**

242

PMC SOFTWARE

**Proven Software Solutions
for the TRS-80, PMC-80 & 81 User
At VERY Special Prices**

GAMES

Title	List	Our Price	Title	List	Our Price	Title	List	Our Price
Advanced Operating Systems						Big 5		
+ VOYAGE OF THE VALKYRIE			SCOTT ADAMS' ADV. #1, #2 & #3			ATTACK FORCE		
D 32K I & III	39.95	32.00	D 32K I & III	39.95	31.00	D 32K I & III	19.95	15.00
T 16K I & III	29.95	24.00	SCOTT ADAMS' ADV. #4, #5 & #6			T 16K I & III	15.95	12.00
Adventure International			D 32K I & III			COSMIC FIGHTER		
ARMOR PATROL			SCOTT ADAMS' ADV. #7, #8 & #9			D 32K I & III		
D 32K I & III	24.95	19.00	D 32K I & III	39.95	31.00	T 16K I & III	19.95	15.00
T 16K I & III	19.95	15.00	SCOTT ADAMS' ADV. #10, #11 & #12			D 32K I & III	15.95	12.00
COMBAT			D 32K I & III			DEFENSE COMMAND		
D 32K I & III	20.95	16.00	SEA DRAGON			D 32K I & III	19.95	15.00
T 16K I & III	19.95	15.00	D 32K I & III	24.95	19.00	T 16K I & III	15.95	12.00
CONQUEST OF CHESTERWOOD			T 16K I & III			GALAXY INVASION		
D 32K I & III	20.95	16.00	SHOWDOWN	19.95	15.00	D 32K I & III	19.95	15.00
T 16K I & III	19.95	15.00	D 32K I & III	20.95	16.00	T 16K I & III	15.95	12.00
+ DEMONSTRATION #1			T 16K I & III			METEOR MISSION		
REIGN OF THE RED DRAGON			D 32K I & III			D 32K I & III		
D 32K I & III	24.95	19.00	+ SILVER FLASH-PINBALL	19.95	15.00	T 16K I & III	19.95	15.00
ELIMINATOR			T 16K I & III			ROBOT ATTACK		
D 32K I & III	24.95	19.00	SKY WARRIOR	14.95	12.00	T 16K I & III	19.95	15.00
T 16K I & III	19.95	15.00	D 32K I & III	20.95	16.00	T 16K I & III	15.95	12.00
GALACTIC EMPIRE			T 16K I & III			+ STELLAR ESCORT		
T 16K I & III	14.95	12.00	SPACE INTRUDERS	14.95	11.00	D 32K I & III	19.95	15.00
GALACTIC REVOLUTION			D 32K I & III	20.95	16.00	T 16K I & III	15.95	12.00
T 16K I & III	14.95	12.00	T 16K I & III	19.95	15.00	SUPER NOVA		
GALACTIC TRADER			STAR FIGHTER			D 32K I & III		
D 32K I & III	14.95	12.00	D 32K I & III	29.95	23.00	T 16K I & III	19.95	15.00
+ GALACTIC TRILOGY			T 16K I & III			+ BOUNCEOIDS		
D 32K I & III	39.95	30.00	STAR TREK 3.5	24.95	19.00	D 32K I & III	19.95	15.00
LUNAR LANDER			D 32K I & III			T 16K I & III		
D 32K I & III	20.95	16.00	T 16K I & III	19.95	15.00	D 32K I & III	15.95	12.00
T 16K I & III	14.95	11.00	TREASURE QUEST			SCARFAN		
MACES & MAGIC #1—BARLOG			D 32K I & III			D 32K I & III		
D 32K I	29.95	23.00	T 16K I & III	19.95	15.00	T 16K I & III	15.95	12.00
MACES & MAGIC #2—STONE OF SYPHUS			Automated Simulations (EPYX)			Med Systems		
D 32K I	29.95	23.00	CRUSH, CRUMBLE & CHOMP			ASYLUM		
MACES & MAGIC #3—MORTON'S FORK			D 32K I & III			D 32K I & III		
D 32K I	29.95	23.00	T 16K I & III	29.95	23.00	T 16K I & III	22.95	18.00
MISSILE ATTACK			DUNJONQUEST—			+ ASYLUM II		
D 32K I & III	20.95	16.00	HELLFIRE WARRIOR			D 32K I & III	22.95	18.00
T 16K I & III	14.95	11.00	D 32K I & III	39.95	30.00	T 16K I & III	19.95	15.00
OTHER VENTURE #2—CROWLEY MANOR			DUNJONQUEST—			DEATHMAZE 5000		
D 32K I & III	20.95	16.00	KEYS OF ACHERON			D 32K I & III	17.95	14.00
T 16K I & III	19.95	15.00	D 32K I & III	19.95	15.00	T 16K I & III	14.95	11.00
OTHER VENTURE #3—ESCAPE FROM TRAAM			DUNJONQUEST—			LABYRINTH		
D 32K I & III	20.95	16.00	SORCERER OF SIVA			D 32K I & III	17.95	14.00
T 16K I & III	19.95	15.00	D 32K I & III	29.95	23.00	T 16K I & III	14.95	11.00
OTHER VENTURE #4—EARTHQUAKE SF 1906			DUNJONQUEST—			WARRIOR OF RAS—		
D 32K I & III	20.95	16.00	TEMPLE OF APSHAI			D 48K I & III	29.95	23.00
T 16K I & III	19.95	15.00	D 32K I & III	39.95	30.00	T 48K I & III	29.95	23.00
OTHER VENTURE #5—DEATH PLANET			DUNJONQUEST—			WARRIORS OF RAS—THE WYLDE		
D 32K I & III	20.95	16.00	UPPER REACHES OF APSHAI			D 48K I & III	29.95	23.00
T 16K I & III	19.95	15.00	D 32K I & III	19.95	15.00	T 48K I & III	29.95	23.00
PLAINS OF DOOM			+ RICHOCHE			Melbourne House Software		
D 32K I & III	20.95	16.00	D 32K I & III	19.95	15.00	PENETRATOR		
T 16K I & III	19.95	15.00	T 16K I & III	19.95	15.00	D 32K I & III	24.95	20.00
						T 16K I & III	24.95	20.00

Now Twice As Many Programs!

EDUCATION		WORD PROCESSING		OPERATING SYS.	
Advanced Operating Systems		Aspen Software		Micro Systems Software	
MOSTLY BASIC		GRAMMATIC		DOS PLUS V3.3S	
EDUCATIONAL PKG. 7 PRG.		D 32K I	59.00 46.00	D 32K I	100.00 80.00
T 16K I & III	24.95	PROOF EDIT			
MOSTLY BASIC		D 32K I	30.00 23.00	UTILITIES	
SCIENTIFIC PKG. 7 PRG.		PROOFREADER		Adventure International	
T 16K I & III	24.95	D 32K I	54.00 42.00	+ DIRECTORY INFO. MGT II (DIM II)	
TIME DUNGEON		SOFT-SCREEN	69.00 54.00	D 32K I & III	
AMERICAN HISTORY		SOFT-TEXT	69.00 54.00	Howe Software	
T 16K I & III	24.95	D 48K I	54.00 54.00	MON3	
TIME DUNGEON		Michael Shrayser Software		T 16K I	
+ WORLD HISTORY		ELECTRIC PENCIL		MON4	
T 16K I & III	24.95	T 16K I	100.00 24.00	D 32K I	
Automated Simulations (EPYX)		INFO. PROCESSING		STERM	
JABBERTALKY		Adventure International		T 16K II	
D 32K I & III	29.95	+ MAXI CRAS		SYSTEM DIAGNOSTIC	
T 16K I & III	29.95	D 48K I & III		D 32K I & III	
		99.95 79.00		MISCELLANEOUS	
		D 48K I & III		Adventure International	
		99.95 79.00		HINT SHEET for single	
		+ MAXI MANAGER UTILITY PACK #1		Adventure #1 thru #12	
		D 48K I & III			
		99.95 39.00			
		+ MAXI STAT			
		D 48K I & III			
		99.95 147.00			
		Auk's			
		+ COMPUTER FILING SYSTEM (CFS)			
		D 32K I & III			
		69.00 55.00			
		Dan Haney Associates			
		ELECTRIC SPREADSHEET			
		D 32K I & III			
		99.95 65.00			
		T 16K I & III			
		34.95 30.00			


PMC SOFTWARE

475 Ellis St., Mt. View, CA 94043

Orders: (415) 962-0318 Information: (415) 962-0220

Terms: FOR FAST DELIVERY, send certified checks, money orders, VISA or MasterCard number and expiration date. Personal checks require 3 weeks. U.S.A. sales only. PRICES INCLUDE UPS continental delivery (do not use P.O. Box). CALIFORNIA customers add 6 1/2% tax. Prices subject to change.

✓242



Robert L. McAndrews, executive director of the School of Management and Strategic Studies, works on network for high-powered executives.

THINK TANK^{continued}

using in the program can be adapted for use within organizations."

The overall goal of the seminar is to enable executives to enlarge their perspective so they can react intelligently and quickly in an ever-growing field of situations.

"Our job," Farson explained, "is to get them to think differently about the implications of technology and some of the paradoxical effects of it." He cited a case used in the seminar: the time it takes to wash clothes today versus the time when washing was done with scrub boards. "All the labor-saving devices have actually increased the time it takes to perform the function,"

he claimed. "The seminar group tries to figure out why that is, and then derive its implications for other kinds of technology in industry and government.

"The seminar is really an effort to enable people to see that technology doesn't always work the way it seems to work."

One of the institute's faculty contends much of our technology is out of control. "But we still keep thinking that the technology we have is controllable, that it is a question of decisions," Farson added. That faculty member, Langdon Winner, maintains society no longer has a mechanism for decisions and for the most part, technology has become autonomous. "For example," Farson explained, "we can't decide not to have automobiles now. They have become autonomous and are now out of our decision-making power."

Farson's long range goal for the institute's School of Management and

Strategic Studies could not be achieved without microcomputers: "Our ultimate goal is the creation of a network of people who have been through this intensive two-year program and to keep that network available to them as a resource so questions of great import to our future as a society will be deliberated in a new way by these people who are most influential in shaping it.

"The network at first will just be a few dozen, then, conceivably, it will be hundreds of these influential people networked in significant ways."

The members of this strategic thinking network—college presidents, government agency heads, corporate leaders of Fortune 500 companies—will have two important common experiences: attending the seminar and being at the top. "It's a lonely job at the top," Farson said, "and now, for the first time, these people have a network, a support system, enabling them to communicate with others in the same position of responsibility." ■

ALL HARDWARE **Model I Lowercase**

TRS-80 is a trademark of Tandy Corp.

**DUALCASE • ELECTRONIC SHIFT-LOCK • DE-B-BOUNCE
BLOCK CURSOR • SWITCHABLE**

"THE PATCH" is compatible with any word processor, any DOS and also other languages which use ROM sub-routines. Assembled and tested... \$127.00

SCRIPUS v3.0 (by ROSTEK) is the software "patch" for SCRIPSIT (c) that lets you output control codes to CHANGE TYPE STYLES, UNDERLINE, etc. from within your text files. Written especially for the MX-80 but works fine with most any printer that accepts control codes. Makes your printer do all the tricks it was designed for. +DIR, KILL, MERGE, and MORE. WHILE IN SCRIPSIT (c).

How many times have you wished? Here 'tix ON DISK 39.95

Need a SUPERFINE lowercase CHARACTER GENERATOR for your MOD I? KSG Technology builds 'em, and we've got one just for you. Beautiful lowercase - FULL DECENDERS - All of the graphics, of course. INCLUDES the SPECIAL GRAPHICS for CHRS (0) thru CHRS (31) omitted in the later Radio Shack lower case chips. Ask for the CGA-2. You'll love it! Only 29.95

Did you ever bomb a disk? SUPER UTILITY (by Kim Watt) WILL AUTOMATICALLY RECOVER BOOT SECTIONS, GAT TABLES, READ AND COPY PROTECTED MEDIA, TRANSFER FROM ONE DOS TO ANOTHER, SINGLE OR DOUBLE DENSITY, and on, and on, and on... You just wouldn't believe... Includes a hundred and some odd vital functions. The BEST (no doubt!) and very, very highly recommended for ANYONE that uses a TRS-80 MOD I or MOD 3 with any kind of DISK and any kind of DOS. You just got to use it to realize what you've got here! The name "SUPER UTILITY" is a gross under-statement. One use can easily pay for the program. 48K required. Specify 35tk, 40tk or 80 tk media for your Mod I or Mod 3. Absolutely professional! You need this! Don't get caught without it. 74.95

The only resource you can't replace is TIME. PLUG IN A SPRINTER (by Holmes Engineering) and

TRIPLE THE SPEED of your TRS-80 MODEL I OR MODEL 3.

YES! A NEW Z-80B MICROPROCESSOR IS INCLUDED!

YES! Special circuitry handles your slower memory chips.

YES! Automatic switch down to "normal" for disk I/O.

YES! IT IS ABSOLUTELY FANTASTIC and only 99.50 COMPLETE!!

Only the cream of the crop - for you, from HACKS.



National Distributors
for CECDAT, Inc.

WHEN ORDERING SPECIFY:

"Mem Size" ☐ "Memory Size" ☐

To order send payment plus \$2.00 shipping and handling. Texas residents add 5% sales tax.

HACKS

P.O. BOX 12963
Houston, Texas 77017
713-455-3276 ✓ 244



TRS80 Three Dimensional Animated Graphics

- Instantly extend BASIC with the power of 3D animation
- Easily animate multiple objects simultaneously
- High-level primitives for simple definition and manipulation
- Scale, rotate, clip, remove hidden lines — automatically
- Call 3D primitives from BASIC or Assembly Language
- Create high-performance games quickly and easily
- Professional • efficient • user-interactive • real-time

**\$39.95 for TRS80 Level II Mod I/III cassette
(Specify 16K, 32K, 48K)**

**ALGORITHMIC ASSOCIATES
P.O. Box 244 Bedford, MA 01730**

✓ 503

VERBATIM

DATALIFE

40 TK DBL DENSITY

BOX OF 10

REINFORCED **\$25.00**

DISK SALE

SOFTEK SOFTWARE

**SHANNON
MAGNETIC**

40 TK DBL Density

BOX OF 10

NO/HUB **\$21.00**

Quality Software for Your TRS-80

For TRS-80 Model I & III Disk or Tape

MAIL PROGRAM \$ 19.95

MAIL LETTER \$ 29.95

ACCOUNTS PAYABLE ... \$ 89.95

SOFTEX PAYROLL \$ 99.50

GROUP INS. QUOTE \$ 99.50

LIFE INS. QUOTE \$350.00

Model I & III Disk

THE FLOPPY DOCTOR

BY DAVE STAMBAUGH
FLOPPY DISK/MEMORY DIAGNOSTIC

MODEL I \$24.95

MODEL III \$29.95

AIDS SYSTEMS

BY METS TECHNOLOGIES
MTC AIDS III

MODEL I \$69.95

MODEL II \$99.95

SOFTEK 100

OVER 100 SHORT RUNNING PROGRAMS Tape or Disk ... \$99.50

**MODEL I DOUBLE
DENSITY PACKAGE**

Newdos/80 Version 2.0 & Controller \$229.95

Newdos/80 Version 2.0 for Mod. I & III \$130.00

Dos Plus Version 3.4 for Model I and III \$125.00

Flipsort File Box for 5 1/4" \$19.95

1 Box Verbatim 5 1/4" Disks with Flipsort \$43.95

SCARFMAN MODEL I & III TAPE

1981 Cornsoft Group \$15.95

MODEL I & III TAPE

\$19.95

MASTERCARD AND VISA WELCOME

We Also Accept

• COD • CHECKS • MONEY ORDERS

ADD \$2.00 FOR SHIPPING

TRS-80® IS A TRADEMARK OF TANDY CORP.

AIDS III, CALCS III, MERGE III, ARE TRADE
MARKS OF METATECHNOLOGIES

✓ 467

SOFTEK SOFTWARE

P.O. BOX 702

STERLING, ILLINOIS 61081

815-625-5342

Videotext may make the United States a nation of homebodies, according to a \$225,000 technological assessment funded by the National Science Foundation.

The assessment—done over a period of 18 months by the Institute of the Future in Menlo Park, CA—maintained 40 percent of America's households will have videotext terminals by the end of the century.

"Videotext and teletext will move into the home all sorts of activities and transactions people have had to leave home to do," observed Richard Adler, one of the authors of the assessment.

"What will happen," he said in an interview with *80 Micro*, "is there are a whole bunch of things—paying your bills, cashing your check, shopping, mailing a letter—that up to now you haven't had a choice about. You had to go into the outside world. The new technology will bring the focus of that stuff into the home, so the definition of the home will change."

The 320-page report published by McGraw-Hill predicted there will be a shift away from conventional workplace and school socialization. Friends, peer groups and alliances, the report said, will be determined electronically, creating classes of people based on interests and skills rather than age and social class.

It maintained there will be a return of the extended family because the elderly will be able to provide additional household income by working at home on the computer network.

Adler observed, "We see these electronic systems offering a serious alternative to traditional schooling."

He said, "The whole political process will be transformed by on-line polling and televoting. You will see the decline of the two-party system and the rise of dozens, scores or even hundreds of mobilized, highly-effective, special-interest groups, who are able to keep a very tight pulse on how their issue is faring in government."

"The technologies in no sense exist in a vacuum," he said. "They exist in a society where things get better or worse. If we build a society that's a decent one—where there are decent pub-

able place to be than out in the social world, people are going to choose to stay at home."

But the new technology will not be all wine and roses. Individuals may use the new videotext systems to create newspapers, design curricula and compile consumer guides, the report said, but the systems also create new dangers of manipulation for political or economic gain. While an abundance of new information will be brought into the home, it noted, a stream of information about its inhabitants' behavior and preferences will be brought out of it.

Adler said, "One of my worries about these kinds of systems is the guy who puts up the menu of your choices

Country of homebodies

V-text will encourage people to stay home

lic places, where people feel safe about venturing out into the streets, where commuting isn't an awful pain and its cost terribly high—then my opinion is people, for a variety of reasons, are going to leave home."

He maintained there are people who will welcome working at home—shut-ins, the handicapped, the elderly, young children, housewives—and the new technology will allow them to do that. "On the other hand," he added, "we don't see the offices withering away because those environments give people a lot of social interaction which is valued."

"It's a competition. If the home becomes a more pleasant, more enjoy-

has a lot to say about defining social reality."

"We're not saying any of these things will come about," he explained. "What we're saying is these are all possibilities inherent in the technology. Whether or not they will come about will depend a lot on the decisions made over the next 20 years. Those decisions will deflect how the technology goes."

"The hopeful thing about doing a technological assessment is that by identifying these issues early enough, you're doing it at a time when you still have chances to make choices about them. The underlying principle of a technological assessment is not technological determinism." ■

Bringing to press the future

Computers played an important role in bringing the Institute of the Future's videotext report to print.

Adler (see main story) said the book version of the report "came out looking terrific" and "the whole process of turning the report into a book couldn't have happened that way without computers."

It took 2½ months to turn the manuscript of the report into a book. "You just couldn't have done that if someone had to keystroke the manuscript into a typesetter," Adler observed.

The institute prepared the report's manuscript on a Xerox 850 word processor. The word-processing disks were sent to the Information Science Corporation in Washington, DC.

According to Production Manager Mark Hoffman, the disks were sent to another firm with Xerox equipment and telecommunicated to ISC's DEC PDP-11/34. Once in the corporation's machines, compositors embedded typesetting codes in the manuscript, then fed it into the firm's typesetter, a Mergenthaler Line-A-Tron 202.

The galley proofs from the Mergenthaler were proofread by ISC, then sent to the authors and publisher for corrections. Those corrections were incorporated into the manuscript by ISC and another set of galleys run. Those galleys were used in page makeup.

"This is a standard method used by publishers throughout the country," Hoffman said. ■

ACCEL3

ACCEL3
\$99.95
... YOU OWE IT TO YOUR BASIC PROGRAM

BASIC Compiler, Model I/III, all DOS

ACCEL2 Plus:

- Bigger optimized subset
- Quicker compilation
- More compact output
- Almost total compatibility

developed in England
 by Southern Software

ALGORIX
 Allen Gelder Software

- ① Includes INP, OUT, multi-dimensional arrays.
- ② About 40 lines/second.
- ③ Only 10% -35% code growth.
- ④ Even unstructured for-next loops, variable-bound arrays.

Table treats ① and ③.
 Speed improvement ratios give minimum expected results!

\$99.95

+ \$2 Shipping
 CA add 6%

Also **EDIT** Full screen BASIC editor.

SPEED/SPACE Performance Table.												
Speed Improvement (Ratio)				Operation		Space Degradation (Bytes)						
INT	SNG	DBL	STR			INT	SNG	DBL	STR			
178	28	20	7.3	Assignment (LET)		-4	0	0	0			
3.5	3.6	3.6	3.5	Array Reference (1-dim)		13	13	13	13			
3.0	3.0	3.0	3.0	Array Reference (2-dim)		12	12	12	12			
35	1.8	1.6		AND, OR		4	7	7				
23	2.0	1.6	6.6	Compare (=, >, <, etc.)		3	10	10	3			
57	1.8	1.4	3.6	Add, Concatenate (+)		1	6	6	2			
48	1.8	1.3		Subtract (-)		4	6	6				
1.5	1.5	1.1		Multiply (*)		6	6	6				
1.08	1.17	1.02		Divide (/)		6	6	6				
77	70	84	9.3	Constant Reference		0	6	6				
7.1	1.9			FOR-NEXT		6	23	4	4			
111	6.8	4.8		POKE		-1	5	5				
10	4.5	3.6		SET, RESET		-1	5	5				
47	4.6	3.0	8.1	IF THEN ELSE		3	9	9	3			
33	4.3	3.5		ON expression GOTO		-2	0	0				
50	6.8	5.1		ON expression GOSUB		0	3	3				
1.2	1.01	1.03	1.2	PRINT simple-variable		-1	-1	-1	-1			
61	5.0	3.7		OUT		5	11	11				
				Flow of Control								
216				GOTO								
74				GOSUB/RETURN		-7						
				Functions		-10						
inf	inf	inf	inf	VARPTR		-3	-3	-3	-3			
5.2	1.9	1.7		POINT		3	9	9				
38	2.3	1.7		INP		5	8	8				
149	2.3	2.0		PEEK		0	3	3				
				String Functions								
53				ASC								
258				LEN								
4.8				LEFT\$		5						
4.7				RIGHT\$		0						
6.4				MID\$		1						
25				CHR\$		1						
36				CVI		2						
16				MKI\$		0						
7.1				CVS		0						
25				MKS\$		0						
5.4				CVD		0						
16				MKD\$		0						

- ④ Correct BASIC programs (no dynamic renaming, no out-of-range arguments) compile without modification.

You owe it to your programs.



ALGORIX

Allen Gelder Software

(415) 387-3131

Box 11721 San Francisco CA 94101



136

EDIT

EDIT is to your line-editor as disk is to tape, lets you work and play in one more dimension.

\$40

Math and science teacher cadre defecting from Golden Horseshoe

There are two high tech meccas in the United States and one of them is having its educational underpinnings eroded.

According to a report released by Northeastern University's Institute for the Interdisciplinary Study of Education, the Massachusetts public school system—the beginning of the talent pipeline to high tech firms forming Route 128's "Golden Horseshoe" north of Boston—is facing a math and science teacher drain.

While some schools are already losing teachers to industry, said the report authored by Dr. Elizabeth Useem, data from a survey of math and science teachers in the system shows only two-fifths of them intend to remain in the public schools teaching. Meanwhile, the number of people being trained for these slots in the state's colleges and universities is "miniscule."


This may create an ironic situation for high tech firms thirsting for talent. "Student interest at all levels in Massachusetts is moving in a direction congruent with industry needs, but the capacity of educational institutions to respond to that demand remains in doubt," wrote Useem in her 75-page study.

Her report, titled "Education in a High Technology World: The Case of Route 128," added that "at a time when students are gravitating toward training in high technology fields, there is an erosion of staff and facilities needed to provide high quality programs."

"Every administrator complained about the lack of computer hardware in the face of accelerating student demand. . . All the schools believed that financial constraints had prevented them from acquiring the computer hardware necessary to accommodate student demand," reported Useem, an associate professor of sociology at the University of Massachusetts-Boston.

She wrote that all the school systems surveyed were having difficulty hiring instructors for courses in electronics, computers, math and sciences.

This is a national problem. However, the report maintained the Northeast has



not resorted to the solution adopted by other parts of the country: using unqualified teachers. Useem wrote that the percentage of newly-employed but unqualified science and mathematics teachers in the Northeast is sharply lower—9 percent—than the national average of 50 percent and the Pacific Coast average of 84 percent.

The school systems in the Golden Horseshoe were conforming to the Northeast norm, the report said, but misassignment problems were occurring on the junior high level, where senior elementary teachers with K-8 certification were "bumping" less experienced junior high math and science specialists.

"We're going to have a terrible shortage of teachers," predicted one assistant superintendent to Useem. A mathematics chairman added: "Five years ago, we had over two feet of job applicants' folders and now we have one inch."

Administrators also were worried about the quality of the candidates ap-

plying for jobs. One commented to Useem, "We're getting the crumbs." Another said, "Today, we'll take any warm body." The report indicated the administrators' fears are justified. The average SAT scores for Massachusetts high school seniors intending to major in education were 383 verbal, 409 math.

Since high tech employees' children attend the schools around Route 128, the firms are a natural ally for the systems' fight against the quality of science education backsliding. But, the report noted, the relationship between the groups is strictly hammer and tongs.

"Around here high tech is a nasty word," a science department chairman told Useem. A mathematics department chairman added, "I have a terrible hatred for high tech."

The report explained the relationship between the groups has never been strong, but it worsened when the industry's political arm—the Massachusetts High Technology Council—funneled \$229,000 in support of a property tax cutting proposal called Proposition 2½.

Since public school systems are the major burden on property taxes, educators felt tax cuts would be translated into school cuts. The high tech firms didn't feel that way, according to Useem. "Most felt that if academic programs were cut, it would be the result of politically motivated mismanagement and not due to real fiscal shortfalls," she wrote.

Despite disagreements between the groups, Useem, who conducted a similar study of the Silicon Valley, found Route 128 corporate officials' criticisms of the schools "tempered by a general feeling of respect for many suburban school systems." She added, "Expressions of outright contempt toward the schools, which characterized some of the comments of Silicon Valley executives, were absent."

Useem maintained there are other obstacles blocking collaboration between the groups:

"[T]he very dynamism, innovation

continued

TEACHER DRAIN*continued*

and rapid growth which characterize most high technology firms undermines attempts at extra-institutional ties.

"These companies, many of whom have growth rates exceeding 30 percent a year, operate in a competitive environment under the intense pressure to get new products into the market. One company studied, for example, develops a new product every 12 working days.

"The firms need their cash to put back into research and development and need to focus their energy on the central task of the company. Outreach to schools in this context, except by large older companies like Raytheon, is of rather peripheral concern."

The companies tend to have short-term planning cycles, the report noted,

which conflict with the schools' tendency to operate on five-year planning cycles.

Also, the report said, the groups have difficulty interacting because they're at different points in their history. High technology is at the zenith of the American economy, while education is in "a dismantling mode." "It is hardly an atmosphere conducive to harmonious relations," Useem wrote.

She argued conservative social planners talking about "shared responsibility" and a "new partnership" between industry and education are ignoring these substantial barriers.

So are the high tech companies. "Industry is sticking its head in the sand by not going to Washington and talking about the national crisis in engineering education," one college president told Useem. "It is a national problem and we have no national policies... The companies believe in small government

and are thus caught on the horns of a dilemma."

A coordinator of a large university-industry program added, "Companies really need to be scared before they will get their act together and lobby for federal support."

Useem concluded: "The obstacles to industry-education cooperation [at the secondary school level] are formidable. The national administration's proposals for a 'new partnership' between business and public education are unlikely to lead to solid programs of measurable impact.

"The response of American education to the economic transformation wrought by modern electronics is uneven and constrained by forces largely beyond its immediate control. Without national direction and support, it is unlikely that a satisfactory response will be forthcoming in the 1980s." ■

More or less **technicians?**

Will the high tech industry need more or less technicians? That question cropped up time and again in Dr. Useem's study.

"Uncertainties exist over workforce projections for technicians," the UMass sociologist wrote. "Company officials in a few firms cautioned that technological changes are automating the work of some of their technicians, resulting in lower employment demand. Others, however, pointed to countervailing trends that will increase the need for technicians."

Useem went on to report: "Every type of training institution—private, proprietary, CETA, and public colleges—has experienced some difficulty in placing their technician graduates in jobs during 1981–82. The problem is not severe (Sylvania Tech said its graduates now had only one or two job offers rather than the five or six they had in previous years), but enough slack in hiring exists to make school administrators nervous."

"Executives at several companies," Useem noted, "said they did not anticipate either a short-term or long-term demand for technicians, especially manufacturing test technicians, and cautioned that educational administrators should not expand programs too quickly."

"A human resource manager with recent experience in two companies pointed out that there has been a dramatic drop in the need for electronics technicians in those firms in the last year," she wrote. "At the same time, other high technology

companies claim they have a continuing demand for technicians."

Useem reported current economic conditions are a major reason for the softness of the market for electronics technicians but technological changes have also influenced the situation.

She points to one minicomputer company's products with 'built-in diagnostics' informing a field service technician what is malfunctioning. Instead of determining what is wrong with a circuit board, the technician simply replaces it with a new one. Built-in diagnostics and board swapping, she explained, have resulted in reducing the skill level needed in the technician's job.

"Since almost half of all technicians work on repair of some kind, these technological changes have important implications for that occupation," Useem wrote.


She added: "At the same time, there are countervailing trends which argue for both greater numbers of technicians and high skill levels among them.

"Applications of computers to various areas of human activity are just beginning to occur, and many of those applications will require technicians to help develop and maintain them.

"Products are becoming more complicated and a certain percentage of technicians will have to understand the way they operate.

"There is also some awareness among executives that many tasks which engineers perform could be farmed out to skilled technicians, thus alleviating the engineering shortage." ■

Three-inch disk drive TRS compatible



HARDWARE

A 3-inch disk drive offering 250K double-density single-sided storage capacity is being marketed by Amdek Corporation of Arlington Heights, IL.

Wayne Green Inc. obtained a prototype of the drive and 80 Micro's Jake Commander tried it out on his TRS-80 Model I. After rigging up a power supply for the drive, Jake said it proved plug-compatible with his 5.25-inch drives.

In a statement, Amdek said the drive will be sold with a built-in power supply.

Disks for the drive come in a plastic cartridge measuring .179 by 3.15 by 3.94 inches. The cartridge features a hinged head cover that protects it from dust, scratches, or fingerprints, and flips open when inserted in the drive.

The drives are priced at \$899 each.

Philly brokers pick high-tech high-yield stocks



BUSINESS

Although high tech stocks are most likely to take a beating during a recession, a pair of Philadelphia brokers are urging their clients to pad their portfolios with the stocks.

According to the *Boston Globe* Richard Yashewski and Joseph Barthel of Butcher & Singer contend emerging technology stocks will be the stock market's hottest performers during the next 12 to 18 months, racking up individual gains of at least 50 percent and in many cases, more than 100 percent.

The high tech hot stocks identified by the duo were Anatologic Corp., Electromagnetic Sciences, DBA Systems, Algorex Corp., Mathematica Inc., Information Intl., HBO & Co., Sof-Tech, Intermagnetics General, Xidex Corp., ADAC Laboratories, Val-

PULSE TRAIN

lelab Inc., National Micronetics, Network Systems, Tandon Corp., Unitel Video, Ask Computer Systems, Codis Corp., Survival Technology and Electronics, and Missiles & Communications.

On average, the analysts told the *Globe* those companies have the potential to turn in annual earnings gains of 25 to 35 percent a year in the next three to five years.

Products produced by the firms include the manufacture of telecommunications and computer peripheral equipment, computer software products and services and medical instrumentation.

In recommending the stocks, the pair warn many are unseasoned companies spending above-average amounts of capital on research and development, making them well-above average risks should their fortunes go sour.

Bob Rosen sets up second BBS for CC



COMMUNICATIONS

First Bob Rosen established the only bulletin board system dealing exclusively with the Color Computer (see "Bob Rosen—A Colorful Success Story" by Kerry Leichtman in the June-July 1982 *80 Micro*). Now Rosen's BBS#2 is up and running and is using the Color Computer as its hardware medium.

"The reaction has been great," Rosen said in a telephone interview. "Advertisers can display their products in full color and hire graphics."


He established the second BBS

because running BBS#1 even seven days a week couldn't handle all the calls. "Access to the new BBS#2 can be made in two ways: by dialing (212) 441-3766 directly or by calling the original bulletin board, (212) 441-4755, and being automatically switched to the second number if the first is busy."

Rosen uses a 32K Color Computer with three disk drives. Drive zero is a Shugart drive while one and two are Radio Shack Color Computer drives. "The Shugart is a wonderful drive," Bob explained, "but the Shack drives are inconsistent and not as dependable."

Both bulletin board systems run continuously. Access time, like Rosen's original setup, costs only as much as the phone company charges. Eventually Rosen hopes to add multi-user capability to his service, but until then all a user can do is keep dialing.

Nationals win "Greatest Game Never Played"



SPORTS

The outcome was the same but the game was "a lot more interesting," Don Weber said of the "Greatest Game Never Played." (See *80 Micro*, June-July, 1982.)

Weber, vice president of BFV&L Promotions, said the National League won the computer simulation of an all-star game pitting the greatest baseball players of all time against each other.

The game was broadcast July 14 on more than 200 radio stations

and Armed Forces radio.


The American League jumped on National League starter Sandy Koufax for two runs in the top of the first. They later tagged Warren Spahn for a tally in the third and Christy Mathewson for one in the eighth.

The National League touched up starter Whitey Ford for a run in the second inning, squeezed two more scores off Lefty Grove in the seventh and got its fourth run across the plate off Bob Feller in the eighth.

With the game tied 4 to 4 in the ninth, Grover Cleveland Alexander shut down the Junior Circuit. Hank Aaron led off for the Nationals in the bottom of the frame. He ran the count to 3 and 1 against Walter Johnson, then slammed a round-tripper off the "Big Train" to make the final 5 to 4 National League.

Weber, whose firm conceived and promoted the game, said a cassette recording of the contest will be available this fall. His company has already sold 8,000 copies of an LP containing the highlights of the game and selling for \$9.95 plus \$2 shipping.

Call for education papers



EDUCATION

A Learning Place—an educational center located in Oakland, CA, specializing in reading, math and learning disabilities—is looking for papers for publication in its *Journal of Computers Reading & Language Arts*.

According to a statement from ALP, "the journal's purpose is to support the rapidly growing interest in computers and their relationship to reading-language arts and related issues."

"The theme of the journal," the statement said, "will be pragmatic in perspective. It will emphasize presenting papers which have clear classroom-teaching implications. The journal will be interdisciplinary and directed toward an audience of reading-language arts teachers, educational specialists, classroom teachers, educators of teachers

continued

MECHANICAL & STRUCTURAL ENGINEERING PROGRAMS

EASI Software, Inc.* supplies commercial quality analysis and design programs for architects and engineering consultants. All programs are available on TRS-80 and CP/M formats.

EASI-PATH Project Management System (\$300.00) is a data-base oriented program which uses CPM (critical path method) to schedule project operations against time periods and cost restraints. While the reports generated by this program were designed as a tool to assure management that detailed project planning is performed, it is also an effective **SALES TOOL** for customer project presentations.

PV-CODE (\$995.00) is a menu driven design program which interactively designs complete pressure vessels including shells, heads, stiffeners, reinforcements, and flanges. It is based on the ASME Code and includes mathematical models of the required charts and tables. A complete design report is generated.

Manuals w/demonstration diskette available for the above programs \$30.00 each.

Other engineering programs available (MC†2*):

Finite Element (Space Frame);
Concrete Design (Beam, Column, Slab, 2 Way Slab);
Steel Design (Beam, Column); Fire Sprinkler;
HVAC; Electrical Engineering; Accounting, etc.

EASI Software Inc.*

DEPT: MC-2
2 Windsor Court
Jackson, NJ 08527
(201)367-5735

*MC†2 is the Trademark for McClintock, Inc.

*EASI Software Inc. previously known as Engineering Analysis Software Consultants.

✓313

COMMUNICATE



Island Computer Services complete Model III system and the Model III Upgrade include a free, built-in Phone Modem.

* **MODEL III 48K** with
Dual Tandon Disk Drives
\$1,995⁰⁰

Mastercard or Visa accepted

* **MODEL III UPGRADE**
Includes One 40 track Tandon Disk Drive,
Disk Controller Board and Installation Kit
\$679⁹⁵

FOR MORE INFORMATION CALL OR WRITE



ISLAND COMPUTER SERVICES

Phone: (206) 675-3632

✓413

DATA: 206-675-9786

P.O. BOX 804, Oak Harbor, Wash. 98277

PRODUCTS FOR YOUR RADIO SHACK COLOR COMPUTER

NEW!

MACRO-80C

The Micro Works is pleased to announce the release of its **disk-based editor, macro assembler and monitor**, written for Color Computer by Andy Phelps. THIS IS IT — The ultimate programming tool!

The powerful 2-pass macro assembler features conditional assembly, local labels, include files and cross referenced symbol tables. MACRO-80C supports the complete Motorola 6809 instruction set in standard source format. There are no changes, constraints or shortcuts in the source language definition. Incorporating all of the features of our Rompack-based assembler (SDS80C), MACRO-80C contains many more useful instructions and pseudo-ops which aid the programmer and add power and flexibility.

The screen-oriented text editor is designed for efficient and easy editing of assembly language programs. The "Help Key" feature makes it simple and fun to learn to use the editor. As the editor requires no line numbers, you can use the arrow keys to position the cursor anywhere in the file. MACRO-80C allows global changes and moving/copying blocks of text. You can edit lines of assembly source which are longer than 32 characters.

DCBUG is a machine language monitor which allows examining and altering of memory, setting break points, etc.

The editor, assembler and monitor — as well as sample programs — come on one Radio Shack compatible disk. Extensive documentation included. **MACRO-80C Price: \$99.95**

SDS80C — Our famous editor, assembler and monitor in Rompack. Complete manual included. **Price: \$89.95**

PARALLEL PRINTER INTERFACE — Serial to parallel converter allows use of all standard parallel printers. You supply printer cable. **PI80C Price: \$69.95**

MICROTEXT — Get printouts while using your modem! Also download to cassette. General purpose terminal Rompack. **Price: \$59.95**

YOU NEED COLOR FORTH!!

Why?

- Forth is faster to program in than Basic
- Forth is easier to learn than Assembly Language
- Forth executes in less time than Basic

Forth is a highly interactive language like Basic, with structure like Pascal and execution speed close to that of Assembly Language. The Micro Works Color Forth is a Rompack containing everything you need to run Forth on your Color Computer.

Color Forth consists of the standard FORTH Interest Group (FIG) implementation of the language plus most of FORTH-79. It has a super screen editor with split screen display. Mass storage is on cassette. Color Forth also contains a decompiler and other aids for learning the inner workings of this fascinating language. It will run on 4K, 16K, and 32K computers. Color Forth contains 10K of ROM, leaving your RAM for your programs! There are simple words to effectively use the Hi-Res Color Computer graphics, joysticks, and sound. The 112-page manual includes a glossary of the system-specific words, a full standard FIG glossary and complete source listing. **COLOR FORTH ... THE BEST!** From the leader in Forth, Talbot Microsystems. **Price: \$109.95**

GAMES

Star Blaster — Blast your way through an asteroid field in this action-packed Hi-Res graphics game. Available in ROMPACK; requires 16K. **Price: \$39.95**

Pac Attack — Try your hand at this challenging game by Computerware, with fantastic graphics, sound and action! Cassette requires 16K. **Price: \$24.95**

Berserk — Have fun zapping robots with this Hi-Res game by Mark Data Products. Cassette requires 16K. **Price: \$24.95**

Adventure — *Black Sanctum* and *Calixto Island* by Mark Data Products. Each cassette requires 16K. **Price: \$19.95 each.**

Cave Hunter — Experience vivid colors, bizarre sounds and eerie creatures in hot pursuit as you wind your way through a cave maze in search of gold treasures. This exciting Hi-Res game by Mark Data Products requires 16K for cassette version. **Price: \$24.95**

California Residents add 6% Tax
**Master Charge/Visa and
COD Accepted**

THE **MICRO
WORKS**

Also available: Machine language Monitor ★ 2-pass Disassembler ★ Books ★
Memory Upgrade Kits ★ Parts and Services ★ Call or write for information

P.O. BOX 1110 DEL MAR, CA 92014


714-942-2400

PULSE TRAIN*continued*

and educational researchers."

Papers or requests for information should be sent to Gerald H. Block, The Journal of Computers Reading & Language Arts, P.O. Box 13039, Oakland, CA 94661.

Japanese make most human-like robot in world



A Japanese firm claims it has produced a prototype of the most human-like robot in the world, according to a report by the Associated Press.

Sumitomo Electric Industries Ltd. said its new robot has basic human functions—perception, hearing, speaking—and is equipped with arms and legs.


Following instructions from a human voice the robot is capable of moving towards a group of objects, selecting the right one and carrying it to a designated place.

The Japanese firm plans to use the robot for assembling electronics parts at its plant in Osaka in a few years and after that, Sumitomo will sell it to others.

The robot is 3 feet tall and sees objects with two movable "eyes" made of 300,000 optical fibers, allowing it to differentiate shapes and sizes through "image recognition technology" developed by Sumitomo.

It has a carbon-fiber arm that can grip and carry objects weighing up to 2.2 pounds. Its leg is equipped with an optical character reading device permitting the robot to follow written instructions and detect objects in its path.

Golden State pirate sent to slammer



A southern California computer rogue is serving a five-month sentence in a county jail after pleading no contest to charges he illegally accessed a Digital Equipment Corporation computer owned by the U.S. Leasing Corporation of San Francisco.

According to the computer industry newspaper *InfoWorld*, the rogue, Lewis DePayne, was a member of a loosely-knit group of computer freaks who got their kicks illegally accessing computers.


DePayne, who will be on three-years probation after serving his jail term, and two friends were arrested last year for breaking into the offices of a Pacific Telephone computer-maintenance center in Los Angeles and attempting to obtain information on the company's switching equipment.

The DePayne gang is also alleged to have—

- Shut down Pacific Telephone's Traffic Position System Office;

schemes. He also said the firm offered time-sharing on a DEC system.

Firm plans to mass market software



Software for the masses. That's the goal of Jim Edlin, former editor of *PC Magazine* who has formed Bruce & James Program Publishers to market a \$50 state-of-the-art word-processing program this fall.

Retailing at \$49.95, Wordvision for the IBM Personal Computer is



Aaron: hypothetical homer garners win for Nats.

- Obtained information from computers at the California Department of Motor Vehicles;
- Broken into Digital's ARK computer in Massachusetts and stolen proprietary software; and
- Cracked the security of an airline-reservations computer and issued tickets to friends.

Earlier this year, DePayne distributed a press release announcing a new consulting service, the MPS Systems Consulting Group. He claimed the group offered customizing software packages, computer security analysis and lectures on the dangers of home computing and current bank rip-off

scheduled for release by the middle of this month. A few months later, versions of the program will be released for the Commodore VIC, Atari, and Timex computers.

According to the computer industry newspaper *InfoWorld*, Edlin plans to market his software primarily through bookstores. Computer stores, a statement from Bruce & James noted, "serve too narrow and technically-oriented an audience, and are also ill-equipped to handle products priced according to the company's high-volume philosophy."

To make it in the mass market, *InfoWorld* reported, Edlin plans


to replace a sales staff with advertising and support personnel with good documentation and clear program prompts.

The report said Wordvision would be available for new generation computers with features like bit-mapped graphics for fast typing, upper- and lowercase character sets, function keys for one-keystroke operations, and video-display attributes like reverse video, color and blinking characters.

InfoWorld said when Wordvision was announced at the Booksellers Association's annual convention earlier this year, it received little of the attention it would have received at a computer show. "No one seemed to realize \$49.95 was cheap!" Edlin told the newspaper.

It added Edlin was confident despite the lukewarm reception by booksellers. Besides, Edlin is quoted as quipping, "we can always mark it up a couple of hundred dollars and sell it in computer stores."

Aetna offers computer crime insurance



One of the largest insurers of banks in the United States has started offering computer fraud insurance. In announcing the move, the Aetna Life & Casualty Co. of Hartford, CT, is following in the steps of Shand, Morahan & Co. and Lloyd's of London (see *80 Micro*, September 1982).

Aetna is offering its computer fraud coverages as riders to a standard insurance policy carried by many banks called "the banker's blanket bond."

According to a statement from Aetna, the standard policy includes coverage for fraudulently transmitting instructions to, by, or on behalf of a bank. However, that coverage is limited to transactions between a bank and five major systems for transferring funds. Aetna's policy extends that coverage to fraud committed on the bank's computer system.

In a telephone interview, Joseph P. Kiernan, commercial insurance

continued

WHAT DOES 80micro DO FOR YOU?

the magazine for TRS-80* users

- IT**
- provides you with more informaton on your TRS-80* than any other single source
 - gives you 20-30 new programs to use in each of 12 monthly issues
 - reviews, equipment and software so you know what or what not to buy
 - gives you the truth about the TRS-80—its good points and its limitations (80 Micro[®] is not affiliated with Tandy)
 - lets you save money—lots of it—by comparison shopping within the ad pages
 - clues you in on how other TRS-80 owners are using and updating their systems
 - lets you in on what is really happening in the industry
 - brings you Wayne Green's outspoken and often controversial editorials every month
 - and best of all it gives you a no risk subscription offer—

Subscribe today—if you are not satisfied with the first issue—write "cancel" across your invoice and send it back. The 80 Micro is yours to keep.

YES I want 80 Micro

☐ Check enclosed for \$24.97

Bill my ☐ AE ☐ MC ☐ VISA

☐ Bill me


Name _____

Address _____

City _____ State _____ Zip _____

Card # _____ Expire Date _____

Signature _____ Interbank # _____ 32AB8



Canada and Mexico \$27.97, one year only, US funds. Foreign \$44.97, one year only, US funds. DRAWN ON US BANK ONLY.

80 Micro • PO Box 981 • Farmingdale, N.Y. 11737

*TRS-80 is a trademark of Tandy

Please allow 6-8 weeks for delivery

PULSE TRAIN^{continued}

division assistant vice president, said of Aetna's coverage, "It's a part of the banker's blanket bond which eliminates the concern that a loss could occur that might fall between the two policies."

While the standard coverage excludes losses from actions by an employee of one of the big five transfer systems, Aetna's coverage would pick up that loss.

Fraudulent transfers by using a telephone are also excluded from standard coverage, but covered by Aetna, as long as the phone calls are tape recorded.

Aetna's coverages also protect banks from dishonest acts by employees of software contractors and legal liability for acting on fraudulent information sent to them from a bank customer's terminal.


"The premium for all four of Aetna's computer fraud extensions," Kiernan said in the statement from Aetna, "will be less than the cost to purchase the (standard) coverages."

Like Lloyd's computer crime policy, Aetna's only applies to banks. Unlike Lloyd's, however, a bank must buy its blanket bond from Aetna if it wants the additional computer crime coverage. Dick Lahue of Aetna's commercial insurance division explained:

"It's a marketing technique.

"We are a domestic insurer and write 20 percent of the banker's blanket bond premiums in the United States. We offer the coverage because we have a lot of existing customers. Lloyd's is not a domestic carrier, but they do write some business in the United States. They offer a separate computer crime policy so they can go to someone that isn't their customer and try to sell them computer crime."


When you talk to your micro, it programs back



Haters of typing rejoice! Programming by voice is here.

Two Sunbelt

high-tech firms have wedded a voice-recognition device and a program generator, a marriage sure to be blessed by



FISH BACK AND RELAX. After learning about experiments at the University of Pennsylvania revealing the relaxing effect of fish on people, Candle Corporation of Los Angeles, CA, released a fish tank videotape aimed at "helping viewers reduce stress by creating a calming environment." The firm is currently experimenting with other "environmental videotapes," including clouds, fire and waves.

everyone who lives by speech and not the keyboard.

The system—designed by Southwest Microcomputer Systems of San Diego, CA, and Scott Instruments of Denton, TX—uses *The Last One* (a program generator produced by AI Systems, Ilminster, England) to ask a user a series of simple English questions appearing on a CRT. The user responds through a microphone, selecting numbers, indentifying key phrases and labelling operations. Following the Q and A, the computer produces a Basic program.

"Managers, executives, and other white collar workers who are more accustomed to dictation or cannot type will now be able to create their original programs without touching the keyboard," Southwest Micro's President Richard Housand said in a statement.


"Introduction of the system also means that thousands of handicapped individuals will now have the opportunity to become computer programmers and computer users without problems."

The voice-recognition device, Shadow/VET, can recognize any vocabulary—even one consisting of grunts, whistles and other sounds, a feature permitting the severely speech-impaired to use the system.

Using an Apple II and Apple-soft Basic, the system did in an

hour what would ordinarily take a week—create an original error-free computer program of 774 lines.

Maine accent stumps computer



Every day people are discovering computers can do more and more things, but understanding a Maine accent isn't one of them.

According to United Press International, Bell Labs researchers are finding their computers can't understand Downeast talk.

The researchers are trying to design a computer program capable of understanding human language, but when they tested a prototype in Portland, ME, they found the computer heard "four" and interpreted it as "zero."

"When Mainers speak, four is often split into two syllables and the o stressed," New England Telephone Company spokesman John McCatherin told UPI. It comes out sounding like a "fo-wah."

"The computer kept confusing that hard o with the o in zero," he said.

The New Jersey researchers selected Maine as the first test of its system because of the unique

Downeast twang. After the data was analyzed and fed into the machine's memory, the researchers found that when they went back a second time, the computer understood.

First New England v-text experiment launched



The first video-text experiment in New England is being conducted by WGBH, Boston's public television affiliate.

Channel 2 offers a 70-page electronic newspaper and 30-page education section for students. The primary source for the e-paper's information is the Associated Press.

Shelly Isaacson, manager of the project, said the e-paper is loaded into special tv sets located at 22 public sites—several local universities, the science and children's museums, public schools, a bank, an airport and Bloomingdale's.


A person using one of the one-way terminals finds out what's in the e-paper by calling up several indexes. Once a page is called up, a viewer may look at it as long as he or she wants.

continued

PULSE TRAIN_{continued}

Isaacson told 80 Micro WGBH hopes to learn several things from the one-year experiment: possible educational and community applications; the reaction of the Boston market to videotext; and gain some technical production expertise.

Computer mess at SSA



Computers haven't exactly been the savior of the Social Security Administration, according to the *Wall Street Journal*.

Earlier this year, a coding mixup ended up in more than 500 retirees receiving thousands of dollars in overpayments.

To avert the catastrophic consequences of a power failure, the administration invested \$2 million in a complex of storage batteries and jet-powered turbine generators that is supposed to keep the power running at all times. On two occasions this year, the power has failed.

Two power failures, Social Security's Associate Commissioner for Systems John R. Wicklein told the *Journal*, is still better than last year's record without the backup system: 19 power failures.

The administration complained about the problem to the system's builders, Exide Electronic Corp. of Randolph, MA, but the firm maintained the failures are not its fault. To identify who's really at fault, the federal agency proposes to install more high-tech gear: an electronic diagnostic system costing \$659,000.

The agency also has installed a computerized access-control system designed to discourage fraud, theft and damage. The *Journal* reported this system apparently works; however, an employee in Riverside, CA, managed to beat the system for \$104,500.


Todd Skinner, a 34-year-old claims representative at that office, created six clients and had \$3,402 a month funneled into their accounts. On several occasions, Skinner's devilry triggered electronic alerts in the computer sys-

tem. He was told there was something wrong with the accounts and instructed to audit them, an event akin to assigning the fox to guard the henhouse.

Because Skinner had only rudimentary knowledge of computer operations and even had gotten his supervisor's initials wrong when forging them to get computer access, the U.S. Attorneys interviewing him concluded the administration's computer system—which generates \$170 billion in benefit checks a year—offered total vulnerability to lower-level employees bent on fraud.

Wicklein told the *Journal* the agency is installing "intelligent terminals" in the field offices. They will reduce the system's vulnerability by keeping a record of the author of each computer entry and providing an audit trail making it easier for investigators to trace fraud. Unfortunately, the computers now used by the administration can't store the additional information from the new terminals. However, Wicklein said, five years from now, when the new computers arrive, the administration will know all it needs to know.

Micro makes best 3-D tv



The best 3-D tv to date has been produced by Philips Research Laboratories in the Netherlands using a microcomputer.


Philips uses two of its Laser-vision video disk systems and a pair of projectors with special filters to produce 3-D, according to a report in *New Scientist*, a British weekly magazine.

Viewers still need special glasses when viewing the Philips system, but their lenses are polarized rather than red and green.

The images for each eye are recorded on separate video disks. When the disks are played back, a microcomputer synchronizes the frames and passes control signals to the disk player. The player's output is fed into the color tubes of a projection tv, which are carefully aligned to produce a double image in color.

Polarizing filters over the tubes allow viewers wearing the special glasses to see a separate image with each eye.

Chinese trade abacuses for computers




When electronic calculators were introduced, a promotion was held pitting a man and his calculator against a machine—a machine versus mind affair. The results surprised the promoters, who held the event to prove the superiority of the machine. The man won, although he did have one aid, an abacus.

Now, however, even the most hard-core proponents of the abacus—the Chinese—have surrendered to the electronic revolution. The People's Republic has purchased 21 IBM computers to conduct its census. Its censuses in 1953 and 1964 were tabulated by abacus.

The most ambitious census in world history—some one billion people will be counted—involves 1,000 computer technicians, 4,000 data-entry workers, 100,000 coders, a million census supervisors and four million census enumerators.

A proposal to curb piracy



Losses from software piracy amount to 50 to 100 percent of sales, estimated the chairman of the board of VisiCorp of San Jose, CA.

Dan Fylstra said in an interview appearing in *ICP Interface* that pirating appears prevalent on Apple computers. "The Apple has a totally software-driven disk recording scheme where other machines often have it essentially built into the hardware," explained the executive whose firm, formerly Personal Software Inc., is known for its pioneer efforts in marketing VisiCalc.

He maintained moves by the software industry to prevent copying has spun off a new industry: creating copying programs. "There are several of these programs around—including one designed especially to copy VisiCalc," he said.

Fylstra suggested a method to

reduce copying but not backups:

"A possible method would be to sell a diskette and sell some kind of hardware key with it. It could be a chip that you plug into a board, a magnetic card or some other thing that is separate from the disk itself and not easily copied.

"You supply the software and according to an ordinary format, it can be backed up to your heart's content. The software makes many references to the hardware device which has been plugged into the computer in such a way that the software can read it or sense it.

"There you have a situation where anybody can make copies of the software, but it will only run on the machine where the chip is plugged in."

Bronx cheers for electronic cottage



Being wired to your job through a computer network isn't the bowl of cherries futurists would like you to believe it is.

That's the opinion of several computer professionals appearing at an office automation conference held last spring in San Francisco.


In a report in the computer industry newspaper *InfoWorld*, Ralph DeMent, manager of communications systems planning at Digital Equipment Corporation, Tewksbury, MA, said his company's elaborate electronic mail system, which allows staff to send and receive messages at home, gave employees little time for rest.

"There is this competition among my bosses and subordinates," he told *InfoWorld*, "to see which of us is the last to use the system at night and the first to sign on in the morning. I found myself getting up at 5:30 a.m. in order to be the first to send a message."

Don Tapscott of Trigon Systems Group, Toronto, said he used to read his electronic mail before going to bed. "Then I'd look at the ceiling all night thinking about the problems that arose from my mail," he observed.

"The nicest part of the day for me is leaving home for work," Booz Allen & Hamilton's Ira Cotton said of working at home at his computer terminal. ■

80 micro BOOK SHELF



AN INTRODUCTION TO MICROCOMPUTERS, VOL. 0—The Beginner's Book—Written for readers who know nothing about computers—for those who have an interest in how to use computers—and for everyone else who must live with computers and should know a little about them. The first in a series of 4 volumes, this book will explain how computers work and what they can do. Computers have become an integral part of life and society. During any given day you are affected by computers, so start learning more about them with Volume 0. BK1130 \$12.50.*

VOL. I—NEW 3rd Edition! Dedicated to the basic concepts of microcomputers and hardware theory. The purpose of Volume 1 is to give you a thorough understanding of what microcomputers are. From basic concepts (which are covered in detail), Volume 1 builds the necessary components of a microcomputer system. This book highlights the difference between minicomputers and microcomputers. BK1030 \$15.95

KILOBAUD CLASSROOM—by George Young and Peter Stark. Learning electronics theory without practice isn't easy. And it's no fun to build an electronics project that you can't use. *Kilobaud Classroom*, the popular series first published in *Kilobaud Microcomputing*, combines theory with practice. This is a *practical* course in digital electronics. It starts out with very simple electronics projects, and by the end of the course you'll construct your own working microcomputer!

Authors Young and Stark are experienced teachers, and their approach is simple and direct. Whether you're learning at home or in the classroom, this book provides you with a solid background in electronics—and you'll own a computer that you built yourself! BK7386 \$14.95

TOOLS & TECHNIQUES FOR ELECTRONICS—by A. A. Wicks is an easy-to-understand book written for the beginning kit-builder as well as the experienced hobbyist. It has numerous pictures and descriptions of the safe and correct ways to use basic and specialized tools for electronic projects, as well as specialized metal-working tools and the chemical aids which are used in repair shops. \$4.95.* BK7348

• **UNDERSTANDING AND PROGRAMMING MICROCOMPUTERS**—BK7382—A valuable addition to your computing library. This two-part text includes the best articles that have appeared in 73 and Kilobaud Microcomputing magazines on the hardware and software aspects of microcomputing. Well-known authors and well-structured text helps the reader get involved \$10.95*

HOBBY COMPUTERS ARE HERE!! If you want to come up to speed on how computers work—hardware and software—this is an excellent book. It starts with fundamentals and explains the circuits and the basics of programming, along with a couple of TVT construction projects, ASCII, Baudot, etc. This book has the highest recommendations as a teaching aid. \$2.97.* BK7322

THE NEW HOBBY COMPUTERS—This book takes up from where *Hobby Computers Are Here!* leaves off, with chapters on Large-Scale Integration, how to choose a microprocessor chip, an introduction to programming, low-cost I/O for a computer, computer arithmetic, checking memory boards...and much, much more! Don't miss this tremendous value! BK7340 Only \$2.97.*


**BOTH VOLUMES FOR \$4.95!
ORDER HC002**

NEW NEW NEW

INTRODUCTION TO WORD PROCESSING by Hal Glatzer. This book explains in plain language what a word processor can do, how to use one, how it improves productivity—especially in businesses that handle lots of words—and how to buy one wisely. No technical knowledge required, for all first-time users and those considering purchasing a word processor. BK1238 \$12.95

A USER GUIDE TO THE UNIX SYSTEM by Jean Yates and Rebecca Thomas. Here at last is a clearly written book that allows you to use the Unix operating system easily, and at a fraction of the time it previously took. If you're using, evaluating or simply curious about this system, this is your book. BK1242 \$15.99

WORDSTAR MADE EASY by Walter A. Ettlin. Now WordStar is as simple to learn as it is easy to use. This book teaches WordStar in 14 easy lessons, saving hours of hard work. It comes with a convenient pull-out Command Card. BK1239 \$11.95



• **SOME OF THE BEST FROM KILBAUD MICROCOMPUTING**—BK7311—A collection of the best articles that have appeared in *Kilobaud Microcomputing*. Included is material on the TRS-80 and PET systems, CP/M, the 8080/8085/2-80 chips, the ASR-33 terminal. Data base management, word processing, text editors and file structures are covered too. Programming techniques and hard-core hardware construction projects for modems, high speed cassette interfaces and TVTs are also included in this large format, 200 plus page edition. \$10.95.*

DON'T (or How to Care for Your Computer)—by Rodnay Zaks. In plain language, with numerous illustrations, this book tells all the do's and don't's of the care, preservation and correct operation of the small computer system. Specific chapters cover each piece of hardware and software, as well as safety and security precautions and help for problem situations. Have your computer work right the first time and keep it working. No technical background required. For all computer users. BK1237 \$11.95

YOUR FIRST COMPUTER—by Rodnay Zaks. Whether you are using a computer, thinking about using one or considering purchasing one, this book is indispensable. It explains what a computer system is, what it can do, how it works and how to select various components and peripheral units. It is written in everyday language and contains invaluable information for the novice and the experienced programmer. (The first edition of this book was published under the title "An Introduction to Personal and Business Computing".) BK1191 \$8.95*

MICROPROCESSOR INTERFACING TECHNIQUES—by Austin Lessea & Rodnay Zaks—will teach you how to interconnect a complete system and interface it to all the usual peripherals. It covers hardware and software skills and techniques, including the use and design of model buses such as the IEEE 488 or S-100. BK1037 \$17.95.*


Special Interests

MOD III ROM COMMENTED—Soft-Sector marketing, 1981. This book is not an instruction course on machine language, but rather an information source that you can use time and time again for writing your own program or patching old Mod II machine language programs. It contains an explanation of ROMs in the latest machine from Tandy, with most every location of the 14K ROMs listed, with comments. BK1235 \$22.50

THE CUSTOM TRS-80 AND OTHER MYSTERIES—by Dennis Kitz. More than 300 pages of TRS-80 customizing information. With this book you'll be able to explore your computer like never before. Want to turn an 8 track into a mass storage unit? Individual reverse characters? Replace the BASIC ROMs? Make Music? High speed, reverse video, Level I and Level II? Fix it if it breaks down? All this and much, much more. Even if you have never used a soldering iron or read a circuit diagram, this book will teach you how! This is the definitive guide to customizing your 80! BK1218 \$29.95.*

BASIC FASTER AND BETTER AND OTHER MYSTERIES—by Lewis Rosenfelder. You don't have to learn assembly language to make your programs run fast! With the dozens of programming tricks and techniques in this book you can sort at high speed, swap screens in the twinkling of an eye, write INKEY routines that people think are in assembly language and add your own commands to BASIC. Find out how to write elegant code that makes your BASIC really hum, and explore the power of USR calls. BK1221 \$29.95.*

THE CP/M HANDBOOK (with MP/M)—by Rodnay Zaks. A complete guide and reference handbook for CP/M—the industry standard in operating systems. Step-by-step instruction for everything from turning on the system and inserting the diskette to correct user discipline and remedial action for problem situations. This also includes a complete discussion of all versions of CP/M, up to and including 2.2, MP/M and CDOS. BK1187 \$14.95.*



DOS RANDOM ACCESS & BASIC FILE HANDLING—By H.J. Muller. This book was written for the nonprogrammer. It is ideal for the businessman or professional who needs to solve and write special programs for in-house business problems, or the hobbyist who wants to go beyond the cassette recorder and into disk storage and file manipulation. It is written as a self-instruction tutorial and will provide anyone with some Level II experience with the ability to write special programs for inventories, mailing list, work scheduling, record keeping, research project data manipulation, etc. 150 pages. BK1236 \$29.50

TRS-80 DISK AND OTHER MYSTERIES—by Harvard C. Pennington. This is the definitive work on the TRS-80 disk system. It is full of detailed "How to use," information with examples, samples and in-depth explanations suitable for beginners and professionals alike. The recovery of one lost file is worth the price alone. BK1181 \$22.50.*


MICROSOFT BASIC DECODED AND OTHER MYSTERIES—by James Farvour. From the company that brought you *TRS-80 DISK AND OTHER MYSTERIES*. Contains more than 6500 lines of comments for the disassembled Level II ROMs and six additional chapters describing every BASIC subroutine, with assembly language routines showing how to use them. Flowcharts for all major routines give the reader a real insight into how the interpreter works. BK1186 \$29.50.*

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

No C.O.D. orders accepted. All orders add \$1.50 for first book, \$1.00 each additional book, \$10.00 per book foreign airmail. Please allow 4-6 weeks for delivery. Questions regarding your order? Please write to Customer Service at the following address. Use the order card in this magazine or itemize your order on a separate piece of paper and mail to 80 Micro Book Department, Peterborough NH 03458. Be sure to include check or detailed credit card information.

For Toll Free Ordering Call 1-800-258-5473

Basic & Pascal



THE BASIC HANDBOOK—SECOND EDITION—by David Lien. This book is unique. It is a virtual ENCYCLOPEDIA of BASIC. While not favoring one computer over another, it explains over 250 BASIC words, how to use them and alternate strategies. If a computer does not possess the capabilities of a needed or specified word, there are often ways to accomplish the same function by using another word or combination of words. That's where the HANDBOOK comes in. It helps you get the most from your computer, be it a "bottom-of-the-line" micro or an oversized monster. BK1174 \$19.95.*

LEARNING TRS-80 BASIC—by David A. Lien. Dr. Lien, who is the author of THE BASIC HANDBOOK and the original Radio Shack LEVEL I USER'S MANUAL, has compiled a tutorial which includes portions of the original USER'S MANUAL, and most of LEARNING LEVEL II along with extensive additions. It will completely cover the TRS-80 Models I, II, III, and 16 (sorry, not the color or pocket computers). It is, of course, written in the easy learning style which readers of Dr. Lien's books have come to enjoy. BK1175 \$19.95.*

BASIC BASIC (2ND EDITION)—by James S. Coan. This is a textbook which incorporates the learning of computer programming using the BASIC language with the teaching of mathematics. Over 100 sample programs illustrate the techniques of the BASIC language and every section is followed by practical problems. This second edition covers character string handling and the use of data files. BK 1026 \$11.50.*

INTRODUCTION TO TRS-80 LEVEL II BASIC AND COMPUTER PROGRAMMING—by Michael P. Zabiniski. Written by an experienced educator, this is the book for those beginners who want to learn about computers without having to become an expert. It has practical programs, useful line-by-line comments, excellent flowcharts accompanied by line numbers and over 200 exercises which help the reader assess progress, reinforce comprehension, and provide valuable practical experience. BK1219 \$10.95.*

50 BASIC EXERCISES—by J. P. Lamoitier. This book is structured around the idea that the best way to learn a language is through actual practice. It contains 50 completely explained exercises: statement and analysis of the problem, flowcharts, programs and actual runs. Program subjects include mathematics, business, games, and operations research, and are presented in varying levels of difficulty. This format enables anyone to learn BASIC rapidly, checking their progress at each step. BK1192 \$12.95.*

PROGRAMMING IN PASCAL—by Peter Grogono. The computer programming language PASCAL was the first language to embody in a coherent way the concepts of structured programming, which has been defined by Edsger Dijkstra and C.A.R. Hoare. As such, it is a landmark in the development of programming languages. PASCAL was developed by Niklaus Wirth in Zurich; it is derived from the language ALGOL 60 but is more powerful and easier to use. PASCAL is now widely accepted as a useful language that can be efficiently implemented, and as an excellent teaching tool. It does not assume knowledge of any other programming language and therefore suitable for an introductory course. BK1140 \$12.95.*

ADVANCED BASIC—Applications including strings and files, coordinate geometry, area, sequences and series, simulation and graphing and games. BK1006 \$10.75.*

INTRODUCTION TO PASCAL—By Rodney Zaks. A step-by-step introduction for anyone wanting to learn the language quickly and completely. Each concept is explained simply and in a logical order. All features of the language are presented in a clear, easy-to-understand format with exercises to test the reader at the end of each chapter. It describes both standard PASCAL and UCSD PASCAL, the most widely used dialect for small computers. No computer or programming experience is necessary. BK1189 \$15.95

Moneymaking

HOW TO MAKE MONEY WITH COMPUTERS—In 10 information-packed chapters, Jerry Felsen describes more than 30 computer-related, money-making, high profit, low capital investment opportunities. BK1003 \$15.00.*

HOW TO SELL ANYTHING TO ANYBODY—According to *The Guinness Book of World Records*, the author, Joe Girard, is "the world's greatest salesman." This book reveals how he made a fortune—and how you can, too. BK7306 \$2.25.*

THE INCREDIBLE SECRET MONEY MACHINE—by Don Lancaster. A different kind of "cookbook" from Don Lancaster. Want to slash taxes? Get free vacations? Win at investments? Make money from something that you like to do? You'll find this book essential to give you the key insider details of what is really involved in starting up your own money machine. BK1178 \$5.95.*

Business

PIMS: PERSONAL INFORMATION MANAGEMENT SYSTEM—Learn how to unleash the power of a personal computer for your own benefit in this ready-to-use data-base management program. BK1009 \$11.95.*


SO YOU ARE THINKING ABOUT A SMALL BUSINESS COMPUTER—by Richard G. Canning and Nancy C. Leeper. For a well-organized manual on the process of selecting the right computer system for your small business, this text can't be excelled. Designed to introduce the novice in data and word processing to the real benefits of computerization, the book is filled with money- and time-saving tips, photos of equipment, lists of suppliers, prices, explanations of computer terminology, and helpful references to additional sources of information. Everyone contemplating a first computer installation should have this book. BK1222 \$14.00.*

SOME COMMON BASIC PROGRAMS—Published by Adam Osborne & Associates, Inc. Perfect for non-technical computerists requiring ready-to-use programs. Business programs, plus miscellaneous programs. Invaluable for the user who is not an experienced programmer. All will operate in the stand-alone mode. BK1053 \$14.99 paperback.

THEORY Z—How American Business Can Meet the Japanese Challenge—by William Ouchi. Why are the Japanese catching up and surpassing American industrial productivity? What allows Japanese industrialists to offer guaranteed lifetime employment to their workforce? This book will help you understand the Theory Z managerial philosophy and its implications for the American corporate future. Examples are given of the American industrial giants already operating under Z-style management, and the impact of this style on the quality of their executives and workers is explored. A must for the alert businessman, large or small. BK1226 \$12.95.*

80 micro BOOKSHELF

NEW
NEW
NEW



ANNOTATED BASIC—A NEW TECHNIQUE FOR NEO-PHYTES—BASIC programming was supposed to be simple—a beginner's programming language which was so near to English that it could be easily understood. But, in recent years, BASIC has become much more powerful and therefore much more difficult to read and understand. BASIC simply isn't basic anymore.

Annotated BASIC explains the complexities of modern BASIC. It includes complete TRS-80® Level II BASIC programs that you can use. Each program is annotated to explain in step-by-step fashion the workings of the program. Programs are flowcharted to assist you in following the operational sequence. And—each chapter includes a description of the new concepts which have been introduced.

Annotated BASIC deals with the hows and whys of TRS-80 BASIC programming. How is a program put together? Why is it written that way? By observing the programs and following the annotation, you can develop new techniques to use in your own programs—or modify commercial programs for your specific use. *Annotated BASIC* Volume 1 BK7384 \$10.95
Annotated BASIC Volume 2 BK7385 \$10.95
Order Both Volumes and Save! BK738402 \$18.95

Games

CAPTAIN 80 BOOK OF BASIC ADVENTURES—by Robert Liddil. This book contains 80 of the most popular Adventure programs available today; all in one easy to read book with listings ready to be keyed in to your computer. This unique book also contains an ADVENTURE GENERATOR program, not available from any other source. This generator program will actually write another BASIC ADVENTURE PROGRAM! Although specifically written for the TRS-80 Model I & III, these programs are adaptable to other computers using Microsoft BASIC. BK 1240 \$19.95.

40 COMPUTER GAMES FROM KILOBAUD MICROCOMPUTING—Forty games in all in nine different categories. Games for large and small systems, and even a section on calculator games. Many versions of BASIC used and a wide variety of systems represented. A must for the serious computer gamesman. BK7381 \$7.95.*

BASIC COMPUTER GAMES—Okay, so once you get your computer and are running in BASIC, then what? Then you need some programs in BASIC, that's what. This book has 101 games for you from very simple to real buggers. You get the games, a description of the games, the listing to put in your computer and a sample run to show you how they work. Fun. Any one game will be worth more than the price of the book for the fun you and your family will have with it. BK1074 \$7.50.*

MORE BASIC COMPUTER GAMES—Edited by David H. Ahl. More fun in BASIC! 84 new games from the people who brought you *BASIC Computer Games*. Includes such favorites as Minotaur (battle the mythical beast) and Eliza (unload your troubles on the doctor at bargain rates). Complete with game description, listing and sample run. BK1182 \$7.50.*

WHAT TO DO AFTER YOU HIT RETURN—PCC's first book of computer games... 48 different computer games you can play in BASIC... programs, descriptions and many illustrations. Lunar Landing, Ham-murabi, King, Civel 2, Qubic 5, Taxman, Star Trek, Crash, Market, etc. BK1071 \$16.50.*

No C.O.D. orders accepted. All orders add \$1.50 for first book, \$1.00 each additional book, \$10.00 per book foreign airmail. Please allow 4-6 weeks for delivery. Questions regarding your order? Please write to Customer Service at the following address. Use the order card in this magazine or itemize your order on a separate piece of paper and mail to 80 Micro Book Department • Peterborough NH 03458. Be sure to include check or detailed credit card information.

For Toll Free Ordering Call 1-800-258-5473

80 micro BOOK SHELF



Z80

INSIDE LEVEL II—For machine language programmers. This is a comprehensive reference guide to the Level II ROMs, allowing easy utilization of the sophisticated routines they contain. It concisely explains set-ups, calling sequences, variable passage and I/O routines. Part II presents an entirely new composite program structure which unloads under the SYSTEM command and executes in both BASIC and machine code with the speed and efficiency of a compiler. Special consideration is given to disk systems. BK1183 \$15.95.*

• **Z-80 ASSEMBLY LANGUAGE PROGRAMMING**—BK1177—by Lance A. Leventhal. This book thoroughly covers the Z-80 instruction set, abounding in simple programming examples which illustrate software development concepts and actual assembly language usage. Features include Z-80 I/O devices and interfacing methods, assembler conventions, and comparisons with 8080A/8085 instruction sets and interrupt structure. \$16.99.*


TRS-80 ASSEMBLY LANGUAGE—by Hubert S. Howe, Jr. This book incorporates into a single volume all the pertinent facts and information you need to know to program and enjoy the TRS-80. Included are clear presentations of all introductory concepts, completely tested practical programs and subroutines, details of ROM and RAM and disk operating systems, plus comprehensive tables, charts and appendices. Suitable for the first time user or more experienced users. BK1217 \$9.95.*

PROGRAMMING THE Z-80—by Rodney Zaks. Here is assembly language programming for the Z-80 presented as a progressive, step-by-step course. This book is both an educational text and a self-contained reference book, useful to both the beginning and the experienced programmer who wish to learn about the Z-80. Exercises to test the reader are included. BK1122 \$15.95.*



6809

6809 MICROCOMPUTER PROGRAMMING AND INTERFACING—by Andrew C. Staugaard, Jr. Getting involved with Tandy's new Color Computer? If so, this new book from the Blacksburg Group will allow you to exploit the awesome power of the machine's 6809 microprocessor. Detailed information on processor architecture, addressing modes, register operation, data movement, arithmetic logic operations, I/O and interfacing is provided, as well as a review section at the end of each chapter. Four appendices are included covering the 6809 instruction set, specification sheets of the 6809 family of processors, other 6800 series equipment and the 6809/6821 Peripheral Interface Adapter. This book is a must for the serious Color Computer owner. BK1215 \$13.95.*



NANOS SYSTEM REFERENCE CARDS

For Models I, II, III and color computer

At last! No more flipping through the pages of the Basic manual! No more working through the maze of machine language instructions! These cards completely summarize the Basic and Assembler manuals! FEATURES INCLUDE:

memory map, eyeball graphics, math instructions, basic commands, store instructions, basic functions, load instructions, basic statements, move instructions, special keys, exchange instructions, print using examples, shift instructions, basic special characters, compare instructions, basic and assembler messages and codes, branch instructions, basic facts, data

alteration instructions, reserved words, I/O instructions, ROM routines, complete character chart with graphics and space-compression codes, hex-dec chart, control code cross-reference, assembler instructions commands and operators, screen line layout, editor commands & subcommands, condition code easy access

Designed as a fold-up, accordion-style card, fits in your pocket. Panels organized for optimum speed for reference.

Model I: Basic only FC1001	\$2.95
Model I: BASIC and Assembler FC1002	\$4.95
Model II: BASIC and Assembler FC1005	\$5.95
Model III: BASIC only FC1004	\$3.95
Model III: BASIC and Assembler FC1003	\$5.95
Color: BASIC and Extended FC1006	\$4.95
Apple II: BASIC only FC1007	\$3.95
Apple II: BASIC & 6502 FC1008	\$4.95

MICROCOMPUTING CODING SHEETS Microcomputing's dozen or so programmers wouldn't try to work without these handy scratch pads, which help prevent the little errors that can cost hours and hours of programming time. Available for programming is Assembly/Machine Language (PD1001), which has columns for address, instruction (3 bytes), source code (label, op code, operand) and comments; and for BASIC (PD1002) which is 72 columns wide, 50 sheets to a pad. \$2.39.*

ALL NEW FOR 80 OWNERS ENCYCLOPEDIA FOR THE TRS-80*

ENCYCLOPEDIA FOR THE TRS-80 is the newest peripheral for your microcomputer. This ten-volume reference series contains programs and articles especially selected to extend the documentation that comes with the TRS-80. Volumes of the **Encyclopedia** are being issued one-at-a-time, approximately six weeks apart. This means that each new volume will reflect the latest developments in TRS-80 microcomputing. **Encyclopedia for the TRS-80** is available in two editions. The deluxe **COLLECTOR'S EDITION** has a handsome green and black hard cover with a dust jacket. A soft cover edition is also available.

To order single hard cover volumes of the **Encyclopedia** please specify:

Volume 1	EN8101	\$19.95*
Volume 2	EN8102	\$19.95*
Volume 3	EN8103	\$19.95*
Volume 4	EN8104	\$19.95*
Volume 5	EN8105	\$19.95*
Volume 6	EN8106	\$19.95*
Volume 7	EN8107	\$19.95*
Volume 8	EN8108	\$19.95*
Volume 9	EN8109	\$19.95*
Volume 10	EN8110	\$19.95*

To order single softcover volumes of the **Encyclopedia** please specify:

Volume 1	EN8081	\$10.95*
Volume 2	EN8082	\$10.95*
Volume 3	EN8083	\$10.95*
Volume 4	EN8084	\$10.95*
Volume 5	EN8085	\$10.95*
Volume 6	EN8086	\$10.95*
Volume 7	EN8087	\$10.95*
Volume 8	EN8088	\$10.95*
Volume 9	EN8089	\$10.95*
Volume 10	EN8090	\$10.95*

ENCYCLOPEDIA FOR THE TRS-80*

A library of useful information for your TRS-80

ENCYCLOPEDIA LOADER is the software companion to the Encyclopedia for the TRS-80. This special series of cassettes will allow you to load selected programs from the Encyclopedia instantly. Hours of keyboarding time and the aggravating search for typos is eliminated by using the **Encyclopedia Loader**.

Encyclopedia Loader for Volume 1 of the Encyclopedia of the TRS-80 is available at a **Special Introductory Price** of \$12.95 (a \$14.95 value). To take advantage of this offer specify:

EL800111 \$12.95*

Additional Encyclopedia Loaders will be available as each volume of the Encyclopedia for the TRS-80 is issued. To order specify **Encyclopedia Loader**:

Volume 2	EL8002	\$14.95*
Volume 3	EL8003	\$14.95*
Volume 4	EL8004	\$14.95*
Volume 5	EL8005	\$14.95*
Volume 6	EL8006	\$14.95*
Volume 7	EL8007	\$14.95*
Volume 8	EL8008	\$14.95*
Volume 9	EL8009	\$14.95*
Volume 10	EL8010	\$14.95*

SPECIAL INTRODUCTORY OFFER

Order the entire set of the Encyclopedia for the TRS-80 and receive the tenth volume FREE!

10 Volume deluxe hard cover **COLLECTOR'S EDITION**, a \$199.50 value. EN8100 \$164.00 postpaid

10 Volume soft cover edition, a \$109.50 value. EN8080 \$83.00 postpaid

SPECIAL OFFER

All 10 Volumes of **ENCYCLOPEDIA LOADER™**

A \$149.50 value for only \$119.97

EL8000 \$119.97

(shipping included)

No C.O.D. orders accepted. All orders add \$1.50 for first book, \$1.00 each additional book, \$10.00 per book foreign airmail. Please allow 4-6 weeks for delivery. Questions regarding your order? Please write to Customer Service at the following address. Use the order card in this magazine or itemize your order on a separate piece of paper and mail to 80 Micro Book Department • Peterborough NH 03458. Be sure to include check or detailed credit card information.

For Toll Free Ordering Call 1-800-258-5473

Many of us invest \$1,000-\$2,000 in a computer system expecting to make the new hobby pay for itself within a few months. But the payoff isn't always that easy. Either there's no demand for the service you planned to offer, or the competition's too intense (the 12-year-old genius down the street has already cornered the market). The bank on the corner doesn't want a neighborhood hacker to print amortization charts for its customers, and the precocious pre-adolescent programmer (PPP) has already signed up the local bowling league.

If you're still looking for a micro-computer-based home business with a reasonable potential for profit, I have an idea for you.

Computer Astrology


If you're a TRS-80 owner and a practicing astrologer, you have probably already considered (or even acted upon) the possibility of computerizing your operation. This month's column is more for non-astrologers looking to enter the field.

You may be wondering how a neophyte can provide such a technical service competently. Before I address that question, I'd like to bring up another that is probably on many of your minds. Is astrology a valid science or is it a domain of superstition and larceny?

I don't think it matters. If you don't believe in astrology, you can still sell astrological services without feigning hypocritical belief. Don't hesitate to inform your clientele that you don't place much stock in astrology. Surprisingly, such an attitude doesn't seem to discourage business. Perhaps people are impressed by candor and impartiality.

You have two sets of potential clients. You can deal directly with people who desire astrological consultation, or you can offer support services for professional astrologers.

There are probably more practicing astrologers in your area than you realize. Most of them don't own their own computer, except perhaps for an inexpensive special purpose computer (SPC). Astrological SPCs are fairly useless to practicing astrologers because of their limited scope and their inability to produce printouts.



Interfacing your micro with the stars

Whether you serve the general public or other astrologers, you will have to learn something about astrology. Most consultations will require casting a natal (astro jargon for birth) horoscope if the client doesn't know his. This used to be a somewhat arduous task requiring the availability of several special reference tomes, such as ephemerides, a time-changes book and rigorous calculations.

There are several pitfalls to casting a chart by hand. The most obvious is miscalculation, and the other is discovering the time zone of the natal event. Time-zone borders often don't follow lines of longitude. Also, they shift from time to time, hence the requirement for such books as *Time Changes in the U.S.*

Astrologers frequently have to decide how to handle clients who don't know their precise time of birth. The most common solutions include attempting to determine the moment of nativity by an astrological process known as rectification, or just drawing the chart as if the birth occurred at noon or midnight.

Microcomputer software has automated most of the tedium of horoscope casting, virtually eliminating calculations. But you still need to know enough about the field to overcome the other problems I described. There are many astrological texts available to guide you. If you'll be working with a professional astrologer, he could probably lend you the books you'll need,

and guide your studies.

Radio Shack offers a program for casting horoscopes. I don't recommend it. The program's main inadequacy is that it doesn't allow you to enter the time zone of the nativity. It tries to deduce the time zone from other information. Since that's impossible without a huge data base, the program sometimes fails resulting in an inaccurate chart.


Matrix Software, of 315 Marion Ave., Big Rapids, MI 49307, is the hero of this column. They offer a variety of astrological programs, including horoscope casters. None of Matrix's programs deprive you of the opportunity to enter the proper time zone. The Matrix software also has options that accommodate many of the divergent astrological schools. The horoscope may be tropical or sidereal, geocentric or heliocentric. It can include asteroids, Uranian planets, and Arabian parts. A large number of house systems are also supported. They draw attractive, professional looking charts on a printer. If you have an Epson, they will actually draw the astrological glyphs. The chart programs also print tables reiterating the data depicted on the chart.

Matrix also has a program to interpret charts. It produces a lengthy printout similar to those provided by mainframe computer astrology services like Astro Flash.

Most of Matrix's software is affordable—in the \$15-\$100 range. But the interpretation package costs—hold on to your hat—\$500. You shouldn't buy it unless you're planning to make it work for its keep.

If you decide only to run a service for professional astrologers, the programs Matrix offers can do a lot more than draw charts and give canned interpretations. They can perform rectification; calculate midpoints, parts, progressions, and returns; and numerous other factors. In short, they can drastically simplify the work of a professional astrologer. But you have the TRS-80 and the astrologer doesn't, ha, ha, ha! Since astrologers won't ask you to elaborate on the computer's interpretation, your lack of astro-awareness won't be much of a hindrance.

BENEATH the KEYBOARD



Shown: "80" MDX DEMI-CASE

Encloses LNW & MDX I & II
P.C. Boards, plus
Cabling, A/C Cords, etc.
Silver-gray Fiberglass

\$32.50 plus \$2.50 shipping
N.Y.S. residents add 7% tax

SYRACUSE R&D CENTER
Box 125, Dewitt, N.Y. 13214
"Specializing in Electronic Packaging"

☆☆ SUPERTM ☆☆☆ ISA's DATABASE

The only DBMS with all these features:

- ★ PROVEN in one year of test marketing
- ★ TOUGH, reliable file structure
- ★ MENU driven for simplicity and easy use
- ★ ARITHMETIC with stored calculations
- ★ FAST set-up and report formatting
- ★ CLEAR user-oriented documentation
- ★ PRINTS totals & subtotals - mail labels
- ★ REFORMATS and merges data files
- ★ MULTI-DISK files: Up to 128K records
- ★ SORTS full disks on up to 40 fields
- ★ PRODUCTION input of repetitive data
- ★ USE existing data files
- ★ COUPLES to word processors
- ★ POSTS transactions to master file
- ★ SEARCH by strings, ranges, comparisons
- ★ DATA COMPRESSION: Over twice as many labels as the other system

For TRS-80[®] Models I, II, III, & 16 - 250.00
CP/M[®] - 295.00

Ask your Dealer or Write: 351

Institute for Scientific Analysis, Inc.
P. O. Box 7186, Dept. M-2
Wilmington, DE 19803 (215) 358-3735

*T.M. Tandy Corp.

†T.M. Digital Research

C/BS SAVES YOU TWICE

•Only \$39⁰⁰ each!

•You can recover the cost the first week!

Introducing: "INVOICE" - Models I & II

- Print invoices from Radio Shack Inventory Control I package (#26-1553)
- Produce plain-paper invoices by entering Stock No. and quantity. Description and price retrieved from Inventory file.
- Prices extended and totaled.
- Manual entries allowed.

Introducing: "SERIES-PRINT" - Model II

- If you use VISICALC for more than two files "SERIES-PRINT" will greatly benefit you.
- Print up to 100 VISICALC DIF files without operator intervention.
- No longer necessary to load a file, print, load another, print, etc., etc...
- Tell "SERIES-PRINT" a range of file names and relax while your computer does your printing.
- Requires 64K Model II with 132-character printer (and, of course, VISICALC)

COMPUTER / BUSINESS SERVICES

28333 Suburban Drive, Warren, MI 48093
VisiCalc & DIF are trademarks of VisiCorp.

Testing the Market

A possible approach would be to obtain Matrix's catalogue and show it to local astrologers. If any would like the benefit of some of the programs, arrange on a price per run. Then buy the programs and you're in business.

I took a slightly different approach. I wasn't interested in starting an astrology business, but I wanted to be able to report on the feasibility of making such a venture fly. Armed with complimentary software from Matrix I introduced myself to Judy Havey, our area's leading astrologer. I explained what I was doing and showed her a sample of my (TRS-80's) work. She was impressed.

Judy charges \$40 for an initial consultation. This includes drawing a horoscope and one hour of consultation. We decided that I could charge \$5 for a computer chart and \$25 for a computer interpretation. Judy told me her preference in house systems, aspect orbs, and other details, and I agreed to abide by them. That way, if a customer had me print a chart, he or she could take it to Judy and get \$10 off on her initial consultation.

We developed a mutual referral arrangement. Whenever a customer approached me, I'd disclose my agnostic attitude toward astrology. I'd also let them know that if there is anything to astrology, no canned interpretation, no matter how good the program, was likely to be as good as a human's chart analysis. I'd tell the customer that he

or she might get a better interpretation from Judy, but for a higher cost. Everyone who approached me elected to have me do a chart and interpretation, despite all my disclaimers.

"Microcomputer software has automated. . . the tedium of horoscope casting."

After reading the program's print-out, if any of my customers wanted more detailed information, or additional astrological counseling, I would send them to Judy. Judy, on the other hand, would refer customers that couldn't afford her services to me.

I ran a small classified and display ad for a few weeks in a local newspaper. The two ads cost me less than \$20 a week. They paid for themselves, but just barely. Shortly after starting this experiment, I got involved in writing a book called *Inside Super Utility*. Then my computer system blew up. I had to drop the astrology project and turn all my attention to getting the book out.

If I had bought the astro software, I would have suffered a near total loss on my investment. If, on the other hand, I had continued my efforts, and possibly increased my advertising, I probably would have done well. A word of warning: Matrix doesn't want its interpretation program customers competing with each other. Before they will sell you the program, you must sign an agreement prohibiting you from offering your services through national advertising.

Oh, Something Else

Here's a news bulletin for you business types. Kim Watt, of Super Utility fame, is teaming up with Micro Systems Software, authors of DOSPLUS, to create a brand new operating system for the Model II. Judging this team by the past accomplishments of its individual players, the finished product ought to be an improvement over existing Model II operating systems. ■

The Chicago FM Club

presents

THE 12TH ANNUAL

RADIO EXPO '82

SEPT. 25TH & 26TH



THOUSANDS OF DOLLARS
WORTH OF DOOR PRIZES

LARGEST EVER Flea Market

"LUV-EXPO" (312) 588-3976
\$3.00 IN ADVANCE - \$4.00 AT GATE

Lake County Fair Grounds
Intersection Rts. 45 & 120
Grayslake, Illinois

RADIO EXPO TICKETS
P.O. BOX 1532, EVANSTON, IL 60204




computer

DISPLAYS BY MAJOR
MANUFACTURERS

502

LOAD 80 LOADS EASY



ELIMINATE HOURS OF TYPING AND AGGRAVATION

**LOAD 80 cassettes* for BACK ISSUES
of 80 Micro now available—**

In the April, 1981 issue of 80 Micro we introduced **LOAD 80** to save you the time and trouble of typing our programs yourself. **LOAD 80** cassette tapes contain dumps of the major program listings in 80 Micro.

If you have not yet ordered any **LOAD 80** tapes and wish you had, don't worry. We are now offering a "back issue" cassette program. You can order any **LOAD 80** cassette from April, 1981 to date for \$9.97. Back issues of 80 Micro are also available with the **LOAD 80** cassettes for \$3.50. With the complete documentation found in the companion magazine issue, you should have no difficulty loading any of 80's major programs.

*Disks available from March 1982 to present

Please send me the following:

month year month year
Tapes _____ Magazines _____

ITEM	COST	QTY.	TOTAL
LOAD 80 Tapes add \$1.50 per tape for postage and handling	\$9.97		
80 Micro add \$1.00 per magazine for postage and handling	\$3.50		
TOTAL			


☐ Check Enclosed Bill my: ☐ MC ☐ AE ☐ VISA

NAME _____
ADDRESS _____
CITY _____ STATE _____ ZIP _____
CARD # _____ EXP. DATE _____
SIGNATURE _____ INTERBANK # _____

Please allow 6-8 weeks for delivery
LOAD 80 • 80 Pine Street • Peterborough NH 03458
Attn: Debra Boudrieau

for the TRS-80 from Micro-Mega

The Original GREEN-SCREEN



The eye-pleasing Green-Screen fits over the front of your TRS-80 Video Display and gives you improved contrast with reduced glare. You get bright luminous green characters and graphics like those featured by more expensive CRT units.

Don't confuse the Original Green-Screen with a piece of thin film stuck to the face of your video tube, such as that advertised by others. The Original Green-Screen is mounted in a full frame perfectly matched to the color and texture of the TRS-80 Video Display. It is attached with adhesive strips which do not mar your unit in any way.

The full frame design of the Original Green-Screen "squares off" the face of your video display and greatly improves the overall appearance of your system.

(Specify whether for Model I or Model III)

THE GREEN-SCREEN.....\$13.95
Add \$1.50 for postage and handling.

Terms: Check or money order, no CODs or credit cards, please. Add amount shown for postage and handling to price of the item. All items shipped within 48 hours by first class or priority mail. Virginia residents, add 4% sales tax. ✓162

Micro-Mega • P.O. Box 6265 • Arlington, Va 22206

TRS-80* Customers complaining of tape loading blues?

DEALERS HELP THEM!!


With two new products for home enthusiasts and the small volume software producers. The—

DATA CONDITIONER (suggested retail \$ **69.95**)
and

COPY CONDITIONER (suggested retail \$ **149.95**)

**COMPLETE COMPUTER/CASSETTE INTERFACES WHICH
PRODUCE SUPERIOR RECORDINGS AND ELIMINATE
CLOAD ABORTS.**

**WRITE or CALL FOR DEALER
INFORMATION & PRICES**



WE ALSO DO CUSTOM PRODUCT DESIGN & MANUFACTURING



COLE'S CONSULTANTS, INC.

COMMUNICATIONS SYSTEMS LABORATORIES

ELECTRONICS

94-165 LEOKANE STREET

PHONE

R & D

WAIPAHU, HAWAII 96797

808-677-3380

DESIGN

FOR RETAIL ORDERS CALL 24 HR. TOLL FREE

MANUFACTURING

1-800-367-5134

CONSULTATION

* TRS-80 is a trademark of Tandy-Radio Shack ✓361

It is easy to understand why Model II owners sometimes feel frustrated. Information on the computer is slow in coming, there are only a few expensive utilities, few books.... This month's column will open with two suggestions for Model II users. We discovered them only recently.

First, for several months we were annoyed by an episodic problem with back-ups. Certain disks would begin the back-up process perfectly, then suddenly the back-up would abort and the error message "Illegal Disk Access Operation Aborted" would appear on the screen. At first we thought there must be a hardware bug, but when we found that the same disks would refuse to back-up on any Model II we were very perplexed. After losing our entire mailing list by this strange error, we finally stumbled onto the solution almost by accident.

There is a software incompatibility between TRSDOS 2.0 and TRSDOS 2.0a. Occasionally a secretary would boot-up the Model II with a 2.0a disk, then in the course of the day's work, interchange disks containing TRSDOS 2.0 with only a warm boot. There was no software warning that a mistake had been made, but files being written to 2.0 disk were usually making the disk impossible to back-up.

The solution is quite simple: Use TRSDOS 2.0a exclusively. We have transferred all software to this version, and erased all copies of earlier TRSDOS versions. We have had no further difficulties.

Second, we have also discovered the solution for another TRSDOS back-up problem. TRSDOS' back-up is so slow (approximately 11 minutes) that it is virtually impossible to get secretarial cooperation to do daily, weekly, monthly and yearly back-ups as recommended.

The slow back-up was unnecessary. My Pickles and Trout CP/M did a complete back-up with verification in less than one minute. Three companies have now produced software to provide TRSDOS users with the same efficiency in back-up. Compliance with back-up routines in our clinic has increased dramatically with this program. (One company marketing the rapid back-up is Racet's, \$75.)



Model II for your medical office

Model 16

I have just had the opportunity to use a Model 16. Tandy's microcomputer catalogue gives its overall dimensions as $14 \times 2\frac{1}{4}(!) \times 23\frac{1}{2}$. Its correct dimensions are $14 \times 21\frac{1}{2} \times 23\frac{1}{2}$. The keyboard itself seems slightly more compact than the Model II, however this could simply be an optical illusion because of the Model 16's color difference.

For our clinic the Model 16's primary advantage will be the two data-terminal capability it provides. In time we plan to upgrade our Model II to the Model 16. We intend to install one terminal at the front desk for scheduling and information. Another terminal will be installed at the insurance clerk's desk. The computer itself, along with the hard-disk drives, will be put in the accounting office.

I am told that the Model 16 is selling well. We plan to wait until sufficient software is available for it before we purchase the upgrade board for our Model II. This should allow enough time for any Model 16 hardware and software bugs to be removed.

Our clinic not only plans to upgrade the Model II, but also our trusty Model I. We will add Radio Shack's new double-density board (made by Percom). During office hours the Model I will continue to be used primarily for secre-

tarial word processing.

We are purchasing Superscript with the spelling dictionary. Superscript is much like Model II's Scriptit 2.0, and appears to be an excellent program, particularly when combined with the spelling dictionary. For routine medical letters, our secretary is happy with the original Model I Scriptit enhanced by Acorn's Superscript modification. However, our clinic is very active in health education and Superscript will give us better capability for handout preparation and mass mailing of "personalized" computer letters.

For personal use, my favorite word processing program is still Wordstar, but since it is a little slow on the Model I, and we do not have any CP/M spelling dictionary, a simpler, faster program is more efficient for office use.

Model II Versafile

One computer area which we have yet to utilize in our office is information retrieval and filing. Whenever my wife looks at my office, she accuses me of having a bad case of "the piles!" I always have stacks of magazines waiting to be filed. For me, filing is complicated by a poor memory. It is not enough simply to file an article—I must go to the extra work of making several cross-references or I may never be able to find the article again. An internist neighbor of mine, Dr. John Williams, has found Model II Versafile to have solved the filing problem for him.

When he first mentioned Versafile, I almost had renal shutdown. My experience with this program had been very negative. In fact, Versafile was the first non-word processing program I ever used on the Model I. I found it slow. It had upper/lowercase quirks making it seem unreliable for my purposes. Within hours after trying it, I returned the program to the local Radio Shack store.

Versafile on the Model II is far superior, however. It is much faster. Furthermore, a caps lock is available. By removing *no* words, letters or phrases and building the key words around the body systems (cardiac, pulmonary, endocrine, CNS, GE, renal and others are the key words Dr. Williams uses). The system works quite well for information retrieval.

Dr. Williams reads all journals seated at his computer. He types in his own abstract containing the reference and any important points he wants to be able to recall. When he has finished reading an article in this manner, he throws it away.

He has now used Versafile for over a year. When he wants to review the literature, Versafile quickly searches all references and prints out an abstract and bibliography of pertinent articles. If his abstract fails to provide sufficient information, he gives a copy of the bibliography to the librarian in the morning. She is able to pull all necessary journals for him by noon. He is well pleased with this method, feeling that it saves him time and space. He fanatically keeps *two* back-up disks, so nothing will destroy his complete cross-referenced file.

Dr. Williams uses his Model II in his practice to assist him with his diabetic patients. He uses a Basic program which evaluates five-hour GTT results with a graph and interpretation. A copy and explanation of this report is given to every patient. He has found this simple routine has increased patient compliance with dietary instruction.

Readers' Questions

Readers have contacted me by phone and letter. I have been unable to answer the following questions. There are many knowledgeable readers who might be able to help.

Several physicians have inquired about differential-diagnosis software. At present I know of no such programs for micros. It should be possible to have a differential-diagnosis program in a limited area, such as low-back pain. Drop me a line if you are aware of such a program.

One physician has asked about drug-interaction programs. I have used only one such program. It contained such a limited data base, however, that I do not feel it would be of any significant use in an active clinic. Physician-programmer Mark Spohr has told me he is working on an advanced drug-interaction program; it has not been completed. Reader input on any such programs will be welcomed.

A non-physician reader has noted the high percentage of ham-radio operators among computer enthusiasts. He claims his wife would like a psychiatrist

among our column readers to explain this association so that she could better understand his affliction. Any professional opinions on this phenomenon? If it's a *good* alibi, I may use it on my own wife!

A physician asked about using his Model I as a terminal for Medline for easier literature searches at his office and home. I know nothing about the various phone services—even Compu-Serve is \$20/hour from our location—so we have not considered using it. Any help from metropolitan readers?

There are two groups of physician computer users which I have yet to hear from: Color Computer and Pocket Computer users.

The low-cost Color Computer certainly has potential in the waiting room for health-education purposes. The Pocket Computer has application in the clinic lab for calculations. We are considering purchasing the PC-2 for nerve conduction-velocity determinations. (I am having a hard time seeing much use for a four-color printer, however.)

Our most distant correspondent, Dr. Robinson, writes from England. His letter provides a glimpse of the programming needs British physicians have with socialized "medson." His letter is interesting, and it will be published in *80 Micro* in an upcoming issue. Here is part of it:

"In the U.K., considerable interest has been aroused in medical computing, especially for Family Practitioners. We frequently practice in groups (2-7), and with 2,200 patients each, patient records pose a problem. At the moment, there are 12 companies selling packages for patient records, a few of which are suitable for Tandy's. However, because of the fact that patients are not actually paying directly for our services, the packages differ markedly from those in the U.S.A. A major interest is in screening of patient populations for hypertension, cervical smear recall, infant vaccinations, endocrine (diabetes, thyroid) monitoring.

"Another major feature of our packages is repeat prescribing. Drug prescriptions cost the patient either nothing or \$3. However, they have to be written, or at least signed, by the physician, and this in itself can be a time-consuming task. It also makes the task of monitoring prescribing habits difficult, and also clouds the mind when it

NEW 1983 SOFTWARE FOR MODEL I/III



CONSUMER SOFTWARE AT WHOLESALE PRICES

"... OVER two years of research and development have gone into these sophisticated software selections."

MICROSCRIPT™, the professional word processor at an affordable price! For novice and speed typists alike. Bells & whistles? You bet! A serious masterpiece which fills the void in any program library \$24.95

MANAGEMENT SYSTEM II™, the full-blown files & labels program with "Lightning Sort" is here! Files can be created, added, updated, listed, deleted or saved to tape or printer. Includes Merge, search total and label printing \$24.95

GENERATIONS™, the Genealogy Program. Trace your roots in the format recognized by genealogists worldwide. Create your family tree and compile information for all descendants on file \$19.95

FREE CATALOG Circle Reader Service NBR.

MICRO SHORT™. Enjoy the convenience of programming shorthand, 27 statements and 9 commands at the stroke of a single key. A must for any programmer \$14.95

MICRO MATH™, an educator endorsed program now available to the general public. Four basic math functions, hone skills of all ages. Unique graphics, full dimensional sound. Report card & wrong answer retrieval. Printer routines included \$16.95

SUPER LOG™, the ultimate logkeeping system for amateur radio operators. Features column headings found in conventional radio logs, nothing is left out! FREE call sign duplicating program included \$19.95

AMATEUR RADIO THEORY REVIEWS™. Upgrade successfully! Pass the FCC Exam. Over 85% of our customers have passed! Experience an approach to learning even textbooks cannot provide. Specify License Class \$24.95

— MANY MORE —

MICRO-80™ INC.
E. 2665 Busby Road
Oak Harbor, WA 98277
1-206-675-6143

132

comes to spotting drug interactions!"

Dr. Robinson's Newsletter suggests that Tandy is about to release a Model III with hard disks. I have been unable to confirm that information, but it certainly is a possibility. The British Newsletter can be obtained from:

Dr. N.D.P. Robinson
The Residency
Northwick Park Hospital &
Clinical Research Center
Watford Road, Harrow
Middlesex HA1 3UJ
United Kingdom

To close this month's column, I have some caveats on choosing medical software:

First, never purchase software on the basis of one raving magazine review. I have wasted nearly \$1,000 on programs which I heartily dislike that some reviewer found titillating. Tastes vary, and magazines are sometimes under pressure to publish reviews favorable to products that they advertise. Support magazines that give hon-

est reviews.

Second, don't refuse to consider software just because it received a terrible review. It may be a bad program, but it may also be reviewed by someone with greatly differing needs and perspective than you. (After saying that, I won't bother with any software review for this column this month!)

Third, insist on a refundable demonstration disk. Be willing to purchase the documentation. When testing the software, evaluate critically the time-consuming end-of-month routines, ease of installation, error trapping (make several deliberate errors, push the program), accuracy of mathematics over \$10,000 (use numbers that include the numeral 5 to check for rounding errors).

Fourth, determine if the company will give you the support your clinic needs. Our clinic, for example, does not need much support; other clinics may need a great deal. As a rule discounted software often means an older version, a new version is about to be


produced, or the company will not give much assistance.

Fifth, allow time for the office to accept and use software. We have found that it helps to have the actual user make the final choice.

Sixth, if you find particularly helpful software, drop me a line or give me a call. It may be just the software another clinic is looking for. I'll try to mention it in the column.

Finally, encourage others to purchase Radio Shack computers. Right now many physicians are considering the purchase of a computer. For reasons I don't understand, the Apple computer is very popular. Its keyboard system is archaic. In our city, the nearest repair center is 300 miles away. Several local companies have folded, leaving little support. Most users end up purchasing a CP/M card and using it as a very expensive Z80 computer. I can't recommend it.

The Model II is cheaper, faster, and I believe better for most business purposes. ■




TRS-80 MODEL II | **TRS-80 MODEL 16**
64-K \$3000 | 128-K \$4825
26-4002 | 26-6002

8.4 MEGABYTE HARD DISKS (PRIMARY UNIT) \$4000.

WE ALSO CARRY EPSON AND OKIDATA
PRINTERS, XEROX 820 AND
ALTOS COMPUTERS.
NO OUT-OF-STATE TAXES.

Sold with the manufacturer's limited warranty. Copies
of such warranty may be obtained for review from
Perry Oil and Gas Co.



TRS-80 MODEL III
48-K \$1950 | 16-K \$819
26-1066 | 26-1062
WITH 2 DISK RS-232 TAPE VERSION
(ALL RADIO SHACK EQUIPMENT)



TRS-80 COLOR | 16-K \$309
26-3002 | 26-3004
16-K \$425 | 32-K \$525
26-3002 | 26-3003

COLOR DISK DRIVES
0- \$475 | 1-2-3- \$315

— T.M. TANDY CORP.

WE ACCEPT
CERTIFIED CHECKS,
CASHIERS CHECKS
AND MONEY ORDERS.

PERRY OIL & GAS INCORPORATED

Dept. No. A-1 137 NORTH MAIN ST., PERRY, MICHIGAN 48872

PHONE (517) 625-4161, MICH

FOR OUR PRICES, PLEASE CALL TOLL FREE **1-800-248-3823**

Announcing:

LOG

ELECTRONIC NOTEBOOK

LOG: Documentation	PAGE 2	08 02 81	16 01 00
CONTENTS			
Cursor positioning commands	pages 3-4		
Page positioning commands	pages 5-7		
Write commands	pages 8-11		
Lineprinter commands	page 12		
Special commands	pages 13-14		
Search command	pages 15-20		
New page creation	page 21		
Entry options	pages 22-26		
Exit	page 27		
Technical Information	pages 28-33		
Suggestions for use	pages 34-37		

continue to next page

A totally new concept in small-scale information management for the TRS-80 (R). LOG is an assembly language utility which fills the gap between text editors and data base managers to provide a true free-form information storage and retrieval system with unheard-of ease of operation.

LOG-CMD creates on a formatted diskette a LOG file from 1 to 170 pages long, each page containing 1 full screen of information. Pages are accessed individually or sequentially, as if thumbing through a book. Information is added, updated, or deleted from each page in free form by an integral cursor-oriented text editor. Each diskette becomes a separate organized notebook to use and re-use as you please.

Insert, Delete, Tab, Clear, and full cursor positioning are supported, as well as blinking cursor and auto-repeat. All functions operate with the ease of a single keystroke including Global Search. Output to printer is provided. LOG can even be accessed from BASIC without loss of program.

Why, when you own a computer, do you still keep records by hand? Throw away your pencil and paper! Use your computer as you never dreamed of before!

Model I	32 or 48K	\$44.95	(uppercase only)
Model III	32 or 48K	\$49.95	(uppercase/lowercase)

(minimum system: 32K, 2 disk drives,
DOS 2.3 (I) or 1.3 (III) required)

Write or Call for further information:

KSoft (601) 992-2239
318 Lakeside Drive
Brandon, MS 39042

MasterCard and Visa accepted.
MS Residents pay 5% sales tax.
We pay shipping and handling.

(TRS-80 is a trademark of Tandy Corporation)

✓331

INNOVATION -- QUALITY
SUPPORT

PIONEER SOFTWARE
1746 NORTH WEST 55TH AVE. #204
LAUDERHILL, FLORIDA 33313
PHONE 1-(305)-739-2071

PIONEER

SCRIPTR

BUY BOTH (SCRIPTR + CRAYON) THIS MONTH + GET \$10 OFF

- NEW! GRAPHTRAX! - ITALICS - UNDERLINE - DOUBLE-EMP - JUSTIFY TEXT.
NEW! DIAL-A-PRINT - GET LETTER QUALITY BY REPRINTING LINES
1). ENTER/EXIT SCRIPTR AT WILL WITHOUT LOSING TEXT BUF.
2). OUTPUT ANY CODE (S) (0-255), DIRECT FROM THE TEXT.
3). SIMPLE COMMANDS CONTROL ALL: MX-80 TYPE FONTS FROM THE TEXT PLUS VAR-LINESPACING, FORMS, TABBING + MORE
4). WRITE FORM LETTERS AND INPUT DATA INTO REPORT FORMS
5). DISPLAY ONLY MODE HELPS SHOW WHERE PAGES START/END.
6). EDIT MODE FOR ERRORS, CHANGES, GRAPHICS OR PAUSING.
7). PRINT OUT ANY PAGE OR PAGES IN THE TEXT BUFFER WITH HEADERS, FOOTERS AND PAGE NUMBERS IN PLACE.
8). PRINT OUT FULL SCREEN PICTURE FILES MADE BY CRAYON!
9). 7 SAMPLE TEACHING PROGRAMS TAKE YOU STEP BY STEP.
10). 66 PAGE MANUAL, BOUND, INDEXED, COMPLETELY REVISED.
11). WORKS WITH ANY PARALLEL PRINTER, OTHER VERS. FOR --
NEW! MICROLINE-80 + 820, PROWRITER + LP IV. + VIII. + F-10
NEW! DAISY WHEEL 2 VER. 2 ALLOWS SUB/SUPER SCRIPTING 12", 12"
NEW! + PROPORTIONAL-UNDERLINING-1 1/2 LINE SPACING-SLASH
NEW! ZERO'S, EMPHASIZED PRINTING, MULTIPLE PASS PRINTING.

MX-80 VER. WORKS WITH/WITHOUT GRAPHTRAX-MOVE UP ANY TIME!
DISK SCRIPTR MOD 1/3 = \$40.00 MOD III, VERSION WORKS WITH
MODEL I. SCRIPTR/LC - NO USER PATCHING REQ. FOR MOD 1/3
CASSETTE SCRIPTR MOD 1/3 = \$40.00 WORKS WITH REG. SCRIPTS.
1.0 FOR MOD 1/3 REQ. 32K, LC/MOD SCRIPTR IS A 5.5K PROG.
SEND FOR OUR FREE BROCHURE THAT DEMONSTRATES ALL FEATURES
SCRIPTR IS WELL DOCUMENTED AND BUG FREE! CUSTOMER SUPPORT
SATURDAYS + EVENINGS FOR YOUR CONVENIENCE. FREE BROCHURE!


*** PLEASE INCLUDE THIS INFORMATION WHEN ORDERING ***
NAME: _____ MODEL: 1 OR 3 _____ CASSETTE/DISK
ADDRESS: _____ TYPE PRINTER: _____ SCRIPTSIT VER. #
CITY/STATE/ZIP/PHONE: _____ MEMORY SIZE: _____ PAYMENT METHOD
CHECKS - MONEY ORDERS - COD'S ACCEPTED

CRAYON

CRAYON IS A GRAPHICS DESIGN UTILITY THAT NO TRS-80
OWNER SHOULD BE WITHOUT. CRAYON DOES IT ALL!!

YOU'VE SEEN THE ADS FOR OTHER DRAWING PROGRAMS. SOME
CHARGE AS MUCH AS \$150.00 FOR THE ABILITY TO ADD GRAPHICS
TO YOUR PRINTOUTS. CRAYON ISN'T A CONVERTED TEXT PROCESSOR
CRAYON WAS DESIGNED FROM THE GROUND UP TO GIVE YOU THE
VERY FINEST GRAPHIC'S EDITOR POSSIBLE. COMPLEX GRAPHICS
REQUIRE ROUTINES TO MOVE AND MANIPULATE GRAPHICS THAT NO
TEXT PROCESSOR CONTAINS. ALSO CRAYON PRODUCES SUPER HIGH
SPEED GRAPHICS! NO OTHER PROGRAM CAN DO AS MUCH FOR AS
SMALL AN INVESTMENT. IF YOU ALSO BUY SCRIPTR YOU CAN
LOAD CRAYON FILES DIRECTLY INTO SCRIPTSIT DURING A PRINT-
OUT. BEFORE YOU WASTE YOUR MONEY ON HALF A PROGRAM CHECK
OUT CRAYON'S MANY FEATURES. CRAYON DOES IT ALL!!


- 1). TYPESET LOGO'S - LETTERHEADS - ENVELOPES - BUSINESS
CARDS AND OTHER OFFICE FORMS. THIS AD WAS TYPESET
FROM AN MX-80 PRINTOUT THEN SHRUNK. COST = \$4.50
IF AD WAS TYPESET AT A PRINTSHOP THE COST = \$200 +
- 2). CREATE AND RUN REAL CARTOONS WITH CRAYON AND THEN
RUN YOUR CARTOONS FROM BASIC AT ASSEMBLY LANGUAGE
SPEEDS. SPEEDS OF 35 FRAMES/SECOND POSSIBLE. USE IT
TO DESIGN DISPLAYS FOR USE IN BASIC & ASSEMBLY PROG'S
- 3). MANAGE DISKETTE DIRECTORIES, PRINT THEM, SEARCH THEM,
COMMENT THEM. MOD 3 DIR. WORKS ON A TRSDOS SYS. ONLY.
- 4). DRAW ANYTHING YOU DESIRE ONTO THE SCREEN AND PRINT IT
OUT OR SAVE IT TO DISK/TAPE - UP TO 30 SCREENS/FILE.
- 5). MANAGE AN APPOINTMENT SCHEDULE, KEEP RECORDS, LISTS OR
MENU'S. SAVE/RECALL INFORMATION QUICK AND EASY.
- 6). PERFORM ALL VIDEO WORKSHEET FUNCTIONS RIGHT ON SCREEN

- 1). USER FRIENDLY / 42 PAGE DOC'S, OFFSET PRINTED, INDEXED
- 2). NINE CHARACTER USER DEFINED CURSOR.  TYPE
- 3). 16 LETTER COMMANDS FOR GRAPHICS ENTRY.
- 4). COPY CHARACTERS IN ANY DIRECTION FAST.
- 5). UPPER/LOWER CASE SUPPORT WITHOUT DRIVERS.
- 6). DO ALL OF THE FOLLOWING ON VARIABLE LENGTH LINES->
COPY-FILL-DELETE-EXCHANGE-MOVE-PULL-UC/LC-INVERT
GRAPHICS-PRINT-JUSTIFY TEXT-BUFFER/RESTORE TO SCREEN.
- 7). UTILITIES INCLUDE-> MASK - AUTOMATIC PRINT# NUMBERS
CURSOR LOCATION AND VALUE-3 SELECTIVE CLS'S-PATTERN-
EXTRA BUFFERS-SCREEN OVERWRITE-HEXDUMP-SEARCHES. MORE
- 8). FULL DISK / CASS I/O DIR-WRITE-LOAD-APPEND-COPY-KILL
SCREENPRINT- OUTPUTS CODES TO DRIVE ANY PARALLEL PRINTER
PROFESSIONALLY WRITTEN & SUPPORTED-NO BUGS-2 YRS. IN DESIGN
OVER 90 COMMANDS -> FAST / EASY / FUN <- ALL MACHINE LANG.
CASS MOD 1+3=\$35.00 / DISK MOD 1 OR 3=\$45.00 10K PROGRAM
WORKS IN 16K. OR MORE AND ADJUSTS TO MEMORY SIZE CHANGES.
ESPECIALLY FOR MX-80, MICROLINE80 AND OTHER BLOCK GRAPHIC
PRINTERS. PRINTER NOT REQ. FOR FILE HANDLING + CARTOONS.
BUY BOTH SCRIPTR + CRAYON THIS MONTH + GET \$10.00 OFF

✓160

is HARD COPY STORAGE a problem?

Here's the ideal way to keep your
growing collection of 80 Micro in
order! The 80 Micro Library Shelf
Boxes.



... sturdy, corrugated, white, dust-resistant boxes will keep
your issues of 80 Micro orderly and available for constant
reference. Self-sticking labels are available for the boxes, too,
not only for 80 but also for Microcomputing, 73 Magazine, CQ,
QST, Ham Radio, Personal Computing, Interface Age, Byte
and Radio Electronics. Ask for whichever labels you want
with your box order. Each box holds a full year of the above
magazines. Your magazine library is your prime reference:
Keep it handy and keep it neat with these strong library shelf
boxes. One box (BX1000) is \$2.00, 2-7 boxes (BX1001) are \$1.50
each, and 8 or more boxes (BX1002) are \$1.25 each. Be sure to
specify which labels we should send. Shipping and handling
charges are \$2.00 per order. Call in your credit card orders on
our toll-free line 800-258-5473, or use the order card in the back
of the magazine and mail to:

80micro

ATTN: BOOK SALES

Please allow 6-8 weeks for delivery

Peterborough,
NH 03458

Send any questions or problems dealing with any area of TRS-80 microcomputers to Feedback Loop, 80 Micro, 80 Pine Street, Peterborough, NH 03458.

I use my Model I with Scripsit for word processing. I don't have the lowercase modification and don't miss seeing lowercase on the screen. My printer, however, will print lowercase if it receives the right output, so I'd like to find a patch to Scripsit that will let me output both upper and lowercase.

Alternatively is there a word-processing program out there that will accomplish this sans lowercase modification?

A.N.
Philadelphia, PA

Radio Shack says there's no way to get Scripsit to operate in uppercase/lowercase mode unless you have the modification installed in your computer. Scripsit/LC performs a check, when it's loaded into memory, to see if you have the modification. If you don't, it locks itself into uppercase mode.

I'm sorry, but I don't know of any patch to Scripsit that will let you operate it uppercase/lowercase in an unmodified machine. Nor do I know of a word processor that will allow you to do this.


Is there anyone out there who can help?

Is there a way to program a key to repeat when held down? I have never seen that feature in a Basic program.

T.B.
Glendora, CA

There is a Basic routine that will give automatic key repeat when the key is held down. The normal method of using INKEY\$ in a Basic subroutine to retrieve user input does not allow for repeating keys. INKEY\$ scans the keyboard once per keystroke, no matter how long you hold the key down. This is accomplished by checking memory location 14591 for a zero value. As long as you're holding down a key, that location will hold its value, and the INKEY\$ routine won't retrigger a scan. When you release the key, the zero is sensed by the INKEY\$ routine, and it will scan the keyboard when requested.

To use automatic repeating keys check the same location that the IN-



Problems and solutions

KEY\$ routine does, and have Basic add another character to the video and your variable if the key is being held down. This short program illustrates that point:

```
100 AS=INKEY$:IF AS=""THEN100
200 IF AS=CHR$(13)THENPRINT:
    PRINTX$:END
300 A=1
400 PRINT AS;:X$=X$+AS
500 IF PEEK(14591)<2THEN100
600 A=A+1:IFA<5THEN500ELSEA=1:
    GOTO400
```

The program uses the standard INKEY\$ setup (lines 100, 200, 400, and 500, which include a test for a carriage return at the end of user input), with two additional lines (lines 300 and 600). Line 500 checks location 14591 to see if the user is still holding the same key down. If not, the routine bounces back to line 100 and the automatic key repeat is ignored. If the operator is still holding the key down, line 600 sends the computer back to line 400, which prints the additional character on the video and adds it to the string variable being used to store the user's response. I discovered, when writing this routine, that the scan rate is very fast and ddoouubled keys were impossible to avoid. This is why line 300 was added. And line 600 uses a counter before repeating the keystroke.

Line 500 checks to see if memory

location 14591 contains a value less than two. This is because the location contains a zero if no key is pressed and a one if the shift key is held down. This way, if you're typing in uppercase letters, holding down the shift key between letters won't accidentally cause the last key typed to be repeated.

I have a TRS-80 Model I Level II (vintage July 1979) with Expansion Interface, three disk drives, a Micro-Cue 16K buffer, an Epson MX-100 printer, the Archbold speed-up kit, new Gold Plug-80 cable connectors, and a Percom Data Doubler. Everything has been working fine for the last three years, using NEWDOS80.


Suddenly a transformer in the Expansion Interface blew a fuse. After installing a replacement transformer the system operates erratically. The three drives start at random times and run for about three seconds while the program is running. Sometimes the program loses lines from the midpoint on, causing the program to stop. I can't relate the two problems except to say that I didn't have the problem until the transformer blew. I think the transformer was feeding the keyboard, but can't be sure.

The random disk operation isn't predictable. Some days it works perfectly and other times it starts every few minutes.

The local Radio Shack repair shop won't look at it because of all the modifications, but did suggest an IC, capacitor, and resistor change. These didn't help.

D.T.
Pleasant Valley, NY

Because your program starts disappearing at midpoint, I think your problem seems to be located in the Expansion Interface. The problem of losing the last half of a program (or a text file) is almost always symptomatic of memory problems in the Expansion Interface, or a bad Expansion Interface-to-keyboard cable connection. Since you're using Gold Plug-80 connectors on your keyboard-Expansion Interface cable, a poor connection shouldn't be the problem. Because the system operated correctly for several years and only began having problems *after* you replaced the power supply, I suspect




How many times must your TRS-80 stop just to talk to your printer?

Your computer talks faster than your printer can listen. Expensive time is lost forever. SPOOL/64, a 64k byte hardware print spooler, keeps your computer processing while your printer is printing. No more waiting. No more wasting.

SPOOL/64 buffers your print output and transmits the information to your printer at the printer's specific print rate. It buffers up to 13 minutes of print output (at 80 characters per second).

SPOOL/64 plugs directly into both your printer and



computer, accepts input from parallel centronics cables (serial RS-232 available soon), and its user programming feature allows you to download your own programs so SPOOL/64 can handle sophisticated print

routes. And SPOOL/64, used with your software spooler, can give you the highest performance spooling available.



SPOOL/64 utilizes 64k of dynamic RAM, a Z-80 CPU, a 2716 ROM and a copy of the source program for the object code in the ROM is included.

SPOOL/64, priced at just \$399, is the most cost/effective print spooler on the market. Evaluate performance. Evaluate price. Then let SPOOL/64 get your computer back talking to you. Call or write Apparat today for a free brochure. Dealer inquiries invited.



Apparat, Inc.

the problem is with the power supply for the Expansion Interface.

If the Expansion Interface power supply is as old as the keyboard power supply was, it might also need replacing. Since you don't know which device was powered by the blown unit, you might have mistakenly hooked the replacement unit to the Expansion Interface rather than the keyboard. If so, it's possible the replacement power supply isn't as powerful as the previous one. (Variations in "standard" component values can radically affect the performance of "identical" devices.) Power instability would also affect the disk drives, as fluctuations can be incorrectly interpreted as commands.

The easiest way to double check the problem is to turn on your computer in Level II mode, then load and run several programs. In other words, play games for several hours and see if you still experience the same memory-loss problems. If you do, switch the keyboard and Expansion Interface power supplies (the keyboard uses less power than the Expansion Interface). If none of these work, run the memory test programs from your TRSDOS disk. If you have bad memory chips, the same locations will fail time and time again.

If you can't make the problem go away, your best bet is to take the Expansion Interface to Radio Shack and have their technician unplug Percom's data doubler and test your Expansion Interface (Radio Shack has changed their "modus operandi" and will work on modified computers for \$15/half hour).

I just came back from a two-week vacation, during which I left my computer in my static-proof room with no outside contact. When I came back, my computer didn't work. The LED wouldn't light and the video remained blank. After leaving the computer at the local computer center a few days, they told me it would cost \$669 to fix it. This came as quite a shock; I was expecting only a \$50-\$60 bill.

They told me that they needed to replace the logic board, the RAM, the ROM, the keyboard, the case, and a couple of other things.

What can I do?

J.G.
New York, NY

It sounds like you're being taken. I called the local TRS-80 repair center's technician and told him your problem. He was at a loss to explain what was happening. According to him, the only way you could have that high of a repair estimate would be if your entire computer had been destroyed.

"The Z80 can't address more than 64K of memory."

Since you mention a LED I assume you're talking about a Model I. Normally, when you take a trashed TRS-80 to the repair center, you're charged according to a strict service charge formula. If, as you say, the entire logic board has to be replaced, the rate is based on an exchange basis (the old board for the new one). On that basis, the maximum labor charge is \$30, the exchange board costs \$25, new ROMs cost \$56.73, new 16K RAM is \$99, and an exchanged keyboard is \$25. So to totally rebuild the unit shouldn't cost more than \$235.73. You don't mention an Expansion Interface in your letter, but if you had one and it also died, the cost on exchange would be: \$74 for the board, \$198 for the RAM, and \$30 for the labor: a \$302 total. Adding the keyboard unit to the Expansion Interface leaves a difference of \$131.27 (\$669 minus \$537.73).

If you want to bring the price down substantially, tell the repair center to leave out the RAM chips and buy them mail order (as low as \$19 per 16K) and install them yourself (or have them installed by a free-lance technician), saving about \$240.

The only way the repair cost could be more than these figures is if the boards are so heavily damaged they can't be used as exchanges, in which case the CPU logic board would cost \$286, the Expansion Interface logic board would cost \$238.70, and the keyboard would cost \$75. Fully assembled, the cost would be \$1013.43, well over the estimate you were given. It would be better, at that price, to buy a Model III.

Incidentally, I wrote an article for *80 Micro* outlining Radio Shack's current pricing structure. Look for it in this issue's table of contents.

I own a 48K Model III double-disk system. The computer works fine, but the 48K is a bit small for my needs. I'm wondering what is on the market for expanding the Model III RAM from 48K.

K.K.
Whitehorse, Yukon
Canada


What you want isn't easily deliverable. The Z80 can't address more than 64K of memory. The design of the Model I and Model III uses the lowest 16K of memory for the ROMs and video RAM, with a portion of the lower 16K RAM for Basic and DOS overhead. This means that a 16K computer actually has a 32K memory: 16K for ROM, and 16K for user RAM. A 48K computer addresses the full 64K of memory. The memory numbers associated with the TRS-80 computers refer to the amount of RAM available to the user for programs and data.

To get more than 48K RAM requires an approach known as memory banking. This means that portions of memory, usually in 16K blocks, are switched in and out of the address range of the Z80 CPU. When a bank is switched out, the Z80 cannot access it, as if it doesn't even exist. It takes a sophisticated machine-language program to control this memory banking without losing control and botching things up.

Straight memory banking, with the appropriate control program, will let you create and use programs far larger than 48K. Another method of memory banking lets you use the port addressing mode of the Z80 to select a bank of memory that is located at an external port (rather like a disk drive, only it's RAM instead of a disk). You load two ports with the bytes specifying which byte in the memory bank you want. A third port is used for transferring the data to and from the bank. This second method limits you to using the memory bank only for data storage.

I don't know of any companies currently selling memory banking systems using the first method, but I have been told of one selling a product called ERAM that uses the second method to

The ideal accounting package for my business would...

- 
- 1) ☐ adapt to my method of working, not force me to adapt to its method of working.
 - 2) ☐ have an alphanumeric account code that could accomodate my current structure of accounts with ease.
 - 3) ☐ process accounts for [12 13] financial periods per annum.
(circle one)
 - 4) ☐ be limited in the number of accounts I could put on file only by the physical storage capacity of the computer.
 - 5) ☐ have a period activity volume of up to [\$1M \$10M \$100M].
(circle one)
 - 6) ☐ have a year-to-date volume of up to [\$10M \$100M \$1BILLION].
(circle one)
 - 7) ☐ let me custom design up to [33 66 99] reports, and not force me to make-do with just the preprogrammed reports.
(circle one)
 - 8) ☐ allow me to enter next period data while in the current period without forcing an early close-out of the current period.
 - 9) ☐ be expandable to include Accounts Payable, Accounts Receivable, Order Processing, Payroll, and Financial Modeling packages.
 - 10) ☐ be fully guaranteed and serviced by the distributor.

OTHER _____

(Use another sheet if necessary.)

The accounting package you've been searching for is here. Instant Software is proud to present the best accounting package on the market—

THE GENERAL LEDGER PACKAGE.

Created by The MicroComputer Business of Surry, England, The General Ledger Package is an highly comprehensive, extremely flexible, easy-to-use package designed to run on the TRS-80* Model II 64K microcomputer.

Just how good is The General Ledger Package? We're going to let you decide. Take a minute or two to decide what your electronic accounting needs are by filling out the list above, checking the appropriate boxes and circling the correct amounts. Or make your own list. Then compare your list to The General Ledger Package's list of features on the next page.

That's all. No hype. No slogans. Just the facts.

Instant Software™

Peterborough, N.H. 03458 USA

A subsidiary of Wayne Green Inc.

FEATURES OF THE GENERAL LEDGER PACKAGE:

☒ 1-10


OTHER:

- ☒ does not require any previous computer experience to operate.
- ☒ allows you to create, amend, and delete any account record at any time.
- ☒ allows you to create, amend, and delete any report on file at any time.
- ☒ gives you instantaneous access to the files.
- ☒ automatically updates data on the Master File that is affected by transaction entry.
- ☒ automatically reverses accrual entries made in previous period.
- ☒ has built-in batch and run controls.
- ☒ prints hard copy log after every entry that can affect a file.
- ☒ has an automatic peripheral device check which tells you if a problem exists and where it lies.
- ☒ comes complete with Master Disk for your files, ready-to-run disk, and blank disk.
- ☒ screen layouts are clean, attractive and informative.
- ☒ accompanies all transactions with an audit trail.
- ☒ Transaction File has assigned-by-you reference #s.
- ☒ Transaction Listings can be listed sequentially or under variety of criteria selected by you.

- ☒ 64 combinations of inquiry options to Transaction File.
- ☒ can print reports at any one of nine levels of detail that you select.
- ☒ ignores invalid data, making unwanted or accidental entry impossible.
- ☒ can run on floppy disk or a hard drive disk.
- ☒ has extraordinary documentation that includes screen photos for every program.
- ☒ has utility programs which simplify computer housekeeping tasks.
- ☒ file recovery system normally repairs scrambled files and recovers data.
- ☒ will not let you duplicate account numbers.
- ☒ maintains details of activities period by period so that comparisons are easily obtained.
- ☒ does not permit access or entry while the program is operating.

Now, if you have something on your list that you don't see on ours, chances are The General Ledger Package has it or can do it. We just don't have enough space to list every feature the package offers. At a list price of \$897, you won't find a better bookkeeper who'll work for less.

To order your General Ledger Package, simply fill in the coupon below and send it to Instant Software, Attn: John Gancarz, 80 Pine Street, Peterborough, NH 03458. If you'd like to know more about The General Ledger Package, call toll free 1-800-258-5473 and ask for our free brochure. Or write to Sandra Merchant, Technical Service Advisor at the above address.



*TRS-80 is a trademark of Tandy Corp.

YES, I want THE GENERAL LEDGER PACKAGE for my business.

Please send me _____ packages @ \$897.00 for a total of \$ _____
 _____MC _____VISA _____AMEX _____MO _____Certified check

Interbank # _____ Exp. date _____
 Signature _____
 NAME _____
 POSITION _____
 COMPANY NAME _____
 ADDRESS _____
 CITY _____ STATE _____ ZIP _____
 TELEPHONE _____

Instant Software™

Peterborough, N.H. 03458 USA A subsidiary of Wayne Green Inc.

support high-resolution graphics for the Models I and III. It should be fairly simple to convert the ERAM to your purpose.

The only other option you have is called program chaining. Several DOSes, as well as several commercially available machine-language cassette programs, support program chaining. Program chaining involves loading and running sections of a program while not losing any data in memory.

I can't get my printer, a Microline 82A, to accept the page-length commands (Escape F) from my Color Computer. Radio Shack says there's no POKE for the page length on the Color Computer.

J.P.
Cheshire, CT

According to the technical engineers at Okidata, the 82A and 83A printers do accept the top-of-form command (the command that tells the printer to go to the top of the next page of paper in the printer), but that it's decimal 12 (hex 0C) and not 15 (hex F). For this to operate correctly, set the page length switch (on the front panel) to position number seven (for standard 8½-by-11-inch paper with 66 lines per page). Whenever you turn the printer on, this switch setting determines the length of the paper, at least as far as the printer is concerned.

For the CC, the proper form-feed command is PRINT#-2,CHR\$(12).

I have been comparing available disk drives for my Model III and have a few questions. What are the advantages and disadvantages of two 80-track, double-density, dual-head disk drives in comparison to four separate disk drives with single heads? A friend has a Model I with 40-track, double-density, single-head drives, operating with NEWDOS80. Will there be any problems in converting these programs over to the Model III with 80-track, double-density, dual-head drives? Do you feel the price of disk drives will be coming down in the next 12-18 months?

C.H.
Allentown, PA

The main advantage to using

80-track, double-density, double-sided disk drives is that you can store four times as much information per disk over a standard drive. The main disadvantage lies in manipulating available software to match your computer's configuration. (Software is usually sold on 35 or 40-track disks, and unless you use MULTIDOS or DOSPLUS as your operating system, you won't be able to read these 35 and 40-track disks with an 80-track drive.)

"The \$50 Japanese disk drive rumor is at least a year old and still going strong."

Fortunately, most of the problems are restricted to the use of an 80-track, double-density, dual-head drive as your computer's drive zero. If you use a special drive as drive zero, you can't use *any* protected software, or software that is supplied with its own special loader routine. Programs like Eliminator won't boot up on 80-track drives, and can't be read by most DOSes on the market, although you can use Kim Watt's Super Utility to read the 40-track disk in an 80-track drive and copy it to an 80-track disk in another drive.

Unless you're using MULTIDOS or DOSPLUS, which double-step 80-track drives to read 40-track disks, you won't be able to make a back-up of any 40-track disks. Even this won't work on all software (such as CP/M, Forth, and Pascal programs). In any case, before you buy software try to get it in 80-track format.

If this 80-track/40-track incompatibility doesn't matter to you, then the next consideration is how your special drives will be operated by your DOS. LDOS and DOSPLUS consider each 80-track, double-headed drive as one drive with a side A and a side B. This approach lets you have three disk drives attached to your computer (maximum), instead of just two where

each side of the disk is treated as a separate drive. The line that would normally be used to select drive four is now used to select side A or B of the drive currently being accessed. In order for this to work properly, you must use a keyed cable, which uses missing teeth in each of its sockets to determine whether a drive is zero, one, two, three, or four.

Because a third drive position is available, you can put two 80-track, double-density, dual-headed drives in positions one and two, and a standard 40-track drive in position three. You can also remove your computer and disk-drive covers and reconfigure the system to have the 40-track as drive zero when you have to boot a non-standard DOS. To do this, I suggest you get DIP switches (Radio Shack has them), replace the DIP jumper blocks, and use the switches to determine the position of each drive on the cable.

The only way you'll be able to read your friend's disks is if you use MULTIDOS (which can read 40-track NEWDOS80 Model I disks in 80-track disk drives) as your operating system. Unfortunately, there's little compatibility amongst Model III DOSes. (MULTIDOS can read and back up Model I NEWDOS80 only if the directory is only two grans in length.)

Another factor affecting the ability of DOSPLUS and MULTIDOS to read 40-track disks in 80-track drives is the number of tracks per inch (tpi) of the drives. Most 40-track drives are rated at 48 tpi. Most 80-track drives are rated at 96 tpi. But some drives are rated at 100 tpi, which are sometimes sold as 77, 80, 96, or 100-track drives. These last drives cannot read 40-track disks because the tracks won't align properly. You might even have some problems reading 80-track disks created with another system's drives. Be careful about which 80-track drives you buy.

Despite the rumblings and rumors, I don't expect floppy-disk drive prices to change much in the next 12 months. Percom was able to lower their prices by about \$50 due to an increase in sales. A more substantial drop would require a technological breakthrough in disk drive electronics. Drive motors and heads are already state-of-the-art and not likely to change. The only real change possible is in disk I/O electronics. Condensing this aspect down to a

chip or two could knock \$100 or so off drive prices. I don't think much effort is being channeled in this direction.

The \$50 Japanese disk drive rumor is at least a year old and still going strong. But so far nothing has come of it. The rumor's vitality is based on this: If disk drive prices are going to come down in a substantial manner, it will have to be the result of cheaper labor. It is likely that the Japanese will someday build the low-cost disk drive, but at this writing, there is no real indication that day will be soon.

I've read Bill Barden's Assembly language book several times, and have plowed through Assembly Language by Hubert S. Howe, and I've read every article on the subject I can find. I think I understand the idea of it, but just precisely what am I supposed to key in?

The programs always come in nicely arranged columns, but which number/letter codes do I actually type in? Do I separate them with colons? With semi-colons? Commas? I recognize that this should be done with an editor/assembler, but won't the machine talk to me without it? I'd be deliriously happy if I could get to PRINTA with machine-language instructions.

Also, how do I upgrade to 48K? I do my own tv and radio repair work and ought to be capable of plugging in 16 chips by myself! It's only naked fear holding me back. Are 4119s the correct chips to get? 200 ns or 150 ns? Which

of your advertisers supply known reliable materials? How do I make sure to plug them in right? I've asked Radio Shack for the TRS-80 repair manual without success.

L.G.
Chappaqua, NY

First, you don't need an editor/assembler to write machine-language programs, but life will be easier if you use one. Most machine-language program listings look like the Program Listing. This is the output of Radio Shack's EDTASM, as printed by EDTASM after the successful assembly of the in-memory program. Column 1 lists the actual starting location in memory of each line of code. Column 2 lists the machine-code bytes stored in the location listed. Column 3 is the editor/assembler line number (much the same as line numbers in Basic programs). Column 4 is for the labels used in the program to define subroutines or specific locations for the transfer of program control. Columns 5 and 6 are the Assembly-language mnemonics used by the editor/assembler to define the instructions the program is to follow (similar to the keyword commands used in Basic). Not shown is a column 7, used for comments. In Basic, the REM and the apostrophe (') are used to tell Basic that all the information following that mark is for the programmer and is not to be used by the program itself. In editor/assemblers, the semicolon is used for this purpose.

With an editor/assembler, you type only the information following column 3 exactly as it's printed. Unlike Basic, you can't have more than one Assembly-language instruction per line. The first two columns can be ignored.

If, on the other hand, you don't have an editor/assembler, the job becomes more difficult. You could start from Level II Basic and use the POKE command to punch the machine-code instructions (column 2) into memory, storing the information in either program statements (as separate POKES) or in data statements. The main difficulty with this approach is translating the hexadecimal numbers into decimal numbers. Using this method requires that the machine-language program be stored in a Basic program, which tends to waste space. It also makes it very difficult to write programs since any problems will most likely require turning the computer off and on to recover control of the computer to Basic, followed by reloading the Basic program and mentally translating the decimal numbers into something you can understand and debug.

Another way to get the instructions into memory is to use a machine-language monitor, such as Ultra-Mon, to punch the code where you want it. In fact, you should get a machine-language monitor anyway. If you do any of your own programming, you'll need it for debugging purposes.

Your second problem is no problem at all. You want to use 4116s—the 200 ns will do fine, the 150 ns even better. (Radio Shack uses 250 ns memory.) Their orientation is even simpler. If you examine the board beneath the 16 empty sockets, you'll see silk-screened outlines of the DIP packages. One end of each outline is marked with a notch. When you plug the memory chips in place, make sure that the end of the DIP with the notch lines up with the silk-screened notch on the circuit board.

As far as finding the technical manual for the Model III, you'll have to look around. Some stores, especially computer stores, stock the manual as a regular item. Others don't. I worked at a Radio Shack store, briefly, and can say that some items ordered from the Fort Worth warehouse never seem to arrive no matter how many times they are ordered. All you can do is continue to look. ■

402D	00100 FINISH	EQU	402DH
900E	00110	ORG	900EH
900E 211790	00120 CODE:	LD	HL,FAULT
9011 CD2A90	00130	CALL	PRINT
9014 C32D40	00140	JP	FINISH
9017 55	00150 FAULT:	DEFM	'Hi there friend.
9028 0D	00160	DEFB	0DH
9029 00	00170	DEFB	00H
902A 7E	00180 PRINT:	LD	A,(HL)
902B B7	00190	OR	A
902C C8	00200	RET	Z
902D E5	00210	PUSH	HL
902E CD3300	00220	CALL	33H
9031 E1	00230	POP	HL
9032 23	00240	INC	HL
9033 18F5	00250	JR	PRINT
900E	00260	END	CODE

Program Listing 1. Sample Machine-Language Program

Fame and fortune may

be yours by entering:

80 Micro's Young Programmer's Contest 1982-1983

Grand Prize—\$300, Plus Publication

3 1st Prizes—\$200 each, Plus Publication

3 2nd Prizes—\$100 each, Plus Publication

3 3rd Prizes—\$50 each, Plus Publication

Honorable Mentions—Free subscription to
80 Micro and possible publication.

If you are an aspiring programmer, 18 years or younger, enter *80 Micro's* 1st Annual Young Programmer's Contest.

Entries may be for any TRS-80. Programs will be judged on originality, documentation, and program elegance. The age categories are 10 years and under, 11 through 13, and 14 through 18. All entries will be judged by the *80 Micro* staff.

RULES

1. Final entries must be in by November 1.
2. All entries must be submitted on magnetic media and be accompanied by double-spaced, typewritten documentation.
3. You may submit as many entries as you like, but each must be submitted separately. Only one prize per person.
4. Entries must be original and unpublished.
5. All winning programs become the property of *80 Micro*.
6. The category in which you will be judged will be determined by your age as of November 1, 1982. You must not have turned 19 by that date.

**The 80 Micro
Young Programmer's Contest**

Name _____ Age _____ Date of Birth _____

Street Address _____ Town _____


State/Zip _____ Machine _____

Include this form with your entry and return to:
Young Programmer's Contest
80 MICRO
80 Pine Street
Peterborough, NH 03458

Run for your life, the sky is falling! So say the majority of the so-called soothsayers on Wall Street. They were bullish when the Dow Jones industrial averages were above 1,000. Now when the Dow is below 800 they realize that things are not exactly rosy. James Dines, the perpetual "gold bug" who extolled gold's virtues even when it hit \$900 per ounce, has recently thrown in the sponge and told his subscribers (if there are any left) to sell at \$300 per ounce. Howard Ruff suggested that you mortgage the farm to buy silver at \$9 per ounce. (Those who did have already lost the farm.)

Every year thousands of investors pay millions of dollars to hundreds of self-proclaimed pied pipers of perspicacity for some super-secret information with which to work financial miracles. Forgive me for burdening you with logic, but does it make sense for ones so gifted to sell their talents for a paltry \$100 to \$500 per year? Why don't they invest their own money and quietly amass a fortune? Of course, it could be that they are just Good Samaritans with no interest in making a fortune.

In the closing days of every bear market, investors can't see the forest for the trees. They end up intellectualizing an obvious problem, even after the problem has begun to change its



Avoiding stock-market hysteria

character. An almost inverse relationship exists between the tightening logic of pessimism and unrecognized cybernetic elements in the economy that have begun to eliminate the problem already.

At the end of the last bear market in December of 1974 gloom pervaded the country. At the critical turning point in late December the headlines dealt with the relationship of today (1974) with the crash of 1929. The masses had sold out, as they always do at market

bottoms.

What can we learn from applying experience to the present? Again we see a large majority of investors, economists, advisors, and politicians mesmerized by the inevitability of high interest rates, parsimonious real growth, fears of depression, and further deterioration in the stock and bond market. The bottom line is this: The natural result of cyclical forces—that is, the automatic correctives that lean into any sustained excess—is creating almost the opposite set of outcomes from what most people are expecting. In December 1974 the Dow bottomed just below 600. Today, if one expresses the Dow in 1974 dollars, it is well below 600. In plain English it means that we are very near the *bottom* from which we shall see what I believe will be the most sustained advance in security values in history. As the Walrus said, "The time has come."

If you are interested in the stocks I favor for the coming years, call the toll-free MONEY DOS hotline on weekends (800-327-3389) or send your request c/o 80 Micro. I'll send you my list and the rationale behind each recommended stock.

I can't leave without one hot tip. As this is written, DeBeers Consolidated (DBRSY), on the over-the-counter market, currently sells for about \$3.12 per share. In 1980 it sold for \$12.50 per share. They have a monopoly on the world diamond market as well as a multi-billion dollar portfolio of non-diamond investments. The dividend this year will be about 49 cents, which, after South Africa takes its 15 percent off the top, amounts to over 12 percent for you. "Hard money" investments (gold, silver, diamonds, and so on) are out of favor. I don't expect inflation to begin immediately, but sooner (if the liberals gain control of Congress this November) or later, it will. A fat dividend will make the waiting painless. ■

Here is the Keynes failsafe (?) stock-market program for today:

- ```

10 CLS
20 INPUT "TO DETERMINE IF YOU SHOULD BUY OR SELL, PRESS ENTER"
30 CLS: A = RND(2): IF A = 1 THEN PRINT "BUY" ELSE GOTO 20

```



### CHURCH DONATIONS

Computer Program for TRS 80 Models I, II, & III

#### RECORDS, STORES & REPORTS

Gives printout of collections, totals to date as well as individual quarterly reports to congregation members.

For Information, Contact:

CUSTOM DATA  
505-434-1096

307 John A. Parker  
P.O. Box 1066  
Alamogordo, NM 88310



MAYDAY means HELP and here it is...  
\*TRS-80 Programming

- HELP utility program for your NEWDOS-80 disk... help command returns a mini-page display of the manual... for mod. I and mod. III... disk... **\$15**
- ADR auto density recognition program lets you put mod. I discs in and get an automatic p-drive setup... makes it quick and easy... disk... **\$15**
- COMPACTOR mod. I or mod. III disc compactor program... gets the most out of each of your discs... **\$15**
- LISTR reads compacted programs and gives hard copy listing in an expanded and super legible format... disc... **\$15**

Get all four of the above on one disc for \$45

Is your search for a "good modem program" making a TERMINAL CASE out of you? There's lots of them for sale but check these features before you decide... Auto log on - 38 K buffer capture - DOS commands - Echo - Set parameters - Printer toggle - Warm restart - RS-232 on/off - can generate 8 spec. characters from keyboard - menu driven - variable transmission speed - well prompted - review buffer and much MORE... \$30.00 will get you the "No. 1 MODEM" program and for the price of \$60.00 you can get the source listing on the same disk with "No. 1 MODEM" for your own modification. This may sound like a cheap program but it isn't... it's just inexpensive.

Send check or money order only...  
add \$1.50 for shipping... Wis. residents add 5% tax

Mayday SOFTWARE

Post Office Box 66, Phillips, Wisconsin 54555  
715-339-3966

\*tm/TANDY corp.  
\*tm/APPARAT, Inc.

407



# OUTHOUSE

Is There Nothing Sacred?



Don't Miss This Outstanding  
Original Arcade Game!

**SSM SOFT SECTOR MARKETING,  
INCORPORATED**  
6250 Middlebelt • Garden City, MI 48135 • 800-521-6504/(313) 425-4020

Written by Factory Programming - ©1982

Prices per Game: TRS-80 16K Level II Mod I/Mod III Cassette ..... \$15.95  
TRS-80 32K Level II Mod I/Mod III Diskette ..... \$19.95  
10% discount for 2 items, 15% for 3 or more. Please add \$2.50 per order  
for postage & handling. Michigan residents add 4% sales tax.  
Outside USA (except Canada) please add \$10.00 per  
order for postage & handling.

Talking and sound effects are play-  
able through the cassette AUX plug.  
High scores are automatically saved  
after each game on disk versions.  
\*Compatible with Trisstick.  
Call or write for our complete catalog.



The Quality Continues . . .





# THE LIGHTS FANTASTIC

**W**elcome back to the Fun House, a place for kids and adults who haven't forgotten what it was like to be a kid.

Walk down this dim hallway with me. See those glowing letters that read Point(X,Y) on that door? That's where we're headed. We're going to try four games that use Point(X,Y) commands to make the computer lights behave in interesting ways.

But first I want to help those of you who had trouble with last

month's Fun House. In the Fun House program, you traveled through a maze in the dark and tried to find your way out. I promised last month that I would come in and find anyone who couldn't escape.

Figure 1 is a Fun House floor plan; it shows where you go in and where you come out. All the places marked with an asterisk (\*) are clue areas. You travel through the maze by pressing N for north, S for south, W for west and E for east.

The way through is obvious; however, there are two obstacles. In the area marked *three doors*, choosing the wrong door puts you back just inside the entrance. When you reach the area marked *exit code*, you have to remember the code. Why? Because when you reach the area marked *out* you must enter the code before you can escape.

Now that all the stragglers are back outside, let me explain last month's Motor Mouth program. In this program you were asked a series of addition problems. Not much time was given to answer, and to make matters worse, Motor Mouth kept interrupting. Then, suddenly, the computer tells the human to say aloud—not type—the name of a color. Then Motor Mouth guesses you

said red.

If you tried this and said red, you're probably wondering how it was done.

It's a mind trick. Most people will say red if put in a tense situation; and that's what Motor Mouth does. If you didn't say red, you're unusual. I like unusual people.

On to Point(X,Y).

In the Fun House we don't care how the special effects work, only that they work correctly. Point(X,Y) is one of the most useful special effects to give movement to graphics and games using graphics. On the TRS-80, Point(X,Y) makes the lights dance, cluster, bounce, explode, lock in and other amazing things.

So let the games begin. There are four of them: Skeet, Stalactite, Automaze and Dodo Bird. They're written in Level II, and I've included a color version of Stalactite. Starting next month, the Color Computer will be given full support here in the Fun House.

## SKEET

You might think I called this program Skeet because it's about the sport of shooting clay pigeons with a rifle, but you would be wrong.

The fellow in the picture is Skeet; his full name is Skeeter McVillain. When Skeet tries to take off in his airplane you fire the marshmallow rifle at the bottom of the screen by pressing any key except break or shift. If the marshmallow hits Skeet, he bails




Figure 1. Floor plan for the Fun House.



*You Are Being  
Attacked  
by a Raging...*

# Caterpillar

DISK  
VERSION  
TALKS

JOYSTICK  
Compatible\*

**SSM** SOFT SECTOR MARKETING,  
INCORPORATED

6250 Middlebelt • Garden City, MI 48135 • 800-521-6504/(313) 425-4020

Written by Larry Ashmun, Copyright ©1982 Soft Sector Marketing, Inc.

Prices per Game: TRS-80 16K Level II Mod I/Mod III Cassette ..... \$15.95

TRS-80 32K Level III Mod I/Mod III Diskette ..... \$19.95

10% discount for 2 items, 15% for 3 or more. Please add \$2.50 per order for postage & handling. Michigan residents add 4% sales tax. Outside USA (except Canada) please add \$10.00 per order for postage & handling.

Talking and sound effects are playable through the cassette AUX plug. High scores are automatically saved after each game on disk versions.\*Compatible with Trisstick.

Call or write for our complete catalog.



*The Quality Continues...*



```

100 REM * SKEET *
110 CLS
120 PRINT @ 960,M;"HITS IN";N;"TRIES";
130 N=N+1
140 A$=CHR$(191)
150 B$=CHR$(128)
160 A=954
170 B=1018
180 PRINT @ A,A$;
190 PRINT @ B,B$;
200 FOR T=1 TO RND(200)
210 NEXT T
220 Y=30
230 X=RND(10)+80
240 Z=RND(0)
250 C$=INKEY$
260 SET(X,Y)
270 IF C$<>" " A=A-64: B=B-64
280 IF C$="" OR A<58 GOTO 330
290 PRINT @ A,A$;
300 PRINT @ B,B$;
310 IF POINT(X+1,Y)=-1 GOTO 390
320 IF POINT(X,Y+1)=-1 RESET(X,Y): X=X-2: GOTO 390
330 IF X=126 GOTO 460
340 RESET(X,Y)
350 X=X+1
360 Y=Y-Z
370 IF Y<0 GOTO 500
380 IF C$="" GOTO 250 ELSE GOTO 260
390 FOR Y=Y TO 47
400 SET(X,Y)
410 RESET(X,Y)
420 X=X-1
430 NEXT Y
440 M=M+1
450 GOTO 110
460 PRINT @ 0,"MISSED";
470 FOR T=1 TO 250
480 NEXT T
490 GOTO 110
500 PRINT @ 0, "OUT OF RANGE";
510 N=N-1
520 FOR T=1 TO 200
530 NEXT T
540 GOTO 110
550 END

```

### Skeet



asked to enter his or her initials. The bases for two stalactites are drawn at the top of the screen with players' initials above them. Then drops of stalactite material scurry across the screen to the right. When you press any key except break or shift, the drop shoots upward and sticks to whatever it hits (if it hits anything).


The winner is the player who builds his or her stalactite down to floor level.

The color version of this game works differently. One player builds with orange material, the

```

100 REM * STALACTITE - COLOR BASIC VERSION *
110 CLS
120 PRINT "ENTER INITIALS:"
130 FOR A=1 TO 2
140 PRINT "PLAYER";A;
150 INPUT A$(A)
160 NEXT A
170 CLS(0)
180 A=0
190 Y=7
200 FOR X=25 TO 35
210 SET(X,Y,8)
220 SET(X+20,Y,3)
230 NEXT X
240 PRINT @ 77,A$(1);" ";
250 PRINT @ 87,A$(2);" ";
260 Y=25
270 FOR X=0 TO 63
280 SET(X,Y,8)
290 NEXT X
300 A=A+1
310 IF A=1 THEN Z=8 ELSE Z=3
320 PRINT @ 0,"READY, ";
330 IF A=1 THEN PRINT A$(1);" ";
340 IF A=2 THEN PRINT A$(2);" ";: A=0
350 FOR T=1 TO 300
360 NEXT T
370 PRINT @ 0,STRING$(25," ");
380 Y=24
390 FOR X=0 TO 63
400 SET(X,Y,Z)
410 C$=INKEY$
420 RESET(X,Y)
430 IF C$<>" " GOTO 510
440 NEXT X
450 PRINT @ 439,"NAP TIME?";
460 C$=""
470 FOR T=1 TO 500
480 NEXT T
490 PRINT @ 439,STRING$(9," ");
500 GOTO 300
510 FOR Y=Y TO 1 STEP -1
520 SET(X,Y,Z)
530 IF Z=8 AND POINT(X,Y-1)=3 THEN RESET(X,Y): GOTO 590
540 IF Z=3 AND POINT(X,Y-1)=8 THEN RESET(X,Y): GOTO 590
550 IF POINT(X,Y-1)=Z GOTO 580
560 RESET(X,Y)
570 NEXT Y
580 IF Y=24 GOTO 600
590 GOTO 300
600 PRINT @ 0,"WINNER"
610 IF Z=8 THEN A=1 ELSE A=2
620 PRINT A$(A);
630 GOTO 600

```



out. If not, try again. You have an unlimited supply of marshmallows.

## STALACTITE

Oops, we've blundered into an underground cavern. I didn't plan to come here until next month, when we try an adventure program called Subterra.


Now we're here, the only way to escape is to build a stalactite and climb it. (A stalactite is an icicle-shaped cavern formation.)

I know stalactites don't really form as they do in this program, so we'll have to use magic.

Two people can play this game, though one can play alone. At the start, a player is

### Color Stalactite

# The Best Arcade Simulation Software for Your Money, Brought to you by Soft Sector Marketing, Inc.



## ALIEN DEFENSE

by Larry Ashmun

Piloting your ship across the horizontally moving terrain, you must battle the various enemy spacecraft. You are under attack almost constantly from missiles and bombs, to make matters worse, your ground patrol people are being picked up by the alien landers. To save them you must shoot the landers and swoop down to "catch" the falling man. This fast-action game requires skill and rapid reflexes. The Model III version makes excellent use of that model's special graphic features and both Mod I and Mod III disk versions TALK. Arcade simulation 1982.



## CATERPILLAR

by Larry Ashmun

You are being attacked by a raging caterpillar. As he creeps down the valley, you must destroy it or be destroyed. If you escape from the first you will have only survived to fight another. Beware of the trained killer moth and tumblebugs. Another arcade simulation brought to you by Soft Sector Marketing, Inc.



## FORTRESS

by Larry Ashmun

A super-fast paced arcade game. Defend your fortress from alien fighters, but watch out for the sneak attack. The game starts out slow but speeds up very quickly.

### Prices per game:


TRS-80 16K Level II Mod I/Mod III Cass. .... \$15.95

TRS-80 16K Level II Mod I/Mod III Disk. .... \$19.95

10% discount for 2 items, 15% for 3 or more.

Talking and sound effects are playable through the cassette AUX plug. High scores are automatically saved after each game on disk versions.

Call or write us for our complete catalog!



## SUPER VADERS

by Larry Ashmun

First there was Invaders Plus. Updated and even more challenging was TRS-Super Invaders.

AND NOW, for those who thought Space Invaders was mastered once and for all, there is SUPER VADERS. The game got tougher! 2 Players - 10 levels. Scores to 16,000. Demonstration mode. Move and fire at the same time! The war has only just begun! 1982 rated the best Space Invaders game.



## SKY SWEEP

by Mark Barlow

You are flying above an ever changing terrain. Missile after missile is launched at you from below, while you battle oncoming gun fire, only to enter an ominous cave where danger is tripled. Only skill will guide you through.




## OUTHOUSE

by Factory Programming

Is there no place sacred? Even the outhouse has been invaded. Ward off intruders who creep up to the outhouse to snatch the paper supply. At the same time you must defend yourself from their firing ships in the sky. Be very careful, when your paper supply is gone ... so are you! With sound and disk version talks.

**CHICKEN**  
Coming Soon!



- DEALER INQUIRIES WELCOME -

84

**SSM** SOFT SECTOR MARKETING, INCORPORATED

6250 Middlebelt • Garden City, Michigan 48135

Order Line 800-521-6504

Michigan Orders & Questions 313-425-4020



**PAYMENT**—payment accepted by charge, personal check, or C.O.D. only, under the following conditions: **Charges** processed when shipped, usually within 48 hours. **Personal** **C.O.D.** **Checks** delay shipping, pending 3 weeks to clear.

orders are certified check or cash only, add \$1.50. MI residents must add 4% sales tax. **SHIPPING & HANDLING**—Shipping Charges: Send the larger amount, 2% or \$2.50, unless stipulated otherwise. Any order received without shipping and handling will be shipped **freight collect**. Air Mail Shipping outside of North America, please send the larger amount, 10% or \$10.00. Overpayment will be refunded.

```

100 REM * STALACTITE *
110 CLS
120 PRINT "ENTER INITIALS:"
130 FOR A=1 TO 2
140 PRINT "PLAYER";A;
150 INPUT A$(A)
160 NEXT A
170 CLS
180 A=0
190 Y=7
200 FOR X=80 TO 90
210 SET(X,Y)
220 SET(X+20,Y)
230 NEXT X
240 PRINT @ 104,A$(1);
250 PRINT @ 114,A$(2);
260 Y=21
270 FOR X=0 TO 126
280 SET(X,Y)
290 NEXT X
300 A=A+1
310 PRINT @ 0,"READY, ";
320 IF A=1 PRINT A$(1);
330 IF A=2 PRINT A$(2);: A=0
340 FOR T=1 TO 300

```

```

350 NEXT T
360 PRINT @ 0,STRING$(25," ");
370 Y=20
380 FOR X=0 TO 125
390 SET(X,Y)
400 C$=INKEY$
410 RESET(X,Y)
420 IF C$<>" " GOTO 490
430 NEXT X
440 PRINT @ 439,"NAP TIME?";
450 FOR T=1 TO 500
460 NEXT T
470 PRINT @ 439,STRING$(9," ");
480 GOTO 300
490 FOR Y=Y TO 1 STEP -1
500 SET(X,Y)
510 IF POINT(X,Y-1)=-1: GOTO 540
520 RESET(X,Y)
530 NEXT Y
540 IF Y=20 GOTO 560
550 GOTO 300
560 PRINT @ 0,"WINNER ";
570 IF X<91 PRINT A$(1); ELSE PRINT A$(2);
580 GOTO 560
590 END

```

### Stalactite

```

100 REM * AUTOMAZE *
110 DEFSTR A
120 S=60
130 L=1
140 CLS
150 PRINT @ 340,"LEVEL";L
160 FOR T=1 TO 500
170 NEXT T
180 CLS
190 Y=0
200 FOR X=0 TO 127
210 SET(X,Y)
220 SET(X,Y+47)
230 NEXT X
240 X=0
250 FOR Y=0 TO 47
260 SET(X,Y)
270 SET(X+127,Y)
280 NEXT Y
290 X=60
300 Y=3
310 SET(X,Y)
320 A=INKEY$
330 IF A="*" GOTO 650
340 IF A="D" AND POINT(X,Y+1)<>-1 RESET(X,Y): Y=Y+1: GOSUB 400
350 IF A="U" AND POINT(X,Y-1)<>-1 RESET(X,Y): Y=Y-1: GOSUB 400
360 IF A="L" AND POINT(X-1,Y)<>-1 RESET(X,Y): X=X-1
370 IF A="R" AND POINT(X+1,Y)<>-1 RESET(X,Y): X=X+1
380 IF Y=46 GOTO 560
390 GOTO 310
400 SET(X,Y)
410 B=RND(47-Y)+Y
420 C=RND(2)
430 D=RND(S)
440 E=RND(126)
450 IF C=2 GOTO 510
460 FOR F=E TO E+D
470 SET(F,B)
480 IF POINT(F+1,B)=-1 RETURN
490 NEXT F
500 RETURN
510 FOR F=E TO E-D STEP -1
520 SET(F,B)
530 IF POINT(F-1,B)=-1 RETURN
540 NEXT F
550 RETURN
560 FOR C=1 TO 8
570 PRINT " WINNER ";
580 PRINT

```

other with blue material. The winner is the player whose color is built to floor level, no matter on which stalactite. This becomes a game of strategy because one player can change the color of sections of the other player's stalactite. You'll see what I mean when you play the game.

### AUTOMAZE


You are at the north end of a bare room. It seems easy to walk south and put your hand on the wall there. Trouble is, every step you take south or north causes a

barrier to spring up somewhere ahead of you. This doesn't happen when you walk sideways, though.

Can you reach the south wall? Maybe you can in the early levels, but when you get to the fifth and highest level, the barriers get longer and longer.

To move within the room, press L for left, R for right, U for up and D for down. If the way is completely blocked ahead, press the asterisk (\*) and try again at the same level.

Good luck!



```

590 PRINT "AT LEVEL";L
600 IF L=5 PRINT "YOU'VE MAXED THE COURSE!": END
610 S=S+10
620 L=L+1
630 INPUT "PRESS ENTER TO CONTINUE";X
640 GOTO 140
650 PRINT "NO WAY OUT, HUH? "
660 IF Q<Y Q=Y
670 PRINT "BEST AT LEVEL";L;": ";Y
680 INPUT "PRESS ENTER TO CONTINUE AT SAME LEVEL";X
690 GOTO 140
700 END

```

### Automaze



**NOW!**

## The Ultimate in Mailing Packages POSTMAN MASS MAILING SYSTEM

©1982 Alger Software, Distributed exclusively by Soft Sector Marketing, Inc.

For the serious businessman who has as little as 100 name mailing list or 200,000 names,  
THERE IS ONLY ONE SYSTEM FOR YOU!

### FEATURES OF THE NEW POSTMAN MASS MAILING SYSTEM

The Postman system (version 2) is an almost COMPLETE rewrite, rethink, redesign of the original POSTMAN. The many features of the new POSTMAN system are quickly outlined below:

**MULTI-DRIVE** - True multi-drive operation is possible. POSTMAN will search all drives for address files and connect them together into one large file for the duration of that session. Once POSTMAN has found the data files on the disks, the operator "sees" just ONE CONTIGUOUS sorted list of addresses. The operator does not need to tell POSTMAN when to "switch" drives or manually "swap" sections of the data file in and out of the computer's memory. This is the foremost among the list of features because of its relative uniqueness among mail list handlers written for the IRS-80.

**LARGE LIST SUPPORT** - The multi-drive operation allows the user to access data files on ALL configured drives CONCURRENTLY (at the SAME time) for truly large mailing lists. Files need not be sectioned into smaller "byte size" chunks to fit into memory.

**HARD DISK SUPPORT** - (HARD DISK POSTMAN only) The FULL utilization of the space and speed of the new hard disk drives is possible with POSTMAN. For example, a 7.5 megabyte drive can be configured to hold almost 60,000 labels. Multiple hard drives can be accessed CONCURRENTLY allowing 200,000++ entry mailing lists.

**FORM LETTER CAPABILITY** - With the purchase of the separate POSTRITE program, the user is provided with an easy to use form letter generator which will merge a generalized letter produced from a word processing system (i.e. LAZY WRITER, etc.), with the name and address information from the POSTMAN MASS MAILER data base. POSTWRITER allows the user to insert any field from a POSTMAN label entry anywhere in the letter.

**MENU OPERATION** - As you would in a restaurant, choose your dinner from a list (or MENU). POSTMAN will allow you to direct its actions by selecting from various menus that it will display. A complete discussion of each menu is presented in the manual.

**INSERT** - New names can be quickly added to your list at any time. The new addresses are placed into the file in their proper sorted order eliminating the need for a separate sort operation after entering a stack of new names. POSTMAN will allow the operator to enter a "batch" of labels without returning to the control menu between each label insertion, thus speeding entry and reducing the aggravation of extra menu control keystrokes.

**DELETE** - Names can be removed at any time when they are no longer needed.

**EDIT** - Information in any name entry can be quickly changed at will with "word processor" ease. A "transparent" cursor simply is moved to the label displayed on the computer screen and corrections are just typed over the existing label. If you happen to change a field which is also used as a sort key, POSTMAN will automatically move the changed label to its correct position in the list to maintain the sorted arrangement of the labels.

**OVERLAY** - When identical changes are needed on many addresses, the OVERLAY feature can make them with one keystroke. The needed changes which are common to many labels are entered into the "overlay mask". When you wish to apply these common changes to any label, one command will do it.

**SORT** - Arrange your list in any alphabetic or numeric order. The ordering may use one or more fields to control the sort. A machine language heap sort assures fast execution. The sort need only be performed once, the sorted list will stay sorted through all subsequent insertions, deletions, and changes to existing labels. NO NEED to leave the POSTMAN program to use a separate program to sort your data. Your data is sorted quickly and after sort completion, POSTMAN is ready for your next command!

**SPECIAL STREET ADDRESS SORT** - For the user with many addresses on the same street, POSTMAN will sort your entries by the house NUMBER after grouping those on the same street together. Local city lists can be quickly sorted to aid post office dispatching.

**PURGE** - Unwanted duplicate addresses can be removed from your list automatically or under operator control.

**SEARCH** - Any address in your list can be quickly found with fast search and positioning commands. Three different types of searches are provided. A "fast" search which uses a hashing technique, a "selective sequential" search for labels with common fields, and "quick" positioning using the first or major sort field to get you into the general "ball park" of a label or sequence of labels.

**LABEL PRINTING** - One, a few or all addresses in your list can be printed on standard or non-standard label stock. Up to 6 labels across can be printed with a format YOU can easily control. TWO user definable "ATTN" lines are provided for any use. Labels can be printed from many of POSTMAN's menus, search, edit, or during label insertion.

**EFFICIENCY** - POSTMAN is written in the machine's native language to gain the full advantage of the microcomputer's speed. Extensive use of program segmentation reduces the amount of use RAM needed to hold the program, allowing a greater number labels to be kept in core, resulting in faster operation. Little used routines need only be brought into memory when they are needed and once through with their task, release their space back to POSTMAN.

**REPORT LISTINGS** - A special program to produce columnar listings of address data from your label data base is provided. You can easily specify the information to be printed.

**DATA DISK MERGING** - Labels can be quickly transferred from one disk to another with the POSTMERGE program callable from the main POSTMAN SYSTEM menu. Source and destination drives needed not be separate drives, prompts to exchange diskettes if the same drive is used, are provided.

**DATA DISK PREPARATION UTILITY** - Provided with POSTMAN is the DPREP program which allows the user to prepare a floppy/hard disk for use with POSTMAN. This easy to use utility can be told to prepare any portion of the available space on a disk.

**DATA INTEGRITY** - All data transfers to the disk files are made using special write commands which instructs the operating system to check the validity of EACH write to the disk.

**DATA GUARD** - is a special programming technique only offered by Soft Sector Marketing, Inc. If by chance your machine resets while writing information to the disk, you only lose the information that you were writing. Your files are always protected from the danger of losing all the work that you have put in that day. NO OTHER PROGRAM ON THE MARKET OFFERS THIS PROTECTION. If you reset with ANYBODY'S MAILING PACKAGE DURING WRITING you would destroy your ENTIRE data disk. We can't stop your machine from failing but we can protect your data.

### Description of Label Record Fields:

| Length | Name       | Description                  | Length | Name   | Description                |
|--------|------------|------------------------------|--------|--------|----------------------------|
| 10     | Code       | User defined printable field | 15     | City   | City, township, village    |
| 15     | Last Name  | Last name of addressee       | 5      | State  | State, province, territory |
| 15     | First Name | First name of addressee      | 9      | Zip    | Zip code, zone, route      |
| 26     | Company    | Name of company              | 2      | Data 1 | User definable field       |
| 26     | Address    | Street address               | 5      | Data 2 | User definable field       |

### IDEAL SYSTEM

Mod III 48K 1-40 Track Drive • 2-80 Track Dual Headed Drives • Dosplus or Newdos-80 Operating Systems  
Gives space for over 11,000 names - 5 second average name insertion - time sorts all 11,000 names in less than 4 minutes  
\*Special version to work on Dosplus 4.0 Hard Disk operating system.

- Overview Available -

The POSTMAN system requires Mod I or Mod III, 48K, 2 disk drives minimum.

Standard Version  
Only **\$125.00**

Standard Version with  
POSTWRITER form letter writer  
**\$175.00**

For DOSPLUS Hard Disk  
4.0 Operating System  
**\$225.00**

- DEALER INQUIRIES WELCOME -

✓87

**SSM** SOFT SECTOR MARKETING, INCORPORATED

6250 Middlebelt • Garden City, Michigan 48135

Order Line **800-521-6504**


Michigan Orders & Questions 313-425-4020



**PAYMENT** - payment accepted by charge, personal check or C.O.D. only, under the following conditions: **Charges** processed when shipped, usually within 48 hours. **Personal Checks** delay shipping, pending 3 weeks to clear. **C.O.D.** orders are certified check or cash only, add \$1.50. MI residents must add 4% sales tax.

**SHIPPING & HANDLING** - Shipping Charges: Send the larger amount, 2% or \$2.50, unless stipulated otherwise. Any order received without shipping and handling will be shipped **freight collect**. **Air Mail Shipping** outside of North America, please send the larger amount, 10% or \$10.00. Overpayment will be refunded.

# NEW 1983 SOFTWARE FOR MODEL I/III



**CONSUMER SOFTWARE  
AT  
WHOLESALE PRICES**

"... OVER two years of research and development have gone into these sophisticated software selections."

**MICRO-SCRIPT™**, the professional word processor at an affordable price! For novice and speed typists alike. Bells & whistles? You bet! A serious masterpiece which fills the void in any program library. .... \$24.95

**MANAGEMENT SYSTEM II™**, the full-blown files & labels program with "Lightning Sort" is here! Files can be created, added, updated, listed, deleted or saved to tape or printer. Includes Merge, search total and label printing. .... \$24.95

**GENERATIONS™**, the Genealogy Program. Trace your roots in the format recognized by genealogists worldwide. Create your family tree and compile information for all descendants on file. .... \$19.95

**FREE CATALOG**  
Circle Reader Service NBR.

**MICRO-SHORT™**, Enjoy the convenience of programming shorthand, 27 statements and 9 commands at the stroke of a single key. A must for any programmer. .... \$14.95

**MICRO-MATH™**, an educator endorsed program now available to the general public. Four basic math functions, hone skills of all ages. Unique graphics, full dimensional sound. Report card & wrong answer retrieval. Printer routines included. .... \$16.95

**SUPER-LOG™**, the ultimate logkeeping system for amateur radio operators. Features column headings found in conventional radio logs, nothing is left out! FREE callsign duplicating program included. .... \$19.95

**AMATEUR RADIO THEORY REVIEWS™**, Upgrade successfully! Pass the FCC Exam. Over 85% of our customers have passed! Experience an approach to learning even textbooks cannot provide. Specify License Class. .... \$24.95

— MANY MORE —

**MICRO-80™ INC.**

E. 2665 Busby Road  
Oak Harbor, WA 98277  
1-206-675-6143

## DODO BIRD

The dodo is an extinct bird; it faded because it wasn't very smart. Let's pretend the dodo isn't gone, that instead it reproduces on a grand scale.

Now, let's put you in a room

```


100 REM * DODO BIRDS *
110 DEFSTR B
120 H=80
130 I=39
140 J=1
150 CLS
160 PRINT @ 960,"LEVEL";J;
170 Y=0
180 M=0
190 FOR X=0 TO 82
200 SET(X,Y)
210 SET(X,Y+40)
220 NEXT X
230 X=0
240 FOR Y=0 TO 40
250 SET(X,Y)
260 SET(X+82,Y)
270 NEXT Y
280 X=41
290 Y=19
300 SET(X,Y)
310 FOR T=1 TO 300
320 NEXT T
330 B=INKEY$
340 FOR A=1 TO J
350 SET(RND(H),RND(I))
360 NEXT A
370 IF B="S" AND POINT(X,Y+1)<>-1 RESET(X,Y): Y=Y+1: GOTO 420
380 IF B="N" AND POINT(X,Y-1)<>-1 RESET(X,Y): Y=Y-1: GOTO 420
390 IF B="W" AND POINT(X-1,Y)<>-1 RESET(X,Y): X=X-1: GOTO 420
400 IF B="E" AND POINT(X+1,Y)<>-1 RESET(X,Y): X=X+1: GOTO 420
410 GOTO 430
420 SET(X,Y)
430 IF X=1 OR X=81 OR Y=1 OR Y=39 GOTO 630
440 IF POINT(X,Y-1)=-1 L=1: GOSUB 490
450 IF POINT(X,Y+1)=-1 L=2: GOSUB 490
460 IF POINT(X-1,Y)=-1 L=3: GOSUB 560
470 IF POINT(X+1,Y)=-1 L=4: GOSUB 560
480 GOTO 330
490 IF L=1 F=Y-1 ELSE F=Y+1
500 FOR G=0 TO 81
510 SET(G,F)
520 NEXT G
530 M=M+1
540 IF M=2 GOTO 690
550 RETURN
560 IF L=3 F=X-1 ELSE F=X+1
570 FOR G=0 TO 39
580 SET(F,G)
590 NEXT G
600 M=M+1
610 IF M=2 GOTO 690
620 RETURN
630 PRINT @ 960,"WINNER AT LEVEL";J;
640 FOR T=1 TO 1000
650 NEXT T
660 J=J+1
670 GOTO 150
680 CLS
690 PRINT @ 960,"THAT'S IT FOR THIS TRIAL. ";
700 PRINT "TRY AGAIN AT LEVEL";J;
710 FOR T=1 TO 750
720 NEXT T
730 GOTO 150
740 END

```

where dodos are appearing all around you; you want to escape to any wall. To move, press N for north, W for west, S for south and E for east. If you come in contact with a dodo, the birds appear in a straight line blocking you from the wall. If you get blocked in two directions or twice in a row at the same place, you have to try again at the same level. Each time you complete a level, your ability to move is slowed while the dodos pop up at the same rate.

The level of difficulty increases with each level you complete.

I'm going to leave you here because I'm not much for exercise. One last topic: By blundering into the cavern where we found Stalactite, I blew next month's surprise. We're going adventuring. We hope to find a golden idol hidden somewhere in a series of underground passages and rooms. ■



Dodo Bird


# HARDWARE SPECIALS

## LYNX MODEM

Auto Answer - Auto Dial

Mod I & III  
No RS-232  
Board Required

List \$299.00



Shipping  
from Stock  
**\$218.00**

## SOFTWARE SPECIALS

All prices on this page valid  
only during the month of August.

## ELECTRIC WEBSTER

The Cadillac of Spelling Checkers

### SPECIAL

the integrated versions for Lazy Writer,  
Electric Pencil II, Scriptsit or Newsprint.

Mod I or III

List \$149.50

**SPECIAL \$120.00**

**SUPER  
DEAL**

## ORCHESTRA 85/90

Stereo music synthesizer with percussion  
for your Mod I or III.

List \$149.95

**SPECIAL \$99.95**

Please state Mod I or III.

LIMITED SUPPLY

## RIBBONS

MX-80 Replacement Cartridges

**\$15.00 each**

**Buy One Get One Free!**

COMING - MX-100 Ribbons

## MX-PRO

The proportional spacing module for the  
MX-80/MX-80FT printers. Creates the most  
impressive illusion possible when used  
with Lazy Writer word processing system.

List \$24.95

**SPECIAL \$19.95**

## LAZY WRITER

Word Processing System

The word processing system that has set  
the standards.

List \$175.00

**SPECIAL \$145.00**

Mod I & III

- DEALER INQUIRIES WELCOME -

**SSM** SOFT SECTOR MARKETING,  
INCORPORATED

6250 Middlebelt • Garden City, Michigan 48135

Order Line **800-521-6504**

Michigan Orders & Questions 313-425-4020



**PAYMENT** - payment accepted by charge, personal check  
or C.O.D. only, under the following conditions: **Charges**  
processed when shipped, usually within 48 hours. **Personal**  
**Checks** delay shipping, pending 3 weeks to clear. **C.O.D.**  
orders are certified check or cash only, add \$1.50. MI residents must add 4% sales tax.

**SHIPPING & HANDLING** - **Shipping Charges:** Send the larger amount, 2% or \$2.50, unless  
stipulated otherwise. Any order received without shipping and handling will be shipped **freight**  
**collect Air Mail Shipping** outside of North America, please send the larger amount, 10% or  
\$10.00. Overpayment will be refunded.



This month let's look at a few math and science programs and books for the TRS-80 Models I and III.

## First, Programs


Software Engineering Systems (3204 80th St., Lubbock, TX 79423) has produced two good programs. They cost \$29 each, and run under Level II or Disk Basic.

The first program (Simulation System) allows you to simulate many phenomena on a micro without writing special application programs for each. The program solves differential or difference equations and allows you to plot the time-history of the dynamic system or send a listing of the history to the video or printer. This is the only commercial program that even approaches the problem of a general simulator of dynamic systems.

You can choose an Euler or 4th-order Runge-Kutta method for solving the system. You choose the step size, but it is not self-adjusting. You must enter the equations of your system in the program manually. This is clumsy, but every program that solves general equations for microcomputers uses it.

Now, you may be wondering about the difference between a system simulator and a garden-variety differential or difference equation solver. Essentially, there is very little; in fact, solving a single equation is a simple case of simulation. The general case, however, usually has several equations to be solved at the same time. One example given in the manual is an environmental energy flow problem involving plants, herbivores, carnivores, sediment, and environment and the amount of energy received by each.

The program works with initial value problems. An initial value problem is one in which the equations for the first order differential equations are known, and the values for the unknown functions are known at the start of the simulation. The program then calculates the state of the system at a later time. That is what is meant by the solution of the model—the state of the system is predicted for some future time on the basis of the behavior of the derivatives and the state of the system at the starting time. Many simulations are based on time-series models,



## Statistical programming time-savers

or at least constitute initial value problems, so that the approach taken by this program is not greatly debilitating. Still, boundary value problems would be nice.

The plotting routines are so-so. The functions are plotted longitudinally. This means that the plots are not scaled for the screen, but keep scrolling. If you have a printer, this is not too bad, but it lessens the routines' usefulness.

The manual gives several examples, and explains the program's use fairly well. It also gives useful references.

The other program is called Mathematical Programming. By this procedure the value of some function can be optimized within a number of limiting constraints. This program actually contains three programs; one for linear programming, transportation problems, and network flow optimization problems.

The linear programming is done with the standard simplex algorithm. The algorithm gets its name since the solution falls within a convex hyperplane called a simplex in  $n$ -dimensional geometry. With this bit of hocus focus, we can optimize functions within given constraints.

The transportation algorithm involves the movement of items from one set of origins to another set of destinations. The main concerns of transportation include cost and quantity, as well as capacity of the destination or other constraints. Again, this is an op-

timization problem.

Network flow problems are special cases of the linear programming problem. Network flow optimization involves optimizing flow of whatever you want to move along a network of nodes. The "out of kilter" algorithm used here concerns itself with flows in which flow at each node is conserved.

If you are unfamiliar with the technique, don't look to the manual for help. It primarily concerns itself with showing the program's operation and examples.

The program works, and, provided you understand the technique enough to know what the answer means, the program is inexpensive and a good buy.

I received three programs from Decision Science Software (865 Castle Ridge Road, Austin, TX 78746, (512) 327-1463).

Matrix-80, LP-80 and Future-80 sell for \$39.95, \$49.95, and \$49.95, respectively. The programs come with well-reproduced, informative documentation.

Matrix-80 is a Basic program that allows the user to enter and manipulate matrices. Since they are dynamically dimensioned, you have a lot of flexibility in formatting their number and size. The program is visually attractive—a nice touch. You have commands available to manipulate the matrices including addition, multiplication, inversion, and transposition. You can access up to 26 matrices (depending on the size of the dimensions used). You may also choose single or double precision, allowing a further tradeoff between accuracy and memory utilization and speed. The program is well error-trapped.

LP-80 is another linear programming program. You may work with either single or double precision. The program is more user-friendly than SES's linear programming program. You may print or save your data, solve the system, change the step size used in the iteration process, and analyze the sensitivity of the optimized function. The program is also well error-trapped.

FUTURE is a statistical forecasting model program. Six statistical forecasting techniques are used, including arithmetic average, linear regression, seasonal averages, moving averages,

# COLOR COMPUTER

## MASTER CONTROL

Copyright ©1981 Soft Sector Marketing, Inc.

- Written by A. Schwartz

Requires 16-32K

1. 50 preprogrammed command keys. Standard and Extended command.
2. Direct control of motor, trace, and audio from keyboard.
3. Automatic line numbering.
4. Programmable Custom Key.
5. Direct Run Button.
6. Keyboard overlay for easy program use.
7. Easy entry of entire commands into computer.



Load Master Control into your machine then either type in a BASIC program or load one in from tape to edit. Cuts programming time by 50% or more.

**\$24.95**

For The Radio Shack  
**Color Computer**

## COLOR BONANZA

some 4K,  
some 16K,  
some 32K

Written by E.R.I

### 50 PROGRAMS In One Package

\*The Color Computer is a product of Radio Shack,  
division of the Tandy Corporation

**\$49.95**


## GHOST GOBBLER

16K - JOYSTICK

**\$21.95**



Superior to  
PACKET MAN &  
PAC ATTACK



MACHINE LANGUAGE

FOR 4K COLOR USERS

## Color Scarfman

GREAT GRAPHICS  
Machine Language

Only **\$19.95**

## Tape Directory

Copyright ©1982

Creates index  
of your  
programs  
for each  
tape,  
to screen  
or printer.



A MUST FOR ALL  
COLOR COMPUTER  
USERS!



Cassette, **\$14.95**

- DEALER INQUIRIES WELCOME -

**SSM** SOFT SECTOR MARKETING,  
INCORPORATED

6250 Middlebelt • Garden City, Michigan 48135

Order Line **800-521-6504**

Michigan Orders & Questions 313-425-4020



**PAYMENT**—payment accepted by charge, personal check or C.O.D. only, under the following conditions: **Charges** processed when shipped, usually within 48 hours. **Personal Checks** delay shipping, pending 3 weeks to clear. **C.O.D.** orders are certified check or cash only, add \$1.50. MI residents must add 4% sales tax.

**SHIPPING & HANDLING**—Shipping Charges: send the larger amount, 2% or \$2.50, unless stipulated otherwise. Any order received without shipping and handling will be shipped **freight collect**. **Air Mail Shipping** outside of North America, please send the larger amount, 10% or \$10.00. Overpayment will be refunded.

# Wayne Green Books


NEW  
ARRIVALS

## TEXTEDIT

a complete  
wordprocessing  
system in kit  
form.


by  
Irwin Rappaport

A WAYNE GREEN  
PUBLICATION



Learn Digital  
Electronics While  
Building Your Own  
Computer!

By George Young  
and Peter Stark



## TEXTEDIT—A Complete Word Processing System in kit form

by Irwin Rappaport

TEXTEDIT is an inexpensive word processor that you can adapt to suit your needs, from writing form letters to large texts. It is written in modules, so you can load and use only those portions that you need. Included are modules that perform:

- right justification
- ASCII upper/lowercase conversion
- one-key phrase entering
- complete editorial functions
- and much more!

TEXTEDIT is written in TRS-80\* Disk BASIC, and the modules are documented in the author's admirably clear tutorial writing style. Not only does Irwin Rappaport explain how to use TEXTEDIT, he also explains programming techniques implemented in the system.

TEXTEDIT is an inexpensive word processor that helps you learn about BASIC programming. It is written for TRS-80 Models I and III with TRSDOS 2.2/2.3 and 32K.

**BK7387 \$9.97 Disk Available DS7387 \$19.97**

0-88006-050-6

## Annotated BASIC—A New Technique for Neophytes.

BASIC programming was supposed to be simple—a beginner's programming language which was so near to English that it could be easily understood. But, in recent years, BASIC has become much more powerful and therefore much more difficult to read and understand. BASIC simply isn't basic anymore.

Annotated BASIC explains the complexities of modern BASIC. It includes complete TRS-80\* Level II BASIC programs that you can use. Each program is annotated to explain in step-by-step fashion the workings of the program. Programs are flowcharted to assist you in following the operational sequence. And—each chapter includes a description of the new concepts which have been introduced.

Annotated BASIC deals with the hows and whys of TRS-80 BASIC programming. How is a program put together? Why is it written that way? By observing the programs and following the annotation, you can develop new techniques to use in your own programs—or modify commercial programs for your specific use.

Annotated BASIC Volume 1 contains Projecting Profits, Surveyor, Things to Do, Tax Shelter, Introduction to Digital Logic, Camelot, The Soundex Code, Deduction, Op Amp, Contractor Cost Estimating.

**BK7384 \$10.95** ISBN 0-88006-028-X

**AVAILABLE NOW!**

Annotated BASIC Volume 2 contains Rough Lumber List, Trip Mileage, Flight Plan, OSCAR Data, SWR/Antenna Design, Supermaze, Petals Around the Rose, Numeric Analysis, Demons, Air Raid, Geography Test, Plumbing System Design.

**BK7385 \$10.95** ISBN 0-88006-037-9

Order Both Volumes and Save! **BK738402 \$18.95**

## KILOBAUD KLASROOM—

A practical course in digital electronics

By George Young and Peter Stark

Learning electronics theory without practice isn't easy. And it's no fun to build an electronics project that you can't use. *Kilobaud Klassroom* the popular series first published in *Kilobaud Microcomputing*, combines theory with practice. This is a *practical* course in digital electronics. It starts out with very simple electronics projects, and by the end of the course you'll construct your own working microcomputer!

Authors Young and Stark are experienced teachers, and their approach is simple and direct. Whether you're learning at home or in the classroom, this book provides you with a solid background in electronics—and you'll own a computer that you built yourself!

*Kilobaud Klassroom* contains Getting the Ball Rolling, Gates and Flip-Flops Explained, J.K. Flip-Flops and Clocked Logic, PC Boards and Power Supplies, Hardware Logical Functions, Voltage, Current and Power Supplies, Transistors, Diodes and OP Amps, Pulses and More Pulses, Counters and Registers, Bus Traffic Control, ROM and RAM Memories, I/O Circuitry, Parallel and Serial I/O Ports, Computer I/O III, Computer I/O IV, Computer I/O V, Processor Connections, Finally... The Kilobaud Krescendo, Eproms and Troubleshooting, Expansions and Programming, Machine-Language Programming, Assembly-Language Programming, Connecting to the Outside World.

ISBN: 0-88006-027-1 **AVAILABLE NOW! BK7386 \$14.95**

## THE NEW WEATHER SATELLITE HANDBOOK—

By Dr. Ralph E. Taggart WB8DQT—

Here is the completely updated and revised edition of the best-selling *Weather Satellite Handbook*—containing all the information on the most sophisticated spacecraft now in orbit. Dr. Taggart has written this book to serve both the experienced amateur satellite enthusiast and the newcomer. This book is an introduction to satellite watching, that tells you how to construct a complete and highly effective ground station. Not just ideas, but solid hardware designs and all the instructions necessary to operate the equipment are included. An entire chapter is devoted to microcomputers and the *Weather Satellite Station*, and for the thousands of experimenters who are operating stations, *The New Weather Satellite Handbook* details all the procedures necessary to follow the current spacecraft!

*Weather Satellite* contains Operational Satellite Systems, Antenna Systems, Weather Satellite Receivers, A Cathode Ray Tube (CRT) Monitor for Satellite Picture Display, A Direct-Printing Facsimile System for Weather Satellite Display, How to Find the Satellite Test Equipment, Microcomputers and the Weather Satellite Station, Station Operations.

ISBN 0-88006-015-8 **available now! BK7383 \$8.95**

\*TRS-80 and TRSDOS are trademarks of the Radio Shack Division of Tandy Corporation.

FOR TOLL-FREE ORDERING CALL 1-800-258-5473  
WAYNE GREEN BOOKS • PETERBOROUGH NH 03458

Use the order card or itemize your order on a separate piece of paper and mail to Wayne Green Books Att: Sales • Peterborough NH 03458. Be sure to include check or detailed credit card information. (Visa, Master Charge or American Express accepted.) No C.O.D. orders accepted. All orders add \$1.50 for the first book, postage and handling; \$1.00 each additional book; \$10.00 per book foreign air mail. Please allow 4-6 weeks after publication for delivery. Questions regarding your order? Please write to Customer Service at the above address.



exponential smoothing, and trend analysis. All these techniques are useful, and appropriate under various circumstances.

The user may enter up to 100 data points (time series information). The arithmetic average technique assumes that the data is normally distributed and tends toward the arithmetic mean of the data. This is a simple world view, but appropriate under many circumstances.

The next technique used is simple bivariate linear regression. It finds a line that best represents that data.

Seasonal analysis is well introduced in the manual. This technique is appropriate when the causal forces inducing the measured phenomena change periodically, from season to season. The method used in this seasonal analysis is a variation of the arithmetic mean approach: The mean for the season is used to predict behavior for future time intervals of that season.

Moving averages is a method of removing periodic fluctuations to reveal an overall trend in the time series data. Moving averages removes cyclical fluctuations of certain magnitudes, and may be thought of as a kind of data smoothing on inverse seasonal analysis.

Exponential smoothing also smooths data by removing unwanted fluctuations, but all past history is considered and the most recent history is treated as most important.

The trend analysis presents a forecast based upon an overall long-term trend containing seasons. Think of a sine wave superimposed over a line from the point (0,0) and rising at a 45-degree angle from the x-axis. Seasonal data variations are represented by the sine wave, and an overall trend by the upward 45 degree line.

These techniques are straightforward, and the program can produce good plots of the forecast. The program is well done and the results easy to understand.

## Books

The *Basic Scientific Subroutines* series is written by Dynacomp's industrial scientist, F. R. Ruckdeschel. These excellent books include a large number of Microsoft and North Star Basic programs (commented and uncommented), and well-explained algorithms. Program disks are available

from Dynacomp.

*Basic Scientific Subroutines* Volumes I and II cover a wide range of topics from elementary plotting routines (meant for line printers), complex numbers, vector and matrix operations, to least squares approximations, series approximations, roots of functions, and function optimization by steepest descent.

The books are \$19.95 for Volume I and \$23.95 for Volume II. Save yourself some programming and order these books—they are worth it!

*Basic Programs for Scientists and Engineers* by Alan Miller is another good book available from Sybex. Many routines are similar to their counterparts in the series mentioned above, but enough differences occur to warrant owning both this book and the books above.

Each chapter covers a topic, including vectors and matrices, simultaneous linear equations, polynomial curve-fitting, sorting, finding roots of equations, numerical integration, linearizing functions for curve fitting, and normal and other distributions.

This is one of the few references of this simplicity that discuss the Romberg algorithm for numerical integration. Various topics associated with the solution of simultaneous linear equations are discussed, including Gauss-Jordan method, Gauss-Seidel iterative method, and ill-conditioned matrices. The chapter on sorting is a good introduction to sorting and gives program listings for bubble, shell, and quick sorts.

*Basic-Pack Statistics Programs for Small Computers* was written by Denzie Van Tassel and is published by Prentice-Hall.

Little explanation of the methods is given with the 33 programs. Each program is presented with a purpose, computational method, discussion, instructions for running the program, examples, and the program listing.

The programs are all simple—no non-linear regression or confirmatory factor analysis here. These programs find the mean, standard deviations, and other descriptive statistics, sort and rank data, t-test, Mann-Whitney U-test, percentile rank for a t-test, chi-square, four different tests for independence, and four two-sample tests. Some statistical tables are also provided.

The book is of limited utility. The reader must understand the tests before using the programs.

*Science and Engineering Programs*, edited by John Heilborn and published by Osborne Books, is little more than a collection of program listings. Very little discussion of the programs is given, and then it is usually restricted to examples of program use.

This book presents some programs that are not to be found easily elsewhere, such as Lagrangian interpolation, non-linear regression, convolution and deconvolution, differential equations, structural analysis, thermodynamics and heat transfer. The chapter on eigenvalues and eigenvectors does not provide a program to compute all eigenvalues and eigenvectors for a general, non-symmetric matrix, but it does give all eigenvalues of a general matrix.

The main limitation of the book is the lack of tutorial information of the methods and lack of references. ■

## Color Computer Programs From Star-Kits

**SPELL 'N FIX** — Essential for serious word processing! Finds and fixes spelling and typing mistakes fast. 20,000+ word dictionary can be expanded. Truly professional program. \$69.29 for RS disk or cassette, \$89.29 for Flex.

**HUMBUG** — The Ultimate Monitor has 37 commands to enter, examine, start, stop, even single-step machine language programs, and more. \$39.95 on disk or cassette for 16K or 32K systems, \$49.95 for 64K systems.

**CHECK 'N TAX** — Set of programs to balance checkbook and keep tax data on disk. \$50.

**REMOTERM** — Allows using a terminal to give the Color Computer a full 24x80 display for serious users or remote operation. \$19.95.

**LFPRINT** — Permits use of a non-standard printer. \$19.95.

**NEWTALK** — Voice output program to examine and check memory. \$20.

**SHRINK** — Our fast version of Eliza. \$15.

**OXXO** — Our fast version of Othello. \$15.

**CHECK 'N TAX** requires 32K, all others 16K. We accept cash, check, COD, Visa or MC. NY State residents please include sales tax.

## Star-Kits

P.O. Box 209—E  
Mt. Kisco, N.Y. 10549  
(914) 241-0287

✓432

**80 Micro** will be 3 years old in January 1983, and we're celebrating with a special anniversary issue in addition to our regular January edition. This issue will be full of unique and exciting games, utilities, and tutorials. Surprise a friend, loved one, or just your computer with a very special Christmas gift.


A special Load 80 will be offered at our usual prices, \$9.97 for cassette and \$19.97 for disk. These programs are ready to load into Model I and IIIs and will save hours of typing. Owners of cassette-only systems must buy the cassette; disk owners can buy either.

What better way to please a computer nut than with a special *80 Micro* and an equally special Load 80 tape or disk? With luck he might find time to open the rest of his presents.

## A Addition to A Utility Program

The August "RELOAD80" column began a discussion of Basic programs which POKE machine-language sub-routines into memory. These programs require small modifications to work on systems with different amounts of memory and with or without disks. August's column described the changes needed to move the routine into the correct memory locations. September's column discussed how to tell the Basic interpreter where the routine is located. This month we will actually modify a program from the August 1982 Load 80.

First, let's consider an addition to the program published in September's RELOAD80 column. Option 5 of that



## Load 80 toasts third year

utility program was "Add Bytes to Dec#." This option calculates where a routine should be located in memory by adding an offset to the existing locations—for example, a machine-language routine POKEd into locations 32000-32767 for 16K:

```
FOR X=32000 TO 32767:READ Y:POKE X,Y:NEXT
```

Option 5 could calculate the correct figures for 48K by simply adding 32K (32768) to the figures:

```
FOR X=64768 TO 65535:READ Y:POKE X-65536,Y:NEXT
```

This method works fine in cases where the routine is POKEd into high memory, but an occasional program POKEs a routine into a low area of

memory not used by Level II. If you added an offset the routine would be POKEd into the wrong area of RAM.

The Program Listing adds Option 6, "Move Routine." It requests the starting and ending addresses of the machine-language routine and then asks if you want it moved to high memory for a 16, 32, or 48K machine. The results are printed as two decimal numbers.

## Converting SUBCHOP2

The program SUBCHOP2 (August 1982, page 221) POKEs a routine into an area of RAM unused on a Model I, Level II machine. This area of RAM is used under Disk Basic and on the Model III. If you run SUBCHOP2 on one of these machines it will bomb and probably reset the machine.

The first thing to do is move the routine into the correct area of RAM. Examine the program listing to find the lines where the routine is POKEd in. This line will almost always be in the form:

```
FOR X= start address TO end address:READ Y:POKE X,Y: NEXT
```

You will find this form on line 70.

```
FOR A=16446 TO 16474:
 READ D:POKEA,D:NEXT
```

Use Option 6 to calculate the correct figures for 16, 32 or 48K. (For 16K they will be 32739, 32767; for 32K 49123, 49151; for 48K 65507, 65535.)

Edit line 70 to reflect the correct amount of memory. For a 16K Model III line 70 would read:

```
FOR A=32739 TO 32767:
 READ D:POKEA,D:NEXT
```

If you are converting this program to run with 32 or 48K you must change the POKEA,D to POKE A-65536,D. Remember that when POKeing over 32767 you must subtract 65536 from the address being POKEd.

When you set memory size you are declaring the first byte of protected high memory. For SUBCHOP2 you should set memory size at 32739, 49123 and 65507 for 16, 32 and 48K respectively.

The only thing that remains is to tell the Basic interpreter where the routine is

## October Load 80 Directory

| Program | Title        | Page | Comments     |
|---------|--------------|------|--------------|
| 1       | COPYRGHT     | —    | None         |
| 2       | QUICKCALC    | 114  | None         |
| 3       | BASICOMP     | 122  | None         |
| 4       | AUTOTRK2     | 203  | None         |
| 5       | MUSIC1       | 228  | None         |
| 6       | MUSIC2       | 228  | None         |
| 7       | SCRPTCH1/SRC | 276  | Needs EDTASM |
| 8       | SCRPTCH2/SRC | 276  | Needs EDTASM |
| 9       | CRYPTO       | 296  | None         |
| 10      | INVENTORY    | 342  | None         |

The cassette version of INVENTORY will be used on the cassette, the disk version on the disk. Instructions for converting to disk or cassette will be in remark statements.

located. Because this program is meant to run in Cassette Basic, the memory address is POKEd into locations 16526 and 16527. This is done in line 70:

```
POKE 16527,64:POKE16526,62
```

The value in 16526 is the LSB, while the value in 16527 is the MSB. Remember that Memory Address = LSB + 256 \* MSB. For the unmodified version of SUBCHOP2 this works out to 16446, the first byte of the routine.

If you have a cassette system you must find the correct LSB and MSB for your system's memory. Use Option 3, "Dec to LSB, MSB." Use the first address obtained from Option 6. For instance, if you have 16K you would input 32739 as the decimal number. The LSB and MSB would be printed as 227 and 127. Modify line 70 to read:

```
POKE 16527,127:POKE 16526,227
```

If you have disks you must use a DEFUSR=nnnn to point to the machine-language routine, where nnnn equals the first byte of the machine-language routine. For 16K it would be 32739, for 32K 49123, for 48K 65507. Since the values for 32 and 48K are above 32767 they would have to be expressed as nnnn-65536.

Charles Gillen, SUBCHOP2's author, uses the same method of storing machine language in all his programs. Martian Missile Attack (January 1982,

page 265) and Space Chase (May 1982, page 292) are examples.

### Disk to Cassette

A review of this year's 80 Micros turned up a curious fact—there are no disk-based programs that use machine-language subroutines. Here is how to convert one.

First, move the routine into the correct area of memory for your machine. (Do this as described above and change the DEFUSR accordingly.) If you are using cassettes you must also change the DEFUSR statement to POKE 16526, LSB:POKE 16527,MSB.

### Cautions and Limitations

Moving a machine-language routine into the correct area of RAM will not make all programs work correctly. For instance, if the machine-language routine is written for the Model I it

might not function correctly on the Model III. This is the case for SUBCHOP2. After making the above changes the program will not crash on the Model III, but the machine-language sound routine will be silent.

Programs that use disk input/output will still not function on cassette. Programs that require 48K will still not run in 16K. Others may require that variables be changed to reflect the machine-language routine's new location. SLOTMACH (August 1982, page 222) is an example of this.

Some programs do not use high memory to store machine-language routines. CRAM (August 1982, page 234) uses AA\$ in line 930. THRUASTR (August 1982, page 280) uses a remark in line 1. In cases like these there is no need to relocate the routine. If you were going to disk, however, you would add a DEFUSR statement. ■

```
20 PRINT" 1. Hex to Dec 2. Dec to Hex 3. Dec to LSB, M
SB
4. LSB, MSB to Dec 5. Add Bytes to Dec# 6. Move routine
30 INPUT"CHOICE";A$:CH=VAL(A$):IFCH<1ORCH>6THEN30ELSEONCHGOSUB40
,60,80,90,110,121:GOTO20
121 REM ** Move to correct loc **
122 PRINT"FOR X=xxx TO yyy"
123 INPUT" xxx";D1:IFD1<0THEND1=D1+65536
124 IFD1<0ORD1>65535THEN123ELSEINPUT" yyy";D2:IFD2<0THEND2=D2+6
5536
125 IFD2<0ORD2>65535THEN124ELSEIFD2<D1THEN123
126 INPUT" 1. 16K 2. 32K 3. 48K";X:IFX<1ORX>3THEN126ELSEDE=
16383+X*16384
127 D1=DE-(D2-D1):D2=DE:DE=D1:GOSUB150:DE=D2:GOSUB150:RETURN
```

*Program Listing*

## DISCOUNT COMPUTERS

100% RS COMPONENTS, NO FOREIGN DRIVES OR MEMORY  
FULL WARRANTY

|                                  |         |                                     |         |
|----------------------------------|---------|-------------------------------------|---------|
| 16K COLOR COMPUTER .....         | 449.00  | LINE PRINTER V .....                | 1499.00 |
| 32K COLOR COMPUTER .....         | 549.00  | LINE PRINTER VI .....               | 975.00  |
| 16K MODEL III .....              | 815.00  | LINE PRINTER VII .....              | 299.00  |
| 48K MODEL III, 1 DR. ....        | 1549.00 | LINE PRINTER VIII .....             | 599.00  |
| 48K MODEL III, 2 DR. RS232 ..... | 1889.00 | DAISY WHEEL II .....                | 1599.00 |
| 64K MODEL II, 1 DR. ....         | 2920.00 | 1 DR. EXPANSION MODEL II .....      | 919.00  |
| 128K MODEL 16, 1 DR. ....        | 3998.00 | 8.4 MEG HARD DISK MODEL II/16 ..... | 3685.00 |
| 128K MODEL 16, 2 DR. ....        | 4598.00 | ALL RS SOFTWARE .....               | 20% OFF |

ALL OTHER ITEMS CARRY SIMILAR DISCOUNT. CALL FOR PRICES.

CASHIERS CHECK OR MONEY ORDER MUST ACCOMPANY ALL ORDERS.

SHIPPED FREIGHT COLLECT

**(817) 825-4027**

NOCONA ELECTRONICS • Box 593 • Nocona, TX 76255

✓232



## Portable Model III

The Adcock & Johnson Model 3000 is a conversion which transforms the Model III from a desktop into a fully portable computer. The Model 3000 is the first portable computer to be fully compatible with the broad range of software and hardware already in use and under development by Radio Shack.

Offering a brushed aluminum case, dual 184K disk drives and optional internal direct connect modem, the Model 3000 incorporates a 9-inch, green-phosphor CRT, with an anti-glare finish. The unit fits under a standard airline seat and weighs only 28 pounds.

The Model 3000 is available either as a conversion for a Model III at \$795 or as a complete machine for \$2,895. Internal 10 megabyte hard disk, modem, and upgrades for Model III owners are available at additional cost. For more information contact Adcock & Johnson, Drawer 8778, Fort Worth, TX 76112, (817) 429-5131.

Reader Service ✓550

## Model III Applications Package

Desk Topper Pac I is a multi-purpose applications package for the Model III. The package includes a full word processor, mailing list manager, a complete payroll record system, a form letter facility, a computerized calculator, an appointment management system, and a data base manager.

This product sells for \$99.95. For more information contact Charles Mann and Associates, Microcomputer Division, 55722 Santa Fe Trail, Yucca Valley, CA 92284, (714) 365-9718.

Reader Service ✓568

## Coin Tracker

Coins produces various printed reports which you can use for personal investment and tax purposes concerning your coin collection. It also includes a file of information and market prices on 1500 of the most common U.S. coins in all grades. This information is updated and distributed on a quarterly basis.

This product is priced at \$95 and includes the latest value file. Quarterly updates are available thereafter for \$25



Coins

each. It runs on a two-disk 48K Model I or III. For more information contact Compu-Quote, 6914 Berquist Ave., Canoga Park, CA 91307, (213) 348-3662.

Reader Service ✓567

## Mass Mail System

The Interpro flexible mass mail system allows you to build and use a mail list completely customized to your own needs. You can have up to 26 different fields named whatever you wish. Fields can have as many characters as needed (up to 255 total).

The program prints extra large labels, one, two, three, or four across labels, or tractor feed envelopes. You define the format of the labels and any messages to be printed.

This business management utility is for use with two-disk, 48K Model I or III computers. It comes on a Model I disk and is priced at \$127. For more information contact Interpro, P.O. Box 4211, Manchester, NH 03108.

Reader Service ✓561

## Administrative Software System

The ESM-100 school administrative system provides a complete student

and record format, class scheduling, attendance recording and reporting, and numerous flexible reporting features.

The system allows building a complete student file record and simplifies the retrieval of student information. Both hard copy and terminal inquiry are available at the operator's option.

ESM-100 runs on the Models II and III. The program's price is \$1,295-\$1,595.

Each ESM-100 program is individually customized for the school it is going to be used in. For additional information, contact: Mr. William E. Mayes, National Sales Director, Educational Software and Marketing Co., 1035 Outer Park Drive, Suite 309, Springfield, IL 62704, (217) 787-4594.

Reader Service ✓586

## Home Money Minder

The Home Money Minder is a check-book manager program for the Color Computer. You enter all of your check-book's activities—each deposit, check, and bank charge. By assigning each to any of your pre-assigned account codes, the program summarizes all your expenses, income, and cash flow.

This product provides such reports

as summary of expenses (this month and this year), summary of income sources, and a list of all checkbook transactions.

The Home Money Minder requires a Color Computer with 32K, Extended Basic, and a cassette player. Priced at \$19.95, it is available from Computerware, Box 668, 4403 Manchester Ave., Encinitas, CA 92024, (714) 436-3512.

Reader Service ✓585

### Ribbon Cartridge For MX-80 Printers

A low cost, longer lasting ribbon cartridge for the Epson MX-80 printer is now available from Data Systems, P.O. Box 99, Fern Park, FL 32730, (305) 788-2145. The cartridge contains a 20-yard ribbon of top quality nylon, and is sealed factory fresh. The ribbon is formed in a mobius loop to allow printing on both sides for a much longer life than the Epson straight loop. It is priced at \$8.95 each.

Reader Service ✓588

### Hurricane Tracking Program

Software is now available for tracking hurricanes and tropical storms in the Caribbean Sea and the Gulf of Mexico. The program allows you to input each reported position of a storm, then calculate the category of intensity, speed of movement, distance from any potential point of landfall, and several other parameters. A plotting routine shows the U.S. Gulf coast with successive positions of a storm's track.

Also included in the software are several files containing data for classic hurricanes which have struck the U.S. Gulf coast. Their tracks can be displayed to provide analogs for new storms.

The software is available on disk for the Model III for \$29.95. For more information contact Climate Assessment Technology Inc., 11550 Fuqua St., Suite 355, Houston, TX 77034.

Reader Service ✓587


### Computerized Storybook

*Better View a Zoo* is an entertainment and education package for beginning readers, kindergarten, and early elementary-grade children. It is based on a story-poem about two children who encounter scary tigers, panthers, and snakes in the jungle. In-context

learning activities deal with counting (up to nine), directions (up, down, left, right), and the alphabet. It also includes games like Tiger Hunt and a video game for young children, Around the Zoo.

This program is for use on a 32K Model I or III and comes on disk for \$24.95. For more information contact Storybooks of the Future, P.O. Box 4447, Santa Clara, CA 95054.

Reader Service ✓569



*Sprinter*

### Speed Up Your Computer

The Sprinter is a speed-up peripheral that runs your system 2-3 times faster, plugs inside your keyboard, and lets you add a parallel printer.

You select from 16 different (OUT) software commands that control your execution speed. The Sprinter automatically slows down for disk and I/O operations, and compensates for slow ROMs. For superior high speed performance a Z80B is included.

The Sprinter is designed to plug into the Z80B socket inside your TRS-80 Models I and III and PMC-80/81.

You can purchase the Sprinter for \$99.50. Add \$24.50 for a parallel printer port and \$19.50 for a printer cable. For more information contact Holmes Engineering, Dept. #15, 3555 South 3200 West, Salt Lake City, UT 84119, (801) 967-2324.

Reader Service ✓589

### Copy-One

Copy-One is a Model I utility that enables single drive users to copy files to and from formatted disks with only drive zero installed. It works with TRSDOS compatible operating systems including NEWDOS and NEW-DOS+ and comes on a self-loading 5¼-inch, 35-track single density disk for \$15. For more information contact Applied 80 Softwares, 4316 Vermont Court, Virginia Beach, VA 23456.

Reader Service ✓570

### Sparrow Commander

Kitchen Sink and Sparrow Commander are arcade-type strategy games with sound. The background for both is an air kingdom under attack by eagles and sparrows. The defenders try desperately to protect their air castle home, while the sparrows follow a primal urge to reach their old nesting ground.

In Kitchen Sink you are the defender, trying to aim a variety of strange weapons (including the kitchen sink) at the invading sparrows. Sparrow Commander depicts the other side of the story.


Both programs are available on disk for \$19.95 each for the Model I with 32K, and are Model III compatible. For more information contact Instant Software Inc., Peterborough, NH 03458, (603) 924-9471.

Reader Service ✓578

### Church Management System

The Church Management System allows a church or similar organization to establish a data base for its members. It provides names and addresses for mailing labels, word processing for correspondence and sermon preparation, a member contribution record (including pledged and paid amounts), communion and Sunday school attendance records, and more.


The financial management needs are



# SPECIAL


TRS-80™ MOD III  
48K—2 Drive—DISK III  
TRSDOS & Manuals

**\$1882.**



6.3 to 38 Meg  
Winchester External  
Hard Disk III  
beginning at

**\$1899**



External Floppies  
for MOD I or III **\$275.**  
Fully compatible, 120 day warranty  
80 TK or 2 sided **\$419.**  
80 TK & 2 sided **\$549.**

## Optional HD III:

|             |                |
|-------------|----------------|
| 9.5 meg     | <b>\$2099.</b> |
| 19 meg      | <b>2799.</b>   |
| 2 x 6.3 meg | <b>2899.</b>   |
| 2 x 9.5 meg | <b>3199.</b>   |
| 2 x 19 meg  | <b>4399.</b>   |

## CHECK THESE GREAT BUYS ON OTHER PRODUCTS:

|                         |          |
|-------------------------|----------|
| Epson MX-80 w/graphtrax | \$475.00 |
| Epson MX-80 ft          | 575.00   |
| Epson MX-100            | 750.00   |
| MX-80 Ribbons           | 12.50    |
| MX-100 Ribbons          | 30.00    |
| Epson Graphtrax         | 75.00    |
| C.ITOH F-10 40 cps      | 1,695.00 |
| Tractor                 | 200.00   |
| C.ITOH & Diablo Ribbons | 5.95     |
| DC Hayes Smart Modem    | 259.00   |
| DC Hayes Micro Modem II | 339.00   |

|                            |        |
|----------------------------|--------|
| OKIDATA Microline 80       | 359.00 |
| OKIDATA Microline 82A      | 529.00 |
| OKIDATA Microline 83A      | 799.00 |
| OKIDATA Tractor            | 75.00  |
| Lexicon Modem              | 125.00 |
| Novation Cat Modem         | 175.00 |
| Novation D Cat Modem       | 199.00 |
| Percom Doubler II          | 169.00 |
| Percom Data Separator      | 29.95  |
| Paper 9½ x 11 (Fanfold)    | 29.95  |
| Paper 14½ x 11 (Green Bar) | 34.95  |

|                              |        |
|------------------------------|--------|
| Verbatim 5¼" Diskettes       | 26.90  |
| Maxell 5¼" Diskettes         | 39.00  |
| Nashua 8" Diskettes          | 42.95  |
| Drive Extender Cable         | 12.00  |
| Head Cleaning Kit 5¼"        | 14.95  |
| Disk & Other Mysteries Book  | 19.95  |
| Basic & Other Mysteries Book | 27.50  |
| NEC Ribbons (Min. 6)         | 5.95   |
| Printer Cable                | 25.00  |
| LDOS Operating Sys.          | 129.00 |
| DOSPLUS Operating Sys.       | 149.00 |

**NOW OPEN—VR DATA COMPUTER CENTER 616 Baltimore Pike, Springfield, Pa. (Delaware County)**



# PURCHASE


## \* INTRODUCTORY OFFER

### Smith Corona TP-I Letter Quality Printers

- National Service Organization
- 90 day warranty thru VR DATA
- 12 cps—Daisy Wheel—10/12 CPI
- 6 Type Faces available
- UP to 5 Part Paper
- Tractor Optional

Reg. 895.

## SALE \$699.



## DISK III

100% Compatible Floppy Disks

### Disk III Single Drive

**\$599.**

Disk III Dual Drives

864.00

Disk III No Drives

435.00

TRSDOS & Manual

21.90

DOS PLUS & Manual

149.00

LDOS & Manual

129.00

2 Sided or 80 Track Drives add \$120. ea.

2 Sided & 80 Track Drives add \$240. ea.

## MODEL III COMMUNICATIONS

### VR-RS232

**\$80.**

Direct Replacement For  
R.S. RS232, Fully Tested  
& Burned-In, Easy  
Installation, 120 Day  
Warranty, Programmable  
Pinout, Prototype Area

### D-CON

**\$299.**

Integral Modem, NEEDS  
NO RS232—Direct  
Connect, Programmable  
Dialing, AUTO ANSWER/  
ORIGINATE, Easy  
Installation

IF YOU DON'T SEE IT ADVERTISED  
CALL US AND ASK FOR IT.



# VRdata

777 Henderson Boulevard N-6  
Folcroft, PA 19032 (215) 461-5300

Call Toll-Free

## 800-345-8102

ALL VR DATA PRODUCTS CARRY  
A 120-DAY WARRANTY INCLUDING  
PARTS & LABOR

Published prices reflect cash discount.  
All prices are subject to change without  
notice. TRS-80 and TRSDOS are trademarks  
of Tandy Corp. DISK III is a trademark of  
VR Data Corp.

8:30AM-7PM E.S.T. Mon.-Fri., Sat. 10AM-3PM  
CABLE "VRDATA" TELEX 845-124

## NEW PRODUCTS

met by a general ledger program which handles 200 accounts, a payables system with a check-writing option, and a special reporting module to produce budgeted versus actual operating information.

The complete package for a Model III with two disk drives and 48K is available for \$500. For more information contact Simplified Software Systems, 118 Third Ave., N.W., Hickory, NC 28601.

Reader Service ✓579

### TEST

TEST, a worksheet and test authoring program for the classroom teacher, is now available for the Model III disk system. TEST contains a maintenance program and a test and drill program.

The maintenance program allows you to create a test of up to 35 questions and save it on disk. Test and drill is a utility program which accepts the test prepared by the maintenance program. With the test and drill program students can either use the questions as a review, take a scored test, or the teacher can have the computer prepare a printed test or worksheet with an answer key.

Priced at \$24.95 for a two-disk Model III system, it is available from TYC Software, 40 Stuyvesant Manor, Geneseo, NY 14454, (716) 243-3005.

Reader Service ✓577

### Subscription Management System


Publiphile is a microcomputer subscription management system designed specifically for small publishers. It provides subscriber mailing labels in a variety of formats plus other subscriber information such as separate billing addresses, purchase orders, credit card orders, "bill-me" orders, bad credit names, special offers and advance and multiple renewals.

The system runs on a Model II and allows on-screen verification of individual subscriber data and provides hard copy for circulation summaries, expiration counts, renewal analysis, cash receipts, bank deposits, accounts receivable, earned income and subscriber liability reports. It also has a unique report generator that allows creating customized reports.

The complete Publiphile Subscrip-

tion Management System costs from \$7,000-\$20,000, including hardware and software that provide full-function word processing and input to such electronic publishing services as NewsNet. For more information contact WPL Associates Inc., 1105-F Spring St., Dept. 01, Silver Spring, MD 20910, (301) 589-8588.

Reader Service ✓575



*Learning TRS-80 Basic*

### Learning TRS-80 Basic

*Learning TRS-80 Basic* combines the best of David Lien's earlier books (*User's Manual for Level I* and *Learning Level II*) and adds more. It is updated to include the Models I, II, III and 16. A question and answer section with most chapters tests your knowledge of new material.

Priced at \$19.95, it is available from CompuSoft Publishing, 1050-E Pioneer Way, El Cajon, CA 92020, 1-800-854-6505.

Reader Service ✓554

### Problem Solving in Math

Problem Solving in Math—Level 3 is a computer-assisted instructional program for students working at approximately the third-grade level in math or reading. The complete set of materials consists of 60 carefully sequenced lessons on the computer, a student book, and a teacher's manual. It is available in tape or disk versions for the Model III.

The price of Problem Solving In Math—Level 3 is \$199. For more information contact Micro School Programs—Bertamax Inc., 101 Nicker-son, Suite 202, Seattle, WA 98109, (206) 286-6249.

Reader Service ✓574

### Power Ends CP/M Frustrations

Power is a menu program for the CP/M operating system which frees you from typing or mistyping file names. You need only select numbers from screen menus to perform normal CP/M housekeeping functions.

In addition to copying, typing, erasing and renaming files rapidly, Power gives you 45 other functions to reclaim erased files, test disks, fix bad disks, and move, display or change memory or actual information on your disks.

Fifty programs are combined in the Power software package for \$149. For more information contact Computing!, 2519 Greenwich St., San Francisco, CA 94123.

Reader Service ✓581

### Tax Master

The Tax Master Federal Income Tax Planning and Preparation System supports all of the lettered schedules and the most commonly used numbered forms. The system displays line-for-line images of the real IRS forms on the screen. These forms match the IRS versions in line numbering, item descriptions, and graphics. All you do is enter the raw data on each form; the computer performs all of the arithmetic and the cross-referencing of items between forms. All forms can be reviewed and recalculated as often as desired before final printing. The system also includes an integral text editor and numeric calculator to aid in entering data on the screen.

Tax Master is for use on the Models II and 16. It is priced at \$1,300 with a \$350 annual update fee after the first year, and is available from Impacc Associates, P.O. Box 93, Gwynedd Valley, PA 19437, (215) 699-7235.

Reader Service ✓580

### Model III Terminal Program

SSSOFTRM/CMD V2.0 is a terminal program for the Model III. It fea-

# DOES STRING COMPRESSION HAVE YOU TIED UP IN KNOTS?

## LET TRASHMAN CLEAN UP THE MESS!

TRASHMAN is a machine language utility for the TRS-80 Models I and III. It was written by Glenn Tesler, the author of FASTER, and can reduce BASIC's string compression time by 95% (see table below).



### WHAT'S STRING COMPRESSION?

When a BASIC program changes a string (words, names, descriptions), it moves it to a new place in memory, and leaves a hole in the old place. Eventually, all available memory gets used up and BASIC has to push the strings together to free up some space. This takes time. Lots of time. The computer stops running for seconds or minutes, and you may even think it's "crashed". The keyboard won't work, and until all the strings have been collected, you just have to sit and wait. Then things run for a while, until string compression is needed again. And again.

If you're using your computer for business, that wastes your money. If you're using it personally, it wastes your time.

### WHAT'S THE SOLUTION?

As soon as you start using TRASHMAN, those delays almost disappear. It uses less than 600 bytes of memory, plus 2 bytes for each active string. It works with other machine language programs and with all major operating systems. It's easy to use, comes with complete instructions, and can be copied to your own disks.

### WHAT'S THE CATCH?


If a BASIC program uses only a few strings, very little time is wasted in string compression, and TRASHMAN won't be helpful. But, if hundreds of strings, including large string arrays, are used, TRASHMAN is just what you need.

Ask your software dealer for TRASHMAN, or order directly on our toll-free number. The price is just \$39.95 (plus sales tax in California).

| #<br>STRINGS | SECONDS<br>NORMAL | DELAY<br>TRASHMAN | PERCENT<br>IMPROVEMENT |
|--------------|-------------------|-------------------|------------------------|
| 250          | 11.8              | 0.7               | 94                     |
| 500          | 45.8              | 1.6               | 96.5                   |
| 1000         | 179.6             | 3.5               | 98                     |
| 2000         | 713.2             | 7.8               | 98.9                   |

(All timings done on TRS-80 Model I. Model III 15% faster, but pct. improvements identical. Listing of timing program available on request.)

## AMAZING PROGRAM SPEEDS UP BASIC



Your time is valuable, so why waste it on slow-running BASIC programs? PROSOFT's "FASTER" will analyze those programs while they run, then show you a simple change (usually one new line) that can reduce run-times by up to 50%.

Accounting systems, financial models, engineering and scientific programs all run faster; so do games. Large, complex programs improve the most, and "FASTER" is easy to use.

THIS ISN'T A COMPILER! Your BASIC programs remain readable and can be changed later on. While your programs run, "FASTER" counts how often each "variable" is used, then shows you the correct sequence for these variables. Afterwards, the computer finds them sooner, so your programs run faster.

Does it really work? Yes! *Personal Computing* said so in their May, 1981 issue (p. 116); we've received many letters from customers who've gotten 20-50% improvements; and we will make you this offer:

Order "FASTER" now. Try it on your bread-and-butter programs. If you don't get an overall run-time reduction of at least 20%, return it within 30 days for a prompt and cheerful refund.

"FASTER" runs on TRS-80 Models I and III, 16-48K, tape or disk

**\$29.95**

## QUICK COMPRESS

Small (276 bytes), fast (processes 800 lines in under 3 seconds) utility removes blanks and remarks from your BASIC programs. Produces smaller, faster programs, and doesn't alter the original logic.

16-48K Model I or III, tape or disk.


**\$19.95**

**SPECIAL FASTER + QUICK Compress:**

**\$39.95**

## ERRATIC DISK DRIVES

RPM measures the rotational speed and variation of your disk drives, and reveals a common cause of unexplained errors. Simple one-key operation, runs under any DOS, interchangeable between Models I and III. Shows current and average speeds, plus fluctuation history. Recovers from severe errors. Documentation explains how to adjust drives. Use RPM monthly for best results. 32-48K Model I or III disk **\$24.95**



### TO ORDER, CALL NOW, TOLL FREE

(800) 824-7888, Operator 422  
CALIF: (800) 852-7777, Oper. 422  
ALASKA/HAWAII: (800) 824-7919  
FOR TECHNICAL INFORMATION CALL:  
(213) 764-3131, or write to us.

# PROSOFT™

Dept. G Box 560  
North Hollywood, CA 91603

TERMS: We accept VISA, Mastercard, checks, Money Orders, C.O.D. and even cash. We pay shipping via surface UPS inside U.S.A. Please add \$3.00 for Blue Label, 6% tax in California, and 15% outside North America (air shipment).



## NEW PRODUCTS

tures automatic log-on with imbedded carriage returns; a modem-command buffer; uploading and downloading of both ASCII and CMD files; an internal binary-to-ASCII converter and ASCII-to-binary reconverter; spooler-type printer output; user-defined keys; and a local echo option for use in half-duplex operations.

The program is available on disk (\$59.95) or tape (\$54.95) with full documentation. For more information contact SSSOFT, P.O. Box 573, Memphis, TN 38101, (901) 767-8914.

Reader Service ✓566

### Millionaire

Millionaire is a stock market simulation game. The game includes margin accounts, call and put options, stock and industry graphs, news reports, volume indicators, company histories, buy and sell transaction reports, and more.

Millionaire requires one disk drive and a 48K Model III system. It sells for \$49.95. For more information contact Micro-Z Applications, 22704 Ventura Blvd., Suite 141, Woodland Hills, CA 91364, 800-835-2246, ext. 101.

Reader Service ✓564

### Statistical Program

XTABS is a cross-tabulations program for the Models I and III. It provides the following statistics: chi-square, percentile rank of chi-square, G statistic, Phi, Cramer's V, contingency coefficient, and symmetric and asymmetric lambda. It also displays the frequency, percent of total, row, and column, and contribution to chi-square for each cell. It displays the output on the screen, formats it for professional looking hardcopy, or writes the results to a disk file to be merged with word-processor files.

XTABS sells for \$49.95. For more information contact A-Priori Software, 1005 West Main, Vermillion, SD 57069, (605) 624-4214.

Reader Service ✓563

### Code4

Code4 is an encryption program that protects sensitive programs or data, such as payroll files, from prying eyes. It encodes ASCII files with field lengths of 251 characters or less. Generally the file must not be longer than 13,056 bytes or 225 lines.

This program's  $1.6 \times 10^{19}$  keys make your encoded files undecipherable. The program also allows double encrypting your files. An easily modified random number generator lets you customize the program to your needs.

This menu-driven program features four modes: encode, decode, save decoded file and zero the file. It is for use on a 48K, two-disk Model I system. It is available on a single density TRSDOS 2.3 disk for \$19.95 and comes with a source listing, BRun utility, and sample ASCII file. For more information contact HPB Vector, 130 Center St., East Stroudsburg, PA 18301.

Reader Service ✓557

## TEXTEDIT

a complete  
wordprocessing  
system in kit  
from.

by  
Irwin Rappaport



A WAYNE GREEN  
PUBLICATION

### Build Your Own Word Processing System

Textedit teaches Model I and III owners how to convert their computer into an inexpensive, efficient word-processing system. As each unit of the program is developed the Basic programming techniques involved are explained so that the user learns while using the instructions.

The program is put together in modules and is easy to modify.

The price of the book and an accompanying disk holding the entire pro-

gram is \$9.97. For more information contact Wayne Green Books, Peterborough, NH 03458, (603) 924-9471.

Reader Service ✓576

### Check Recording System

The Check Recording System keeps you up to date on the status of your checking account and aids you in reconciling bank statements. It also allows you to categorize all checks written into logical groups. It permanently stores check information on disk and produces reports from stored data.

This program runs on a 32K Model I or III. It comes on disk and includes user documentation. Priced at \$29.95, it is available from Harrison and Harrison, 241 North Hills Drive, North Hills, WV 26101, (304) 424-5581.

Reader Service ✓559

### Advanced Basic Editor

The Advanced Basic Editor (ABE) is for use with 32K Model I computers with a disk drive running under TRSDOS 2.3 or NEWDOS80 V2. It features a formatted screen on which listings of your programs are done page-by-page. A global search and replace feature allows you to change all or some occurrences of a word or phrase. This utility also copies lines from one part of a program to another.




Priced at \$19.95, ABE is available from Interpro, P.O. Box 4211, Manchester, NH 03108.

Reader Service ✓560

### Ultra-Word

The Ultra-Word word processor offers full-screen editing, screen formatting, high-speed text-entry mode, line inserts/deletes, document merge, print from memory or document, up/down/left/right cursor movement, character delete key, character insert key, up to 999 key phrase retrievals, line erase, line-repeat function, block text move and copy, forward and backward tabbing, searches for existing words or phrases, and more.

This product runs on a 64K Model II under TRSDOS. Priced at \$500, it is available from Microcon Digital






Mod III

## GRAFYX SOLUTION™

\$299.95 ✓464

- 512 × 192 Dot Graphics increases resolution 16X (better than Apple)
- Extensive Business, Personal, Educational, and Scientific applications
- 14 BASIC commands set and reset Points, Lines, Circles, Boxes, etc.
- Allows Display and Printout of detailed Line, Bar, and Pie graphs
- 80 Character/line display compatible with BASIC programs and DOS
- Price includes 98K bits memory, 30 programs, 52 page manual
- Plug-in, clip-on board eliminates soldering for easy installation



Mod I, III

## 80-GRAFIX™

\$169.95 ✓465

- Create and Save 128 programmable hi-resolution characters/shapes
- Characters are generated within an 8 × 12 matrix (Mod I: 6 × 12)
- Great for creating game figures, symbols, and alternate character sets
- Excellent software support (20 programs) & extensive documentation
- Module easily installs within the computer with no soldering

Manual only \$15  
Products guaranteed  
Dealers welcome

**MICRO-LABS, INC.** 214-235-0915  
902 Pinecrest, Richardson, Texas 75080

FREE shipping  
Prepaid or COD  
Tx. res add 5%

**FOR TRS-80\* USERS**  
**(Mod. I/II/III/16/COLOR)**

**EIGHTY SYSTEM  
NEWSLETTER**

1992

[illegible][illegible]

(Also for dealers, mfg. and industry personnel.)

Published 52 times per year  
and mailed First Class

- ☐ Latest TRS-80\* System News
- ☐ Product Notes & Reports
- ☐ New Hardware & Software
- ☐ Industry Trends
- ☐ User Notes & Comments
- ☐ TRS-80\* Article Summaries

## RATES

**\$39.00 Year – First Class**  
(US, Canada & Mexico)

**\$75.00 Year – Foreign (Air)**  
(Must be in US Funds)

**SAMPLE COPIES \$2.00**

**EIGHTY SYSTEM NEWSLETTER**  
3001 Route 27 Franklin Pk., NJ 08823

- ☐ \$39.00 (1-Year Subscription)  
☐ \$75.00 (Foreign-Air-US Funds)  
☐ \$ 2.00 (2 Sample Issues)

Name \_\_\_\_\_

Company \_\_\_\_\_

Address \_\_\_\_\_


City \_\_\_\_\_

State \_\_\_\_\_ Zip \_\_\_\_\_

(MC & VISA OK—Include card number, expiration date & signature.)

\*TRS-80 is a Registered Trademark of Tandy Corporation/Radio Shack Div.

## NEW PRODUCTS



*APL\*PLUS/80*

Systems Inc., 126 W. Walnut St.,  
Kokomo, IN 46901, (317) 457-6623.  
Reader Service ✓ 553

## APL\*PLUS/80

APL\*PLUS/80 is a business application development system. It features formatting, exception handling (error trapping), the APL\*PLUS Shared File System, all APL language primitive functions and operators, and system functions for space management in the workspace and for interface with non-APL programs. This product functions as a stand-alone processor or a communications terminal to a remote computer using either the APL or the regular ASCII character set.

**APL\*PLUS/80** runs under TRSDOS 1.3 or LDOS 5.1 on a 48K Model III with two disk drives. The system, including 1,110 pages of documentation, a custom APL-character ROM, and a self-adhesive label set, is priced at \$295. For more information contact STSC Inc., 2115 East Jefferson St., Rockville, MD 20852.

Reader Service ✓ 558

## Ultra-BizPac

Ultra-BizPac is a complete accounting and inventory control system for a small manufacturing business. It keeps a general ledger/journal of all daily business transactions along with accounts payable/receivable and payroll. The product's inventory control fea-

ture allows a manufacturer to control his raw material, in-process and finished-goods inventory through on-line batch processing of daily-inventory transactions. An alert feature monitors the inventory for maximum and minimum levels.

Ultra-BizPac consists of general ledger, accounts receivable, accounts payable, fixed assets accounting, mail list and payroll systems. It is written in CBasic2 and runs under CP/M version 2.2 on a 64K Model II. The system sells for \$1,000 or \$250 per module. For more information contact Microcon Digital Systems Inc., 126 W. Walnut St., Kokomo, IN 46901, (317) 457-6623.

Reader Service ✓ 552

## Dataman

Dataman is a data manager for Model I and III users with no programming experience. Anyone can build a new file in minutes and print a sample format. The user must decide only the field names and lengths and the file name itself—the program does the rest.

Dataman allows multiple files on one data disk, unlimited backups, and uses the same System disk for accessing and maintaining all files. No data is stored on the System disk. Other features include automatic screen formatting, automatic subtotals and totals across and down the page, and automatic print formatting (including page numbering, title, date, and so on). You



# INFLO INC.

(516) 924-9229

*Presents*

## 2 MEGABYTES DISK STORAGE

**\$1,000.00**

FROM MITSUBISHI

Now you can add Megabytes to your system

### 2 Megabytes System For:

TRS-80 OR LNW

\$1,000.00

### The Inflow 3.2 Megabyte High Speed System for:

TRS-80 MODEL I OR III

\$1,550.00

EARLY LNW 80

\$1,500.00

LATE LNW 80

\$1,300.00

LNW MODEL II

\$1,300.00

Attention !!! LNW owners  
the LNW Connection is up and running  
**(516) 924-8115 (BBS)**

### Full line of LNW products in stock

LNW 80

\$ call

LNW Mod II

\$ call

LNW Expansion Interface for TRS 80

\$399.00

LNW 5/8 Doubler

\$199.00

Call your local Dealer

LA... (504)293-3400

NY... (516)924-9229

OR... (503)232-5552

NJ... (201)751-8444

OH... (216)532-9876

OR... (503)688-5065

NY... (516)981-8568

VA... (804)467-2313

WA... (206) 481-7339

**LNW Dealers call Inflo (516)924-9229 for coop advertising**

**Inflo Inc.** ✓300

244 Mill Rd.

Yaphank, N.Y. 11980

*(516)924-8115 24 Hr. Data line (BBS)*


*10:00 am till Midnight Eastern time Voice line*

**(516)924-9229**

LNW is a trademark of  
LNW Research Corp.

TRS-80 is a trademark of  
Tandy Corp.

BBS Number is for Modem use only



## EPROM Storage Alternative to Tapes and Discs

Need reliable turn-key operation for your TRS-80\*?

Can't afford tape/disc problems?

Plug Bug Systems has the cure!

15 day money back guarantee

### THE IDEA

A Modularized REPROGRAMMABLE EPROM\*\* memory system for user creation of up to 24K "burned" in BASIC or MACHINE LANGUAGE programs, instantly accessible without tapes or discs, for Model I and III. 48K options available. No soldering or EPROM handling: all units have their own power supplies!

### THE SYSTEM

A CONTROLLER MODULE is plugged into the TRS-80\*. Individual "unburned" 12K or 6K EPROM memory packs are then plugged into the controller. Under direction of our system software, the user loads his target program and "burns" it into 1 or 2 packs, thus providing up to 24K storage. The CONTROLLER MODULE also provides the interface for transferring the "burned" programs or data into RAM avoiding tape and disc load errors! BASIC and MACHINE LANGUAGE programs/data can be called up by file name and start executing immediately. Disc and cassette functions still valid.

### OR

Programs can be executed directly from a pack without the CONTROLLER MODULE by plugging them into the TRS-80\* (Model I 16K, 32K) keyboard connector bus.

### SYSTEM SUPPORT

#### Plug Bug RAM

6K static read/write memory for program development includes a write protect switch, thereby simulating EPROMs. Programs executed directly or accessed via CONTROLLER MODULE.

#### Software

PRBURN cassette system control program supervises burn, verify and filespec naming of programs. Can be transferred to disc.

#### Documentation

Complete, straightforward instructions. Machine language knowledge not required.

#### Burn Service

We provide a reprogramming service for your Plug Bug packs (non-disclosure agreement provided).

### PLUG BUG PACKS

|                     |          |
|---------------------|----------|
| 6K (EPROM)          | \$84.95  |
| 12K (EPROM)         | \$94.95  |
| 48K (EPROM SYSTEM)  | INQUIRE  |
| 6K (RAM)            | \$94.95  |
| CONTROLLER MODULE   | \$119.50 |
| "BURN" SERVICE PACK | \$14.95  |

To order, send cashiers check or money order to:

## PLUG BUG SYSTEMS

RFD 3, Box 300  
Mt. Kisco, N.Y. 10549  
914-666-7672

C.O.D. on request:  
add \$3.00 for shipping and handling  
add \$5.00 for Canada and Mexico  
\*Trade Mark Tandy Radio Shack Corp.  
\*\*Packs erasable with ultra-violet lamp.

✓ 377

## NEW PRODUCTS

may revise the default-print formats by a menu-driven formatter. You may also save a special format for later use. Dataman even lets you select as one of the menu options, the type of printer: Epson, Okidata or Radio Shack.

This product is supplied on disk without an operating system and requires 48K with two disk drives (double-density preferred). Priced at \$49.95, it is available from A\$string Systems, 1446 Hagen Lane, Rockledge, FL 32955, (305) 636-6913.

Reader Service ✓555



Medieval Magic

### Medieval Magic

Medieval Magic is an adventure game for the Models I and III. Trapped in an ancient castle, you must uncover all its secrets, treasures, and tools in order to escape. Written as an introduction to the adventure format of game playing, Medieval Magic allows you to develop the logical, problem-solving approach necessary to become a master adventurer.

Medieval Magic is available on cassette for \$13.95 and disk for \$17.95. For more information contact The Liberty Software Company, 635 Independence Ave. S.E., Washington, DC 20003, (202) 544-6674.

Reader Service ✓583

### XYZ Switchbox

Syzygy's RS-232 serial switchbox

measures 7 by 10 by 3 inches and permits manual switching of a common port to any of three distribution ports. All components are solidly mounted on a 9 by 6 inch board. Four internally mounted 10-pole socket-mounted DIP switches allow each port to be separately configured for normal or null-modem use and can enable, disable and jumper lines 4,5,6,8 and 20. The versatile switching permits rapid configuration of the Syzygy XYZ serial switchbox for CRT terminals, LQ printers, and CPU ports. A CPU port may select any of three different printers or terminals, or three different CPU ports may select one printer or terminal, and so on. No batteries or external power is required and no wires are used.

This product sells for \$185 and is available from Syzygy, 256 West San Bernardino Road, Covina, CA 91723, (213) 332-3320.


Reader Service ✓590

### Griffin I

The Griffin I 5 1/4-inch Winchester disk drive combines 12.67 megabytes of capacity and an average access time of 35 milliseconds on only two platters. It offers a maximum access time of 55 milliseconds and 12.67MB unformatted capacity and 10.0 formatted capacity in a compact 3.25 by 5.75 by 8 inch package.

The Griffin I is priced at \$1,675. For more information contact Micro Peripherals Inc., 9754 Deering Ave., Chatsworth, CA 91311, (213) 709-4202.


Reader Service ✓584



Griffin I



# HOW TO USE YOUR EPSON WITHOUT WASTING COMPUTER TIME:



Your computer is capable of sending data at thousands of characters per second but the Epson can only print 80 characters per second.

This means your computer is forced to wait for the printer to finish one line before it can send the next. A waste of valuable time.

## THE NEW MICROBUFFER™ ACCEPTS DATA AS FAST AS YOUR COMPUTER CAN SEND IT.

Microbuffer stores the data in its own memory buffer and then takes control of the printer. This frees your computer for more productive functions.

### PARALLEL OR SERIAL.

Microbuffer model MBP-16K is a Centronics-compatible parallel interface with 16,384 bytes of on-board RAM for data buffering.


The MBS-8K is a full-featured RS-232C serial interface with both hardware and software (X-On/X-Off) handshaking, baud rates from 300 to 19,000 and an 8,192 byte RAM buffer.

### SIMPLY PLUG IT IN.

Either model fits the existing auxiliary interface connector inside the Epson MX-80, MX-80 F/T or MX-100 without modification, and is compatible with standard Epson cables and printer control software, including GRAFTRAX-80.

### JUST \$159.00\*

When you think how much time Microbuffer will save, can you afford *not* to have one? Call us for your nearest dealer.



## PRACTICAL PERIPHERALS, INC.

31245 LA BAYA DRIVE, WESTLAKE VILLAGE, CA 91362 • (213) 991-8200

✓ 11

\*Suggested retail price for either model.



# GALAXY OF FEATURES

**A GALAXY** of features makes the **LNW80** a remarkable computer. As you explore the **LNW80**, you will find the most complete, powerful, ready to run, feature-packed personal and business computer ever made into one compact solid unit.



**MODEL I COMPATIBILITY** – The **LNW80** is fully hardware and software compatible with the Model I. Select from a universe of hardware accessories and software – from VisiCalc® to space games, your **LNW80** will launch you into a new world of computing.

**FULLY LOADED** – A full payload includes an on-board single and double density disk controller for 5 1/4" and 8" single or double sided disk drives. RS232C communications port, cassette and parallel printer interfaces are standard features and ready to go. All memory is fully installed – 48K RAM, 16K graphics RAM and 12K ROM complete with Microsoft **BASIC**.

**QUALITY CONSTRUCTION** – Instrumentation quality construction sets **LNW80** computers apart from all the rest. Integrated into the sleek solid steel case of the **LNW80** is a professional 74-key expanded keyboard that includes a twelve key numeric keypad.

**HIGH RESOLUTION GRAPHICS & COLOR** – The stunning 480 X 192 resolution gives you total display control – in color or black and white. The choice of display formats is yours; 80, 64, 40 and 32 columns by 24 or 16 lines in any combination of eight colors.

**PERFORMANCE** – Lift-off with a 4MHz Z80A CPU for twice the performance. The **LNW80** outperforms all computers in its class.



Our down to earth price won't send you into orbit

## LNW Research Corp.

2620 WALNUT Tustin, CA. 92680  
(714) 641-8850 (714) 544-5744

30

Monitor and Disk drives not included  
TM Personal Software, Inc.