

# 80 micro

the #1 magazine for Tandy users

APRIL 1987  
USA \$4.00  
CANADA \$4.50  
UK £2.50  
A CWC1 PUBLICATION

**FOR BOSSES ONLY:  
Our Barefoot Basic  
Payroll Program**

## TANDY 1000 GRAPHICS

**Make GW-Basic  
Work for You**

**DYNAMIC DUO**  
Basic and  
Assembly  
On the  
Tandy 1000

**NEW!**

**JOHN'S  
MS-DOS  
COLUMN**  
—p. 118





**"Frankly,  
online computing  
costs were  
real ugly..."**



**\$10.00+ per hour**

Most online information networks can zap your computing budget faster than you can say "lightning." Not so with GENie, the General Electric Network for Information Exchange. As part of the world's largest commercially available teleprocessing network of General Electric Information Services Company, GENie lets you experiment with all of the fun and excitement that online computing has to offer.

**Evenings, weekends, holidays.**

**Just \$5 per hour.**

With GENie, you can make friends, set up travel reservations, get the news, be entertained, even shop for a fraction of what other information services charge.


**And you get a lot for your money.**

With GENie's Tandy† **RoundTable™** **Special Interest Group** you can discuss the latest in Tandy products and accessories; download hundreds of public domain software programs, and participate in exciting and informative online conferences. And, **UPLOADS ARE FREE** on GENie!

**There's more!**

Meet friends old and new with GENie's **LiveWire™ CB Simulator** or exchange messages with GENie's **electronic mail** service. Schedule a trip with **American Airlines travel service**. Fun and learning for the whole family with **Grollier's electronic encyclopedia**. Play classic and **multiplayer games**. Track stock market

**"With GENie™  
I found  
friends  
online, for less."**



**\$5 per hour**

**Only \$18 to register! Save up to 60%!**

Check out the chart. Compare the savings for yourself. You'll find GENie delivers all of your favorite services for an incomparable price, at incomparable savings.

quotes, check market indicators and maintain an automatically updated personal portfolio online with GENie's **Financial Services**. All this and there's more to come. New services are being added each and every month!

Compare & Save*	Services						Pricing			
	Travel & Shopping	SIGs/User Groups	CB & Mail	Financial Services	News	Games	Registration Fee	Monthly Minimum	Non-prime time rates	
									300 baud	1200 baud
The Source	X	X	X	X	X	X	\$49.95	\$10.00	\$8.40	\$10.80
CompuServe	X	X	X	X	X	X	\$39.95	none	\$6.00	\$12.50
<b>GENie†</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>\$18.00</b>	<b>none</b>	<b>\$5.00</b>	<b>\$5.00</b>

\*Basic rates and services shown in effect 1/1/86. Non-prime time applies Mon.-Fri., 6pm-8am local time, all day Sat., Sun., and most holidays. Subject to service availability. Additional charges apply for 2400 baud and financial services.

With services and savings like these, now you can discover the friendliness of online computing without the high costs that can turn you into a downright monster. Get a happy ending going with GENie. Sign up today!

**Sign up from your keyboard today.**

**4 Easy Steps:**

1. Have your Visa, MasterCard or checking account number ready.
2. Set your modem for local echo (half duplex)—300 or 1200 baud.
3. Dial 1-800-638-8369. When connected, enter HHH
4. At the U# = prompt enter **XJM11898,GENie** then RETURN.

Need help or more information? No modem yet? We can help. In U.S. or Canada call **1-800-638-9636**.

† Tandy is a registered trademark of Tandy Corporation.

**GENie™**  
Stay online longer, for less.



**INFORMATION  
SERVICES**

General Electric Information Services Company, USA

GENie rates and services subject to change. Uploads are free during non-prime hours at 300 or 1200 baud. Some services offered on GENie may include additional charges. FRANKENSTEIN™ ©1931, renewed 1959 Universal Pictures Company, Inc. All rights reserved. Licensed by Merchandising Corporation of America, Inc.





# Instant Spelling Checker and Thesaurus

**CHECKS YOUR SPELLING  
AS YOU TYPE...and much more!**

**ONLY \$49.95\***

## The Choice Is Clear !

### Spelling Checker

Instant Proofing  
Screen Proofing  
Disk File Proofing  
Word Count  
Add. Word Limit  
Correction Feature  
Displays Dictionary  
Displ. Hyphenation  
Safe Exit  
One Step Installation  
Copy Protected

### Whoops Lightning

Full Dictionary	Partial Dictionary
✓	✓
✓	No
50,000	80,000
15,000	300
✓	✓
✓	No
✓	No
✓	No
✓	No
No	No

### Thesaurus

No. Lookup words **10,000** | **5,000**  
Min. Disk Space **39K** | **98K**  
**Price** **\$49.95** | **\$99.95**

Circle 245 on Reader Service card.

Wordstar® MicroPro, DeskMate® Tandy, PFS:Write® Software Publishing Corp., PC-Write™ Quicksort, IBM® PC® IBM, Whoops® Cornucopia

## Makes proofing easy.

In addition to an on-line thesaurus, Whoops offers you all the benefits of a traditional spelling checker, plus the added convenience of an instant spelling checker. Whoops can work from within your word processing program, proofing each word as you type so you can always be confident that your text is correct. Whether you use Wordstar®, DeskMate®, PFS:Write, LeScript™, PC-Write™, Microsoft® Word, or just about any other word processing, or spread sheet program, you'll find that Whoops makes your work a pleasure.

## Acclaimed

"Given the sophistication of this program, it is surprisingly easy to use. Especially impressive is the operating speed."  
*Software Reports* 4/23/86

## Guarantee

If you aren't completely satisfied with Whoops, return it within 30 days for a full refund of the purchase price. Computer must be IBM PC compatible with at least 256K of RAM.

## More Low Prices

Lscript (MS/DOS)	<del>\$199.95</del>	89.99
Lscript (TRS-DOS)	<del>\$129.95</del>	83.99
Whoops (MS/DOS)	<del>\$569.95</del>	49.95

Circle 245 on Reader Service card.

Prices good thru 5/87, so order now!

**CALL NOW TOLL FREE**

**1-800-343-2432**

(In CA, call 415-528-7002)

Software Sales, P.O. Box 5028  
Walnut Creek, CA 94596

- **INTEGRATES** into 11 different word processing programs incl.: Wordstar, Allwrite, Lscript, Superscript, Scripsit, Deskmate, Lazy Writer, and Electric Pencil (specify). Begins proofing at the stroke of a key; where possible, returns you to word processing w/ corrected text on screen.

- **DISPLAYS CORRECT SPELLINGS:** If you don't know the correct spelling, EW will look it up for you, and display the dictionary.

- **VERIFIES CORRECTIONS:** If you think you know the correct spelling of a word, EW will check it for you before making the corrections.

- **HYPHENATES AUTOMATICALLY:** (Optional). Inserts discretionary hyphens throughout text.


- **GRAMMAR & STYLE CHECKER:** (Optional). Identifies 22 types of common errors. Makes suggested corrections with the stroke of a key. Runs within EW.

- **50,000 WORD DICTIONARY:** Uses only 2 1/2 bytes per word; add as many words as you wish.

- **FAST CORRECTING:** In as little as 30 seconds, Electric Webster can return you to your Word Processing program, with your text fully corrected and on your screen.

## Still #1

"Electric Webster, a fantastic spelling and grammar checker!" *80 Micro* 4/85



**"The Cadillac"**  
of spelling checkers

*80 Microcomputing*, 9/82

**VOTED #1:** For the second straight year, Electric Webster was voted the #1 spelling checker in the *80 Micro* Reader's Choice Awards. (1/83, 1/84)

## ACCLAIMED:

"Electric Webster is the best. Just read any review in any magazine and I don't believe that you will find even one disagreement to that statement." *CINTUG, Cincinnati's Users Group Mag.*, 4/83

"Now there's a program called Electric Webster that would let me write to Presidents and Kings and never feel embarrassed. Miss Mulberry would give Electric Webster an A+, and so will you." *Computer User*, 1/84

"The most helpful program I've found is Electric Webster. After looking at nine proofreading programs, I've settled on Webster..." *Creative Computing*, 11/83

## Special Prices!

TRS-80 Electric Webster	<del>\$49.95</del>	59.95
w/Correcting Feature	<del>\$149.95</del>	119.95
Hyphenation	<del>\$49.95</del>	39.95
Grammar & Style	<del>\$49.95</del>	39.95
THE WORKS	<del>\$249.95</del>	179.95
MS/DOS or CPM Electric Webster		
w/Correcting, Hyph., G.&S.	\$129.95	
DEMO for any of Above	\$5.00	

Prices good thru 5/87, so order now!

Circle 45 on Reader Service card.

**Cornucopia Software, Inc.**

(415) 524-8098

Box 6111, Albany, CA 94706

This dictionary not published by the original publishers of Webster's Dictionary or their successors.



# DiskCount Data

WHERE  
QUALITY PROGRAMS  
MEET COMPETITIVE PRICES

2701-C W. 15th • SUITE 612 • PLANO, TX 75075 • (214) 680-8268

## HI RESOLUTION GRAPHICS

THE GRAPHICS SOLUTION by Micro Labs \$189.95

Run the best Hi-Res board on your Mod III or 4/4P. Far superior to Radio Shack's board, this gem will open up a new world of graphics applications. Graphics basic is included along with 30 other Hi-Res device & applications and a detailed user manual. All major operating systems are supported and the Hi-Res screen can be printed on 20 popular printers. Installation is simple with a dip-on internal board. Hi-Res, text & Low-Res graphics can all be displayed simultaneously. This board is the first Hi-Res modification on the market and additional Hi-Res software is available. Call for further details. Specify Mod III, Mod 4, 4P or 4D when ordering. **WAS \$299.95 REDUCED TO \$199.95 SALE \$189.95**

## HI-RES SOFTWARE

3D PLOT	39.95
MATHPILOT	39.95
BASIC	39.95
SLIDESHOW	19.95
PC-HAR	14.95
ORWAY	39.95
BIZZGRAPH	was 98.00 now 75.00
ADVANCED LET'S WRITE MUSIC	49.95
xTOD	was 449.95 now 239.95
SURFACE PLOT	39.95
Q BASIC 3.0 FOR RS BOARD	49.95
TOURNAMENT CHESS	49.95
TOURNAMENT REVERSI	now 29.95
3-D TIC TAC TOE	19.95
LIFE & SPIROGRAPH	24.00
FRACALS	19.95

## The TRS-80 GRAB BAG

**SALE  
39.95**

If you own a TRS-80 (Mod III/IV) and you are a chance taker, or a gambler and LOVE surprises, our GRAB BAG may just be for you. Send us just 39.95, along with our standard \$3.00 shipping, and we will comb the far reaches of our warehouse. We will ship you a surprise package worth more than \$200.00. It may be computer books, disk programs, tape programs, other goodies or assortments of all. Programs will be guaranteed to run and replaced if they don't. Some items may be old, some current... that's the surprise. Refunds or exchanges are not allowed but we know that you won't be disappointed.

## SCHOOL UTILITY AND EDUCATIONAL

Power Reading (Speed Reading)	64.50
Addit courseware disk for above	16.50
Test Question Data Bank III/MS	49.95
Test Generator/Drill III	34.95
Football Scouting III	49.95
Basketball Statistics III	39.95
Baseball Statistics III	39.95
Student Schedule Data Base III	49.95
Teacher Evaluation III	39.95
HBJ Computer SAT Mod III/MSDOS	79.95
Teacher Evaluation III	39.95
MACRO Typing Tutor I/III/4	39.95

## SUPERDIRECTORY

Index all of your diskettes and disk files with SUPERDIRECTORY. This unique program will read all of your disk files, generate a master library sorted by file name or extension along with the appropriate disk number. Your master index can be sent to the printer or brought to the screen. We even include an editor so you can add one line of comments to each file in the library. While SUPERDIRECTORY runs on the Model I or III (44PiD) in the MOD III mode, it will read and index Model 4 diskettes while in the Model III mode. When ordering, Model I or Model III must be specified. Also, please inform us if you are going to run it on the Model 4P as an additional fee is needed. Retail \$49.95 **SAVE 20% NOW \$39.95**

## GRAPHICS AND GAMES

Powerdraw I/III	34.95
PowerDot II Mod III Spec. Pmtr	39.95
Meltdown (Nuclear Powerplant) III	19.95
Gamepak-3 (Funnyface, Match, etc.)	29.95
Mask Maker Model 4	39.95
Datagraph I/III/4	74.95
Datagraph w/Pie Chart Option	109.95

## OPERATING SYSTEMS

DosPlus 4A with M ZAL	129.95
DosPlus 3.5 I/III Specify	79.95
Multidos Version 2 Mod I/III Specify	79.95
Multidos 80/84 Ver 2 Mod 4	89.95

## MOD 4 BY JACK

A complete re-write of the Mod 4 manual in English! **\$14.95**

## UTILITIES

FastCMD run TRSDOS 1.3 in 4 @ 4mhz	29.95
J&M Memory Minder Mod I	84.95
J&M Memory Minder Mod IV/4	74.95
The Toolbox for LDOS I/III	44.95
The Toolbox for TRSDOS 6	44.95
ALCOR C Complete System	64.95
ALCOR Multi-Basic Compiler	64.95
ALCOR Pascal	64.95
Superkeys (Keyboard Macros) Mod III	19.95
AOS Utils (Varkip & Screenpacker)	49.95
Pascal-80 I/III	59.95
AS Public Domain Disks	9.95
Zuess Editor/Assembler I/III/4	74.95
System Diagnostic I/III/4 Specify	69.95
Trashman I/III	37.95
Flaster I/III	29.95
RPM Disk Drive Timer	24.95
DSMBLR III I/III	29.95
Pro-Duce Mod 4 Disassembler	29.95
Accel 3/4 Basic Compiler I/III	44.95
Dostamer Mod 4 or MSDOS	49.95
Pro-Wam (Mod 4 Window Mgr)	59.95
Z-Basic Compiler 3.0	79.95
Monitor 5 I/III/IV	19.95

## ELECTRONIC BULLETIN BOARDS

RUN YOUR OWN  
BULLETIN BOARD

You too can be a sysop. Run your own BBS and open up your computer to the outside world... imagine a real time electronic message center in your own home.

## COMPLETE SYSTEMS

INFOEX-90 I or III (will run on hard disk)	99.95
FAST-80 for the Model 4PiD	74.95
BBS-PC IBM or Compatibles	250.00

Call for additional details

## BOOKS, WALL CHARTS & MISC

Using SuperUtility	17.95
Super Utility Tech Manual	13.95
Rom Routines Documented I/III/4	19.95
TRSDOS 6 Programmers Guide	19.95
Green Screens I, III, 4/4P	16.95
Diskettes DSD 10 in Plastic Bx	9.95
Sentinel Color Disks in	14.95
Wall Charts, specify Profile, Viscalc, SuperScript, Mod III or Mod 4 BASIC	4.00
TRS-80 For Kids 8 to 80 Vol I	7.95
TRS-80 For Kids 8 to 80 Vol II	7.95
Maintain & Service your Computer	11.95
Comp. Communications Tech	10.95
Electronically Speaking	9.95
Practice Problems in Numbers/Logic	7.95
Inside your Computer	8.95
TRS-80 Data Files (Disk Not Incl)	3.00
The World Connection	6.95
IBM PC for Kids 8 to 80	10.95
Annotated Basic Vol I or II	3.00
The Compaq Users Handbook	10.95
ABPC a Kids Guide to the IBM PC	7.95

Send for Our  
New Catalog  
TRS-80 MSDOS

## DOSTAMER

By the Babbage Patch

Just  
Reduced  
NOW  
**\$49.95**

Dostamer Mod 4/4PiD 49.95  
Dostamer for 1000, PC/MS DOS 49.95

You have heard of DOS manager type programs in the MS-DOS world. Now the Mod 4 has one too. Rated 4 1/2 stars by 80 MICRO, it has 10 full user menu screens to customize your DOS. Help menus are included and now, for a first, you can comment all your directory entries. Tag/Untag all files for mass copy/delete etc. Over 200 user defined keys. We highly recommend this outstanding software package.

## APPLICATIONS

Infocan I/III	39.95
ENBASE (Data Base) I/III	79.95
ST-80 III Terminal/Host I/III	69.95
SuperDirectory I/III specify	39.95
Ultraterm I/III	44.95
Ultraterm 2.0 w/auto log-on	59.95
Modem 80 I/III	39.95
Modem 80 Mod 4	79.95

## The Programmer's Guide To LDOS/TRSDOS6

Five star rated by 80 MICRO, The Programmers Guide is a must have book. 200 Pages—8 1/2 x 11. Retail 24.95 **Sale 19.95**

## WORD PROCESSORS AND PRINTER DRIVERS

Lazy Writer I/III/4 Specify	119.95
Lazy Font I/III/4+3 Specify	44.95
M-Script I/III/4	69.95
LeScript I/III/4	109.95
LeScript MSDOS 1000/1200, etc.	169.95
PowerDrivers for SuperScript and Eppsons, C. Roth Prowriter, Starwriter and Old-data 92 for I/III/4 specify Printer	29.95

## SUPER UTILITY PLUS BY POWERSOFT

VOTED AS THE OUTSTANDING  
UTILITY BY 80-MICRO READERS

## PROTECTED MEDIA BUY SUPERUTILITY PLUS

3.2 FOR MOD I/III  
OR 4/4P FOR MOD 4/4P  
AT \$74.99  
AND RECEIVE THE NEW BOOK  
USING SUPERUTILITY PLUS  
FREE  
A \$100.00 VALUE FOR ONLY \$74.99  
SUPERUTILITY/PC NOW \$84.95

## BUSINESS SOFTWARE

FBN General Ledger Mod III	150.00
Powermail Plus I/III/4 Specify	79.95
Powermail Plus w/Text Merge	99.95
The Basic Checkbook I/III	64.95
Loan Amortization Mod III	29.95
Inventory Control ICS Pro Mod III	69.95
SPS Statistical Analysis (Call)	150.00
The Home Accountant	69.95
Lynn's Payroll System III or 4	49.95
Lynn's Accounts Receivable Mod III	29.95
Lynn's Easy Mail Mod III	29.95
LeScript	179.95
Microsoft Word	299.95
PFS Professional Write	149.95
Typing Tutor III (Simon & Schuster)	34.95
Volkwriter Deluxe	149.95
Websters New World Spelling	
Checker	64.95
Websters New World Thesaurus	59.95
Word Perfect 4.1	299.95
Multipian	149.95
SuperCalc 3	299.95
The Twin (1-2-3 Clone)	79.95
Conversion (Infocom)	94.95
PFS Professional File (Includes Report)	199.95
PRS 1st choice (Includes File, Write, Plan and Access)	129.95
RBase 5000	389.95
Reflex	129.95
Copy II PC	29.95
DosTamer	49.95
Fast Back 5.1	149.95
Microsoft Windows	79.95
Norton Commander	56.95
Norton Utilities 3.1	79.95
1 Dir	79.95
PC Tools	49.95
Printworks	59.95
SideKick (non-protected)	59.95
Sideways	54.95
Superkey	59.95
Traveling SideKick	59.95
Dollars & Sense 2.0	139.95
The Home Accountant Plus	79.95
Managing the Market	129.95
Managing Your Money	149.95
Microsoft Quick Basic Comp	79.95
Microsoft C Compiler	349.95
Microsoft Macro Assembler	129.95
Certificate Maker	49.95
Click Art Personal Publisher	149.95
Draw (Windows version by Micrograph)	169.95
Prodesign II	249.95
PFS Graph	99.95
The Print Shop	49.95
The Print Shop Graphics Library	29.95
BPI General Accounting	349.95
DAC Easy	54.95
Alpa Blaster	44.95
Loderunner	29.95
Infocom 4-in-one Sampler	7.95
Evelyn Wood's Dynamic Reader	64.95
F-15 Strike Eagle	29.95
Flight Simulator	39.95
GATO	34.95
Computer S.A.T. (H.B.J.)	79.95
Jet	44.95
Math Blaster	39.95
Mind Prober	39.95
NewsRoom Pro (New)	99.95
Sargon III	34.95

## TRSDOS-MSDOS Conversion Utilities

**TRSCROSS only 89.95**

This program is a must for converting TRSDOS type files to the PC/XT/AT and all true IBM compatibles. TRSCROSS runs on the PC's and Clone's and converts basic programs on the fly. All Model III and IV disk formats are supported. NEWDOS 80, LDOS, MULTIDOS and TRSDOS. Model I diskettes must be in double density to be converted. TRSCROSS will also move files from IBM types back to the TRS-80's.

## MSDOS SOFTWARE

LeScript	179.95
Microsoft Word	299.95
PFS Professional Write	149.95
Typing Tutor III (Simon & Schuster)	34.95
Volkwriter Deluxe	149.95
Websters New World Spelling	
Checker	64.95
Websters New World Thesaurus	59.95
Word Perfect 4.1	299.95
Multipian	149.95
SuperCalc 3	299.95
The Twin (1-2-3 Clone)	79.95
Conversion (Infocom)	94.95
PFS Professional File (Includes Report)	199.95
PRS 1st choice (Includes File, Write, Plan and Access)	129.95
RBase 5000	389.95
Reflex	129.95
Copy II PC	29.95
DosTamer	49.95
Fast Back 5.1	149.95
Microsoft Windows	79.95
Norton Commander	56.95
Norton Utilities 3.1	79.95
1 Dir	79.95
PC Tools	49.95
Printworks	59.95
SideKick (non-protected)	59.95
Sideways	54.95
Superkey	59.95
Traveling SideKick	59.95
Dollars & Sense 2.0	139.95
The Home Accountant Plus	79.95
Managing the Market	129.95
Managing Your Money	149.95
Microsoft Quick Basic Comp	79.95
Microsoft C Compiler	349.95
Microsoft Macro Assembler	129.95
Certificate Maker	49.95
Click Art Personal Publisher	149.95
Draw (Windows version by Micrograph)	169.95
Prodesign II	249.95
PFS Graph	99.95
The Print Shop	49.95
The Print Shop Graphics Library	29.95
BPI General Accounting	349.95
DAC Easy	54.95
Alpa Blaster	44.95
Loderunner	29.95
Infocom 4-in-one Sampler	7.95
Evelyn Wood's Dynamic Reader	64.95
F-15 Strike Eagle	29.95
Flight Simulator	39.95
GATO	34.95
Computer S.A.T. (H.B.J.)	79.95
Jet	44.95
Math Blaster	39.95
Mind Prober	39.95
NewsRoom Pro (New)	99.95
Sargon III	34.95

# DiskCount Data

214-680-8268  
OPEN MON.-FRI. 10-7 CST

Send Cash, Check or Money Order. Please add \$3.00 for UPS Shipping or \$5.00 For US Postage & Insurance. COD's send an additional \$3.00 COD fee.

All COD's will require cash or certified upon delivery.

Foreign orders are welcome. All shipping charges assumed by purchaser.

When ordering by mail, please specify computer and model number.

Phone Your Order In Today Or Mail To:

DISKCOUNT DATA, 2701-C WEST 15th, SUITE 612, PLANO, TX 75075



Cheerfully Accepted





## Electric Pencil PC™

*Simply the Best Value in Wordprocessing Today*

With as many features as wordprocessors selling for 10 times the price, Electric Pencil PC was designed to be sophisticated enough for the professional user yet simple enough for the beginner. Our "Quick Start Guide" will have you writing, editing, and printing in less than 20 minutes. Once you have the basics, any of 500 functions are available with a simple key-stroke. The on-screen help and extensive tutorial windows are like having a manual on disk.

There may be only two methods left for writing: a no. 2 pencil or the power of Electric Pencil PC. You'll be impressed with this full-featured wordprocessing system at a revolutionary price . . . we guarantee it!

- Supports DOS 2.0 (or higher) directory structure
- On screen underlining & bold with monochrome (colors on color monitor)
- Set screen, text, underlined, bold & marker colors
- All prompts in English (no codes or numbers)
- Recover last delete from cut and paste buffer
- Built in disk file recovery
- Definable function keys
- All "wordprocessing keys" are used
- Designed especially for the IBM PC & compatibles
- Definable screen width
- Embedded printer control commands
- Automatic character translation
- Repeat function
- Chain disk files when printing
- Append files in memory
- Include files from disk within text
- Verify option with load & exit
- Centering
- Conditional paging and page numbering
- Remark command in text
- Print any part of text or range of pages
- Over 80 individual on line help windows
- DOS or expanded keyboard buffer
- Toggle between main/alternate text files
- optional ASCII file save/load
- Parallel & serial drivers (RS-232)
- "Pause" command in text
- Single word spell check
- Customizable dictionary
- Auto-learn & correct misspellings
- Build "specific" dictionaries
- Auto hyphenation, user defined
- Dvorak, French, German & Spanish keyboard drivers
- Automatic file backup
- Runs on floppy or hard disk
- Keyboard macros
- Automatic key entry files
- Simple 1 or 2 key command structure
- Multiple search & replace functions
- User timed auto-file save
- 270 page 2 color manual
- Split screens (up to 6)
- Right justification
- 3 1/4 in. disk available

- ☒ PRINT PREVIEW TO SCREEN
- ☒ FULLY MENU DRIVEN
- ☒ 100,000 WORD DICTIONARY
- ☒ EXTENSIVE ON SCREEN TUTORIAL WINDOWS
- ☒ NOT COPY PROTECTED
- ☒ WORKS WITH ANY PRINTER
- ☒ MULTI-LINE HEADERS & FOOTERS
- ☒ RE-DEFINE ENTIRE KEYBOARD



**WINNER OF THE GOLD MEDAL & PROGRAM OF THE YEAR AWARD, CREATIVE COMPUTING MAGAZINE**

### MONEY BACK GUARANTEE

Electric Pencil PC is unconditionally guaranteed for 30 days (less shipping). There is a \$10.00 restocking fee if the disk envelope seal is broken.

For Texas Orders or Additional Information Call (214) 234-8466. Mail in your order today or, for immediate shipment,

CALL TOLL FREE

1-800-445-9004

**\$69.95**

\*Please Add \$5.00 for Shipping and Handling

25,000 Word Medical Dictionary Optional \$19.95

COD's welcome. Please add an additional \$3.00 COD fee. On all foreign orders, shipping cost is assumed by the buyer.

DEALER INQUIRIES WELCOME



**ELECTRIC SOFTWARE CORPORATION**

9230 MARKVILLE DR. DALLAS, TEXAS 75243

#### MINIMUM HARDWARE REQUIREMENTS:

IBM PC/XT/AT or compatibles and Tandy 1000/1200, 128K memory, one disk drive, PC-DOS, MS-DOS 2.0 or higher. Color or monochrome monitor.

MS-DOS is a trademark of Microsoft Corp. IBM and PC-DOS 2.0 are registered trademarks of International Business Machine Corp. Tandy is a registered trademark of The Tandy Corp. Electric Pencil PC, Pencil Tutor and PC Profinder are registered trademarks of Electric Software Corp.



Do you have a new Tandy MS-DOS computer or PC compatible? And do you have a LOT of data (word processing, spreadsheet, etc.) from your TRS-80™ that you'd like to keep using with MS-DOS, without having to re-type? How about BASIC programs you've written that you'd like to keep using? Or DeskMate™ files?

**Pssst. Over here. We can help you. TRSCROSS™ is what you need.**

TRSCROSS™ runs in your PC or compatible, yet directly reads your double-density TRS-80™ diskettes, so that you may simply copy them over to MS-DOS. *Converts while copying.* Everything is done in ONE STEP! *Easy and fast.*

Exclusive! TRSCROSS converts SuperSCRIPSI™ files to ASCII, *while copying.* This is a *tremendous* time-saver, as other transfer programs will force you to go back and convert your files before transferring to MS-DOS is even possible.



*See the FOUR STAR review in the Feb. '87 issue of 80-MICRO, as well as the glowing review in the Jan. '87 issue of COMPUTER SHOPPER!*

Also see our FULL PAGE AD in THIS issue for more details. *If you have any questions, please write or call.* - Only \$89.95.

We have hundreds of letters/comments on-file complimenting us on the ease of use in transferring files with TRSCROSS. *Save yourself LOTS of time and trouble.* We are the UTILITY SPECIALISTS. Trust us. We will not steer you wrong.

SUPER UTILITY/PC™ is another of our products that you might like to have for your MS-DOS computer (combo-special with TRSCROSS at only \$49.95\*). It allows you to restore deleted files, modify files or sectors, search for data, change file/directory/volume names and attributes, and more. This powerful utility is not protected, and runs from floppy or hard disk. Supports most PC's and compatibles, including the TANDY 2000. Normally SU/PC™ sells for \$89.95, but if you buy it at the SAME TIME as TRSCROSS\*, it's only \$49.95!

**Other PC/MS-DOS software we endorse, use, and sell:**

Microsoft Word \$325, WordPerfect \$369, MultiMate \$359, Smartcom II \$99, Lotus 1-2-3 \$369, Symphony \$519, Framework II \$519, Multiplan \$139, R:BASE System V \$519, dBASE III + \$519, Reflex \$99, PFS:Prof. File \$179, Turbo Pascal \$69, Microsoft C \$329, QuickBASIC \$69, MS-Windows \$69, COPY II PC \$29, Fastback \$139, SideKick (NCP) \$59, SuperKey \$49, Crosstalk \$139, Managing/Money \$139, DoubleDOS \$39, Disk Optimizer \$39.

Prices subject to change. Call for latest info. Support is by the manufacturer only. Some programs require more than 128KB and more than one drive. Most programs require DOS 2.0 or later, and many products do not support the TANDY 2000. Opened packages cannot be returned. Most orders shipped within 24 working hours. Tex. residents must add sales tax. Orders must be prepaid. Visa/MC is OK.

**Save 25% on most items! FREE UPS ground shipping on orders over \$100! (Otherwise add \$5 ground / \$10 air.)**



**PowerSoft Products**

17060 Dallas Parkway, Suite 114  
Dallas, TX 75248 • (214) 733-4475

**PUBLISHER**  
Peter Hutchinson  
**EDITOR-IN-CHIEF**  
Eric Maloney  
**EXECUTIVE EDITOR**  
Michael E. Nadeau  
**MANAGING EDITOR**  
Karen E. Pope  
**REVIEW EDITOR**  
Mark Reynolds  
**COPY EDITOR**  
John Knaichnan

**TECHNICAL EDITORS**  
Mare-Anne Jarvela  
Beverly Woodbury

**DISK SERIES TECHNICAL EDITOR**  
Keith Johnson

**EDITORIAL ADMINISTRATION**  
Whitney Karr

**ASSOCIATE EDITORS**  
Hardin Brothers  
Harry Bee  
John B. Harrell III  
David Goben  
Thomas L. Quindry

**ADVERTISING SALES**  
**DIRECTOR OF SALES**  
William J. Smith

**ACCOUNT MANAGERS**  
Brenner K. Fuller  
1-800-441-4403

**WEST COAST OFFICE**  
1060 Marsh Road  
Menlo Park, CA 94025  
415-328-3470

**SALES MANAGER**  
Peter KJ. Montross

**ADVERTISING COORDINATOR**  
Judy Walker

**ADVERTISING SECRETARY**  
Georgianna Forest

**BUSINESS MANAGER**  
Bradford N. Dixon

**MARKETING/PROMOTION DIRECTOR**  
Jane Butterfield




Article submissions from our readers are welcomed and encouraged. Inquiries should be addressed to: Submissions Editor, 80 Pine Street, Peterborough, NH 03458. Include an SASE for a copy of "How to Write for 80 Micro." Payment for accepted articles is made at a rate of approximately \$50 per printed page; all rights are purchased.  
\*TRS-80, Scriptit, and TRSDOS are trademarks of Radio Shack, a division of Tandy Corp.


80 Micro (ISSN-0744-7866) is published monthly by CW Communications/Peterborough Inc., 80 Pine St., Peterborough, NH, 03458. Phone: 603-924-9471. Second class postage paid at Peterborough, NH, and additional mailing offices. (Canadian second class mail registration number 9563.) Subscription rates in U.S. are \$24.97 for one year, \$38 for two years, and \$53 for three years. In Canada and Mexico \$27.97—one year only, U.S. funds drawn on a U.S. bank. Nationally distributed by International Circulation Distributors. Foreign subscriptions (surface mail, \$44.97—one year only, U.S. funds drawn on a U.S. bank. Foreign subscriptions (air mail) please inquire. In South Africa contact: 80 Micro P.O. Box 782815, Sandton, South Africa 2146. All subscription correspondence should be addressed to 80 Micro, Subscription Department, P.O. Box 961, Farmingdale, NY 11737. Please include your address label with any correspondence. Postmaster: Send address changes to 80 Micro, Subscription Services, P.O. Box 961, Farmingdale, NY 11737. Send Canadian changes of address to 80 Micro, P.O. Box 1051, Fort Erie, Ontario L2A 5N8, Canada. Return postage guaranteed.

Entire contents ©copyright 1987 by CW Communications/Peterborough Inc. No part of this publication may be reprinted, or reproduced by any means, without prior written permission from the publisher. All programs are published for personal use only. All rights reserved.





page 28



page 42



page 56

## Features

- 42. **Understanding Tandy 1000 Graphics**  
by Don Inman and Bob Albrecht  
An introduction to GW-Basic's graphics abilities.
- 56. **Payday Made Easy** by G.S. Bradshaw  
Flexibility and ease of use mark this Model 4/Tandy 1000 payroll program. (Disk Series, formerly Load 80)
- 74. **Supercharge Your BBS** by David Roberts  
A Model 4 BBS driver that adds features not easily done in Basic. (Disk Series, formerly Load 80)
- 109. **Basic and Assembly: Together Again**  
by David A. Williams  
Imbed assembly routines in Basic for higher performance. (Tandy 1000)
- 114. **In Search of Lost Superscript Files**  
by David Goben  
Recovering your lost text is a snap with this Model I/III/4 utility. (Disk Series, formerly Load 80)
- 118. **Making the Most of Batch Files**  
by John B. Harrell III  
Automate mundane tasks and save time on your Tandy 1000.

## Departments

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>6. <b>The 80 Micro Disk Series (Load 80)</b></li> <li>8. <b>Side Tracks</b><br/>by Eric Maloney</li> <li>10. <b>Input</b></li> <li>12. <b>Feedback Loop</b><br/>by Mercedes Silver</li> <li>19. <b>Pulse Train</b><br/>by David Essex</li> <li>22. <b>Reader Forum</b></li> <li>28. <b>Reviews</b><br/>edited by<br/>Mark E. Reynolds<br/>LS-DOS 6.3<br/>Wordperfect Library 1.0<br/>Switch-It<br/>Twist and Shout<br/>Guide to Training for<br/>IBM PC-DOS<br/>Guide to Training for<br/>IBM PC-DOS<br/>VP-Info 1.09</li> </ul> | <ul style="list-style-type: none"> <li>118. <b>John's MS-DOS Column</b><br/>by John B. Harrell III</li> <li>120. <b>Debug</b></li> <li>122. <b>Public Works</b><br/>by Thomas L. Quindry</li> <li>128. <b>The Next Step</b><br/>by Hardin Brothers</li> <li>132. <b>How to Use 80 Micro Program Listings</b></li> <li>137. <b>Express Checkouts</b><br/>edited by<br/>Mark E. Reynolds<br/>The Norton Commander 1.0<br/>Lunar Explorer<br/>Wilderness<br/>The BasicA Science and<br/>Graphics Handbook<br/>Jumpstart 1.0</li> <li>144. <b>New Products</b><br/>compiled by<br/>Mark E. Reynolds</li> <li>164. <b>Fine Lines</b><br/>by Harry Bee</li> </ul> |
|---|---|



## The 80 Micro Disk Series (formerly Load 80)

**T**he 80 Micro Disk Series gathers together selected programs from this issue of 80 Micro and puts them on a magnetic medium for your convenience. It is available on disk and runs on the Models I, III, and 4.

The 80 Micro Disk Series programs are ready to run, and can save you hours of time typing in and debugging listings. The Disk Series also gives you access to assembly-language programs if you don't have an editor/assembler. And it helps you build a substantial software library.

Using the Disk Series is simple. If you own a Model I or III disk system, you boot The 80 Micro Disk Series disk and transfer the files to a TRSDOS system disk according to simple on-screen direc-

tions. If you own a Model 4, copy the Model 4 programs from the Series disk to your TRSDOS 6.x disk using the Copy command.

Not all programs will run on your system. Some Model III programs, for instance, will run on the Model 4 in the Model III mode, but not in the Model 4 mode. You should check the system requirements box that accompanies the article to find out what system configuration individual programs require.

If you have any questions about the programs, call Keith Johnson at 603-924-9471. Yearly disk subscriptions to The 80 Micro Disk Series are \$149.95. Individual loaders are available on disk for \$17.95, including postage. To place a subscription order, or to ask questions about your subscription, please call us toll free at 1-800-343-0728 between 9 a.m. and 5 p.m. Or, you can write to The 80 Micro Disk Series, 80 Elm St., Peterborough, NH 03458.

## Directory

### Payroll

Article: Payday Made Easy (p. 56).  
System: Model 4, 64K RAM, printer.

Calculate and print current and month-to-date payroll reports.  
Language: Basic.  
Filespec: PAYROLL/BAS

### Bulletin Board

Article: Supercharge Your BBS (p. 74).  
System: Model 4, 64K RAM (Pro-Create 4.3a editor/assembler is optional).

Set up and run an advanced bulletin-board system.  
Language: Basic.  
Filespecs: BBS/ASM, BBS/DVR, BOARD/BAS.

### File Recovery

Article: In Search of Lost Supercripts Files (p. 114).  
System: Models I/III/4, 32K RAM, Superscripts.  
Reconstruct crashed Supercripts files easily.  
Language: Basic.

Filespecs: RECOVER/BAS, CON-  
VERT/BAS.

### Direct Access

Article: The Next Step (p. 128).  
System: Model 4, 64K RAM (Pro-Create 4.3a editor/assembler is optional).

Directly access directories in assembly language.  
Language: Assembly.  
Filespecs: MODFLAG/ASM, MODFLAG/CMD, MACLIB/ASM.

### Checksum

Article: How to Use 80 Micro Program Listings (p. 132)  
System: Models I/III/4, 32K RAM.

Use our checksum program to check the accuracy of the Basic listing you type in.  
Language: Basic.  
Filespec: CHECKSUM/BAS

### Loc-Editor

System: Models I/III, 32K RAM.  
A program that finds errors for you.  
Language: Basic.  
Filespec: LOCEDITR/BAS

BAS = Basic, ASM = source code, CMD and DVR = object code.

ART DIRECTOR  
Anne Fleming  
ASSISTANT ART DIRECTOR  
Robert T. Stave  
PRODUCTION MANAGER  
Lynn Lagasse  
AD/GRAPHICS PRODUCTION  
Laurie MacMillan

DIRECTOR OF CORPORATE PRODUCTION  
Dennis Christensen  
MANUFACTURING MANAGER  
Susan Gross  
TYPESETTING MANAGER  
Linda P. Canale

PRESIDENT  
James S. Povec  
VICE PRESIDENT/FINANCE  
Roger Murphy  
DIRECTOR OF OPERATIONS  
Matt Smith  
DIRECTOR OF CREDIT SALES  
AND COLLECTION  
William M. Boyer  
EXECUTIVE CREATIVE DIRECTOR  
Christine Destrempe

CIRCULATION DIRECTOR  
Frank Smith  
DIRECT MARKETING MANAGER  
Bonnie Welsh  
SINGLE COPY SALES MANAGER  
Linda Ruth  
1-800-343-0728  
AUDITS AND STATISTICS MANAGER  
Susan Hanshaw

SPECIAL PRODUCTS DIRECTOR  
Jeff DeTray  
SPECIAL PRODUCTS MANAGER  
Craig Pierce

FOUNDER  
Wayne Green

Cover photography by Larry Dunn

80 Micro is a publication of CW Communications/Inc. (CWC), an International Data Group (IDG) company. CWC is the world's largest publisher of computer-related periodicals, with more than 70 computer publications in 28 countries. 12 million people read one or more of CWC's publications each month. Members of the CWC group are connected by and contribute to the CW International News Service, offering the latest domestic and international computer news. Members of the group include: ARGENTINA'S Computeworld Argentina; PC Mundo; ASIA'S Asian Computerworld; Communications World; AUSTRALIA'S Computerworld; Australia; Communications World; Australian PC World; BRAZIL'S DataNews; PC Mundo; CHILE'S Informatica; Computacion Personal; DENMARK'S Computerworld Denmark; PC World Denmark; RUN; FINLAND'S Tietovikko; Mikro; FRANCE'S Le Monde Informatique, Distributique, Golden; InfoPC; Theorem; Le Monde des Telecoms; GREECE'S Micro & Computer Age; HUNGARY'S SZT Computerworld; Mikrovilag; INDIA'S Dataquest; ISRAEL'S People & Computers Monthly; People & Computers Weekly; ITALY'S Computeworld Italia; PC World Magazine; JAPAN'S Computeworld Japan; MEXICO'S Computeworld Mexico; THE NETHERLANDS' Computeworld Netherlands; PC World Netherlands; NEW ZEALAND'S Computerworld New Zealand; NORWAY'S PC Mikrodato; Computerworld Norge; PEOPLE'S REPUBLIC OF CHINA'S China Computerworld; SAUDI ARABIA'S Arabian Computer News; SOUTH KOREA'S The Electronic Times; SPAIN'S Computeworld Espana, Comodore World; PC World Espana; SWEDEN'S Computer Sweden, Mikrodatorn, Svenska PC World; SWITZERLAND'S Computeworld Schweiz; UNITED KINGDOM'S Computer News, DEC Today, ICL Today, PC Business World; UNITED STATES' AmigaWorld, Boston Computer News, Computerworld, Digital News, 80 Micro, FOCUS Publications, InCider, InfoWorld, MacWorld, Micro Marketworld, Network World, PC World, Publish!, RUN; VENEZUELA'S Computeworld Venezuela; PC World Venezuela; WEST GERMANY'S Computerwoche, PC Welt, Computer Business, Run, InfoWelt

Problems with Subscriptions: Send a description of the problem and your current and/or most recent address to: 80 Micro, Subscription Department, P.O. Box 961, Farmingdale, NY 11737.  
Problems with Load 80 Circulation: Address correspondence to Load 80, 80 Elm St., Peterborough, NH 03458.  
Problems with Advertisers: Send a description of the problem and your current address to: 80 Micro, Rt. 101 & Elm Street, Peterborough, NH 03458. If urgent, call 1-800-441-4403.  
Change of Address: Send old label or copy of old address and new address to: 80 Micro, P.O. Box 961, Farmingdale, NY 11737. Please give eight weeks advance notice.  
Microfilm: This publication is available in microfilm from University Microfilms International. United States address: 300 North Zeeb Road, Dept. P.R., Ann Arbor, MI 48106. Foreign address: 18 Bedford Row, Dept. P.R., London, WC1R4EJ, England.  
Dealers: Contact Kathy Boghosian, Retail Sales Manager, 80 Micro, Elm St., Peterborough, NH 03458. (800) 343-0728.



# LeScript Named No.1 Choice in Word Processors!

80 MICRO Review, November 1985

## Your Need

Your writing is important to you, and it should be. It is an expression of who you are. And how your documents look when they are read is as important as what you have to say.

When you need a word processor that can help you achieve the professional and sophisticated look that you want in your writing, two things are most important: 1.) The ability to present your ideas on paper in a sharp, crisp, and attractive manner, and 2.) The ability to accomplish this quickly.

## The #1 Solution

LeScript has the power to handle all your most complex writing assignments with the ease and simplicity you never dreamed possible in an advanced word processing product.

## Advanced Features

LeScript's features include Automatic Page Makeup, Automatic Multiple Columns, Automatic Form-Letter Mail-Merge, Automatic Footnotes, Automatic Outline Indenting, Automatic Key-Word Search Disk File Directories, Programmable Macro Keys, Proportional Printing, ability to change Font Styles and Sizes, Foreign Language Character support, over 250 Printers supported, Tandy 1000/2000 Keyboard support, and ability to handle files as large as 1 megabyte (with optional memory expansion).

## The Professional Look Is Easy

Unlike other advanced software packages, LeScript is one of the easiest you'll ever use. One reason is, LeScript displays your text on the screen the way it is going to look printed - with headers, footers, indents, columns, footnotes, page numbers, line spacing, the works. LeScript even has the incredible ability to show you right on the screen the words that are italic, boldface, underlined, subscripted. A feature that is so necessary, yet unheard of among the competition.

Also, LeScript's commands are intuitive. They work the way you think, not the way a programmer thinks. There is no faster, more efficient way to generate text files.

## Learning Is Easy

The LeScript users manual is written in plain English to help you acquire advanced word processing skills quickly. With LeScript's on-line help screens, self-paced tutorial, quick reference cards, and the many sample files you will have no trouble learning and using LeScript the very first day you have it.

## Ordering Is Easy

Call (305) 259-9397, if you are ready to make the move to the #1 rated word processor. We will be happy to answer your technical questions and assist you in placing your order. We take VISA, MasterCard, and C.O.D. orders right over the phone, and ship most orders the same day. Personal and company check orders are shipped after check clears.


Name \_\_\_\_\_  
Address \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_  
City \_\_\_\_\_  
Telephone \_\_\_\_\_  
Type of computer \_\_\_\_\_

**PLEASE RUSH ME:**

☐ LeScript Demo Disk and Training Guide ..... **FREE**  
☐ LeScript IBM-PC/XT/AT compatible ..... (\$199.95)  
    includes Tandy 1000 and 2000  
☐ LeScript TRS-80 Model 1/3/4/4P/4D ..... (\$129.95)  
☐ 768K RAM Expansion Board Models 1,3 ..... (\$139.00)  
    requires 256K chips, not included  
☐ 1 Meg RAM Expansion Board Models 4, 4P ..... (\$159.00)  
    requires 256K chips, not included

5% sales tax if Florida resident  
\$2 S/H for each Expansion Board,  
LeScript or Demo; or \$4 for Air Mail  
Total Enclosed \_\_\_\_\_

Visa/MasterCard # \_\_\_\_\_ Signature \_\_\_\_\_  
Exp. Date \_\_\_\_\_

 P.O. Box 361136 • Melbourne, FL 32936  
(305) 259-9397

Find out why *LeScript* was named no.1, mail this coupon today.



# Is Brand Loyalty Dead?

Few people remain loyal to specific makes of products. Yes, we all know somebody who wants to be buried in a Ford or who would sell the kids before giving up the Trinitron. But most of us are promiscuous consumers. An Amana refrigerator sits next to a Westinghouse stove; a Stanley hammer shares a toolbox with a Craftsman ratchet set. We buy what's readily available, what's on sale, what catches our eye at our neighbor's house.

My purchases of audio and video equipment are typical. In my living room I've got a Toshiba television and a Zenith VCR. My stereo system comprises a Denon receiver, a Technics turntable, a Scott compact-disc player, two Sony cassette decks, and a pair of EPI speakers. In the bedroom I have a Montgomery Ward TV, an Hitachi receiver, an old Garrard turntable (used only for 78s and 45s), and even older Radio Shack Solo 3-A speakers.

I also own a Panasonic tape deck in my car, a cheap Claricon stereo in my office, an early 1960s Seeburg 100 Select-o-Matic juke box, an old Silvertone floor-model radio, a similar Philco, a set of BSR MacDonald headphones, and a Boston Red Sox transistor radio shaped like a can of California Acrylic House Paint.

It used to be that microcomputer users were different. In the early days, when the IBM PC was but a gleam in Armonk's great red eye, users displayed a ferocious chauvinism for their systems. Commodore, Heath, Apple, Atari, and Radio Shack people were as righteous about their computers as sports fans are about their home teams.

Of all the groups of computer owners, the TRS-80 people were the most loyal. The computers were ugly, the DOS intolerable, the manufacturer graceless. But that was all right, because TRS-80 people loved adversity and the challenge of making the computer do tricks the Shack said it wasn't meant to do. They relied on each other to find out what they needed to know.

The zealotry could become overbearing at times. I always thought that giving a computer a pet name or referring to it as "she" was a bit annoying. And I never understood readers who wrote to claim without qualification that their I's, II's, and CoCos were easily



equal to or better than the then-new IBM PC. Loyalty was one thing; lunatic raving was another.

But the spirit that such devotion engendered was what made computing fun. When you bought a TRS-80 you bought into a community that saw computing as part of its lifestyle. And while that community eventually became invisible to the rest of the computer world, it wielded a significant amount of power. Were it not for all those faithful customers staying with Tandy when everyone else was buying PCs, Apples, and Macintoshes, Tandy's computer line would not have survived into the late 1980s.

Regrettably, the halcyon days of idiosyncratic machines and their diehard devotees are nearly over. IBM's homogenizing effect has overwhelmed the market, forcing competitors to trade in their individualistic visions for more practical strategies. The quaint neighborhoods of the computing community are being replaced by high-rise apartments and tract housing projects.

Ironically, Tandy, with its legions of TRS-80 aficionados, was the first to get out the bulldozers. The Model 1000 signaled Tandy's ardent endorsement of IBM's scheme for urban redevelopment. The Model 4, once the staple of the line, teetered on the brink of extinction. Improvements to the system were few and largely cosmetic; support was kept to a minimum.

Tandy has done an admirable job of exploiting the PC's success and has ensured its future as a micro computer manufacturer. I wish, however, that

Tandy had found a way to reestablish itself without sacrificing the old TRS-80 community. The I/II/4 neighborhoods look like a mill town without a mill: abandoned buildings, broken windows, buckling sidewalks. The excitement is gone, and with it a lot of the fun of being a TRS-80 user.

The other major computer manufacturers are now following Tandy's course. Commodore has its PC10-1 and PC10-2 clones and Atari a low-end MS-DOS machine. You can run IBM software on an Apple or Macintosh. It soon won't make much difference where you shop for a computer; if you want PC compatibility, you can have it.


Of course, what separates Atari, Commodore, Amiga, and Apple from Tandy is that they've held on to a piece of the old dream. Apple, Tandy's old nemesis, has fought particularly hard to maintain its identity as an alternative to IBM, with a fair amount of success. You've got to wonder why they could do it but Tandy couldn't. Does Apple have better computers than Tandy? Better marketing strategies? Or simply more guts? Whatever the reasons, I admire Apple's staying power. It'll be a sad day when the flag of PC compatibility flies alone over Cupertino.

The possibility exists that the Models 1000 SX and EX will stimulate the same kind of community that the TRS-80 did. Certainly many current 1000 owners are long-time Radio Shack customers. The number of people who own three or more Tandy or TRS-80 computers is remarkable. But the community can never be as large or as enthusiastic as it was. The more Tandy slavishly pursues PC compatibility, the more its customers' loyalties will dwindle. And soon people will buy Tandy equipment for the same reasons they buy any other piece of electronic gear: availability, price, a neighbor's recommendation.

So computers have become commodities and their users mere consumers. Ah, well, these are the prices we must pay if we are to reap the benefits of having a burgeoning, successful industry. It's a small price for companies such as Tandy whose concerns must be survival and profitability, but a large one for those who remember when being the owner of a Radio Shack computer was something a little special. ■



★ ★ ★ ★ ★  
**80 MICRO**  
**JUNE, 1985**  
 Bug free: ★ ★ ★ ★ ★  
 Does the job: ★ ★ ★ ★ ★  
 Easy to use: ★ ★ ★ ★ ★  
 Good doc: ★ ★ ★ ★ ★

  
**CAMEO**


**ROMAN**

**Nostalgia**


**LOMBARDIAN**


**Pump**  
*Elegant*


**celtic**  
**Playbill**


  
**SHADOW**  
 Chancery Medium

**OUTLINE**  
 Pretorian


  
**CHAINED**

  
**POKER**

  
**HANUKAH**

  
**BACKLITE**


**Rotunda**


  
**REV BANNER**

Old English


**INCISED TRAJAN**


Calligraphy

  
**BELLS**

  
**CITY**

Mini Cubes  
 Small Boldface

  
**XMAS**

  
**USA**

CLIMBING  
 Small Bold Italics

**MOON LITE**

**W R I T E R**

Circle 91 on Reader Service card.

DOTWRITER printed these on an Epson MX-80.

# See What You Can Do With DOTWRITER!

**D**OTWRITER lets you create spectacular, eye-catching signs, invitations, letterheads, large sideways banners, catalogs, or even books. It is just what you need to turn your dot-matrix printer into a versatile typesetting machine. And it is available for your TRS-80 Model 4/4P (yes, in native mode), as well as for the Models I and III.

## WHAT IS DOTWRITER?

**D**OTWRITER uses the "bit-image" graphics of your printer to produce the kinds of stunning results shown inside the box. It is a full-function text printing program, so you can inter-mix different character sets, do centering, paragraphs, pagination, magnification, draw horizontal and vertical lines, reversals (black on white), and even print right-justified proportional text.

DOTWRITER includes the printing program, complete documentation, and fourteen useful typefaces (60 to 90 characters per typeface). We will include the 170-page Letterset Reference summary at half-price (\$10.00) with your order.

To use DOTWRITER, just write your text with any popular TRS-80 Word Processor (such as ALLWRITE or

SuperScripsit), add the necessary formatting commands, and DOTWRITER will do the rest.

36 more letter-set disks are available separately. Each has 3-12 complete typefaces. The disks cost less than \$25 each and you may purchase them at any time.



## SIDEWAYS SPREADSHEETS

**I**f your VisiCalc spreadsheets are too wide for your printer, our "LONGVIEW" option may be just what you need. It is an add-on that turns spreadsheets sideways so that DOTWRITER can print them down the page instead of across. LONGVIEW comes with three additional fonts.

## EQUIPMENT REQUIREMENTS

DOTWRITER needs a TRS-80 I, III, 4 or 4P with 2 disk drives and 48K of memory. Separate versions of DOTWRITER support EPSON MX-80 with Graftrax, MX-100 with Graftrax-Plus, and FX, JX, RX; C.I.TOH 8510/1550; MICROLINE 84-2/92/93; RADIO SHACK DMP 110-2100/CGP-220; GEMINI 10X/15X and other STAR printers.

We printed our samples on an Epson; sizes may vary on other printers. Many of the fonts shown above are available at extra cost.

**S**end for free print samples! We've only shown you a few of the 240 DOTWRITER fonts. For the best in TRS-80 graphics printing, we suggest you order DOTWRITER today.

Please specify Printer and Computer when ordering.	
DOTWRITER	\$99.95
LONGVIEW	29.95
Additional Letterset disks (3-12 fonts/disk)	24.95
3 for 49.95	
Letterset Reference Book	20.00
<b>FREE</b> bonus disk with two Banner fonts when you order DOTWRITER!	

**ORDER NOW!**  
**(818) 764-3131**

**PROSOFT**

Dept. C, Box 560, No. Hollywood, CA 91603  
 (818) 764-3131 Information and Same-Day Processing

TERMS: VISA, MC, checks, COD. Please add \$3.00 shipping in U.S. or Canada. Sales tax in CA. Most orders filled within one day.



## Changes at T-BUG

Thank you for mentioning the Tandy Business Users Group (T-BUG) in January's Feedback Loop (p. 16). We are, as you reported, an excellent source of information about Tandy computers.

Inquiries about T-BUG should be directed to me c/o MEDX Inc., 1500 Hicks Road, Rolling Meadows, IL 60008. Readers can call me at 312-665-7215 in the evening.

After March 15 Roger Carlson will take over as president and membership chairman. Readers can write him at 1406 Colwyn Drive, Schaumburg, IL 60194. His telephone number is 312-843-1886.

*Ellen D. Weinstein, President  
T-BUG  
Rolling Meadows, IL*

## Warning!

I purchased a Tandy 1000 in September 1985 and then, in January and February 1986, purchased an internal modem, memory board, and a mouse/calendar.

When I tried to operate the computer after installing the three boards, it locked up and would not reboot. My local Radio Shack was unable to fix the problem, but charged me \$100 for trying. They then called Fort Worth and were told that the three boards could not be used simultaneously.

After I filed a complaint, Tandy wrote me a letter stating, "Our computers have several expansion and upgrade options available. We do not state, nor is it reasonable to expect, that they can all be used in the computer at the same time".

I urge future Tandy customers to pay close attention not only to what the company's ads say, but also to what they don't say.

*James C. McCord  
Fairbanks, AK*

## A Quick Question

I find that my Basic programs are easy to compile in Quickbasic, but I would like to know more the language. Is there any chance that 80 Micro will publish a Quickbasic tutorial?

*Darrell Sherrin  
Kelowna, BC*

*We are planning a tutorial on Quickbasic for an upcoming issue.—Eds.*



## Bigfoot

Ever since I first saw a picture of the 1000 EX, I've wondered about the odd placement of its disk drive. I have never used the machine, but it seems that having the opening on the side precludes the possibility of placing anything to the immediate right of the computer. The actual footprint of the 1000 EX is, then, considerably larger than its stated dimensions.

The 1000 SX, on the other hand, appears to be such a promising machine that I should be kicking myself in the pants for having bought a 1000A in 1986. Do you know if Tandy will come up with a replacement motherboard kit to update my machine?

*Yoe Itokawa  
Birmingham, AL*

*We haven't heard of any such upgrade from Tandy.—Eds.*

## A Sweeping Complaint

Why couldn't we foreigners participate in the 80 Micro Sweepstakes? Many of us are good and faithful customers.

*Fernando Convers  
Bogota, Colombia*

*Unfortunately, Fernando, we could not extend eligibility for the Sweepstakes to foreign readers because of federal customs laws. It was not a policy decision by us.—Eds.*

80 Micro's BBS is open 24 hours a day. It offers programs you can download, special-interest groups, and a classified section. You can reach the board at 603-924-6985; UART settings are 300/1,200 baud, 8-bit words, 1 stop bit, no parity.

## Unfair to the Fixers

Mark D. Goodwin's review of Profix IV and Proaid 4+ in your January 1987 issue (p. 38) does a disservice to two excellent programs and might dissuade Profile 4 users from buying them.

The Small Computer Co., which created Profile 4, neglected to follow up with Forms-, Lookup-, or Profix-type programs. Profix IV and Proaid 4+ fill the gap admirably and are, I feel, necessary in order to use the power of Profile to the fullest. These fine programs deserve four stars.

*Charles Harris, MD  
Toms River, NJ*

## Beating the Bugs

In conjunction with Lewis Rosenfelder's excellent article in the October 1986 issue ("The Complete Guide to Basic Debugging," p. 34), I want share some of my infamous Basic bugs.

Entering the following line:

10 TOTAL = 0

results in a syntax error because TO is a reserved word in Basic.

If your program includes

```
100 FOR I=1 TO N:IF X(I)<0 THEN
X(I)=0:NEXT I
```

watch out. The program will only work if all X(I)s are less than zero.

I also don't like to include many IF P% < 0 THEN PRINT P%:STOP statements. I prefer to add GOSUB 1000 as follows:

```
1000 IF P% < 0 THEN PRINT ...
1010 IF INKEY$ = " " THEN 1010 ELSE
RETURN
```

It is quicker to enter GOSUB 1000 than a longer statement and quicker to hit the space bar than to enter CONT.

*Jacques Weill  
Veigne, France*

## Pros and Cons

I want to comment on Mr. Herbst's letter in the December 1986 issue (p. 10) concerning the relative merits of Superscript and Script Pro. I purchased my Model 4 because of Superscript's ability to prepare complex documents. I found problems with the block-action commands; composing files from pieces of others was very slow. Because of these problems and Terry Kepner's review



(September 1986, p. 27), I bought Scripsit Pro.

Scripsit Pro did improve block action, and its system of windows lets you build new files quickly. Some of the features Mr. Kepner mentioned, such as column creation, are actually transferred unchanged from Superscripsit. Mr. Kepner neglected to mention that Scripsit Pro uses space more efficiently than Superscripsit does.

The greater efficiency (a full Superscripsit disk becomes two-thirds of Scripsit Pro disk) is made possible by Scripsit Pro's module system. (Mr. Herbst's statement that you must name the successive modules is incorrect—conversion programs do that for you.) Since a module can contain 32K of memory space and one side of a disk can contain up to six modules (in fact it will not contain more than four after a conversion), you should not have any naming problems.

When you are creating new text, you can set up a system of file naming (such as Book/An, where n can run from zero-99) that can link as much text as you can possibly produce. The system of modules also allows you to scan text much faster in Scripsit Pro than you could in Superscripsit.

Unfortunately, if you are scanning backwards with the up-arrow-P command and come to the beginning of the module, the keyboard locks and you must reset your computer to unlock it. When you do this you lose all of your unsaved text. You can, of course, recover it with the Rescue utility.

Other bugs in Pro Scripsit include problems deleting text with F2, disappearance of the cursor on the tab line when you turn off the view mode, and trouble with the block-action print command.

Saul Moskowitz  
Marblehead, MA

## A Step Beyond

Apparently the primary intention of Hardin Brothers' The Next Step column in the November 1986 issue (p. 94) was to illustrate some of the more sophisticated abilities of Misosys's Pro-Create and MRAS assemblers by creating a Model 4 command-line editor. He did this expertly, accomplishing nearly 80 percent of the assembly with a set of conditional macros. His listing is neat and finely crafted.

Mr. Brothers did, however, use just over eight sectors (2,080 bytes) for an intrinsically simple job. I was sure that the job could be done with less code by avoiding the complex macros. My editor includes insert and delete functions, as Hardin suggested, as well as a few extra

goodies, and is under 1,000 bytes long. I did leave out the screen display; including it adds fewer than 500 bytes.

In Model 4 file structure 1,536 bytes is one granule. If you go over that figure, you use two granules. Since the editor is intended to be a SYS13/SYS file, it must go on the boot disk where granule space is scarce.

There is usually a trade-off when you use highly structured programming techniques. A program can be beautifully logical at the language level, but the object code can waste a lot of space. This is a serious consideration in view of the the Z80's 64K addressable memory limit and 180K of disk space.

Many thanks to Mr. Brothers. If I had not played around with his program and gotten mad, I never would have written my own. I suspect that getting folks going was just what Hardin had in mind!

James Hawes  
New Orleans, LA

## I strongly object to Bruce Tonkin's ridiculous contention that Basic is superior to Pascal in all respects.

### Pro Bruce

Bruce Tonkin's assessment of the relative merits of Basic, C, and Pascal seems right on the money to me (Art of Programming, January 1987, p. 96). Bruce focused on languages for MS-DOS computers, however. I want to point out an alternative to his Microsoft Quickbasic compiler for the Model I/III/4 crowd.

The ZBasic 3.0 compiler is reasonably priced and first-rate. With ZBasic and a little knowledge of assembly language you can compile just about any program you can conceive of.

I bought Alcor C, and after years of study, am still trying to figure out how to accomplish tasks that are simple in Basic. Alcor C's cmd files are, if anything, larger than Basic's.

Pat Anderson  
Fall City, WA

### Pro Pascal

In Bruce Tonkin's January The Art of Programming column (p. 96), he stated that "Basic is clearly superior" to Pascal

and C regarding data types. Mr. Tonkin either chose to ignore the strongest point in favor of Pascal or else is ignorant of the rich variety of data types available in the language.

There is more to data types than internal string storage. Mr. Tonkin did not mention record types, pointer types, sets, user-defined types, or any of the other types alien to Basic. A programmer can create and manipulate stacks, queues, linked lists, binary search trees, and other data structures in Basic, but not as easily or efficiently as with pointers in Pascal or C. Readers should not be dissuaded from trying Pascal or any other language by Mr. Tonkin's article.

Don Gray  
Dalton, GA

Language wars are silly, and as I tell my students, the best language is probably the one that you know best (unless a specific programming situation warrants a change). Each language has its strengths and weaknesses.

I have no quarrel with Bruce Tonkin's preference for Basic. I do, however, strongly object to his ridiculous contention that Basic is superior to Pascal in all respects. He raises only two valid objections to Pascal. The first is that the semicolon as a statement-separator is annoying, and the second is the lack of double-precision reals in some applications of Turbo Pascal. He ignores many of Pascal's strengths, including its consistent syntax, ability to self-document, powerful data-structure possibilities, and overall efficiency.

Joel R. Villa  
Worcester, MA

I am one of those readers who would welcome more information in your magazine about CP/M. I am mostly interested in Turbo Pascal, which John B. Harrell III introduced me to in the November 1986 issue ("A Language of Choice," p. 40). It has advantages such as portability between 8-bit CP/M and 16-bit MS-DOS.

I read Bruce Tonkin's The Art of Programming column in the December issue (p. 106). Mr. Tonkin clearly prefers Basic, while Mr. Harrell appears to be quite a Turbo Pascal buff. The diversity of opinion among your writers helps me determine what best fits my needs.

Frank Billington  
Saint John, NB

Send your correspondence to Input, 80 Micro, 80 Pine St., Peterborough, NH 03458. We reserve the right to edit letters.



Send your problems and solutions to *Feedback Loop*, 80 Micro, 80 Pine St., Peterborough, NH 03458. Where applicable, include the proper program name and version, the computer you're using (including any non-standard system configuration), the DOS version you're using, your phone number (not for publication unless you request it), and a self-addressed, stamped envelope.

## Wanted: Hi-Res Software

**Q.** I have Microlab's Graphyx Solution for the Model 4P. I'm interested in buying the software and documentation that comes with Radio Shack's high-resolution graphics board. I'd like to obtain the BasicG and the Fortran subroutine library along with the documentation. (John Dehalian, Mt. Clemens, MI)

**A.** Radio Shack doesn't sell the software without the high-resolution board. You might find someone who will sell you his or hers, though.

## Better Text Display

**Q.** I'd like to improve the resolution of my Model 4's monitor for displaying text. Are there any products on the market that might help? (Mark Roeder, Sioux City, IA)

**A.** Your choices are limited. You can buy a different CRT tube, such as the amber phosphor ones sold by Langely-St. Clair Instrumentation Systems (132 W. 24th St., New York, NY 10011, 800-221-7070). Many people prefer the amber CRTs, saying they are easier on the eyes. Getting one might help enough.

Or you can buy a high-resolution graphics board. However, software for the board is limited; you can't run word-processing programs such as Scripsit with it.

## Bar-Code Label Woes

**Q.** I have a Model 4 with 64K, two disk drives, and a DMP 200 printer. I am looking for software that will let me print bar-code labels in accordance with the MIL-STD-1189A and MIL-STD-129J standards. (Stan Kistner, Hilliard, OH)

**A.** We published a tutorial on bar codes, along with a program to print labels for the Model III, in our October 1984 issue ("Fine Lines," by Davey S. Thornton, p. 45). It covered Code 128 and Tandy-code. I'm not familiar with the MIL-STD codes, but you might be able to change



the program to suit your needs.

## The Need for Backups

**Q.** I am considering purchasing a Tandy 1000 SX system, but I live in Mexico and the electrical supply here is erratic. I plan to power the computer through a voltage regulator and use spike and interference filters, but knowing the power will fail at some time, I worry about my software disappearing from my disks or showing up with all sorts of errors.

Most MS-DOS software is copy-protected, and a 500-mile trip to the Texas border and spending several days replacing damaged software would be most expensive. Are there any programs available that will back up protected software? (Robert W. Bruggemeyer, Zatecas, Mexico)

**A.** You seem to be taking all the right precautions in terms of protecting your computer. However, most MS-DOS software isn't copy-protected any more, and you can make multiple backups for your own use (and protection).

For the programs that are copy-protected, Copy II PC (Central Point Software, 9700 SW Capitol Highway, Suite 100, Portland, OR 97219, 503-244-5782; \$39.95) helps you make archival backups of protected software. Just remember to have backups available for all your data and programs, and you should weather your electrical problems in fine shape.

## 4P Cassette Port

**Q.** Is there any way to add a cassette port to my Model 4P? Also, are there any add-on boards that would let me run MS-DOS on my computer? (Mark Hershberger, El Dorado, AR)

**A.** I don't know of anyone who has installed a cassette port in a Model 4P. While there have been a few attempts to make MS-DOS add-on boards for Model 4's, they didn't work particularly well, and the companies that made them have gone out of business. It would be cheaper to buy an MS-DOS computer.

## The CM-5 That Wouldn't

**Q.** I just purchased a new Tandy 1000 SX and have noticed two things that I suspect are problems. First, an area in the left center of the video screen (on the CM-5 monitor) has a different color than the rest of the screen, especially when I run game programs or colored text. Using the MS-DOS command Colormap shows the difference clearly. Could this be a defect in the tube's phosphor?

Second, I hear a very high-pitched tone whenever the video is being accessed. It is frequent and annoying. I'd appreciate any help. (Gary Spielman)

**A.** Run (do not walk) to the store where you bought your computer and monitor. It looks like you received a bad monitor. Have them check out the high-pitched tone also. It shouldn't make that sound.

## Mod 4 Upgrade for the 1000

**Q.** Is anyone developing a Model 4 emulator board for the Tandy 1000? I am interested in upgrading, but I would like to have the best of both worlds. (Gene McCormack, Lynn Haven, FL)

**A.** I've heard that a couple of companies might be attempting such a board, but nothing definite yet. Once we hear something, we'll let our readers know. Watch New Products for such information.

## Printer Driver for the BGAP

**Q.** I bought the Business Graphics Analysis Program (BGAP) for my Model III four years ago. Later, I bought a DMP 2100 printer but couldn't use it with the BGAP because a driver wasn't available (according to the local Radio Shack store).

I've tried unsuccessfully to get a driver for my printer (as well as for the CGP 220 color printer) through the stores in San Juan and Mayaguez. Several months ago, I wrote to Radio Shack's main office in Texas but received no response. Are these drivers available, and if so, how do I obtain them? (Adolfo Perez-Comas, Mayaguez, PR)

**A.** You have version 1 of BGAP. Upgrade to version 2, which has the drivers for the DMP 2100 and the CGP 220. The




**ALL TANDY®**  
Radio Shack products  
and EPSON PRINTERS



**ALL TANDY®**  
Radio Shack products  
and EPSON PRINTERS



**EPSON**



**PRINTERS**  
FULL ONE YEAR WARRANTY

FOR YOUR  
SALE PRICE



8AM-6PM CENTRAL TIME

**CALL 1-817-481-S.A.L.E.**

**World's "CLOSEST TO THE WAREHOUSE" (WE GET OURS) FASTER**  
**independent authorized computer dealers.**

### **WE ALWAYS OFFER**

- ☐ 30 day buy-back policy\*
- ☐ FASTEST shipment to your—normally sameday.
- ☐ Ten years plus an authorized sales center.
- ☐ 100% Tandy product—no foreign parts.
- ☐ Full warranty—Nationwide.
- ☐ All freight and insurance paid.
- ☐ Our best price—first time—we will not "meet or beat"—no tricks from us.
- ☐ More satisfied customers than we care to mention.
- ☐ Use your credit card—with us!

\* Small restocking charge

**FOR CUSTOMER SERVICE**

**(817) 481-S.A.L.E.**

**DFW COMPUTER CENTER 326 Main St., Grapevine, TX 76051**



**ALL TANDY®**  
Radio Shack products  
and EPSON PRINTERS



**ALL TANDY®**  
Radio Shack products  
and EPSON PRINTERS



**EPSON**  
**PRINTERS**  
FULL ONE YEAR WARRANTY

FOR YOUR  
SALE PRICE



8AM-6PM CENTRAL TIME

**CALL 1-817-481-S.A.L.E.**

**World's "CLOSEST TO THE WAREHOUSE" (WE GET OURS) FASTER**  
**independent authorized computer dealers.**

### **WE ALWAYS OFFER**

- ☐ 30 day buy-back policy\*
- ☐ FASTEST shipment to you—normally sameday.
- ☐ Ten years plus an authorized sales center.
- ☐ 100% Tandy product—no foreign parts.
- ☐ Full warranty—Nationwide.
- ☐ All freight and insurance paid.
- ☐ Our best price—first time—we will not "meet or beat"—no tricks from us.
- ☐ More satisfied customers than we care to mention.
- ☐ Use your credit card—with us!

\* Small restocking charge

**FOR CUSTOMER SERVICE**


**(817) 481-S.A.L.E.**

**DFW COMPUTER CENTER 326 Main St., Grapevine, TX 76051**



# The Amazing A-BUS

# NEW



An A-BUS system with two Motherboards  
A-BUS adapter (IBM) in foreground

## Plug into the future

With the A-BUS you can plug your PC (IBM, Apple, TRS-80) into a future of exciting new applications in the fields of control, monitoring, automation, sensing, robotics, etc.

Alpha's modular A-BUS offers a proven method to build your "custom" system today. Tomorrow, when you are ready to take another step, you will be able to add more functions. This is ideal for first time experimenting and teaching.

A-BUS control can be entirely done in simple BASIC or Pascal, and no knowledge of electronics is required!

An A-BUS system consists of the A-BUS adapter plugged into your computer and a cable to connect the Adapter to 1 or 2 A-BUS cards. The same cable will also fit an A-BUS Motherboard for expansion up to 25 cards in any combination.

The A-BUS is backed by Alpha's continuing support (our 11th year, 50000 customers in over 60 countries).

The complete set of A-BUS User's Manuals is available for \$10.

### About the A-BUS:

- All the A-BUS cards are very easy to use with any language that can read or write to a Port or Memory. In BASIC, use INP and OUT (or PEEK and POKE with Apples and Tandy Color Computers)
- They are all compatible with each other. You can mix and match up to 25 cards to fit your application. Card addresses are easily set with jumpers.
- A-BUS cards are shipped with power supplies (except PD-123) and detailed manuals (including schematics and programming examples).

#### Relay Card

RE-140: \$129

Includes eight industrial relays, (3 amp contacts, SPST) individually controlled and latched. 8 LED's show status. Easy to use (OUT or POKE in BASIC). Card address is jumper selectable.

#### Reed Relay Card

RE-156: \$99

Same features as above, but uses 8 Reed Relays to switch low level signals (20mA max). Use as a channel selector, solid state relay driver, etc.

#### Analog Input Card

AD-142: \$129

Eight analog inputs. 0 to +5V range can be expanded to 100V by adding a resistor. 8 bit resolution (20mV). Conversion time 120us. Perfect to measure voltage, temperature, light levels, pressure, etc. Very easy to use.

#### 12 Bit A/D Converter

AN-148: \$139

This analog to digital converter is accurate to .025%. Input range is -4V to +4V. Resolution: 1 millivolt. The on board amplifier boosts signals up to 50 times to read microvolts. Conversion time is 130ms. Ideal for thermocouple, strain gauge, etc. 1 channel. (Expand to 8 channels using the RE-156 card)

#### Digital Input Card

IN-141: \$59

The eight inputs are optically isolated, so it's safe and easy to connect any "on/off" devices, such as switches, thermostats, alarm loops, etc. to your computer. To read the eight inputs, simply use BASIC INP (or PEEK).

#### 24 Line TTL I/O

DG-148: \$65

Connect 24 input or output signals (switches or any TTL device) to your computer. The card can be set for input, latched output, strobed output, strobed input, and/or bidirectional strobed I/O. Uses the 8255A chip.

#### Clock with Alarm

CL-144: \$89

Powerful clock/calendar with battery backup for Time, Date and Alarm setting (time and date); built in alarm relay, led and buzzer; timing to 1/100 second. Easy to use decimal format. Lithium battery included.

#### Touch Tone® Decoder

PH-145: \$79

Each tone is converted into a number which is stored on the board. Simply read the number with INP or POKE. Use for remote control projects, etc.


#### A-BUS Prototyping Card

PR-152: \$15


3 1/2 by 4 1/2 in. with power and ground bus. Fits up to 10 IC's




ST-143




CL-144



RE-140



IN-141



AD-142

### Smart Stepper Controller SC-149: \$299

World's finest stepper controller. On board microprocessor controls 4 motors simultaneously. Incredibly, it accepts plain English commands like "Move arm 10.2 inches left". Many complex sequences can be defined as "macros" and stored in the on board memory. For each axis, you can control: coordinate (relative or absolute), ramping, speed, step type (half, full, wave), scale factor, units, holding power, etc. Many inputs: 8 limit & "wait until" switches, panic button, etc. On the fly reporting of position, speed, etc. On board drivers (350mA) for small steppers (MO-103). Send for SC-149 flyer.

### Remote Control Keypad Option RC-121: \$49

To control the 4 motors directly, and "teach" sequences of motions.

### Power Driver Board Option PD-123: \$89

Boost controller drive to 5 amps per phase. For two motors (eight drivers).

### Breakout Board Option BB-122: \$19

For easy connection of 2 motors. 3 ft. cable ends with screw terminal board.

### Stepper Motor Driver ST-143: \$79

Stepper motors are the ultimate in motion control. The special package (below) includes everything you need to get familiar with them. Each card drives two stepper motors (12V, bidirectional, 4 phase, 350mA per phase). **Special Package:** 2 motors (MO-103) + ST-143: **PA-181: \$99**

### Stepper Motors MO-103: \$15 or 4 for \$39

Pancake type, 2 1/4" dia, 1/8" shaft, 7.5°/step, 4 phase bidirectional, 300 step/sec, 12V, 36 ohm, bipolar, 5 oz-in torque, same as Airpax K82701-P2.

### Current Developments

Intelligent Voice Synthesizer, 14 Bit Analog to Digital converter, 4 Channel Digital to Analog converter, Counter Timer, Voice Recognition.

### A-BUS Adapters for:

IBM PC, XT, AT and compatibles. Uses one short slot	AR-133: \$69
Tandy 1000, 1000 EX & SX, 1200, 3000. Uses one short slot	AR-133: \$69
Apple II, II+, IIe. Uses any slot	AR-134: \$49
TRS-80 Model 102, 200. Plugs into 40 pin "system bus"	AR-136: \$69
Model 100. Uses 40 pin socket. (Socket is duplicated on adapter).	AR-135: \$69
TRS-80 Mod 3, 4, 4 D. Fits 50 pin bus. (With hard disk, use Y-cable)	AR-132: \$49
TRS-80 Model 4P. Includes extra cable. (50 pin bus is recessed).	AR-137: \$62
TRS-80 Model I. Plugs into 40 pin I/O bus on KB or EVI	AR-131: \$39
Color Computers (Tandy) Fits RDM slot, Multipak, or Y-cable.	AR-138: \$49

### A-BUS Cable (3 ft, 50 cond.)

CA-163: \$24

Connects the A-BUS adapter to one A-BUS card or to first Motherboard.

### Special cable for two A-BUS cards: CA-162: \$34

### A-BUS Motherboard

MB-120: \$99

Each Motherboard holds five A-BUS cards. A sixth connector allows a second Motherboard to be added to the first (with connecting cable CA-161: \$12). Up to five Motherboards can be joined this way to a single A-BUS adapter. Sturdy aluminum frame and card guides included.

Add \$3.00 per order for shipping.  
Visa, MC, checks, M.O. welcome.  
NY and CT: add sales tax.  
C.O.D. add \$3.00 extra.  
Canada: shipping is \$5  
Overseas add 10%



## ALPHA Products

a division of Sigma Industries, Inc.

242-E West Avenue, Darien, CT 06820

Technical info: (203) 656-1806  
Orders only: 800 221-0916  
Except in NY  
New York orders: (718) 296-5916  
All lines open weekdays 9 to 5 Eastern time



## Program Listing. Demo for high-intensity colors on the Tandy 1000.

```

1000 CLS:SCREEN 0
1010 FOR BACKGROUND=0 TO 7
1020 COLOR 0,BACKGROUND:LOCATE ,15
1030 PRINT"Background =" ;BACKGROUND; ' NO BLINK
1040 NEXT BACKGROUND
1050 FOR BACKGROUND=8 TO 15
1060 COLOR 16,BACKGROUND:LOCATE ,15
1070 PRINT"Background =" ;BACKGROUND; ' BLINK
1080 NEXT BACKGROUND
1090 COLOR 3,0
1100 LOCATE 20,20:PRINT"1 HIGH INTENSITY BACKGROUND"
1110 LOCATE 21,20:PRINT"2 BLINK (NORMAL) MODE"
1120 LOCATE 22,20:PRINT"3 QUIT DEMO"
1130 AS="":WHILE AS="" :AS=INKEY$:WEND
1140 IF AS="1" THEN OUT &H3D8,9:GOTO 1130 'RESET BIT 5
1150 IF AS="2" THEN OUT &H3D8,41:GOTO 1130 'SET BIT 5
1160 OUT &H3D8,41 'NORMALIZE FOR EXIT

```

End

it's not possible to specify a background color value higher than 7 with the Color statement. While this is true, you can display background colors above 7 by resetting bit 5 of port 3D8H, which controls the blink attribute.

With bit 5 set, foreground color values greater than 15 produce blinking characters. However, resetting bit 5 disables blinking, and foreground values greater than 15 set the background to high intensity. The Program Listing demonstrates this effect.

### Make It Perfectly Clear

David Goben of Mansfield Center, CT, sent the following complaint/suggestion, "Several readers, myself included, respond to other's problems published in Feedback Loop with patches to programs, such as the Superscript patch by Robert B. Ormsley of Newhall, CA (January 1987, p. 18).

"The problem is that this patch already exists on the Model 4's Superscript version 1.01.01, but in a different disk location, and Ormsley's patch is incompatible with it, because other patch code exists where he intends his patch.

"What version was Ormsley's patch for? Is it compatible with other patches? There have been two Radio Shack updates since then, creating versions 1.01.02 and 1.01.03, and it isn't compatible with them.

"When things like this occur in columns like Feedback Loop, they can hinder rather than help those who do not enjoy performing exploratory surgery on their programs. Once a patch is installed, that should be the last the user should have to worry about it.

"As a way around such problems, I suggest that anyone who has a question or a solution to submit to Feedback Loop include the following information: the proper program name, its version number, and the computer it is operating on. Also include any non-standard system configuration (which, in some cases, can be the cause of a problem or why a par-

ticular solution works)."

I agree with David wholeheartedly! Let me add a few more items to include: the DOS version you are using, your telephone number (not for publication, unless you request it), and a stamped, self-addressed envelope.

### Help for PC-2 Users

Tim Worcester's December 1986 request for a technical reference manual for the Radio Shack PC-2 pocket computer prompted several responses. Sharp manufactured the PC-2 for Radio Shack, and the machine is functionally identical to the Sharp PC-1500, which has a complete reference manual available. Send \$15 and a request for the PC-1500 Technical Reference Manual to Sharp Electronics Corp., Sharp Plaza, Mahwah, NJ 07430, Attn: Product Literature, Box DD.

Sharp also offers peripherals for the PC-2 and PC-1500: an RS-232 module (\$239), a cassette interface and printer/plotter combination (\$259), an 8K RAM chip (\$119), a 16K RAM chip (\$179), and a mathematics ROM chip (\$65). Thanks to Frank Billington of St. John, New Brunswick (Canada); N. Wenri of Great Falls, VA; and Jim Dawkins of Caldwell, TX.

Jeffery S. Foy of Puget Sound Computer, Programming Service, 14509-8th N.E., Seattle, WA 98155, says he has written a 700-page manual for the PC-2. Send him \$75 for a source-code listing, the manual, and a brochure describing other PC-2 products.

Jeff Shoaf of Winston-Salem, NC, says back issues of Radio Shack's publication, TRS-80 Microcomputer News, also contain information on the PC-2. They ran a series of articles on assembly language for the PC-2 that spanned several issues in 1983 and 1984.

Radio Shack has put the issues for each year in book form and sells the bound editions for \$9.95 each. Order copies (catalog no. 26-2241) through any Radio Shack store or Computer Center. Specify the year.

## Gate-Array Update

I thank Will Ramsey Jr. of Gainesville, FL, for correcting my answer in the January 1986 (p. 14) issue concerning a gate-array 64K to 128K RAM upgrade for the Model 4. Mercedes regrets any confusion the incorrect information might have caused our readers. Here is the correct procedure for that upgrade:

In addition to plugging the eight RAM chips into sockets U67-U74, use a low-power (25-35-watt) soldering iron to disconnect the jumper wire connected to the lower lead of capacitor C39 and resolder it to pin 16 of chip U33. Don't attempt this upgrade unless you know how to use a soldering iron.

## SEEKING HELP

### Help Wanted

► Roger Desai (97 Stratton St. South, Piscataway, NJ 08854) wants to know how to get graphics on a Tandy DMP 200 printer using an IBM PC.

► Tom Jerrard, RR #2, Erin, Ontario NOB 1T 0, would like to know if anyone in the Toronto area can repair non-standard Radio Shack computers.

► George C. Lysy, 2120 E. Orangehill Ave., Palm Harbor, FL 33563, is running a program using Newdos/80 2.0, on an LN-80 Model I (a TRS-80 Model I clone) with a Percom Doubler. His program uses the Z80 Halt instruction to cause the system to reboot after a one- or two-hour period of inactivity from a disk drive.

When he runs the program on a single-density Newdos/80 system disk, the program reboots with no problem and the DOS Boot command works properly. When he runs the program on a Newdos/80 double-density system disk (boot sector #0 is single-density), the system freezes as soon as it executes a Z80 Halt instruction or Newdos/80 Boot command.

When George presses the reset switch (two keys labeled RST on the keyboard) to initiate a hardware reset, the system boots up with no problem. Does anyone have any advice?

► Stan Kilmer, 6088 SW 2nd, Laverne, OK 73848, is looking for a printer driver to use with the Formation program on his Model 4 with a Citizen MSP-25 printer (an Epson FX work-alike).

► William Engelhardt, 2243 Rumble Road, Modesto, CA 95350, is looking for two programs: Paharo, by RDS Software, and AIT Lisp, by Artificial Intelligence Tech.


► Nancy McKown, 1587 Oak Drive, Allegan, MI 49010, is looking for a tractor drive for her DWP 210 printer, Radio Shack catalog no. 26-1443. ■



# Tandy Is Dandy

## ... Until You Want More Memory!

### USER INSTALLABLE BOARDS FOR TANDY 1000/3000



#### MEMORY EXPANSION

Model 1000 provides DMA and additional 256K of memory bringing your 128K Tandy 1000 to 384K or 640K. Clock calendar with 20 year battery is optional.

**2002 256K—\$109    2003 512K—\$149**

*Free clock \$49 value with any memory expansion or multifunction card.*

Model 1000EX speeds up computer by adding DMA and an additional 256K or 384K of memory, bringing your 256K Tandy 1000EX to 512 or 640K.

Clock calendar with 20 year battery is optional.

**2025 256K—\$99    2026 348K—\$119**


Model 1000SX additional 256K of memory bringing your 384K Tandy 1000SX to 640K. Clock calendar with 20 year battery is optional.

**2006 256K—\$129**

Model 300HL & HD additional 128K of memory bringing your 512K Tandy 3000HL & HD 640K.

#### VIDEO PRODUCTS AVAILABLE TOO!

**JUST CALL AND ASK.** Offer Expires March 31, 1987



# It's another ZUCKERBOARD®



235 Santa Ana Court • Sunnyvale, CA 94086 • (408) 720-1942 • CA (800) 654-2212 • US (800) 222-4920

ZUCKERBOARD is a registered trademark of Advanced Transducer Devices Inc.

Tandy 1000/3000 are Trademarks of Radio Shack, a Division of Tandy Corporation.

All prices subject to change without notice due to fluctuations on the chip markets



THE  
**LATEST NEWS**  
OUR TOLL FREE  
NUMBER

# NATIONAL

## COMPUTER SUPPLY



THE SAVING PLACE FOR ALL TANDY® COMPUTERS  
Full Warranty—Nationwide & PRINTERS


FOR LATEST PRICES & CREDIT CARD ORDERS

CALL  
TOLL FREE

# 1-800-345-1800



Tandy 1000 SX



EPSON



Tandy 3000 HL

### SAMPLE PRICES — CALL FOR LATEST

(All prices include freight and insurance, contiguous USA)

EPSON Printers	FX 86e	415.00
	FX 286e	595.00
	LX 86	225.00

TANDY Computers	1000 SX (25-1051)	828.00
	3000 HD (25-4010)	2528.00
	3000 HL (25-4070)	1178.00

TANDY Printers	DMP 130 (26-1280)	258.00
	DMP 430 (26-1277)	528.00
	DWP 230 (26-2812)	308.00
	DWP 510 (26-1270)	598.00

MINUTEMAN	Uninterruptable (500 Watts) Power	578.00
-----------	-----------------------------------	--------

(Prices: Subject to change without notice/freight paid)

TERMS: Payment with Order

IN TEXAS / CUSTOMER SERVICE / ORDER INQUIRIES

# (817) 573-0220

NATIONAL COMPUTER SUPPLY, DEPT M,  
377 PLAZA, GRANBURY, TX 76048.



# Tandy's Green Christmas

## Tandyland

**Christmas 1986** was, in many ways, a repeat of the previous one, as Tandy racked up impressive Tandy 1000 sales and then promptly lowered prices on several machines during the new year.

Holiday business was "great . . . exceptionally good . . . better than last year," said Ed Juge, Tandy's director of marketing information. Company officials wouldn't give out numbers to show just how exceptionally better "great" was, except to say that fourth-quarter computer sales exceeded the previous year's 32-percent jump.

Juge said Tandy came close to a complete sellout of the 1000 EX and that the 1000 SX was back-ordered for up to six weeks. Tandy assigned extra production shifts and moved up parts originally scheduled for April to meet the demand.

If all that excitement wasn't enough, the price of Tandy's stock jumped 49 percent between September and January, and the *New York Times* noted "the 1000 SX has reaffirmed Tandy's status as a durable contender in the personal computer business."

**Barely a week after Tandy had enticed** consumers into buying an SX or EX by throwing in a monitor for free came news of significantly lower prices for three of its machines. Both the SX and the EX dropped \$200 as of Jan. 1 (to \$999 and \$599, respectively) while the less-than-compatible Tandy 2000 might as well have had a "buy one, get one free" sign on it. The 2000, which was introduced in late 1983 at \$2,750, plummeted to \$699 during a January-only sale.

Tandy Chairman John Roach says he wants his company to remain a price/performance leader, according to Juge, who added, "now that we have our learning curve under control, we can look at cost-reducing the product." Nearly the same thing happened a year

earlier, when lower production costs for the original 1000 translated into several price cuts.

The price reductions came a month after IBM lowered the dealer price of the PC XT by 42 percent. At the same time, rumors were rampant that IBM was planning to introduce a "clone-buster" 8086-based PC sometime in 1987.

**Down to the PX for an SX. . . Starting** last fall, military personnel with a hankering for hacking could find Tandy computers sharing the aisles with bread and cigarettes at the PX (post exchange) on base. The new Tandy 1000 models joined Apples, Amigas, and Zeniths in the limited line of microcomputers being sold in 100 Army and Air Force PXes and 35 Navy and Marine BXes (base exchanges). Good news for Tandy: Its discounted machines appeared to be comfortably outselling the competition.

According to *Micro Marketworld*, an Air Force PX buyer said "the post exchanges have been able to sell every 1000 SX they can get their hands on and are selling the EX almost as fast." Competitive pricing must have been a factor, as Tandy offered its we'll-throw-in-the-monitor Christmas deal for less than what the general public paid: \$1,049 for the SX and \$699 for the EX.



Photo. Tandy worked overtime filling 1000 SX orders.

**Tandy sold 667,500 computers** in the U.S. last year, if statistics from International Data Corp., a Framingham, MA, market-research firm, are correct. John Roach agreed last spring to supply select research groups with sales figures broken down by operating system after the *Wall Street Journal* and *Business Week* botched articles mentioning Tandy's competitors (see the Figure).

Tandy's proprietary systems (TRS-80s, Color Computers, Model 16s, and Xenix-based machines) collectively accounted for 41.3 percent of the total, with 276,000 units sold. Close behind were MS-DOS computers (40.7 percent; 272,000 units) followed by pocket computers and portables (17.9 percent; 119,500 units).

Since Tandy officials refuse to say what the numbers mean, it's up to the rest of us to decipher them. Not surprising is the fact that about 58 percent of the computers were sold in the fourth quarter alone. Although Tandy's sales figures were already gaining momentum, such strong fourth-quarter sales can be partly attributed to the Christmas rush and to corporations meeting year-end buying deadlines.

MS-DOS machines outsold those in the other two categories for the first three quarters of the year, further testimony to the importance of IBM compatibles in Tandy's marketing strategy. The Tandy proprietary machines were the biggest fourth-quarter sellers, however, which was probably the result of strong demand for the new CoCo 3 and marked-down CoCo 2 as holiday gifts.

Tandy doesn't attach dollar amounts to these numbers, but you don't have to be an economist to figure out that the company rakes in far more dough from its line of compatibles than it does from the inexpensive CoCos.

**If you want to buy a CM-10 color monitor** for your 1000 SX, you might



have wondered why the CM-11 started showing up instead in Radio Shack catalogs and stores. Did Tandy sneak in an upgrade while no one was looking?

Sort of. Juge said that, after buying the first order of CM-10s from a third-party manufacturer, Tandy decided to improve the radio-frequency interference (RFI) shielding by modifying the cases on the next batch of CM-10s. No one (the Federal Communications Commission included) made Tandy change the monitors, according to Juge. It is Tandy's policy to assign new model numbers to modified products.

## Update

**Fans of Microsoft's Quickbasic 2.0**—and there appear to be many of them among serious programmers—shouldn't worry about being able to use the compiled language with the Tandy 1000, SX, and EX keyboard. Microsoft will introduce a Quickbasic update for 1000 owners in the near future, according to John Jenkins, Tandy account manager for the Redmond, WA, based software company. Jenkins wouldn't say when the product would be released, but confirmed that it would be sometime this year.


At least one user complained to Microsoft with a list of keystrokes that don't work in Quickbasic 2.0, along with problems in using the Screen command. Function keys 11 and 12 send the 1000 into an infinite Inkey\$ loop, requiring re-booting; control-break doesn't work in the Quickbasic editor; the insert key doesn't do anything; and you must use the numeric keypad for arrow keys. In addition, the Screen 7, 8, 9, and 10 commands won't work with an EGA (enhanced-graphics adapter) card.

David Frager, product manager for the 1000 line, attributed the problems to Microsoft's failure to support the computer's keyboard "enhancements," a situation that Jenkins said will change with the update. Further, the video incompatibilities arise, Frager said, probably because Quickbasic doesn't support some extensions of the 1000's color-graphics adapter (CGA).

Many alternative keystrokes for IBM-compatible programs are already documented in a driver program called KEYCNVRT.SYS that comes with every Tandy 1000, Frager said. In addition, a Readme.DOC file in Quickbasic explains the alternative cursor keys.

## Micro Trends

**Connectivity, compatibility, and portability** are three slogans that all point to the same goal: getting the inhabitants



of Babel to speak a common language. With that goal in mind, a Palo Alto, CA, software company is working on a "portable" version of MS-DOS in C language that will "permit DOS and DOS software to be as portable across computer architectures as are Unix and Unix software."

Hunter Systems has joined forces with Motorola and several hardware and software developers to come up with a high-level "XDOS Standard" that would let users run recompiled PC- and MS-DOS software. Colin Hunter, president of Hunter Systems, said he hoped to demonstrate the product before spring.

"All the software vendors, even the ones that write in high-level languages, have written their own assembly-language interface to DOS, the BIOS, and the video RAM," Hunter said. "Moving their code to another architecture, even one with an implementation of DOS, would involve much more than simply recompiling their C code—it would mean rewriting all the low-level routines and then maintaining another parallel version of their products."

Hunter's original plan was to supply makers of non-Intel-based hardware with customized compilers and encourage them to adopt the XDOS standard. But a better alternative presented itself: giving users a means of converting existing programs to run with XDOS.

A major advantage of this approach is that it lets you use advanced features of newer processors, such as Intel's 80386, with old programs. "It frees a lot of PC-DOS software from the rigid constraints of IBM PCs," Hunter said.

**Look for more CD-ROM products** to be introduced in 1987. Production standards for the laser-based technology were established early last year, but manufacturers were slow to develop mi-

crocomputer applications, partly because they feared CD-ROM would become obsolete before it had a chance to mature. Now it appears the market is ready to grow.

CD-ROM (compact disc, read-only memory) is a data-storage technique that replaces floppies with the same kind of shiny plastic discs used in digital recording. Current CDs can hold 550 megabytes of data, compared with 360K on most floppies. In CD-ROM, data can be read from but not written to disc, a limitation that has led to the invention of even more sophisticated devices. WORM (write-once, read-many) allows just what its name implies, while CD-I (compact disc/interactive) mixes audio and video with text. Many hardware and software developers are so intrigued by CD-I that they are no longer so sure CD-ROM is worth risking millions of dollars in development costs.

Regardless of which system wins out, companies have started bringing CD-ROM applications to the marketplace. Late last year, Microsoft announced MS-DOS extensions that will support CD-ROM drives, and this year several companies are making full- and half-height drives that could start appearing in newer PCs. Grolier Inc. has put all 20 volumes of its *Academic American Encyclopedia* on a disc. Financial, medical, legal, and other information-intensive services are now offering large libraries on CD.

Some analysts think CD-I and CD-ROM represent the next major advances in microcomputing because they put high-volume data retrieval and interactive video within easy reach of the home and business user. The "glamor" applications may be a couple of years away, but you will likely be able to buy an affordable CD-ROM drive and your first monster disc before the year is out. ■



# TRSCROSS

More  
Software from  
the Creators of  
Super Utility™

## The SECOND Generation of Disk/File Transfer Utilities

is here from PowerSoft!

### TRSCROSS™

Copyright 1986 by Breeze/QSD, Inc.  
All rights reserved

- 1 - Copy from TRS-80™ diskette
- 2 - Copy to TRS-80™ diskette
- 3 - Format TRS-80™ diskette
- 4 - Purge TRS-80™ diskette
- 5 - Display directory (PC or TRS-80™)
- 6 - Exit

Shown above is the Main Menu displayed when running TRSCROSS on your PC or compatible.

TRSCROSS runs on your PC, yet reads your TRS-80 diskettes! Copy files in either direction! • Written completely in-house by our programmers and 100% supported by PowerSoft •

TRSCROSS is as easy to use as it looks to be! The program is very straightforward, well thought out, and simple to operate. TRSCROSS has several "help" features built into the program to keep operation as easy as possible. Just pop in your TRS-80 disk to your PC and copy the files right to your PC data disk or hard disk. *It couldn't be any faster or easier!* Packed in the PowerSoft binder is a typeset instruction manual with Index. All steps are detailed. Advanced features, for those that desire to use them, include executing menu options right from DOS or from a .BAT file or macro. This can really speed up transfers when similar operations are performed frequently.

TRSCROSS allows you to "TAG" all files to be moved in ONE pass!

### INCLUDES BUILT-IN BASIC CONVERSION!

Other features include converting BASIC programs or SuperScript™ "files on-the-fly"! Forget about having to save your programs or files in ASCII first, or running a separate conversion program before transferring! TRSCROSS reads your tokenized BASIC program or SuperScript file directly off your TRS-80 disk and performs the conversion all in ONE pass while being transferred directly to your PC or compatible

### TRSCROSS will even FORMAT a TRS-80 disk right on your PC!

computer! (Does not cover PEEKs, POKEs, graphics, or machine language calls or subroutines.)

(Handy for those who use both machines!) Former TRS-80 users who no longer have their TRS-80, but still have diskettes with valuable data... this is exactly what you've been waiting for! Similar in concept to our SuperCROSS, but runs on the PC rather than the TRS-80.

TRSCROSS will READ FROM and COPY TO the following TRS-80 double-density formats: TRSDOS 1.2/1.3, TRSDOS 6.2\*, LDOS 5.1.4\*, DOSPLUS 3.5, NEWDOS/80\*, & MultiDOS.

DOS formats listed above flagged with \* signify that earlier versions of these DOS's are readable as well, but one or more sectors may be skipped due to a format problem in that version of the DOS. One or more sectors may also be skipped on NewDOS/80 formats. (Disks that were formatted with SUPER UTILITY + or SU4/4P do not, and have never had this problem.) TRSDOS 6.02.01, or higher should not have this problem. Disks formatted in any 80 track format, any single density or mixed density (Model I "boot" disks) are not supported.

TRSCROSS requires: PC or compatible computer, 128K and a normal 360KB (40 track drive) PC drive. Double-sided operation is fully supported. If you have more than one disk drive, fixed drive, or RAM disk, operation will be much smoother. TANDY 1000 requires extra memory card because of the required DMA chip that resides there. TANDY 3000 is supported as long as you have a 360KB drive to use for transferring, rather than the hi-density drive. TANDY 2000 is not supported at this

time due to a difference in disk controller and floppy drives. TANDY 1200 is OK. "Special" data files like PROFILE +™ would need to be converted to ASCII on a TRS-80 first before they would be of any use on a PC or compatible.

If you plan to retire your TRS-80, or use both machines, TRSCROSS is for you! TRSCROSS will allow access to your TRS-80 diskettes for years after your TRS-80 is gone!

**TRSCROSS is now shipping! Place your order TODAY!**

**only \$89.95**

Available only from PowerSoft

**POWERSOFT**

Free! SOFTWARE CATALOG ☐

☐ Yes! Send me TRSCROSS™

Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_ Zip: \_\_\_\_\_

Chg. Card (circle one): ☐ MasterCard ☐ VISA Expires: \_\_\_\_\_

Card #: \_\_\_\_\_

Signature: \_\_\_\_\_

17060 Dallas Pkwy., Suite 114 • Dallas, TX 75248 • (214) 733-4475

All products shipped from stock within 24 working hours.



Got a hot tip you'd like to share with our readers? Send it to Reader Forum, c/o 80 Micro, 80 Pine St., Peterborough, NH 03458. We pay \$10 for each tip we use. Sorry, but we cannot return or acknowledge Reader Forum submissions.

### MS-DOS 3.2 Bug

When I bought a 10-mega-byte hard drive for my Tandy 1000, I upgraded to MS-DOS 3.2 from 2.11 (I originally had MS-DOS 2.10). When I tried load programs under MS-DOS 3.2 that had run fine under 2.11, I got the error message "File allocation table damaged." This happened no matter what drive I used. A friend had the same problem with his 1000 SX.

I rebooted the computer with MS-DOS 2.11 and all my disks loaded and ran normally.

On further investigation, I found that once I got the error message, every disk I tried to load thereafter would give the same message. I had to reboot to clear the condition. I also found that the trouble disks had not been formatted under either MS-DOS 2.11 or 3.2.

To solve the problem, I first formatted a couple of disks under MS-DOS 3.2. I then booted the computer with MS-DOS 2.11. Next, I put a 3.2-formatted disk in drive B and put a troubled disk in drive A. I then used the wildcard prompt, \*.\* to copy all files from drive A to drive B. The resulting disk was readable by either MS-DOS 2.11 or 3.2.

Using Diskcopy to transfer files doesn't work. You must use the COPY\*.\* command.

Roy A. Cartier  
Winchester, VA

### Too Much Protection

TRSDOS 6.x Disk Basic's Save command has an option that protects the file from prying eyes: SAVE "file name".P. Unfortunately, if you lose the original, unprotected file, you must retype or re-create the file.

When you save a file normally, the value of the first byte is FF hexadecimal (hex); the program follows it exactly as it was stored in memory. When you use the P option, the value of the first byte is FE hex, and the rest of the file is saved on disk in encrypted form. This prevents anyone from listing it from Basic.

Type in and run the Pro-

gram Listing under Disk Basic 1.01.00 or later. It creates a file called Decode/CMD, which can recover an encrypted program.

To use Decode/CMD, enter Basic and load the target encrypted file. Then return to DOS via the System command and enter DECODE filespec, where the filespec is an unused file name with the BAS extension, since the file will become an unencoded Basic file.

When the TRSDOS Ready prompt returns, enter Basic and load the newly created file.

David Goben  
Mansfield Center, CT

#### Program Listing. Basic code that creates Decode/CMD.

```
10 CLEAR:OPEN"O",1,"DECODE/CMD":RESTORE      '* 2489
20 READ AS:IF AS="END" THEN CLOSE 1:END        '* 2320
30 PRINT#1,CHR$(VAL(AS)):GOTO 20               '* 1963
40 DATA 1,81,0,48,17,79,48,62,78,239         '* 1849
50 DATA 40,9,246,192,79,62,26,239,62,21      '* 1993
60 DATA 239,33,111,48,6,0,62,59,239,40       '* 1933
70 DATA 243,62,58,239,32,232,33,72,128,54    '* 2088
80 DATA 255,229,35,126,35,182,40,7,43,126    '* 2086
90 DATA 35,102,111,24,244,35,193,237,66,197  '* 2187
100 DATA 227,193,197,78,35,62,4,239,32,196   '* 2152
110 DATA 193,11,120,177,32,242,62,60,239,32  '* 2167
120 DATA 187,24,191,2,2,0,48,END              '* 1689
```

### Foolproof Forms

The following patches let you set the Model 4 forms filter, Forms/FLT, to the requirements of your printer and paper size:

PATCH FORMS/FLT.FILTER  
(D02.7C = xx 00 yy:F02.7C = 42 00 42)  
PATCH FORMS/FLT.FILTER  
(D02.84 = zz:F02.84 = 00)

The xx is the page length, yy is the lines per page, and zz is the number of characters. Calcul-

late these values in hex.

Alternatively, you can build a FIX file to do the job:

BUILD FORM/FIX  
D02.7C = 42 00 42 00 00 00 00 04 00  
F02.7C = xx 00 yy 00 00 00 00 04 zz

Press the break key to save the file and then type:

PATCH FORMS/FLT.FILTER USING FORM/FIX

Rene Verbruggen  
Ranst, Belgium

### The Invisible File

Debbie Cooper's file-protection utility for the Tandy 1000 from the August 1986 issue ("File Safe," p. 74) is great, but I've found a better way.

Her program appends a CHR\$(255) to the last byte of the file name to create the password. This is invisible to the user, but not the computer. You can do the same task using the alternate key and the numeric keypad.

Use the Rename command to add the invisible character, CHR\$(255), to the end of the file name by holding down the alternate key and pressing 255 on the keypad. A CHR\$(255) is sent to the screen when you release the alternate key. For example:


A> RENAME SAMPLE.DOC  
SAMPLE.D0alternate-2-5-5

You can remove the invisible character by renaming it back to the original filespec. Access invisible files by using the visible name and a CHR\$(255). For instance:

A> TYPE SAMPLE.D0alternate-2-5-5

With this technique, you can access protected files using most DOS commands. You can use a different CHR\$; check an ASCII chart for other unprintable characters. Be sure that you keep track of the characters that you use.

Jack E. McCoy  
Texarkana, TX





# Lining Up with Allwrite

You don't have to see underlining on your screen to make effective use of it with Allwrite on the Model 4. You can use control words to set print-time tabs.

It is easy to draw lines between tabs by turning underlining on at one end and off at the other. The line length is limited only by your printer, not by how you set your screen width.

I have used the control words :SE, :AR, and :IF to make music manuscript paper. (By the way, the :IF statement does work as Allwrite's manual says, but not as the example on p. 273 shows. In that example, the line :IF 4>9 should have been :IF @4>9.) I call the file Clefrite, and I numbered the lines for easy reference. Omit the line numbers when entering the file:

```
1:PI10
2:LM9:LL76:LI12
3:SE1=5
4:LB staff
5:TB +2.66
6:+@*+@%
7:AR 1-1
8:IF @@1>0
9:AP clefrite:2,staff
10:IF
11:SK5
12:SE1=5
13:AP clefrite:2,staff
```

The first line sets pitch, which really isn't important. Line 2 sets the left margin, maximum line length, and line spacing. I had to set the left margin at nine and the first tab at two to get underlining to start at 10. Tabbing at position 1 doesn't work (printing normally begins there, so tabbing isn't necessary).

Line 3 sets variable 1 to five. Line 5 sets tabs at positions 2 and 66. Line 6 turns underlining on at the first tab and off at the second. The tab setting at 66 causes the line to stop at position 65, the result being a six-and-a-half-inch line drawn across the page, 1 inch in from the left edge of the paper.

Line 7 decrements vari-

able 1 by one. Line 8 appends the file to itself beginning at the label "staff" if variable 1 is greater than zero. I couldn't use the :GO LABEL statement because the test follows the label in this case and :GO only searches forward.

Line 9 puts the file on a Memdisk, drive 2, to minimize drive wear. After five lines are drawn, the routine skips five lines (line 11), resets variable 1 to five (line 12), and begins the process again. Don't leave this running unattended, as it is an endless loop. You can specify at run time how many pages you want with the :PGn,n statement. For example, :PG1,4 gives you four pages of manuscript paper.

You can put this technique to use in other ways. For example, you can create blank address labels with underlining.

Patrick A. Gainer  
Tanner, WV

Richard Kunc said in the January 1987 Reader Forum (Superscript + Memdisk = Fast, p. 25) that you cannot place all of Superscript in Memdisk due to space limitations. I've put Superscript (except for Move/CTL, which seems to work best on a data disk) and two printer drivers on Memdisk with 13.5K to spare. The following JCL file, Memstart, does the trick (The Figure shows drive 2's directory after executing Memstart):

```
Drive :2 MEMDISK 14 Cyl, DDEN, Free = 13.50K / 63.00K, Date 08-Dec-86
BOOT.SYS SIP DIR/SYS SIP DMP105/CTL DWP210/CTL
SCR16/CTL SCR17/CTL SCR18/CTL SCR19/CTL
SCR32/CTL SCR33/CTL SCR35/CTL SCR38/CTL
SCR50/CTL SCRIPSIT/CMD SCRIPSIT/CTL
```

Figure. Drive 2 directory after executing Memstart.



## More on Memdisk, Part I

I found Don Coffin's Memdos/JCL file (January 1987, p. 69) to be very useful, but I have a faster way to load it.

I format a disk with the command FORMAT :1 (D=1) to locate the directory on cylinder 1. I then do a mirror-image backup of the Memdisk to the physical disk.

Each time I use Memdos, I just create the Memdisk and do a mirror-image backup of the physical disk to it using the following JCL file:

```
SYSTEM (DRIVE=2,DRIVER="MEMDISK")
D
D
Y
BACKUP :1 :2
Y
SYSTEM (SYSTEM=2)
```

I removed password protection from my disk using the patch:

```
PATCH SYS2/SYS.LSIDOS
(D02,33=18:F02,33=00)
```

Doug Hayworth  
Birmingham, AL

(Ed. note: Thanks also to Jim Shepherd of Winnemucca, NV, for submitting a similar idea.)

## More on Memdisk, Part II

```
BUILD MEMSTART/JCL
SYSTEM (DRIVE=2,DRIVER="MEMDISK")
D
D
Y
BACKUP SCR5/CTL:0 :2
BACKUP SCRIPSIT/CMD:0 :2
COPY DMP105/CTL:0 :2
COPY DWP210/CTL:0 :2
```

See Steve Wolcik's "Storage to Spare" (June 1985, p. 54).

Don Coffin's "Set Drive Zero Free" (80 Micro, January 1987, p. 69) left out one piece of information that could get

the new Memdisk user into trouble. If you have created a configuration file using Sysgen, particularly if it is a large one enabling outside drives, KSM/FLT, Forms, and so on, it will overload Memdisk. To avoid moving configuration files to Memdisk, use the wildcard backup:


```
BACKUP SYS$$/SYS:0 :2
```

This puts all 13 system files into Memdisk.

Tom Trigg  
Fort Riley, KS



# Next to your Tandy® or



## nothing beats a

### **High-quality printers—at hard-to-beat prices!**

Now that you have the home or office computer you wanted, get the printer you need. A Tandy printer!

Tandy printers are designed to give you exceptional print quality, graphics and high performance—all at affordable prices. Your nearby Radio Shack Computer Center has a complete line of printers, from high-speed dot matrix to letter-quality daisy wheels. There's sure to be one that will suit your particular printing requirements—and budget—to a tee.

### **Budget-priced high performer**

The DMP 105 (26-1276, \$199.95) is the low-cost solution for data-processing and general-purpose use. The DMP 105 features a bidirectional head that prints 80 characters per line at 43 lines per minute (10 cpi). Elongated and condensed modes are also available. Prints up to 80 characters per second. Parallel and Color Computer-compatible serial interfaces.


### **Triple-mode “personal printer”**

The low-cost, versatile DMP 130 (26-1280, \$349.95)

features word-processing and data-processing, as well as dot-addressable graphics modes. You can choose from four character styles: standard or italic cursive, in draft or correspondence modes. The DMP 130 supports super/subscripts, double-width, bold, double-strike and micro-fonts. The bidirectional, logic-seeking print head prints original, plus two copies on 4" to 10" fanfold paper or single sheets. Prints up to 100 characters per second. Built-in tractor. Parallel and Color Computer-compatible serial interfaces. IBM® PC compatible.



# PC-compatible computer,



## Tandy printer.

### Low-cost business printer

The DMP 430 (26-1277, \$699.00) is a dot-matrix printer with an 18-wire print head that delivers superior correspondence fonts in a single pass. Prints 10, 12, or 16.7 cpi, plus elongated, standard, elite and condensed. You can also get micro, italic and double-high fonts. Prints original, plus two copies at 180 characters per second. IBM PC compatible.

### Power for business

Get high speed and high performance with our finest printer, the DMP 2200 (26-1279, \$1695.00). Efficient,

fast printing means no long and costly delays for reports. Supports elongated, double-high, bold, underline, super/subscripts, italics and double-strike modes, plus bit-image graphics. Prints up to 380 characters per second. Features a true pin-driven tractor—not sprocket. Prints original, plus up to six copies. Parallel interface only. IBM PC compatible.

### In Business . . . for Business

For the best value and selection in printers, shop Radio Shack. We've got the right match for your machine!

**Radio Shack®**  
**The Technology Store™**

A DIVISION OF TANDY CORPORATION

Circle 75 on Reader Service card.

Send me an RSC-17 Computer Catalog.

Mail to: Radio Shack, Dept. 87-A-402  
300 One Tandy Center  
Fort Worth, Texas 76102

Name \_\_\_\_\_

Company \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_

ZIP \_\_\_\_\_

Phone \_\_\_\_\_

Prices apply at Radio Shack Computer Centers and at participating stores and dealers. The DMP 430 may require special order. IBM/Registered TM International Business Machines Corp.



# LSI DELIVERS

# THE NEXT GENERATION OPERATING SYSTEM



FOR YOUR **TRS-80 Model 4/4P/4D**

**LS-DOS 6.3x**  
prepaid

**FROM THE ORIGINAL AUTHOR OF  
THE MODEL 4 OPERATING SYSTEM**

**\$39<sup>95</sup>**

\$29.95 Introductory Price Expires 3/31/87

LS-DOS 6.3 is an update to the **TRSDOS 6.x** operating system for Tandy TRS-80 Model 4 computers. Due to the continuing popularity of the TRS-80 Model 4, this update was deemed necessary to extend the useful life of the computer through the 1990's. At the same time, many other useful features have been added.

- Upward compatible with TRSDOS 6.x versions.
- Expanded date range, 1980 through 1999.
- Files now have a modification Time Stamp as well as a date.
- The directory display shows file dates and times.
- New SVCs for screen print and decimal display.
- All new, easy to use full screen ASCII text editor.
- Conversion program for pre-6.3 version disks adds new time/date information.
- Automatic date/time conversion when copying from TRSDOS 6.x to version 6.3.
- One pass format and disk duplication program.
- Variable and line number cross reference utility for BASIC programs.
- Many "user requested" changes/additions/enhancements have been made.
- Several changes to increase "user friendliness."
- Many enhancements to BASIC:

- including —
- Line copy and block move with automatic line reference renumbering.
- Search and display variable, line numbers, and keywords.
- Selective block renumbering.
- High speed load and save.
- Direct access to DOS SVCs.
- List next or previous line(s) with a single key-stroke.
- Single letter abbreviations for Auto, Delete, Edit, and List.

**HURRY!**

**TRSDOS 6.2x DATE HANDLING  
WILL END DEC. 31st, 1987**

A documentation update describes all new features and utilities, and contains technical information changes and additions.

Since this is an update to TRSDOS 6.2, all customers are expected to have purchased or received and have in their possession a legitimate copy of the TRSDOS 6.x DOS and documentation.

To provide support only to legitimate owners, all LS-DOS 6.3 master disks contain an individually encoded customer service ID and serial number. This entitles customers to support directly from LSI.

## Ordering information:

To save COD, handling and shipping charges,  
send a check or money order for **\$39.95** to:

**Logical Systems, Inc.**  
**PO Box 55235**  
**Grand Junction, CO 81505**

Credit card and COD orders call: **(303) 243-7070**




TRS-80 and TRSDOS are Registered Trademarks of Tandy Corporation.

Mastercard and Visa cards are accepted. Credit card and COD orders are **\$44.95**, including shipping and handling. No COD orders accepted outside the United States. No purchase orders or on account orders will be accepted. Orders will be shipped post paid inside the U.S. Canada and Mexico please add **\$5.00** for airmail shipping. All other foreign orders, please add **\$10.00** for air postal shipping. All funds must be in U.S. dollars. Allow 2-4 weeks for delivery. LS-DOS is available for American keyboards only. Not available for French or German keyboards.



# This Publication is available in Microform.



## University Microfilms International

Please send additional information

for \_\_\_\_\_  
(name of publication)

Name \_\_\_\_\_

Institution \_\_\_\_\_

Street \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_ Zip \_\_\_\_\_

300 North Zeeb Road  
Dept. P.R.  
Ann Arbor, Mi. 48106

Circle 512 on Reader Service card.

## **SUPERTAX**™ Get Supertax now and relax on April 15th ...

### Over 100,000 1985 Tax Returns Prepared by SUPERTAX\*

Use SUPERTAX personal income tax programs to calculate your tax liability now and have plenty of time to make year-end investment decisions to improve your position. SUPERTAX was developed by a practicing CPA with a Master's degree in tax accounting. Highly acclaimed by tax pros, CPAs and tax preparers, SUPERTAX is easy to understand and a pleasure to work with. Available for TRS-80 (2 drives), Apple II+, IBM-PC, and Sanyo MBC-550 Series.

- SUPERTAX is fully prompted, menu driven and easy to use. System includes a comprehensive well organized user's manual.
- SUPERTAX instantly recalculates your entire return when you change any item.
- SUPERTAX prints directly on IRS forms.

- SUPERTAX DATA can be stored on a diskette.
- SUPERTAX updates are available at 50% discount to registered SUPERTAX users.
- SUPERTAX is tax deductible and output quality rivals best service bureaus.

\*Est. based on survey of SUPERTAX users

#### FOR TAX PLANNING

Using either screen or printer output, SUPERTAX generates clear and concise summaries of Page 1 and 2 and Schedule A of FORM 1040 allowing you to see at a glance and to quickly comprehend your tax situation. This program also prints an OVERALL SUMMARY of the return showing Adjusted Gross Income, Itemized Deductions, Taxable Income, Regular Tax and Alternative Minimum Tax—all of which are calculated by the program. SUPERTAX also calculates the moving expense deduction, investment credit, taxable capital gains, political and child care credits, medical limitations, and much more. Input is fast and easy and changes can be made in seconds. This program actually makes tax planning a breeze.

#### FOR RETURN PREPARATION

SUPERTAX PRINTS THE INCOME TAX RETURN: SUPERTAX prints page 1, page 2 of the FORM 1040, Schedules A, B, C, D, E, G, SE and W of the FORM 1040 as well as FORMS 3468 (investment credit) and 6251 (Alt. Min. Tax) on standard IRS government forms or on blank computer paper for use with transparencies. All other forms and schedules are considered even though they are not printed. Any item of input can be changed in seconds and the entire return quickly recalculated.

#### FOR DEPRECIATION CALCULATION

SUPERTAX also includes a stand alone depreciation program which calculates and prints your depreciation schedule using both PRE 1981 rules and the new ACRS rules. Output from the depreciation program is designed to serve as a supplement to IRS FORM 4562.

TRS-80, Apple II+ IBM-PC and Sanyo are trademarks of Tandy Corp., Apple Computer, Inc., International Business Machines and Sanyo Business Systems Corp. respectively.

Complete  
1986 Edition  
**\$149**

**TO ORDER** Send Check or Money Order to ROCKWARE DATA CORP. P.O. Box 866307, Plano, TX 75086, or call 214-596-0588. VISA and MasterCard accepted. Add \$3.00 shipping on all orders. TX residents add sales tax.

**Rockware Data Corporation**



# Beyond 1987

by Hardin Brothers

★★★★


**LS-DOS 6.3** runs on the Model 4/4P/4D and requires one disk drive. Logical Systems Inc., P.O. Box 55235, Grand Junction, CO 81505. 303-243-7070. \$29.95.

Most Model 4 users have experimented with their computers enough to discover a disturbing fact: The date prompt that appears whenever they boot TRSDOS 6 will not accept any date past Dec. 31, 1987. This limitation is not caused by a conspiracy at Radio Shack to make the Model 4 obsolete by the end of this year. Rather, it is a result of the way in which the date was stored in the disk directory when the first versions of TRSDOS for the Model I were written.

LS-DOS 6.3 is an upgrade to TRSDOS 6 that extends the date command, and the possible dates of disk files, to December 31, 1999. If it only added extended dates, LS-DOS 6.3 would be little more than a series of patches. However, Logical Systems has created a major upgrade of the Model 4 operating system—one that is worth far more than its modest selling price. I'll discuss some of the enhancements in this version of the Model 4 operating system.

All files have a modification time stamp as well as a date stamp. At first, this might seem like an annoyance, since you are asked to enter the time as well as the date when you boot up the computer. However, with the time stamp you can tell which of several versions of a program or data file you've created or modified most recently. Also, some useful programming tools might become available either commercially or in this magazine that make use of the time stamp for each file.

A convert utility can change any TRSDOS 6 data or system disk to the LS-DOS 6.3 time and date format. You can use older disks in their unconverted form, but even new files on them will not have



a time stamp until you run the convert program.

A disk-copy program makes an exact copy of any 5-inch, double-density, floppy disk in a single pass. You no longer have to run Format and Backup separately if you want to copy an entire disk.

A text editor, Ted/CMD, includes full-screen cursor movement, forward and backward paging, search and replace, block movements and block-delete functions, and insert and overstrike modes. This is not a full-featured word processor, but it is a vast improvement over the TRSDOS Build command for creating JCL files, patch files, and the like. It is useful for some kinds of programming, as well.

## Additions to Basic

LS-DOS 6.3 also has many new additions to Basic. Essentially, LSI has added

their Beep extension package to the Basic supplied with TRSDOS 6.2 and 6.2.1. Included are single-letter synonyms for Auto, List, Edit, and Delete; a renumbering utility that can work on a block of lines in the middle of a program; a line-copy command; a block-move command that moves a group of lines to a new location in a program; a command to find all references to a line, variable, or keyword; a command to search for such references and display the lines containing them one at a time; a command that gives Basic programs full access to the operating system supervisory

calls (SVCs); and greatly enhanced Load and Save speeds for tokenized files.

A cross-reference utility for Basic runs from LS-DOS Ready and produces a complete cross-reference of all variables or line references in a Basic program.

Two new SVCs are included for programmers. @HEXD is similar to the existing @HEXDEC SVC but doesn't require a full 5-byte buffer to receive the ASCII value of a binary number. @VDPRT performs a screen print without requiring that you press control-asterisk (\*).

## Manual Update

The 16-page manual is meant as an addendum to the TRSDOS 6.2 manual. To save on publication costs, LSI assumes that you already have the 6.2 manual (and technical manual, if you are interested in using the SVCs). The LS-DOS 6.3 documentation clearly explains disk upgrading, the text editor, enhancements to Basic, the cross-reference utility, and the new SVCs.

A new library command, ID, displays a unique identification number that will be registered for each purchaser of LS-DOS 6.3. Logical Systems will provide support to everyone, but will use the identification number to make sure they don't have to give support to those who steal a copy.

LS-DOS 6.3 has some trade-offs that you might dislike. The most important

### The Star Ratings

80 Micro's star ratings reflect our reviewer's impression of a product.

The stars mean:

- ★★★★ Superior
- ★★★★ Excellent
- ★★★ Good
- ★★ Fair
- ★ Poor



## REVIEWS

might be that files will no longer have both a user and an owner password. If you rely heavily on TRSDOS's system of dual passwords, you will have to find a new way of working.

Also, although this new DOS can work with disks created with older forms of TRSDOS, the reverse is not true. Once you create a disk with or convert it to LS-DOS 6.3, the new time and date stamp replaces the user password. If you then try to use the disk with TRSDOS, the time stamp will be interpreted as a password and you might be unable to gain access to any files.

If you use a Basic enhancement pack-

---

***It is easy to  
install this new  
operating  
system on  
your present  
floppies.***

---

age other than Beep on your Model 4, you might not want to give up the commands you already know for the new commands in this Basic. However, you don't need to change versions of Basic—you should be able to use your present version of Basic without any problem under LS-DOS 6.3.

The text editor, Ted, is adequate but not great. For example, it doesn't have any way to distinguish between multiple marked blocks during block-move operations, nor can it print a file. If you want a printout of something you've created with Ted, you must first save the file, then return to LS-DOS ready, and finally send the file to your printer with the List command.

Overall, however, this is an excellent package. The documentation is clear, and it is easy to install this new operating system on your present floppies and on a hard disk. You will not have to reformat your hard disk but merely copy new system files onto it. If your Model 4 is useful to you, you don't have to discard it in favor of a newer computer, and LS-DOS 6.3 should keep it working productively for you until the end of this century.


Don't look for LS-DOS 6.3 in your local Radio Shack store or Computer Center. Logical Systems has no plans to sell it through Radio Shack or even via the Express Order Software program. Instead, you'll have to order it directly from LSI, and you will probably feel that you got more than your money's worth. ■

## COMPUTOUGH



"Anyone  
who wants to win MegaWars  
has to dominate  
entire planetary systems.  
And me."

## COMPUFUN



"I'm into world events and trivia.  
And I can play right here  
in the living room!"



## Checking Out the Library

by John B. Harrell III

★★★★★

**Wordperfect Library version 1.0** requires two disk drives (a hard drive preferred) with 384K of RAM running DOS 2.1 or later. It supports Lotus/Intel/Microsoft expanded memory. Wordperfect Corp., 288 W. Center, Orem, UT 84057. 801-225-5000. \$149.

I have been using Wordperfect's word processor for years and marveled over each upgrade, wondering how it could possibly get any better. Although this extraordinary word processor satisfies most of my needs, I always wanted a few desktop tools as well, such as a calculator, calendar, and so on. You could resort to Sidekick or some other memory-resident utility to accomplish these tasks, but now Wordperfect Corp. also has an answer in its Library.

### Inside the Library

Library is a collection of utilities specifically designed to run with the Wordperfect word processor and Mathplan spreadsheet. These utilities consist of a menu shell, calendar, calculator, file manager, macro editor, program editor, notebook, and game.

The shell is a menu for simple, quick access to programs. But it also integrates the Wordperfect package and a "clipboard" for transferring data between applications. The shell comes preinstalled for a standard configuration of all your Wordperfect software. All you do is change each entry to reflect your system. Simply push a key; type the program name, default directory, and a few other parameters; and exit.

Once you install the shell, you can execute any application from the shell menu by pressing a key. You can interrupt Wordperfect and leave it resident while you return to the shell to perform other tasks. It takes only 29K of memory and lets you switch rapidly between any applications.

### Applications

Calc is a powerful calculator with memory storage that also writes a "tape" of each mathematical entry. You actually get five calculators in one: a basic four-function calculator plus percentages, a programmer's calculator with Boolean math functions, a scientific calculator with the most popular transcendental functions, a financial assistant, and a statistical analyst.

You can enter numbers in decimal,

hexadecimal, octal, and binary. Calc can display real numbers with a precision of zero to 8 fractional digits or in scientific notation. Displays include commas for easy reading with the European mode of using decimals as an option.

You can save the tape to a disk file or to the shell clipboard for later use or print it out as a permanent record of your transactions. You can also save individual results on the clipboard and later place them in your word-processing documents.

No desktop utility is complete without a calendar, and Wordperfect Library has a fine one. Like Sidekick's calendar, the Library screen displays the current month with one day highlighted and can contain additional indicators for items pertinent to that day (memos, a to-do list, or appointments). Calendar automatically displays them when it highlights each day. On the other side of the screen is a list that you can switch from a to-do list to an appointment schedule. The to-do list is prioritized. The appointment schedule lets you format your day any way you like. You can enter an entire day's appointment outline schedule with a single keystroke. The to-do items and appointments can be longer than one line of text (up to 255 characters).

A small resident part of the calendar schedules alarms for the day's appointments and rings the alarm a preset number of minutes prior to the appointment. You can also schedule ending times for each appointment, and Calendar automatically tracks the appointment block and highlights conflicting appointments.

File Manager displays two columns of files down the screen with two status lines at the top depicting the subdirectory and wild-card path, subdirectory size, and free disk space. A simple command menu is at the bottom of the screen, and files are in alphabetical order with the file size and last modification date. You can select the starting directory and sort options with simple command-line parameters.

File Manager performs all the normal file-manipulation functions, such as copying, renaming, and deleting. You can also manipulate blocks of files for copying, deletion, and encryption. File Manager searches the disk for files matching a wild-card pattern or containing a certain word pattern. You can also "lock" a file by encrypting it.

File Manager lets you select files by wild-card pattern. You can also select files that you revised before, after, or on a particular date. You can sort files by name, extension, or time and date.

One of the most useful programs in the Library is the Notebook. Notebook is a simple list manager that will organize

your addresses and phone numbers. It is powerful enough to perform several other tasks. If you have a modem, you can also use Notebook to dial your phone.

Notebook integrates exceptionally well with Wordperfect. The data records are stored as Wordperfect secondary merge files and can be used as direct input for merge-printing letters and envelopes. Once you set up the fields using Notebook, you can read the file with Wordperfect and format the display screen for each record by using the word processor's sophisticated line-draw functions.

That leaves the editors—the Program Editor and the Macro Editor. One of the most annoying aspects of Wordperfect is the inability to change a macro definition. If you make a mistake keying it in, you either attempt to correct the error by more strokes or reenter the entire macro.

Macro Editor reads your macro definition and displays it in the familiar Wordperfect format. It highlights special key functions and displays regular keystrokes in normal intensity. Macro Editor recognizes macros for itself, the word processor, the program editor, Mathplan, and the shell, and uses the special key definitions pertinent to each application package.

Program Editor also provides the familiar Wordperfect interface for writing programs or text files. This is a powerful text editor that incorporates most of Wordperfect's best features storing ASCII text files without special control characters. You can also specify an auto-indentation mode for writing structured code.

The most important feature of this powerful collection is the feeling of uniformity. Each application maintains a high degree of keystroke compatibility with the others. You do not have to learn a completely different set of function keys for each product (including Mathplan).

Library comes in a standard IBM-style binder and contains a sample introduction, reference section, and index for each utility in Library. The manual is well written and contains excellent illustrations. The only part of the manual that is disappointing is the discussion of setting up the modem under Notebook. I found it somewhat confusing and had to read it several times.

### Conclusion

If you are using Wordperfect's word processor, Library makes the perfect companion. Library integrates the Wordperfect software packages and provides utilities that overshadow many on the market. I have little need for any other popular desktop utilities. What's more, the Library utilities do not continually fight over your hardware as do some of the others available. ■



## REVIEWS

**Split Image**

by Harry Bee

★★★

**Switch-It** runs on the Models 1000/1200/3000 (256K) and requires one disk drive. Vusoft Inc., 248 Tower Road, Lincoln, MA 01773. 617-259-0686. \$49.

**S**witch-It is a simple idea, nicely done. The memory-resident utility divides your computer's available memory into two partitions that you can treat, in a limited way, as two computers running independently.

The limit is that Switch-It does not run a second application in the background. Rather, while you work with a program in one partition, whatever you're running in the other remains suspended at the point you left it.

When you use Switch-It's default "hot key," or a key combination you establish, movement from one program (partition) to the other is virtually instantaneous.

With the operating system and other memory-resident programs installed, dividing 640K RAM about in half will give you two partitions of less than 300K each, enough to run two ordinary applications.

**Split Memory**

I found it more effective to allocate less memory to the secondary partition in order to give a heavier program the room to operate efficiently in the primary.

The smallest partition you can establish is 64K, but you can't run many applications in such tight quarters. Most require 128K, minimum.

The first time you enter the secondary partition, Switch-It looks for and runs a file called AUTOSW.BAT, just as DOS executes Autoexec.BAT on boot-up. You can use AUTOSW.BAT to set up a discrete environment in the secondary partition, an obviously useful component of which is a distinct prompt.

An auxiliary program takes the place of the hot key within batch files. Intended to let you automate Switch-It's initialization, the program also speeded up many other batch processes.

**Documentation**

If anything, Switch-It's documentation is overdone. Vusoft is so careful to explain concepts, issue caveats, provide solutions for potential problems, and suggest uses that they've buried the unadorned instructions you need to install and implement the program.

While the attention to detail is laudable, much of it is self-serving: It covers the wide variety of conditions under

**COMPU CRAZY**

"Ready for an adventurous challenge?  
We're a team. And Nellie  
doesn't horse around."

**COMPU SERVE  
GAMES**

You never know  
who you'll be up against  
when you go online  
with CompuServe.

To buy your CompuServe Subscription Kit,  
see your nearest computer dealer.  
Suggested retail price \$39.95.

To request our free brochure or order direct,  
call or write: **800-848-8199**  
(In Ohio, call 614-457-0802)

**CompuServe®**

5000 Arlington Centre Blvd.  
Columbus, OH 43220



# ENHANCE YOUR TANDY

The Full House will expand your Tandy 1000 to its full I/O and memory configuration for only \$315.

## Features:

2 parallel ports (centronics)  
2 serial ports (RS232)  
Real Time clock/calendar  
Memory, up to 512K  
DMA Controller

The Full House is actually a combination of two boards that can be joined into one. You have the option of buying either the I/O or memory section first and later combining the two without using an additional slot. Each can also be used separately.

Full House	I/O	\$170
Full House	Memory (256K)	\$130
Full House	Memory (512K)	\$165
Full House	Combination (512K)	\$315
Shipping & Handling \$6		

Dealer inquiries welcome.

Mastercharge/Visa accepted.

To order, in California call:  
800 626-9541 ext. 1131

Elsewhere:  
800 452-4445 ext. 1131

Call now to get the value and flexibility that *nobody else* offers.

**SJS Engineering**  
P.O. Box 998  
Millbrae, CA 94030

Circle 297 on Reader Service card.

## REVIEWS

which Switch-It might fail. More attention to organization would better serve the user. In fact, I had few real problems running under Switch-It.

Like many memory-resident utilities, this one wants you to load it last. Whether or not this is critical, whether Switch-It will peacefully coexist with other memory-resident programs the way you're used to positioning them, you discover by experimentation.

Likewise, you have to experiment to

**While more  
ambitious  
programs are  
available. . . ,  
Switch-It keeps  
it simple.**

find out which of your applications work best in which partition and which won't work at all.

As a minimum, you'll need to know how much memory your applications need to operate; the more you know about them, the quicker you'll reach a happy accommodation.

Those programs that bypass DOS to take direct control of hardware, especially the video display, stand the least chance of working with Switch-It. Where no compatibility exists, you can remove Switch-It without rebooting your system.

## Other Uses

Although running two different programs is the most obvious use for Switch-It, the manual suggests others. For example, running the same program in both partitions let me compare the contents of files and transfer data between them more quickly than the program's native functions permitted.

What I found most consistently valuable, however, was to maintain a minimal secondary partition for direct access to DOS.

I encountered no conflicts using Switch-It this way, not even with programs running under interpreted Basic, and it answered such fundamental questions as "What do you do when you're ready to save data and you don't have a formatted disk?"

## Conclusion

While more ambitious programs are available that depend on expanded memory and hard disks to maintain several applications simultaneously, Switch-It keeps it simple. The benefits of its simplicity are worth considering. ■

## Sideviews And Banners by Jack Feldman

★★★★

**Twist and Shout** run on the Model 4 under CP/M and the Models 1000/1200/3000 under MS-DOS. They require one disk drive and a dot-matrix printer. Spectre Technologies Inc., 22459 Ventura Blvd., Suite E, Woodland Hills, CA 91364. 818-716-1655. \$34.95.

**T**wist and Shout are two programs combined on one disk by someone who obviously has a sense of humor. The two programs are unrelated; Twist will print your spreadsheet files sideways, and Shout is a banner program. However, combining them allows an upbeat name for the package and use of the same printer driver for both programs.

The program disk comes in several formats: Kaypro, Osborne, and Morrow for CP/M, and MS-DOS. The Model 4 running CP/M can read all three CP/M formats. Inside the package I found a well-thought-out manual and two nice programs.

The manual is the clearest that I have read since the Multidos documentation. The explanations are easy to follow and cover every question you might have about how the programs operate. Updates are in the Read.me file. For those who always have questions, there are several ways to get help from the company. In addition to a hot line, Spectre also maintains electronic-mail numbers on CompuServe, The Source, and Easylink.

All that you need for installation is to find the name of the printer file that works with your printer and change the name of that file to "Printer." If you have MS-DOS, you must rename the appropriate Twist file for your version. If you don't find your printer, let Spectre know and the company will try to add your printer to the list. When you have installed the printer, you are ready to run Twist.

The program's author knows that users are an impatient lot, and the section for each program starts with instructions "For the Impatient User." You simply type TWIST followed by the ASCII file name of the spreadsheet file you wish to Twist, and off you go. However, if you want or need to change the defaults, entering TWIST brings you to a menu that lets you change and save the default options.

The menu displays the changeable parameters and invites you to choose one. The parameters include the size of the printout, tabs, margins, and some of the printer options. One option handles spreadsheets that divide their output



**Upgrading to  
MS-DOS?**

**LET'S  
GET  
SERIOUS.**



# THE COMPUTER WITH A FUNNY NAME.

## THE CLONE™

Frankly, this is the best computer value in America. Better than IBM. Better than Tandy. Complete MS-DOS™ compatibility. . . lightning fast processing. . . tons of RAM. This machine has everything the Boys in Blue promise. . . and more. All at a price you can afford.

## WE DIDN'T NAME IT "CLONE" FOR NOTHING.

What we have here is a computer that is truly IBM PC/XT compatible. The Clone computer is completely MS-DOS compatible and it has all the hardware capability of the IBM PC/XT (except cassette) plus some and comes with MS-DOS 3.2 (the latest version), GW-BASIC and reference manuals (manuals are extra cost on the Tandy 1000!). With the Clone you get eight IBM compatible expansion slots, seven of them a full 13" long. You have six additional slots available; something a Tandy 1000 owner can only dream about.

## IBM COMPATIBLE? YOU BET.

Flight Simulator, one of the classic tests of compatibility, runs perfectly. Lotus 1-2-3® can't tell it's not running on an IBM. In fact, we have not discovered an off-the-shelf MS-DOS software package that wouldn't run properly on the Clone. The ability to run standard, off-the-shelf, software is important because it allows you to obtain software from any number of sources.

## STANDARD FEATURES:

The Clone computer comes complete, ready to run, with lots of standard features. Like the maximum 640K of system memory installed. Like an IBM standard parallel printer port, a clock/calendar with automatic battery backup, a speaker, two serial ports (one populated), a game adapter/joystick port, a light pen port, a 2-drive floppy disk controller, and the newest AT style keyboard. The video output is IBM standard color graphics with a special port that allows you to view color software on a monochrome monitor as well as 80 x 25 text. A 360K ultra-reliable floppy drive is included with space for three additional half-height floppy or hard disk drives. The 135 Watt power supply runs cool and assures you of adequate power for future expansion.

PC-DeskMates, a powerful multi-function memory resident utility, is included so you can start using the Clone when you receive it. You get an alarm, clock, calculator, calendar, notepad, phone dialer, typewriter, and access to DOS level commands. The Clone also comes with Qmodem, the famous modem program which enables you to access the world of telecommunications. PC-Write, probably the best shareware word processor available, is also furnished. Your Clone comes ready to work for you.

## WHAT'S MISSING?

The Big Blue price tag.





# . For serious users only.

## OPTIONAL FEATURES:

The Turbo Clone is equipped to run at the standard 4.77MHz clock rate or at a blazing 8MHz. That's almost 70% faster processing than a standard IBM. Front panel lights indicate Turbo operation, power status and hard disk activity. A key-lock switch allows the keyboard to be electrically "locked out" for unattended security. Imagine a lengthy Lotus 1-2-3 spreadsheet recalculation with an 8MHz processor! It's awesome.

## HOW TO BUY A COMPUTER WITHOUT LEAVING YOUR CHAIR.

Zero effort required. Just pick up your phone and call us toll-free.



Clone equipped with all standard features.  
(Keyboard and monitor included) \$699

Your American Express, MasterCard and Visa are welcome at no extra charge as well as your check, money order, or COD order. Your Clone ships right away. In just a few days the UPS man delivers it to your door.

Too long to wait? Ask for our Expedited Service. Our distribution experts will get you a Clone OVERNIGHT, almost anywhere. (Some restrictions apply).

## A WORD OF EXPLANATION.

We sell Clones exclusively by mail. And there's a good reason why. Supporting the expensive overhead of a chain of retail stores is not our idea of keeping costs down. You're buying the Clone computer at wholesale prices, directly from the manufacturer. Your Clone comes with an ironclad guarantee that exceeds most other manufacturers'. We guarantee your satisfaction or we'll refund your purchase price within thirty days, no questions asked. Our guarantee is backed by a reputation earned in years of experience in the mail order business. Think about it. Repeat orders come from satisfied customers. This makes us work very hard to get it right the first time.



# US VS. THEM

FEATURES	CLONE	IBM PC/XT	TANDY 1000 EX (SX)	LEADING EDGE Model D
Microprocessor: Intel 8088 @ 4.77MHz	YES	YES	YES	YES
Power Supply Rating	8mHz Optional	NO	7.16mHz STD	NO
IBM Standard Bus:	150 WATT	63.5 WATT	54 WATT	130 WATT
Operating System:	YES	YES	NO	YES
Disk BASIC:	MS-DOS 3.2	EXTRA	MS-DOS 2.11 (3.2)	MS-DOS 3.1
MS-DOS and BASIC Ref. manuals:	YES	IN ROM	YES	YES
Standard System RAM:	YES	EXTRA	EXTRA	YES
Cost to Expand RAM:	640K	256K	256K (384K)	512K
Keyboard:	-0-	\$\$	\$259 (\$129)	\$
Video Monitor: (composite)	'AT' STYLE	STD	NON-STD	STD
Video Outputs:	INCLUDED	EXTRA	EXTRA	INCLUDED
Disk Drive Capacity:	BW/NTSC/RGB	EXTRA	NTSC, RGB	B/W, RGB
Max Number of Internal Drives:	1-360K	1-360K	1-360K (2-360K)	2-360K
Internal Expansion Slots:	4	4	1 (2)	2
Accepts Standard IBM Cards:	8	5	1 (5)	4
8087 Math Co-Processor Option:	YES	YES	NO (10" Only)	YES
Sturdy Steel Case:	YES	YES	NO (YES)	YES
Standard Parallel Ports:	YES	YES	PLASTIC	PLASTIC
Standard Joystick and Light Pen Ports:	1	0	1	1
Standard Serial Ports:	YES	NO	J (J/LP)	NO
Warranty	2 (1 Optional)	0	0	1
Clock/Calendar	1 YEAR	90 DAYS	90 DAYS	15 MONTHS
	YES	NO	NO	YES
Cost Ready-to-Run	\$699	\$3,063	\$1,398 + (\$1,683 +)	\$1,295
8mHz Option	\$799			

Add \$35 for ground delivery; \$70 for air.

IBM XT cost figures\*: Video Display Adapter \$250; Video Display \$275; IBM XT computer \$2,145; Additional Ports, serial port, game port, parallel port, 640K RAM \$300; DOS 3.2 and BASIC \$85; Total \$3,063. Does not include the battery back-up clock calendar. No light pen port.

Tandy 1000 cost figures\*: DOS 2.11 and BASIC reference manuals \$29+; Memory Plus Expansion Board (to 384K) \$129+; 256K Additional RAM \$129+; One serial Port \$79+; Battery Back-up Clock Calendar \$99+; Composite Monochrome Monitor \$129+; Model 1000 EX Computer \$799; Model 1000 SX Computer \$1199; We were not able to equip the Tandy 1000 to directly compare with the Clone because of the 1000's inherent design limitations.

\*The above prices are list prices as best we could determine. Both the IBM and Tandy are available at a discount.

## CLONE OPTIONAL EQUIPMENT AND FEATURES

2nd 360K TEAC Half-height Floppy Drive .....	\$99	HiRes RGB Color Monitor 640 x 200 .....	\$299
20mb 65ms Seagate Internal HD .....	399	HiRes Mono Graphics Card 720 x 348 .....	129
30mb 40ms Seagate Internal HD .....	699	HiRes Mono Monitor 720 x 348 .....	110
80286 SpeedKit. Makes XT faster than AT .....	399	5339 Accounting Keyboard .....	89
300-1200 Internal Modem & Software .....	149	300 Watt Uninterruptable Power Supply .....	299

## OUR GUARANTEE

Simply, if anything is wrong with your Clone or any of its peripherals, we'll fix it free for up to one year after you've received your Clone. You have probably read other manufacturers' warranties, and gotten confused, suspicious or even mad. You're probably skeptical about anything as simple and straightforward as our warranty. So here's the fine print.

You can void your warranty by failing to exercise normal care when hooking up or operating your Clone. Or trashing the guts with a hammer. Or running it over with something. Or burning it up.

You have thirty days after receipt of your Clone to see if you and it are going to be compatible. If you are not satisfied with your Clone for any reason within that time you may return it to us for a full refund, less shipping charges. Just don't write in the manuals or lose anything that was in the original container as it all has to be intact.

The other guys only give a 90 day guarantee. Ever wonder why? Ever try to get a refund? Complete warranty details are available on request.

## NO ORPHANED CUSTOMERS

We have been supplying serious customers with high quality hardware and software since 1980. Sound engineering, high performance, quality construction, outstanding warranties and a reputation for doing the right thing have been our way of doing business since Day One. As the manufacturer of Clone computers, we stand behind each computer sold with a 100% commitment to our customers' satisfaction. Price, Performance, Value. . . Clone is the clear choice for serious computer users. To order, call us today. REMEMBER. . . YOUR BEST FRIEND MAY BE A CLONE!

Clone Computers; 2544 W. Commerce St; Dallas, Texas 75212; 214-637-5400; Telex 882761; FAX 214-634-8303;

800-527-3582 U.S.A.  
800-442-1310 Texas



©1986 by Clone Computers. IBM is a registered trademark of International Business Machines. MS-DOS is a trademark of Microsoft. PC-Cardless is a trademark of Alternative Decision Software. Qmodem is a trademark of the Forbin Project. PC-Write is a trademark of Quiksoft. Lotus 1-2-3 is a trademark of Lotus Development Corp. Prices and specifications are subject to change without notice. Warranty details are available upon request.

# 1-800-527-0347

# 1-800-527-3582



into sheets for pasting. It takes a lot more effort to read the manual than to use the program. Once you are happy with the options, all you ever have to do is type Twist followed by a file name and you will have your sideways printout.

Shout requires more effort to get going. When you call the program, it presents you with a menu. The menu lets you choose print-head cooling, 8½- or 14½-inch-wide paper, double strike, quick output, and auto-centering. When



Figure. Typefaces for banners include Times Roman and Olde English.

you choose the quick output, the program asks you to choose to print the banner either using all asterisks or a single character. Otherwise, it automatically prints the banner character using its normal-size character. Automatic centering comes into play when you plan to have more than one line on your banner. You can have a banner with one large line or with four smaller lines (six on 14½-inch paper). It is unlikely that all the lines will have the same number of characters, so automatic centering centers each line in relation to the longest one.

Once you make these choices, you can get to the banner. You enter the information one line at a time and follow it with a choice of typeface: Times Roman, Olde English, or Sans Serif. (See Figure.) When you have entered the line as you wish it, the program shows it to you on the menu. At this point, you are ready to print your banner by selecting "P" on the menu.

Twist and Shout are two nice utilities. The manual is clear, and the programs are easy to use. Twist is foolproof. Shout takes a little more effort to use, since you have to go through several steps in order to set a line to print in the banner. The largest criticism I have is that the shape of the banner letters is rather crude, with curves done in blocks rather than in smoothly rounded shapes. It is the one mar in an otherwise nicely done banner program. However, I considered the banner program a pleasant extra in a low-cost package. ■

## Improve Your Computer Literacy by David Engelhardt

★★★★

**Guide to Training for IBM PC-DOS** runs on the Tandy 1000 (128K) and requires at least one disk drive. Cdex Intelligence Corp., 1885 Lundy Ave., San Jose, CA 95131. 800-982-1213. \$124.95.

★★★

**Guide to Training for IBM Basic** runs on the Tandy 1000 (128K) and requires at least one disk drive. Cdex Intelligence Corp. \$99.95.

If you are just starting out with MS-DOS Basic or PC-DOS, you can understand your system without poring over dozens of arcane technical manuals. Try a disk-based training program. Cdex Intelligence provides many such training packages that let you learn at your own pace. Courses cover MS-DOS Basic, PC-DOS, Dbase III, and others. I reviewed the training courses for learning IBM PC-DOS and MS-DOS Basic using a Tandy 1000 computer.

Both courses provide the concepts needed to understand the subject along with lessons for hands-on experience. System requirements for both training courses are at least one disk drive and 128K bytes of memory.

Cdex wrote and distributes the PC-DOS training course. It consists of two lesson disks. Areas of instruction covered in this course are disk preparation and copying, tree-structured directories, use of a fixed-disk system, print options, the PC-DOS shell, advanced DOS commands, batch files, and the Sort and More filters.

This program starts by asking for co-residency installation, your name, and whether you have a color or monochrome monitor, manual or auto mode, and sound. Once you enter your name, the main menu containing all subject categories appears on the right side of the screen.

A unique and useful feature of this course is co-residency. It lets you switch back and forth instantly between the training course and DOS. You can learn about a feature or command, then switch back to DOS for hands-on experience.

Once satisfied, you can re-enter training with one keystroke. You must have a minimum of 192K of memory for this feature. Before installation, you are warned that it might conflict with other memory-resident programs.

As an option, you can set the program

to auto-execute each screen without waiting for an input prompt. You can set this feature at start-up or anytime during the course. This is handy for quick review. The auto feature lets you set the time delay from 1 to 99 seconds.

During the course, the left side of the screen is reserved for the topic header and question/procedure prompt information for the specific subject being covered. As each topic starts, the session gives a short description of the last

**Both courses provide the concepts to understand along with hands-on lessons.**

topic covered and what the current one is about.

Course feedback uses sound and color-display prompts, which I found pleasing. Each lesson provides many examples while prompting you for feedback to view the next screen or answer questions.

If you answer a question and make a mistake, the program informs you of your error and sometimes gives helpful hints. If you can't guess the correct answer after a few tries, the course selects it for you.

In most cases, an option bar or line at the bottom of the screen tells you the commands that are appropriate to the current screen.

Some of the option commands let you move backward to the previous screen or menu, move forward, and select auto/manual. This feature is helpful if you want to review the previous screen or start over with the same or a new subject.

The Guide to Training for IBM Basic was written by another firm but is distributed by Cdex. This training course contains three disks; two are lesson disks. The third disk contains sample programs, some of which are the same as those in the course.

The seven topics covered are variable usage, saving/loading programs, loop control, decision making, arrays, and disk-file control. An introduction topic covers the keyboard layout and key designations for an IBM PC. It's not exactly the same as a Tandy 1000 keyboard, but you can relate the information to your Tandy without much difficulty.

The course gets you involved in the

material by making you answer questions or having you press any key to move on to the next screen. All lessons prompt you to enter lines to create a program pertaining to the subject covered. Once you enter the program, the lesson runs it so you can see the actual results. The lesson also teaches you the use of the function keys for such commands as Run and List.

The course uses simple screen pictures throughout to help you understand the current subject along with related lesson material included in the manual. Some of the lessons in the manual contain helpful flowcharts.

Topics are divided between the two lesson disks. If appropriate, the course instructs you to insert the proper disk for the selected subject. To run the lesson on the other disk, you must select the same lesson number again. It should be unnecessary to make the same selection twice.

When the lesson instructs you to enter program lines, you must enter them exactly as shown throughout the course or an error results. The course insists that you enter the program line correctly before you can proceed.

I found this frustrating, since the course does not limit the number of errors you can make. You could conceivably make the same error forever.

Many of the prompted program lines contain a mixture of upper- and lowercase letters. This causes you to spend more time paying attention to what you're typing than to the lesson itself. One upper-/lowercase error in a line causes the lesson to make you reenter the line.

The training course is set to use a monochrome monitor; it comes out gray and white on a color one. I was disappointed by the lack of sound and color usage throughout the lessons. I also found that the installation procedures in the manual are out of date and do not apply to the program's current version.

The manuals for both courses were of good quality, short but to the point. They are mostly lesson aids, as they let you put to use the concepts covered on the computer.

I was satisfied with the PC-DOS course. It was exciting to use and incorporated good feedback to keep the topics interesting. The coresidency feature is a useful addition, and other training courses could benefit from this concept.

The Basic-training course was informative, slightly frustrating, and dull. Sound and color would enhance the program considerably.

I recommend these courses, since they contain information useful to start you on a selected subject. The Basic-training course, however, should be improved. ■

## End Run Around Dbase by Richard Green

★★★★

**VP-Info 1.09** runs on the Tandy 1000/1200/3000 and requires two disk drives. Paperback Software International, 2612 Eighth St., Berkeley, CA 94710. 415-644-2116. \$99.95 (non-copy-protected disk, an additional \$10 plus licensing agreement).

**M**y first impression of VP-Info was that the program is simply a low-cost clone of Dbase II. This is not so. VP-Info, although it has a certain resemblance to Dbase, is a very different program. VP-Info has improved upon its Dbase beginnings by including a built-in report generator, program compiler, advanced commands, and the ability to generate pull-down windows that can include explanatory information or menus.

### Dbase Compatibility

VP-Info's similarity to Dbase is no accident; the program's introduction says, "Its language is based on Dbase II. . . ." Despite this confession, VP-Info is not compatible with Dbase program files. VP-Info cannot execute programs written in Dbase, nor can Dbase execute programs written in VP-Info. This is not entirely true of data-base files. You can format files to be compatible with Dbase or only for VP-Info. Files formatted unique to VP-Info can have up to 256 fields per record. If you use multiple files, a total of up to 512 fields are allowed for all the files being used.

The default format of VP-Info is for Dbase II-compatible files. However, even here there is not complete compatibility. VP-Info does not use date or memo fields. Date fields in a Dbase file are converted in VP-Info to character fields; memo fields are effectively ignored. VP-Info cannot read any index file created with Dbase III, although it can read Dbase II indexes.

### Installation

VP-Info requires a minimum 256K of memory (384K on the Model 1000) and at least two drives, one of which can be a RAM drive. Putting VP-Info into the RAM disk and using a floppy for data lets the program run on single-drive systems if they have at least 512K of RAM. Program speed increases appreciably when it is resident on a RAM drive—so much so that I used it in this manner despite having a 20-megabyte fixed disk on my system.

VP-Info is copy-protected in that it requires a key disk, the original program

disk, to be resident in drive A for the program to start. Once the program has started, you can remove the disk. This lets you install and run VP-Info on fixed-disk systems. For \$10 and a signed license agreement, you can buy an unprotected disk directly from Paperback Software. Installation is as simple as copying the distribution disk to either a fixed disk or RAM disk. Two-floppy systems without enough memory to create a RAM disk must use the original distribution disk in drive A.

### Documentation

VP-Info is packaged in a paperback book, with the disks in a pasteboard carrier glued into the back of the manual. The program resides on a single disk; a second disk contains the help and example files. The manual is divided into 20 chapters, six appendixes, and one index. At the back of the book are pages that you are supposed to cut out to register the program and to order a back-up disk or an unprotected disk.

The first 16 chapters consist of explanatory and tutorial information. The tutorial is based on the information needs of a mythical video-tape rental business, that is called Video Visions. As you work through the tutorial, you create programs to track tape check-outs, check-ins, daily cash flow, and overdue customers. Finally, all these are tied into a single system using the menu and windowing features of VP-Info.

Additionally, the manual has a topical reference section and an alphabetical reference to commands and functions. Index A is a discussion and tutorial of compiling program files, and index C is a reference to networking VP-Info.

The form of the manual, a tightly bound book, is quite inconvenient. The disk carrier in the back soon breaks free, leaving the back cover loose. The only way to get the book to lie open to any reference section is to bend the back. This soon causes pages to detach from the binding glue.

### Ease of Use

VP-Info is enough like Dbase that learning it is simple if you are already familiar with Dbase. If you have not used Dbase, however, learning VP-Info is not a trivial task. Like Dbase, VP-Info is a full programming language. To use it as more than a simple file-card program requires considerable programming expertise.

You create a data base by typing the command Create, followed by a file name for the data base to be created. This brings up the create/modify screen with prompts for defining the file structure. You must name each field and specify its type (character, numerical, or



logical), length, and number of decimal places. Once you create a file structure, you can enter data.

You can index files on any field, and you can establish fields as keys to create relations among files. You can establish relations among several files, with the provisions that you have no circular references and that no more than one master file reference the same look-up (or subsidiary) file.

Although VP-Info is neither menu-driven nor has an application generator, it does include a report generator. You can reference up to six files at one time. You can generate simple columnar reports by typing the command Fields, followed by a hyphen and a list of the fields to be included in the report in the order that they are to print. You can include column headings of unlimited length and specify subtotals and totals. VP-Info can also create more elaborate reports, including borders and boxes, to emphasize important data.

## The Language

The programming language is much like that of Dbase. It includes looping commands such as While, If, and Case statements. It has program-flow control statements that allow the use of subroutines. VP-Info contains many commands that neither Dbase II nor III have. Specifically, 118 commands and functions in VP-Info are lacking from Dbase II, and 104 are not contained in Dbase III.

Among these commands is Post, which automates the updating of a master file from a transaction file. This command greatly simplifies programming accounting applications such as the linking of a daily sales journal to the sales and accounts-receivable ledgers. The command Append To lets you copy a record in the current file to a different file.

On Error lets you include an error-handling routine in a program. This can be especially helpful during program development, when errors often happen. If you use it correctly, it can specify the error encountered and continue the program execution. Write brings up a built-in text editor that you can use to create and modify program and report-definition files.

## Debugging

VP-Info has a built-in debugging tool called Debug. This command works much like a display command. In effect, it is a dump that lets you chart the progress of the program as it runs. You can put Debug commands anywhere in a VP-Info program, followed by the fields that you might like to see. During program execution, if you select the Debug On option, the contents of the designated fields

*Continued on p. 136*

# MS-DOS

**LB86™** — A versatile, menu driven, flat file data manager that's easy to use. Supports 65K records, 1K chars/rec, 64 fields, 254 chars/field. Definable database records, input screens, and printout formats let you set up your data management with absolutely no programming required! To keep your data organized, LB86 lets you select and sort on up to 8 fields; keeps 5 index files per data base. Extensive on-line help. Use for mailing lists, customer lists, registration data, etc. .... \$74.95 + \$5 S&H

**LBMU86™** — Utility used to build new LB-86 data files using the data from an existing one. Add or delete fields, convert field types ..... \$29.95 + \$2 S&H

**FED86™** — A sector-oriented file and disk editor for PC-DOS 2.x or equivalent. Display and edit any byte of any file or disk. ASCII or hex search. Print sectors; list files in hexadecimal ..... \$29.95 + \$2 S&H

**FM86™** — A useful aid to moving files or group of files from one drive to another. Mark files by name/time, wildcarding, old, new, by size, or individual selection. Purge marked files. Touch date/time ..... \$29.95 + \$2 S&H

**DED86™** — A powerful sector-oriented disk and file editor as well as a page-oriented memory editor. Position by cylinder/head/sector, logical sector, or cluster on floppies or hard drives. Jump around subdirectories. Edit any sector in hexadecimal or ASCII. Designate sectors to "keep" in a list for dumping to a disk file. Examine/alter memory and dump a RAM "keep" list to a disk file. Great for a text recovery after a program crash. Requires DOS 2.x or higher. . \$59.95 + \$5 S&H

**ED/ASM-86™** — An integrated editor, assembler, linker and debugger for 8086, 80186, 80286, and 8087 instruction assembly and disassembly. Has a full-featured line EDITOR with intra-line editing, block move and copy, partial save and load, tokenized source for saving memory and disk space (a full-screen editor is supported on CGA-equipped systems). Structured coding with the macro ASSEMBLER and direct .COM or .EXE write capabilities with direct assembly in memory makes your job easier. The DEBUGGER includes symbolic disassembly of arbitrary code to disk and use of complex expressions with previously defined symbols and/or register values. The LINKER is an assembler instruction that takes an ED/ASM-86 link file (.LNK) and treats it as if it were an original source file. ED/ASM-86 allows any logical combination of in-memory source codes, INCLUDEs and LINKs, and can produce from these a single .COM, .EXE, .LNK, or in-memory program ..... \$89.95 + \$5 S&H

**RATFOR-86™** — A professional implementation of RAtional FORtran. Provides structure and greater portability to FORTRAN programs. Fully documented with tutorial user manual and sample programs. Requires a FORTRAN compiler ..... \$99.95 + \$5 S&H

**DSM-86™** — A high-speed disk virtual sorting utility that creates an index file. Sorts on compressed integer, single, and double precision numbers, as well as ASCII strings. Supports up to 65K records or RECLen up to 1K. Specify up to 24 select fields ..... \$59.95 + \$5 S&H



**MISOSYS, Inc.**


PO Box 239  
Sterling, VA 22170-0239  
703-450-4181 MC, VISA, CHOICE  
Orders Only! 800-MISOSYS 1P-5P EST M-F

VA residents add 4½%  
sales tax  
S&H: Canada add \$1;  
Foreign use S&H times 3

MS-DOS is a trademark of Microsoft Corporation



# The Best Money Can Buy . . .



## Model 1000 Multifunction Boards New!

### 4 Megabyte Memory PLUS Card

For the Tandy 1000, 1000A, 1000SX, AND THE TANDY 1200. Expands memory beyond the 640K, limited by DOS, to use the Intel/Lotus/Microsoft expanded memory format. Includes a printer spooler, memory disk, and Plus port. PLUS expansion cards (RS232C, Clock, ETC) can be plugged into a special connector, saving a slot for other applications.

**4 Megabyte Plus Card (OK) . . . . . \$199.**

### TanPak™

For the Tandy 1000 and 1000A. Seven of the most needed functions/features have been combined into one package using only one expansion slot. Features include memory up to 512K, RS232, Serial Port, Clock-Calendar, DMA, Printer Spooler, Memory disk, and a PLUS expansion port that can use most PLUS cards.

**TanPak OK . . . . . \$179.**

### TanPak™ Secondary

If you already have a Model 1000 memory card and do not wish to replace it the TanPak secondary is for you. It retains all the Features of the TanPak except for the DMA. For the 1000, 1000A.

**TanPak™ Secondary OK . . . . . \$139.**

### TanPak™ SX

Made for the New Tandy 1000 SX, it contains all the features of the TanPak™ except the Memory and DMA features.

**TanPak™ SX . . . . . \$129.**

## TANDY 1000 and 1000 EX

RS232C Serial— Clock/Calendar  
Piggy/Back Card by Hard Drive Specialist

Now available for the TanPak, the Tandy Memory Expansion PLUS Card, the HDS Memory Expansion Plus Card, and other boards that configure their expansion port with side A (component side) routing conductors to the top side of the 62 conductor dual row header.

**RS232C Serial Port** features a standard female RS232C female just like the Tandy boards, or specify the male version. The port can be set up as COM 1 or COM 2.

**Clock/Calendar port** features a perpetual clock for automatic time/date input into your programs as well as power up routine. The clock has an interchangeable port selector that allows the use of another clock on line.

**RS232C-Serial PLUS Card . . . . . \$ 59.**

**Clock/Calendar PLUS Card . . . . . \$ 59.**

**RS232C-Serial, Clock/Calendar PLUS Card . . \$129.**

## Memory Plus Expansion Board

For the 1000, 1000A. Includes sockets for 512K, DMA, and a PLUS expansion port.

**Memory PLUS Expansion Card, OK . . . . . \$99.**

## Tandy 1000, 1000A, 1000SX Hard Drives

Shop and compare. Hard Drive Specialist has been building hard drive systems for years and have sold thousands of subsystems to satisfied Radio Shack/Tandy customers. Our drives all use buffered seek logic and plated media to result in almost one-fourth the average access found on our competitor's drives. Internal drive systems include an interface card and a half-height hard drive that replaces the top disk drive in both size and power consumption. External units include an interface card, case, power supply, and hard drive unit. All units require a memory board with DMA compatible with the Tandy 1000.

**20 Meg Internal . . . . . \$479. External . . . . . \$629.**

**30 Meg Internal . . . . . \$679. External . . . . . \$829.**

**20 Meg Hard Card . . . . \$499. 30 Meg Hard Card . . . . \$699.**

**42 Meg Internal . . . . . \$1195. 42 Meg External . . . . \$1345.**

**60 Meg Internal . . . . . \$1395. 60 Meg External . . . . \$1545.**

All Internal Hard Drives with the exception of the Hard Cards mount where the second disk drive usually mounts.

## Tandy 3000, 3000 HL Hard Drives

Hard Drives with Controllers that meet or beat the Tandy products at a fraction of the cost.

**20 Meg Internal . . . . . \$ 849. External . . . . . \$999.**

**42 Meg Internal . . . . . \$1449. External . . . . . \$1599.**

## Model 1,3,4 Hard Drives

**20 Meg . . . . . \$845. 20+20 Meg . . . . . \$1245.**

**40 Meg . . . . . \$1395. 40+40 Meg . . . . . \$2295.**

Model 1 add \$50

**Model 3/4 RS232C Card . . . . . \$69.**

**Model 3/4 Floppy Disk Controller Card . . . . . \$99.**

**Color Computer Floppy Disk Controller Card . . . . . \$99.**

# HARD DRIVE SPECIALIST

## Order Line

**1-800-231-6671**

**1-713-480-6000**

**16208 Hickory Knoll  
Houston, Texas 77059**

## Ordering Information:

Use our WATS line to place your order via Visa, MasterCard, or Wire Transfer. Or mail your payment directly to us. Any non-certified funds will be held until proper clearance is made. COD orders are accepted as well as purchase orders from government agencies. Most items are shipped off the shelf with the exception of hard drive products that are custom built. UPS ground is our standard means of shipping unless otherwise specified. Shipping costs are available upon request.



## From Computer Plus to YOU... PLUS after PLUS after PLUS



Tandy 200 24K 1649  
Tandy 600 32K 11269  
Tandy 102 32K 1395



Tandy 3000 11759  
Tandy 3000 HD 12699  
Tandy 3000 HL 11229



Tandy 1000 EX 1569 00  
Tandy 1000 SX 1839 00



DMP-130 1269



Color Computer 3  
w/128K Ext. Basic 1169



DMP-105 1160

### BIG SAVINGS ON A FULL COMPLEMENT OF RADIO SHACK COMPUTER PRODUCTS

#### COMPUTERS

Tandy 1000 EX 1 Drive 25K 479 00  
Tandy 1000 SX 2 Drive 35K 759 00  
Tandy 3000 HL 1 Drive 512K 1229 00  
Tandy 3000 T Drive 512K 1759 00  
Tandy HD 40 Meg 640K 3179 00  
Model IV 64K with Deskmate 889 00

#### PRINTERS

Radio Shack DMP-130 100 CPS 269 00  
Radio Shack DMP-430 180 CPS 559 00  
Radio Shack DMP-230 Dot Matrix 310 00  
Silver Reed 137 550P Daisy Wheel 339 00  
Star LV 1210 120 CPS 199 00  
Star NX 140 120 CPS 249 00  
Star SX 15 120 CPS 410 00  
Parasonic P-1080 120 CPS 239 00  
Parasonic P-1021 160 CPS 299 00  
Parasonic P-1092 180 CPS 529 00  
Okidata 202 200 CPS 375 00  
Okidata 192 200 CPS 269 00  
Epson LX 80 100 CPS 275 00  
Epson FX 85 100 CPS 419 00

#### TANDY 1000 ACCESSORIES

Tandy 1000 Disk Drive Kit 150 00  
Tandy 1000 EX External Drive 190 00  
Tandy 1000 20 Meg. Hard Card 650 00  
256K Memory Plus Expansion Bd 179 00

#### PB-I Multi-Function Board (512K)

PB-I Multi-Function Board (512K) 229 00  
PB-I 102 (RS-232, Clock, Par) 90 00  
128K Ram Upgrade Kit (NEC) 78 00  
256K Ram Upgrade Kit (1000SX) 69 00  
Summa RS-232 Serial Mouse 95 00  
1200 Baud Modem Board 179 00  
Plus 300 Baud Modem Board 85 00  
Plus RS-232 Serial Board 69 00  
Dup-Mouse-Clock Board 89 00

#### TANDY MONITORS

Tandy VM-4 Green Monitor 99 00  
Tandy CM-10 RGB Color Monitor 379 00  
Tandy CM-5 RGB Color Monitor 249 00  
Tandy VM-3 III Green Monitor 179 00  
Tandy CM-8 Analog Color Monitor 249 00  
Tandy 1200 Deluxe Display Adapt 299 00  
Tandy 1200 Dual Display Adapt 210 00

#### COMPUTER PLUS SPECIALS\*\*

The PB-I MFB-1000 Multi-Function Board with 512 Ram, DMA, RS-232 Serial Port, Clock Calendar with Battery Backup, and Ram Disk Software 229 00

#### The PB-I XRAM Expanded Memory Board with 256K Ram, Upgradable to 2 Megabytes of Additional Memory, EMS Compatible, with Ram Disk Software 249 00

Tandy 1000 20 Megabyte Internal Hard Drive Kit with Controller, Cables and Mounting Hardware 499 00  
Tandy 1000 20 Megabyte External Hard Drive with Controller, Cables, Case and Power Supply 649 00

#### \*\*FREE SOFTWARE BONUS\*\*

Order the PB-I MFB-1000 with 512K or the PB-I XRAM Board and receive the Leading Edge Word Processor and the 100% Speedwriter, Graphics and File Manager Software a \$99.00 Value at NO CHARGE!

CALL TOLL FREE  
1-800-343-8124

- LOWEST POSSIBLE PRICES
- BEST POSSIBLE WARRANTY
- KNOWLEDGEABLE SALES STAFF
- TIMELY DELIVERY
- SHOPPING CONVENIENCE

**computer plus**  
P.O. Box 1094  
480 King Street  
Littleton, MA 01460  
SINCE 1973

IN MASSACHUSETTS CALL (617) 486-3193

TRS-80 is a registered trademark of Tandy Corp.

Circle 318 on Reader Service card.

NEW

## BASIC Programmers "Roll Your own Data Base!"

Are you tired of trying to write state-of-the-art BASIC programs using the stone-age disk file handling provided by BASIC? Frustrated by working with home-brew file indexing schemes that take up half of your program and most of your time? Wish you could put your creative efforts into the application instead of working around BASIC's shortcomings?

**NOW YOU CAN!** With TSAM/BCI, our unique multi-key indexed file system, you can setup and access a powerful data base any way you like - **in BASIC!** The simple and easy-to-use commands are keyed right into your BASIC program code.

With TSAM/BCI's indexed files, you access records in your data base by the contents of a "key" field, instead of by the relative record number (the way BASIC makes you do it). **YOU** decide what your requirements are, and define the files right in your BASIC program. All you need to worry about is what you want to do; TSAM/BCI takes care of the rest.

- FAST! - 100% Machine Code Runtime
- Random & Sequential Access by any key
- Sequential access forward/backward
- Add, change, delete records "on the fly"
- Enhanced record fielding
- Excellent error handling/recovery
- Full capacity - Up to:
  - 16 open files at once
  - 65,535 records/file
  - 4096 bytes/record
  - 4 keys/record
  - 56 bytes/key

This is the ideal file system for building those ultra-sophisticated data base applications you've only dreamed of, such as: high-volume mailing lists, customer files, accounting systems, inventory systems, library managers, history files, and any other application where instant access to any given record in your data base is required.

TSAM/BCI is available **NOW** for the TRS-80 Models I, III, and IV running LDOS 5.1.x. The package comes complete with **NOT COPY PROTECTED** media, the full set of TSAM/BCI utilities, an excellent 200 page manual, and a **ROYALTY-FREE** distribution runtime system, all for only \$99!

**NO RISK - Money Back Guarantee!** After receiving this package, you may examine the manual for 30 days; if you are still not convinced that **YOU NEED THIS SYSTEM**, simply return it to us for a **Full Refund**.

If you program in BASIC and use disk files, you need TSAM/BCI. So get out of the stone-age of BASIC's files and experience true Indexed Files!

Send \$99 - Check, Money Order, Mastercard and Visa Accepted.  
Ohio residents add 6.5% sales tax.

See our Review in  
Nov. '86 80-Micro!

**TERASOFT**

TERASOFT, Inc.  
14761 Pearl Rd., #180  
Strongsville, OH 44136  
(216) 572-3777 Ext. 180



TSAM/BCI and TERASOFT are trademarks of TERASOFT, Inc.  
TRS-80 is a trademark of Tandy Corporation.  
LDOS is a trademark of Logical Systems, Inc.



Your Model 4 computer  
may not speak XZ#M%S  
But with MISOSYS  
language products, she will  
speak ASSEMBLER, BASIC,  
C, FORTH, and RATFOR



**PRO-CREATE** - The "standard" macro assembler used by professionals and novices alike. Nested macros, nested includes, nested conditionals. Full screen editor; cross reference. .... \$74.95 + \$3 S&H

**PRO-DUCE** - A 2-pass labeling Z80 disassembler from disk or memory with screening input for data areas. Generates /ASM files. .... \$29.95 + \$2 S&H

**PRO-MRAS** - Powerful relocating macro assembler development system REL module compatible with Microsoft! Includes full screen text editor, REL librarian, VM linker with overlay capability. .... \$74.95 + \$3 S&H

**UNREL-T80** - Converts MRAS or M-80 REL object files to /ASM. Use on your own REL modules, FORLIB, GRLIB, BASCOM, BASRUN, etc. .... \$39.95 + \$2 S&H

**PRO-EnhComp** - An enhanced BASIC compiler with a built-in assembler for Z80 in-line code mixed with BASIC. LOGO-like turtle graphics, strings to 32767 chars, multi-line functions, keyed/tagged SORT, REPEAT-UNTIL, structured IF-ENDIF, labeled statements, double precision functions. .... \$124.95 + \$3 S&H

**LS-TBA** - A structured BASIC translator. Labeled statements, Conditional translation, pseudo global and local variables, 14-char var names. .... \$24.95 + \$3 S&H

**PRO-MC** - A full K&R C compiler with nearly 200 functions. Structs, unions, bitfields, enum, dp floats and functions. Wildcards, I/O redirection, args, overlay support. Requires PRO-MRAS or M-80. .... \$124.95 + \$4 S&H

**PRO-HartFORTH** - A full 1979 standard FORTH compiler using indirect threaded code. Runs under the DOS. Has floating point, access to DOS files, screen editor, block graphics. .... \$74.95 + \$3 S&H

**RATFOR-M4** - A professional implementation of RAtional FORtran. Provides stucture and greater portability to FORTRAN programs. Fully documented with tutorial user manual. Requires FORTRAN compiler. .... \$99.95 + \$3 S&H

Note: Model I/III products may be available on request.



**MISOSYS, Inc.**

PO Box 239  
Sterling, VA 22170-0239  
703-450-4181 MC, VISA, CHOICE  
Orders Only! 800-MISOSYS 1P-5P EST Monday-Friday

VA residents add 4 1/2% sales tax. S&H: Canada add \$1;  
Foreign use S&H times 3



# UNDERSTANDING TANDY 1000 GRAPHICS

by Don Inman  
and Bob Albrecht

**F**igures and designs that you create on your screen are at the mercy of engineers and programmers who design computers and video displays. What you think you are drawing is seldom what actually appears on the screen. Therefore, you must have a thorough understanding of your video display, common coordinate systems, GW-Basic screen modes, and GW-Basic graphics commands to effectively control the graphics displays of your Tandy 1000 computer.

We will cover several factors that contribute to graphics distortions, giving examples in the form of short Basic listings. These listings provide starting points for you to write graphics routines of your own.

## Screen Modes and Colors

The Screen and Color commands set video-screen resolution and available colors for graphics on the Tandy 1000. Table 1 (see p. 48) shows the six possible graphics screen modes. We do not discuss screen mode zero because it is a text mode. The examples use medium-resolution graphics (screen mode 1) for simplicity, but the concepts apply to the other screen modes as well.

The colors that you can use depend on the screen modes. The palette which you select determines the colors that are available for screen mode 1. Table 2 (see




Photo 1. Plotting demo.

p. 48) shows these colors.

The background can be any of the 16 colors:

- black (0)
- blue (1)
- green (2)
- cyan (3)
- red (4)
- magenta (5)
- brown (6)
- gray (7)
- dark grey (8)
- light blue (9)
- light green (10)
- light cyan (11)
- light red (12)
- light magenta (13)
- yellow (14)
- white (15)

You can select the screen mode and color set as the following examples show.

```
110 SCREEN 1.0 'screen mode 1: color on
120 COLOR 0,1 'black background: palette 1
```

or

```
110 SCREEN 1.0
120 COLOR 9,0 'light-blue background: palette 0
```

Screen mode 1 produces a graphics dis-

play consisting of 200 rows of picture elements, or pixels (see Fig. 1, p. 44). Each row consists of 320 pixels in the medium-resolution screen mode.

Before you can construct an object on the video display, you must have an orderly way of numbering these rows and columns of pixels. That method of designating individual points is called a coordinate system. We discuss two commonly used coordinate systems: screen coordinates and real-world coordinates.

## Screen Coordinates

Computer designers invariably number graphic screens in the same order that they number text screens. Since the first row of text is at the top of the screen, the first row of graphics is numbered from the top of the screen. Row numbers increase as you move down the screen. This is the opposite way from how we number things in real life. If you bought a ticket for row 1 on the 50-yard line at a stadium designed by a computer engineer, you would find yourself sitting with Bob Uecker at the top of the stands.

The normal origin of the 1000's screen-coordinate system is the upper-left corner of the video screen. Pixels number horizontally from left to right (columns) and top to bottom (rows; see Fig. 2, p. 44).

Pairs of coordinates locate points on the screen. The letters X (horizontal) and Y (vertical) usually designate the coordinate pair. The first coordinate pair (X) measures the number of pixels to the right of the origin. The second (Y) measures the number of pixels down from the origin (see Fig. 3, p. 46).

Program Listing 1 (see p. 50) demonstrates the orientation of the screen-coor-

## System Requirements

**Tandy 1000**  
**GW-Basic**  
**Color Monitor**



dinate system by dividing the screen with a diagonal line from the screen's minimum coordinates (0,0) to its maximum coordinates (319,199).

It then draws a small square in each area (lower left and upper right). The program turns off the key definitions at the bottom of the screen, sets graphics mode 1, sets black as the background color, selects color palette zero, and clears the screen (lines 110-130).

Line 210 draws a brown line diagonally across the screen from point (0,0) to point (319,199). Line 220 plots a small green box in the lower-left portion of the screen and a small red box in the upper-right portion of the screen. Line 230 draws a green rectangle to enclose the graphics area (see Photo 1, p. 42). Notice that the border area is not used for graphics. All lines in this program are drawn using the following form, sometimes using the B option.

```
LINE (RIGHT1,DOWN1)-(RIGHT2,DOWN2),
COLOR,B
```

The B option (indicated by letter B in the line above) uses the coordinates as opposite corners of a rectangle.

To find a point on the screen, go right for the number of units specified left of the comma and go down the number of units to the right of the comma. For example, to find coordinate (60,150) go right 60 units, then down 150 units.

Screen positions number from (0,0) in the upper-left corner. The lower-right corner is (319,199) in screen mode 1. Notice that positive Y is down instead of up. If you do not carefully select screen coordinates for drawing, your picture might be displayed upside-down. If you want to draw objects as they appear in the real world, you must write Basic statements that draw in the same direction that you observe things. This requires a real-world-coordinate system.

## Real-World Coordinates

As you look at an object, you measure its width from left to right and its height from bottom to top. When you draw objects as they appear, the origin of the video display should be at the lower left of the screen as shown in Fig. 4 (see p. 46). We call this the real-world-coordinate system to distinguish it from the computer's normal screen-coordinate system.

Your 1000 is very good at performing detailed tasks. It can transform points from the real-world-coordinate system to the screen-coordinate system. It does not have to change the X coordinate, but it must reflect the Y coordinate around an imaginary horizontal line halfway down the screen. One way to produce this transformation is to flip-flop the Y coordinate of each point

with the simple Basic statements:  
 $YSCREEN = 199 - YWORLD : XSCREEN = XWORLD$

Figure 5 (see p. 46) illustrates this.

Imagine that you want to plot a triangle whose real-world coordinates are (0,0), (50,50), and (100,0). If you draw the triangle with these coordinates, the computer normally interprets them as screen coordinates. The triangle is displayed upside-down in the upper-left corner of the screen.

Program Listing 2 (see p. 50) draws the triangle as it appears in screen-coordinate. Lines 210-250 assign the following values:

```
YWORLD(1)=0, YWORLD(2)=50, and
YWORLD(3)=0
```

These are the Y coordinates for the vertices of the triangle. Line 230 sets YScreen coordinates equal to these values. Line statements draw the triangle (lines 310-340). Notice the abbreviated form of Line in lines 330 and 340.



Photo 2. Triangle in screen coordinates.




Photo 3. Triangle transformed to real-world coordinates.

Since the first coordinate pair is omitted, this statement draws a line to (100,YSCREEN(3)) from the last point that line 320 referenced (50,YSCREEN(2)).

Line 340 draws a line to (0,YSCREEN(1)) from the last point that line 330 referenced (100,YSCREEN(3)).

This short form of the Line statement is handy when you are drawing a series of connected lines. Photo 2 shows the product of Listing 2.

You can reflect the vertices of the triangle with the equations in Table 3 (see p. 48). The triangle is then displayed as you envisioned it in real-world coordinates. It is drawn in the lower-left corner of the screen as Photo 3 shows. You can make the transformation by changing line 230 of Listing 2 to:

```
YSCREEN(N)=199-YWORLD
```

This "brute force" method of transforming coordinates produces right-side-up drawings, but requires much thought and planning. Fortunately, Microsoft provided a GW-Basic statement to do the transformation for us.

## Window to the Real World

The GW-Basic Window command lets you look through a window and see pictures in whichever coordinate system you want: the right-side-up world of real-world coordinates or the upside-down world of screen coordinates. The Window command looks like this for screen coordinates:

```
WINDOW SCREEN(X1,Y1)-(X2,Y2)
```

and like this for real-world coordinates:

```
WINDOW (X1,Y1)-(X2,Y2)
```

The coordinates (X1,Y1) and (X2,Y2) specify the minimum and maximum limits of the display window. If you use the full limits of the 1000 in screen mode 1, the minimum and maximum coordinates would be (0,0) and (319,199). These coordinates are at opposite corners of the display, as Fig. 6 (see p. 46) shows.

If you use the Screen option, the positive Y direction is down (screen coordinate). If you omit the Screen option, the positive Y direction is up (real-world coordinate). For example:

```
WINDOW SCREEN(0,0)-(319,199) 'screen coordinate
WINDOW(0,0)-(319,199) 'real-world coordinate
```

Program Listing 3 (see p. 50) demonstrates the Window command, first with the Screen option, then without it. It draws arrows by combining a rectangle and a triangle. The lower-left corner of the rectangle is at (95,10). The screen-coordinate arrow is red, and the real-world-coordinate arrow is green (see Photo 4, p. 44).

The Line statement, in its minimal form, specifies the end points of a line segment and draws a line between them. For example:

```
LINE(95,10)-(145,50)
```

If you add the B option, the computer draws a box (rectangle), which has the points you specify as opposite corners. For example:

```
LINE(95,10)-(145,50),B
```

Listing 3 uses the Line statement with






Fig. 1. Pixel arrangement in screen mode 1.

Fig. 2. Pixel numbering in screen mode 1.

the B option (lines 330 and 510), and it also uses the Step option in front of the second coordinate pair. These instructions tell the computer to use the first coordinate pair as one corner of the rectangle.

The Step option tells the computer to use the second coordinate pair as an increment to the first in order to locate the opposite corner. This gives the computer realistic parameters for drawing a rectangle in real-world coordinates. For example, in line 510 110 and 10 are the corner coordinates. -STEP(20,40) instructs the computer to increase 110 by 20 and 10 by 40. C tells the computer you've chosen color C. Lines 220 (C = 2) and 320 (C = 1) set the value of C. B tells the computer to draw a box.

Lines 520-540 add the triangle. Line 520 tells the computer to start at (70,50) and move 100 units to the right. Line 530 tells it to move left 50 units and up 40 units, and line 540 tells it to move left 50 units and down 40 units.

The program draws the arrow pointing down the screen in red (set by line 220) using screen-coordinates. A Window statement changes the format to real-world coordinate and draws the same arrow in green. The new Window statement does not affect the red arrow. Window statements only affect graphics statements that follow them. A Window stays in effect until you execute a new Window statement.

## Limitations of Window

When you execute a Window statement, it interprets graphics commands to conform to its limits until you enter a new Window statement or the program ends. Images always conform to the Window statement under which they are drawn and are not affected by subsequent Windows.

A Window statement does not affect the commands in Draw statements (graphics-definition-language commands). Draw commands conform to screen coordinates and are oriented to a full screen ((0,0)-

(319,199)) in screen mode 1.

Text appears in rows and columns and is not affected by Window statements.

Program Listing 4 (see p. 50) performs the following operations:

- Uses Window (50,50)-(269,149)




Photo 4. Arrows in screen coordinates and real-world coordinates.




Photo 5. Squares in a window.

- Draws a 50- by 50-pixel cyan square with a Draw statement
- Draws a 50- by 50-pixel magenta square with a Line statement
- Draws dotted lines enclosing the window.

The Draw statement's movement commands in line 220 are as follows:

- C1 is color number 1 (cyan in palette 1).
- BM 20,20 is a blank move to position (20,20). It does not draw a line.
- R50 draws right 50 units.
- D50 draws down 50 units.

- L50 draws left 50 units.

- U50 draws up 50 units.

Other Draw commands are:

- En moves diagonally up and right n points.
- Fn moves diagonally down and right n points.
- Gn moves diagonally down and left n points.
- Hn moves diagonally up and left n points.

Since Window statements do not affect Draw commands, the cyan square is drawn as if on a full screen ((0,0)-(319,199)) in screen coordinates.

Because the Window statement affects the Line statement in line 230, it draws its magenta square in real-world coordinates using a window whose lower-left corner is at (50,149). The window boundaries are expanded to fill the screen. Most of the square (whose lower-left corner is at (20,20) in real-world coordinates) lies outside the window and is not visible. Photo 5 shows the squares.

Line 240 draws a dotted white line around the window's boundaries. Notice that it coincides with the graphics area of a full screen. A new option (&HCCCC) at the end of this Line statement creates the dotted line. &H tells the computer that a hexadecimal (hex) number follows. The four hex digits (CCCC) set the format of the line style.

The line style is formed by the 16 bits of a binary number equivalent to the four hex digits. This is illustrated in Fig. 7 (see p. 48).

The dotted white line ((50,50)-(269,149),3,&HCCCC) encloses the entire graphics area. This expands the window to fill the entire screen.

## Scaling

Since the screen pixels are taller than they are wide, a figure that you draw with an equal number of vertical and horizontal units appears vertically elongated. If you



# 80micro Reader Service

TO RECEIVE MORE INFORMATION ON THE PRODUCTS  
AND SERVICES IN THIS ISSUE, PLEASE TURN TO  
READER SERVICE CARD.

## NEW FROM 80 MICRO Classifieds

### GET THE ATTENTION YOU DESERVE


Tell more than 200,000 dedicated, interested TRS-80 users about your product or service with an efficient and economical **80 Micro** classified ad.

You'll reach the most people in the market for the least amount of money!

With **80 Micro's** well-established audience of involved buyers, sellers, and swappers, your ad is bound to get fast results!

For more information, write to:

**80 Micro**  
Attn. Classified Manager  
80 Elm Street  
Peterborough, NH 03458



The LDOS 5.3 upgrade kit is now available to take your Model III or 4 (in 3 mode) to the year 2000. LDOS 5.3 provides complete media compatibility with LS-DOS 6.3, the newest Model 4 DOS released by Logical Systems, Inc. With LDOS 5.3, you can add 12 years to the life of your software. Just look at these improvements over version 5.1.4!

#### DOS Enhancements:

- Date support through December 31, 1999; time stamping for files.
- Enhancements to LDOS now free up 14 additional file slots for data disks.
- On-line HELP facility for DOS and BASIC – 117 screens of help.

#### LIBRARY Enhancements:

- New FORMS, lets you change printer filter parameters.
- New SETCOM, lets you change RS-232 parameters.
- Improvements to LIST add paged displays, full-screen hex mode, and flexible tab expansion.
- MEMORY displays directory of terminate and stay resident modules.
- SYSTEM lets you direct the SYSGEN to any drive; adds a flexible drive swap subcommand; SMOOTH for faster disk throughput.
- DiRectory display enhanced with time stamps, file EOF, and more.
- We've also improved: AUTO, COPY, CREATE, DEBUG, DEVICE, DO, FREE, KILL, and ROUTE; and added CLS and TOF commands.

#### UTILITY Enhancements:

- We've added TED, a full screen text editor for ASCII files.
- LCOMM now gives you access to LDOS library commands while in terminal mode.
- PATCH supports D&F patch lines with REMOVE capabilities.
- DATECONV has been added to convert older disks to the new date convention.

#### BASIC Enhancements:

- Improvement to line editing with the addition of line COPY and MOVE.
- Very flexible INPUT@ added for screen fielded input.
- We've added a CMD"V" to dump a list of active variables with values – including arrays.

For \$24.95 (+ S&H), the LDOS 5.3 upgrade kit includes a DOS disk and documentation covering the enhancements. Specify Model 3/4 or MAX-80.

P.S. – Don't return your old disk!



**MISOSYS, Inc.**

PO Box 239  
Sterling, VA 22170-0239  
703-450-4181 MC, VISA, CHOICE  
Orders Only! 800-MISOSYS 1P-5P EST Monday-Friday

VA residents add sales tax. S&H: US \$2, Canada \$3, Foreign \$6.






Fig. 3. Order of coordinates.




Fig. 4. Real-world coordinates.




Fig. 5. Graphical transformation of a point.




Fig. 6. Screen coordinate and real-world coordinate.




Photo 6. Unscaled and scaled squares.




Photo 7. Scaling with Window.




Photo 8. Viewport (50,50)-(160,100).

want a square to look square you can use a scale factor to change the number of either horizontal or vertical units in the screen.

Two factors contribute to scaling changes:

- The ratio of horizontal pixels to vertical pixels in the display screen. For example: in screen mode 1 there are 300 horizontal pixels and only 200 vertical pixels.
- The aspect ratio of the display monitor.

To correct for the first factor, multiply all points plotted on a full, medium-resolution screen by 200/320 (5/8).

The second factor (aspect ratio) occurs because a television or display monitor is wider than it is high. To determine aspect ratio, measure the screen area of your monitor you are using. It is likely to have a width-to-height ratio of 4/3, or 1.33. Our Tandy CM-4 measures approximately 11 inches by 8.1 inches. This gives it an aspect ratio of 1.35, which is within measuring accuracy of 4/3.

The 1000 uses part of its display area as a border (see Fig. 8, p. 49). The actual area that it uses to plot points on a graphics screen is, therefore, smaller in width and height than the display area. You

should use the aspect ratio of the actual plotting area when you are calculating the scale factor.

Check the aspect ratio of your monitor before you use a scale factor by drawing a rectangle using the screen's maximum and minimum coordinates as in this example:

```
110 KEY OFF: SCREEN 1,0
120 COLOR 7,0: CLS
130 LINE(0,0)-(319,199),,B
140 GOTO 140
```

Run these lines and measure the width and length of the rectangle that they draw. Remember, our CM-4's display has an aspect ratio of 1.35. The rectangle we drew with the screen's minimum and maximum coordinates is approximately 10 inches by 6 2/3 (6.67) inches. This gives the graphics area an aspect ratio of:

$$10 \div 6.67 = 1.5$$

The final scale factor is therefore:

$$5/8 \times 3/2 = 15/16.$$

We checked this scale factor with Program Listing 5 (see p. 51). If you arrive at a different scale factor than we did, use your scale factor in line 120 to check your monitor. Line 210 draws an unscaled red

box in the left part of the window. The Step option draws the box with sides 80 units long. Line 130 draws a scaled green box in the right part of the screen (see Photo 6).

The scale factor works on the vertical component of the green box in line 310. The green box appears square, while the red box appears to be higher than it is wide.

If you send a screen print of the display to your printer, you'll discover another scaling problem. You might have to experiment with the scale factor to discover the correct value for printing equivalent horizontal and vertical units. A scale factor of 65/72 (slightly less than our screen factor of 15/16) produces a square with equivalent sides on our printer.

## Using Window to Scale

You can draw an individual image to scale by scaling its vertical component as in Listing 5. You can use the Window statement to automatically scale all figures that you draw after executing it. Consider again the factors that affect scaling:

- Number of pixels. You can use Window to specify an equal number of pixels both



**New!**  
**"PCXZ" \$79.95**  
**READ, WRITE, FORMAT**  
**TRS-80 DISKS IN A PC**  
**DETAILS BELOW**

## TRANSFER ANY MOD I/III/4 FILE CONVERT BASIC PROGRAMS for use on the IBM PC, XT, AT and TANDY PC's

**Conv3toPC V2.0** "Convert Mod I/III to PC package." \$139.95 Includes Hypercross Mod I/III to TRANSFER any Mod I/III file or BASIC program to a PC/MS-DOS Diskette, and Cnv3toPC.BAS to CONVERT 95% or more of each transferred BASIC program to PC BASIC syntax. Mod I's need a "disk doubler" to run Hypercross.

**Conv4toPC V1.0** "Convert Mod 4 to PC package." \$139.95 Includes Hypercross Mod 4 to TRANSFER any Mod 4 file or BASIC program to a PC/MS-DOS Diskette, and Cnv4toPC.BAS to CONVERT 95% or more of each transferred BASIC program to PC BASIC syntax.

**"..Conv3toPC has saved me months of work!"**

**"..Conv4toPC is the best conversion package I ever used."**

AVAILABLE WORLDWIDE through Radio Shack's Express Order Software

**Conv3toPC V2.0** Catalog #90-0345

**Conv4toPC V1.0** Catalog #90-3100

Important note: Every converted BASIC program will require some user editing (the 5% or less) before it will run on a PC. To facilitate such revisions, every keyword that may need manual attention is flagged and our user guides explain why and what needs to be done. For most programs, a casual knowledge of BASIC is sufficient to make the changes. However, if a BASIC program contains machine language, it will be extremely difficult for the average user to handle some of the necessary manual revisions!

Please feel free to call us if you have any questions or doubts about whether these packages are right for you. We will candidly answer all your questions and send you our free demo disk (\$2.00 for S/H). Or, order either package; read through the entire user guide for complete details; then, if you decide it doesn't suit your needs, return it for a full refund—less a \$10.00 restocking fee. Refunds will NOT be granted if the sealed bag containing the program diskettes has been opened!

### OTHER EMSI SOFTWARE

#### PCXZ 1.0 Cross-Zap Utility for PC/MS-DOS

Now, from The Author that brought you **Hypercross**, **HyperZap** and **SuperCross** comes an amazing new program for owners of Tandy 1000, 1200, 3000 and true PC compatibles. **PC Cross-Zap** allows you to read all double density TRS-80 type disks **on your PC**. Not only that, PCXZ offers many of the features that TRS-80 owners have long enjoyed with Hypercross and Hyperzap.

**PC Cross-Zap** is a utility program that runs on your PC or PC-compatible. With it you can copy files to or from TRS-80 disks at will. You can also format a disk, copy disks, explore, read and write sector data, repair bad directories and much more. Long after your TRS-80 is gone you will still be able to read your old disks. Even when your TRS-80 disks are gone you can continue to use PCXZ to read, fix and modify MS-DOS and other disks so your investment will never be lost.

With PCXZ you can format a TRS-80 disk (not the mixed density Model I types). You can copy files from a TRS-80 disk error free, without losing any data. Just like HyperCross.

**Formats Supported** Model I mixed density DOS + 3.4, DoubleDOS, LDOS (SOLE), MultiDOS, NEWDOS 80 V2, TRSDOS 2.7/8, Model I/III Double Density, DOS + 3.5, LDOS 5.1 Model III: DOS + 3.4, MultiDOS, NewDOS 80, TRSDOS 1.3 Model 4/4P: MultiDOS, DOS + 4, TRSDOS 6, Max-80: LDOS 5.1. All formats also supported in double sided, 35, 40 and 80 tracks were appropriate. For 80 track formats you must have an 80 track drive on your PC.

**Systems Requirements** PC,XT,AT or compatible, Tandy 1000 or 1000Ex (needs DMA), 1000 SX, 1200, 3000 with at least one 40 track drive and 256K minimum memory.

**Get PCXZ—not half a program! ..... \$79.95**

**Conv3toPC V2.0 (Complete)** \$139.95  
**Cnv3toPC.BAS (No Hypercross)** \$99.95  
**Conv4toPC V1.0 (Complete)** \$139.95  
**Cnv4toPC.BAS (No Hypercross)** \$99.95  
**HYPERCROSS MOD I/III** \$49.95  
**HYPERCROSS MOD 4** \$49.95  
**CROSS REFERENCE** \$24.95  
 For PC BASIC programs. Referenced variables, line #s, keywords.  
**FASTSORT** \$24.95  
 Machine language SORT callable from PC BASIC. Excellent replacement for Mod III CMD "O" command.  
**PEEKs 'N POKES** \$39.95  
 Utilities for PC BASIC programmers. Call for details, or see Oct. 86 review in *80 Micro*.

**STAY-RES** New!! \$89.95 Demo \$5.00  
 Write your own memory resident pop up programs (ala Side Kick) in PC-BASIC. Requires QuickBasic 1.1, 2.0.  
**INSIDE TRACK** \$59.95  
 More utilities for PC BASIC programmers. Call for details, or see Oct. 86 review in *80 Micro*.  
**MACH2 NEW!!** \$69.95  
 A tool chest of routines that do for PC BASIC what Rosenfelder's fantastic BASIC FASTER AND BETTER did for Mod III BASIC.  
**QuickBASIC V2.0** \$79.95  
 Compile PC BASIC programs for speed and enhanced functions.

**NORTON UTILITIES V3.1** \$69.95  
 Industry standard for directory & file recovery. Also, modify file attributes, search/sort directories etc, etc.  
**FRACTION CALCULATOR** \$24.95  
 Solve mixed number arithmetic problems on your PC. Exact common fraction answers without decimals. Instruction mode great for children.  
**LOGIC and DEDUCTION** \$24.95  
 Full color Mastermind game for the PC to challenge any age. Play 1-9 columns, 2-5 colors, direct or indirect hints. Have fun while improving your powers of deductive reasoning. Requires color monitor/adaptor.  
 Prices subject to change without notice.

**800-922-0786**

(NJ residents 201-879-5982)

**EDUCATIONAL MICRO SYSTEMS, INC.**

**PO Box 471, Chester, New Jersey 07930**



EMSI direct order terms: VISA, Mastercard, MO, check or COD. Add \$3.00 shipping/handling. Add \$1.90 for COD. Foreign or first class, add first class postage (package wt. 2 1/2 lbs.). NJ residents add 6% sales tax.





horizontally and vertically. For example:

Window (0,0)-(179,179) = 180 wide and 180 high

Window (0,0)-(149,149) = 150 wide and 150 high

Window (0,0)-(119,119) = 120 wide and 120 high

● Aspect ratio of your monitor. By reducing the vertical component of the maximum Window values, you can correct for the aspect ratio. For example:

Window (0,0)-(179,179) corrects only for pixels, while

Window (0,0)-(269,179) corrects for pixels and for aspect ratio ( $270/180 = 3/2$ ).

Program Listing 6 (see p. 51) draws two rectangles, one green and one red. Both rectangles have 50-unit sides. The computer draws the green rectangle using Window (0,0)-(179,179), with the lower-left corner at (30,30). It draws the red rectangle using Window (0,0)-(269,179), with the lower-left corner at (120,30). The red rectangle appears as a true square, since the Window statement corrects for both pixel and aspect ratios. The Window for the green rectangle only corrects for the pixel ratio, as Photo 7 (see p. 46) shows.

Table 4 shows typical values for the maximum coordinates of a Window using an aspect ratio of 3/2 (assuming the Window has a minimum coordinate of (0,0)).

## A Window View

A viewport is a rectangular viewing region on the screen. The viewport limits for graphics mode 1 are initially the limits of a full screen (0,0)-(319,199). You can write a View statement that will make the viewport larger or smaller than the Window limits. You can even make several small viewports on the screen. The following statement controls viewport placement:

VIEW [screen] (X1,Y1)-(X2,Y2)[,color,boundary]

in which (X1,Y1) and (X2,Y2) designate opposite corners. Optional parameters are enclosed in square brackets. Screen, color, and boundary are all optional. Screen controls mapping, color designates the color that fills the viewport (background), and the boundary parameter sets the boundary color of the viewport frame.

The View command's Screen option works differently than Window's Screen option. If you use the View command with the Screen option, it sets the corners of the viewport this way:

VIEW SCREEN (X1,Y1)-(X2,Y2)

The upper-left corner of the viewport is (XMIN,YMIN), where XMIN is the minimum of X1 and X2, and YMIN is the minimum of Y1 and Y2. The lower-right corner of the viewport is (XMAX,YMAX), where XMAX is the maximum of X1 and X2, and YMAX is the maximum of Y1 and Y2.

Lines are drawn according to their absolute values rather than relative to the

Screen-mode number	Colors available	Screen resolution	Text width	Memory needed to fill one screen
1	4 (2 palettes)	320 x 200	40	16,384
2	2	640 x 200	80	16,384
3	16	160 x 200	20	16,384
4	4	320 x 200	40	16,384
5	16	320 x 200	40	32,768
6	4	640 x 200	80	32,768

Table 1. Screen modes.

Color number	Palette 0	Palette 1
0	current background color	current background color
1	green	cyan
2	red	magenta
3	brown	white

Table 2. Colors for screen mode 1.

XSCREEN = XWORLD YSCREEN = 199 - YWORLD		
(0,0) to (0,199)	(50,50) to (50,149)	(100,0) to (100,199)
XSCREEN = 0	XSCREEN = 50	XSCREEN = 100
YSCREEN = 199 - 0 = 199	YSCREEN = 199 - 50 = 149	YSCREEN = 199 - 0 = 199

Table 3. Transformation equations.

(269,179)
(224,149)
(179,119)
(134,89)

Table 4. Upper limit of scaled window.




Fig. 7. How the line style is formed.

viewport. Points outside the viewport are not shown.

If you omit the screen option, the minimum coordinates take on the minimum values of the upper-left corner of the screen. The maximum values equal the difference between the specified view coordinates. Fig. 9 (see p. 49) gives an example of:

VIEW (20,20)-(160,100),2,1.

Try entering and running these two sequences of statements; first:

```
110 KEY OFF: SCREEN 1.0: COLOR 7.0: CLS
120 LINE (0,0)-(319,199),B
130 VIEW SCREEN (20,20)-(160,100),0,3
140 LINE(30,30)-(40,40),1,B
150 LINE(30,60)-(180,80),2,B
160 GOTO 160
```

Second, change line 130 in the previous

sequence to:

130 VIEW (20,20)-(160,100),0,3

The first sequence produces a viewport with limits of (20,20) and (160,100) within a (0,0)-(319,199) window. When you change line 130 for the second sequence, the minimum values of the viewport convert from (20,20) to (0,0) and the (160,100) maximum values become (140,80). Anything you draw outside the viewport is clipped.

Program Listing 7 (see p. 51) demonstrates how to place objects inside a viewport (see Photo 8, p. 46). Default provides a full window for the display screen (no Window statement). Line 120 defines the viewport by the screen coordinates (50,50) and (160,100). White (color zero is the current background) is the viewport



Company	Market share
A	24
B	15
C	9
others	52

Table 6. Market share.




Fig. 8. Display screen with border.

fill color, and brown (color 3) is the boundary color.

The Line statement (line 210) draws a green rectangle, the left corner of which lies inside the viewport. Line 220 draws an unfilled red rectangle that lies entirely within the viewport. Line 230 draws an overlapping filled rectangle that also lies entirely within the viewport. Line 240 changes the viewport to full screen, and line 250 draws the display-screen boundaries.

## Multiple Views

Program Listing 8 (see p. 51) demonstrates how viewports display three different types of graphs depicting the same data. Each graph is in a different viewport so that you can select the graph that best represents the data.

The program uses a full (0,0)-(319,199) window to create the graphs. It draws graphics as they would appear on a full screen in real-world coordinates. View statements transform them to fit the screen-coordinate viewports. Figure 10 is an interpretation of the first viewport of Listing 8. The drawings are full-scale in real-world coordinates. You see them, as shown in Fig. 10, reduced in size through a viewport. Photo 9 (see p. 50) shows the graphs in their appropriate viewports. Table 5 shows the structure of Listing 8.

## Circles and Ellipses

The Circle command draws an ellipse, the center and radius of which you specify. If an ellipse is round, it's called a circle. You control the roundness of an ellipse with the aspect option of the Circle command. You can use the GW-Basic Circle




Fig. 9. Viewport (20,20)-(160,100).




Fig. 10. Picture through viewport.

Lines 100-199—	define the graphics screen and a full-size window in real-world coordinates. They draw the window boundaries.
Lines 200-299—	provide and read in the data for the graphs.
Lines 300-399—	define the first viewport (upper-left part of the screen) in screen coordinates. They draw the axes and plot the line graph in reduced size to fit the viewport.
Lines 400-499—	define the second viewport (upper-right part of the screen) in screen coordinates. They draw axes and plot the high/low/close graph reduced in size to fit the viewport.
Lines 500-599—	define the third viewport (lower-left part of the screen) in screen coordinates. They draw the axes and plot the bar graph reduced in size to fit the viewport.
Lines 600-699—	print the title in the lower-right part of the screen. (Notice that Window and View have no effect on printing, which is done according to normal row and column positions.)
Lines 2000-2999—	contain a subroutine to draw axes.
Lines 3000-3999—	contain a subroutine to plot the line graph.
Lines 4000-4999—	contain a subroutine to plot the high/low/close graph.
Lines 5000-5999—	contain a subroutine to plot the bar graph.

Table 5. Structure of Program Listing 8.





Photo 9. Graphs in three viewports.




Fig. 10. Picture through viewport.




Photo 11. Pie graph.

command to make pie charts. The Circle command looks like this (options in square brackets):

CIRCLE [STEP] (X,Y),R [,color [,start,end [,aspect]]]

in which X and Y are the center coordinates, R is the radius, color designates the drawing color, start and end are the end points of the partial circle (arc), and aspect controls shape. The Step option designates the center coordinates relative to the last referenced graphics point. You could attach an ellipse to the end of a line by using a statement like this:

```
210 LINE(20,100)-(80,100)
220 CIRCLE STEP(20,0),20
```

in which (20,0) designates the circle's center as (80+20,100+0), and 20 gives it a radius of 20.

If you omit the Step option, the center of the ellipse lies at the absolute coordinates that you specify as (X,Y). For example:

```
220 CIRCLE(20,20),20
```

in which (20,20) puts the circle's center at (20,20), and 20 gives it a radius of 20.

The radius is the distance from the cen-

**Program Listing 1. Demonstration of the screen-coordinate system's orientation. See p. 132 for information on using checksums in Listings 1-10.**

```
1 REM --- PLOTTING DEMO --- * 1753
2 REM --- PROGRAM 1 --- * 1421
99 '
100 REM --- SET SCREEN --- * 1615
110 KEY OFF * 662
120 SCREEN 1,0: COLOR 0,0 * 1445
130 CLS * 486
199 '
200 REM --- DRAW BROWN LINE (0,0) TO (319,199) --- * 2879
201 REM --- DRAW GREEN & RED SQUARES --- * 2505
202 REM --- BOX THE GRAPHICS AREA --- * 2330
210 LINE(0,0)-(319,199),3 * 1281
220 LINE(60,150)-(64,154),1,B: LINE(220,50)-(224,54),2,B * 2877
230 LINE(0,0)-(319,199),1,B * 1391
299 '
300 REM --- PRESS ANY KEY TO QUIT --- * 2377
310 A$=INKEY$: IF A$="" THEN 310 * 1772
320 END * 396
```

End

**Program Listing 2. Screen-coordinate triangle.**

```
1 REM --- TOPSY-TURVY TRIANGLE --- * 2319
2 REM --- PROGRAM 2 --- * 1422
99 '
100 REM --- SET SCREEN --- * 1615
110 KEY OFF: SCREEN 1,0: COLOR 0,0: CLS * 2334
199 '
200 REM --- READ YWORLD COORDINATES --- * 2524
210 FOR N=1 TO 3 * 988
220 READ YWORLD(N) * 1200
230 YSCREEN(N) = YWORLD(N) * 1706
240 NEXT N * 611
250 DATA 0,50,0 * 782
299 '
300 REM --- DRAW TRIANGLE --- * 1833
310 LINE(0,0)-(319,199),1,B * 1390
320 LINE(0,YSCREEN(1))-(50,YSCREEN(2)),3 * 2351
330 LINE(-100,YSCREEN(3)) * 1462
340 LINE(0,YSCREEN(1)) * 1364
399 '
400 REM --- PRESS ANY KEY TO QUIT --- * 2378
410 A$=INKEY$: IF A$="" THEN 410 * 1774
420 END * 397
```

End

**Program Listing 3. Demonstrations of the Window command.**

```
1 REM --- SCREEN AND WORLD COORDINATES --- * 2777
2 REM --- PROGRAM 3 --- * 1423
3 REM --- DRAW ARROW IN EACH SYSTEM --- * 2621
99 '
100 REM --- SET SCREEN --- * 1615
110 KEY OFF: SCREEN 1,0: COLOR 0,0: CLS * 2334
199 '
200 REM --- USE SCREEN COORDINATES --- * 2444
210 WINDOW SCREEN (0,0)-(319,199) * 1874
220 C = 2: GOSUB 510 * 1078
299 '
300 REM --- USE REAL WORLD COORDINATES --- * 2745
310 WINDOW (0,0)-(319,199) * 1395
320 C = 1: GOSUB 510 * 1078
330 LINE(0,0)-(319,199),1,B * 1392
399 '
400 REM --- PRESS ANY KEY TO QUIT --- * 2378
410 A$=INKEY$: IF A$="" THEN 410 * 1774
420 END * 397
499 '
500 REM --- SUBROUTINE: DRAW ARROW --- * 2506
510 LINE(110,10)-STEP(20,40),C,B * 1751
520 LINE(70,50)-STEP(100,0),C * 1598
530 LINE-STEP(-50,40),C * 1323
540 LINE-STEP(-50,-40),C * 1369
550 RETURN * 666
```

End

**Program Listing 4. Demonstration of the relationship of Window and Draw statements.**

```
1 REM --- DRAW AND LINE STATEMENTS IN A WINDOW --- * 3260
2 REM --- PROGRAM 4 --- * 1424
99 '
100 REM --- SET SCREEN --- * 1615
110 KEY OFF: SCREEN 1,0: COLOR 0,1: CLS * 2335
199 '
200 REM --- DRAW IN THE WINDOW --- * 2146
210 WINDOW(50,50)-(269,149) * 1467
220 DRAW "CL", BM 20,20: R50 D50 L50 U50 * 2106
230 LINE(20,20)-STEP(50,50),2,B * 1690
240 LINE(50,50)-(269,149),3,B,6HCCCC * 1921
299 '
400 REM --- WAIT HERE FOR KEYPRESS --- * 2460
410 A$=INKEY$: IF A$="" THEN 410 * 1774
420 END * 397
```

End

### Program Listing 5. Verification of scale factor.

```

1 REM - - - SCALING THE VERTICAL - - - '* 2207
2 REM - - - PROGRAM 5 - - - '* 1425
99 '
100 REM - - - SET SCREEN AND SCALE - - - '* 2250
110 KEY OFF: SCREEN 1,0: COLOR 7,0: CLS '* 2341
120 SCALE = 15/16 '* 916
130 WINDOW(0,0)-(319,199) '* 1363
140 LINE(0,0)-(319,199),,B '* 1342
199 '
200 REM - - - UNSCALED RED BOX - - - '* 2007
210 LINE(60,60)-STEP(80,80),2,B '* 1702
299 '
300 REM - - - SCALED GREEN BOX - - - '* 1995
310 LINE(180,60)-STEP(80,SCALE*80),1,B '* 2155
399 '
400 REM - - - WAIT FOR A KEY PRESS - - - '* 2265
410 AS=INKEY$: IF AS="" THEN 410 '* 1774
420 END '* 397

```

End

### Program Listing 6. Demonstration of scaling.

```

1 REM - - - SCALING WITH WINDOW - - - '* 2168
2 REM - - - PROGRAM 6 - - - '* 1426
99 '
100 REM - - - SET SCREEN - - - '* 1615
110 KEY OFF: SCREEN 1,0: COLOR 7,0: CLS '* 2341
120 LINE(0,0)-(319,199),,B '* 1340
199 '
200 REM - - - DRAW BOX; TWO DIFFERENT WINDOWS - - - '* 3090
210 START = 30: LIMIT = 179 '* 1560
220 FOR C=1 TO 2 '* 897
230 WINDOW(0,0)-(LIMIT,179) '* 1716
240 LINE(START,30)-STEP(50,50),C,B '* 2137
250 START = 150: LIMIT = 269 '* 1743
260 NEXT C '* 602
299 '
400 REM - - - WAIT FOR A KEY PRESS - - - '* 2265
410 AS=INKEY$: IF AS="" THEN 410 '* 1774
420 END '* 397

```

End

### Program Listing 7. Demonstration of placing objects inside a viewport.

```

1 REM - - - VIEW DEMO - - - '* 1443
2 REM - - - PROGRAM 7 - - - '* 1427
99 '
100 REM - - - SET SCREEN - - - '* 1615
110 KEY OFF: SCREEN 1,0: COLOR 7,0: CLS '* 2282
120 VIEW SCREEN (50,50)-(160,100),0,3 '* 1986
199 '
200 REM - - - DRAW GREEN RECTANGLE MOSTLY OUTSIDE VIEWPORT - - - '* 4061
201 REM - - - DRAW UNFILLED RED RECTANGLE INSIDE VIEWPORT - - - '* 3922
202 REM - - - DRAW FILLED RECTANGLE INSIDE VIEWPORT - - - '* 3509
210 LINE(150,30)-(250,70),1,B '* 1476
220 LINE(60,60)-(100,80),2,B '* 1428
230 LINE(80,70)-(120,90),2,BF '* 1505
240 VIEW SCREEN(0,0)-(319,199) 'DRAW THE '* 1688
250 LINE(0,0)-(319,199),,B 'SCREEN BOUNDARY '* 1344
299 '
300 REM - - - PRESS ANY KEY TO QUIT - - - '* 2377
310 AS=INKEY$: IF AS="" THEN 310 '* 1772
320 END '* 396

```

End

### Program Listing 8. Demonstration of how viewports display graphs.

```

1 REM - - - 3 VIEWPORTS - - - '* 1609
2 REM - - - PROGRAM 8 - - - '* 1428
99 '
100 REM - - - SET SCREEN AND WINDOW - - - '* 2362
110 KEY OFF: SCREEN 1,0: COLOR 7,0: CLS '* 2341
120 WINDOW (0,0)-(319,199) '* 1394
130 LINE(0,0)-(319,199),1,B '* 1390
199 '
200 REM - - - READ DATA - - - '* 1498
210 FOR N=1 TO 8 '* 913
220 READ HI(N),LO(N),CLO(N) '* 1647
230 HI(N)=3*HI(N): LO(N)=3*LO(N): CLO(N)=3*CLO(N) '* 2885
240 NEXT N '* 611
250 DATA 28.8,25.8,27.5, 27.3,25.1,26.1 '* 1965
260 DATA 26.6,24.6,25.6, 26.6,22.4,26.6 '* 1965
270 DATA 26.9,22.4,23.8, 25.9,23.5,25.8 '* 1970
280 DATA 25.9,22.1,22.6, 24.6,21.8,24 '* 1858
299 '
300 REM - - - FIRST VIEWPORT - - - '* 1965
310 VIEW (10,10)-(150,90),0,3 '* 1458
320 GOSUB 2000 '* 791
330 GOSUB 3000 '* 793
399 '
400 REM - - - SECOND VIEWPORT - - - '* 2018
410 VIEW(170,10)-(310,90),1,3 '* 1481

```

Listing continued

ter of an ellipse to either of its furthest points. The color option lets you specify the color of the ellipse. The start and end points let you draw a partial ellipse (an arc) between them.

The computer draws ellipses counter-clockwise with zero at 3 o'clock. If you use a negative value for either or both end points of an arc, the computer adds a line from the end points to the center of the arc. This is a great help when you draw pie charts.

The aspect option sets the ratio of the Y axis (height) to the X axis (width). If this ratio is greater than 1, the radius lies along the Y axis. If the aspect ratio is less than 1, the radius is along the X axis.

Program Listing 9 (see p. 54) combines many options of the Circle command with the concepts of viewports. Photo 10 illustrates this using four viewports.

**The start and end points let you draw a partial ellipse (an arc) between them.**

Line 210 of Listing 9 displays the first viewport in the upper-left corner of the screen. From left to right, the aspect ratio changes from 2.5 (line 2010) to 1.3 (line 2020) to 0.4 (line 2030). Notice that in lines 2010-2030, the extra commas hold the places of the omitted start and end points. When you omit these points, the computer draws a complete ellipse rather than an arc. If you do not provide the commas, however, the computer interprets the aspect option as a start or an end point.

The subroutine at lines 3000-3999 draws arcs in the second viewport, which line 310 places in the upper-right part of the screen. From left to right, the start and end points of the arcs are zero and  $\pi/2$ ,  $\pi/2$  and  $3\pi/2$ , and  $3\pi/2$  and  $\pi/2$ .

The subroutine at lines 4000-4999 draws sections of circles by using negative values for the start and end points. Line 410 places these sections in the third viewport (in the lower-left part of the screen). From left to right, the start and end points are  $-\pi$  and  $-3\pi/2$ ,  $-2\pi$  and  $-\pi/2$ , and  $-\pi$  and  $-\pi/2$ .

The last subroutine (lines 5000-5999) draws and paints three circles with an aspect ratio of 0.89. This aspect ratio produces a round-looking circle on our display. The Paint command colors the circles. Its form is:

PAINT (X,Y),f,b



SAVE 48% RIGHT NOW!

***"I have found something in almost every issue that has been worth the price of the subscription. I am amazed at the broad spectrum of the technical articles you publish, with ample material for both novice and advanced programmer."***

Roger L. Holstege...MD

And with 6 to 12 new programs for your Tandy computer in every issue, you too will find something each month that's worth the low cost of your subscription! Just type them in, and they're yours. Spreadsheets, word processors, all kinds of home, business and personal applications, plus helpful utilities that make all your programs easier to write, debug and use.

### VALUABLE HARDWARE PROJECTS

Want more value? How about *80 Micro's* money saving **hardware projects** you build yourself...or our frequent **patches and enhancements** that make commercial software programs even better.

### PROGRAMMING TECHNIQUES & TUTORIALS

You'll add to the value of your computer and get more out of every hour you spend computing with expert guidance from *80 Micro's* **programming techniques** that help you streamline and improve programs. In addition, *80 Micro's* step-by-step **tutorials** keep you ahead of today's fast-moving technologies like nothing else.

### HARDWARE & SOFTWARE REVIEWS

Avoid even one chancey hardware purchase, and you've saved enough to repay years of *80 Micro* subscriptions! You'll save yourself a bunch of time and hassle, too, with *80 Micro* checking out new software for you. Zero in on programs and products you want and skip the clunkers.

► For even quicker service, ☎ **CALL TOLL FREE 1-800-258-5473** (in NH, dial 1-924-9471) and charge it to your credit card!



### THE MOST WIDELY READ MAGAZINE IN ITS FIELD

*80 Micro* is the most widely read magazine serving Tandy users today, with the largest editorial staff in its field. It's the oldest and most authoritative, too, so you know you can trust the help and advice you find in every issue.

### START SAVING NOW WITH 48% OFF THE COVER PRICE!

Yes it's true. You don't even have to wait for your first issue to start saving with *80 Micro*! Just use the coupon below or return the postpaid card opposite and you'll start receiving *80 Micro* every month at a full **48% off** the Newsstand Rate. *If you're ever dissatisfied, for any reason, you'll be reimbursed for all un-delivered issues. Guaranteed!* So do it now. And get *80 Micro's* value working for you, *every month* from now on!

\* TRS-80 is a trademark of Radio Shack, a division of Tandy Corp.

**YES**, I want to add the value of *80 Micro* every issue. Enter my no-risk subscription for 12 monthly issues at the Introductory Rate of just \$24.97! I save a full **48% off** the newsstand price!

☐ Payment enclosed ☐ Bill me **374B8**

Name (Please Print) \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_

Zip \_\_\_\_\_

Canada and Mexico, \$27.97, Foreign surface \$44.97, 1 year only. Foreign airmail, \$79.97. US funds drawn on US bank. Please allow 6-8 weeks for delivery.

**80 Micro • Box 981 • Farmingdale, NY 11737**

in which (X,Y) designates the point from which the computer is to paint, f designates the fill color, and b designates the boundary color.

You must make sure that point (X,Y) is within the closed area that you specify. If it is not, paint spills all over your drawing. The painted circles are in the fourth viewport in the lower-right part of the screen. From left to right, the computer draws the circles in green, red, and brown. It then paints them brown to the green boundary, green to the red boundary, and red to the brown boundary.

### Using Circle

Businesses often use circle graphs (pie charts) to represent percentages or market shares. Our final program draws and labels a simple pie chart.

The graph shows the percentage of market share of three companies as well as a catch-all category that lumps all the other companies in the market together. One company's slice of the market is pulled away from the pie. Table 6 (see p. 49) shows the companies' market shares. Photo 11 shows the pie graph.

Program Listing 10 (see p. 54) sets a real-world coordinate window in lines 100-199. The circumference of a circle equals  $2\pi$  radians. Lines 200-299 calculate the percentages of the circumference necessary for each section of the graph. Lines 300-399 draw and paint the sections.

This block of the program also draws a line from each section to its label. The pie section that is pulled away displaces its center to the left above the center shared by the other sections (line 330). Lines 400-499 print the labels and title using Locate statements to place each label at the appropriate row and column.

### Further Exploration

GW-Basic provides such a rich resource of graphics techniques that it is impossible to provide an in-depth discussion in such a short article. Use the information we give in this article as a stepping-off place for further exploration on your own. Experiment with all the graphics commands until you feel comfortable with them.

We have demonstrated only one graphics mode. Try modifying our programs to run in other modes. Try changing palettes and colors. Experiment! ■

*Don Inman has written two books on IBM PC graphics, one with his son, Kurt. He is also the author of numerous articles on computer graphics. Bob Albrecht has been writing about computers since the early 1960s and is a co-founder of Dr. Dobbs's Journal of Software Tools. Write to them c/o Dragonquest, P.O. Box 7627, Menlo Park, CA 94026.*

## THE SMART WAY TO SAVE YOUR 80 Micro

You'll find all your favorite issues of **80 Micro** in minutes—and in great condition—with smart-looking binders or file cases from Jesse Jones.

Sturdy, protective file cases make for easy access to each issue, while rugged binders allow magazines to lay flat for easy reference. Both hold 12 issues, are custom-designed in green with gold spine lettering, and are **unconditionally guaranteed**.

### Order today!

**File Cases:** \$6.95 ea.; 3/\$20; 6/\$36.

**Binders:** \$8.50 ea.; 3/\$24.75; 6/\$48.

**YES!** Please send me protection for my **80 Micro**:

\_\_\_\_\_ File Cases \_\_\_\_\_ Binders

I enclose my check or money order for \$ \_\_\_\_\_

Name \_\_\_\_\_


Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

US currency only. Outside US, add \$2.50 per item for postage and handling. Please allow 4-6 weeks for delivery.

### MAIL TO:

Jesse Jones Box Corp.  
PO Box 5120-Dept. 80 M  
Philadelphia, PA 19141



Circle 145 on Reader Service card.

## Automatic DeskTop Publishing

with the

## PowerText Formatter

With a Hewlett-Packard LaserJet and word processing software, all you need for DeskTop Publishing is the new PowerText Formatter.

For books, manuals, manuscripts, television scripts, screenplays, letters, memos, proposals, newsletters, contracts or ads like *this*, add the PowerText Formatter to your word processor for in-house printing. Write without concern for layout. Publish without typesetting. Everything is totally automatic.

**Automatic Selection** of up to 16 types, Proportional justification, Text layout, Page layout, Hyphenation, Multi-column layout, Table of contents, Sorted bibliography, Two level index, Footnotes on same page,

Newsletter formats, Boxed text, Outline numbering, and much more.

**PowerText Graphics** integrator for including pictures, graphs, symbols from *any* graphics package available as add-on to PowerText Formatter.

Works with all of the popular word processors and any ASCII Editor. For PC/MS-DOS computers.

### Beaman Porter, Inc.

417 Halstead Avenue  
Harrison, NY 10528  
(914) 835-3156  
(800) 431-0007

Price: **\$89.95** each plus 5.00 shipping.



## Listing 8 continued

```

420 GOSUB 2000
430 GOSUB 4000
499
500 REM -- -- THIRD VIEWPORT -- --
510 VIEW(10,100)-(150,180),0,1
520 GOSUB 2000
530 GOSUB 5000
599
600 REM -- -- TITLE -- --
610 LOCATE 16,24: PRINT "STOCK PRICES"
620 LOCATE 18,25: PRINT "FOR 8 DAYS"
630 GOTO 630
699
2000 REM -- -- SUB: DRAW AXES -- --
2010 LINE(310,20)-(310,180)
2020 LINE(20,20)-(310,20)
2030 RETURN
2999
3000 REM -- -- SUB: DRAW LINE GRAPH -- --
3010 FOR N=1 TO 7
3020 COL = 40*(N-1)+20
3030 LINE(COL,CLO(N))-(COL+40,CLO(N+1))
3040 LINE(COL,17)-(COL,23)
3050 NEXT N
3060 RETURN
3999
4000 REM -- -- SUB: DRAW HI/LO/CLOSE GRAPH -- --
4010 FOR N=1 TO 8
4020 COL = 40*(N-1)+20
4030 LINE(COL,LO(N))-(COL,HI(N))
4040 LINE(COL-3,CLO(N))-(COL+3,CLO(N))
4050 LINE(COL,17)-(COL,23)
4060 NEXT N
4070 RETURN
4999
5000 REM -- -- SUB: DRAW BAR GRAPH -- --
5010 FOR N=1 TO 8
5020 COL = 40*(N-1)+20
5030 LINE(COL-8,20)-(COL+8,CLO(N)),BF
5040 NEXT N
5050 RETURN

```

End

## Program Listing 9. Demonstration of Circle command options.

```

1 REM -- -- VIEWPORTS WITH CIRCLES -- --
2 REM -- -- PROGRAM 9 -- --
99
100 REM -- -- SET SCREEN AND WINDOW -- --
110 KEY OFF: SCREEN 1,0: COLOR 7,0: CLS
120 WINDOW(0,0)-(319,199)
130 LINE(0,0)-(319,199),1,B
140 PI = 3.14159
199
200 REM -- -- FIRST VIEWPORT -- --
210 VIEW(10,10)-(150,90),0,3
220 GOSUB 2000
299
300 REM -- -- SECOND VIEWPORT -- --
310 VIEW(170,10)-(310,90),1,3
320 GOSUB 3000
399
400 REM -- -- THIRD VIEWPORT -- --
410 VIEW(10,100)-(150,180),0,1
420 GOSUB 4000
499
500 REM -- -- FOURTH VIEWPORT -- --
510 VIEW(170,100)-(310,180),0,2

```

Listing continued

## Listing 9 continued

```

520 GOSUB 5000
599
600 REM -- -- TITLE -- --
610 LOCATE 11,7: PRINT "Ellipses"
620 LOCATE 11,30: PRINT "Arcs"
630 LOCATE 22,7: PRINT "Sections"
640 LOCATE 22,23: PRINT "Painted Circles"
650 GOTO 650
699
2000 REM -- -- SUB: DRAW ELLIPSES -- --
2010 CIRCLE(50,100),40,1,,2.5
2020 CIRCLE(160,100),40,2,,1.3
2030 CIRCLE(270,100),40,3,,.4
2040 RETURN
2999
3000 REM -- -- SUB: DRAW ARCS -- --
3010 CIRCLE(50,100),40,2,0,PI/2
3020 CIRCLE(160,100),40,2,PI/2,3*PI/2
3030 CIRCLE(270,100),40,3,3*PI/2,PI/2
3070 RETURN
3999
4000 REM -- -- SUB: DRAW SECTIONS -- --
4010 CIRCLE(50,100),40,1,-PI,-3*PI/2
4020 CIRCLE(160,100),40,2,-2*PI,-PI/2
4030 CIRCLE(270,100),40,3,-PI,-PI/2
4070 RETURN
4999
5000 REM -- -- SUB: DRAW CIRCLES -- --
5010 CIRCLE(50,100),40,1,,.89
5020 CIRCLE(160,100),40,2,,.89
5030 CIRCLE(270,100),40,3,,.89
5040 PAINT(50,100),3,1: PAINT(160,100),1,2: PAINT(270,100),2,3
5050 RETURN

```

End

## Program Listing 10. Pie chart representation of market share.

```

1 REM -- -- PIE GRAPH -- --
2 REM -- -- PROGRAM 10 -- --
99
100 REM -- -- SET SCREEN -- --
110 KEY OFF: SCREEN 1,0: COLOR 7,0: CLS
120 WINDOW(0,0)-(319,199)
130 LINE(0,0)-(319,199),B
199
200 REM -- -- SET CIRCLE PARAMETERS -- --
210 PI = 3.14159
220 A = 2*PI*.24: B = 2*PI*.15+A: C = 2*PI*.000001E-02+B
299
300 REM -- -- DRAW AND PAINT CIRCLES -- --
310 CIRCLE(160,100),80,-2*PI,-A,.89
320 CIRCLE(160,100),80,A,-B,.89
330 CIRCLE(150,104),80,-B,-C,.89
340 CIRCLE(160,100),80,-C,2*PI,.89
350 PAINT(170,120),2,3: LINE(235,150)-(215,150)
360 PAINT(140,120),1,3: LINE(95,160)-(115,160)
370 PAINT(130,115),3,3: LINE(58,135)-(78,135)
380 LINE(80,55)-(180,55)
399
400 REM -- -- PRINT LABELS -- --
410 LOCATE 6,30: PRINT "A Co."
420 LOCATE 5,8: PRINT "B Co."
430 LOCATE 8,3: PRINT "C Co."
440 LOCATE 18,5: PRINT "Others"
450 LOCATE 24,15: PRINT "Market Share";
499 GOTO 499

```

End



# Rose

## You've Got TOTAL ACCESS

(specializing in TRS-80 \*)

### TO YOUR COMPUTER HARDWARE & SOFTWARE NEEDS. CALL ROSE TODAY!

#### QUALITY DISK DRIVES

These drives are complete with power supply, cover and external drive connector. For TRS-80 Model I, III, 4, IBM PC and others. All drives are Double Density and step at 6ms or less. SS means single head, DS is double head. Specify white or silver color cover for no additional charge or my beautiful new Stainless Steel cover for only \$9 additional. Add \$5 per drive shipping unless otherwise specified. All drives have a one year warranty on parts and labor. Bare drives, that is, just the drives themselves are also available for those of you who don't need or want one of my power supplies.

#### COMPLETE 3.5" - 5.25" - 8" DISK DRIVES

1ea. 40tk DS TEAC FD-35B in a dual case	157
2ea. 40tk DS TEAC FD-35B in a dual case	255
1ea. 80tk DS TEAC FD-35F in a dual case	177
2ea. 80tk DS TEAC FD-35F in a dual case	285
40tk SS Tandon TM100-1	\$ 147
40tk DS Tandon TM100-2	157
1ea. 40tk SS TEAC FD-55A in dual case	\$ 127
2ea. 40tk SS TEAC FD-55A in dual case	217
1ea. 40tk DS TEAC FD-55B in dual case	137
2ea. 40tk DS TEAC FD-55B in dual case	257
1ea. 80tk DS TEAC FD-55F in dual case	157
2ea. 80tk DS TEAC FD-55F in dual case	277

Add \$10 S &amp; H per case for these "B" drives.

2ea. SS TM848-1E's in dual case with fan	\$ 647
2ea. DS TM848-2E's in dual case with fan	697

#### BARE 5.25" & 8" DISK DRIVES

Add \$4 shipping per drive.

40tk SS, Full Size, Tandon TM100-1	\$ 99
40tk DS, Full Size, Tandon TM100-2	119
40tk SS, Half-High, TEAC FD55-A	99
40tk DS, Half-High, TEAC FD55-B	109
80tk DS, Half-High, TEAC FD55-F	129
8" SS, Thinline, Tandon TM848-1E	259
8" DS, Thinline, Tandon TM848-2E	333

#### TRS-80 MODEL III/4 DISK DRIVE KITS

Add \$8 shipping per kit

Internal drive kit complete with disk controller, power supply, mounting brackets, cables and all hardware plus step-by-step instructions. This kit contains everything you need (except the Disk Operating System, drive and a screwdriver) to convert your cassette Model III or 4 to fast reliable disk operation. Don't confuse this quality kit with the high-priced ripoffs. Thousands of satisfied customers cannot be wrong. You can join them for only \$ 189  
Same as above but with 1-40tk SS drive \$289  
Same as above but with 2-40tk SS drives \$388

#### TRS-80 MODEL I DOUBLE DENSITY CONTROLLERS

Add \$3 shipping.

Aerocomp "DDC" Really the best by test	\$ 99
Aerocomp "DDC" with LDOS	159
Aerocomp "DDC" with NEWDOS 80-v2.0	179

#### OTHER DRIVE GOODIES

Add \$2 shipping.

TRSDOS 1.3 Disk & Manual for Model III	\$ 24
TRSDOS 2.3 Disk & Manual for Model I	24
TRSDOS 6 x Disk & Manual for Model 4	34
LDOS for the Model I or III	69
NEWDOS 80 v2.0 for the Model I or III	99
2-drive cable for Model I/III/4	24
2-drive external cable for IBM PC	40
4-drive cable for Model I	34
Extender cable, 7' long	9
5.25" power supply & encl., white or silver	59
Stainless Steel Covers	12
8" power supply, fan & enclosure, beige	149

## ROSE GETS RIGHT! NOW---ROSE'S MOD 4 CP/M \$ 69

Complete with Manual

Rose has latched onto this slick version of CP/M 2.2 that allows you to run most of your favorite CP/M programs with ease. It even lets you read and write other manufacturers' disk formats. What could be nicer? They are in stock ready for you to use and enjoy.

#### TRS-80 SPECIAL EQUIPMENT

12" Green Comp. Monitor. Add \$10 for TTL	89
12" Amber Comp. Monitor. Add \$10 for TTL	84
16K 200 nsec RAM Guaranteed 1 year(8 chips)	9
64K 200 nsec RAM Guaranteed 1 year(8 chips)	19
64K RAM plus Genuine PAL for Model 4	29
256K 150 nsec RAM 1 yr guarantee (8 chips)	39

#### MEDIA & SUPPLIES

5" Diskettes SSDD, Lifetime Guarantee. 10pk	\$ 16
5" Diskettes DSD, Lifetime Guarantee. 10pk	19
5" Flipsort, holds 75 Diskettes	16
8" Diskettes SSDD, Lifetime Guarantee. 10pk	24
8" Diskettes DSD, Lifetime Guarantee. 10pk	29
8" Flipsort, holds 50 Diskettes	22
5.25" or 8" Head Cleaning Kit	9
Letter Size 20 lb. Tractor Paper, 2900 sheets	25

#### SPECIAL SOFTWARE DEALS

WordStar 3.3 (Specify MM or R/S format)	\$ 195
MailMerge, SpellStar, Starindex, all 3 for just	99
WordStar Professional (Above 4 Programs)	275
DataStar Data Entry & Retrieval	125
ReportStar Report Generator	105
InfoStar Advanced DBMS (Above 2 Programs)	195
dBASE II Complete With Disk Tutorial	345
Super Utility Plus 3.2 by Kim Watt	59
CP/M 2.2 for Model 4 by Monte Zuma	169
Turbo PASCAL by Bor Land. Requires CP/M	44
Turbo Toolbox by Bor Land	45
Turbo TUTOR by Bor Land	35
Pickles & Trout CP/M 2.2m for the Model	
2-12-16. Floppy Version	179
Same thing but the Radio Shack Hard Disk	219

#### CP/M & 80 COLUMN for your MODEL III

No need to buy a new computer when you can use the Holmes VID-80 modification and get CP/M 2.2, 64K RAM and 80 column video. This kit is easy to install and requires no soldering. Even a dolt like you can end up with a complete 64K CP/M computer with an 80 column screen that is still able to run all your existing Model III software. For the first time you will be able to use CP/M programs that normal people do, such as dBASE II and WordStar. The regular price of this kit is \$524. Now Rose will get you going for only \$ 299  
Add \$5 shipping

I'll ship you the Holmes deal above PLUS WordStar 3.3 installed, complete with original manuals ready to run for only \$ 399

### ORDER NOW! TOLL-FREE

## 800-527-3582

### Orders Only Please

Call in your order or write to us at the address below. Texas residents call us at 214-634-3336 and deduct \$2.00 from your order but you should remind me 'cause sometimes I forget. If you need technical information or service please call the Texas number as the Toll Free lines are just for orders only. Prices are subject to change without notice and are mail order only. I accept AMERICAN EXPRESS, MASTERCARD and VISA and I will not charge your card until I ship your goodies. You can send a check or a money order. I also accept COD orders but they require cash or a cashier's check upon delivery. If shipping charges are not shown please call for the correct amount. Add \$5.00 handling charge if your order is less than \$50.00. Shipping charges quoted in this ad are for the lower 48 states only. Orders to Canadian address add \$20.00 to pay for doing all those papers for customs. Texans add State Sales tax. No tax collected on shipments outside of Texas. Be sure you know what you are buying. SOFTWARE IS SOLD ON A REPLACEMENT BASIS ONLY - NO REFUNDS. If it is defective call us for instructions. Please order from me now---I need the money and I will not jack you around. I reserve the right to charge up to a ten percent restocking charge if you jack me around. All merchandise carries the original manufacturers' warranty and all repairs or adjustments will be made by the manufacturer or his designated representative.

NEXT DAY SHIPMENT of Goods in Stock.

## TOTAL ACCESS

2544 West Commerce Street  
P.O. Box 223957  
Dallas, Texas 75212  
214-634-3336





Illustration by Michael Parakevas



# Payday Made Easy

**Run a small business? Our Basic payroll program can save you hours of work—every week.**

**by G.S. Bradshaw**

**P**ayroll programs should save time and allow for easy modification. My Barefoot Basic Payroll program (Listing 1) does just that. It calculates and prints both current and month-to-date payroll reports for most small businesses. I call it Barefoot Basic because of its simplicity. The program calculates and prints, in less than 20 minutes, an accounting firm's payroll that used to take four hours to prepare.

The program has few instructions. I made the user interface a priority. The syntax and command structure is direct, making the program easy to read and modify. I wrote it for a Model 4, but I list changes for the Tandy 1000 later.

You can correct any of the stored variables and print or reprint reports of the corrected data. You can change any of the three types of data stored in the program: basic employee data, current paycheck, and month-to-date payroll. The variables list in the Table shows the records that you need to store data and indicates the precision of the numeric variables. It also gives the names of the variables and the space that the variables require.

While many payroll programs use a question-and-answer format to let the user update variables such as state or federal withholding formulas, this program requires changes to its code. Using Barefoot Basic means that you do not need to know advanced programming techniques to make these changes.

The program retains its tailor-made qualities, and only the formulas that you need are included in it. This improves speed, requires no dedicated keystrokes, and asks no vague questions.

## **What the Heck Is Barefoot Basic?**

Program Listings 2 and 3 show the difference in command structure between Basic and Barefoot Basic. Both listings calculate the federal withholding for gross pay equal to or less than approximately \$500 per week. Listing 2 is ingenious Basic. The computer understands it, and it saves code and improves speed. Listing 3 uses Barefoot Basic and works the same as Listing

2, but it is easier to read and modify.

Imagine reading a page of a book on which there are three references: "See paragraph 200," "See paragraph 14," and "See paragraph 300." Flipping back and forth between pages makes difficult reading. In a Basic program the use of GOSUB or GOTO makes the code hard to read. In a single page of some listings it is necessary to flip back and forth between pages 20 times to follow the program's logic, identify the changes required, and ensure that any additions to the code are inserted at the right points in the sequence.

The rules of Barefoot Basic are simple: Do not be afraid to repeat a command rather than use a GOSUB or GOTO; when you define a function explain what it does; avoid nonsense strings like PCADSBMX with the INSTR command; and sprinkle the program with remarks. Most of the values that the program needs are included in the code as constants rather than stored as variables that you provide. The program maintains data files, so you can reprint a report after changing payroll data.

The program's "tailor made" qualities keep it simple. For example, the program is written for a weekly payroll. Instead of having to enter changes to accommodate bi-weekly, semi-monthly, or monthly payrolls, just change the program listing.

For a biweekly payroll you would put new values from the *Employer Tax Guide* into the tax tables. The program makes no special provisions for salaried employees, since you can easily include them by using a 40-hour week and the corresponding hourly rate.

For a small business, the trouble of loading, lining up, and test printing paychecks probably outweighs the advantage of a paycheck-writing option. This program doesn't have one, but you could add a short paycheck-writing routine after the paystub-printing code.

The program does not print 941-A, unemployment tax, or W-2 forms, which would require quarter-to-date and year-to-date payroll information. Although you can get the raw data from the Payroll/DAT file that Barefoot Basic Payroll creates, I suggest that you use a separate program



## **System Requirements**

**Model 4**  
**(Tandy 1000 with changes)**  
**Disk Basic**  
**32K RAM**  
**Printer**



to transfer the data to a new file, obtain the necessary cumulative totals, and print the reports. You can insert code to call the program from the payroll main menu. An easy way to store and subtotal information on quarter-to-date and year-to-date payrolls is to enter monthly totals into a spreadsheet template.

## Using the Program

After you save this program on a system disk as Payroll/BAS, press the caps-lock key, as all entries must be in uppercase. Then, set the maximum number of lines per page (Model 4 users only); while still at TRSDOS Ready, enter the following commands:

```
SET *FF TO FORMS/FLT
FILTER *PR *FF
FORMS (LINES = 60)
```

These commands tell TRSDOS to print four paycheck stubs (60 printed lines) on 8½-by 11-inch paper, then scroll six lines to start a new page. If you enter SYSGEN after these commands, TRSDOS records them on disk; thereafter, your system will boot in uppercase mode with the number of lines per page set to 60.

Finally, while still at TRSDOS Ready, enter:

```
AUTO BASIC PAYROLL/BAS
```

You can now enter the program by rebooting. It requests the name of your company, which it prints on the paycheck stub (see Fig. 1). Entering the name sends you to the menu. At the menu, type A to add employees and enter data as the prompts request. I didn't disable the break key. If you break the program, type and enter CLOSE to ensure that you don't leave the file open.

After you enter all employees, enter P from the menu to calculate a payroll. Do not use the break key or the reset button before you complete the payroll and are back at the menu.

The program lists each employee and provides prompts for hours worked and other information. If, for any reason, you enter the wrong information, continue entering until the prompt says "Press C for changes." Then make corrections.

When the program prints a paycheck stub, it records the data on disk. There is no convenient way to reenter information on a particular employee. Complete the payroll for all employees and, when the program returns to the menu, enter C to change mistakes and print a new paycheck stub. If for any reason you do not complete the payroll, reenter the program from the beginning after copying the Payroll/DAT file from your back-up copy.

The month-to-date payroll that is stored on disk contains cumulative totals not including the last paycheck. If you change month-to-date figures, remember to enter the correct figures based on the month-to-

date prior to the current paycheck.

## Program Description

The first 250 lines initialize the program. The rest are divided into seven modules. The information that the program needs is initialized beginning with line 30. Lines 40 and 50 define the program's functions after clearing, dimen-

sioning, and defining integers.

Line 40 is required because the Print Using command rounds off the printed value of any specified number, but does not change the value of that number stored in RAM. For example, \$12.444 + \$12.444 is usually printed as \$12.44 + \$12.44. With Print Using, however, \$24.888 (the total) is printed as \$24.89.

Type	Number in array	Variable name	Bytes reserved in record
%	1	employee no.	2
\$	2	employee name	19
\$	3	street	20
\$	4	city, state, zip	20
\$	5	Social Security no.	11
\$	6	marital status	1
\$	7	active (Y or N)	1
%	8	exemptions	2
!	9	hourly pay rate	4
!	10	overtime pay rate	4
!	11	federal withholding dependency deduction	4
!	12	state withholding deductions (subtotal)	4 112
\$	13	date	12
!	14	regular hours	4
!	15	overtime hours	4
!	16	current gross	4
!	17	tips as wages	4
!	18	current FICA	4
!	19	current federal withholding	4
!	20	current state withholding	4
!	21	other deductions	4
!	22	net pay (subtotal)	4 52
#	23	month-to-date gross	8
!	24	month-to-date FICA	4
!	25	month-to-date federal with.	4
!	26	month-to-date state withhold.	4
!	27	month-to-date tips as wages	4
!	28	month-to-date tips	4
#	29	month-to-date net pay	8 36
		total memory reserved:	200

### Working variables

CN\$	company name
DA\$	date of check
FT	federal taxable wage
FL	flag (paycheck correction)
GP	gross wages
LF	last of file
MT	Missouri taxable wage
MO	state withholding check deductions
MT(X)	company total (month to date)
OP	overtime pay
RP	regular pay
TG	wages plus tips
TP(X)	company total (current)
X	record number

I used several other temporary variables such as I\$ and E\$, but their use is self-explanatory in the program.

Table. Variables list.

# Back Issues

**January 1984:** Tandy's Model 2000 and an MS-DOS overview; also, an Assembly language tutorial.

**February 1984:** The Creator—new and improved data base management, also, tabulate and analyze opinion polls.

**March 1984:** Hinrich's word processor, a III to 4 conversion program, and a Machine-language arcade game.

**April 1984:** CP/M digest, Model III/4 conversion program, pie and bar chart program, and new Scripsit characters.

**May 1984:** Telecommunications special, VisiCalc enhancements, Pascal, and a program that eases math anxiety.

**June 1984:** Tape to disk transfer program, award-winning graphics, and a business report analyzer.

**July 1984:** Guide to Disk Operating Systems, GW-Basic, and a Machine-language minimizer.

**August 1984:** Games issue, Model 4 ED-TASM, dBase II, Scripsit extras, and quality sales reports.

**September 1984:** Disk drive repair and maintenance and a guide to Editor/Assemblers.

**October 1984:** Bar codes, educational programs for teachers, and speech synthesis.

**November 1984:** Special utilities issue, cassette Basic enhancements, and a hybrid text editor.

**December 1984:** Gift guide, football strategy game, wind chill calculator, and an easy data base manager.

**January 1985:** Basic compiler, Scripsit enhancements, custom graphics characters, and TRSDOS 1.3 patches.

**February 1985:** Line and bar graph program, CW Basic, and easy Assembly-language programming.

In each back issue, you'll also find our regular features, reviews of popular software and hardware, and dozens of useful programs that are yours for the typing.

Each back issue costs \$4.50 plus \$1 shipping and handling. On orders of 10 or more back issues, there is a flat \$7.50 shipping and handling fee. Quantities are limited. Send your orders to: 80 Micro, Attn: Back-Issue Orders, 90 Pine St., Peterborough, NH 03458.

## SEE WHAT WE OFFER.

**TANDY 1000 SX**  
640K2 D.D.30 MEG. H.D.



### Think About It

If a retailer is willing to MEET OR BEAT OUR PRICE can you trust him? Doesn't it mean he will take you for more, if he can, and only give you a better price IF YOU CATCH HIM AT IT...?

Someday, our competition will give as much!

### GREAT NEWS...



## EPSON PRINTERS!

**TANDY 2000 H.D.**  
768K1 D.D.10 MEG. H.D.  
8 MHz CLOCK SPEED



**TANDY 3000 H.D.**  
1 MEG RAM 1 D.D.30 MEG H.D.  
8 MHz CLOCK SPEED



CUSTOMER SERVICE/QUESTIONS ABOUT YOUR ORDER and in TEXAS 1-817-573-4111 (9 am to 5 pm TEXAS TIME MONDAY-FRIDAY)

**Fort Worth Computers**  
377 Plaza  
Granbury, Texas 76048

**FORT WORTH COMPUTERS**

(WE ARE SERIOUS ABOUT SAVING YOU MONEY)  
Located 30 miles from Ft. Worth



**FOR LATEST PRICES**  
**CALL FREE (1-800) 433-S-A-V-E**



This looks like a one-cent error to employees. FNR(Y) rounds off calculated values and prevents apparent errors in the paycheck stub.

Line 100 checks to see if the line printer is turned on. If not, it prints "Printer not ready" and returns to the "Enter company name" prompt. This process repeats until you turn on the printer.

Lines (130-250) open the Payroll/DAT file and set up subroutines to define the fields, convert string data in the buffers, and set data in the buffer as required.

Module 1 (lines 1000-1250) stores information concerning each employee. Missouri withholds taxes by deducting the federal tax, a standard deduction and a dependency deduction from gross pay. The program multiplies the remainder by an appropriate factor to determine the withholding tax for the period. You must enter the sum of the standard deduction and the dependency deduction as the employee reported on form MO-W2.

You enter this sum as an annual deduction. The program converts it to a weekly deduction by dividing it by 52. To convert to another pay period, change the divisor to correspond to that period (line 1160). If your state does not require a deduction, change line 1160 to B(12)=0.

Line 1180 calculates a deduction for federal withholding. It is based on a weekly salary. The Internal Revenue Service (IRS) circular E lists the corresponding allowance for other pay periods.

Module 2 begins with line 2000. Lines 2060-2130 check to see if you are entering the first payroll of the month. If you are, they set both current payroll and month-to-date totals to zero. If you are not, they add current payroll to the cumulative totals for the month and zero the current payroll.

This happens whenever you begin a new payroll. It lets you open a file at any time, make corrections, and print a new payroll summary or month-to-date report that reflects those changes. If the program listed an update function on the menu, you could add the current payroll to the month-to-date totals more than once. To prevent this from happening, the program maintains current payroll data until it is time to calculate a new one.

In line 2160, B\$(7) determines whether an employee is active. The program skips over inactive employees.

The first part of line 2170 converts the check date to B\$(13) and records it as A\$(13). The program does not use the date record on the disk. It occupies 12 spaces in the record that the program can use for something else.

Line 2200 asks about tips that employees receive. If none of your employees receive tips, ignore the entry or alter it to show other income (commissions, bonuses, and so on). Be sure to change line 2600 by substituting TG (total gross) for

## Barefoot Basic can easily convert the annual deduction to the weekly deduction.

GP (gross pay).

For restaurant use, the program calculates tips as wages (the portion of an employee's tips that the employer counts as wages). It uses \$3.35 per hour as a mini-

mum wage, and calculates tips as wages as that portion of the tips required to meet the minimum wage. Line 2280 calculates this and rounds the result to dollars and cents.

Line 2290 uses 7.15 percent of gross pay to calculate Federal Insurance Contributions Act (FICA) withholding. Change this value when the tax law changes.

Lines 2300-2440 calculate the federal withholding tax based on the 1987 calendar year. Modify these tables in accordance with IRS circular E for changes in the tax law and for pay periods other than weekly.

Lines 2470-2590 calculate Missouri withholding tax. Since each state has its own tax structure, change this calculation for other states. Some states have simple tax tables, others are complicated. If writing the code for your state is too difficult, replace these lines with: 2590 INPUT "EN-


Program Listing 1. Barefoot Basic Payroll. See p. 132 for information on using checksums in Listing 1-3.

```
10 ' -----PAYROLL/BAS-----REV. JAN. 1 1987
20 ' ---Written by G. S.Bradsaw, P. O. Box 1112, Branson, MO. 656
16
30 CLEAR: DIM A$(30), B$(30), B(30): DEFINT J, L, X
40 DEF FNR(Y)=INT((Y*100)+.5)/100 '---ROUND OFF FUNCTION
50 CLS: PRINT @ (2,25), "P A Y R O L L P R O G R A M "
60 PRINT @ (4,0), "DOLLAR figures such as TIPS must be entered in
the adding machine mode, i.e.400 is entered and the computer r
eads it as $4.00. HOURS WORKED must be in the decimal mode
, ie. 23-1/4 is entered as 23.25"
70 PRINT @ (8,0), "Data from this program is stored in a disc fil
e named 'PAYROLL/DAT' in drive:0. Entering <B> from the menu wi
ll make a backup copy of this data on drive:1"
80 PRINT: PRINT "Before continuing, check to make sure a formatted
data disc is in drive one, the printer is turned on
, and the paper is lined up"
90 PRINT @ (14,15), "ENTER COMPANY NAME FOR THIS PAYROLL: "; INP
UT C$: IF C$="" THEN 60
100 J=INP(248): IF (J AND 240)<> 48 THEN CLS: PRINT @ (16,25), "PR
INTER NOT READY": GOTO 80
110 GOTO 7010
120 ' SUBROUTINES TO FIELD, CONVERT STRING DATA, AND LSET VARIABLE
S
130 OPEN "R", 1, "PAYROLL/DAT:0",200: LF=LOF(1)
140 FIELD 1, 2 AS A$(1), 19 AS A$(2), 30 AS A$(3), 30 AS A$(4), 11
AS A$(5), 1 AS A$(6), 1 AS A$(7), 2 AS A$(8), 4 AS A$(9), 4 A
S A$(10), 4 AS A$(11), 4 AS A$(12)
150 FIELD 1, 112 AS D1$, 12 AS A$(13), 4 AS A$(14), 4 AS A$(15), 4
AS A$(16), 4 AS A$(17), 4 AS A$(18), 4 AS A$(19), 4 AS A$(20)
, 4 AS A$(21), 4 AS A$(22), 4 AS A$(23)
160 FIELD 1, 164 AS D2$, 8 AS A$(24), 4 AS A$(25), 4 AS A$(26), 4
AS A$(27), 4 AS A$(28), 4 AS A$(29), 8 AS A$(30): RETURN
170 LSET A$(1)=MKIS(B(1)): LSET A$(2)=B$(2): LSET A$(3)=B$(3): LSE
T A$(4)=B$(4): LSET A$(5)=B$(5): LSET A$(6)=B$(6): LSET A$(7)=B
$(7): LSET A$(8)=MKIS(B(8)): LSET A$(9)=MKSS(B(9)): LSET A$(10)
)=MKSS(B(10)): LSET A$(11)=MKSS(B(11)): LSET A$(12)=MKSS(B(12)
)SS(B(12))
180 LSET A$(13)=B$(13): LSET A$(14)=MKSS(B(14)): LSET A$(15)=MKSS(
B(15)): LSET A$(16)=MKSS(B(16)): LSET A$(17)=MKSS(B(17)): LSET
A$(18)=MKSS(B(18)): LSET A$(19)=MKSS(B(19)): LSET A$(20)=MKSS(
B(20)): LSET A$(21)=MKSS(B(21)): LSET A$(22)=MKSS(B(22))
22)
190 LSET A$(23)=MKSS(B(23))
200 LSET A$(24)=MKSS(B(24)): LSET A$(25)=MKSS(B(25)): LSET A$(26)=
MKSS(B(26)): LSET A$(27)=MKSS(B(27)): LSET A$(28)=MKSS(B(28)):
LSET A$(29)=MKSS(B(29)): LSET A$(30)=MKSS(B(30)): RETURN
220 B(1)=CVI(A$(1)): B(2)=A$(2): B(3)=A$(3): B(4)=A$(4): B(5)=
A$(5): B(6)=A$(6): B(7)=A$(7): B(8)=CVI(A$(8)): B(9)=CVS(A$(
9)): B(10)=CVS(A$(10)): B(11)=CVS(A$(11)): B(12)=CVS(A$(12))
230 B$(13)=A$(13): B(14)=CVS(A$(14)): B(15)=CVS(A$(15)): B(16)=CVS
(A$(16)): B(17)=CVS(A$(17)): B(18)=CVS(A$(18)): B(19)=CVS(A$(1
9)): B(20)=CVS(A$(20)): B(21)=CVS(A$(21)): B(22)=CVS(A$(22)):
B(23)=CVS(A$(23))
250 B(24)=CVD(A$(24)): B(25)=CVS(A$(25)): B(26)=CVS(A$(26)): B(2
7)=CVS(A$(27)): B(28)=CVS(A$(28)): B(29)=CVS(A$(29)): B(30)=
CVD(A$(30)): RETURN
1000 ' ENTER BASIC EMPLOYEE DATA
1010 OPEN "R", 1, "PAYROLL/DAT:0",200: X=LOF(1)+1
1020 CLS: PRINT @ 20, " A D D N E W E M P L O Y E E S": PRINT
1030 B(1)=X
1040 PRINT @ (3,5), "NAME: ";TAB(32); STRING$(19,160)+STRING$(5,32);
TAB(62); "EMPLOYEE NO.": B(1): PRINT @ (3,31), "LINE INPUT
B$(2): IF LEN(B$(2))>19 THEN 1040
1050 IF B$(2)="" THEN CLOSE: GOTO 7010
1060 PRINT @ (5,5), "STREET ADDRESS: ";TAB(32); STRING$(30,160)+S
```

Listing continued

# Tandy is Dandy ...until you want MORE!

## USER INSTALLABLE BOARDS FOR TANDY 1000/3000



### MULTIFUNCTION

Model 1000 provides DMA and an additional 512K of memory bringing your 128K Tandy 1000 to 640K, serial port, RAM disk and print spool software. Clock calendar is optional.

**2008 512K—\$249**

Model 1000SX additional 256K of memory, bringing your 384K Tandy 1000SX to 640K, serial port, RAM disk and print spool software.

Clock calendar with 20 year battery is optional.

**2027 256K—\$199**

Model 1000SX, 1000EX and 3000 one serial and one parallel port. Second serial port and clock calendar with 20 year battery are optional.

**2028 1 serial for Model 1000SX + 1000EX—\$99**

**2030 2nd serial—\$49**

**2029 1 serial for Model 3000HL—\$149**

**2031 2nd serial—\$79**

### VIDEO PRODUCTS AVAILABLE TOO!

**JUST CALL AND ASK.** Offer Expires March 31, 1987


# It's another ZUCKERBOARD®



235 Santa Ana Court • Sunnyvale, CA 94086 • (408) 720-1942 • CA (800) 654-2212 • US (800) 222-4920

ZUCKERBOARD is a registered trademark of Advanced Transducer Devices Inc.

Tandy 1000/3000 are Trademarks of Radio Shack, a Division of Tandy Corporation.



Dr. Dr. Zucker



# TER STATE TAX FROM TABLES"; B(21).

Lines 2600-2740 complete the calculations, display the results on the screen, and enable you to make any necessary corrections before storing on disk or printing the paycheck information. Line 2790 checks to see if the correction you are entering is for a single paycheck. If so, the menu reappears on screen. If not, the program goes on to calculate a paycheck for the next employee.

Lines 2840 and 2850 set up elongated print on a Radio Shack DMP-120 dot-matrix printer, print the company name on the paycheck stub, and return the printer to normal print. If you are using any other dot-matrix printer, use your own printer codes or delete the codes and leave the printer in normal print.

Lines 2860-2980 print a paycheck stub, automatically suppressing tips as wages if not needed.

## The program prints a payroll summary listing current data for each active employee.

Module 3 (lines 3000-3080) prints the employee data record (see Fig. 2) using condensed print to produce about 132 characters per line. If you do not have a DMP 120 or similar 132-column printer, substitute your own printer codes.

Module 4 (lines 4000-4520) provides the correction routines you need to change employee data, current paycheck information, and month-to-date payroll. The first routine can change employee data by changing a line, storing the change on disk, displaying the entire record on screen, and changing additional lines until you enter 11 to exit the routine.

The second routine changes current paycheck information by entering the paycheck calculation module and exiting to the menu after calculating, printing, and saving the new information.

The third routine changes month-to-date information by listing the data that is on the disk on the screen and asking you to supply new information for an employee. You must reenter all the information that does not change for that employee. The routine changes data on the disk when you verify all entries.

Module 5 (lines 5000-5140) prints the payroll summary (a listing of each active employee and the data from his or her current paycheck; see Fig. 3). It also prints a weekly total of all employees. This total is

### PAIDROLL...ADAMING

Week ending July 15 1986 Paycheck information for JUNE LOWRY

HOURS - REGULAR	37.50	REGULAR PAY	\$ 94.75
HOURS - O.T.	4.00	OVERTIME PAY	12.40
WAGES	\$ 97.75	WAGES	97.75
TOTAL TIPS	\$ 45.00	SOCIAL SECURITY DEDUCTIONS	10.21
TOTAL GROSS	\$ 142.75	FEDERAL WITHHOLDINGS	8.15
TIPS AS WAGES	\$ 41.25	STATE WITHHOLDINGS	1.14
		OTHER DEDUCTIONS	14.80
		NET PAY	\$ 65.65

Fig. 1. Sample pay stub printout.

### MONTH TO DATE PAYROLL

REPORT DATED 00/00/00

Employee No.	WAGES	TIPS	FICA	FED W/H	ST W/H	NET PAY	TIPS/WAGES
1	286.59	140.00	30.50	18.24	3.29	192.40	120.45
2	108.75	47.00	11.14	17.39	2.29	74.43	16.89
3	129.68	56.00	13.28	18.77	2.95	62.68	22.75
4	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	197.50	40.00	16.98	15.02	4.02	149.48	0.00
Mo to date	722.52	283.00	71.90	69.42	12.65	478.99	160.08

Fig. 2. Sample month-to-date payroll printout.

### WEEKLY PAYROLL FOR 80 Micro

REPORT DATED 00/00/00

EMP #	NAME	HOURS	O/T HRS	WAGES	TIPS	FICA	FED W/H	ST. W/H	OTHER DED	NET PAY	TIPS/WAGES
1	JUNE LOWRY	34.50	4.00	91.00	50.00	10.08	5.94	1.11	14.00	59.90	37.95
2	TERESA BLACKBURN	37.50	3.00	108.75	47.00	11.14	17.39	2.29	2.50	74.43	16.88
3	DOROTHY DAVIS	45.50	8.00	129.68	56.00	13.28	18.77	2.95	32.00	62.68	22.75
5	BETTY APPLETON	35.00	3.00	197.50	40.00	16.98	15.02	4.02	12.00	149.48	0.00
6	WEEKLY TOTAL	152.50	18.00	526.96	193.00	51.48	57.12	10.37	61.50	346.49	77.58

Fig. 3. Sample weekly payroll printout.

1	JUNE LOWRY	H.C.R. 4 BOX 1221	HOLLISTER, MO. 65672	111-22-7222
STATUS	M	ACTIVE Y	EXEMPT. 2 P/R 2.25 O/R 3.25	FED W/H DED 41.54 STATE W/H DED 78.85
2	TERESA BLACKBURN	P.O. BOX 1986	BRANSON, MO. 65616	222-33-4444
STATUS	S	ACTIVE Y	EXEMPT. 0 P/R 2.90 O/R 0.00	FED W/H DED 0.00 STATE W/H DED 44.23
3	DOROTHY DAVIS	H.C.R. 2 BOX 2222	BRANSON, MO. 65616	333-44-5555
STATUS	S	ACTIVE Y	EXEMPT. 1 P/R 2.85 O/R 0.00	FED W/H DED 20.77 STATE W/H DED 55.77
4	PENNY SINGLETON	1221 WESTBROOK DRIVE	HOLLISTER, MO. 65672	444-55-6666
STATUS	M	ACTIVE N	EXEMPT. 2 P/R 2.15 O/R 0.00	FED W/H DED 41.54 STATE W/H DED 78.85
5	BETTY APPLETON	GENERAL DELIVERY	KIRBYVILLE, MO. 65676	555-66-7777
STATUS	M	ACTIVE Y	EXEMPT. 3 P/R 5.00 O/R 7.50	FED W/H DED 62.31 STATE W/H DED 86.54

Fig. 4. Sample employee-listing printout.

### Listing continued

```

TRINGS(5,32);: PRINT @(5,31);:LINE INPUT BS(3): IF LEN(BS(3))
)>30 THEN 1060
1070 PRINT @(7,5),"CITY, STATE, ZIP: ";TAB(32); STRINGS(30,160)+ST
RINGS(5,32);: PRINT @(7,31);: LINE INPUT BS(4): IF LEN(BS(4))
)>30 THEN 1070
1080 PRINT @(9,5),"SOCIAL SECURITY # ";TAB(32); STRINGS(11,160)+S
TRINGS(5,32);:PRINT @(9,31);: LINE INPUT BS(5): IF LEN(BS(5))
)>11 THEN 1080
1090 PRINT @(11,5),"IS EMPLOYEE ACTIVE (Y or N)";:INPUT BS(7): IF
BS(7)="N" THEN 1210 ELSE IF BS(7)<>"Y" THEN 1090
1100 PRINT @(13,5),"HOURLY PAY RATE (eg. 335) ";: INPUT B(9): B(9
)=B(9)/100
1110 PRINT @(13,42),"OVERTIME PAY RATE (eg. 502) ";: INPUT B(10)
: B(10)=B(10)/100
1120 PRINT @(15,5),"STATUS (M,S OR <E>xempt)";TAB(36); STRINGS(1,
160)+STRINGS(3,32);:PRINT @(15,35);: INPUT BS(6): IF LEN(BS(6
))>1 THEN 1120
1130 IF BS(6)="E" THEN 1210 ELSE 1135
1135 IF BS(6)<>"M" AND BS(6)<>"S" THEN 1120
1140 PRINT @(15,44),"EXEMPTIONS: ";TAB(62);STRINGS(1,160)+STRINGS
(5,32);:PRINT @(15,61);:INPUT B(8): IF B(8)<0 OR B(8)>9 THEN
1140
1150 PRINT:PRINT "ENTER ANNUAL MISSOURI W/H ALLOWANCE (STAND
ARD + DEPENDENCY ALLOWANCE) SEE EMPLOYERS TAX GUIDE
FOR STANDARD ALLOWANCE INFORMATION.";
1160 INPUT MO: MO=MO/5200: B(12)=FNR(MO) '---MO W/H DED
1180 B(11)=36.54*B(8) '---FED W/H DED
1190 PRINT @(20,5), USING "FEDERAL ALLOWANCE FOR CALCULATING W/H T
AX IS $###.## WEEKLY"; B(11)
1200 PRINT @(21,5), USING "STATE ALLOWANCE FOR CALCULATING W/H TAX
IS $###.## WEEKLY"; B(12)
1210 PRINT @(22,20),"ARE ALL ENTRIES CORRECT (Y or N)";: INPUT IS:
IF IS="Y" THEN 1230
1220 IF IS="N" THEN 1020 ELSE 1210

```

Listing continued

## Listing continued

```

1230 GOSUB 140 '-----RECORD ON DISC--
1240 LSET A$(1)=MKIS(B(1)): LSET A$(2)=B$(2): LSET A$(3)=B$(3): LSET A$(4)=B$(4): LSET A$(5)=B$(5): LSET A$(6)=B$(6): LSET A$(7)=B$(7): LSET A$(8)=MKIS(B(8)): LSET A$(9)=MKSS(B(9)): LSET A$(10)=MKSS(B(10)): LSET A$(11)=MKSS(B(11)): LSET A$(12)=MKSS(B(12))
1250 PUT 1, X: CLOSE: GOTO 7010
2000 ' INPUT CURRENT PAYROLL
2010 CLS: PRINT @ (2,18), "CALCULATE CURRENT PAYROLL"
2020 PRINT @ (4,9), "Check that the printer is set to the top line on the paper"
2030 PRINT @ (6,3), "The date can be entered as any letters or numbers so long as the space required is not more than 12 characters - we suggest as an example, July 15 1986"
2040 PRINT @ (10,10), "Check date: "; TAB(32); STRING$(12,160)+STRING$(5,32);: PRINT @ (10,31);: LINE INPUT DA$: IF LEN(DA$)>12 THEN 2040
2060 PRINT @ (12,10), "Is this the first paycheck for the month <Y> OR <N>";: INPUT IS: IF IS="Y" THEN 2070 ELSE 2080
2070 PRINT @ (14,0), "This is the first payroll for the month, and will set all monthly totals to zero: PRINT @ (16,25), "CONTINUE <Y> OR <N>";: INPUT KS: IF KS="N" THEN 2080
2080 PRINT @ (18,20), "One minute, while I update the records ":GOSUB 130: FOR X = 1 TO LF: GET 1,X: GOSUB 230
2090 IF IS="Y" THEN 2100 ELSE 2110 '-----UPDATE MTD FIGURES-
2100 B(24)=0: B(25)=0: B(26)=0: B(27)=0: B(28)=0: B(29)=0: B(30)=0: GOTO 2120
2110 B(24)=B(24)+B(17)-B(16): B(25)=B(25)+B(19): B(26)=B(26)+B(20): B(27)=B(27)+B(21): B(28)=B(28)+B(18): B(29)=B(29)+B(16): B(30)=B(30)+B(23)
2120 B(14)=0: B(15)=0: B(16)=0: B(17)=0: B(18)=0: B(19)=0: B(20)=0: B(21)=0: B(22)=0: B(23)=0
2130 GOSUB 180: PUT 1,X: NEXT
2140 '-----INPUT NEW PAYROLL DATA--
2150 FOR X=1 TO LF: GET 1,X: GOSUB 220
2160 IF B$(7)="N" THEN 2080 ELSE 2170 '---SKIP IF NOT ACTIVE
2170 B$(13)=DA$: CLS: PRINT @ (5,10), "Payroll for ..." B$(2);: PRINT @ (5,50), "Employee # " B(1)
2180 PRINT @ (7,10), "Hours worked: (eg. 37.5)";: INPUT B(14): PRINT @ (7,55), "Overtime hrs. ";: INPUT B(15)
2190 IF B(14)>65 OR B(15)>25 THEN CLS: GOTO 2170
2200 PRINT @ (9,10), "Total Tips: (eg. 6000) ";: INPUT B(16): B(16)=B(16)/100
2210 PRINT @ (11,10), "Other deductions: ";: INPUT B(22): B(22)=B(22)/100
2220 RP=B(9)*B(14): OP=B(10)*B(15)
2230 RP=FNR(RP) '---ROUND OFF REG PAY
2240 OP=FNR(OP): GP=RP+OP '---ROUND O/T PAY - GET WAGES
2250 TG = GP + B(16) '---GET GROSS (ADD TIPS)
2260 B(17)=FNR(TG) '---ROUND GROSS
2270 IF B(16)=0 OR B(9)=3.35 THEN B(18)=0: GOTO 2290
2280 W=(B(14)*3.35-B(9)*B(14)): B(18)=FNR(W) '---CALC & ROUND TIPS AS WAGES
2290 W=B(17)*.0715: B(19)=FNR(W) '---CALC FICA & ROUND
2300 FT=B(17)-B(11) '---FED TAXABLE INCOME
2310 IF B$(6)="M" THEN 2340
2310 IF B$(6)="M" THEN 2340
2320 IF B$(6)="S" THEN 2390
2330 IF B$(6)="E" THEN B(20)=0: B(21)=0: GOTO 2600
2340 IF FT<36 THEN B(20)=0: GOTO 2470 '---MARRIED FED TAX
2350 IF FT<93 THEN B(20)=(FT-36)*.11: GOTO 2460
2360 IF FT<574 THEN B(20)=(FT-93)*.15+6.27: GOTO 2460
2370 IF FT<901 THEN B(20)=(FT-574)*.28+78.42: GOTO 2460
2380 IF FT<1767 THEN B(20)=(FT-901)*.35+169.98: GOTO 2460
2385 IF FT>1767 THEN B(20)=(FT-1767)*.385+473.08: GOTO 2460
2390 IF FT<12 THEN B(20)=0: GOTO 2470 '---SINGLE FED TAX
2400 IF FT<47 THEN B(20)=(FT-12)*.11: GOTO 2460
2410 IF FT<335 THEN B(20)=(FT-47)*.15+3.85: GOTO 2460
2420 IF FT<532 THEN B(20)=(FT-335)*.28+47.05: GOTO 2460
2430 IF FT<1051 THEN B(20)=(FT-502)*.35+102.21: GOTO 2460
2440 IF FT>1051 THEN B(20)=(FT-1051)*.385+283.86: GOTO 2460
2470 MT=B(17)-B(12)-B(20) '---CALC MO TAXABLE INCOME
2480 IF MT<0 THEN B(21)=0: GOTO 2600 '---CALC MO TAX
2490 IF MT<20 THEN B(21)=MT*.015: GOTO 2590
2500 IF MT<40 THEN B(21)=.3+(MT-20)*.02: GOTO 2590
2510 IF MT<60 THEN B(21)=.7+(MT-40)*.025: GOTO 2590
2520 IF MT<80 THEN B(21)=1.2+(MT-60)*.03: GOTO 2590
2530 IF MT<100 THEN B(21)=1.8+(MT-80)*.035: GOTO 2590
2540 IF MT<120 THEN B(21)=2.5+(MT-100)*.04: GOTO 2590
2550 IF MT<140 THEN B(21)=3.3+(MT-120)*.045: GOTO 2590
2560 IF MT<160 THEN B(21)=4.2+(MT-140)*.05: GOTO 2590
2570 IF MT<180 THEN B(21)=5.2+(MT-160)*.055: GOTO 2590
2580 IF MT>180 THEN B(21)=6.3+(MT-180)*.06
2590 W=B(21): B(21)=FNR(W) '---ROUND OFF MO TX
2600 B(23)=GP-B(19)-B(20)-B(21)-B(22) '---CALC NET PAY
2610 '-----SCREENPRINT PAYCHECK-----
2620 CLS: PRINT: PRINT "DATE.....";B$(13): PRINT
2630 PRINT B$(2);: TAB(22); "EMP. #";B(1);TAB(34); "STATUS?";B$(6);: TAB(47); "EXEMPTIONS";B(8);TAB(63); "RATE:";B(9): PRINT
2640 PRINT USING "HOURS - REGULAR" ##.##;B(14);: PRINT TAB(35);: PRINT USING "REGULAR PAY" $###.##; RP
2650 PRINT USING "HOURS - O/T" ##.##;B(15);: PRINT TAB(35);: PRINT USING "OVERTIME PAY" ###.##;OP
2660 PRINT USING "WAGES" $###.##;RP+OP;: PRINT TAB(38);: PRINT USING "WAGES" ###.##;RP+OP
2670 PRINT USING "TOTAL TIPS" $###.##;B(16);: PRINT TAB(35);: PRINT USING "SOCIAL SECURITY DEDUCTIONS" ###.##;B(19)
2680 PRINT USING "TOTAL GROSS" $###.##;B(17);: PRINT TAB(35);: PRINT USING "FEDERAL WITHHOLDING:" ###.##; B(20)

```

Listing continued

calculated during the print cycle and is not written to disk. The routine uses condensed print, and then returns the printer to normal.

Module 6 (lines 6000-6120) prints a listing of all employees (active and inactive) as well as month-to-date totals for each employee (see Fig. 4). It keeps running totals in each category for you much as Module 5 does.

Module 7 (lines 7000-7150) is the menu. It begins with the command LPRINT CHR\$(6), which resets the printer line counter before each printout. You can also use LPRINT CHR\$(12) to automatically advance the paper to the top of a form. The menu is self-explanatory.

The program ends with two system commands. Line 7160 makes a back-up copy of the data file on drive 1, and line 7170 returns to TRSDOS.

## Tandy 1000 Changes

Barefoot Basic Payroll will run on the Tandy 1000 with the following changes: First, change all Print@ statements to Locate statements. Remember, though, that Print@ statements start at 0,0 and Locate statements start at 1,1. Therefore, add 1 to each Print@ location. For example:

60 CLS:PRINT@ (2,25), "Payroll Program"

becomes

60 CLS:LOCATE 3,26:PRINT "Payroll Program"

In this program, however, it makes little difference whether you add to the Print@ values, unless a zero location is used.

Change the PRINT@ 20 in lines 1020 and 4100 to LOCATE 1,20:PRINT. Change the PRINT@ 820 in lines 5010 and 6005 to LOCATE 10,20:PRINT.

The STRING\$ command in lines 1040-1140, 2040, and 4370 prints a dotted line for screen input. Change the ASCII value 160 to 45 (or the ASCII value of whatever character you prefer).

Change lines 70 and 80 to:

70 LOCATE 8,1:PRINT "Data from this program is stored in a disk file named PAYROLL.DAT"  
80 PRINT:PRINT "Before continuing, check to make sure the printer is turned on and the paper is lined up."

Change TRSDOS in line 7080 to MS-DOS.

Delete lines 100, 7075, 7145, and 7160. Delete the CLEAR in line 30.

Change PAYROLL/DAT:0,200 to PAYROLL.DAT,200 in lines 130, 1010, and 4010. Change LF=LOF(1) to LF=LOF(1)/200 in lines 130 and 4010. Change X=LOF(1)+1 to X=(LOF(1)/200)+1 in line 1010.

Finally, enter Basic with the command BASIC /S:200/I to run the program. ■

*G.S. Bradshaw is a retired physicist and mathematician who does consulting work for several small businesses using Model III's and 4's. Write him at P.O. Box 1112, Branson, MO 65616.*



Uncompromising performance at an incredible price





# The Tandy® Color Computer 3

More colors, superb graphics, greater power for only \$219<sup>95</sup>


## Our most powerful Color Computer

Finally, the ideal computer for your family: the most advanced version of our famous Color Computer ever. The Color Computer 3™ (26-3334) is great for popular home and small business applications such as budgets, word processing, graphics, entertainment and more. You get the advantages of a high-priced computer—without the high price!

## A rainbow at your fingertips

With an optional CM-8 High-Resolution Color Monitor (26-3215), the Color Computer 3 lets you create razor-sharp charts, graphs, or just-for-fun doodles and sketches with a palette of 64 brilliant colors. The special graphics mode lets you paint 160 × 192 or 320 × 192 resolution graphics using 16 colors, or 640 × 192 resolution with 4 colors.

The Color Computer 3 comes with 128K memory (expandable to 512K), giving you greater programming and data-processing power. And its built-in Extended BASIC programming language features 21 new commands that allow



you to alternate screens, colors, and backgrounds at a higher resolution and in a greater variety of colors than any previous Color Computer.

## Compatible and expandable

Best of all, the new Color Computer 3 is compatible with the great software and accessories designed for the Color Computer 2. This means you can choose from a wide selection of personal-management, educational and game programs.

It's easy to expand with a printer, telephone modem, and more. Even add a disk drive to turn your Color Computer 3 into the heart of a sophisticated disk sys-

tem. Open the door to a library of advanced disk software.

## Come in today!

So when you're looking for a machine that will handle the powerful jobs at a great low price, remember the Color Computer 3. It's your affordable alternative. Come see it today at your nearby Radio Shack.

Send me an RSC-17B Computer Catalog.

Mail To: Radio Shack, Dept. 87-A-1020  
300 One Tandy Center, Fort Worth, TX 76102

Name \_\_\_\_\_  
Address \_\_\_\_\_  
City \_\_\_\_\_  
State \_\_\_\_\_  
ZIP \_\_\_\_\_  
Phone \_\_\_\_\_


Circle 75 on Reader Service card.

Price applies at Radio Shack Computer Centers and participating stores and dealers.  
Monitor and accessories sold separately.

**Radio Shack®**  
**The Technology Store™**  
A DIVISION OF TANDY CORPORATION



4, 4D, 4P



**XLR8er**™  
(accelerator)

***provides the  
answers***

**Model 4 System Owners:**  
Extend the life of your Model 4  
with the XLR8 upgrade board.

**Q.** *What is an XLR8er?*

**A.** The XLR8er is a printed circuit expansion card that plugs into your Model 4 where the Z-80 processor chip is now. The XLR8er comes complete with the HD64180 microprocessor (z80 compatible and 8 MHz z80 performance), 256 KB of RAM and utility software for your system, plus full one-year warranty.

**Q.** What software does the XLR8er need?

**A.** The XLR8er is supplied with utilities for one operating system, TRSDOS, CP/M, or LDOS. Additional utility disks are available.

**Q.** What is involved in installing the XL88er?

**A.** Installation is limited to simple plug-in connection and system disassembly and assembly.

**\$299.95\***

Texas residence  
add sales tax. VISA/MasterCard accepted.

**Order today. It is so easy. Just call our 24 hour numbers—800-835-2246 ext. 202 or 800-362-2421 ext. 202 (Kansas residents) and ask for the XLR8 upgrade board.**

*Owners Manual \$10.00 (full credit toward purchase of XLR8).*

**H. I. Tech, Inc.**

P. O. Box 25404  
Houston, Texas 77265  
713/682-7317



\*Plus shipping and handling. Add applicable tax.

## Listing continued

[illegible]

*Listing continued*

# WHY PAY MORE...

When you can own for **MUCH LESS!**



Enjoy year round Sale prices with credit card convenience or special discount prices for Cash Purchases.

Same day processing for speedy delivery

Special 30 day return policy.

**FULL CATALOG  
SELECTION**

**Customer  
Service  
9 AM  
to  
5 PM  
Texas  
time**

# BIG D COMPUTERS

**ROANOKE CENTER-ROANOKE, TX 76262**

**CALL 1-800-FOR BIG D  
(1-800-367-2443)**

**In Texas call (817)491-2461**





Listing continued

```

4230 INPUT B$(3): GOTO 4330
4240 LINE INPUT B$(4): GOTO 4330
4250 INPUT B$(5): GOTO 4330
4260 INPUT B$(6): GOTO 4330
4270 INPUT B$(7): GOTO 4330
4280 INPUT B$(8): GOTO 4330
4290 INPUT B$(9): GOTO 4330
4300 INPUT B$(10): GOTO 4330
4310 INPUT B$(11): GOTO 4330
4320 INPUT B$(12): GOTO 4330
4330 MO=MO/5200: B(12)=FNR(MO)
4340 LET A$(1)=MKIS(B(1)): LSET A$(2)=B$(2): LSET A$(3)=B$(3): LSET A$(4)=B$(4): LSET A$(5)=B$(5): LSET A$(6)=B$(6): LSET A$(7)=B$(7): LSET A$(8)=B$(8): LSET A$(9)=B$(9): LSET A$(10)=B$(10): LSET A$(11)=B$(11): LSET A$(12)=B$(12): MKSS(B(12))
4350 PUT 1,X: GOTO 4100
4360 CLOSE: GOTO 7010
4370 -----CHANGE CURRENT PAYDATA
4370 PRINT @ (3,10): "Check date: ", TAB(32); STRINGS(12,160)+STRIN
GS(5,32): PRINT @ (3,31): "LINE INPUT DA$ : IF LEN(DA$)>12 T
HEN 4370
4380 GOSUB 140: GET 1,X: GOSUB 220
4390 FL=1: GOTO 2170
4400 -----CHANGE WTD DATA
4410 GOSUB 160: GET 1,X: GOSUB 250: PRINT: PRINT
4420 PRINT @ (2,5): "This change procedure requires that each corr
ect sum be re-entered. IF ANY TIME you simply press <ENTER
>, the current sum will be replaced with a zero
All sums should be entered without decimal points"
4430 PRINT: PRINT TAB(15) "MO TO DATE": PRINT TAB(52) "CORRECT":
4440 PRINT TAB(9) USING "WAGES" #####.##; B(24): PRINT TAB
(50): INPUT B(24): B(24)=B(24)/100
4450 PRINT TAB(9) USING "FICA" #####.##; B(25): PRINT TAB
(50): INPUT B(25): B(25)=B(25)/100
4460 PRINT TAB(9) USING "P25" #####.##; B(26): PRINT TAB
(50): INPUT B(26): B(26)=B(26)/100
4470 PRINT TAB(9) USING "STATE W/H" #####.##; B(27): PRINT TAB
(50): INPUT B(27): B(27)=B(27)/100
4480 PRINT TAB(9) USING "TIPS AS WAGES" #####.##; B(28): PRINT TAB
(50): INPUT B(28): B(28)=B(28)/100
4490 PRINT TAB(9) USING "TOTAL TIPS" #####.##; B(29): PRINT TAB
(50): INPUT B(29): B(29)=B(29)/100
4500 PRINT TAB(9) USING "NET PAY" #####.##; B(30): PRINT TAB
(50): INPUT B(30): B(30)=B(30)/100
4510 PRINT: PRINT: INPUT "ARE ALL ENTRIES CORRECT...": E
S: IF ES="Y" THEN 4520 ELSE 4000
4520 GOSUB 200: PUT 1,X: CLOSE: GOTO 7010
5000 PRINT CURRENT PAYROLL SUMMARY
5010 CLS: PRINT @ 820, "Printing weekly payroll summary"
5020 PRINT: PRINT "WEEKLY PAYROLL FOR " CHR$(7): LPRINT TAB(50) "RE
PORT DATED " DATES: LPRINT CHR$(27) CHR$(20)
5030 LPRINT "EMP # NAME HOURS O/T HRS WAGE
S TIPS FICA FED W/H ST. W/H OTHER DED NET PA
Y TIPS/WAGES"
5040 GOSUB 130
5050 FOR X=1 TO LF: GET 1, X: GOSUB 220
5060 IF B$(7)="N" THEN 5110
5070 GP=B(17)-B(16)
5080 SS=" " \ #####.## \ #####.## \ #####.## \ #####.##
#####.## \ #####.## \ #####.## \ #####.## \ #####.##
5090 LPRINT USING SS: CUI(A$(11)), A$(2), B(14), B(15), GP, B(16), B(19)
, B(20), B(21), B(22), B(23), B(18)
5100 TP1=TP1+B(14): TP2=TP2+B(15): TP3=TP3+GP: TP4=TP4+B(16): TP5=
TP5+B(19): TP6=TP6+B(20): TP7=TP7+B(21): TP8=TP8+B(22): TP9=TP
9+B(23): TP10=TP10+B(18)
5110 NEXT
5120 AS(2) = " WEEKLY TOTAL": LPRINT USING SS: X, A$(2), TP1, TP2
, TP3, TP5, TP6, TP7, TP8, TP9, TP10: TP1=0: TP2=0: TP3=
0: TP4=0: TP5=0: TP6=0: TP7=0: TP8=0: TP9=0: TP10=0

```

Listing continued

Listing continued

```

5130 CLOSE: LPRINT CHR$(27) CHR$(19)
5140 GOTO 7010
6000 PRINT MONTH TO DATE PAYDATA
6005 CLS: PRINT @ 820, "Printing Month to Date Payroll Summary"
6010 LPRINT: LPRINT "MONTH TO DATE PAYROLL": LPRINT TAB(50) "REP
ORT DATED " DATES: LPRINT
6020 LPRINT "Employee No. WAGES TIPS FICA FED W/H S
T W/H NET PAY TIPS/WAGES"
6030 RS=" " \ #####.## \ #####.## \ #####.## \ #####.##
#####.## \ #####.## \ #####.## \ #####.## \ #####.##
6040 GOSUB 130
6050 FOR X=1 TO LF: GET 1,X: GOSUB 230
6070 B(24)=B(24)+B(17)-B(16): B(25)=B(25)+B(19): B(26)=B(26)+B(2)
B(27)=B(27)+B(21): B(28)=B(28)+B(18): B(29)=B(29)+B(16):
B(30)=B(30)+B(23)
6080 LPRINT TAB(3) X: LPRINT TAB(13) USING RS: B(24), B(29), B(25)
, B(26), B(27), B(30), B(28)
6090 MT=MT1+B(24): MT2=MT2+B(25): MT3=MT3+B(26): MT4=MT4+B(27): M
T5=MT5+B(28): MT6=MT6+B(29): MT7=MT7+B(30)
6100 NEXT
6110 LPRINT "No to date " J: LPRINT USING RS: MT1, MT2, MT3, MT4
, MT5, MT6, MT7: MT2=0: MT3=0: MT4=0: MT5=0: MT6=0: MT7=0
6120 CLOSE: GOTO 7000
7000 MENU
7010 CLS: LPRINT CHR$(6): PRINT @ 266, "P A Y R O L L P R O G R
A M"
7020 PRINT: PRINT: PRINT TAB(24) "ENTER <P> TO CALCULATE CURRENT P
AYROLL"
7030 PRINT TAB(30) "<C> TO CHANGE AN EMPLOYEE RECORD"
7040 PRINT TAB(30) "<A> TO ADD EMPLOYEES"
7050 PRINT TAB(30) "<D> PRINT EMPLOYEE DATA FILE"
7060 PRINT TAB(30) "<S> PRINT SUMMARY OF CURRENT PAYROLL"
7070 PRINT TAB(30) "<M> PRINT MONTH TO DATE TOTALS"
7080 PRINT TAB(30) "<B> TO BACKUP DATA TO DRIVE 1:"
7090 PRINT TAB(30) "<X> TO EXIT TO TSDOS:PRINT:PRINT
7100 INPUT "Enter choice: " ES: IF ES="P" OR ES="C" THEN 2000
7110 IF ES="A" OR ES="D" THEN 1000
7120 IF ES="S" OR ES="M" THEN 3000
7130 IF ES="B" OR ES="X" THEN 5000
7140 IF ES="M" OR ES="B" THEN 7100
7150 IF ES="X" OR ES="X" THEN 7100 ELSE 7010
7160 IF ES="X" OR ES="X" THEN 7100
7170 CLOSE: SYSTEM

```

## Program Listing 2. Sample Basic code.

```

10 DEF FNR(X)=1+ABS((X>36)+(X>93)+(X>574))
20 INPUT "TAXABLE WAGES "; A: B=FNR(A)
30 ON B GOTO 40,50,60,70
40 TX = 0: GOTO 80
50 TX = (A-36)*.11: GOTO 80
60 TX = (A-93)*.15+.6*27: GOTO 80
70 TX = (A-574)*.28+.78*42: GOTO 80
80 PRINT "TAX =" TX: END

```


## Program Listing 3. Sample Barefoot Basic code.

```

10 INPUT "TAXABLE WAGES ";A
20 IF A<36 THEN TX=0: GOTO 60
30 IF A<93 THEN TX=(A-36)*.11: GOTO 60
40 IF A<574 THEN TX=(A-93)*.15+.6*27: GOTO 60
50 IF A>574 THEN TX=(A-574)*.28+.78*42: GOTO 60
60 PRINT "TAX =" TX: END

```

# The fastest route for maximizing your computer productivity ...



## ... subscribe to PC RESOURCE

PC RESOURCE is the magazine for computer-savvy people eager to discover new and ingenious no-cost or low-cost ways to get more out of your MS-DOS computer system.

And now, during our special limited time charter offer, you can save over 40% off the cover price!

Each month you get valuable insights and information on using your computer to meet business, financial, and personal needs most effectively.

Buyers' guides, features, and in-depth reviews help you locate the best buys in hardware, inexpensive compatibles, and innovative peripherals. We vigorously test both commercial and public domain software ... then make recommendations



based on our findings. Our emphasis is on saving money and making sure you get the best value for your dollar.

PC RESOURCE lets you sharpen and add to your computer skills—with tutorials on programming, articles exploring the inner workings of MS-DOS, hands-on advice from the experts, and tips from other readers who have "been there before."

In addition, you can take advantage of "Compatibles Hotline," the computer bulletin board system exclusively for our readers. Post your questions and get answers from our technical staff and other subscribers.

And for the "do-it-yourselfer," PC RESOURCE offers ways to modify, diagnose, or repair your computer. Step-by-step instructions enable you to fix damaged disks, rescue lost data, and keep your disk drives working at peak efficiency! (This section alone is worth the subscription price!)

PC RESOURCE is timely, accurate, and practical — with information you can use on a daily basis. And it is written by the editorial experts of CW Communications, the world's largest publisher of computer magazines.

Make sure you don't miss a single issue of this important resource! Order your copy of PC RESOURCE today! For immediate service call toll-free

**1-800-258-5473.**

☐ **YES!** I want to maximize my computer productivity ... and save over 40% off the cover price. Send me a year's subscription (12 issues) of PC RESOURCE at the charter rate of \$19.97.

☐ Payment enclosed ☐ Bill me  
Make checks payable to PC RESOURCE

**MONEY BACK GUARANTEE:**  
If you are not completely satisfied with PC RESOURCE, you may cancel your subscription and receive a full refund on all unmailed issues. Please allow 6-8 weeks for delivery of your first issue.

Name

Address

City  State  Zip

Canada and Mexico, \$22.97. Foreign Surface, \$39.97. Foreign Airmail, \$74.97.  
U.S. funds drawn on a U.S. bank. Please allow 6 to 8 weeks for delivery.

Mail to:  
PC RESOURCE, CW Communications/Peterborough, P.O. Box 950, Farmingdale, N.Y. 11737-0950



# They Say... We Say. ? NOW!

## TURBO M PC/XT

OUR FINEST ACCOMPLISHMENT  
TO DATE.  
LOOK AT THESE FEATURES

- *Compatibility*—Phoenix bios systems, by far the best and most compatible. We guarantee that the major software will operate flawlessly. Lotus 2.x, Symphony, Flight Simulator (in our color systems), Wordstar 2000, Word, DBase, RBase, the list goes on and on...
- *Turbo speed* (8MHz clock—you can switch down to 4.77MHz like the competition, would you really want to!!)
- *Turbo light*—No guessing. If it's red, it's Turbo
- *640 K memory*—High quality pre-tested chips
- *FREE amber monitor and Hercules compatible graphics card*
- *High resolution graphics*—Both the monitor and display card are Hercules compatible. (No low quality composite stuff)
- *We even give you a tilt and swivel base for your comfort*
- *One 360K high quality floppy drive.* (Our head technician checks each one)
- *Continuous and heavy duty 150 Watt power supply.* (15 Watts more than most competitors)
- *AT style keyboard, optional 5161 keyboard*
- *A slot for a math co-processor chip 8087*
- *One serial port—you can add a second port*
- *One parallel port for your printer*
- *One game port for joy sticks*
- *One light pen port*
- *A clock/calendar for automatic time and date*
- *FCC approved—(ask the competition if theirs is)*
- **Free Software too!**
- *DOS and Basic Tutoring, QModem Communications, W-ED letter writer and Word processor, PC-Calc, spreadsheet, PC-Deskteam and utilities, too.*

**A**fter we burn the Turbo M in for 72 hours, we set up your system to automatically turn on the high speed clock and give you the correct time and date.

Long waits for your system—never!!! Order today and have it today—if ordered by 10:00 am (call for details), we will ship it by tomorrow, during weekdays, if in stock.

### Complete Turbo M Systems with Drives

The absolute newest technology. Our systems constantly monitor the quality of operation of the Turbo M/ST Hard Drive. Average access is a disk caching 40 ms.

22 meg Complete Turbo M System.....	\$1199.95
33 meg Complete Turbo M System.....	\$1299.95
44 meg Complete Turbo M System.....	\$1399.95



## \$699.95

## TURBO-M™

**Options galore—Hard Drives, tape back-up, color systems, EGA color systems, and more! Just call for your special pricing.**

### SERVICE

No one does it better. Shipments are made everyday from Monday to Friday. All in-stock items are shipped within 24 hours of your placing your order. Want it quickly? I mean real fast!! How about today? Call us by 10:00 a.m. any weekday, and we will schedule same day shipping!! Otherwise, if you have a rush need, ask for the shipper and request gold service. It will leave the same day of your order if it is in stock.

### WARRANTY SERVICE

Since we know how important it is for you to be up and running, we turn most warranty and service repairs back out the same day we receive it. All others go out within 24 hours—not too shabby!.

### TECHNICAL ASSISTANCE

We pride ourselves in our ability to assist in most situations. We will even try to help you, when able, with a competitors product, or try to steer you in the right direction for assistance. Just call our well-trained technical staff. You will find them anxious to be of service.



# Who would you rather listen to?



## **TURBO AT/286**

Check us out

- **Compatibility**—Phoenix bios systems, by far the best and most compatible. We guarantee that the major software will operate flawlessly. Lotus 2.x, Symphony, Flight Simulator (in our color systems), Wordstar 2000, Word, DBase, RBase, the list goes on and on.
- **Turbo speed** (8MHz clock—you can switch down to 6MHz, but no need to.)
- **Turbo light**—No guessing. If it's on, it's Turbo
- **1024 K memory**—High quality pre-tested chips.
- **FREE** amber monitor and Hercules compatible graphics card
- **High resolution graphics**—Both the monitor and display card are Hercules compatible. (No low quality composite stuff)
- We even give you a tilt and swivel base for the monitor for your comfort
- **One high quality floppy drive.** 1.2 meg or 360K. (Our head technician checks each one)
- **Continuous heavy duty power supply** (200 watts)
- **AT style keyboard**, optional 5161 keyboard
- **2 Serial Ports**—1 parallel port
- **A slot for a math co-processor chip** 80287
- **One parallel port** for your printer
- **One light pen port**
- **A clock calendar** for automatic time and date w/battery backup
- **FCC approved**—(ask the competition if theirs is)
- **Free Software too!** "See previous page."

**\$1199.<sup>95</sup>**

**TURBO-M™**  
AT/286

### **OPTIONS SECTION**

EGA, Color, Hard drive systems, Tape back-up systems

### **AFTER WARRANTY SERVICE**

We want you to keep coming back. We will treat all service needs the same—important. If you require after warranty service, call us. We will be there just as we have been since 1981.

### **MONEY BACK GUARANTEE**

Absolutely. We don't want you to have a product that you aren't happy with. Just let us know within 21 days of receipt and upon return, we will give you a refund (less shipping, handling and insurance).

### **SPEAKING OF WARRANTIES**

**WE WARRANTY EVERYTHING FOR FIFTEEN MONTHS.** The warranty goes to the end of the month. Therefore, regardless of the day you received your order, we will warranty to the end of the fifteenth month, giving you a few extra days.

After we burn the Turbo M/AT286 in for at least 72 hours, we set up your system to automatically turn on the high speed clock and give you the correct time and date. Long waits for your system—never!!! Order today and have it today—if ordered by 10:00 a.m. (call for details) Otherwise, we will ship it by tomorrow, during weekdays, if in stock.

Hercules Technology

**MICRO**  
**SMART INC.**

200 Homer Avenue  
Ashland, MA 01721  
1-617-872-9090  
(FAX 817-881-1520)

**TOLL FREE  
ORDERING**

**1-800-343-8841**



# Micro Smart Inc. says what you want to hear. "Service."

## MEGADISK PLUS




### MEGADISK PLUS

Drive a hard bargain from 5 to 40 megabytes of reliable high speed systems, the newest technology—hard plated media, automatic ECC error correcting, fan cooling, EMI/RFI filter, gold connectors thoroughly burned in and tested just to mention a few standard features. Both fixed platter and removeable cartridge systems available starting at a low

**\$499.95**

*Free drivers, LDOS, TRSDOS, NEWDOS and CP/M.*

## MEGAPLEXER



### MEGAPLEXER— NETWORK YOUR MEGADISK WITH UP TO 10 TRS/80 COMPUTERS

Attach 2 to 10 Model III/IV/4P computers to one megadisk through our easy to use megaplexer—share files, data, programs, and make more efficient use of one megadisk with up to 10 computers. For a novice or expert. It will operate right out of the box.

Four port systems start at a low **\$399.95**  
Plus Cables.

**TOLL FREE  
ORDERING**

**1-800-343-8841**

## Megadisk™ Hard Disk Drive Systems

For the IBM/PC, Tandy 1000, TRS/80 Models I/III/4/4P, Compaq, Tava, PC Workalikes, Color Computer, Heath/Zenith, Max/80 Complete with Hardware, Cables, Software and Quickfit Installation

IBM- all sizes after formatting

10 Meg Internal Removable Cartridge . . . Starting at \$449.95

20 Meg Internal Removable Cartridge . . . Starting at \$649.95  
(For external add \$100)

20 Meg Internal Fixed . . . Starting at \$379.95

40 Meg Internal Fixed . . . Starting at \$449.95

60/90 Meg Internal Fixed . . . Starting at \$Call

11 Meg Hard Card . . . Starting at \$299.95

22 Meg Hard Card . . . Starting at \$399.95

44 Meg Hard Card . . . Starting at \$524.95

TRS80- all drives are external with their own cabinet, power supply and cable.

10 Meg Hard Disk . . . \$524.95

20 Meg Hard Drive . . . \$679.95

40 Meg Hard Drive . . . \$995.95

## Floppy Disk Drives, Power Supplies and Cabinets

Our Disk Drives are UL approved—Our Floppy Drive Cabinets and Power Supplies are Underwriters Laboratory Listed and have passed the required Federal Communications Part 15 Section B-EMI/RFI test. Warranty on all disk drives is one full year parts and labor. Warranty on floppy disk drive power supplies is five (5) years. In warranty or out of warranty service is 24 hour turn-a-round on all disk drives and power supplies.

Half High Drives

Dual Sided 40 tk Bare . . . \$99.95

In Case with Power Supply . . . \$139.95

Dual Drive in One Cabinet . . . \$239.95

Apple/Franklin Disk Drives

35/40 Track in Case with Cable and Software . . . \$129.95

## Call for our unadvertised CoCo Specials

See our Outstanding Service Promise on the preceding pages!

### Terms and Conditions:

The prices quoted here are for cash. We will accept MasterCard, VISA, Discover and American Express. Please ask for details.

COD's are accepted without any deposit. Purchase orders accepted based on prior approval, call for details.

Our hours are from 9:30 am to 5:30 pm, Monday through Friday and until 4:00 on Saturday.

Our telephone number of technical service is 617-872-9090.

### Addresses:

Wholesale/Mailorder  
200 Homer Avenue  
Ashland, MA 01721

Retail Outlet  
271 Worcester Road  
Framingham, MA 01701

Not responsible for typographical errors. Terms and specifications may change without notice.


### Trademarks:

IBM Corp.  
Montezuma Micro  
Tava  
Eagle Computer

Keytronics Corp.  
Tandy Corp.  
Zenith Corp.  
Lotus Development  
Microsoft Inc.

© 1987 Micro Smart, Inc.

**FULLY WARRANTED  
FIFTEEN MONTHS  
PARTS AND LABOR!**



### Model III/4 floppy disk drive upgrade kits

Our kits, which are a snap to install, just need a screwdriver and about 1 hour of spare time to have dual sided drives, just like the 4D. They will operate single and dual sided. Just ask us how—it's easy, even for the beginner.

With one dual sided drive, floppy controller, heavy duty power supply (No lightweight stuff!) all cables, instructions, and our expert technical staff to assist you . . . \$289.95

Want a second drive? . . . \$99.95



### Color computer drive kit

Drive 0 and 1

Our dual headed drive allows you to write on both sides just as though you had two floppy drives. Our special DOS 1.A will even let you use Radio Shack DOS 1.0 and 1.1 in dual sided mode.

Specialty priced at \$219.95

**Toll Free  
Ordering  
1-800-343-8841**

**MICRO  
SMART INC.**

200 Homer Avenue  
Ashland, MA 01721  
1-617-872-9090

Hours: Mon.—Fri. 9:30 am to 5:30 pm (est) Sat. 4:00 pm

**Dealer Inquiries Invited**



# Supercharge Your BBS

Install this driver and add  
difficult-to-program features to your Basic BBS.

If you've ever tried writing your own Basic bulletin-board system (BBS), you realize the pitfalls of such an undertaking. Simple functions such as converting text to uppercase or detecting when a caller hangs up are major tasks to program. I tried to design my own BBS but soon discovered it was just too difficult; Basic could not handle the features I desired.

Not wanting my BBS to be lost in the clutter of a Basic program, I wrote my own RS-232 driver program. With this program, you can put your Model 4 on line and be your own system operator (sysop).

Program Listing 1, BBS Driver, is a machine-language driver similar to Radio Shack's COM/DVR but significantly more advanced. Its features include buffered input/output (I/O), output-character translation, input-character translation (limited), carrier detection, and remote-pause capability. BBS Driver uses just under 3.5K of memory and resides at address F30 hexadecimal (hex). If any filters or drivers are present during installation a "No memory" message appears. You must remove the filters and drivers and install them after setting up BBS Driver.

Assemble the program shown and save it as BBS/DVR. Then type in and save Program Listing 2, a bare-bones BBS program, with the file name Board/BAS. Finally, type the following commands from TRSDOS, entering each one separately:

```
SET *CL BBS/DVR
LINK *KI *CL
LINK *DO *CL
SYSTEM (SMOOTH = OFF)
SYSTEM (DATE = OFF)
SYSTEM (TIME = OFF)
SYSGEN
AUTO BASIC BOARD/BAS
```



## System Requirements

**Model 4**  
**64K RAM**  
**Disk Basic**  
**Editor/Assembler**  
**Auto-answer modem**

### Program Listing 1. BBS Driver.

```
00100 ;OPTION BIT 0, 1=BLOCK CLS CODES 0=DONT BLOCK CLS
00110 ; BIT 1, 1=OUTPUT ON 0=OUTPUT OFF
00120 ; BIT 2, 1=UPPER & LOWER 0=UPPER CASE ONLY
00130 ; BIT 3, 1=CR ONLY 0=CR/LF
00140 ; BIT 4, 1=ENABLE CONTROL MESSAGES 0=CONTROL MESSAGES OFF
00150 ; BIT 5, 1=ENABLE CONTROL MESSAGES 0=CONTROL MESSAGES OFF
00160 ; BIT 6, 1=
00170 ; BIT 7, 1=
00180 ;STATUS BIT 0, CONTROL COMMAND FOLLOWS (1=CONTROL COMMAND FOLLOWS)
00190 ; BIT 1, CONTROL VALUE FOLLOWS (1=FOLLOWS,1ST BYTE)
00200 ; BIT 2, CONTROL CHARACTER FOLLOWS (1=FOLLOW,2ND BYTE)
00210 ; BIT 3, PAUSE SWITCH (1=IN PAUSE MODE)
00220 ; BIT 4,
00230 ; BIT 5, CARRIER DETECT STATUS BIT (0=CARRIER ON)
00240 ; BIT 6, CLS BLOCK BIT (2ND CHAR)
00250 ; BIT 7,
00260 ;RSSTAT RS232 CONTROL REGISTER STATUS (DEFAULT=6FH)
00270 ;CTLVAL CONTROL KEY VALUE (NEW VALUE)
00280 ;IHEAD INPUT BUFFER HEAD
00290 ;ITAIL INPUT BUFFER TAIL
00300 ;OHEAD OUTPUT BUFFER HEAD
00310 ;OTAIL OUTPUT BUFFER TAIL
00320 ;INPBUF INPUT BUFFER (256 BYTES)
00330 ;OUTBUF OUTPUT BUFFER (2K BYTES)
00340 ;CTLTBL CONTROL KEY TABLE
00350 ;
00360 ;
00370 DELAY: EQU 10000 ;(10000/60)/60=3 MIN
00380 USTAT: EQU 0EAH
00390 CTRL: EQU 0EAH
00400 URSET: EQU 0E8H
00410 MSTAT: EQU 0E8H
00420 UDATA: EQU 0EBH
00430 UBAUD: EQU 0E9H
00440 INTENB: EQU 0E0H
00450 BR300: EQU 55H
00460 BR1200: EQU 77H
00470 BR2400: EQU 0AAH
00480 VIDCTL: EQU 84H
00490 FLAGS: EQU 65H
00500 HIGH: EQU 64H
00510 DSPLY: EQU 0AH
00520 ;BBS/DVR - Bulletin Board System Communications Driver
00530 ORG 3000H
00540 INIT: PUSH DE ;Get DCB address
00550 POP IX
00560 LD (DCBPTR),DE ;Save in memory header
00570 LD HL,CPYRHT ;Display copyright
00580 PUSH DE
00590 LD A,DSPLY
00600 RST 28H
00610 POP DE
00620 LD A,FLAGS
00630 RST 28H
00640 BIT 3,(IX+2) ;Check RUN flag
00650 JP 2,MSG1 ;Must install via SET
00660 BIT 0,(IX+2) ;Check if HIGH can be changed
00670 JP NZ,MSG2 ;No memory!
00680 LD HL,0 ;Get HIGH memory
00690 LD B,L
00700 LD A,HIGH
00710 RST 28H
00720 LD DE,0FFFFH ;See if max memory avail.
00730 XOR A
00740 SBC HL,DE
00750 JP C,MSG2 ;No memory!
00760 LD HL,MAIN-1 ;Set HIGH memory
00770 LD A,HIGH
00780 LD B,0
00790 RST 28H
00800 INC HL
00810 LD (IX+1),L
00820 LD (IX+2),H
00830 ;
00840 LD A,FLAGS
00850 RST 28H
00860 LD A,(IX+28) ;Get ICNFG op-code
00870 LD (ICNFG),A
00880 LD L,(IX+29) ;Get ICNFG address
00890 LD H,(IX+30)
00900 LD (ICNFG+1),HL
00910 LD HL,PWRUP
```

Listing 1 continued

## Listing 1 continued

```

00920 LD (IY+29),L
00930 LD (IY+30),H
00940 LD A,0C3H
00950 LD (IY+28),A
00960 LD BC,14
00970 ADD IY,BC
00980 LD (IX+00H),07H ;NIL/CTL/PUT/GET
00990 LD (RETINT+1),IY ;Save port 84H image address
01000 LD (FLAG1+1),IY
01010 ;
01020 LD HL,(0038H+1) ;Patch in interrupt routine
01030 LD (CONTIN+1),HL
01040 LD A,(0038H)
01050 LD (CONTIN),A
01060 LD A,0C3H
01070 LD HL,INTRPT
01080 DI
01090 LD (0038H),A ;Patch out old address
01100 LD (0038H+1),HL
01110 EI
01120 LD A,FLAGS
01130 RST 28H
01140 LD A,(IY+22) ;Enable RS232 interrupts
01150 OR 20H
01160 LD (IY+22),A
01170 OUT (INTENB),A
01180 ;
01190 ;Initialize uart now
01200 LD A,01H
01210 OUT (URSET),A ;UART Reset
01220 LD A,(RSSTAT) ;Get RS232 status
01230 OUT (UCTRL),A
01240 LD A,BR300 ;300 BAUD
01250 OUT (UBAUD),A
01260 ;
01270 LD HL,0000H ;Signal no errors
01280 RET
01290 ;
01300 MSG2: LD HL,MEMMSG
01310 JR MSG
01320 MSG1: LD HL,SETMSG
01330 MSG: LD A,DSPLY
01340 RST 28H
01350 LD HL,0FFFFH ;Signal an error occurred
01360 RET
01370 MEMMSG: DEFB 'No memory space available'
01380 DEFB 0DH
01390 SETMSG: DEFB 'Must install via SET!'
01400 DEFB 0DH
01410 CPYRHT: DEFB 'BBS/DVR - BBS Communications Driver'
01420 DEFB 0DH
01430 ;-----
01440 ORG 0F300H
01450 MAIN: JR PSTDCB ;IX POINTS HERE FOR INDEXING IF NEEDED
01460 DEFW 0FFFFH ;LAST ADDRESS USED BY MODULE
01470 DEFB DCBPTR-MAIN-5 ;NUMBER OF CHARS IN MODULE NAME
01480 DEFB 'BBS'
01490 DCBPTR: DEFW 0000H
01500 DEFW 0000H
01510 PSTDCB: JP MAIN1
01520 ;
01530 RETINT: LD A,(0000H) ;Restore port 84H
01540 OUT (VIDCTL),A
01550 POP HL
01560 POP BC
01570 POP AF
01580 EI
01590 RETI
01600 INTRPT: PUSH AF
01610 PUSH BC
01620 PUSH HL
01630 FLAG1: LD A,(0000H)
01640 AND 8CH
01650 OR 03H
01660 OUT (VIDCTL),A
01670 IN A,(USTAT) ;Character available in uart?
01680 RLA
01690 JR NC,OUTCAR ;No character, go output a char.
01700 LD HL,DELAY ;Reset timeout counter
01710 LD (COUNTR),HL
01720 LD HL,STATUS ;Get PAUSE status bit
01730 IN A,(UDATA)
01740 CP 13H ;Control S - Pause?
01750 JR NZ,TSTPAU
01760 RESPAU: LD A,(HL)
01770 XOR 08H
01780 LD (HL),A
01790 JP CONINT
01800 TSTPAU: BIT 3,(HL)
01810 JR NZ,RESPAU
01820 OR A
01830 JR Z,PUTCAR
01840 CP 0DH ;Dont convert 0D
01850 JR Z,OFLUSH
01860 LD HL,OPTION ;Test for convert control chars.
01870 BIT 5,(HL)
01880 JR Z,PUTCAR ;Dont convert control chars.
01890 CP 1BH ;Is it a control key?
01900 JR NC,PUTCAR ;Not a control key
01910 CP 08H
01920 JR C,CONVRT ;Convert 01-07
01930 CP 0BH
01940 JR C,PUTCAR ;Dont 08 thru 0A
01950 CP 18H
01960 JR Z,PUTCAR ;Dont 18

```

Listing 1 continued

The Set and Link commands load BBS Driver into memory, protect it, and patch it into the Model 4's keyboard and screen routines (more about that later). The Smooth command supports caller type-ahead (the caller can enter data before the computer actually asks for it). Unfortunately, this slows disk access. Entering the Date and Time commands in this manner prevents TRSDOS from requesting them on initial boot-up and on reset. The Sysgen command saves a copy of the current configuration with BBS Driver installed on disk. After completing and debugging the BBS, you can remove the original program, BBS Driver, to save a little disk space. Finally, the Auto command will run your Basic BBS program, Board/BAS, whenever the system is turned on.

When BBS Driver is installed, it is linked to the Model 4's keyboard and screen routines, effectively expanding them to the caller's terminal. Anything shown on the Model 4's screen is also displayed at the caller's terminal, and everything he types appears as if it had been typed on the Model 4's keyboard. This scheme lets you use simple Input and Print commands to send and receive data from the caller, and allows you to design and experiment with your BBS from the Model 4's keyboard and screen before going on line. For example, you could use the following Basic program to request caller identification:

```

10 PRINT ("Please enter your ID number")
20 LINE INPUT ID$

```

## Drive-In(put)

All I/O to and from the RS-232 port is buffered, which means that BBS Driver stores characters until Basic is ready for them. The input buffer (from the modem) holds up to 256 characters, and the output buffer (to the modem) holds 2,048 characters. Input buffering allows the caller to type ahead and helps Basic keep up with high-speed modems or computer-to-computer transmissions. If data is input from the modem faster than Basic can handle and the buffer fills up, all succeeding characters are lost. Output buffering makes a BBS appear very fast since Basic can access a disk or perform computations while the buffer outputs text. It also provides a way for the caller to rapidly skip past long pages of text by erasing the buffer on command. If the output buffer fills because Basic is sending data too fast, BBS Driver waits until there is more room.

## Chain of Command

BBS Driver uses single-character commands to select functions. The ASCII code 01 hex must precede all commands. For example, PRINT CHR\$(1)"A" sends the A command. You can chain any number of commands within one command, so a multiple-command statement could be PRINT CHR\$(1)"ATJ". See the Table for a



## Character filtering lets the sysop match the calling terminal's requirements.

list of BBS Driver commands.

The BBS Driver command set breaks down into three categories: character filtering, driver control, and communications protocol.

The communications protocol commands are A, B, C, V, W, X, and Y. The A, B, and C commands select the system baud rate. Any modem can handle 300 baud, but you must have a special high-speed modem for the higher rates of 1,200 and 2,400 baud. The V and W commands select the number of bits that the computer sends and receives (either 7 or 8). If you select 7-bit word, the most-significant bit of every character becomes zero. The last commands, X and Y, let you choose the desired number of stop bits. Most BBSes use 300 baud, an 8-bit word, and one stop bit. I suggest that you use this protocol for your BBS as well. You can send commands at any time, even during a call. Some modems, however, do not allow such changes.

### Character Filtering

Character filtering lets the sysop modify characters being input or output to better match the calling terminal's requirements. The character filter commands are D, I, L, M, P, Q, R, and S. Remember that only the RS-232's characters are filtered, not those typed from the Model 4's keyboard or displayed on its screen.

The D command lets you change the value of control codes that the Model 4 outputs. The syntax for making changes is the command followed by the new key and the old key. For example, suppose a caller's terminal expects a control-P (delete) command instead of a control-H (backspace) to back over and erase a character. To change control-H to control-P, type and enter PRINT CHR\$(1)"DPH". The change stays in effect until you reset the system, and any characters outside the range A-Z are ignored.

To prevent a control key from being output, change its value to an at sign (@). Be careful changing control-A, since it is the code that BBS Driver uses to begin a command sequence. Change control-A only when you want BBS Driver to use a different control code to start commands.

You can clear your screen with the Basic CLS command, but the codes that comprise it, ASCII 1C hex and 1F hex, are also sent to the caller and can possibly cause a

### Listing 1 continued

```

01970 CONVRT: ADD    A,'e'
01980 LD             (CTLLET),A
01990 LD             BC,CTLMMSG
02000 JP             DMPSTR
02010 CTLMMSG: DEFB  0DH
02020 DEFB          '-'
02030 CTLLET: DEFB  'A'
02040 DEFW          000DH
02050 OPLUSH: LD     HL,(OHEAD)
02060 LD             (OTAIL),HL
02070 PUTCAR: LD     HL,OPTION
02080 BIT            2,(HL) ;Lower-case allowed?
02090 JR             NZ,GETBUF
02100 CP             'a'
02110 JR             C,GETBUF
02120 CP             7BH
02130 JR             NC,GETBUF
02140 SUB            20H
02150 GETBUF: LD     HL,(IHEAD) ;Save character in buffer
02160 LD             (HL),A
02170 INC            L
02180 LD             A,(ITAIL) ;Test for crash into TAIL
02190 CP             L
02200 JR             NZ,WRIHD
02210 LD             A,(ITAIL+1)
02220 CP             H
02230 JP             Z,RETINT ;Crashed into TAIL, dont save new HEAD
02240 WRIHD: LD      (IHEAD),HL ;Write input HEAD down
02250 JP             RETINT
02260 OUTCAR: IN      A,(USTAT) ;Transmit uart buffer full?
02270 AND            40H
02280 JR             Z,TESTCD ;Buffer full, go test carrier detect
02290 LD             HL,(OTAIL)
02300 LD             A,(OHEAD) ;See if buffer is empty
02310 CP             L
02320 JR             NZ,OUTBYT ;Buffer has data, output it
02330 LD             A,(OHEAD+1)
02340 CP             H
02350 JR             Z,TESTCD ;Buffer empty, go test carrier detect
02360 OUTBYT: LD      A,(HL)
02370 CP             13H ;Get character from output buffer
02380 LD             A,(STATUS) ;Pause code?
02390 JR             NZ,OUTDAT ;Get status for testing later
02400 OR             08H ;Not pause, go output data
02410 LD             (STATUS),A ;Pause code, turn pause on
02420 JR             SKPOUT
02430 OUTDAT: AND     08H ;Dont actually output pause character
02440 JR             NZ,TESTCD ;In pause mode?
02450 LD             A,(HL) ;In pause, dont output right now
02460 OUT            (UDATA),A ;Output on, get character and send it
02470 SKPOUT: INC     HL ;Increment TAIL pointer
02480 LD             A,H ;Force wrap-around within 8k
02490 OR             0F8H
02500 LD             H,A
02510 LD             (OTAIL),HL
02520 CONINT: POP     HL
02530 POP            BC
02540 POP            AF
02550 CONTIN: JP      0000H
02560 TESTCD: LD      A,(OPTION) ;Should we check carrier?
02570 AND            10H
02580 JR             Z,TIMER ;Dont bother, go check ring indicator
02590 LD             HL,STATUS
02600 IN             A,(MSTAT)
02610 XOR            (HL)
02620 AND            20H ;Mask in only carrier bit
02630 JR             Z,TIMER ;No carrier change, go test RI
02640 AND            (HL) ;Carrier used to be off?
02650 JR             NZ,DSPCON ;Carrier was off, go display CONNECT
02660 SET            5,(HL)
02670 LD             BC,CARSTR
02680 DMPSTR: LD      HL,(IHEAD) ;Carrier was on before
02690 LD             (ITAIL),HL ;Dump string to INPUT buffer
02700 DMPCAR: LD      A,(BC) ;Flush buffer up til message
02710 INC            BC ;Dump message character
02720 LD             (HL),A
02730 INC            L
02740 OR             A
02750 JR             NZ,DMPCAR
02760 DEC            L
02770 LD             (IHEAD),HL ;Save new input head
02780 JR             CONINT
02790 DSPCON: RES     5,(HL)
02800 LD             BC,CONSTR
02810 JR             DMPSTR
02820 CONSTR: DEFB  0DH
02830 DEFB          'CONNECT'
02840 DEFW          000DH
02850 CARSTR: DEFB  0DH
02860 DEFB          'NO CARRIER'
02870 DEFW          000DH
02880 TIMSTR: DEFB  0DH
02890 DEFB          'TIMEOUT'
02900 DEFW          000DH
02910 TIMER: IN       A,(MSTAT)
02920 AND            20H
02930 JR             NZ,CLRTIM ;Clear timer
02940 LD             HL,COUNTR
02950 DEC            (HL)
02960 JP             NZ,CONINT
02970 INC            HL
02980 DEC            (HL)
02990 JP             NZ,CONINT
03000 LD             HL,3600 ;1 MINUTE

```

Listing 1 continued

## Listing 1 continued

```

03010 LD (COUNTR),HL
03020 LD HL,STATUS ;Reset pause bit
03030 RES 3,(HL)
03040 LD BC,TIMSTR
03050 JP DMPSTR
03060 CLRTIM: LD HL,DELAY
03070 LD (COUNTR),HL
03080 JP CONINT
03090 ;----- End of interrupt processing-----
03100 PWRUP: LD HL,(0038H+1) ;Power-up initialization
03110 LD (CONTIN+1),HL
03120 LD A,(0038H)
03130 LD (CONTIN),A
03140 LD A,0C3H
03150 LD HL,INTRPT
03160 DI
03170 LD (0038H),A ;Patch out old address
03180 LD (0038H+1),HL
03190 EI
03200 LD A,FLAGS
03210 RST 28H
03220 LD A,(IY+22) ;Enable RS232 interrupts
03230 OR 20H
03240 LD (IY+22),A
03250 OUT (INTENB),A
03260
03270 LD A,01H
03280 OUT (URSET),A ;UART Reset
03290 LD A,(RSSTAT) ;Get RS232 status
03300 OUT (UCTRL),A
03310 LD A,BR300 ;300 BAUD
03320 OUT (UBAUD),A
03330 ICNFG: JP 0000H
03340 MAIN1: JP C,INPUT
03350 OUTPUT: LD A,C ;Get character
03360 LD HL,STATUS
03370 BIT 1,(HL) ;Control VALUE next?
03380 JR NZ,CTLDAT
03390 BIT 2,(HL) ;Control CHARACTER next?
03400 JR NZ,CTLCAR
03410 BIT 0,(HL) ;Control COMMAND next?
03420 JP NZ,CTLCMD
03430 BIT 6,(HL) ;Block 2nd cls code?
03440 JR Z,MAIN2
03450 RES 6,(HL) ;Here's second char, clear bit regard
03460 CP 1FH ;Is this the second CLS code?
03470 JP Z,OUTRET
03480 LD A,1CH ;Not second code, resend original
03490 CALL SAVCAR
03500 MAIN2: LD A,(CTLTLB) ;Get value for control 1
03510 CP C ;Start of command sequence?
03520 JR NZ,TSTCAR
03530 SET 0,(HL) ;Set COMMAND bit
03540 RES 1,(HL) ;Clear VALUE & CHANGE bits
03550 RES 2,(HL)
03560 JP OUTRET
03570 CTLDAT: SUB '0'
03580 JP C,OUTRET
03590 CP 20H ;Dont allow illegal codes
03600 JP NC,OUTRET
03610 LD (CTLVAL),A
03620 RES 1,(HL)
03630 SET 2,(HL)
03640 JR OUTRET
03650 CTLCAR: RES 2,(HL)
03660 SUB '0'
03670 JR C,OUTRET
03680 JR Z,OUTRET
03690 CP 20H ;Dont allow illegal codes
03700 JR NC,OUTRET
03710 LD HL,CTLTLB
03720 NXTCTL: DEC A
03730 JR Z,SETCTL
03740 INC HL
03750 JR NXTCTL
03760 SETCTL: LD A,(CTLVAL)
03770 LD (HL),A
03780 JR OUTRET
03790 TSTCAR: LD HL,OPTION
03800 BIT 1,(HL) ;OUTPUT allowed?
03810 JR Z,OUTRET
03820 LD A,C
03830 OR A ;Pass on zero-bytes
03840 JR Z,SAVCAR
03850 CP 20H ;Control character?
03860 JR C,TSTCTL ;Control, get it's equivalent
03870 BIT 2,(HL) ;Lower-case allowed?
03880 JR NZ,SAVCAR ;Lower allowed, save character
03890 CP 'a' ;Upper case letter anyway?
03900 JR C,SAVCAR ;Upper, go save it
03910 CP 7BH ;Graphics character anyway?
03920 JR NC,SAVCAR ;Graphics, go save it
03930 SUB 20H ;Bring upper down to lower-case
03940 JR SAVCAR
03950 TSTCTL: CP 0DH ;Carriage return?
03960 JR NZ,CTLIND ;Index into control table
03970 BIT 3,(HL) ;Add line-feed?
03980 JR NZ,CTLIND
03990 CALL SAVCAR
04000 LD A,0AH ;Now add a line-feed
04010 CTLIND: LD HL,CTLTLB ;Get control table for index
04020 CTLNXT: DEC A
04030 JR Z,GETCTL
04040 INC HL

```

Continued on p. 140

problem on his terminal. The H and I commands block these codes from being output to the caller by turning on the CLS filter. Only the 1C and 1F hex codes are blocked. Other combinations of either 1C or 1F hex are passed on normally.

Many remote terminals require the host computer to transmit a line feed with every carriage return. The Model 4, however, does not send line feeds automatically. You can use the L and M commands to tell the Model 4 to send a line feed with every carriage return or to send each carriage return by itself. If you enable line feeds, the Model 4 sends a carriage return before a line feed.

## Self-Control

TRSDOS Basic only recognizes the H (backspace), I (tab), J (line feed), M (return), and X (erase line) control keys from the input statement. It ignores the others. This isn't desirable in all applications. You can use the P and Q commands to select an alternative: control-key translation. BBS Driver will then convert a control key to a control string that Basic can recognize. BBS Driver converts control keys to carets (^) followed by the keys' characters. For example, control-C converts to ^C and control-P converts to ^P. Control keys H, I, J, M, X, and S are never translated.

The R and S commands filter out lower-case characters and convert them to uppercase. These commands are useful with terminals that cannot handle lowercase. The R command also filters input characters and changes them to uppercase. You can use this feature to restrict input to uppercase, when entering passwords, for example. These commands do not affect uppercase, control, or graphics characters.

## Driver-Control Commands

The driver-control commands (E, F, J, K, N, O, T, U, and Z) control miscellaneous functions of BBS Driver. The E command releases the caller from pause mode so he can continue displaying text on the screen. The F and G commands erase characters from the input and output buffers, respectively. This erases text in the buffer, letting Basic skip by it and display new information to the caller.

Control commands J and K enable or disable output to the caller. This lets you display information on the Model 4's screen without the caller seeing it. You can also use the K command to keep a caller's password from echoing back to his screen where others could see it. If text is in the output buffer when this command is sent, it will output up to the point where the sysop disabled it. All BBS Driver commands work with output disabled.

One of the biggest problems with creating your own BBS is detecting when a caller hangs up. Most large BBSes use intelligent modems that provide response strings. Response strings are message



strings that inform you when certain events occur, displaying, for example, "Connect" when a call comes in or "No carrier" when a caller has disconnected. You can use these modems with BBS Driver, but they are not necessary, since it provides its own message strings. The BBS program must check for this string at every input statement to ensure that the caller is still on the line. The O command turns off carrier detection.

The T and U commands control the RS-232 signals data-terminal ready (DTR) and request to send (RTS) going to the modem. The DTR and RTS signals turn the modem on so that it can answer incoming calls. A BBS can also turn them off to disconnect a caller when he is finished.

The last command, Z, resets all BBS Driver options to their default values; use it at the beginning of the BBS program. The Z command clears and resets the control value of control-A to 01 hex (the begin-command character).

## Grind to a Halt

When a caller is displaying text from the Model 4, he can pause the output at any time with control-S. Output immediately halts and resumes when the caller presses any key. You can also include the ASCII code for control-S (13 hex) in output text to pause text automatically at the end of a page. For example:

```
10 PRINT "This is a page of text. . .
20 PRINT "Press any key to continue:
   :CHR$(19);
```

The output pauses after "continue:" and resumes when the caller presses any key. If necessary, Basic can kick him out of pause mode with the E command. If the caller presses a carriage return while text is being displayed, BBS Driver erases all text in the output buffer as if the Basic program had used the G command. A caller can skip long passages of text by repeatedly pressing carriage return.

## Time to Go

Time on a BBS is usually precious, but some callers waste it by connecting but not typing anything for long periods of time. BBS Driver detects this by timing every call, and if nothing happens in three minutes, it displays the message "Time-out." Basic can at this point ask a caller if he requires more time or wishes to disconnect. BBS Driver repeats the message every minute thereafter until the caller either types something or disconnects. This feature is active only when a carrier is present and cannot be turned off.

## Downloading Do's and Don'ts

Some BBSes allow callers to download software. You must be careful, however, that Basic does not accidentally send a control code that BBS Driver interprets as a command. BBS Driver recognizes the following control codes:

ODH end command	N carrier detect on
*A 300 baud	*O carrier detect off
B 1,200 baud	P control-key translate on
C 2,400 baud	*Q control-key translate off
D change control code	*R all uppercase only
*E release pause	S upper and lowercase
*F clear input buffer	T modem on (DTR/RTS on)
*G clear output buffer	*U modem off (DTR/RTS off)
H CLS filter off	V 7-bit word
*I CLS filter on	*W 8-bit word
J output enabled	*X 1 stop bit
*K output disabled	Y 2 stop bits
L carriage return only	Z reset all parameters
*M carriage return and line feed	
* = initial boot-up and reset/command-Z defaults	

Table. BBS Driver commands.

01 hex: starts command sequence  
 OD hex: carriage return/adds line feeds if that option is enabled.  
 13 hex: pause output.  
 1C hex and 1F hex: CLS codes (blocked if CLS filter is enabled).

You can change any control key with the D command.

BBS Driver does not filter out the break key (80 hex) or the Model 4 pause key (60 hex). If you do not want break, disable the function with the system command SYSTEM (BREAK = NO) from the TRSDOS Ready prompt. If you select 7-bit word length, no ASCII character greater than 80 hex (including break) can be received.

## Board/BAS

The sample Basic BBS program is, as said before, a bare-bones system. Use it to test BBS Driver, or build your own BBS program around it.

Note, however, that the program is set up to access specific text files from disk (lines 500-580). Those files are not included in this article, but you can easily create your own files with any text editor capable of saving in ASCII format.

## Security Guards

Although no BBS is completely tamper-proof, every sysop must take certain steps to ensure the integrity of his system. The first and most logical is to disable the break key as shown above. This prevents access to the Basic BBS program. Also, save all programs with the protect option (SAVE "filespec", P), which prevents a user from listing or editing the program.

Some sysops try to prevent a user from breaking into the system by installing a routine that watches for certain keywords from the user that could crash the BBS. These routines check every line entered against a list of "illegal" words. If the routine detects an illegal word, it throws the user off the system. The list includes foul language and words that are harmful to a BBS like new, break, list, kill, remove, system, and debug.

To protect against the possibility of a

user defeating the safeguards and entering TRSDOS, remove Debug from the disk. Debug includes commands to read and write directly to the disk, and a caller can use it to obtain passwords to all of the files or completely wipe out the disk. To delete Debug and its extension, type and enter from TRSDOS Ready: REMOVE SYS5/SYS.LSIDOS, then REMOVE SYS9/SYS.LSIDOS.

The next step is to assign owner and user passwords to all files. After you do this, the BBS program must specify the user password whenever it needs access to a file. The owner password gives access to all files; reserve it for yourself. Try to use passwords that are nonsensical and dissimilar. Avoid common passwords such as colors, states, months, or names. Make up your own words like "garyl," "yoms," or "rast."

Use a different password for owner and user, then set the protector level (with the ATTRIB command) as high as possible for each file. Use "read," for instance, for all programs and permanent text files and "update" for system logs and memo files. Use "write" for all other files and avoid any lower access level. Never give full access to a file or use ATTRIB (LOCK) to protect everything. If a prankster discovered the master password, he would have full access to the BBS.

Finally, minimize the damage that could be done if a user defeated all of the security precautions. On two, three, or four-drive systems, place all programs and permanent files on one disk (preferably in the boot drive) and protect it by placing tape over the write-protect notch. For single-drive systems, enable the software write-protect by typing and entering SYSTEM (WP = YES) from TRSDOS Ready. You can turn the software write-protect off in order to write a file with SYSTEM (WP = NO), but remember to turn it back on when you are finished. ■

David Roberts has been a computer technician for seven years. Write him at 39 Greene St., Pawtucket, RI 02860.



# MARYMAC INDUSTRIES INC.

Radio Shack

Tandy®

Radio Shack

Tandy®

★ COMPUTERS ★  
★ PRINTERS ★ SOFTWARE ★  
★ MODEMS ★  
★ CELLULAR PHONES ★  
★ AND MORE ★

OVER  
100,000  
SATISFIED  
CUSTOMERS

OVER  
23 MILLION  
DOLLARS  
IN SALES

## We Always Offer:

- ☒ Our 10 years of experience as an authorized sales center.
- ☒ McManus family owned and operated
- ☒ References in your area
- ☒ 100% pure Tandy products
- ☒ Best possible warranty
- ☒ Lowest discounted prices—call: **We will MEET OR BEAT**
- ☒ Mastercard, Visa, American Express
- ☒ We always pay freight and insurance
- ☒ Most items shipped Same Day UPS


***“World’s largest independent authorized computer dealer.”***

**22511 Katy Fwy., Katy (Houston), Texas 77450**  
**(713) 392-0747    Telex 774132**

**OPEN MON.—FRI 8–6 CST    6 phone lines to serve you better!**


**CALL TOLL FREE    800-231-3680**





# PERRY COMPUTERS

**CALL TOLL-FREE FOR PRICES  
1-800-248-3823**



**TANDY™ 3000HL**  
**\$1195<sup>00</sup>\***  
360K Drive 512K  
25-4070

#### TANDY™ 3000 COMPUTERS


25-4001 Tandy 3000 1.2 Meg Drive 512K  
25-4010 Tandy 3000 20 Meg Hard Drive 512K  
25-4011 Tandy 3000 40 Meg Hard Drive 640K  
25-4050 1.2 Meg Disk Drive Kit  
25-4051 360K Disk Drive Kit  
25-4060 Hard Disk Controller  
25-4061 40 Meg Hard Drive Kit  
25-4062 20 Meg Hard Drive Kit  
25-4103 MS-DOS 3.2/Basic/DeskMate  
25-3046 Deluxe Text Display Adapter  
25-3047 Deluxe Graphics Display Adapter  
26-5111 VM-1 Monochrome Monitor  
26-5112 CM-1 Color Monitor

\*Monitors not included

#### EPSON™ PRINTERS

LX-86 Dot Matrix Printer 80 Column  
FX-85 Dot Matrix Printer 80 Column  
FX-286 Dot Matrix Printer 132 Column  
LQ-800 Dot Matrix Printer 80 Column  
LQ-1000 Dot Matrix Printer 132 Column  
EX-800 Dot Matrix Printer 80 Column  
EX-1000 Dot Matrix Printer 132 Column  
LQ-2500 Dot Matrix Printer 132 Column  
Epson 420i High Speed Printer  
DX-20 Daisy Wheel Printer  
DX-35 Daisy Wheel Printer  
HI-80 Plotter Printer

**EPSON™  
FX-85  
\$385<sup>00</sup>**



**TANDY™ 1000 SX**  
**\$840<sup>00</sup>\***  
384K 2 Disk Drives  
25-1051

#### TANDY™ 1000 COMPUTERS

25-1050 Tandy 1000EX 256K 1 Disk Drive  
25-1061 Tandy 1000EX External Drive 360K  
25-1011 Memory Plus Board 256K and DMA  
25-1062 EX Memory Plus Board 128K and DMA  
25-1012 8087 Math Co-Processor 1000/1200  
25-1020 VM-4 Monochrome Monitor  
25-1022 CM-10 Color Monitor  
25-1023 CM-5 Color Monitor  
25-1508 MS-DOS/GW Basic Reference Manual  
30051030 PBJ Multifunction Board 512K DMA  
30051510 ZuckerBoard OK Memory DMA  
30051530 ZuckerBoard Multifunction 512K DMA  
30281410 256K Memory Chips (Each)

\*Monitors not included

**TANDY™ 102 \$370<sup>00</sup>**  
24K Portable Computer 26-3803



#### TANDY™ PORTABLE COMPUTERS

26-3804 Tandy 100,102,200,600 AC Adapter  
26-3805 Tandy 100,102,200 Acoustic Coupler  
26-3816 Tandy 100 8K Ram Kit  
26-3817 Tandy 102 8K Ram Kit  
26-1409 Tandy 100,102,200,600 Printer Cable  
26-1410 Tandy 100,102,200,600 Modem Cable  
26-3860 Tandy 200 24K Portable Computer  
26-3866 Tandy 200 24K Memory Upgrade  
26-3901 Tandy 600 Portable Computer  
26-3910 Tandy 600 92K Ram Upgrade  
26-3808 Tandy Portable 3 1/2" Drive

#### COLOR COMPUTERS

26-3127 Color Computer 2 64K  
26-3334 Color Computer 3 128K  
26-3131 Color Disk Drive 0  
26-3132 Color Disk Drive 2nd  
26-3008 Dual Gyating Joysticks  
26-3012 Deluxe Joystick (Each)  
26-3512 CM-8 RGB Color Monitor  
26-3124 Multi-Pak Interface  
26-3025 Color Mouse  
26-3145 Hard Disk Interface  
Serial to Parallel Epson  
Serial to Parallel Centronic

#### TANDY™ PRINTERS

26-2800 DWP-520 Daisy Wheel  
26-2801 DWP-520 Tractor  
26-2812 DWP-230 Daisy Wheel  
26-2813 DWP-230 Tractor  
26-2810 DMP-2110 Dot Matrix  
26-2830 PC-695 Color Plotter  
26-1279 DMP-2200 Dot Matrix  
26-1276 DMP-105 Dot Matrix  
26-1277 DMP-430 Dot Matrix  
26-1280 DMP-130 Dot Matrix  
26-1269 Printer Controller  
26-2820 Printer Selector Interface

#### HARD DRIVES

25-1007 HDController Tandy 1000  
25-1025 10 Meg HD External  
25-1029 20 Meg Hard Card  
26-4157 Cable Kit (6000 & 16)  
26-4171 35 Meg Hard Disk Primary  
26-4172 35 Meg Hard Disk Secondary  
26-4173 70 Meg Hard Disk Primary  
25-3020 Tape Cartridge System  
25-4066 20 + 20 Meg DCS  
25-4064 20 Meg Internal DCS  
26-1245 10 Meg DCS

#### MONITORS & CARDS

25-3010 Monochrome Monitor  
25-3045 Dual Mode Adapter  
Amdek 300A Monitor Amber  
Amdek 300 Monitor Green  
Amdek 310A Monitor Amber  
Amdek 722 EGA Color Monitor  
Hercules Graphics Adapter  
Paradise Color/Mono Adapter  
Paradise EGA Adapter Card  
Video 7 Mono Graphic Adapter  
Video Plus Adapter (CC)  
Trackstar Apple Board

For Technical Questions and Information **CALL 1-517-625-4161** **FOR ORDERS ONLY CALL 1-800-248-3823**

Monday thru Friday 9 am - 6 pm Saturday 9 am - 3 pm EST. 124 South Main Street, Perry, MI 48872

All prices and offers may be changed or withdrawn without notice. Advertised prices are cash prices. C.O.D. accepted add 2% (minimum charge \$10.00). M.C., Visa add 2% AX add 4%. All non defective items require return merchandise authorization. Call for RMA Number before returning. Delivery is subject to product availability. Prices over \$100.00 include shipping costs. For orders under \$100.00 add \$5.00 shipping and handling.

# Moving?

Let us know 8 weeks in advance so that you won't miss a single issue of **80 Micro**. Attach old label where indicated and print new address in space provided. Also include your mailing label whenever you write concerning your subscription. It helps us serve you promptly.

- ☐ Extend my subscription one additional year for only \$24.97.  
☐ Payment enclosed  
☐ Bill me

Canadian and Mexican \$27.97 1 year only, US funds drawn on US bank. Foreign surface \$44.97 1 year only. US funds drawn on US bank. Please allow 6-8 weeks for delivery.

If you have no old label handy print old address here.

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Print NEW address here.

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

**80Micro** PO Box 981 • Farmingdale, NY 11737

APRY LABEL

# Dealers Sell

Selling **80 Micro** will make money for you. Consider the facts:  
 Fact #1: Selling **80 Micro** increases store traffic—our dealers tell us that **80 Micro** is the hottest-selling computer magazine on the newsstands.

Fact #2: There is a direct correlation between store traffic and sales—increase the number of people coming through your door and you'll increase sales.

Fact #3: Fact #1 + Fact #2 = INCREASED SALES, which means money for you. And that's a fact.

For information on selling **80 Micro**, call 800-343-0728 and speak with our direct sales manager. Or write to **80 Micro**, Direct Sales Dept., 80 Elm St., Peterborough, NH 03458.

## New for MS-DOS from Hypersoft! PCXZ 1.0 Cross-Zap Utility for PC/MS-DOS

**Now**, from the Author that brought you HyperCross, Hyperzap and SuperCross comes an amazing new program for owners of Tandy 1000, 1200, 3000 and true PC compatibles. PC Cross-Zap allows you to read all double density TRS-80 type disks on your PC. Not only that, PCXZ offers many of the features that TRS-80 owners have long enjoyed with HyperCross and HyperZap.

**PC Cross-Zap** is a utility program that runs on your PC or PC-compatible. With it you can copy files to or from TRS-80 disks at will. You can also format a disk, copy disks, explore, read and write sector data, repair bad directories and much more. Long after your TRS-80 is gone you will still be able to read your old disks. Even when your TRS-80 disks are gone you can continue to use PCXZ to read, fix and modify MS-DOS and other disks so your investment will never be lost.

**Formats Supported:** Model I mixed density: DOS+ 3.4, DoubleDOS, LDOS (SOLE), MultiDOS, NEWDOS 80 V2, TRSDOS 2.7/8. Model I/III Double Density: DOS+ 3.5, LDOS 5.1, Model III: DOS+ 3.4, MultiDOS, NewDOS 80, TRSDOS 1.3 Model 4/4P: MultiDOS, DOS+ 4, TRSDOS 6. Max-80: LDOS 5.1. All formats also supported in double sided, 35, 40 and 80 tracks where appropriate. For 80 track formats you must have an 80 track (720K or 1.2M High Density) drive on your PC.

**Main Features:** With PCXZ you can format a TRS-80 disk (not the mixed density Model I types). You can copy files from a TRS-80 disk **error free**, without losing any data. Just like **HyperCross 3.0** you can instruct PCXZ to convert your BASIC files on the fly as they are copied. ASCII and word processor text files are converted so they are in the correct format for your PC. Copying can be by file or using wild cards. You can also copy files from PC format back to your TRS-80 disks.

**The Disk Zap**, fix and copy features are perhaps the most exciting feature in any program ever offered in support of TRS-80 and MS-DOS disk formats. For the first time when you examine a disk the program tells you what you are looking at. For instance if you are inspecting a directory entry you will be told what each byte means as you move your cursor over it. This makes repair and modification a snap because you see the results of the change as you make it. Among the many things you can do are: remove passwords, rename, delete and undelete files. All is easy with the helpful prompts and action keys of **PC Cross-Zap**. The program comes with a manual that, also for the first time in one place, explains TRS-80 and MSDOS disk formats for all the different DOS versions.

**Constant improvements** and generous upgrade policy. We are constantly improving our programs, adding new features and increasing performance. Ask, we may have already added the feature you need.

**System Requirements:** PC, XT, AT or compatible, Tandy 1000 or 1000EX (needs DMA), 1000 SX, 12000, 3000 with at least one **360K** or **1.2M** drive and **256K** minimum memory. PCXZ can read, write and format 40 or 80 track TRS80 disks on a High Density drive.

**An original program from Hypersoft: Get PCXZ** ..... \$79.95 ppd.  
 Call for special price for registered HyperCross owners.

## Also for your PC: XENOCOPY II and MatchPoint

**XenoCopy II** runs on your PC and lets you read, write and format up to 275 different non TRS-80 formats. Includes many CP/M formats, CoCo, P-System disks and others. XenoCopy II file transfer program for the PC ..... \$81.95

**Matchpoint—PC** is the hardware solution to reading and writing Apple disks on your PC. A half-size card plugs in your PC and does the job software alone cannot. Reads **Apple DOS**, **PRODOS**, **SOS**, **CP/M**, also **NorthStar CP/M** and many other CP/M formats. Requires installation. Some disk drives need a minor modification.

Matchpoint, the answer to an Apple Lover's prayer ..... \$195.00

## TRS-80 Model I/III/4/4P Programs

**HyperCross 3.0 - The Proven Standard in File Transfer.**

Using **HYPERCROSS 3** you can **COPY** files between TRS-80 disks and those from many **CP/M** and **IBM-PC** type computers on your own TRS-80 Model I, III, 4/4P or Max-80. If you have access to more than one kind of computer, or you are changing to a new machine then you need **HYPERCROSS** to transfer your text files, BASIC, FORTRAN PASCAL or C programs, Visicalc files, general ledger and accounting files, data bases and even binary files. You can **FORMAT** alien disks, read their directories, copy files to and from them, even copy directly from one alien disk to another.

**Formats supported:** IBM-PC and MS-DOS compatibles include DOS 1.1, 2.0-3.2 Tandy 2000, single and double sided, 3.5 and 5 inch. CP/M from Aardvark to Zorba, including all popular TRS80 formats such as Holmes, Montezuma, and Omikron. TRS-80 Color Computer format also supported.

**HyperCross converts Basic files!** Now HyperCross includes a feature to automatically change the tokens in a TRS-80 file to the correct format for CP/M or MSDOS. As you copy, HyperCross automatically converts the Basic file, putting in spaces, changing PRINT @, correcting syntax errors and flagging parts needing manual modification.

**Tried and Tested** in 1000s of installations world wide, by Industry, Universities, Government Institutions and nice TRS-80 owners everywhere. Prices include disk, manual, and shipping. Upgrades from any version of HyperCross or SuperCross for old disk+\$5+price difference (\$15 min).

**HyperCross 2.0 CoCo** reads CoCo format (No Basic convert) ..... \$49.95

**HyperCross 3.0 CP/M** reads 40 single sided CP/M formats ..... \$49.95

**HyperCross 3.0 PC** reads popular MSDOS 1.1-3.2 formats ..... \$49.95

**HyperCross XT/3.0** reads 90 different CP/M and PC formats ..... \$89.95


**HyperCross XT/3.0-Plus**. Reads over 220 formats inc CoCo ..... \$129.95

Specify TRS-80 Model I (needs doubler), III, 4/4P or MAX-80. Dual Model versions e.g. Mod 3/4 on one disk add \$10 extra.

## Amazing HYPERZAP 3.2G Disk Magic!

Do you want to back up your precious copy of Copycat 3, or SU. Do you want to fix or modify a disk - if so then you need **HYPERZAP**! On the market for 3 years, **HYPERZAP** is more than just another disk copying program - it is the program for analyzing, copying, repairing, creating floppy disks of all kinds. It works with TRS-80 formats as well as many others such as CP/M, PC, CoCo etc. Designed to handle mixed density sectors on any track in any sequence. Many features for reading, writing, editing track and sector data. **Hyperzap** is the tool that lets you be in charge. **Make your own self booting disks**. Take your own CMD file and turn it into a dual booting Mod 1, III, IV disk. **Autopilot mode** allows learns, saves and repeats procedures. Disk comes with fascinating examples. Use Hyperzap as a learning tool, find out how things are done!

**HYPERZAP 3.2G** - nothing else even comes close! ..... \$49.95 ppd




**HYPERSOFT**  
 PO Box 51155, Raleigh, NC 27609  
 (919) 847-4779 8am-11 pm EST





# NEW FLOPPY DISK DRIVES For Mod 1-3-4-1000, IBM

A.	2-40K DS 3.5" TEAC	\$259
B.	2-80K DS 3.5" TEAC	289
	1-40K DS 3.5" TEAC	159
	1-80K DS 3.5" TEAC	179
	Add \$13 for Stainless Steel	
C.	Bare 40K DS 3.5" TEAC	109
	Bare 80K DS 3.5" TEAC	129
D.	Extender cable wiggle	10
E.	IBM 1-3-4 external cables	
	2-drive cable	24
	4-drive cable	34
	Disk Operating Systems	
	M1 TRSDOS 2.3 complete	25
	M3 TRSDOS 1.3 complete	25
	M4 TRSDOS 2.2 complete	35
	LDOS (specify M1 or M3)	45
	Montezuma CPM for M4	159



F.	5.25" Power supply	\$ 59
G.	1-40K DS 5.25" TEAC	129
	1-80K DS 5.25" TEAC	139
	1-40K DS 5.25" TEAC	169
H.	2-40K DS 5.25" TEAC	219
	2-80K DS 5.25" TEAC	259
	2-40K DS 5.25" TEAC	299
	Add \$17 for Stainless Steel	
I.	Bare 40K DS 5.25" TEAC	99
	Bare 80K DS 5.25" TEAC	109
	Bare 40K DS TM100-1	109
	TEAC FD55A/B/F Ser. Man.	20
	TM100-1/2 Service Manual	20
	TM848-1/2 Service Manual	20

Aerocomp continues to lead the way to the BEST value in disk drives and related peripheral products for your computer. Sound engineering, high performance, quality construction, no-risk free trial, outstanding warranty service and a reputation for doing the right thing make your decision to buy AEROCOMP the correct one. Please look over our selection and call our toll-free order number with your selection now. If you are not sure of

what you need just call our technical assistance number and we'll help you out. All drives are new—not factory blemis, seconds, closeouts or defunct manufacturers surplus (MPI, Qume, Shugart, etc). Instruction manuals are included at no extra cost and service manuals are available. We appreciate your business and will do our very best to support you.


Add \$4 shipping for non-drive items; \$6 for single drives; \$10 for dual drives.

## INCREASED DISK STORAGE FOR YOUR MODEL I

### Add 80% more capacity to your disk drives with our Double Density Controller (DDC).

Add double density to your TRS-80 Model I by installing our DDC in your expansion interface. Lets talk about density. The Model I was designed to store data on diskettes in single density. Single density refers to the method used to write data to the disk. Your diskette is organized into tracks and sectors. Early Model I's had 35 track drives while later models, and most aftermarket drives, had 40 tracks. In single density the tracks on the diskette surface are divided into 10 sectors. Each sector contains 256 bytes of data for a total of 2,560 bytes or 2.5k per track times the number of tracks your drive is capable of addressing. Double density, on the other hand, allows each track to be divided into 18 sectors. As in single density each sector contains 256 bytes but now there are 18 sectors instead of 10 giving a new storage capacity of 4,608 bytes or 4.5k per track. The result is 80% more data in the same space. You may wonder why Radio Shack did not choose to use double density in the beginning. The reason is simple. It costs more money. Double density disk storage techniques were more expensive to implement back then.

Reliable double density operation required a better disk drive than Radio Shack was furnishing in addition to better quality components and diskettes. Therefore, no double density for the Model I. We went to work and came up with a design that allowed




reliable double density operation on the Model I. In fact, our DDC had a higher probability of data recovery than any other disk controller on the market then or since. Our analog design phase lock loop data separator has a wider capture window than the digital types others use. This allows high resolution data centering. Our "DDC" analog circuit allows infinitely variable tuning with optimum attack and settling times. The oft-stated fears of adjustment problems rumored by digital dilettantes have been proved groundless by thousands of satisfied users the world over. The bottom line is state-of-the-art reliability and performance. TRS-80 Model I disk system owners who are ready for reliable double density operation will get 80% more storage per diskette; single and double density operation with far fewer disk I/O errors; single density compatibility; simple plug-in operation. You will need a disk operating system that has the necessary double density software driver. All the popular DOS's (except TRSDOS) have the software driver. We have a special combination offer that saves you \$10 and includes the LDOS operating system in the event you do not already have a DOS.

DDC by itself	\$ 99
DDC including the latest version LDOS	139

Please add \$5 shipping



# LOW COST HARD DISK DRIVES FOR YOUR TRS-80



**\$ 399 & up  
COMPLETE  
5 Megabyte  
Primary  
Add a Secondary  
for only**

Add \$20 shipping **\$349** Add \$30 for Stainless Steel



**STAINLESS  
STEEL!**

Our hard disk systems provide you with the latest integrated designs, proper controllers and pre-tested drives to ensure no unwelcome surprises. Our systems are engineered to provide years of trouble free service. These systems come complete ready to go to work. There is nothing else to purchase. Your choice of either CP/M, LDOS or TRSDOS software drivers at no charge. Additional drivers may be purchased for \$30.

Each unit is guaranteed for one full year, parts and labor, at no additional cost. We provide the little things that are so important to a long troublefree life. Things like state-

of-the-art continuous duty switching power supplies; buffered seek drives; plated media; filtered forced-air ventilation for cool operation and extended life; power line EMI filter; solid steel construction; gold plated connectors; front panel LED indicators for Power—Ready—Select—Read—Write; built-in diagnostics; automatic error correction; provision to add a secondary drive; plus attention to details and a dedication to provide quality service that is unequalled. We are so sure you will be satisfied that we offer a 14 day

free trial. If you are unhappy with your hard drive, for any reason, just let us know within 14 days of your receipt and we will promptly refund your purchase price (less shipping). You can't go wrong. Start enjoying the real power and speed of your computer with one of our hard disk drives. Do it today! Use our toll-free ordering lines now.

## ADDITIONAL SIZES AVAILABLE


	PRIMARY	SECONDARY
20 Megabyte	749	649
30 Megabyte	999	899

## SAVE YOUR MONEY WITH OUR NEW INTERNAL HARD DISK DRIVES

When you shop and compare hard disk drives for your Tandy 1000 or IBM you will find the best values here. Our hard drive specialists put together a hard disk system that you can count on to give you years of dependable service.

These systems allow you to boot directly from the hard drive. The controller automatically goes into a self test diagnostics mode at power up that verifies optimum system performance. The latest in error checking and correction is built-in allowing extremely reliable handling of your data. Our installation kit comes complete with everything you need to install it into your computer. Complete illustrated instructions as well as all cables and software needed are included. All connectors and card edges are gold plated and keyed so correct assembly is assured with no possibility of damage to your computer, the controller or hard disk drive. These kits are warranted for one year including parts and labor. Our half-high drives have low power requirements making it unnecessary to modify or change your factory power supply. Model 1000 computers require a memory board (Tandy or other) with DMA. Use your standard PC or MS-DOS version 2.1 or later.

We promise your satisfaction with a 14 day money back guarantee. If, for any reason, you are unhappy with your hard drive just let us know within 14 days of receipt and we will arrange the return and a full refund of your purchase price (less shipping). Why wait? Call us now toll-free.



20 Megabyte ..... \$ 399  
30 Megabyte ..... 449  
Add \$10 shipping


## ADD DISK DRIVES TO YOUR MODEL 3/4

Convert your cassette Model 3 or 4 to disk operation with one of our easy to install kits. Detailed illustrated instructions are included. All you need is a screwdriver and pair of pliers. Included is our own advanced controller with gold contacts capable of 4-drive operation; plated steel mounting towers complete with RFI shield; power supply plus all the cables and hardware. Choose a 1 or 2 drive system or the basic kit and pick the drives you want and your disk operating system from the list on the opposite page. Give us a call. We are ready to help with the answers to your questions.

Complete system, less drives ... \$ 159  
1-Drive system ..... 259  
2-Drive system ..... 349  
Substitute DS drives for only \$10 each.  
Add \$10 shipping.

Disk Controller Only ..... 110  
RS-232 Board complete ..... 69

Add \$4 shipping.



**CALL TOLL-FREE**  
**800-527-3582 USA**  
**800-442-1310 Texas**  
214-637-5400 Information



Have your American Express, MasterCard or Visa ready. We will not charge your card until the day we ship your order. Mail orders are welcome. Money orders are accepted as well as your company and personal checks as long as they are bank printed and have your address and telephone number. We will ship surface COD with no deposit on most items but all COD's require cash or a Cashier's Check on delivery. Texas residents add State Sales Tax. No tax collected on out of state shipments. There is a one year warranty on all hardware items against defects in materials or workmanship. Your satisfaction is guaranteed on all hardware products. If you are not satisfied, for any reason, call us within 14 days of receipt and we will arrange the return of the hardware product and the cheerful refund of your money (less shipping). All original materials must be intact and undamaged as well as the original shipping container. This offer does not apply to software. Defective software will be replaced. No other software warranty applies. Prices and specifications are subject to change without notice.

**AEROCOMP**

2544 West Commerce Street P.O. Box 223957 Dallas, Texas 75212  
\* TELEX: 882761 \* FAX: 214-337-4981 \* SERVICE: 214-337-4346  
© 1986 by Aerocomp. All rights reserved.



*Specially  
Selected*

by the Editors of  
80 Micro...

HERE'S WHAT YOU  
WILL GET...

**N**ow on disk and ready for action! A special year-end collection of the very best programs published by 80 Micro in 1986. Business programs, utilities, graphics, and applications... they're the best programs from a whole year of the #1 magazine for Tandy users!

And as a special convenience, our tech editors have compiled separate Best of 1986 disks for the Model III and Model 4, each with its own on-disk documentation.

# The Best of 1986!

## The Best of 1986 — Model III:

**Commando** — Build macros that let you set program parameters with a single command and customize DOS commands.

**Trace** — Trace and locate assembly language bugs.

**Copykey** — Copy text from one part of your screen to another in Basic and enter Basic keywords by pressing shifted letter keys.

**Wildcard** — Three wildcard utilities for copying, killing, and attributing files.

**Easydata** — Design a database with sorting capabilities.

**Unpatch** — Automatically reverses patches for removal.

**Index** — Set up a commented disk directory.

**Precision** — Calculate double precision mathematical results for an octet of basic math functions.

**Microtab** — Record and tabulate statistical data.

**Makedata** — Enter data statements automatically for fast entry of machine language code from Basic.

**Crypt** — Encrypt and decrypt your private text code.

**Teaser** — Create and solve long division puzzles.

**Hamcode** — Make your file recoverable with a matching parity check file.

## The Best of 1986 — Model 4:

**Sounder** — Enhance your Model 4's sound capability.

**Basic Data Base Management System** — Customize your own database manager.

**Restored Art** — Use this machine language subroutine to add graphic commands to Basic.

**Helper** — Create customized help files.

**Extended Command Interpreter** — Provide multiple commands on a single line in DOS and a history of the last ten command lines executed.

**Timer** — Measure your elapsed computer time.

**Diskcat** — Catalog up to 800 files in a master disk directory.

**Framer** — Add Get and Put to your Model 4 graphic commands.

**Mark 4** — Keep track of school grade records.

**Precision** — Calculate double precision mathematical results for an octet of basic math functions.

**Microtab** — Record and tabulate statistical data.

**Makedata** — Enter data statements automatically for fast entry of machine language code from Basic.

**Crypt** — Encrypt and decrypt your private text code.

**Teaser** — Create and solve long division puzzles.

**Hamcode** — Make your file recoverable with a matching parity check file.

Send me The Best of 1986 disk(s) for just \$21.45 each! If I order both the Model III and Model 4 versions, I save \$5 off the total price (2 disks for \$37.90)!

☐ Model III dual drive version ☐ Model III single drive version ☐ Model 4 version  
☐ Payment Enclosed ☐ Visa ☐ AmEx ☐ MC

Card # \_\_\_\_\_ Exp. Date \_\_\_\_\_

Signature \_\_\_\_\_

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Price includes postage and handling. Foreign airmail, please add \$1.90 each (US currency).

Model III and Model 4 are registered trademarks of Radio Shack, a division of Tandy Corporation.

4-87-SI

Mail to: Load 80, Elm Street, Peterborough, NH 03458

**W**ith the holidays right around the corner, The Best of 1986 is just the thing to brighten up your favorite Tandy user's Christmas! Order today for Christmas gift-giving!

Return the coupon or attached order card today, or Call Toll Free


**1-800-258-5473**

In New Hampshire, dial 1-924-9471



**NEW  
UPDATED  
EDITION**

# 1987 Tandy® Computer Catalog



The #1 line of PC-compatible computers, along with today's most popular software and accessories. All backed with the best support and service available anywhere.

**RadioShack®**  
**COMPUTER CENTERS**  
A DIVISION OF TANDY CORPORATION



# TANDY 3000 PC/AT-COMPATIBLE



Tandy 3000 with  
1.2-Meg Floppy Drive

NEW LOW  
PRICE  
Was \$2599.00  
in Cat. RSC-16

**2199<sup>00</sup>**

Only \$80 Per Month on  
Our Commercial Lease  
(Plus Applicable Use/Sales Tax)

Tandy 3000 HD with  
40-Meg Hard Disk

NEW FOR 87

**4299<sup>00</sup>**

Only \$155 Per Month on  
Our Commercial Lease  
(Plus Applicable Use/Sales Tax)

Monitor and adapter not included

The Tandy 3000 is the affordable alternative to the IBM® PC/AT. Here's the power you need to manage your business or to create a multiuser system for your office.

Our Tandy 3000 is compatible with software designed for the IBM PC/AT and the PC/XT. Choose from advanced word-processing packages to heavy-duty database management to accounting software.

## Multitasking, Multiuser Capacity

The Tandy 3000 is designed to use the XENIX System V/286 multiuser operating system. In such a configuration, multiple display terminals will be able to tap the high-performance 80286 microprocessor. Two to six users will be able to use the Tandy 3000 simultaneously. Each user can work independently on accounting, word processing and electronic filing. All of the users can share the Tandy 3000's accessories, eliminating the need for a printer or modem at each workstation. Thus, each remote user has the power of a fully configured computer system for the price of a terminal.

**SPECIFICATIONS.** Microprocessor: Intel 80286 processor with 16-bit data path. Clock speed, 8 MHz. Object code compatible with 8086/8088. Real-time clock with battery backup. Operating System: Optional Microsoft MS-DOS 3.2 with BASIC. Memory: 512K RAM with parity. 25-4011 standard with 640K RAM. By using the expansion slots, memory is expandable to 12 megabytes under XENIX. Includes power-up diagnostics. Sound included. Keyboard: 25-4001, 84-key sculptured, including numeric entry keypad. 25-4011, 101-key enhanced keyboard, including separate cursor and numeric pad, 12 function keys. Special keys include ESCape, Num Lock, Alt, Ctrl, Caps Lock, Prt Sc, Sys Req, Scroll Lock, Up, Down, Right and Left arrows. Retractable legs, 6-ft. coiled cable. Video Display: Optional high-resolution, non-glare, non-interlaced 12" monochrome (green) or 14" color monitor. 80 or 40 characters per line by 25 lines. Disk Drives: Built-in high-density, thin-line 5 1/4" floppy can read 1.2Mb and 360K formats. Tandy 3000 HD also has built-in 20 or 40-megabyte hard disk drive. Disk storage is expandable to include two floppy disk drives and one hard disk drive, or one floppy disk and two internal hard disk drives. Total internal storage capacity can exceed 80 megabytes. Internal Expansion: 10 plug-in card slots, including 7 PC/AT-compatible slots, 2 PC/XT-compatible slots and 1 PC/XT-compatible half-slot for the serial/parallel adapter. Optional 80287 math co-processor can be added. External Connections: Standard parallel printer port, RS-232C serial communications port, AC outlet. Dimensions: 6 1/2 x 19 x 18". Weight: 47 lbs. Power Requirements: Input: 120VAC, 60 Hz. Output: 170 Watts. U.L. listed.

IBM/Registered TM International Business Machines Corp. MS-DOS/TM Microsoft Corp.

## Designed for High Performance

The Tandy 3000's 16-bit architecture operates at 8 megahertz. It features 512K main memory and a high-capacity 5 1/4" slim-line floppy disk drive. For compatibility, this drive can read 1.2-megabyte and 360K formats for use with IBM PC diskettes.

Or for maximum storage capacity, choose the Tandy 3000 HD. In addition to the floppy drive, the 3000 HD comes with a built-in 20-megabyte or 40-megabyte hard disk drive for fast access to volumes of important data.

The Tandy 3000 has ten expansion slots, including seven PC/AT-compatible slots, two PC/XT-compatible slots and a PC/XT-compatible half-slot for a serial/parallel adapter. A serial/parallel adapter is standard, making Tandy 3000 ready to interface with modems, printers and plotters.

**Tandy 3000. 512K RAM. 25-4001** ..... 2199.00

When purchased as a system with hard drive and controller:

**Tandy 3000 HD 20-Meg. 512K RAM.** ..... 3099.00

**Tandy 3000 HD 40-Meg. 640K RAM. 25-4011** .... 4299.00

**MS-DOS™ (3.2)/BASIC/DeskMate II™. 25-4103** .... 99.95

**XENIX Sys. V Operating System.**

25-4201 ..... 595.00

**XENIX Sys. V Development System.**

25-4202 ..... 595.00

**XENIX Sys. V Text Processing System.**

25-4203 ..... 175.00

Additional options on Pages 11 and 23.



# AFFORDABLE 286 TECHNOLOGY



## 1-Disk Tandy 3000 HL

NEW  
FOR 87

**1699<sup>00</sup>**

Monitor and adapter  
not included

Commercial Lease Available  
For Only \$65 Per Month  
(Plus Applicable Use/Sales Tax)

If you're currently using MS-DOS based computers and want to expand with more power for less money, you should consider the Tandy 3000 HL. It beats out the IBM® PC/XT-286 in price, performance and choice of options.

Operating at 8 MHz (vs. 6 MHz for IBM's 286), the Tandy 3000 HL's advanced 16-bit microprocessor delivers up to seven times the speed of a standard PC's microprocessor. That means you can run software faster than ever.

The floppy-based Tandy 3000 HL starts at only \$1699. The IBM PC/XT-286 costs \$3995\*. True, the XT-286 comes with added features, including a 20-meg hard disk. But a comparably equipped Tandy 3000 HL with a 20-megabyte hard disk and other options still costs less than IBM's 286.

## Expand Inexpensively

Because we know how quickly your business can grow, we made sure the Tandy 3000 HL has room for fast, low-cost expansion. It comes standard with seven expansion slots; four 8-bit/XT compatible slots and three 16-bit data bus slots. And for better office efficiency, the Tandy 3000 HL features a built-

in real-time clock with battery backup for automatic date and time-stamping of all jobs, process control and other time-sensitive applications.

Because networking is quickly becoming one of the biggest concerns for current computer owners, we made the Tandy 3000 HL network compatible with all MS-DOS computers. Now with the Tandy ViaNet local area network, you can connect your existing MS-DOS based computers to the Tandy 3000 HL and continue to communicate with your staff. You can send memos, figures and other important messages via computers, eliminating lost memos, forgotten meetings or incomplete reports.

**Tandy 3000 HL. 25-4070 . . . . . 1699.00**

When purchased as a system with hard drive and controller:

**Tandy 3000 HL with 20-MB Hard Drive. . . . . 2599.00**

**Tandy 3000 HL with 40-MB Hard Drive. . . . . 3499.00**

**Tandy 3000 HL Computer with 5 1/4" Internal 20-Megabyte Disk Cartridge System. . . . . 3199.00**

Options priced separately:

**20 Megabyte Hard Drive. 25-4062 . . . . . 799.00\***

**40 Megabyte Hard Disk. 25-4061 . . . . . 1799.00\***

**5 1/4" Internal 20-Megabyte Disk Cartridge System. 25-4064 . . . . . 1799.00**

**16-Bit Hard Drive Controller. 25-4060 . . . . . 399.95**

**MS-DOS 3.2/BASIC/DeskMate II. 25-4103 . . . . . 99.95**

**SPECIFICATIONS.** Microprocessor: Intel 80286 processor with 16-bit data path. Switchable clock speed, 4/8 MHz. Object code compatible with 8086/8088. Real-time clock with battery backup. Operating System: Optional Microsoft MS-DOS 3.2 with BASIC. Memory: 512K RAM with parity. By using the expansion slots, memory is expandable to 4 megabytes. Includes power-up diagnostics. Sound included. Keyboard: 84-key sculptured, including numeric entry keypad. Special keys include ESCape, Num Lock, Alt, Ctrl, Caps Lock, Prt Sc, Sys Req, Scroll Lock, Up, Down, Right and Left arrows. Ten programmable Special-Function keys. Retractable legs. 6-ft. coiled cable. Video Display: Optional high-resolution, non-glare, non-interlaced 12" monochrome (green) or 14" color monitor. 80 or 40 characters per line by 25 lines. Disk Drives: Built-in thin line 5 1/4" floppy can read 360K formats. Disk storage is expandable to include two floppy disk drives and one hard disk drive, or one floppy disk and two internal hard disk drives. Total internal storage capacity can exceed 80 megabytes. Internal Expansion: Seven plug-in card slots, including three 16-bit slots, four PC/XT-compatible slots. Optional 80287 math co-processor can be added. External Connections: Standard parallel printer port. Dimensions: 6 1/8 x 17 x 15 1/2". Weight: 32lbs. Power Requirements: Input: 120VAC, 60 HZ. Output: 130 Watts. U.L. listed.

\*Requires HD Controller (25-4060). \*Manufacturer's suggested retail price. IBM/Registered TM International Business Machines Corp.



# HI-PERFORMANCE TANDY 1000 SX



NEW LOW  
PRICE!

**999<sup>00</sup>**

Less monitor and software  
Was \$1199.00 in Cat. RSC-17

- Fifty-Percent Faster Clock Speed Than the IBM® PC
- Ready-to-Run—Includes DeskMate II Software
- Software Compatible with the IBM PC—Choose From the Most Popular Programs on the Market
- Two Built-In 5 1/4" 360,000-Character Disk Drives
- Five PC Compatible Card Slots for Easy Expansion

**Tandy 1000 SX.** Our MS-DOS family of computers is growing to meet your needs. Since its introduction, the Tandy 1000 went on to become the hottest IBM PC compatible to hit the market. Now we've made it even better.

## High Speed Performance

The 1000 SX is centered around the 8088 microprocessor, ensuring compatibility with industry-standard MS-DOS software. But unlike other "industry-standard" computers, you can run many of your programs faster. This software-switchable speed control lets you finish spreadsheets, sort data bases and display intricate charts and graphs faster than ever.

To complement this new level of sophisticated performance, the 1000 SX comes with 384K RAM, expandable to 640K on the main board, and two built-in disk drives. And with five card slots, it's easy to expand your system. Expansion boards are user-installable, and you can choose from memory expansions, internal modems—even a 20-megabyte hard disk card!

**SPECIFICATIONS:** Microprocessor: Intel 8088, Clock Speed: 7.16/4.77 Mhz, software selectable. **Operating System:** Includes Microsoft's MS-DOS 3.2 with GW-BASIC. (Reference Manuals extra). **Memory:** 384K RAM, expandable on main board to 640K. Includes power-up diagnostics. **Keyboard:** 90-key sculptured, including numeric-entry keypad. Special keys include HOLD, ESCape, BREAK, CTRL, CAPS, INSERT, DELETE, and HOME. Twelve programmable Function keys. Retractable legs. 6-ft. coil cable. **Video Display:** Optional high-resolution, non-glare 12" monochrome (green) or 13" RGB Color Monitor. 80 or 40 characters per line by 25 lines. 256 characters. Reverse video, blank, blink. 16 foreground and 8 background colors. High-resolution monochrome and color graphics (640 x 200 pixels). Displays 8 of 16 colors—black, blue, green, cyan, red, magenta, brown, white, gray, light blue, light green, light cyan, light red, light magenta, yellow, high-intensity white. Higher resolution video support available with optional expansion boards. **Disk Drives:** Two double-sided, double-density, 360K (formatted) thin-line 5 1/4" mini-floppies. 48 tracks per inch. **Internal Expansion:** Five user-accessible IBM PC-compatible card slots (10" maximum length), 8087 Math-Coprocessor. **External Connections:** Standard parallel port, composite video out, line level audio out, light pen port, two joysticks, RGB Color Monitor. AC outlet. Wt.: 31 lbs. **Power:** Input: 120 VAC, 50/60 Hz. Output: 67 Watts. U.L. listed.

\*DeskMate II requires 80 column monitor. Telecommunications and E-Mail require optional modem.

## Get Down to Business with DeskMate II

We've improved our popular DeskMate 6-in-1 applications software to take advantage of the Tandy 1000 SX's power. DeskMate II\* for the Tandy 1000 SX features six applications on one disk. And with the special task-switching feature, you can exit DeskMate II, enter an applications program, then return to DeskMate II—all with just a few keystrokes. Start computing the first day with Text Processing, Spreadsheet Analysis, Electronic Filing, Calendar/Alarm, Telecommunications and Electronic Mail. Every day you'll be greeted by a menu that displays a calendar, appointment schedule and a list of files stored for every function. Plus, when you use your Tandy 1000 in a local area network, DeskMate II is ready, because it's compatible with ViaNet. And the Tandy 1000 SX is PC compatible, so you can choose from an astounding collection of MS-DOS programs.

## Packed with Deluxe Features

With the Tandy 1000 SX, most of the "options" you expect to pay more for are included. Adapters are built in for easy hookup to a monochrome or color monitor. You can even display high-resolution graphics on our lowest-priced monitor. Adapters for a printer, joysticks, or light pen are all standard, as are MS-DOS 3.20 and GW-BASIC.

<b>384K 2-Disk Tandy 1000 SX.</b> 25-1051	999.00
<b>384K 1-Disk Tandy 1000 SX.</b> 25-1052	849.00
<b>5 1/4" Internal Disk Drive.</b> 25-1063	169.95
<b>3 1/2" Internal Disk Drive.</b> 25-1064	199.95



# ENTRY-LEVEL TANDY 1000 EX



NEW LOW  
PRICE!

**599<sup>00</sup>**

Less monitor, platform,  
external disk drive and software.  
Was \$799.00 in Cat. RSC-17

- The Lowest-Priced MS-DOS Based Personal Computer
- Get PC Compatibility at a Fraction of the Price
- Fifty-Percent Faster Clock Speed Than the IBM® PC
- Incredibly Easy-to-Use Personal DeskMate Software
- Choose from Thousands of Popular Programs
- Built-In 360,000-Character Floppy Disk Drive
- Ideal for the Home, A Natural for Schools

**Tandy 1000 EX.** Now there's no reason to settle for a "game" computer. The new Tandy 1000 EX is a true PC-compatible computer, ready to use the MS-DOS software you bring home from the office, as well as software designed for the home or classroom. Inside the sleek one-piece design resides a 5 1/4" disk drive and 256,000-character RAM. The integral 90-key keyboard has the same layout as the Tandy 1000 SX, ideal for business programs. You'll find an advanced three-voice sound circuit for sophisticated sound and music generation through the built-in speaker. There's also a headphone jack with volume control—perfect for the classroom.

## The Advantages of Personal DeskMate

Every Tandy 1000 EX comes with a new graphics-oriented version of our DeskMate productivity software. Personal DeskMate® is amazingly easy to use, with handy pull-down menus and pop-up boxes for selecting functions. Add an optional Digi-Mouse® or joystick and you'll have the ultimate in convenience.

**SPECIFICATIONS:** Microprocessor: Intel 8088, Clock Speed: 7.16/4.77 Mhz, software selectable. Operating System: Includes Microsoft's MS-DOS 2.11 with GW-BASIC. (Reference Manuals extra.) Memory: 256K RAM, expandable to 640K. Includes power-up diagnostics. Keyboard: Integral 90-key sculptured, including numeric-entry keypad. Special keys include HOLD, ESCape, BREAK, CTRL, CAPS, INSERT, DELETE and HOME. Twelve programmable Function keys. Video Display: Optional high-resolution, non-glare 12" monochrome (green) or 13" RGBI Color Monitor. 80 or 40 characters per line by 25 lines. 256 characters. Reverse video, blank, blink. 16 foreground and 8 background colors. High-resolution monochrome and color graphics (640 x 200 pixels). Displays 8 of 16 colors—black, blue, green, cyan, red, magenta, brown, white, gray, light blue, light green, light cyan, light red, light magenta, yellow, high-intensity white. Disk Drives: One double-sided, double-density 360K (formatted) thin-line 5 1/4" mini-floppy, 48 tracks per inch. Internal Expansion: One "PLUS" style expansion board or two "PLUS" style expansion boards when used with Memory PLUS Expansion Adapter (25-1062). External Connections: 5 1/4" 360K or 3 1/2" 720K External Disk Drive, standard parallel port, composite video out, 1/8" headphone jack with volume control, two joysticks, RGBI Color Monitor. AC outlet. Wt.: 19 lbs. Power: Input: 120 VAC, 50/60 Hz. Output: 28 Watts. U.L. listed.

\*Personal DeskMate requires 80 column monitor. Telecom requires optional modem.

With TEXT you'll see a simple text entry and editing system that includes cut/copy/paste functions, search and replace, and underlining and boldface. WORKSHEET gives you a simple in-memory spreadsheet application with 99 rows and 99 columns of numeric, text, or calculated cells. It will support selectable column widths, as well as numeric and text cell format options. DESKTOP helps you visually organize and manage program and data files. You can install any combination of applications onto the screen, including CALCULATOR, NOTEPAD, CALENDAR and PHONE DIRECTORY. You can use FILER to keep track of your recipes. With PAINT you'll have a simple graphic picture editor that includes functions for drawing basic shapes (solid or outline), lines and pattern fills. And of course we've included TELECOM, our basic telecommunications package for communicating with information services as well as for up and downloading files.

## Ready to Use, Ready to Expand

The one-piece Tandy 1000 EX offers convenient portability—just plug in a monochrome or color monitor, or a TV set with an optional RF modulator. Plug in joysticks, printer or a second disk drive without buying extra-cost adapters. Add the Memory PLUS Expansion Adapter for two additional connectors for more memory, modem telecommunications, Digi-Mouse and classroom networking options. If you've been searching for a computer that's "just right", the Tandy 1000 EX is for you.

**Tandy 1000 EX.** 25-1050 ..... 599.00

**Tandy 1000 EX Monitor Platform.** 26-210 ..... 29.95

**MS-DOS/BASIC 3.20 Upgrade.** 25-1170 ..... 29.95


**New! Memory PLUS Expansion Adapter.** See description on page 12. 25-1062 ..... 129.95



# MONITORS, ADD-ONS AND BOOKS

Complete Your System with the Tandy Display Monitor That's Right for You

Monitor Pedestal  
sold separately



**New! EGM-1 Enhanced Graphics Monitor.** High-resolution monitor (640 x 200 or 640 x 350) displays text and graphics in 16 to 64 colors. 14" screen. 25-4035 ..... 699.00

**VM-1 Monochrome Monitor.** 12" screen displays 80 x 25 text, 640 x 400 graphics. Tilts 5 or 10 degrees for best viewing angle. 26-5111 ..... 199.95

**VM-3 Monochrome Monitor.** 12" screen displays 80 x 25 text, 720 x 348 graphics. 25-3010 ..... 219.00

**New! VM-4 Monochrome Monitor.** 12" screen displays 80 x 25 text, 640 x 200 graphics. 25-1020 ..... 129.95

**New Low Price! CM-1 Color Monitor.** 14" screen displays 80 x 25 text, 640 x 400 graphics. Tilts 5 or 10 degrees for best viewing. Was \$599.00 in Cat. RSC-16. 26-5112 ..... 529.95

**New! CM-5 RGBI Color Monitor.** 13" screen displays 80 x 25 text, 320 x 200 graphics. 25-1023 ..... 299.95

**New! CM-11 RGBI Color Monitor.** 13" screen displays 80 x 25 text, 640 x 200 graphics. 25-1024 ..... 459.95

## Quick-Reference Chart for Tandy Display Monitors

	Video Adapters for Tandy 1200/3000				Tandy 1000	CoCo	100/102/200 Disk Video	Tandy 2000	CoCo 3
	25-3045	25-3046	25-3047	25-4037					
VM-1 (26-5111)		640 x 400 Text Only	640 x 400 Text and Graphics(3)	640 x 350 Mono Text and Graphics				640 x 400 Text and Graphics(4)	
VM-3 (25-3010)	720 x 348 Text and Graphics(1)			720 x 350 Text 640 x 350 Graphics					
VM-4 (25-1020)	640 x 200 Text and Graphics				640 x 200 Text and Graphics		640 x 200 Text Only		
CM-1 (26-5112)		640 x 400 Text Only	640 x 400 Text and Graphics(3)	640 x 350 Enhanced Graphics 640 x 200 CGA/Mono mode				640 x 400 Text and Graphics(5)	
CM-5 (25-1023)	320 x 200 Text and Graphics				320 x 200 Text and Graphics				
CM-8 (26-3512)									640 x 192 80-Column Text and Graphics
CM-11 (25-1024)	640 x 200 Text and Graphics			640 x 200 Text and Graphics	640 x 200 Text and Graphics				
EGM-1 (25-4035)	640 x 200 Text and Graphics			640 x 350 Enhanced Graphics 640 x 200 CGA/Mono mode	640 x 200 Text and Graphics				
Composite Color	320 x 200 40-Column Text				320 x 200 40-Column Text		320 x 200 40-Column Text		320 x 192 32/40-Column Text and Graphics
TV	320 x 200 40-Column Text(2)				320 x 200 40-Column Text(2)	256 x 192 32-Column Text	320 x 200 40-Column Text(2)		320 x 192 32/40-Column Text and Graphics

## Two-Button Digi-Mouse



**99<sup>95</sup>**

Ideal for Use with  
Graphics Programs

Plugs in for easy cursor movement in graphics programs, as well as other applications. Requires Digi-Mouse/Clock Controller Board (26-5144, 25-1010 or 25-1015). 26-1197 .. 99.95

## Deluxe Joystick



**29<sup>95</sup>**

Get Quicker and  
Easier Cursor Control

Patented stick mechanism for accurate cursor control and quick response. Select "spring-centering" or "free-floating" modes. For Tandy 1000 EX/SX. 25-1080 ..... 29.95

## Instructional and Reference Books

**MS-DOS: The Basics (2nd Ed.).** Covers Tandy 1000 EX, SX, 3000 and 3000 HL. 25-1506 ..... 7.95

**MS-DOS: Advanced Applications (2nd Ed.).** Covers Tandy 1000 EX, SX, 3000 and 3000 HL. 25-1507 ..... 14.95

**Learning BASIC for Tandy Computers.** An excellent tutorial for BASIC programming. 25-1500 ..... 19.95

**The Complete Guide to the Tandy 1000.** Covers basic operations, software options, compatibility issues, mastering MS-DOS, hardware, expansions and more. 25-1505 ..... 14.95

**Tandy 1000 Programmer's Reference Manual.** Documents all BIOS subroutines and entry points for use in low-level

languages. 25-1503 ..... 14.95

**New! MS-DOS/GW-BASIC Reference Guides.** Includes reference materials for MS-DOS and GW-BASIC 2.11 and 3.20. 25-1508 ..... 29.95

**Tandy 1000 Technical Reference Manual.** 25-1504 ..... 29.95

**New! Technical Reference for 1000 EX.** 25-1510 ... 34.95

**New! Technical Reference for 1000 SX.** 25-1511 ... 34.95

**New! Tandy 3000 Technical Reference Manual.** 25-4104 ..... 89.95

**New! Tandy 3000 HL Technical Reference Manual.** 25-4105 ..... 89.95

(1) Requires special software. (2) Requires RF modulator. (3) 640 x 200 with standard software. Hi-res modes require special software. (4) Graphics require 26-5140. (5) Requires 26-5140/5141.

# POWERFUL EXPANSION OPTIONS

## TCS-100 Tape Cartridge System

Backup Your Data on Tape


**1999<sup>00</sup>**



Now you can get reliable hard-disk backup on tape (backup 10 megabytes in as little as 6 minutes). Uses standard 1/4" cartridges (one included) for over 48 megabytes of archival storage. Powerful file-by-file backup/restore function. Select single files, groups of files or all files. Select files based on globals, wild cards, files modified since last backup, file creation data, directory structure and more. Features three heads—read, write and erase—for one-pass backup with immediate read-after-write verification. Requires Interface Kit (below) U.L. listed AC. 25-3020 ..... 1999.00  
**Tandy 1000/1200/3000 Interface Kit.** Includes software and cables for file-by-file or mirror-image backup. Kit also supports IBM PC and PC-compatible computers. 25-3021 ..... 149.95  
 1/4" Data Tape Cartridge. 26-1391 ..... 34.95

## 20 + 20-Meg Disk Cartridge System

**3499<sup>00</sup>**



Use instead of a hard disk for speed, reliability, expandability, security and transportability. Consists of one or two drives and high-performance cartridges. Cartridges are removable for unlimited storage. Easily back up your conventional hard-disk system. Requires Interface Kit (below).

**New! 20 + 20-Megabyte DCS.** 25-4066 ..... 3499.00  
**New! 20-Megabyte 5 1/4" Internal DCS.** 25-4064 ..... 1799.00  
**10-Megabyte DCS.** 26-1245 ..... 2195.00  
**Secondary DCS.** Add a 10-megabyte disk kit to create a 10 + 10-megabyte system. 26-1246 ..... 999.00\*  
**New! Secondary 20-MB DCS.** 25-4065 ..... 999.00  
**New! 8" 20-Megabyte Cartridge.** 26-220 ..... 119.95  
**New! 5 1/4" 20-Megabyte Cartridge.** 26-221 ..... 99.95  
**New Low Price! 10-Megabyte Cartridge.** Was \$89.95 in Cat. RSC-16. 26-1372 ..... 79.95

## 20-Megabyte Hard Disk Card

NEW FOR 87

**799<sup>00</sup>**

- An Efficient New Way to Get Hard-Disk Storage
- User-Installable Card Saves on Desk Space

Get 20 megabytes of hard-disk storage on a user-installable card. Mounts in a 10" card slot on the Tandy 1000 or a 13" slot on the Tandy 1200, Tandy 3000 HL, IBM PC or PC compatible. Operates as either first or second hard disk and can run a second hard disk drive. Comes with a thorough installation manual and a diskette with special installation software. It's the easiest way yet to get hard-disk storage power!  
 25-1029 ..... 799.00

## External 10-Megabyte Hard Disk Drive

Get 10 Million Characters of Data and Program Storage

**699<sup>00</sup>**



Expand your Tandy 1000's storage affordably. Add two to the Tandy 1000 or one to the Tandy 1000 HD for 20 megabytes of total system storage (Cable Kit and installation required for secondary unit). Requires Hard Disk Controller Board. 25-1025 ..... 699.00

## User-Installable Tandy 3000 Expansion Boards and Options

**1.2-Meg. Floppy Disk Kit.** Requires floppy dual speed controller (25-4036) or hard disk controller board (25-4060). 25-4050 ..... 299.95  
**360K Floppy Disk Kit.** 25-4051 ..... 199.95  
**New! Dual-Speed Floppy Disk Controller.** Upgrade Tandy 3000 HL to support higher speed and capacity of 1.2 MB floppy drive. 25-4036 ..... 129.95  
**New Low Price! Hard Disk Controller.** Lets you add an internal 20- and 40-megabyte hard disk. Was \$499 in Cat. RSC-16. 25-4060 ..... 399.95\*  
**20-Megabyte Hard Disk Kit.** Use with Tandy 3000 HD to increase internal storage by 20 meg. Or combine with Controller above to convert a 3000 to a 3000 HD. 25-4062 ..... 799.00\*  
**New! 40-Megabyte Hard Disk Kit.** Ideal for multiuser or networking. Requires HD controller. 25-4061 ..... 1799.00  
**External Hard Disk Cable Kit.** 25-4063 ..... 59.95\*  
**New! Memory Expansion Board.** Add up to 2 megabytes of memory to Tandy 3000. Comes with 1MB. In MS-DOS, use VDISK to set aside portions of RAM memory that simulate disk

storage. 25-4030 ..... 499.95  
**New! 128K RAM Upgrade Kit.** Increase Tandy 3000 HL memory from 512K to 640K. 25-4082 ..... 49.95  
**New Low Price! 256K RAM Parity Memory Upgrade Kit.** Add 256K to your Tandy 3000 or memory board. Was \$129.95 in RSC-17. 25-3062 ..... 99.95  
**New! 4-User Board.** Allows Tandy 3000 to support up to four serial devices. For use with the XENIX System V operating system. 25-4031 ..... 299.95  
**80287 Math Co-Processor.** Perform one set of functions while the co-processor simultaneously performs highly accurate mathematical calculations. Programs must be specifically written for this option. 25-4033 ..... 399.95  
**Tandy 1000/1200/3000 Serial Parallel Adapter.** Add a second serial/parallel adapter to connect a second printer or increase your communications capability with an additional modem. 25-4034 ..... 169.95  
**New! Dual-Port Serial Adapter.** 25-4039 ..... 99.95  
**New! 20-Megabyte Disk Cartridge Interface Kit.** For Tandy 1000/1200/3000. 25-4081 ..... 149.95\*

\*Installation Recommended. Not Included.



# UPGRADE & EXPANSION OPTIONS



## Add a Disk Drive to Your System

**5 1/4" 360K External Disk Drive (not shown).** Makes backing up diskettes much easier! 25-1060 ..... 249.95

**3 1/2" 720K External Disk Drive.** Gives twice the storage of a 5 1/4" drive on smaller, more durable diskettes. 25-1061 ..... 279.95

**3 1/2" Disk Drive Kit.** Mounts internally. Installation recommended (not included). For Tandy 1000 SX and 3000 HL. 25-1064 ..... 199.95

**5 1/4" Disk Drive Kit.** Mounts internally. Installation recommended (not included). For Tandy 1000. 25-1005 ..... 169.95

For Tandy 1000 SX. 25-1063 ..... 169.95

## 1000/1200/3000 Expansion

**New! Memory PLUS Expansion Adapter.** Expands your Tandy 1000 EX to 384K and adds DMA circuit to speed up computer operations. Sockets allow you to expand another 256K. Also provides connectors for addition of two PLUS Upgrade Boards. 25-1062 ..... 129.95

**New Low Price! Memory PLUS Expansion for Tandy 1000.** Provides DMA and an additional 256K of memory—bringing your 128K Tandy 1000 to 384K. Add the 256K RAM Kit for a full 640K. PLUS Expansion Boards can be plugged into a special connector, saving a slot for other applications. Was \$319.95 in RSC-16. 25-1011 ..... 179.95

**New Low Price! 256K Parity Memory Kit.** Add 256K of memory to your Tandy 1000, 1200 or 3000. Was \$129.95 in RSC-17. 25-3062 ..... 99.95

**New Low Price! Memory Expansion Board.** Uses an expansion slot to upgrade a 256K Tandy 1200 to 384K or a 384K Tandy 1000 to 512K. Also provides sockets for an additional 128K. For Tandy 1000/1200/PC/Compatibles. Was \$199.95 in RSC-16. 25-1009 ..... 129.95

**New Low Price! 128K RAM Upgrade Kit.** Use to upgrade your Tandy 1000 from 256K to 384K or from 512K to 640K. Was \$129.95 in RSC-16. 26-5162 ..... 99.95

**New! 8087 Math Co-Processor.** For Tandy 1000 (25-1000A or 25-1001A only), and 1200. Increase throughput up to 10 times with software that supports a co-processor. Supported by many CAD and spreadsheet programs and many more. 25-1012 ..... 229.95

**Digi-Mouse Controller/Calendar Board.** Dual-purpose board includes controller for Digi-Mouse™ (page 10) and perpetual time/date. Never have to enter time and date again. For Tandy 1000/1200 only. 25-1010 ..... 99.95

92 • 80 Micro, April 1987

**New Low Price! 1200-Baud PC Modem.** An auto-dial/auto-answer modem for the Tandy 1000/1200/3000, IBM PC and PC compatibles. Hayes® compatible. Switchable 1200/300-baud. FCC registered. Was \$299.95 in RSC-16. 25-1013 ..... 199.95

**New! Dual-Port Serial Board.** Add two serial ports to your Tandy 1000/1200/3000. Uses DB-9 connectors. 25-4039 ..... 99.95

**New! Dual Display Graphics Adapter.** Combines the function of 3 boards in one. Uses VM-3 and CM-11 monitors. Displays up to 640 x 200 in 16 colors with special software. Features Hercules-compatible graphics mode for use with VM-3 monitor. 25-3045 ..... 249.95

**Deluxe Text Display Adapter.** Allows your Tandy 1000, 1200 or 3000 to display text on the VM-1 Monochrome Monitor or CM-1 Color Monitor. 25-3046 ..... 249.95

**New Low Price! Deluxe Graphics Display Adapter.** Allows your Tandy 1200 or 3000 to display high-resolution graphics (640 x 400) on the CM-1 or VM-1. Was \$499.95 in RSC-16. 25-3047 ..... 399.95

**New! Enhanced Graphics Adapter.** Get 640 x 350, 16-color enhanced graphics on our EGM-1 monitor. Also compatible with the CM-1 monitor, color graphic and monochrome displays. Includes 256K video memory. 25-4037 ..... 349.95

**Hard Disk Controller Board.** Allows you to add hard disk drives for up to 70 million characters of storage. Compatible with most Tandy 1000 software. Includes cable for use with our 10, 15 or 35-Megabyte Hard Disks. 25-1007 ..... 299.95

**Trackstar 128.** Lets your Tandy 1000 SX run software designed for the Apple II-series of computers. Supports Apple DOS 3.3, Pro-DOS® and Apple Pascal. 25-1028 ..... 399.95

**TRACKSTAR 128/TM Diamond.**  
**New! Universal Keyboard Adapter.** Allows you to use a standard PC, AT or Enhanced Keyboard on your Tandy 1000 or 1000 SX. Also supports KeyTronic Keyboards. Software drivers included. 25-1030 ..... 99.95

## PLUS Upgrade Boards

These boards are specially designed for use with the Tandy 1000 EX or our Memory PLUS Expansion Board. You can also use them with the Tandy 1000 SX or any other PC compatible with the optional PLUS Upgrade Adapter Board (25-1016). All PLUS Upgrade Boards are user installable.

**New Low Price! PLUS RS-232C Option Card.** Lets your computer talk with other computers and access national information services, when combined with communications software and external modem. Use with high-speed modems or serial plotters and printers. Was \$99.95 in RSC-16. 25-1014 ..... 79.95

**PLUS Digi-Mouse Controller/Calendar Board.** Dual purpose—includes controller for Digi-Mouse™ (page 10) and a perpetual time/date clock. You'll never have to enter time and date again! 25-1015 ..... 99.95

**New! PLUS 300 Baud PC Modem.** Great for use with the DeskMate and on-line services such as Compuserve, Dow-Jones and more! Switchable Tandy/Hayes® compatible modes. FCC registered. Cable included. 25-1017 (Avail. 2/28/87) ..... 99.95

**New! PLUS 1200 Baud PC Modem.** Hayes™ compatibility lets you run the most popular communications software at higher speeds—reducing the cost of on-line time. FCC registered. 25-1018 ..... 199.95

**New! PLUS Network 4 Interface.** Use the Tandy 1000 EX as a low cost system in an educational network. See network section on page 35 for more information. 25-1019 ..... 299.95

**PLUS Upgrade Adapter Board.** Allows you to use PLUS Upgrade Boards in a standard PC card slot. 25-1016 ..... 14.95

# 1000/1200/2000/3000 SOFTWARE

## New! The pfs Professional Series

New enhancements to this popular and easy-to-use series include a sophisticated user interface for direct access to the full range of available features in each application. Advanced data interchange capabilities enable each product to work with other software and hardware in the office. User-defined keyboard macros record and playback keystrokes to automate program functions and improve efficiency. Local Area Network support to share data among computers in the office.

### pfs:Professional File

A complete file management and reporting program to quickly organize, update, retrieve, analyze and report information with professional results. Requires 256K and two disk drives.

Tandy 1000/1200/3000. 25-1171 ..... 195.00

### pfs:Professional Write

A complete word processing program to quickly write, edit, proof and print business reports, proposals, memos, letters and other correspondence with professional results. With built-in spelling checker and thesaurus. Requires 384K and two disk drives.

Tandy 1000/1200/3000. 25-1172 ..... 195.00

### pfs:Professional Plan

An advanced spreadsheet analysis program to quickly develop, analyze, graph and print business plans, budgets, financial statements and other planning models with professional results. Requires 384K and two disk drives.

Tandy 1000/1200/3000. 25-1173 (Avail. 3/15/87) .... 195.00

pfs:report. Tandy 1000. 25-1141 ..... 125.00

pfs:graph. Tandy 1000/1200. 25-1143 ..... 140.00

pfs:report. Tandy 1200. 25-3162 ..... 125.00

## Database Management

### Profile 286

An electronic filing system and applications generator based on the popular Profile 16 database manager. You can change or expand a system at any time without having to re-enter data. Using Profile's menu-driven setup procedure, you can create your own menus. Interacts easily with word processors. Includes a data processing language module that eliminates the need for BASIC, COBOL, C and other interfaces. Requires XENIX System V/286 and 1 meg. of memory.

Tandy 3000 HD. 25-4212 (Avail. 3/15/87) ..... 799.00

### dBASE III Plus

An ideal data management system for people who don't want to program, or a programming tool for those who prefer to create their own system. With our built-in Assistant, you'll be provided with new easy-to-use pull-down menus for creating, using and modifying databases. Our new Screen Painter lets you create custom screens as your business dictates. The Advanced Query System lets you build complex query requests just by selecting from pull-down menus. Finally, there's a new Applications Generator that creates entire applications programs without programming! A new Data Catalog and more than 50 new commands and functions help streamline applications development. Requires 384K, 2 floppy drives or floppy and hard drive. LAN requires 384K and 3.1 DOS.

Tandy 1200/3000. 25-3191 ..... 695.00

### OFFIX

Create "file folders" that can be stored and retrieved from "file cabinet drawers", create documents and forms for folders, and produce reports and form letters based on the contents of the folder. Requires 256K.

Tandy 1000/1200 HD/2000. 26-5325 ..... 99.95

## Spreadsheet Analysis

### Microsoft Multiplan

This popular spreadsheet lets you assign plain English names to any column, cell or area, vary individual column widths, center numbers and text within a column or align decimals. Sorting can be performed in alphabetical or numerical order. Cells can be set up individually, by row, column, block—or globally. Displays up to eight windows on the screen. Includes on-line help.

Tandy 1000/1200/2000/3000. 25-1163 ..... 195.00

### SCO Professional

A Lotus 1-2-3 "work-alike" for XENIX multiuser systems. SCO Professional gives you an integrated program which includes a spreadsheet, database and graphics. Reports can be generated quickly and easily using macros, data management tools and a graphics chart generator. Beyond the standard Lotus 1-2-3 features, SCO Professional has more query fields available for database operations, a larger worksheet space, full preview character-graphics support for any standard terminal and sparse matrix memory management for optimal spreadsheet storage. Requires 1 megabyte of memory and XENIX System V/286.

Tandy 3000 HD. 25-4214 ..... 795.00

## Integrated Software

### DeskMate II

DeskMate II is an easy-to-use, multifunctional software program that uses the same commands throughout. The system uses the computer's control keys, so there are no complicated commands to memorize. Each day you'll be greeted by a menu that displays a calendar, appointment schedule and a list of files stored for every function. Choose from word processing, spreadsheet analysis, electronic filing, telecommunications, electronic mail and calendar/alarm. Telecom and Mail require modem. A task-switching feature allows the user to alternate between DeskMate II and another program.

Tandy 1000 SX. .... Included with CPU

Tandy 1000/2000. 25-1164 (Avail. 2/15/87) ..... 199.95

Tandy 1200/PC Compatibles. 25-3167 ..... 199.95

Tandy 3000. .... Included with MS-DOS (25-4103, \$99.95)

### Personal DeskMate

An easy-to-use, graphics-oriented program with pull-down menus and "dialogue boxes" for selecting functions. Includes Text, Worksheet, Filer, Calendar, Telecom and Paint, a graphic picture editor. A Phone Directory, Calculator and Notepad may be accessed any time. TELCOM requires a modem.

Tandy 1000 EX. .... Included with CPU

Tandy 1000/1000 SX. Req. 256K. 25-1165 ..... 199.95

### Lotus 1-2-3

An easy way to go from spreadsheet to graphics to information management—instantly! Change your spreadsheet data; then graph it in seconds. Search and sort data in your spreadsheet. "Macro" keys let you substitute a single keystroke for a long sequence. One keystroke brings you on-screen help. Features 256 columns and 2048 rows in spreadsheet and 2000 records in database. Requires 256K.

Tandy 2000. Version 1A. 26-5300 ..... 495.00

### Framework II

This program doesn't just process numbers—it processes ideas. Each operation is placed in a "frame" that separates it from the rest of the program. Each frame is in an outline form, which you can rearrange or modify at any time. Just jot down notes or ideas in one frame, then create sub-frames for databases, spreadsheets, graphics and reports which relate to these ideas. Framework also utilizes a "desktop" format to view several operations at once on the screen. A special "zoom" function lets you instantly expand any frame to fill the entire screen. Requires 384K.

Tandy 1200/3000. 25-3192 ..... 695.00



# 1000/1200/2000/3000 SOFTWARE

## Accounting

### Quartet

Quartet includes four integrated accounting programs to give you the most up-to-date information on your company's financial health. Track your business records with programs for General Ledger, Accounts Receivable, Accounts Payable and Payroll. Quartet was designed for ease of use, fast data entry and on-line updating of ledger accounts. Features a convenient search function and automatic look-up of records. Quartet provides easy access to invoices, bills, paychecks, expense checks and ledger transactions and can create user-defined reports for customers, vendors, employees and items. Entries are made only once. Any related data is automatically updated to the General Ledger. Since all Quartet functions are integrated, there is no constant disk swapping as on many systems. Best of all, easy-to-read formatted screens look much like the invoices, check registers and payroll registers you're already using. Quartet can be used to print user-formatted financial statements with or without comparisons to previous years. Prints invoices, monthly statements, payroll checks and expense checks. Includes well defined audit trail. Uniformity of functions throughout the program makes Quartet especially easy to learn. Comes with sample data. Requires 256K and two disk drives or hard disk.

**Tandy 1000/1200/2000/3000.**  
25-1146 ..... 399.95

### Tandy 3000 XENIX Multiuser Software

Powerful, fully integrated multiuser software. See page 25 for full descriptions.

**General Ledger.** 25-4301 ..... 599.00  
**Payroll.** 25-4303 (Avail. 3/1/87) ..... 699.00  
**Accounts Receivable.** 25-4304 ..... 599.00  
**Accounts Payable.** 25-4305 ..... 599.00  
**Order Entry.** 25-4307 ..... 599.00  
**Sales Analysis.** 25-4308 ..... 399.00

## Personal Accounting Software

### Finance Manager

Helps you gain a better understanding and control over your personal and business financial needs. Create net worth statement and budgets, determine net profit, print checks, account for taxes, monitor your income and expenses and analyze investment opportunities.

**Tandy 1000/1200/3000.**  
25-1148 ..... 99.95

### Managing Your Money

Andrew Tobias' Managing Your Money is seven programs in one integrated, personal financial management package. Managing Your Money serves as a reminder pad and a complete budget and checkbook program. It helps with tax estimation and can even print out your schedule D. The program evaluates your family's present life insurance needs and suggests how you can improve your coverage. It is a financial calculator which can perform rental property analysis and financial planning. The sophisticated portfolio manager handles as many real or hypothetical stocks, bonds and options as you like, and can also manage collections such as wines, coins or paintings. And it's easy to use. Wherever you are in the program, just press the ESCape key for a HELP message.

**Tandy 1000/1200/3000.**  
25-1159 ..... 199.95

## Word Processing

### SCRIPSIT®

Includes features of a dedicated word processor. Control-key functions can be displayed on the screen for quick and easy

reference. And the built-in spelling corrector and verifier from Houghton-Mifflin not only finds misspellings, but corrects them automatically. Allows merging with dBASE files. And of course you get the features you've come to expect with the name SCRIPSIT: global search function, easy editing features, on-screen format reference and more. Extremely easy to learn and use. Requires 256K and two disk drives.

**Tandy 1200/3000.** 25-3171 ..... 299.95

**Tandy 1000/2000.** 25-1155 ..... 299.95

**Tandy 3000 HD.** Requires 640K and XENIX System V/286.  
25-4213 ..... 499.00

### Microsoft Word 3.0

Add our optional Digi-Mouse and move text and select commands without even using the keyboard! Word displays up to eight windows at once, so you can move text from one document to the other with ease. Text is displayed in boldface, italics, underlines, super and subscripts, small caps—all without any confusing symbols. Requires 256K.

**Tandy 1000/1200/3000.** 25-1162 ..... 450.00

### Microsoft Word

**Tandy 2000.** Ver. 1.0. Requires graphics.  
26-5314 ..... 375.00

### HomeWord Plus

HomeWord is so easy to use, adults or children can start word processing almost immediately! An easy-to-follow manual takes you through the basic functions. And the program's identifiable icons make it a snap to print, edit, delete or move copy. Using the built-in spelling dictionary, HomeWord Plus automatically searches for misspelled words. Correct a misspelled word once and HomeWord Plus corrects it throughout the remainder of your text. HomeWord Plus includes 45,000 words, and you can add up to 5000 more.

**Tandy 1000.** 25-1161 ..... 69.95

### New! WordPerfect 4.2

Features full merge capabilities; a phonetic spelling checker with a 120,000-word dictionary; extensive "cut and paste" features, including block highlight; full printer control; and a color-coded template that uses all ten function keys. The color coding corresponds to the color-coded manual. WordPerfect also features expanded footnote and endnote capabilities, date insertion, redline and strike-out printing, table of contents and index generation, and automatic outline and paragraph numbering. Requires 256K. Tandy 1000 requires 384K.

**Tandy 1000/1200/3000.** 25-1176 (Avail. 3/15/87) .... 395.00

## Graphics

### Micro Illustrator

Draw beautiful pictures and designs on your computer. No programming experience needed—all commands are on the icon-driven menu. Just point to choose shapes, colors, patterns, special effects and brushes. Save your pictures on disk and create your own picture show.

**Tandy 1000.** 25-1120 ..... 29.95

### VersaCAD Entry-Level

A general-purpose design and drafting program that contains much of the power found in software five times the cost. Menu-driven operation and plain-English prompts guide you through the program as you work. Features include 10 built-in primitive objects; ability to quickly group objects for manipulation; interactive editing; total flexibility of color, linestyle, etc. on any drawing level; unlimited zoom; auto-dimensioning; drawing aids, such as center marker and template lines; snap at any time to an object; grid intersection or user-defined spacing increments; output to pen plotter or graphics printer with user-defined plot specifications. Includes written tutorial and introductory audio tape. Requires 256K, two disk drives, graphics monitor and Tandy GT-2000 digitizer.

**Tandy 1000/1200/2000.** 26-5282 ..... 399.95

Finance Manager/TM Interactive Software. HomeWord Plus/TM Sierra On-Line. Managing Your Money/TM Meca. Micro Illustrator/TM Island Graphics. Microsoft Word/TM Microsoft Corp. Quartet and SCRIPSIT/TM Tandy Corporation. VersaCAD/TM T & W Systems. Word Perfect/TM Word Perfect Corp. Harmony/TM Open Systems, Inc.

# TANDY 1000/1200/2000 SOFTWARE

## MS-DOS Languages and Communication

### Macro Assembler

Assembles symbolic instructions into machine code. Supports an expanded set of conditional directives. 26-5252 . . . 99.95

### Lattice "C"

Lattice C compiler is a fast, two-phase compiler. 26-5254 . . . 499.00

### FORTRAN Compiler

From Microsoft. A subset of FORTRAN-77 for scientific and engineering applications. 26-5255 . . . 349.95

### PASCAL Compiler

From Microsoft. Compatible with the ISO proposed standard. Generates machine code. 26-5256 . . . 299.95

### COBOL Compiler

Includes an editor, interactive debugger, CRT control and a single-pass compiler. 26-5257 . . . 595.00

### OmniTerm 2

Communicate with a mainframe or Tandy XENIX host as a VT100 terminal, access information services, communicate with other micros or auto-answer and file transfer in the unattended mode. 25-1160 . . . 129.95

### Softerm 2000

A communications and terminal-emulation program to access bulletin boards, information services and mainframes. Emulates over 20 character and block-mode terminals. Requires 256K. 26-5261 . . . 149.00

### T-1000 Protocol Converter

Lets your computer or terminal access IBM host computers using BSC, SNA/SDLC or Channel Attachment Operations. Emulates an IBM 3278-2 via direct type A coax connection. Requires terminal emulation software, such as Softerm 2000 (26-5261). UL listed. 26-1169 . . . 995.00

## Tandy 2000 Communications

### BIS 3780

Allows a Tandy 2000 to communicate with an IBM bisynchronous protocol host with any IBM S/360, S/370, 30XX and 43XX host or non-IBM hosts using standard IBM SNA/SDLC or IBM bisynchronous protocol. Your computer functions as a remote terminal on a Remote Job Entry (RJE) terminal. MS-Assembler (26-5252) may be required if mode reconfiguration is needed. 26-5258 . . . 695.00

### BIS 3270

Allows a Tandy 2000 to communicate with a mainframe over point-to-point or multi-point telephone lines (via a synchronous modem or modem eliminator) with any IBM S/360, S/370, 30XX and 43XX host or non-IBM hosts using standard IBM SNA/SDLC or IBM bisynchronous protocol. Emulate an IBM 3271/3274/3275/3276 display station and a 3284/3286 printer. 26-5259 . . . 695.00

### CLEO-3270 Cluster Controller

Emulate a remote IBM 3276-2 cluster controller with an IBM 3287 printer attached (via a synchronous modem or modem eliminator). Your cluster can consist of up to four other computers emulating IBM 3278 display stations. Requires 256K system and serial Expansion Board (26-5164). 26-5262, 980.00

### Tandy 2000 Serial Expansion Board

Connect your Tandy 2000 to a mainframe computer, or hook terminals or additional serial devices to the Tandy 2000. Includes four serial channels with connectors. 26-5164 . . . 325.00

### Tandy 2000 Programmer's Reference Manual

Contains information for assembly language programmers, including entry conditions for MS-DOS. 26-5403 . . . 19.95

### Tandy 2000 Hardware Reference Manual

Introduces schematics and theory of operation for troubleshooting, designing interfaces and more. 26-5404 . . . 24.95

## Tandy 1000 Learning Programs

### Educational

#### Robot Odyssey\*

A science adventure for sharp teens and adults. Robotropolis is an underground city populated by robots that you must escape from. To unlock the secret exit you must design friendly robots, navigate invisible mazes, solve puzzles and sneak past sentries. 25-1135 . . . 34.95

#### Rocky's Boots\*

Hailed as a software classic by the New York Times, the award winning Rocky's Boots helps develop skills in logical problem solving, abstract reasoning, and creative thinking. The concepts of electronic circuitry, circuit design and logic are explored in a motivating environment where players invent machines to solve puzzles and win over 30 different games, including games they design themselves. By experimenting with simulated real-world electronic parts and "electricity," players as young as 9 years old can learn basic computer logic. 25-1139 . . . 34.95

#### Below The Root\*

Based on Zilph Snyder's recently published Green-Sky Trilogy. Combines the story-building aspects of a text adventure with hundreds of colorful graphics. It also combines fast-paced excitement with a unique text menu—a first in adventure

games. Play as one of five characters—each with different abilities and strengths. 25-1136 . . . 29.95

#### Typing Tutor III\*

The fastest, most effective way to learn how to type on your computer. Progressively increases in speed to match your progress—as you get better, it gets faster. Features Letter Invaders™, the arcade game that sharpens your typing skills. 25-1126 . . . 49.95

#### Mastering the SAT\*

Comprehensive and self-paced, the program places emphasis on the principles involved in each question and its solution, as well as test-taking strategies. 25-1127 . . . 99.95

#### The FUNDamentals

An exciting and simple introduction to computers, computer vocabulary and computer concepts. FUNDamentals uses tutorials, games and graphics to explain hardware, software, DOS, DeskMate, communications and more. It's the FUN way for everyone—young and old—to become familiar with the Tandy 1000 computer.

Tandy 1000. 25-1124 . . . 29.95

Tandy 1000 SX. 25-1166 . . . 29.95

Tandy 1000 EX. 25-1167 . . . 29.95

\*Also runs on PC compatibles. The FUNDamentals/TM Digital Learning System. Mastering the SAT/TM CBS Software. Robot Odyssey and Rocky's Boots/TM The Learning Co. Typing Tutor III/TM Simon & Schuster. BIS 3270 and BIS 3780/TM Micro Integration. CLEO-3270 Cluster Controller/TM Phone I Inc. Fortran Compiler, PASCAL Compiler and Macro Assembler/TM Microsoft Corp. Softerm 2000/TM Softronic. T-1000 Protocol Converter/TM Avatar Tech. Below the Root/TM Windham Classics.



# TANDY 1000 HOME SOFTWARE

## Star Flight\*

Explore strange new worlds and new civilizations. Boldly go where no man has gone before—then figure out how to communicate with the aliens you find there. A state-of-the-art role-playing adventure set in outer space. Develop and play six characters: Captain, Science Officer, Navigator, Medical Officer, Communications Officer, and Chief Engineer. Explore over 20 unique star systems, each displayed in stunning graphic detail. 25-1137 ..... 49.95

## Rogue\*

A college classic, Rogue is so full of unpredictable monsters, ever-changing magic and hidden dangers that it's never the same game twice. 25-1134 ..... 29.95

## Black Cauldron\*

A Walt Disney 3-D animated adventure game. You must find the Black Cauldron and defeat the forces of the wicked Horned King by destroying the cauldron's magical powers. 25-1133 ..... 34.95

## Winnie The Pooh\*

Walt Disney's Winnie the Pooh and his friends will capture your children's imagination while developing necessary skills and building knowledge. A different game is presented each time it is played assuring an endless challenge for any child. Be aware however—it's easy to get lost in the ever-changing Hundred Acre Wood. Improves map skills, reading ability, and logical thinking. 25-1132 ..... 34.95

## One-on-One

Basketball superstars Larry Bird and Julius "Dr. J." Erving helped design this exciting simulation game. Try 360-degree slam dunks, turn-around jump shots, rebounding for tip-ins and more. For one or two players. 25-1111 ..... 34.95

## Pinball Construction Set

Comes with five built-in pinball machines, or choose from 32 game parts to build your own. 25-1112 ..... 34.95

## Lode Runner

To find the stolen treasure, you, the Galactic Commando, must run, jump, drill special passages and outsmart the Bungeling guards if you're to succeed. More than 150 game screens! 25-1113 ..... 29.95

## New! Mickey's Space Adventure\*

Join Mickey and Pluto on a journey through our solar system, in their quest to help some friendly aliens recover lost pieces of valuable memory crystal. Stunning graphics, delightful characters, and challenging activities capture your child's imagination while developing skills and knowledge. Your child will be motivated to learn all about the solar system: the name of each planet, its relative size and position in the solar system, surface temperatures, atmospheric and planet composition and much more. 25-1130 ..... 34.95

## New! Donald Duck's Playground\*

Donald's mischievous nephews, Huey, Dewey and Louie, would love to have a playground of their own. You can help Uncle Donald build them one. Compelling and challenging activities motivate your child to grasp the concepts involved. Your child will enjoy working at four different, entertaining jobs along with Donald, earning the money needed to buy playground equipment. Whether working at the produce stand, stocking toy store shelves, or sorting cargo at McDuck Airlines, your child will be challenged to recognize and match shapes, colors and letters. With each purchase of equipment, your child will develop a better understanding of money-handling. 25-1131 ..... 34.95

## Flight Simulator\*

A real-time flight simulation program. The simulation considers 35 important aircraft characteristics and includes an out-the-window three-dimensional dynamic flight display and extensive flight controls. 26-5379 ..... 49.95

## F-15 Strike Eagle\*

A challenging and exciting air combat from the modern electronic cockpit! You'll fly combat missions, engage enemy aircraft, and destroy enemy ground targets. 25-1125 ..... 34.95

## Ghostbusters\*

Based on the hit movie. Program features the bouncy theme song from the hit movie, voice synthesis and the ever-present danger of The Marshmallow Man. 25-1138 ..... 34.95

## Infocom Sampler

The Sampler is the perfect way to introduce yourself to the addictive pleasures of Infocom. It contains portions of four different types of stories: Zork I, The Witness, Planetfall and Infidel. 25-1129 ..... 7.95

## King's Quest II—Romancing the Throne\*

Enter a strange and wonderful adventure world as you guide King Graham on his quest to free his queen-to-be from a jealous enchantress. Different mysteries and obstacles await you each time you play. 25-1128 ..... 39.95

## New! Space Quest\*

Experience the ultimate in 3-D space adventure as you travel to worlds beyond imagination inhabited by strange alien beings. The space lab Arcadia is under siege by the dreaded Sarians. Your life is in danger as they are out to capture the powerful Star Generator. Travel to the planet Kerona where you will come in contact with even more undesirable aliens. Or confront the evil Sarians face to face within the bowels of the Deltaur ... if you're lucky enough to make it that far. 25-1150 ..... 49.95

## New! Where in the World is Carmen Sandiego?\*

The metropolis awakens to find the Statue of Liberty's torch stolen! The citizens are outraged, the Mayor is up in arms and you've been assigned to the case! At the scene of the crime you learn that the thief was seen heading for the airport. You're off on a whirlwind international chase through the great capitals of the world—London, Rome, Moscow and Katmandu. Decipher clues along the way by looking up facts in The World Almanac. When you finally catch up with your suspect, you had better be right—if you make your move and you're wrong, you may be pulled off the case. If you get it right, you're on your way to a promotion and a chance to solve new and tougher cases. 25-1151 ..... 39.95

## New! Term Paper Writer\*

A "must" for every high school and college student. Term Paper Writer gives you the fast and easy way to make the grade. A fantastic tool for organizing and writing term papers, it simplifies every step of the process of term paper writing—note taking, organizing ideas, outlining information, footnoting and compiling bibliographies. Uses Turabian, APA or MLA styles. 25-1154 ..... 59.95

## Kindercomp

A series of games for pre-schoolers. Kids create colorful drawings, identify number sequences, create repeating word patterns, match letters and numbers and more. 25-1102 ..... 29.95

## Fraction Fever

Helps children develop an understanding of fractions. Kids hop an animated "pogo stick" to match the correct picture with the fraction shown on the screen. 25-1103 ..... 29.95

\* Also runs on PC compatibles. Fraction Fever and Kindercomp/TM Spinnaker. King's Quest II and Space Quest/TM Sierra On-Line. Infocom Sampler/TM Infocom. Flight Simulator/TM Microsoft Corp. Lode Runner, Where in the World is Carmen Sandiego?/TM Broderbund. Star Flight, One-on-One and Pinball Construction Set/TM Electronic Arts. Rogue/TM Epyx. Ghostbusters/TM Columbia Pictures. F-15 Strike Eagle/TM Microprose. Term Paper Writer/TM Personal Choice Software.

# MODEMS & VIDEOTEX SOFTWARE



## Communications Modems

Use with any RS-232C-equipped computer. Full duplex, originate/answer, 300 bps. Bell 103 compatible. FCC registered. U.L. listed.

### Acoustic Coupler

**A AC-4.** Accommodates round or square handsets—ideal for use in hotel rooms where direct connection may not be possible. Also half duplex. 26-1179 ..... 119.95

### New! Intelligent Modem

**B DCM 7.** Switch selectable between Hayes® and Tandy command sets. Easy-to-use auto-dial/auto-answer. Connects directly to modular phone jack. 26-1394 ..... 99.95

### Direct-Connect Modem

**C DCM 6.** Our lowest priced modem! Plugs directly into modular phone jack. Works with either DB25 or 8-pin connector (for acoustic cups). Includes a modular phone cable. 26-1393 ..... 59.95



## High-Speed & Intelligent

# 19995

**DCM 212.** This auto-dial/auto-answer modem is switch selectable between Hayes® and Tandy command sets. Easy-to-use menu-driven operation automatically selects 300 or 1200 bps rate. Bell 212A compatible. 26-1385 ..... 199.95



## Integrated Phone and Modem Gives You 2 Devices in 1

**Modemfone™ 100.** Get the extraordinary convenience of a telephone and modem in one affordable unit. Telephone features switchable Touch-Tone/pulse dialing, adjustable ringer volume and one-button touch redial. Hearing aid compatible. Modem features full duplex, originate/answer, 300 bps. Standard RS-232C computer connection. Bell 103 compatible. FCC registered. U.L. listed AC adapter. 26-1386 ..... 99.95



## RS-232C Selector Switch

# 14995

**SW-303.** Connect three RS-232C devices to your computer. One configurable port for communications. U.L. listed. Cables not included. 26-1499 .. 149.95

## Access Information by Phone

### CompuServe Information Service

Get "on line" with this exciting information service—and the first hour is free! CompuServe offers local, national and international news (read headlines before they've gone to press!), weather and sports from major newspapers like *The New York Times* and *The Washington Post*, plus the full newswire service of the Associated Press. Get historical information and updates on over 32,000 stocks, bonds and securities. There's also a home and educational reference service and computer games. Send and receive "electronic mail". Get 16K of RAM workspace and 128K of disk storage. All this available at a low hourly rate (additional charges for some services).

### Dow Jones News/Retrieval

A "direct line" to Wall Street—and the first hour is free! Dow Jones News/Retrieval gives you current market quotes (subject only to the mandatory 15-minute delay) on all stocks, bonds and options traded on the major exchanges—plus selected U.S. Treasury issues. Detailed financial statistics compiled by Media General Financial Services are available for all NYSE and AMEX traded companies. There's also "electronic editions" of *The Wall Street Journal*, *Barron's* and the Dow Jones "Broadtape"—as recent as 90 seconds and as far back as 90 days.

## Low-Cost Videotex Packages

Videotex software packages allow access to national information networks and data bases using your computer and an optional-extra telephone interface. Simply dial a phone number (usually local), press a few keys and the desired information appears on your screen. Includes a Videotex software manual, CompuServe manual, ID number and password, and a Dow Jones manual and password. You also get one FREE hour on both the CompuServe and Dow Jones! After that, you'll be billed at their low hourly rates.

**Color Computer Package.** 26-2222 ..... 29.95

**Universal Sign-Up Kit.** Includes information kit for CompuServe and Dow Jones. Requires software or terminal emulation. 26-2224 ..... 19.95

### Videotex Plus

A powerful and sophisticated communications package for your disk system. Videotex Plus lets you communicate with any computer information service (with the same communications protocol as Videotex), such as CompuServe and Dow Jones News/Retrieval. It's simple to use, yet loaded with features to help you minimize connection time. Requires modem.

**Model I/III Package.** 26-1588 ..... 49.95

**Model 4 Package.** Same as above. 26-1598 ..... 49.95

**Tandy 2000 Package.** Same as above. 26-5260 .... 49.95

Use Modems only with Bell-compatible equipment. Direct-connect modems are not for multiline use without optional-extra controller. Hayes/TM Hayes Microcomputer Products, Inc. Modem/TM Tandy Corp. CompuServe/TM CompuServe, Inc. Dow Jones News/Retrieval/TM Dow Jones & Co., Inc.



# POPULAR COLOR COMPUTER 2®



## A True Family Computer

NEW LOW  
PRICE!

**9995**

Was \$159.95  
in Cat. RSC-17

Less TV and Program Paks

- Write Sophisticated Programs & Create Color Graphics
- Access 32,000 Characters of Memory With Built-In Extended BASIC Language
- Add a Color Disk Drive and OS-9 Operating System to Access the Full 64K

**64K Extended BASIC Color Computer 2.** Learn to program or use ready-to-run software. Ideal for a variety of small business and professional uses, too. Simple, one-line commands make detailed color graphics easy to create. Perfect for drawings, designs, charts, engineering applications—even animation! Features 256 x 192 screen resolution (49,152 pixels); multicharacter variable names; string arrays up to 255 characters; full-featured editing; tracing; floating point 9-digit accuracy; trigonometric functions; user-definable keys; specific error messages; and more. Software is available for personal and household tasks, education and entertainment. Easy to expand. Attaches to any TV. Includes tutorial manuals. UL listed. 26-3127 ..... 99.95



## Increase Data Storage

**29995**

156,672 Characters  
of User Storage  
Per Diskette

**FD-501 Color Thinline Disk #0.** Turn any Color Computer with Extended BASIC into a complete disk system and store over 156,000 characters of data. Write your own programs or use ready-to-run software. Includes 5 1/4" double-density, 35-track floppy disk drive; Program Pak cartridge containing the Disk Operating System; cable; blank diskette; manual and operator's instructions. UL listed. 26-3131 ..... 299.95

**Second Drive for FD-501.** Adds 156K of storage. Requires installation (not included). 26-3132 ..... 179.95

\*Installation required (not included). Some installations may require additional-cost hardware.

## Save When You Buy DeskMate™ and a Disk Drive

Complete package includes the FD-501 Floppy Disk Drive and DeskMate 6-in-1 Program. Reg. separate items \$399.90.

**For the Color Computer 2.**

26-3131/26-3259 ..... 329.95

**For the Color Computer 3.**

26-3131/26-3262 ..... 329.95

## Color Computer 2 Upgrade Kits

**16K RAM Upgrade Kit.** Converts a 4K Color Computer to 16K to use larger, more sophisticated programs.

26-3015 ..... 29.95\*

**Low-Profile Keyboard Kit.** Upgrades old keyboard to our newer version. 26-3016 ..... 24.95\*

**64K RAM Upgrade Kit.** Converts a 4K, 16K or 32K Color Computer to the same memory used in 26-3127.

26-3017 ..... 59.95\*

**Extended BASIC ROM Kit.** Allows advanced graphics or disk drive capability. Requires 16K RAM. 26-3018 ..... 39.95\*



# POWERFUL COLOR COMPUTER 3



## Superb Graphics Resolution and Uncompromising Performance at An Incredible Price

NEW FOR 87

**21995**

Less Monitor

- Choose From a Palette of 64 Brilliant Colors
- Produce Sharp, Crisp Graphs and Illustrations
- Display 32 x 16, 40 x 24 or 80 x 24 Text
- 160 x 192, 320 x 192 or 640 x 192 Resolution
- Use With a High-Resolution Monitor or Your Own TV
- Expands Easily As Skills and Needs Grow

**128K Extended BASIC Color Computer 3.** Introducing Radio Shack's newest version of our famous Color Computer. The Color Computer 3 can be used in a variety of applications such as graphics, programming, budgets, word processing, database management, spreadsheet analysis and many others. The Color Computer 3 comes with 128K memory (expandable to 512K), and gives you the advantage of greater programming and data processing power, as well as higher resolution graphics. Simply connect the Color Computer 3 to a high-resolution monitor—like the new CM-8 monitor (sold separately, at

right)—and you can create incredibly detailed charts, graphs and engineering drawings in vivid colors. The special higher graphics mode lets you paint 160 x 192- or 320 x 192-resolution graphics using 16 out of the 64 total colors. Or produce razor-sharp 640 x 192-resolution in 4 colors. The 21 new commands featured in the Color Computer 3's Extended BASIC language allow you to switch between screens, colors and backgrounds at a higher resolution and in a greater variety of colors than any previous Color Computer. When connected to a TV, the Color Computer 3 will display text in a 32-character by 16-line format. Get a 40-character by 24-line or 80-character by 24-line display with a monitor. Best of all, the new Color Computer 3 is compatible with software and accessories designed for the Color Computer 2 (in the Color Computer 2 mode). Expands easily with disk drives, printer, telephone modem and more. UL listed AC. 26-3334 ..... 219.95

**Color Computer 3 512K Upgrade Kit.** Installation required (not included). 26-3335 ..... 149.95

## New! High-Resolution Color Monitor

**CM-8 RGB Analog Color Monitor.** Designed for use with the Color Computer 3. Displays up to 80 x 24 text and 640 x 192 graphics. It is the perfect complement to the superb graphics capabilities of the Color Computer 3. The CM-8 features a 13" diagonal screen and a built-in speaker with volume control. Includes cable. UL listed AC.


26-3215 ..... 299.95

**SPECIFICATIONS FOR COLOR COMPUTER 3.** Microprocessor: 68B09E 8-bit. Clock Speed: 0.894 MHz or 1.788 MHz. Keyboard: 57 keys, including Control, Alternate, F1 and F2. Video Display: 16 lines of 32 characters (uppercase only) to 24 lines of 80 characters (uppercase/lowercase). Color graphics capabilities range from 64 x 32 (8 colors) to 640 x 192 (4 colors and background color) with 6 intermediate display formats. High-resolution graphics in the same range available through machine language, Extended BASIC or Program Paks. Memory: 128K RAM—internally expandable to 512K. Twenty-one commands in enhanced Extended BASIC. Input/Output: 1500-baud cassette (recorder optional). Two joystick ports. RS-232C serial port (4-pin only). Standard TV (300 ohms), composite monitor and RGB Analog Monitor outputs. Dimensions: 3 x 10<sup>3</sup>/<sub>8</sub> x 14<sup>3</sup>/<sub>4</sub>". Power: 120VAC, 60 Hz.

**SPECIFICATIONS FOR COLOR COMPUTER 2.** Microprocessor: 6809E, 8-bit. Clock Speed: 0.894 MegaHertz. Keyboard: 53 keys. Video Display: 16 lines of 32 characters (upper case only). Color graphics capabilities range from 64 x 32 (8 colors) to 256 x 192 (1 color and background color) with three intermediate formats. Memory: 16K ROM and 64K RAM. Input/Output: 1500-baud cassette (recorder optional). Two joystick ports. RS-232C serial port (4-pin only). Standard TV (300 ohms) output. Dimensions: 3 x 10<sup>3</sup>/<sub>8</sub> x 14<sup>3</sup>/<sub>4</sub>". Power: 120VAC, 60 Hz.




# COLOR COMPUTER ACCESSORIES



**A Color Mouse.** Adds speed and ease to games and graphics creation. Simply "roll" the mouse across tabletop (or any flat surface) to accurately position cursor. You can use it alone or with a joystick. 26-3025 ..... 49.95

**B Joysticks.** Our lowest-priced joystick. Now two players can experience the fun and excitement of games at the same time. Fast 360° movement! Single-shot button. 26-3008 ..... Pair/19.95

**C Deluxe Joystick.** Our best! Patented stick mechanism gives you more accurate cursor control and quicker response. Dual-axis trim controls adjust to your touch—allowing you to "fine tune" joystick to your game, business and graphics software. Select "spring-centering" or "free-floating" operation. 26-3012 ..... Each 29.95



**A Multi-Pak Interface.** Connects up to four Program Pak™ cartridges to your Color Computer at once! No more plugging in and unplugging cartridges. Connect disk drives and other accessories, too. Change between slots with selector switch or under program control. U.L. listed. 26-3124 ..... 99.95

**B DC Modem Program Pak.** RS-232 interface and 300-baud, originate/answer modem. Transfer/receive ASCII files or access information services by phone. 26-2228 ..... 89.95

**C Deluxe RS-232 Program Pak.** Frees serial port for optional printer while you communicate with major information services and with other computers over telephone lines. Software is built in. Requires modem. 26-2226 ..... 79.95




**A Sound/Speech Cartridge.** Adds sound, three voices and noise to your BASIC programs. 26-3144 ..... 79.95

**B Hard Disk Interface.** Use your Color Computer with Primary Drives. Requires 64K, Multi-Pak Interface, floppy disk with controller and OS-9 (2.0 or later). 26-3145 ..... 129.95

**C Orchestra-90 CC.** Create highly sophisticated electronic music and sound effects with your computer and listen to it on your home stereo. Both musicians and non-musicians can compose in six octave ranges in up to five voices. Simulate various instruments and percussion. 26-3143 ..... 79.95

**D Appliance/Light Controller.** Connect lights and appliances to Plug 'n Power™ remote control modules (sold separately), attach the controller to your Color Computer, then program times and events. U.L. listed. 26-3142 ..... 99.95



## Electronic Book Makes Learning Fun

# 24<sup>95</sup>

Four Fun Programs  
Available Separately

**Electronic Book.** Your kids will spend hours learning the fun way! Each of the software packages (sold separately, below) contains "pages" which compose the Electronic Book. Different areas of the book's touch-sensitive surface are pressed to make selections. Interactive routines make learning a game. Safe for kids to use, too—plugs into joystick port. Requires 16K Extended BASIC and cassette recorder. 26-3141, 24.95

**Maze Master.** 26-2541 ..... 19.95

**Shape Maker.** 26-2542 ..... 19.95

**The Number Factory.** 26-2543 ..... 19.95

**Word Wizard.** 26-2544 ..... 19.95

# COLOR DISK SOFTWARE

## Childpace

Track your child's early development from 3 months to 5 years old. Evaluates dexterity, language, personal and social skills. 26-3248 ..... 39.95

## D.L. LOGO

Programming language designed to run under OS-9. Includes "MUSIC" to play songs with up to 4 voices, "SAY" for support of Speech/Sound cartridge, and joystick support. 26-3033 ..... 99.95

## OS-9 Disk Operating System

Accesses the entire memory of our 64K Color Computer. Includes editor/assembler. 26-3030 ..... 69.95

## New! OS-9 Level II

Similar to OS-9 (above), but with enhancements for Level II to support 512K RAM and dual speed. Includes standard I/O drivers and BASIC-09. 26-3031 ..... 79.95

## OS-9 Development System

Complete editor/assembler with full-screen editing and specialty I/O drivers for Color Computer 3. Requires OS-9 Level II. 26-3032 ..... 99.95

## Multi-View

User-friendly graphics interface for OS-9 Level II programs. "Window" multiple applications on your Color Computer 3. 26-3035 ..... 49.95

## PASCAL-09

A complete implementation of this structured programming language. Requires OS-9 DOS. 26-3034 ..... 99.95

## BASIC-09

An enhanced version of standard BASIC written for the 6809 microprocessor. Includes advanced features derived from PASCAL. Requires OS-9 DOS. 26-3036 ..... 99.95

## C Compiler

A high-level language that produces assembly language source code for the 6809 microprocessor. Requires OS-9 DOS and 2 disk drives. 26-3038 ..... 99.95

## OS-9 Screen Print

Print high-res Color Computer graphics. Requires CGP-220 for four-color printouts or dot-matrix printer with bit-image mode for B&W. Requires OS-9 DOS. 26-3221 ..... 14.95

## OS-9 Profile

A personalized electronic filing system. Requires 64K and OS-9 operating system. 26-3274 ..... 49.95

## New! Phantomgraph

Graph data from database or user input. 26-3276 (Avail. 1/15/87) ..... 49.95

## TRSCOPY

Allows transfer of text files between "OS-9" disks and "Color Computer Disk Basic" disks. 26-3263 ..... 24.95

## COOKBOOK

Two programs in one—an all-purpose menu planner and recipe index file. 26-3257 ..... 39.95

## TSEDIT

A high-resolution screen editor that allows upper and lower case in lines from 32-80 columns. 26-3264 ..... 34.95

## TSWORD

A format program that forms a powerful OS-9 word processing package when combined with TSEDIT. Illustrated menus. Requires 64K. 26-3267 ..... 34.95

## New! TSSpell

A spelling checker/corrector designed to run under OS-9 in conjunction with TSWORD. 26-3266 ..... 39.95

## Investograph

Charts stocks and trends. Features high-resolution graphics. 26-3258 ..... 49.95

## Cash Budget Management

A sophisticated personal or small business bookkeeping program. 26-3261 ..... 49.95

## DYNACALC

A powerful electronic spreadsheet. Features 256 columns and 256 rows. Requires 64K. 26-3275 ..... 99.95

## Mickey's Space Adventure

Children will learn problem-solving skills while operating a spacecraft. 26-3247 ..... 29.95

## Biosphere

An ecological simulation game that teaches children to create a workable ecology. Requires 64K. 26-3280 ..... 29.95

## Robot Odyssey I

Logical problem solving, abstract reasoning and creative thinking. Requires 64K. 26-3284 ..... 34.95

## Rocky's Boots

Players invent machines to solve puzzles, including games they design. Requires 64K. 26-3283 ..... 34.95

## PAN

Write your own songs! Includes everything you need to compose music in three-part harmony. 26-3279 ..... 29.95

## New! Zone Runner

Transport various items between the outposts of the galaxy while avoiding the patrols, pirates, escorts and mines. 26-3286 ..... 29.95

## New! The Color Computer Artist

A user-friendly picture editor for the Color Computer 3 using OS-9 Level II. Select paint, spray, draw, zoom, stamp and more from menu icons. 26-3277 ..... 29.95

## Pitfall II

Help Pitfall Harry on a treacherous journey to recover the magnificent Raj diamond. Requires 64K RAM and joystick. 26-3287 ..... 29.95

## One-on-One

Dr. J (Julius Erving) and Larry Bird play basketball, one on one style. Control either player and try to win. 26-3288 ..... 34.95

## Flight Simulator I

Learn the basics in manual control of ailerons (pitch and roll), compass readings, take-off and landing and more. Requires 64K and joystick. 26-3108 ..... 24.95

## Varloc

Chess pieces must wage a battle for victory of each square. You control one side, the computer the other. 26-3291 ..... 29.95

## Desert Rider

How long do you think you can survive this treacherous, grueling motorcross track? Joystick required. 26-3292 ..... 29.95

## Ghana Bwana

You're in an outrigger trying to reach an island. Obtain the treasure and win. Joystick required. 26-3293 ..... 29.95

## New! Rogue

Rogue is so full of unpredictable monsters, ever-changing magic and hidden dangers that it's never the same game twice. 26-3297 ..... 29.95

## The Interbank Incident

Find the thieves who have stolen a code book from the Interbank Corporation. Requires 64K. 26-3296 ..... 29.95



# COLOR COMPUTER SOFTWARE

## DeskMate

An integrated package of seven commonly used personal productivity applications on one disk: Text, Ledger, Index Cards, Paint, Telecom, Calendar and Calculator. DeskMate is very user friendly. You can easily select an application (identified by name and icon) with your mouse, joystick or keyboard arrow keys.

**TEXT**—A general-purpose text entry and editing program that performs search and replace; file merge; and block select, copy and delete. It's ideal for writing correction-free letters, memos and short reports.

**LEDGER**—A simple spreadsheet which includes an easy-to-use menu and automatic column formatting. You can use Ledger to do budgeting, sales forecasting, profit and loss projections and other "What if . . . ?" calculations.

**INDEX CARDS**—A personal filing system. You can enter and edit data and perform simple sorts and searches. It's ideal for keeping track of names and addresses.

**PAINT**—A four-color picture editor to create graphics screens. You can easily create lines, shapes, patterns, fill in areas with color and enter text. Using Paint, you can create colorful charts, graphs, designs, even "doodles" on your screen, then print a copy on a dot-matrix or ink-jet printer.

**TELECOM**—A communications program to access national information services, plus transmit and receive ASCII files from other computers by phone (requires modem). Telecom makes it easy to access computer bulletin boards.

**CALENDAR**—A simple monthly calendar that displays "to do's" for any date. An easy way to organize your day.

**CALCULATOR**—A four-function calculator available within any application.

**Color Computer DeskMate.** 26-3259 . . . . . 99.95

**DeskMate 3.** Designed exclusively for the power of the Color Computer 3. Same features as DeskMate (above), but with a 40/80-column switchable display for Text, Ledger and Telecom. 26-3262 (Avail. 3/15/87) . . . . . 99.95

## New! Color File II

With Color File II you can easily and quickly store, retrieve and use various types of important data, such as addresses, warranties and personal records. You can easily alphabetize, select, examine, print, change and save your information. 26-3110 (Avail. 2/15/87) . . . . . 24.95

## Spectaculator

Do your planning, forecasting and problem-solving with this "electronic spreadsheet." Just enter numbers and formulas, and Spectaculator will calculate and display the results on command, saving you time and effort. Up to 99 rows and columns. 26-3104 . . . . . 29.95

## Personal Finance II

Easy-to-use household budget program. Keeps track of 9 bank accounts and 26 budget categories. Balance your check-book and keep accurate records of your expenditures in each budget category. Review your expenditures on a monthly or yearly basis. 26-3106 . . . . . 29.95

## New! Color SCRIPSIT II

Color SCRIPSIT II is a word processing system that includes an editor to enter and edit text and text formatting commands. The view mode allows the user the ability to change the format control information while viewing the page. 26-3109 (Avail. 2/15/87) . . . . . 29.95

## Color Screen Print Utility

② Provides multi-color printouts of color graphics scenes produced from any graphics program. For use with color ink-jet printer (26-1268)/dot-matrix printer. Requires 16K. 26-3121 . . . . . 9.95

## Editor/Assembler

Develop 6809 software programs or subroutines. You get trial assembly of object code and execution of your program in-

memory before final assembly to tape, an editor that enables you to change your program and reassemble, and Z-Bug for quick and easy testing. Requires 16K. 26-3250 . . . . . 39.95

## Atom

① Teaches the names of elements, their atomic numbers, configurations and main properties. Includes beautiful wall poster. 26-3149 . . . . . 19.95

## Vocabulary Tutor

Match words with their definitions and place words in the appropriate sentences. For grades 3-5.

**Vocabulary Tutor 1.** ② 26-2568 . . . . . 8.95

**Vocabulary Tutor 2.** ② 26-2569 . . . . . 8.95

## Color Computer Learning Lab

② Self-teaching course in standard Color BASIC. 26-3153 . . . . . 49.95

## Color Math

Math skills for ages 6-14. Includes problems in addition and subtraction. 26-3201 . . . . . 19.95

## New! Winnie the Pooh

It's easy to get lost in the Hundred Acre Wood, so be careful. Improves map skills, reading ability, and logical thinking. 26-3244 (Avail. 3/15/87) . . . . . 34.95

## New! Donald Duck's Playground

Whether working at the produce stand, stocking toy store shelves or sorting cargo. Learn to recognize and match shapes, color and letters. 26-3245 (Avail. 3/15/87) . . . 34.95

## New! Cave Walker

Do you have what it takes to find the fabulous Treasure of the Ancients? Watch out for the steam vents, fireballs, bullets, and the Great White Bat. 26-3246 . . . . . 24.95

## New! Koronis Rift

Take part in a daring raid to claim the Ancient's exotic technologies. 26-3298 (Avail. 2/15/87) . . . . . 29.95

## New! Rescue on Fractalus

As a member of the elite Rescue Squadron, your mission is to rescue downed pilots. 26-3299 (Avail. 2/15/87) . . . . . 29.95

## Program Pak Games

### Dragonfire

① You must dodge fireballs tossed by the dragon to get to the treasure room. 26-3098 . . . . . 29.95

### Downland

① Alone in a secret cave, you jump and climb from chamber to chamber, collecting keys, gold and diamonds. Each chamber is different—so watch out! 26-3046 . . . . . 19.95

### Dungeons of Daggorth

You're pitted against a succession of awesome beasts. Each victory brings you closer to your ultimate opponent—the evil wizard. 26-3093 . . . . . 29.95

### Baseball

① Plays just like the real game! You control pitching, running and defense. 26-3095 . . . . . 19.95

### Androne

① Your computer has been invaded by Data Bugs. Call on Androne, a user-controlled robot to hunt through your memory banks and "de-bug" them. 26-3096 . . . . . 19.95

## Cassette Tape Game

### Pyramid

② Perilous adventure game! Explore the ancient pyramid's unknown passages for treasures! 26-3310 . . . . . 14.95

Rescue on Fractalus and Koronis Rift/TM Lucasfilm Ltd.

① Joysticks required. ② Cassette recorder required. ③ Joysticks and cassette recorder required.

# HANDY POCKET COMPUTERS

## PC-6 Pocket Scientific Computer

**119<sup>95</sup>**

- 65 Built-In Scientific Functions
- Programs in BASIC and Assembly Language

**Pocket Scientific Computer PC-6.** An ideal tool for engineers and students, the PC-6 combines the best features of a powerful scientific calculator and a pocket computer. Performs up to 65 scientific calculations—or write your own programs in BASIC or assembly language. Retains programs and data even when power is off. A built-in Note and Address File keeps important telephone numbers or engineering data and formulas handy. Features an easy-to-read, 24-character LCD. Uses PC-4 Cassette Interface and Printer with PC-5/6 Cable (all sold separately). 8K RAM. Folds up to only  $\frac{3}{4} \times 1\frac{13}{16} \times 5\frac{5}{8}$ ". Includes battery. 26-3672 ..... 119.95

**8K RAM Module.** 26-3674 ..... 19.95

**PC-4/5/6 Cassette Interface.** See PC-4. 26-3651 .... 39.95

**PC-4/5/6 Printer.** See PC-4. 26-3652 ..... 79.95

**PC-5/6 Cable.** 26-3671 ..... 14.95




NEW FOR 87

## PC-7 Pocket Scientific Computer

**69<sup>95</sup>**

- With 72 Scientific and 17 Statistical Calculations
- Features 2K RAM
- Programs in BASIC

**Pocket Scientific Computer PC-7.** Keep track of important data and calculations wherever you go with our new PC-7 Pocket Computer. This incredible, compact unit performs up to 72 scientific calculations and 17 statistical calculations. This makes it perfect for engineers, students and professionals who need exact mathematical data rapidly. Mathematical functions include trigonometric, logarithmic/exponential, absolute value, permutations, standard deviation, linear regression and many others. The PC-7 features 2K random access memory and 35 commands in BASIC including: CLEAR, END, INPUT, DATA, READ AND STAT. You can even write your own programs in BASIC! Keyboard composed of 72 keys. Measures  $1\frac{13}{32} \times 5\frac{1}{2} \times 7\frac{3}{32}$ ". 26-3673 ..... 69.95



NEW FOR 87

## Low-Cost PC-4 Pocket Computer

**59<sup>95</sup>**

- Measures  $\frac{3}{8} \times 6\frac{1}{2} \times 2\frac{3}{4}$ "
- 544-Character Memory

**Pocket Computer Model PC-4.** Lets you keep up to 10 short programs in memory or combine the programming area for longer programs. BASIC language includes 23 commands, 15 functions and 10-digit numeric accuracy. Use just two key-strokes to enter up to 16 common commands. Edit and Debug modes make the PC-4 easier to program than a programmable calculator. Typewriter-style keyboard includes 53 alphabetic keys and a 10-key numeric datapad. A big 12-character LCD scrolls to 62 characters. With batteries and manual. 26-3650 ..... 59.95

**PC-4/5/6 Cassette Interface.** Store and load programs on cassette tapes using an optional cassette recorder. Requires two "AA" alkaline batteries. 26-3651 ..... 39.95

**PC-4/5/6 Printer.** Prints at 20 characters per line (60 lpm) in an electro-thermal 5 x 7 dot matrix. Includes rechargeable batteries and U.L. listed AC adapter/charger. 26-3652, 79.95

**PC-4/5/6 Thermal Paper.** 65-711 ..... Pkg. of 5/1.99



A

B



# TANDY PORTABLE COMPUTERS



## Our Popular Tandy 200

**799<sup>00</sup>** ■ Multiplan Built In  
■ 24,000-Character Memory

**Tandy 200.** A powerful problem solver. For complex spreadsheet analysis and calculations, we put popular Multiplan software into the Tandy 200's permanent memory. Do sales forecasts, profit-and-loss projections, budgeting, pricing, engineering calculations and more. An improved version of the Model 100's easy-to-use word processing program makes Tandy 200 especially useful for memos, reports and correspondence. Four other "instant-on" programs are a personal appointment calendar, address and phone directory, and telephone auto-dialer. You can even create your own programs in BASIC. The Tandy 200's high-contrast flip-up liquid crystal display has 240 x 128 resolution for big, clear graphics, or 16-line by 40-character text. Includes parallel printer, RS-232C, cassette and bar code reader interfaces. 26-3860 .. 799.00

**SPECIFICATIONS.** Microprocessor: 8-bit 80C85 CMOS. Clock Speed: 2.4 MHz. Memory: 72K ROM, expandable to 104K; 24K RAM, expandable to 72K in banks of 24K. Keyboard: Full-sized 56-key typewriter style with embedded data pad, plus 8 programmable function keys, 4 command keys and 4 cursor control keys. Display: 16 x 40 liquid crystal display, upper and lower case ASCII characters, 240 x 128 dot-matrix graphics. Modem: Built-in 300-baud direct-connect modem with auto-dialer. FCC registered. Originate and answer modes. Tone dialing signals. Input/Output: Parallel printer interface. RS-232C serial communications interface programmable up to 19,200 baud. Cassette tape interface loads at 1500 baud. Standard bar-code reader interface. Dimensions: 23 1/8 x 11 3/4 x 8 1/2". Weight: 4.5 lbs. Power Supply: Operations—Up to 16 hours on 4 "AA" alkaline batteries, and can use nickel-cadmium rechargeable batteries with minor additional-cost modification. Optional U.L. listed AC/DC charger/adaptor available. Memory—Internal rechargeable nickel-cadmium batteries.



## Slimmer, Lighter Tandy 102

**499<sup>00</sup>** ■ 24K Memory ■ 40 x 8 Display  
■ Five Built-In Management Programs  
■ Direct-Connect Telephone Modem

**Tandy 102.** We've redesigned our best-selling portable—the famous Model 100—into an even smaller package. But we've retained the same remarkable features, including five instant-on programs, an 8 x 40 display and a modem—all built in. Use the Tandy 102 as a personal word processor, address/phone directory, appointment calendar and telephone auto-dialer. Access other computers or national information services by phone with the built-in modem and communications program. You can even write your own programs in BASIC. Includes parallel, RS-232C, cassette and bar code reader interfaces. Only 3 lbs. Requires four "AA" batteries. 26-3803 .. 499.00

**SPECIFICATIONS.** Microprocessor: 8-bit 80C85 CMOS. Clock Speed: 2.4 MHz. Memory: 32K ROM; 24K RAM, expandable to 32K. Keyboard: Full-size 56-key typewriter style with embedded 10-key datapad, plus 8 programmable function keys, 4 command keys and 4 cursor control keys. Display: 8 x 40 Liquid Crystal Display, upper and lower case ASCII characters. 240 x 64 dot-matrix graphics. Modem: Built-in FCC-registered direct-connect modem with auto-dialer, 300 baud. Originate and answer. Input/Output: Parallel printer interface. RS-232C serial communications interface programmable up to 19,200 baud. Cassette tape interface loads at 1500 baud. Standard bar-code reader interface. Dimensions: 11 1/2 x 11 7/8 x 8 1/2". Weight: 3 lbs. Power Supply: Operations—Up to 20 hours on 4 "AA" alkaline batteries or optional U.L. listed AC power supply. Memory—Internal rechargeable nickel-cadmium batteries will maintain memory intact for up to 30 days with power off (depending on the amount of RAM installed) and are automatically recharged from "AA" batteries or AC power.

## Portable 100/102/200/600 Accessories

**A Disk/Video Interface\*.**  
184K disk drive and TV/  
monitor interface.

26-3806 ..... 499.00

**New Low Price! Second  
Disk Drive.** For 26-3806. In-  
stallation not incl. Was  
\$239.95 in RSC-16.

26-3807 ..... 199.95

**B Portable Disk Drive 2\*.**  
200K of data on 3 1/2" flo-  
pies. Requires four "AA" bat-  
teries or AC Adapter (not  
included).

26-3814 ..... 199.95

**C Carrying Case\*.**  
26-3811 ..... 39.95

**Portable Disk Drive Carry  
Case.** 26-3815 ..... 24.95

**D Tandy 600 Carrying  
Case.** 26-3905 ..... 59.95

**E Bar Code Wand\*.**

26-1183 ..... 99.95

**Acoustic Coupler 2.**

26-3818 ..... 39.95

**Printer Cable.**

26-1409 ..... 14.95

**Modem Cable.**

26-1410 ..... 19.95

**AC Adapter\*.** 26-3804, 5.95

**Legs.** 26-3812 ..... 3.99

**Model 100 8K RAM Up-  
grade.** Req. installation (not  
incl.). 26-3816 ..... 49.95

**New! Tandy 102 8K RAM  
Upgrade.** 26-3817 ... 14.95

**Tandy 200 24K RAM Up-  
grade.** Req. installation (not  
incl.). 26-3866 ..... 199.95

**Tandy 600 96K RAM Up-  
grade.** Installation recom-  
mended. 26-3910 ... 299.95

\*For Models 100/102/200 only. A Shown with computer and monitor (not included).





# TANDY 600 WITH DISK DRIVE

**Our Most  
Powerful Portable  
Computer!**

**1599<sup>00</sup>**

- Self-Contained 3 1/2" 360K Disk Drive
- Five Built-In Applications
- 300-bps Direct Connect Modem
- Typewriter-Style Keyboard

**Tandy 600.** Features five resident applications. Multiplan, the popular "second-generation" spreadsheet, can do and show more because of the Tandy 600's larger display and expanded memory. Word processing is easy using a subset of Microsoft® Word. File is an electronic database for names and addresses, expenses, client billing, inventory and more. With Telecom and the Tandy 600's built-in modem, you're able to communicate with other computers over phone lines and access national information networks. Telecom will even dial the phone number of anyone listed in File. Calendar helps you keep track of daily tasks and activities. Weighs 9 1/2 pounds and measures 12 x 13 x 2 3/4".  
26-3901 ..... 1599.00



**SPECIFICATIONS:** Microprocessor: 16 bit 80C88 CMOS. Clock Speed: 3.07 MHz. Memory: 160K ROM; 32K RAM, expandable to 224K RAM. Keyboard: Full-size 73-key typewriter style with embedded 10-key datapad. Display: 80 x 16 Liquid Crystal Display, upper and lower case ASCII characters. 480 x 128 dot-matrix graphics. Modem: Built-in FCC-registered direct-connect modem with auto-dialer. 300 baud. Originate and answer. Input/Output: Parallel printer interface. RS-232C serial communications interface programmable up to 19,200 baud. Dimensions: 2 3/4 x 12 x 13". Weight: 9.5 lbs. unit, 11 lbs. with AC adapter. Power Supply: Operations—Up to 8 hours with 1 hour disk access on built-in rechargeable batteries. U.L. listed AC adapter.

## Tandy 600 Programs

**BASIC ROM.** Write your own programs.

26-3904 ..... 129.95

## Tandy 200 Programs

**Bar Code Writer.** Takes input from Model 200 TEXT files and produces bar codes in six forms. Requires 24K, cassette recorder, printer and cables. 26-3895 ..... 34.95

**Bar Code Drivers.** Allows bar code wand to read interleaved Two of Five, Codabar and UPC-E bar codes. Requires 16K, cassette recorder and bar code wand. 26-3896 ..... 19.95

**Data Manager.** Lets you store, examine, update and list a variety of information—from personal records to appointment schedules. Requires cassette recorder.  
26-3886 ..... 39.95

**MultiSolutions.** Plugs into ROM socket. Includes three applications: a word processor, a Time Minder and Data Manager. Requires 24K. 26-3894 ..... 149.95

**Project Scheduler.** Divide a large job into individual tasks. Requires 24K and cassette recorder. 26-3893 ..... 39.95

**Romulus Chess.** Choose from seven playing levels. Requires cassette recorder. 26-3890 ..... 19.95

**Tandy Code Read/Write.** Generates and reads modified NATI code. Requires 24K, cassette recorder, printer, cable and bar code wand. 26-3897 ..... 24.95

**Text Power 200.** Turns your Tandy 200 into a true word processor—much more powerful than the built-in word processing program. Includes advanced formatting capabilities. Requires cassette recorder. 26-3881 ..... 39.95

**Time Minder.** Manage your appointments and expenses effectively or just display a calendar for any month of any year. Requires cassette recorder. 26-3883 ..... 39.95

## Tandy 100/102 Programs

**Remote Disk.** Allows you to use your Model I/III/4/II/12/2000/Color Computer disk drive as a storage area for your Model 100 files. Includes cassette and diskette.

26-3839 ..... 59.95

**Assembler/Debugger.** Debug, write and assemble machine language code. Requires cassette recorder.

26-3823 ..... 49.95

**Data Manager (Cassette).** Requires 24K memory and cassette recorder.

26-3836 ..... 39.95

**SCRIPSIT® 100.** Features advanced formatting capabilities. Requires printer and cassette recorder.

26-3830 ..... 39.95

**Calculator.** Powerful math "scratchpad" for finance and regular math functions. Requires cassette recorder.

26-3827 ..... 19.95

**Executive Calendar.** Schedule appointments or display a calendar for any month. Requires cassette recorder.

26-3833 ..... 19.95

**Interactive Solutions.** Contains three programs: Data Manager, Spreadsheet and Text Formatter. Information stored in Data Manager can be utilized by Spreadsheet and Text. Data Manager can have up to 20 fields per record. Spreadsheet can be a maximum of 99 rows and 99 columns. Text gives you several printing parameters for better document control. Plugs into ROM socket—programs are not stored in RAM.

26-3844 ..... 149.95

**Multiplan.** This ROM program is a portable version of the popular spreadsheet analysis program. Plugs into ROM socket—programs are not stored in RAM.

26-3829 ..... 149.95

\*RAM Upgrades Are in Banks of 96K Each—Installation Recommended.



# DELUXE BUSINESS PRINTERS

## Dot-Matrix Power for Business



**1695<sup>00</sup>**

Lease for  
Only \$65  
Per Month\*

- IBM PC Compatible
- Prints 380 cps

**DMP 2200.** A versatile business printer. Efficient, fast printing means no long delays for reports—and that saves your business money. Supports elongated, double-high, bold, underline, super/subscripts, italics and double-strike. Features bit-image graphics. Prints up to 380 characters per second. Uses 3" to 16" fanfold paper only (bottom or rear paper feed). Built-in tractor—not sprocket. Prints original, plus up to six copies. Parallel interface only. U.L. listed.  
26-1279 ..... 1695.00

**SPECIFICATIONS.** Print Density: 10, 12, 17.1 (standard); 10 and 12 (correspondence); proportional and compressed proportional. Print Speed: Standard 10 cpi—380 cps. Correspondence 10 cpi—90 cps. Proportional—77-180 cps. Character Set: 95 ASCII, 31 graphics and special characters. IBM Character Set 1 and 2. Horizontal Dot Resolution: 60-240 dots/inch, 1632-3916 dot columns/line. Dimensions: 4<sup>3</sup>/<sub>4</sub> x 22<sup>1</sup>/<sub>2</sub> x 16<sup>7</sup>/<sub>8</sub>". Weight: 39<sup>3</sup>/<sub>4</sub> lbs. Power: 120VAC 60 Hz 200W

## Print Customized Type Styles



**1295<sup>00</sup>**


Lease for  
Only \$50  
Per Month\*

- IBM PC Compatible
- Prints 240 cps

**DMP 2110.** Use the Font Editing Packages (sold separately—see page 69, Cat. RSC-18) to load different type styles for print quality that rivals a daisy wheel printer! Includes data processing, word processing and graphics modes. Prints up to 240 characters per second. Precision 24-wire print head. Parallel interface. Includes bi-directional tractor. U.L. listed.  
26-2810 ..... 1295.00

**SPECIFICATIONS.** Print Density: 10, 12 and 16.7 cpi, plus proportionally spaced and elongated. Print Speed: Standard 10 cpi—121 lpm/80 column, 84 lpm/132 column. Correspondence 10 cpi—33 lpm/132 column. Character Set: 96 ASCII, 31 international and 31 graphics characters. Font Matrix: DP mode—10 cpi and 16.7 cpi: 24 x (13 + 5), 12 cpi: 24 x (13 + 2). WP mode—10 cpi: 24 x 36, 12 cpi: 24 x 30, Proportional: 24 x n. Horizontal Dot Resolution: 360 dots/inch, 4896 dots/line. Paper: Up to 15" wide. Friction feed. Prints original, plus two copies. Dimensions: 5<sup>7</sup>/<sub>8</sub> x 21<sup>1</sup>/<sub>16</sub> x 15". Weight: 42 lbs. Power: 120VAC, 60 Hz.

## Turn Complex Numerical Data Into Charts and Graphs with Our 8-Color Digital Plotter



**799<sup>00</sup>**

- Create Pie Charts,  
Bar Graphs, Maps,  
Tables and More

**PC-695.** Create incredible graphics—in up to eight colors—and turn rows of numerical data into easy-to-understand graphics. Plot pie charts, tables, maps, bar graphs and more. Ideal for business information such as financial trends, production data and market forecasts. Prints on any high-quality bond paper. Features "self-test" mode. Includes standard hard nib pens in black, red, blue, green, lime green, brown, orange and magenta. Asynchronous RS-232C serial interface. U.L. listed. 26-2830 ..... 799.00

**SPECIFICATIONS.** Print Speed: 3 inches per second axial, 4<sup>7</sup>/<sub>32</sub> inches per second diagonal. Interface: Asynchronous serial RS-232-C. Buffer: 256 bytes. Baud Rate: 300, 1200, 2400, 9600. Dimensions: 33<sup>1</sup>/<sub>16</sub> x 17<sup>1</sup>/<sub>2</sub> x 7<sup>1</sup>/<sub>16</sub>". Weight: 6<sup>1</sup>/<sub>2</sub> pounds. Power: 120 VAC, 60 Hz, 5 watts.

\*On Our Commercial Lease (Plus Applicable Use/Sales Tax)



# AFFORDABLE TANDY PRINTERS

## Produce Correspondence-Quality Text Using This 132-Column Printer with 18-Wire Print Head

**699<sup>00</sup>**

IBM PC Compatible

Was \$899.00 in Cat. RSC-16

**DMP 430.** The 18-wire print head gives you superior-quality correspondence fonts in a single pass. Prints 10, 12 or 16.7 cpi, plus elongated standard, elite and condensed. Get micro, italic and double-high fonts, too. Produces bit-image graphics at 7 or 16-bit columns. True pin-driven tractor—not sprocket. Prints original, plus two copies, at up to 180 characters per second. Parallel and Color Computer-compatible serial interfaces. U.L. listed.

26-1277 ..... 699.00

**SPECIFICATIONS.** Print Density: 10, 12, 16.7 cpi, plus elongated. Print Speed: 10 cpi—43 lpm/80 col. Character Set: 96 ASCII, 64 special and 30 block graphics characters. Horizontal Dot Resolution: 480-800 dots per line. Vertical Spacing: 12, 6, 8 lines per inch. Line Feed: 1/6, 1/8, 1/12, 1/72". Dimensions: 3 1/16 x 15 3/8 x 9 7/16". Weight: 8 3/4 lbs. Power: 120VAC, 60 Hz.



## Triple-Mode "Personal Printer"

**349<sup>95</sup>**

■ IBM PC Compatible  
■ Prints Up to 100 cps

**DMP 130.** Features word processing, data processing and dot-addressable graphics modes. Prints in four character styles: Standard or italic cursive in draft or correspondence modes. Supports super/subscripts, double-width, bold, double-strike and microfonts. Bi-directional, logic-seeking print head (uni-directional in correspondence and graphics modes). Prints original, plus two copies on 4" to 10" fanfold paper or single sheets. Built-in tractor. Parallel and Color Computer-compatible serial interfaces. U.L. listed.

26-1280 ..... 349.95

**SPECIFICATIONS:** Print Density: Draft Quality—10, 12 and 17 cpi (standard and italic cursive). Correspondence Quality—10 and 12 cpi (standard and italic cursive). Speed: 50 to 100 cps (draft), 20 to 24 cps (correspondence). Character Set: 96 ASCII, plus Tandy or IBM special characters. Bit Image: 480 to 1920 dot columns/line. Dimensions: 4 3/4 x 15 3/8 x 10 1/2". Weight: 10 3/4 lbs. Power: 120VAC, 60 Hz, 33W.



## Budget-Priced High-Performer


**199<sup>95</sup>**

■ Bit-Image Graphics  
■ Prints 80 cps

**DMP 105.** Another Radio Shack price breakthrough! Ideal for data processing and general-purpose use. Bi-directional—prints 80 upper and lower case characters per line (8 x 9 matrix) at 43 lines per minute at 10 characters per inch. Elongated and condensed modes. Prints up to 80 characters per second. Removable adjustable tractor uses 4" to 9 1/2" fanfold paper, friction platen for single sheets. Prints original, plus one copy. Parallel and Color Computer-compatible serial interfaces. U.L. listed.

26-1276 ..... 199.95

**SPECIFICATIONS.** Print Density: 10, 12, 16.7 cpi, plus elongated. Print Speed: 10 cpi—43 lpm/80 col. Character Set: 96 ASCII, 64 special and 30 block graphics characters. Horizontal Dot Resolution: 480-800 dots per line. Vertical Spacing: 12, 6, 8 lines per inch. Line Feed: 1/6, 1/8, 1/12, 1/72". Dimensions: 3 1/16 x 15 3/8 x 9 7/16". Weight: 8 3/4 lbs. Power: 120VAC, 60 Hz.





# LETTER-QUALITY DAISY WHEELS



## Our Best Daisy Wheel Printer

**995<sup>00</sup>**

- IBM Compatible
- Prints 500 wpm

**DWP 520.** Give your correspondence, reports and memos that clean, crisp "electric typewriter" look. You can print fixed 10 or 12 characters per inch or choose proportional spacing (using appropriate optional 96-character print wheels). Prints up to 43 characters per second. Features forward and reverse paper feed and 1/2-line feed, backspace and underline. Supports boldface, strike-through, double-underline, super and subscripts. "External Program Mode" allows you to use print wheels with different pitch or special characters. Parallel interface only. Includes Courier 10 print wheel and carbon ribbon. U.L. listed. 26-2800 . . . . . 995.00

**DWP 520 Bi-Directional Tractor.**

26-2801 . . . . . 149.95

**SPECIFICATIONS.** Print Speed: 19.5 lpm at 10 cpi, 132 column. Carriage Motion: Uni-directional, optimal motion seeking. Character Set: 96 ASCII, plus special and international, 21 control codes. Paper: Up to 16" wide. Original, plus 5 copies. Friction feed. Interface: Parallel. Dimensions: 8 x 24 1/2 x 15 1/2" Weight: 28 lbs. Power: 120VAC, 60 Hz, 141 Watts.



## Lowest-Priced Daisy Wheel

**399<sup>95</sup>**

- IBM Compatible
- Prints 200 wpm

**DWP 230.** Now you can get full-featured letter-perfect printing for under \$400. Select 10 or 12 characters per inch, or proportional pitch. Uses interchangeable 96-character print wheels. Prints at 20 cps. Includes forward and reverse paper feed and 1/2-line feed, underline and programmable backspace. Self-test facility lets you see if printer is operating properly before starting. "Ribbon End" feature stops printer when ribbon reaches its end. Automatic impact control prolongs the life of the print wheel. Parallel and Color Computer-compatible serial interfaces. Includes Courier 10 print wheel and carbon ribbon. U.L. listed.

26-2812 . . . . . 399.95

**DWP 230 Bi-Directional Tractor.** 26-2813 . . . . . 99.95

**SPECIFICATIONS.** Carriage Motion: Bi-directional, optimal motion seeking. Character Set: 96 (modified ASCII, plus special international), 18 control codes. Paper: Up to 16" wide. Original, plus 3 copies. Friction feed. Interface: Color Computer-compatible serial and parallel. Dimensions: 6 5/8 x 24 3/8 x 13 3/8" Weight: 26 lbs. Power: 120VAC, 60 Hz, 60 Watts.

**Shop Your Nearby Radio Shack Computer Center  
for the Best Selection of Computers,  
Software, Peripherals and Accessories**

**Radio Shack<sup>®</sup>**  
**COMPUTER CENTERS**

A DIVISION OF TANDY CORPORATION

# Basic and Assembly: Together Again

Combine the speed of assembly language with the ease of Basic.

**B**asic has never been known for its speed. The interpreted versions are handicapped by the need to convert Basic statements and functions to machine code as the program executes. Screen handling is especially slow compared to what you can achieve with an assembly-language routine that writes directly to the display buffer.

Fortunately, you can get assembly speed for critical routines while retaining Basic's convenience and ease of use. I'll describe how to call assembly routines from interpreted Basic programs and then from programs compiled with Microsoft's Quick Basic compiler. Quick Print (Program Listing 1), an assembly print routine, illustrates the method. When used in place of the Print statement, Quick Print puts snap in your screen displays.

## The Basic/Assembly Interface

Basic communicates with an assembly routine in two ways: the user-service routine (USR) function and the Call statement. The former is provided mainly for compatibility with older versions of Basic. The Call statement is the preferred method for new programs. The syntax is:

CALL variable name (argument list)

The variable name gives the offset into the current segment where the routine is located. The current segment may be the default Basic data segment, or as defined by a DEF SEG statement as in Quick Print. The arguments, separated by commas, are variables that the program uses to pass data from the main program to the routine and back again. Your subroutine can change the variables' values, but not their type or, in the case of string variables, their length.

When Basic executes a Call, it places a 2-byte pointer on the stack to each variable in the Call statement, followed by the return offset and return segment address.

The Figure shows the stack after the called routine has pushed the base pointer (BP) register. The uses to which Quick Print puts the arguments are shown in parentheses. At this point the subroutine should transfer the contents of the stack pointer (SP) register to the BP register for use in extracting the parameter addresses from the stack.

Your subroutine is also responsible for cleaning up the stack before returning to the main program. You can most easily do this with a RET n instruction, where n is twice the number of arguments in the Call statement. RET n instructions move the SP register back to the starting point, skipping over the variable pointers and the return address.

When the subroutine is entered, the registers for the data segment (DS), extra segment (ES), and stack segment (SS) are set to the address of Basic's data segment. The code segment (CS) register contains the segment address of the subroutine. Your routine must preserve the values that are in all segment registers and in the BP register.

There are several ways to load assembly routines into memory. The calling program can poke short ones into memory.

The easiest method for longer programs is using the BLoad statement. Unless you are pinched for memory, and few are these days, the best place to locate the routine is just above the Basic data segment. The calling program can easily determine where this is, so that the entire routine is independent of DOS and any memory-resident programs. This is one way to construct Basic programs larger than the usual 64K limit.

The assembly routine must be a memory image which you have saved with the BSave command, or else it must contain a header containing the information that BLoad requires. I use the latter approach.

## Quick Print

Now I'll put theory into practice. Listing 1 is the source code for Quick Print. The Head segment creates a header to fool the BLoad statement in the calling program into thinking that the file was saved using BSave. The BP register, with the offsets shown in the Figure, is used to extract the variable pointers from the stack and these, when placed in the base register (BX), are used to access the variables themselves.

Program Listing 1. Quick Print.

```

HEAD      SEGMENT      PARA PUBLIC 'CODE' ;Header
          DB           0FDH               ; for
          DW           0,0                 ; file
          DW           LAST - FIRST       ;
HEAD      ENDS

CODE      SEGMENT      BYTE PUBLIC 'CODE'
          ASSUME       CS:CODE
          PUBLIC       QP
FIRST     EQU           $
QP        PROC
          PUSH         BP                  ;Save BP
          MOV          BP,SP              ;Get stack address
          PUSH         ES                  ;Save ES
          MOV          BX,[BP+06]          ;Get addr of Col variable
          MOV          DI,[BX]             ;Put Col number in DI
          DEC          DI                  ;Change Col # to 0 - 79
          MOV          BX,[BP+08]          ;Get addr of Row variable
          MOV          AX,[BX]             ;Put Row # in AX
          DEC          AX                  ;Change to 0 - 25
          MOV          BX,[BP+0AH]         ;Get addr of string pointer
          XOR          CH,CH               ;Clear CH
          MOV          CL,[BX]             ;Put string length in CL
          CMP          CL,00               ;Is it zero?
          JZ           QUIT                ;Yes, quit
          ;Use 02 instead of 01 in following line for use with QuickBASIC
          MOV          SI,[BX+01]          ;Put string start addr in SI
          MOV          DX,0050H            ;Num of char per row
          MUL          DX                  ;# rows times 80
          ADD          DI,AX               ;Add column number
          SHL          DI,1                ;Multiply by 2
          MOV          AH,0FH              ;Read video mode
          QUIT
QP        ENDP

```

Listing continued

## System Requirements

Tandy 1000  
Basic  
Assembly Language  
Quick Basic optional  
Editor/assembler optional



1st Argument Address (String to Print)	SP + 10
2nd Argument Address (Row number)	SP + 8
3rd argument Address (Column Number)	SP + 6
Return Segment	
Address	SP + 4
Return Offset	
Address	SP + 2
BP	
Register	SP

Figure. Condition of the stack after the called program pushes BP register. At this point, the SP register is moved into the BP register, and offsets from this value are used to access the variable pointers.

Recall that the SS and DS registers, the segment references for the BP and BX registers respectively, both point to the Basic data segment. The string pointer points to a 3-byte descriptor. The first byte is the string's length, which the routine puts into register CL, and the next 2 bytes contain the address of the first character, which the routine puts into the Source Index (SI). The routine uses the row and column numbers to calculate an offset into the display buffer, which it places in the destination index (DI).

The remainder of the routine copies the string to the buffer starting at the calculated position. INT 10H determines which type of display is in use, and the routine uses separate sections of code for monochrome and color displays. The code for color displays eliminates snow on the screen by writing only during the horizontal-retrace period.

If you have an assembler, assemble the routine, link it, convert the resulting EXE file to a COM file with EXE2BIN, and, finally, rename the file to change the extension to BIN. If you don't have an assembler, the Basic program in Listing 2 creates the necessary file. In either case, put the file in the same directory as the Basic program that calls it.

## Using Quick Print

Listing 3 is a Basic program that demonstrates Quick Print. Line 30 locates the top of the Basic data segment and line 40 loads the routine at that location. The variable QP gives the offset from the seg-

### Listing continued

```

INT      10H
CMP      AL,7
JNE      COLOR
MOV      AX,0B000H
MOV      ES,AX
CYCLE:   MOVSB
INC      DI
LOOP     CYCLE
JMP      QUIT
COLOR:   MOV      AX,0B000H
MOV      ES,AX
MOV      DX,03DAH
TST:     IN      AL,DX
CMP      AL,0FFH
JZ       WAIT
TEST     AL,1
JNZ      TST
IN      AL,DX
TEST     AL,1
JZ       WAIT
MOVSB
INC      DI
LOOP     TST
QUIT:    POP      BP
RET      6
QP       ENDP
LAST     EQU      $
CODE     ENDS
END

```

;Is it mono?  
;Video buffer addr, mono  
;Put it in ES  
;Send 1 byte to buffer  
;Skip attribute byte  
;Loop until done  
;Video buffer addr, color  
;Put it in ES  
;Video port address  
;Read port  
;Test bit zero  
;Wait until it's reset  
;Read port again  
;Test bit zero  
;Wait until it's set  
;Send 1 byte to buffer  
;Skip attribute byte  
;Loop until done  
;Restore ES  
;Restore BP  
;Clean stack and return

End

### Program Listing 2. Basic program that creates the Quick Print QP.BIN file.

```

5 'QpGen.bas
10 OPEN "R",1,"QP.BIN",1
20 FIELD #1, 1 AS A$
30 FOR I = 1 TO 98
40 READ J
50 LSET A$ = CHR$(J)
60 PUT #1
70 NEXT
80 CLOSE : END
90 DATA 253,00,00,00,00,91,00,85
95 DATA 139,236,06,139,94,06,139,63
100 DATA 79,139,94,08,139,07,72,139
105 DATA 94,18,50,237,138,15,128,249
110 DATA 00,116,58,139,119,01,186,80
115 DATA 00,247,226,03,248,209,231,180
120 DATA 15,205,16,60,07,117,12,184
125 DATA 00,176,142,192,164,71,226,252
130 DATA 235,27,144,184,00,184,142,192
135 DATA 186,218,03,236,60,255,116,04
140 DATA 168,01,117,247,236,168,01,116
145 DATA 251,164,71,226,238,07,93,202,06,00

```

\* 53  
\* 1339  
\* 1040  
\* 981  
\* 554  
\* 1147  
\* 531  
\* 454  
\* 847  
\* 1672  
\* 1872  
\* 1835  
\* 1871  
\* 1861  
\* 1959  
\* 1803  
\* 1965  
\* 1963  
\* 1917  
\* 1964  
\* 2207

End

### Program Listing 3. Quick Print demonstration program.

```

10 'Sample Program DEMO.BAS 9/28/86
20 CLS : CLEAR : DEFINT A-Z : DIM P$(15)
25 'Lines 30 and 40 are for use with interpreter only
30 DEF SEG = 0 : N = PEEK(&H510) + 256*PEEK(&H511) + &H1001
40 DEF SEG = N : QP = 0 : BLOAD "QP.BIN",QP
50 R=1 : C=23 : P$="QUICK PRINT DEMO PROGRAM" : CALL QP(P$,R,C)
60 P$(8) = "Without Quick Print"
70 P$(9) = "The way Quickprint does it"
80 P$(10) = "Quickprint again"
90 P$(11) = "Quit"
100 P$(14) = "Make a Selection"
110 C=20 : FOR R=8 TO 14 : CALL QP(P$(R),R,C) : NEXT
120 LOCATE 14,38,1
130 IF=INKEY$: IF IS="" THEN 130
140 ON VAL(IS) GOTO 150,230,250,360 : GOTO 130
150 CLS : P$ = STRING$(79,"A")
160 FOR I = 1 TO 22
170 PRINT P$
180 NEXT
190 PRINT : LOCATE 24,22,0 : PRINT "Hit any key to continue "
200 IF=INKEY$: IF IS="" THEN 200
210 CLS
220 GOTO 50
230 P$ = STRING$(79,"B")
240 GOTO 260
250 P$ = STRING$(79,"C")
260 CLS : C=1
270 FOR R=1 TO 22
280 CALL QP(P$,R,C)
290 NEXT
300 R=24 : C=22 : P$ = "Hit any key to continue "
310 CALL QP(P$,R,C)
320 LOCATE 24,47,0
330 IF=INKEY$: IF IS="" THEN 330
340 CLS
350 GOTO 50
360 END

```

\* 2336  
\* 3109  
\* 2490  
\* 3811  
\* 2867  
\* 3260  
\* 2732  
\* 1928  
\* 2145  
\* 2953  
\* 996  
\* 1820  
\* 2514  
\* 1648  
\* 1020  
\* 793  
\* 584  
\* 4431  
\* 1816  
\* 485  
\* 626  
\* 1300  
\* 679  
\* 1303  
\* 709  
\* 967  
\* 1161  
\* 506  
\* 3443  
\* 1091  
\* 998  
\* 1824  
\* 409  
\* 630  
\* 400

End



## Only minor changes are necessary to use Quick Print with the Quick Basic compiler.

ment address, defined by N, where the assembly program, QP.BIN, will load.

You can load additional assembly routines above the first by specifying the appropriate offsets in other variables. The file name does not have to be the same as the offset-address variable, but making it so helps avoid confusion.

Further examination of Listing 3 reveals that the QP routine is called when you would otherwise use a Print statement. The row and column coordinates, numbered 1-24 and 1-80, respectively, identify the location where the first character of the string will be displayed. You must define R and C, the row and column variables, as integers. The string variable can be an array element as shown in line 110. Note that you must use the Locate statement to move the cursor.

I designed Quick Print to display only string variables. You can use the Print statement to display numbers if you don't have a lot of them, but be sure to locate the cursor first. Alternatively, you can convert numeric variables to strings with the STR\$ function.

## Using Quick Print With Quick Basic

Only minor changes are necessary to use Quick Print with the Quick Basic compiler. Delete lines 30 and 40 from the sample program. The name in the Call statement is the name given to the procedure in the assembly source listing, also QP in this case.

You can delete the Head segment from the source listing, but it isn't necessary. Since Quick Basic allows strings up to 32,000 characters long, 2 bytes are needed to specify the string length. This requires a different offset to locate the string starting address as indicated in the listing.

Compile your Basic program using Quick Basic's OBJ (BRUN.LIB) option. Then assemble the subroutine and link the resulting object file (QP.OBJ) with your program object file. ■

David A. Williams is a staff engineer with a major aerospace firm and has 25 years experience with computers. Send your comments and questions to him at 2452 Chase Circle, Clearwater, FL 33546.

## A GAME THAT TEACHES LOTUS 1-2-3... REALLY!

Templates of Doom is a unique computer program that makes a game out of learning. It is a James Bond satire that is fun for all levels of spreadsheet users. It teaches with puzzles that require the use of spreadsheet commands and formulas. There are four levels of help available, but at the price of penalty points. The game can be played alone or used as a classroom supplement. Lotus Magazine called it "truly enjoyable and very funny".

Site license packages available for classroom instructors. It costs \$49.97 plus \$2.50 shipping (add 6.5% tax if from California). Thirty-day money back guarantee. Pay by check, PO, VISA or MasterCard. May also be ordered under the name "Learning Templates". Lotus version also runs on VP-planner, The Twin and most "work-a-likes". Versions available for Excel, VIP Professional and SuperCalc4. Call (415) 952-2375 or write Solar Systems Software, 8105 Shelter Creek, San Bruno, CA 94066. Please Specify your spreadsheet and computer.



## Foreign Dealers

You have a large technical audience that speaks English and is in need of the kind of microcomputer information that *CW Communications/Peterborough* provides. Provide your audience with the magazines they need and make money at the same time. For details on selling *80 Micro*, *inCider*, *AmigaWorld*, and *RUN* contact:

Marjorie Rubin-Acct. Executive Boarts International  
747 3rd Avenue New York, NY 10017  
(212) 688-2778

Circle 452 on Reader Service card.

## Attention all FX80, FX100, JX, RX, & MX owners: You already own half of a great printer

Dealer  
inquiries  
welcome.



Now  
Only  
\$79.95

Now for \$79.95 you can own the rest. You see, today's new dot matrix printers offer a lot more.

Like an NLQ mode that makes their letters print almost as sharp as a daisy wheel. And font switching at the touch of a button in over 160 styles. But now, a Dots-Perfect

upgrade kit will make your printer work like the new models in minutes — at a fraction of their cost.


And FX, JX and MX models will print the IBM character set, too.

So, call now and use your Visa, MasterCard, or AmerEx. Don't replace your printer, upgrade it!


**1-800-368-7737**  
In California: 1-800-831-9772



**Dots-Perfect™**  
**Dresselhaus**



837 E. Alosta Ave., Glendora, CA 91740 Tel: (818) 914-5831  
An upgrade kit for EPSON FX, JX, RX, & MX printers



EPSON is a trademark of  
EPSON America, Inc.



# SAVE A BUNDLE

## WITH ONE OF MONTE'S BUNDLES



These special bundles are ready for you to save a bundle of money. CP/M software is actually preferred because of the vast amount of programs available. The programs in these bundles have been optimized to run on the Model 4-4D-4P. For example, we have memory-mapped WordStar and it runs circles around the standard version others sell. We also added printer drivers for the Radio Shack Daisywheel II, DMP-2100 and most other Radio Shack Printers as well. You have read the reviews and know that our CP/M is the best for the Model 4. Your Models 4 and our CP/M form an unbeatable combination. Send for our free public domain software catalog and see for yourself.



**"A" Bundle**  
**\$299**

WordStar SpellStar  
MailMerge Star Index  
Montezuma Micro CP/M

### Save a Bundle

on these books and disks.

Take advantage of our volume discounts. Buy any three items from this list and deduct \$5 from your total order. Buy four and deduct \$10. Buy five... deduct \$15. Buy six... deduct \$20 etc. Please add \$1 for each book for shipping.



**TRS-80 Disk & Other Mysteries.** The "How To" book of data recovery for the TRS-80 Model 1 disk operating system. 128 pages. Retail \$22.50. **NOW \$18**

**Microsoft BASIC Decoded & Other Mysteries.** The complete guide to Level II and BASIC. 312 pages. Retail \$29.95. **NOW \$24**

**The Custom TRS-80 & Other Mysteries.** The complete guide to customizing TRS-80 hardware and software. 336 pages. Retail \$29.95. **NOW \$24**

**BASIC Faster & Better & Other Mysteries.** The complete guide to BASIC programming tricks and techniques. 290 pages. Retail \$29.95. **NOW \$24**

**BASIC Faster & Better Library Disk.** Contains 121 functions, subroutines and user routines. Search, merge, compare and listing routines plus array handlers. BASIC overlays and video drivers. BFBLIB. Retail \$19.95. **NOW \$16**

**BASIC Faster & Better Demonstration disk.** Contains 32 demos of the Library Disk contents above. BFBDEM. Retail \$19.95. **NOW \$16**

**BASIC Disk I/O Faster & Better & Other Mysteries.** Programming tips and techniques to store/retrieve data from disk. 432 pages. Retail \$29.95. **NOW \$24**

**BASIC Disk I/O Faster & Better Demonstration Disk.** All of the major demo programs and library of disk I/O subroutines in 25 BASIC programs. Random, indexed, sequential and tree/branch file handlers included. DFBLOAD. Retail \$29.95. **NOW \$24**

**Machine Language Disk I/O & Other Mysteries.** A guide to machine language disk I/O for the TRS-80. 288 pages. Retail \$29.95. **NOW \$24**

**TRSDOS 2.3 Decoded & Other Mysteries.** Detailed explanation of the Model 1 disk operating system. 298 pages. Retail \$29.95. **NOW \$24**

**How to do it on the TRS-80.** A complete applications guide to the TRS-80 Model 1, 2, 3, 4, 100 and Color Computer. 352 Pages. Retail \$29.95. **NOW \$19**

**The Custom Apple & Other Mysteries.** Who cares? Retail \$29.96. **NOW \$19**



**"B" Bundle**  
**\$399**

WordStar Star Index  
MailMerge ReportStar  
SpellStar CalcStar  
Montezuma Micro CP/M  
DataStar

### MS-DOS BUSINESS SOFTWARE

Ability	\$ 62
Accounting Partner I	279
Accounting Partner II	699
Borland Turbo Lighting	53
BPI AP/AR/GL/Payroll	319
BPI Inventory	477
Carbon Copy	128
Cornerstone	62
Clickart Personal Publisher	112
Crosstalk 16	99
DAC Easy Accounting	39
DAC Easy Accounting Tutor	14
DAC Easy Mate	24
DAC Easy Payroll	29
DAC Easy Payroll Tutor	14
DAC Easy Port	19
DAC Easy Word	312
dBase II	349
dBase III Plus	399
Diagram Master	212
Dollars & Sense	109
EGA Paint	45
Framework II	489
Freelance	215
Generic CAD 2.0	89
Lotus 1-2-3, 2.01	319
Lotus 1-2-3, Use Twin	54
Managing The Market	89
Managing Your Money 3.0	119
Microsoft Multiplan	127
Microsoft Word/Spell 3.0	269
Microsoft Project	249
Mirror	44
MultiMate	239
Newsroom	37
Paradox	445
Print Shop	37
PFS. 1st Choice	89
PFS.File	88
PFS.Graph	88
PFS.Report	79
PFS.Pro Write	119
ProDesign II	165
Q & A	235
R.Base 5000 1.01	269
R.Base Extended Report Writer	85
R.Base System V	399
Reflex: The Analyst	53
Reflex Workshop	36
Sidekick	49
Smart Software System	432
SuperCalc 4	295
Superkey	37
Timeline Project Manager	269
Twin, Lotus 1-2-3 Clone	54
VP Info	55
VP Planner	55
Webster New World Writer	75
Word Perfect 4.2	209
Word Perfect Library	61
WordStar 2000 Plus 1.01	269
WordStar 3.31	189

### MS-DOS LANGUAGES/UTILITIES

Bourbaki "1 Dir"	\$ 57
Clipper	435
Copy II PC	23
Copy II PC Option Board	80
Crosstalk 16	99
Disk Optimiser	27
Fastback	89
Fontasy 2.0	38
Homebase 2.0	35
Microsoft C Compiler 4.0	285
Microsoft Macro Assembler	94
Microsoft Windows 1.03	63
Microsoft QuickBASIC Compiler	60
Norton Commander	39
Norton Utilities 3.1	55
Sidekick	49
Sideways 3.1	39
Smartcom II	88
Smart Notes	49
Superkey	36
SOZ	59
Turbo Database Toolbox	52
Turbo Editor Toolbox	39
Turbo Gameworks	39
Turbo Graphics Toolbox	30
Turbo Lightning	52
Turbo Pascal w/8087 & BCD	52
Turbo Prolog	52
Turbo Tutor	23
Word Perfect Library	61
Word Wizard	36

### MS-DOS RECREATIONAL SOFTWARE

Certificate Maker	\$ 36
Championship Golf	30
F-15 Strike Eagle	23
Gato	23
Hitchhikers Guide to the Galaxy	25
Jet	35
Kareteka	22
Kings Quest	32
Leather Goddess	24
Microsoft Flight Simulator	32
NFL Challenge	59
Sargon III	29
Silent Service	21
Toy Shop	39
Wizardry	38
Zork I	25

### MS-DOS HOME SOFTWARE

Bank Street Writer	\$ 51
Certificate Maker	36
Dollars & Sense	115
Micro Cookbook	29
Managing Your Money	113
Newsroom	35
Print Shop	38
Print Shop Graphics Library	22

### MS-DOS EDUCATIONAL SOFTWARE

Mastertype	\$ 26
Math Blaster	29
Mind Prober	30
Spell It!	29
Typing Tutor III	32
Word Attack	29

# CALL TOLL FREE!

## 800-527-0347 800-442-1310

(USA) (Texas)

# FREE SHIPPING!\*

\* For orders over \$100

## SAVE ON YOUR STASH



### MODEMS

Everex Internal 1200 w/software	\$ 99
Hayes 300 external	149
Hayes 1200 w/SmartComm	399
Hayes 1200B w/SmartComm	369
Hayes 2400	599
Hayes 2400B w/SmartComm	569

### RODENTS

Microsoft Bus Mouse w/swtr.	\$ 115
Microsoft Serial Mouse w/swtr.	135
Mouse Systems Mouse w/swtr.	120
C&H Mach III Joystick, each	36
TAC10 Joystick	21
Willard/Ben Combo w/friends	CALL

### HARD DRIVES

20mb 65ms ST225 kit complete	\$ 389
30mb 65ms ST238 kit complete	469
30mb 40ms ST4038 bare drive	579

### MONITORS

Mitsubishi 6920 1024 x 1024	\$ 1899
NEC Multisync 800 x 560	599
Amdek 722 EGA 649 x 350	529
Mitsubishi 1410 EGA	439
Mitsubishi 1409 RGB	319
Magnavox RGB 640 x 200	299
NAP TTL 1000 x 350 Amber/Green	110

### PRINTERS

Citizen 120D 120cps NLQ, col	\$ 189
Citizen MSP-15 160cps NLQ, 32 col	399
Citizen MSP-20, 200cps NLQ, 80 col	345
Citizen Premier 350W, w/tractor	499
Toshiba 321 216cps, NLQ, 80 col	539
Toshiba 341 216cps, NLQ, 132 col	769
C. Itoh 3520 350cps NLQ, 132 col	1195
Canon LBP-8A1 Laser	1895
Canon Laser Toner kit	89

### ADD-ONS MEMORY & UPGRADES

Hercules Graphics plus	\$ 199
Paradise AutoSwitch EGA	399
Clone EGA Plus	249
Hercules Compatible Graphics	79
Color Graphics, 3-output	69
16K RAM, 200nsec, 8 chips	9
64K RAM, 150/200nsec, 8 chips	16
Model 4 128K RAM w/PALchip	26
64K RAM set of 9 chips	18
256K RAM set of 9 chips	49
8087 Numeric coprocessor, std	129
8087 Numeric coprocessor, fast	169
80287 Numeric coproc. std.	199
80287 Numeric coproc. fast	339
NEC V20 Wonder Chip, 5mHz	15
NEC V20 Wonder Chip, 8mHz	23
Model 1 RS-232 Kit complete	89
Model 3/4 RS-232 Kit complete	69
Model 3/4 Internal Drive kit	169

### TRS-80 SOFTWARE AND BOOKS

Modem 80 Mod 1/3 Com Pkg	\$ 33
Super Utility Plus 3.2 M1/3/4	49
Super Utility Plus M4-4P/D	only 49
SuperCROSS/XT Specify M1/3/4	79
Conv 3-PC M3 BASIC to PC	119
Conv 4-PC M4 BASIC to PC	119
TRS-80 Beginners Guide	FREE
Inside Level II (a rare find)	9
TRS-80 Model 4/4P Tech Manual	33
TRS-80 Model 1000 Tech Manual	25
Using Super Utility Plus 3.x	16

See more books on the opposite page.

### BOOKS & MANUALS

IBM BASIC Faster & Better	\$ 22
IBM BASIC Disk for above	22
IBM BASIC Manual 3rd ed	19
Running MS-DOS 2nd ed	17
Running MS-DOS Advanced	17
Using Wordperfect 4.1	13
Nortons Programmer's Guide	15

See opposite page for more books.

### CP/M SOFTWARE

dBase II	\$ 365
WordStar Professional	250
ReportStar	150
DataStar	175
CalcStar	95
Multipian	159
Out-Think	49
Mex Plus	49
Mex Plus w/REO & TEM	99
Rembrandt	39
Supercalc II	199
Turbo Pascal	52
Turbo Tutor	23
Turbo Database Toolbox	39
Turbo Holiday Pak (above 3)	99
Twist & Shout	34

All of the above CP/M software is available in various 5 1/4" formats as well as 8" standard CP/M format. Please specify format and include \$10 per disk additional.

### CABLES

TRS-80 Printer cable 26-1401	\$ 9
IBM Parallel Printer cable 10'	19
Standard IBM 25 pin RS232 10'	20
Std TRS-80 25 pin RS232 10'	20
Printer A/B Switch Box Cable 6'	20
Gender Changer, Spec M/M F/F	9

### ACCESSORIES

C & H Mach III Joysticks, ea	\$ 34
Sony 2D disks, box of 10	10
Our own 2D disks, bag of 10	8
Disk Storage Box w/lock hlds 100	6
Keyboard Extender Cable, 6'	10
TTL Monitor Extender Cable 6'	10
Tilt and Swivel Monitor Stand	19
Vert CPU Stand PC/XT/CLONE	25
2-position Parallel Printer Switch	39
4-position Parallel Printer Switch	49
2-position RS-232 Switch	39
4-position RS-232 Switch	49
Standby Pwr Sup. 300W/20 min	249

### BUY FROM US RIGHT NOW

(Please read the fine print first)

Our inventory is so large it can not be listed completely. Please call us if you do not see what you want. Chances are we have it or can get it right away. Because of the time lag in magazine advertising our prices are subject to change without notice. Our prices are for mail order only. We are only human so we decline responsibility for typographical errors. We welcome your company and/or personal checks. We use TeleCheck. Please follow these TeleCheck regulations. The check must be drawn on a US or Canadian bank and be payable in US Dollars. Your check must be bank printed and contain your street address (not PO Box or APO/FPO) and telephone number. The signature must exactly match the name printed on the check. If your check does not meet these requirements allow three weeks check clearance time. We also accept American Express, MasterCard, Visa, Cashier's Checks, electronic funds transfer and we ship COD. CODs and motor freight shipments may require a deposit. Some special items may require a deposit. ALL CODs require cash on delivery. Company and/or personal checks can NOT be accepted in payment of COD shipment. Your credit card is not charged until we ship your order. Ground shipping charges are included on all orders over \$100. Add shipping to all orders under \$100. We do not collect state sales tax on orders shipped outside of Texas. Orders placed by 5 PM will be shipped the next day if stock is on hand. Your order will leave before we go home. The responsibility of suitability of software rests with the purchaser. Due to the nature of the business and product there are NO REFUNDS ON SOFTWARE. Please do not buy software from us if you are not sure it will work for you. SOFTWARE IS NOT RETURNABLE. Software support is provided by the manufacturer. We will PROVIDE A REPLACEMENT ONLY if you disk is defective if you notify us within 30 days after delivery of your merchandise. Please call us for help and instructions should you have a problem.

### GOOD AS GOLD WARRANTY

We want you to be happy with your purchase. All items we offer carry the manufacturers' warranty and any problem you might have in service will be handled by his service organization. Please call us should you have any difficulty in obtaining service. Your satisfaction is our goal and we back it up with a 30 day money-back guarantee (except software). We will be happy to mail you a copy of the complete warranty details on request.



# MONTENZUMA MICRO



2544 W. Commerce Street P.O. Box 224767 Dallas, Texas 75222-4767

Telephone: 214-631-7900

Facsimile: 214-634-8303

Copyright 1987 by Montezuma Micro.

All rights reserved.



# In Search of Lost Superscript Files

Reconstruct crashed Superscript files with a minimum of fuss.

**S**uperscript file crashes happen in a couple of ways: Bad disk media can cause a sector to become unreadable, or you can exit the program in the midst of writing a file, causing an end-of-file error when you try to reload it. You can recover these files, but first you must understand how they are set up.

Unlike most word processors, Superscript saves files as blocks of text. Each text block consists of four disk sectors. Superscript places data pointers within the first sector of each block, allowing the block to hold almost 1K of data. A single file can hold a maximum of 255 blocks, numbered zero-254, four of which are reserved for header and footer information. Six additional sectors provide the file header. A Superscript file, therefore, has a maximum length of 1,026 sectors, or about 256.5K of disk space.

The first file-header sector contains general information about the text such as the author's comments, the file's printer driver, line-spacing defaults, which blocks contain the header and footer information, and all other information that is displayed when you open the text file. The first byte of this sector is E0 hexadecimal (hex), indicating that it is a Superscript file.

The next five sectors house the file's index. Superscript adds one to the value of the first byte of the first sector of the index area to determine how many blocks the file contains. Five-byte clusters of block information follow.

The cluster's first byte gives the block name. The program multiplies this value by four and increases the result by six to

**You can recover a lost document by using the index information to rebuild the file order.**

determine which relative sector within the block begins the file.

Adding seven to the next byte, which is equal to the first byte in the first sector of the corresponding block, gives you the relative-byte address within the block of the last sector containing data relevant to the text.

The next byte, which corresponds to

the second byte in the first sector of the corresponding block, tells the system how many of the four possible sectors the file occupies. The four sectors are numbered zero-3. The next byte tells the system how many lines of text are in the block. The last byte is a system flag. The list terminates with block FF hex.

Header and footer indexing works somewhat differently. Block names are only reserved for odd-footer, odd-header, even-footer, and even-header sequences that start at relative byte 72 hex in the first file sector. If the first byte in the first sector of a block is zero, it is a header or footer block. Its second byte is always three, and FF hex always terminates its text.

You can recover a lost document either by using the index information to rebuild the file in order (blocks are not always grouped sequentially, which is the reason for the index), or if the index sectors are defective, by creating a sequential listing

## Program Listing 1. Recover.

```

10 CLS:PRINT"-----"
20 PRINT" SuperSCRIPT File Recovery -"
30 PRINT" Written by: David Goblen -"
40 PRINT" 67 Highland Road -"
50 PRINT" Mansfield Center, CT 05250 -"
60 IF PEEK(5)=0 THEN CLEAR ELSE CLEAR 500
70 PRINT"-----":PRINT
80 DEFINT A-Z:MD=1:IF PEEK(5)<>0 THEN IF PEEK(293)<>73 THEN MD=0
90 GOTO 140
100 IF RB=256 THEN 120 ELSE IF RB<>BR OR RS<>SR THEN D=PEEK(P+RB)
110 RS=0:RB=0:GOSUB 130:IF (RG>LG AND CR=1) OR LP>LG THEN 340 ELSE
120 GET 1,RG*4+7:ET=0:GOSUB 100:IF D=0 THEN 110 ELSE BR=D+7:GOSUB
130 SR=D:RB=7:GOTO 100
140 RB=0:IF RS=SR THEN 110 ELSE RS=RS+1:GET 1,RS+RG*4+7:GOTO 100
150 IF CR THEN RG=RG+1:RETURN ELSE LP=LP+1:RG=ASC(MID$(LOS,LP,1)):
160 RETURN
170 FSS="":LINE INPUT"Type in the FILESPEC of the File to RECOVER:
180 ";FSS:IF FSS="" THEN 140 ELSE ON ERROR GOTO 150:OPEN"I",1,FSS:
190 CLOSE:GOTO 160
200 PRINT FSS" cannot be found!":PRINT:RESUME 140
210 FDS="":LINE INPUT"Type in the FILESPEC of the OUTPUT File :
220 ";FDS:IF FDS="" THEN 160 ELSE D$="":F$=FSS:X=INSTR(F$,""):IF
230 X THEN F$=LEFT$(F$,X-1):D$=MID$(FSS,X+1)
240 D1$="":F1$=FDS:X=INSTR(F1$,""):IF X THEN F1$=LEFT$(F1$,X-1):D
250 1$=MID$(FDS,X+1)
260 IF F$<>F1$ OR (F$=F1$ AND D$<>D1$ AND D$<>" AND D1$<>" THEN
270 190 ELSE PRINT"DUPLICATE FILE NAMES! ILLEGAL!":GOTO 240
280 ON ERROR GOTO 200:OPEN"O",2,FDS:GOTO 210
290 PRINT FDS" is illegal!":PRINT:RESUME 160
300 ON ERROR GOTO 430:OPEN"R",1,FSS:FIELD 1,1 AS D$:P1=PEEK(VARPTR
310 (D$)+1)+256*PEEK(VARPTR(D$)+2):IF P1>32767 THEN PT=P1-65536: E
320 LSE PT=P1

```

Listing continued



## System Requirements

Model I/III/4  
32K RAM  
Basic  
One disk drive  
Superscript

of the file and then correcting the discrepancies in the text.

## Recover

I wrote Recover (Program Listing 1), which operates under Model I/III/4 Disk Basic, to reconstruct Superscript files using whichever method yields the best results. It asks you for the filespec of the defective file and then asks for the output filespec, which is an ASCII conversion of the file. Once Recover receives this data, it tries to build a reconstruction table from the information in the index area of the defective file. If it accomplishes this, Recover rebuilds the file in its proper order. If any of the used index sectors are defec-

## To reconstruct files, Recover uses whichever method yields the best results.

tive, Recover tries to reconstruct the file sequentially.

If the index sectors are unreadable, you can still use Recover to gather enough in-

formation about each block to reconstruct the file. Success depends on your knowing the following facts.

- Each block is four sectors long.
- By adding seven to the first byte of each block you can tell where, in the last used sector of the block, the text data ends.
- The value of the second byte of each block is one less than the number of sectors the block occupies.
- The values of the first and second bytes of each block are the same as those of the second and third bytes in the index cluster that references the block.
- Text does not begin until after the seventh byte of the first sector of a block.
- If a block begins with byte value zero (does not give an offset value for the end of data in its final occupied sector), it is a header or footer block. You should ignore such blocks during recovery.
- If blocks are not stored in sequential order, you must move the text into proper sequence after recovery.
- If a sector is unreadable, Recover tries to read it four times before reporting the problem and proceeding to the next sector.

When the program recovers a file, it stores the data in a destination file in ASCII format. Convert the data back to Superscript format as follows.

- Create a new Superscript file with a different name.
- Arrange the file's framework (such as line spacing and margins).
- Select the ASCII conversion option at Superscript's main menu.
- Answer the prompt asking from which format you want to convert with "A" for ASCII.
- Answer the Superscript file-name prompt with the new Superscript file's name.
- Answer the ASCII file-name prompt with the recovered file's name.

When the conversion is complete, edit the new file and insert any special features, such as centering and underlining, that Recover deleted.

## A Bonus

Program Listing 2, Convert, is a bonus. It converts Model I or III Superscript files to run under Model 4 Superscript. The files are not normally compatible because Models I and III use small blocks in the first sectors of their files as line markers, and the Model 4 uses underscores. Convert changes the small blocks to underscores. You can reverse the process (allow Models I and III to read Model 4 files) by switching the values of variables B\$ and G\$ at the end of line 90. ■

David Goblen is a programming consultant and frequent contributor to 80 Micro. Address questions and comments to him at 67 Highland Road, Mansfield Center, CT 06250.

### Listing continued

```

220 ON ERROR GOTO 450:GET 1,1:IF PEEK(PT)=&HE0 THEN 250 ELSE PRINT
  "The SOURCE File is NOT a Superscript File!"
230 CLOSE:KILL FD$
240 ON ERROR GOTO 0:END
250 CR=0:LP=0:ON ERROR GOTO 460:PRINT:PRINT"Picking up File Block
  Clusters..."HD$=CHR$(254)+CHR$(253)+CHR$(239)+CHR$(247)+CHR$(
  248)+CHR$(245)+CHR$(242):LO$="":GET 1,2:LG=PEEK(PT):RS=-5:RB=1
  :SR=7:RG=0:BR=257
260 X=LG*5+1:Y=X/256:X=X-Y*256:GET 1,Y+2:D=PEEK(PT+X):GET 1,2:IF D
  <>255 THEN PRINT"Index Data Confused. End of File Mixup caused
  here. Correcting..."
270 GOSUB 100:IF D<255 THEN LO$=LO$+CHR$(D):FOR Y=1 TO 4:GOSUB 100
  :NEXT Y:GOTO 270 ELSE LG=LEN(LO$):IF LG=0 THEN PRINT"Text File
  is Null":GOTO 240
280 IF ASC(MID$(LO$,LG,1))*4+7>LOF(1) THEN LG=LG-1:IF LG THEN 280 E
  LSE PRINT"File Totally Unreadable! Aborting":GOTO 240
290 PRINT:ET=0:ON ERROR GOTO 440:BR=255:SR=BR:RG=-1
300 GOSUB 130:RS=0:RB=0:GET 1,RG*4+7:ET=0:GOSUB 100:IF D=0 THEN 30
  0 ELSE BR=D+7:GOSUB 100:SR=D:RB=12
310 GOSUB 100
320 IF INSTR(HD$,D$) THEN ON INSTR(HD$,D$) GOTO 110,350,370,380,39
  0,410,420
330 IF D<32 OR D>127 THEN 310 ELSE PRINT#2,D$;:PRINT D$;:GOTO 310
340 PRINT#2,CHR$(0);:CLOSE:PRINT:PRINT:GOTO 240
350 PRINT#2,CHR$(13);:PRINT CHR$(140)
360 GOSUB 100:IF D<239 THEN 360 ELSE 320
370 GOSUB 100:IF D=255 THEN 340 ELSE 320
380 PRINT#2," ";:PRINT " ";:GOTO 310
390 PRINT#2," ";:PRINT
400 IF MD THEN OUT 244,1:GOTO 310 ELSE POKE 14305,1:GOTO 310
410 GOSUB 100:GOTO 310
420 PRINT#2,CHR$(9);:PRINT CHR$(9);:GOTO 310
430 PRINT"There is a problem OPENing "FSS". Check your files befor
  e trying again.:RESUME 230
440 ET=ET+1:IF ET<4 THEN RESUME ELSE ET=0:PRINT:PRINT:PRINT"*****
  FOUND A BAD DATA SECTOR. NOW SKIPPING SOME DATA *****:PRINT:I
  F RS=0 THEN SR=3:BR=255:RESUME 120 ELSE RESUME 120
450 PRINT"The 1st sector of "FSS" is bombed. Assuming Superscript
  file.....:RESUME 250
460 PRINT"Information in the Index Clusters is CRASHED!":PRINT"Now
  calculating data by PREDICTING pointers.....:PRINT"NOTE tha
  t some editing may be required by YOU after":PRINT"the file is
  converted back to Superscript format....."
470 INPUT"Press <ENTER> to continue":D$=CR+1:LG=(LOF(1)-6)/4:RESU
  ME 290

```

End

### Program Listing 2. Convert.

```

10 'SUPERSCRIPIT DOCUMENT CONVERSION -- MODEL I/III TO MODEL 4
20 'WRITTEN BY : DAVID GOBLEN
30 '
40 CLEAR:DEFINT A-Z:CLS
50 PRINT"Superscript Document Conversion -- Model I/III to Mod
  el 4":PRINT
60 AN$="":LINE INPUT"Type in the FILESPEC for the file to conver
  t: ";AN$
70 IF AN$="" THEN 60 ELSE ON ERROR GOTO 80:OPEN"I",1,AN$:CLOSE:GO
  TO 90
80 PRINT ERR$;GOTO 70
90 OPEN"R",1,AN$:FIELD 1,255 AS A$:B$=CHR$(&H84):G$=CHR$(&H5F)
100 ON ERROR GOTO 0:GET 1,1:C$=A$
110 X=INSTR(C$,B$):IF X THEN MID$(C$,X,1)=G$:GOTO 110
120 LSET A$=C$:PUT 1,1:CLOSE 1:END

```

End



# The 80 Micro Disk Series

New low price, too!



**Packed with more productivity, more innovation,  
more programming fun than ever before!**

Yes, you still get all the top-rated TRSDOS programs published each month in 80 Micro, ready-to-run on quality disks. No time-killing keyboarding, no tedious de-bugging. Just load and go!

With the **NEW 80 Micro Disk Series** (formerly LOAD 80), you'll find new ways to enhance your personal and business productivity. You'll get programs for dozens of innovative applications like project management, special sorting of customer files, financial analyses, graphics for reports and

studies, compiling mailing lists, critical path scheduling and more. Plus powerful utilities that help make your computer do more and run better!

You get 12 monthly disks, for just \$149.95. (Single disks cost \$17.95 each, so you save more than \$65 by subscribing now!)

Complete the coupon below, mail the card opposite, or CALL TOLL FREE 800-258-5473 (NH, 924-9471)

## The 80 Micro Disk Series

8704

- ☐ YES. Enter my subscription to The 80 Micro Disk Series at just \$149.95 for 12 monthly program disks.  
☐ Single disk only, \$17.95 Month \_\_\_\_\_  
☐ Payment enclosed    ☐ MC    ☐ Visa    ☐ AE

Card # \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Signature \_\_\_\_\_  
Name \_\_\_\_\_  
Address \_\_\_\_\_  
City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Price includes postage and handling. Please allow 4-6 weeks for delivery. Foreign airmail add \$1.90 per disk. US funds drawn on US banks only.

Mail To: The 80 Micro Disk Series ► 80 Elm St. ► Peterborough NH 03458

# For \$6.50, We can make your day...

## BUT YOU HAVE TO READ THE LIST OF TITLES BELOW

Hi. We work with and love computers and software. We are here to see that we give you the best products at reasonable prices. On any given day you may say to yourself, gee I wish I had this; or would it not be nice to have that...ok, look below and see if there really isn't something you would like...if we should be carrying a product that you know about that is absolutely tops, please let us know. If you have a problem with an order call me, Gus Zeller, and I will do my best for you. Thanks.

### STAR MICRONICS PRINTERS

SD 10 DOT MATRIX	<b>\$298.00</b>
LV 1210 DOT MATRIX NC 120 cps draft	<b>\$167.00</b>
NB 15 (24 PIN) DOT MATRIX wc 300 cps 24 wire	<b>\$851.00</b>
WC-SR15 WIDE CARRIAGE DOT MATRIX 200 cps draft NLQ 16K	<b>\$492.32</b>
NX 10 DOT MATRIX 120 cps 30 cps NLQ 5K	<b>\$201.88</b>
SD 15 WC 160 cps draft NLQ mode 16K-buffer	<b>\$398.20</b>

### THOMPSON MONITORS

CM 36382 14" RGB	<b>\$269.50</b>
CM 31481 12" RGB COMPOSITE	<b>\$237.60</b>
CM 36512 14" RGB VIDEO COMPOSITE	<b>\$195.24</b>
VM 31071G 12" GREEN MONOCHROME TTL	<b>\$117.60</b>
VM 31021A 12" AMBER MONOCHROME	<b>\$119.75</b>
CM 31311 12" 690 x 240 .31 pitch RGB Color	<b>\$298.00</b>

The following is a list of TRS-80 Software.

Some of this is software you promised yourself a long time ago and just never got around to treating yourself to. Some of what we list below we only have a few of, so first requests only will be honored. Most is fun stuff for your kids, so go for it!! Some is very good stuff that has had little exposure.

#### Two or more titles—\$4.00 each.

Deadline	Mod 1 32K	Terminal Program	Tape	Mod 1 & 3 Level 2 16K	Life	Tape	Level 2 16K
Mystery Fun House	Mod 1 & 3 16K	Programmers Converter	Tape	Mod 1 & 3 Level 2 16K	Disk Editor 1.3	Disk	Level 2 32K
Flight Path	Tape	Programmers Primer	Tape	Level 2	Night Flight	Tape	Level 2 16K
Battleground	Tape	Compression Utility Pack	Tape	Level 2	The Flying Circus	Disk	Mod 1 Level 2 16K
Beginner's Russian	Tape	Airmail Pilot	Tape	Mod 1 & 3 Level 2 16K	The Elements	Tape	Mod 1 & 3 Level 2 16K
Geography Explorer Series		Music Master	Tape	Mod 1 & 3 Level 2	Enhanced Basic	Tape	Mod 1 Level 2
Mid-East	Disk	Adventure	Tape	Mod 1 & 3 16K	Disk-Tape Exchanger	Disk	Level 2 2 Drives 16K
Europe	Disk	Little Red Riding Hood	Tape	Mod 1 & 3 16K	Surveyors Apprentice	Tape	Level 2 16K
Europe	Tape	Everyday Russian	Tape	Level 2 16K	Energy Audit	Tape	Level 2 16K
USA	Disk	Interactive Fiction	Disk	Mod 1 Only 32K	Astrology	Tape	Mod 1 & 3 Level 2 16K
Domes of Kilgar	Tape	Savage Island	Disk	Mod 1 Only 32K	The Communicator		Level 2 16-32-48K
Business Analysis	Tape	Domes of Kilgar	Disk	Mod 1 & 3 2 Drives	Scriptr	Disk	Mod 1 & 3 32-48K (needs Scripsit)
Business Analysis	Disk	Advanced Basic Editor	Disk	Mod 1	Santa Paravia &	Tape	Color Mod 1 & 3 Level 2
Ghost Town	Tape	Galactic Saga	Disk	Mod 1 only	Cassette Scope	Tape	TRS-80
Mystery House Fun	Tape	Interactive Fiction	Disk	Mod 1 only	Master Reversi	Tape	Mod 1 & 3 16K
Galactic Empire	Tape	Startrek 3.5	Disk	Mod 1 only	Mystery Fun House	Disk	32K
Dragonquest	Tape	Startrek 3.5	Tape	Mod 1 & 3 16K	The All Stars	Disk	Mod 1 & 3 Level 2 16K
Dragonquest	Disk	Dynamic Device Drivers	Disk	Mod 1 Level 2 16K	Omni Calculator	Disk	Mod 1 & 3 Level 2 16K
Key Commander	Tape	Dynamic Device Drivers	Tape	Level 2 16K	Mountain Pilot	Tape	Color Computer Extended Basic 16K
Temple of the Sun	Disk	QSL Manager	Disk	Level 2 32K	Phaser Blast	Disk	Mod 1 & 3 16K 1 DD
Temple of the Sun	Tape	Disk Scope	Disk	Level 2 16K	Energy Audit	Disk	32K
Ball Turret Gunner	Tape	(Fileloc;CDisk;Password)			The Count (Adventure)	Tape	Mod 1 & 3 16K
Alien Attack Force	Tape	Teachers Aid	Disk	Level 2 32K	Basic Programming Assistant	Tape	Level 2 16-32-48K
Cosmic Patrol	Disk	Typing Teacher	Tape	Color Computer	Starcross		Mod 3 32K
Cosmic Patrol	Tape	Typing Teacher	Tape	Mod 1 & 3 Level 2 16K (PMC ok)	Suspended	Disk	Mod 1 32K
Investors Paradise	Tape	Weather Watch	Disk	Mod 1 & 3 Level 2 16K	Music Teacher	Disk	Mod 1 & 3 32K
Gomoku & 3D Tic Tac Toe	Tape	The Wordslinger	Tape	Mod 1 Level 2 16K(PMC)	Textedit	Disk	Mod 1 & 3 32K
House of Thirty Gables	Tape	Disk Based Labeling Disassembler		Mod 1 Level 2 16K	Encyclopedia for TRS-80 Volumes 1-10		\$4.50 ea.
Omni Converter	Tape	TRS-80 Utility II	Tape	Level 2 16K	Kitchen Sink	Disk	Mod 1 & 3
Archimedes Apprentice	Tape	Russian	Disk	Mod 3 Level 2 32K			
Renum/Compress	Tape						

## Computer Supplies of Peterborough

Route 202 North

Peterborough, NH 03458

**1-800-843-6700 ORDERS ONLY!**

1-603-525-4201 Other calls



VISA and MasterCard accepted.

No shipping charge. Same Day shipping on orders rec'd by 12 noon.

*We also carry Allsop, Avery, Anchor Automation, Brother Printers, Curtis, diskettes, computer paper among other items for your computer. Just ask...*



# Making the Most of Batch Files

Welcome to my first MS-DOS Column. I hope to follow the trends that Dave set, and I have many ideas to share. I am dedicating this month's column to improving your system's performance with batch files and other tidbits.

First, I recommend that you set up a Config.SYS file with a Buffers statement. I use a `BUFFERS = 20` statement to allow MS-DOS a reasonable amount of freedom in buffering disk files. Depending on your available memory, you can use fewer buffers. You should use at least eight, however. This is a vital parameter on a unit with a hard disk, because it allows for faster disk input/output (I/O).


One method of speeding your work is to automate your system with batch files. Even on a floppy-disk system, using batch files can be much faster than typing numerous MS-DOS commands repetitively. On a hard disk, a few batch files can make an even greater improvement.

Among the most severe limitations of system speed is MS-DOS's inability to ask you a question, get an answer, and then act on it. This also limits the effectiveness of batch files, but there is a way around this. The Debug script in Fig. 1 is a short example of a query program with a twist. Follow the instructions in Fig. 1 to create Query.COM. I included comments with many of the machine-language statements, so make sure you do not type any of the information between the semicolon (;) and the end of each line.

Type QUERY at the DOS prompt. Follow it with the question string to which you want a yes or no answer. Query will type out the question string (everything on the command line except for QUERY) and follow it with a "(Y/N)?" prompt. Y and N are the only characters that the program accepts as responses.

You must then use the DOS If statement to test for an Errorlevel condition. DOS provides the ability for a program to return a 1-byte error code on termination. This code can be read by an Errorlevel batch command. Query reports error conditions of zero for yes and 1 for no. Figure 2 contains my Autoexec batch file, in which I use Query to decide whether to load Microsoft Windows or Wordperfect Corp.'s Library Menu shell.

You can easily extend this short program to request a menu selection from a



number of options. To do this, you must make the error condition correspond to the proper selection. The DOS If conditional statement is really a greater-than or equal-to test, so you must test these conditions in reverse numerical order. I'll discuss this further in a future column.

## We Interrupt This Batch File

Have you ever wanted to suspend execution of a batch file? Ever wanted to execute another batch file as a procedure and return to the original batch? You can easily do both of these tasks by using the DOS command interpreter. It has several parameters that are not documented in the releases prior to DOS

3.x. Only some of these new command line parameters work in the older DOS versions.

Figure 3 shows an example of a batch file that suspends execution. I use it from Library's Shell menu to set up the environment for my C compiler. After it has initialized all of the environment variables, it changes the directory into the C source directory. Then the batch file executes Command.COM, suspending all batch processing with the new environment intact. The computer enters the DOS command mode so you can use the C compiler.

When you are finished with the C compiler, type EXIT at the DOS prompt

*Fig. 1. Debug script for creating Query.COM. You create this script with Edlin or any other text processor that can write an ASCII character file. Do not write the comments to the right of the semicolon (;). Save the script file as Query.SCR and then create Query.COM using the Debug command: DEBUG <QUERY.SCR.*

```
a 0100
MOV SI,0000 ;Offset for command line char count
MOV BL,[SI] ;Pointer to command tail string
CMP BL,00
JZ 0118 ;No command tail is present
XOR BH,BH
MOV Byte Ptr [BX+0081],24 ;Terminate string with '$'
MOV AH,09
MOV DX,0081 ;Point to character string in tail
INT 21 ;MS-DOS Write string function
MOV AH,09
MOV DX,0141 ;Yes/No prompt
INT 21 ;Write out string
MOV AH,07 ;Read character with no echo
INT 21
```

Figure 1 continued

Figure 1 continued

```

AND AL,DF                ;Strip out lowercase bit
CMP AL,59                ;Test for 'Y'es response
JZ 0132
CMP AL,4E                ;Test for 'N'o response
JNZ 011F                 ;Get another character
MOV AL,01                ;Error status for response
JMP 0134
NOP
XOR AL,AL                ;Error status for Yes response
PUSH AX
MOV AH,09                ;Terminate line with a
MOV DX,014A              ; .. CR/LF
INT 21
POP AX                  ;Get return value
MOV AH,4C                ;Set terminate function code
INT 21
DB ' (Y/N)? $'
DB 0D,0A,'$'            ;Extra return is required here
;Set program name
n QUERY.COM
rcx
004D                    ;Length of program goes to CX reg
w                        ;Write it out
q                        ;Quit Debug and return to DOS

```

Fig. 2. Autoexec.BAT with sample use of Query.

```

echo off
copy command.com d:
set comspec=d:\command.com
path d:\;c:\dos;c:\dos\util;c:\dos\norton;c:\dos\masm;c:\wptools
prompt $e[7m ($t$H$H$H) $e[0;1m $p$g$e[0m
kbfix /t1 /kt0 /ktd5 /d0 /s1
:whatnow
cls
query Do you want to run Microsoft Windows
if errorlevel 1 goto shell
cd windows
win
cd\
goto whatnow
:shell
query Do you want to run WordPerfect's Shell
if errorlevel 1 goto exit
shell
cd\
goto whatnow
:exit

```

Fig. 3. Example of batch file with extension.

```

echo off
set dummy=
set dummy1=
set path=C:\MSC;%PATH%
set prompt=$e[m [Microsoft C Version 4.0]$ _%PROMPT%
set lib=c:\msc\lib
set include=c:\msc\include
set tmp=c:\
cd \msc\source
command
cd \

```

Fig. 4. Sample batch files with subroutine.

```

echo off
cls
echo This is batch file number 1 which sets the environment
echo variable TESTVAR to the string 'Test String from batch #1'
echo and links to batch file #2.
echo .
echo Batch file #2 will attempt to reset TESTVAR and then will
echo return to this batch file. TESTVAR will be displayed on
echo return.
echo .
pause
prompt
set testvar=Test String from batch #1
echo The string was set to %TESTVAR%
command /c batch2
echo .
echo The environment string is now %TESTVAR%
echo .
echo This completes the demo.

Second batch file: store as BATCH2.BAT
echo off
echo I am in batch file number 2 now. After setting TESTVAR,
echo it will be displayed and then this batch file will exit.
echo .
set testvar=Test String in batch #2
echo TESTVAR is set to %TESTVAR%
echo .
pause

```

and press the enter key. This terminates the current command processor, and the batch file resumes execution. After restoring the root directory as the current directory, the batch file terminates and control automatically returns to the shell menu.

This batch file has several other interesting features. You can change the current prompt and path with the DOS Set command. I used to have all my batch files establish the path and prompt to suit their own tasks. I would change one of the subdirectories in the path and, invariably, forget one of the batch files, leaving an invalid subdirectory in the path.

The technique I use here (SET PATH=C:\MSC;%PATH%) references the string currently stored in the path environment variable. This command prepends the string \C:\MSC to the beginning of the current path and stores it in the working environment. A word of caution: DOS 2.x requires all capitals in the path. Also note that these changes are temporary and affect only the current environment. If you are operating under a shell of any kind, these changes will not affect the master environment.

Figure 4 shows another technique that allows one batch file to call another. The method uses one of the undocumented command-line parameters from the earlier DOS 2.x releases. This is precisely how menu shells and other programs that allow you to use DOS without exiting work.

Batch file 1 calls batch file 2, which executes a few commands and terminates. Control returns immediately to the preceding batch file. Batch file 1 loads Command.COM, creating a copy of batch file 1's environment for the new version of DOS's command processor. Any changes batch file 2 makes in the environment affect this copy only (not the parent environment from batch file 1). The only way control returns to the first batch file is through the use of the /c (child process) command.

## Wrap-Up

Batch files are valuable tools that can make your computer use more efficient. I hope you enjoy these techniques and profit from them.

I encourage you to send me your questions and thoughts regarding the column's content. I welcome any questions about MS-DOS and Tandy computers. ■

*John B. Harrell III is a naval electronic warfare systems analyst. He has written for 80 Micro for five years and programs in Pascal, C, and Assembly Language. You can reach him c/o 80 Micro or via Easyplex on Compuserve. His CIS number is 73016,1326.*



**NEW!**



**SafeSkin™**

**KEYBOARD PROTECTOR**

*Finally! A keyboard cover that remains in place during use!*

SafeSkin prevents damage from liquid spills, dust, ashes, paper clips, staples, etc. This custom fit cover is made of ultra-thin, ultra-tough, clear flexible plastic, molded to fit every key and contour, allowing normal key response and feel. Available for the Model 100, Tandy 1000/2000, Model 3 & 4, IBM-PC, AT, Apple, DEC, Wyse and many others. Send \$29.95. Check or M.O., Visa & MC include expiration date. Specify computer type. Dealer inquiries invited. Free brochure available.

Merritt Computer Products, Inc.  
4561 So. Westmoreland  
Dallas, TX 75237  
(214) 339-0753

## DeskHelp™ unlocks DeskMate™

### CREATE...

- MAIL MERGE
- DIRECT MAIL
- FORM LETTERS
- LABELS
- CHECKS
- CUSTOM FORMS
- INVOICES
- COLLECTION LETTERS
- ROLODEX™ CARDS
- OUTPUT TO DISK
- PRINTER CODES

### PLUS...

- 100% ML FAST
- WINDOWS
- INDEXING
- EASY TO LEARN
- EASY TO USE
- MANUAL RECORD SELECTION
- TEXT FILTER
- CUSTOMIZE DEFAULTS
- ERROR CHECKING

### Now you can with DeskHelp!

DeskHelp was written especially for you, the DeskMate owner, by Bobby Ballard, nationally known DeskMate expert.

**\$50.00**  
INTRODUCTORY OFFER  
**\$49.95**  
Expires 4/30/87

**FREE DEMO**

Write for Details

Due to popular demand, Atmospheres is extending its introductory offer for the best DeskMate add-on software available. Until the end of April, send \$49.95 plus \$3.00 S/H.

### ATMOSPHERES

1207 Eighth Avenue Dept. #4  
Brooklyn, NY 11215 718-788-6799

Include \$3.00 S/H. NYS residents add tax.  
DeskMate is a trademark of Tandy Corp. Requires DOS 2.0x or higher and 384K. DeskHelp is a trademark of Atmospheres.

## DEBUG

### Remarkable Bug

My Tidbit #40 on p. 94 of the January 1987 issue has a bug. You deleted line 15100, a remark line, from the listing, but neglected to correct the subroutine calls in lines 160 and 170 to 15110:

```
160 IF MID$(UP$,1,1) < "0" THEN GOSUB 15110:GOTO 120
170 IF MID$(UP$,1,1) > "9" THEN GOSUB 15110:GOTO 120
```

Curtis E. Stevens  
Walnutport, PA

*We apologize for our oversight.*

—Eds.

*Address Debug correspondence to Debug Editor, c/o 80 Micro, 80 Elm St., Peterborough, NH 03458.*

# Graphics Solutions

## High-Resolution Software and Hardware

**GBASIC 3.0** - Radio Shack Model 4/4D/4P/III hi-res board owners take note of an enhanced graphics Basic: GBASIC 3.0. It not only provides an equivalent for each of the BASIC commands but adds a number of important new ones while using less memory. Without having to exit Basic, the hi-res screen can be saved to disk, loaded from disk, or printed on any of 30 popular printers: Epson, Star Micronics, Radio Shack, Okidata, C. Itoh, NEC, etc. The software works with TRSDOS 1.3, 6.1.2, 6.2; DOSPLUS 3.4, 3.5, 4; LDOS; and NEWDOS80. The disk contains 40 graphics programs/files. Also included is a detailed manual with assembly language entry addresses. \$49.95. (Specify Model 4 or III mode or add \$10 for both.)

The following eleven programs run on a Model 4/4D/4P/III equipped with a Radio Shack graphics board and GBASIC 3.0 or a Micro-Labs Grafyx Solution board:

**DRAW** - A powerful full screen graphics drawing and editing program. \$39.95.

**BIZGRAPH** - Create business graphs from hand-entered or VisiCalc data. \$75.00.

**xT.CAD** - Professional drafting aid which outputs to a printer or plotter. \$245.00.

**SURFACE PLOT** - Plot three-dimensional equations of the form  $Z=F(x,y)$ . \$39.95.

**3D-PLOT** - View three-dimensional data from any perspective or angle. \$39.95.

**MATHPLOT** - Plot equations of the form  $Y=F(x)$  with auto scaling. \$39.95.

**CHESS** - A very powerful program with 10 skill levels, 40 play options. \$49.95.


**REVERSI** - Play Othello with 10 skill levels, 20 execution options. \$29.95.

**3D Tic-Tac-Toe** - Play the computer or a friend on a  $4 \times 4 \times 4$  matrix. \$19.95.

**SLIDESHOW** - Create a sequence of hi-resolution picture displays. \$19.95.

**Biorhythm/USA** - Plot your biorhythm or learn the states and capitals. \$19.95.

**JOY-MOUSE** - Allows a Radio Shack Color Computer joystick, mouse, or touch pad to be connected to any Model 4/4D/4P/III. Hardware provides X, Y position values from 0 to 255. \$119.95.



**GRAFYX SOLUTION** - A plug-in, clip-on board enhances any Model 4/4D 4P/III to provide  $640 \times 240$  dot graphics. (512  $\times$  192 on a Model III) The board comes with a 56 page manual and a disk containing both model 3 and 4 mode versions of over 40 programs and files including GBASIC 3.0 which adds over 20 graphics commands to Basic. \$199.95.

Please specify your exact system configuration when ordering or requesting information. Payment may be by check, Visa, Mastercard, or COD. Domestic shipping is free on pre-paid orders. Texas residents add 5% sales tax.


**MICRO-LABS, INC.** 214-235-0915  
902 Pinecrest, Richardson, Texas 75080

# New From **Zuckerboard**

## 20 Mega Byte Hard Card

### **\$599 vs. \$799**


Fits in the Tandy 1000, the new SX,  
and 3000 computers.



Installation as easy as 1-2-3  
open the box, plug in and play.

Compare Ours to Theirs

	ZUCKERBOARD	TANDY
Price	\$599	\$799
Availability	Now	Soon
Warranty	2 Years	90 Days
Installation	Preformatted for Plug & Play	Need to Format
Reliability	3× More Reliable Than a Seagate	Unknown
Access Time	66 Millisecond	Unknown
Slot Usage	1 Slot	Unknown



Dr. Dr. Zucker

# It's another **ZUCKERBOARD**



2235 Santa Ana Court • Sunnyvale, CA 94086 • (800) 233-6874 (CA) • (800) 222-4920

(Canada South Hi-Tech Inc. • 1177 Mewmarket St. • Ottawa, Ontario K1B 3V1 • 613/745-8120

ZUCKERBOARD is a registered trademark of Advanced Transducer Devices Inc.

Tandy 1000/1200 are Trademarks of Radio Shack, a Division of Tandy Corporation.

All prices subject to change without notice due to fluctuations in the chip market.



# Shopping at the PD Library

The search for public-domain (PD) software isn't limited to scanning bulletin-board systems (BBSes) or commercial data bases. For a few dollars and a couple of stamps, you can receive hundreds of PD programs in the mail. Dozens of clubs and companies sell PD and user-supported software individually or packaged as libraries.

Unfortunately, (or fortunately, depending on which computer you have) most of sources listed in the Table emphasize the IBM PC and compatibles. The Table is by no means complete and includes only those who responded to a letter of inquiry.


Most of the small companies emphasize that they keep their software up to date, and they urge their customers to make donations to the authors of those programs designated as user-supported (more on user-supported software later). They seem genuinely interested in spreading the wealth of PD software to their customers.

I also heard from a couple of companies that had old versions of some programs. One small company sent me a three-year-old version of a program that has been updated three or four times since. On the other hand, another sent me two current and desirable programs that I had heard about but hadn't been able to find.

## PD Biggies

The two major sources of MS-DOS software are the PC-SIG and PC-Blue PD libraries. PC-SIG is by far the largest with over 700 disks chock full of free and user-supported software, and it's growing every day. This amounts to many thousands of programs. PC-SIG is a for-profit organization that distributes software for a minimum charge. Like the other major sources of PD software, PC-SIG keeps the software up to date, replacing older versions of a program with newer ones as they become available.

PC-Blue is the oldest PD software library and has over 200 disks cataloged. PC-Blue is a collaborative effort of two non-profit organizations, the New York Amateur Computer Club and the Amateur Computing Group of New Jersey. Other non-profit organizations that are major sources of PD programs are the Capital-PC Software Exchange, the Long



Island Computer Association, New York Personal Computer, and the Houston Area League (HAL) of PC Users. HAL programs are distributed through The Public (Software) Library.

## Keeping Current

Keeping current PD software is not easy. The largest distributors like PC-SIG have full-time staffs to do this task. Non-profit groups rely on volunteers and a few paid persons to maintain the libraries and send out software.

Large distributors get most of their software from the programs' authors and users. As they receive updates to programs, they must replace older versions and note changes in their catalogs. Major distributors usually offer both catalog disks and printed catalogs. The advantage of a catalog disk from a company like PC-SIG is that you can search for programs using keywords.

It is impossible to keep large, printed catalogs as current as disk catalogs due to the time lag for printing. PC-SIG, for example, has disks that catalog up to 700 program disks and their contents. Its latest printed catalog supplement only includes information about 454 program disks. Newsletters take up the void in describing its latest programs.

The majority of the smaller PD distributors purchase their libraries from PC-SIG, PC-Blue, HAL, Capital PC, and other large PD software sources. This al-

lows the small outfits to stay current with their selections with little effort. Since they don't have the overhead of the large distributors, the small libraries can offer program disks at a lower cost. Some small companies simply rent disks purchased from large sources for you to copy and return.

Generally, though, you get what you pay for. You might not get the most up-to-date software from some smaller organizations, but often if you make a donation to the program's author, you get the current version and printed documentation in return. Other small distributors specialize in the most popular programs, and some such as PC Arcade emphasize games and leisure.

While the large outfits do not wish to restrict the distribution of PD software, they do take exception when someone redistributes exact copies of their program disks. They copyright the disks' presentation and cataloging system. Most of the smaller companies comply with this and formulate their own software data-base methods, weeding out the chaff.

## Of Special Interest To Tandy Users

I was disappointed to find that few of the PD libraries offered non-MS-DOS, Tandy-specific software. Most of the best PD software written in the last two or three years is MS-DOS.

# Dealers Sell

Selling *80 Micro* will make money for you. Consider the facts:  
Fact #1: Selling *80 Micro* increases store traffic—our dealers tell us that *80 Micro* is the hottest-selling computer magazine on the newsstands.

Fact #2: There is a direct correlation between store traffic and sales—increase the number of people coming through your door and you'll increase sales.

Fact #3: Fact #1 + Fact #2 = INCREASED SALES, which means money for you. And that's a fact.

For information on selling *80 Micro*, call 800-343-0728 and speak with our direct sales manager. Or write to *80 Micro*, Direct Sales Dept. 80 Elm St., Peterborough, NH 03458.

## FREEDOM ELECTRONICS

FREE QUOTES  
ROCK BOTTOM PRICES

PRINTERS SOFTWARE TANDY COMPUTERS MODEMS DISK DRIVE

100% ALL RADIO SHACK®  
PRODUCTS AND COMPONENTS

PRICE QUOTES AND INFORMATION  
CALL: 308-324-7279

Write or call for warranty information

ORDERS ONLY MON-FRI TOLL FREE  
8 AM-5 PM 800-222-9485  
CENTRAL TIME ORDERS ONLY TOLL FREE  
800-222-9485

SAVE \$ ON DISCOUNT ELECTRONICS

Stereo rack systems; TV—VCR—CB—Scanners—  
Telephones. Also Save 20% OFF Retail Price on any  
item currently available in Radio Shack® General  
Merchandise Catalog. Minimum order \$100.00


FREEDOM ELECTRONICS

(A Division of Four-Wa, Inc.) 118 East 8th St., Lexington, NE 68850

ORDERS ONLY CALL

TOLL FREE 800-222-9485  
CALL COLLECT IN NEB 308-324-7279 NEB RESIDENTS ADD 3% SALES TAX

# This Publication is available in Microform.



## University Microfilms International

Please send additional information

for \_\_\_\_\_  
(name of publication)

Name \_\_\_\_\_

Institution \_\_\_\_\_

Street \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_ Zip \_\_\_\_\_

300 North Zeeb Road  
Dept. P.R.  
Ann Arbor, Mi. 48106



Of special note to Tandy users are the Boston Computer Society, The Alternate Source, Elliam Associates, Montezuma Micro, Club 100, and the Danville Tigers Club. With the exception of Elliam Associates, these groups focus on the Tandy line of computers.

Elliam Associates is a major source of CP/M PD software, but the company also has some MS-DOS software. Its library includes collections from other main sources of CP/M PD software, including the CP/M Users Group (1651 Third Ave., New York, NY 10028) and the SIG/M Users Group (P.O. Box 97, Iselin, NJ 08830).

Montezuma Micro has a good CP/M software library, as well. This company also sells CP/M 2.2, a commercial version of the CP/M operating system exclusively for the Model 4. Montezuma has recently added MS-DOS PD programs to its library.

The Boston Computer Society is primarily a users' group that also offers PD programs for the Models I/III/4, CP/M, and MS-DOS. They also have a Model

100 special-interest group, but I'm not sure it distributes PD software. The Alternate Source has been around for a long time and once published a magazine, *The Alternate Source*, for the TRS-80 line. Now the company sponsors a newsletter called *Northern Bytes* and offers, in addition to commercial software, PD programs for the Models I/III/4, CP/M, and Tandy 1000.

Model 100/102/200 users have promise of things to come with the expanding activities of Club 100 and the Danville Tigers Club. Both of these San Francisco-area groups offer the same PD software in their small libraries of five disks with 15 programs on each disk. They work closely together, though as separate entities.

Many of Club 100's 400 active members have written much of the prominent public-domain software for these computers and are considered to be the programming and hardware gurus for the Model 100.

As I said last month, by all means become at least a level 1 member of Club

100 if you own a Model 100. It is free and puts you on the club's mailing list, which keeps you up to date on its PD offerings and allows you to direct questions their way through the mail. See last month's Public Works for more information on Club 100 and the Danville Tigers Club.

### User-Supported Software

You will often see me refer to user-supported software in this column. Other terms you might hear at times are shareware or freeware. All mean the same thing: You are free to use the program and give copies to your friends with the understanding that, if you find it useful, you send a donation to the author. This encourages the author to improve on the program or write others.

The amounts authors request for donations are small, ranging from \$5-\$45, though some have been higher. Usually the programs with the higher requests give you something of value in return for your donation, such as commercially printed and bound documentation, bet-

The Alternate Source  
704 North Pennsylvania Ave.  
Lansing, MI 48906  
MS-DOS, CP/M, TRSDOS  
Publishes *Northern Bytes*

A/N Computer Products Inc.  
127 S. Ellyn Ave.  
Glen Ellyn, IL 60137  
MS-DOS

B & L Consultants & Sales  
P.O. Box 461  
Wabash, IN 46992  
MS-DOS

The Blue Circle Group Inc.  
P.O. Box 23592  
Minneapolis, MN 55423  
MS-DOS

Boston Computer Society  
80-Boston-PDL  
c/o Kenyon F. Karl  
P.O. Box 451  
North Andover, MA 01845  
MS-DOS, CP/M, TRSDOS

Capital PC Software Exchange  
Box 6128  
Silver Spring, MD 20906  
MS-DOS  
Publishes newsletter

Colony Ltd.  
931 W. 21st St.  
Norfolk, VA 23517  
MS-DOS  
Sells catalog for \$5

The Computer Room  
P.O. Box 1596  
Gordonsville, VA 22942  
MS-DOS

Danville Tigers Club  
c/o Bill Templeton  
78 Larkstone Court  
Danville, CA 94526  
Model 100  
Works with Club 100

Disk-O-Mania  
P.O. Box 6429  
Lake Charles, LA 70606  
MS-DOS  
Same owner as Sizzleware

Elliam Associates  
6101 Kentland Ave.  
Woodland Hills, CA 91367  
MS-DOS, CP/M  
Also sells commercial software;  
mostly CP/M

Futuresystems  
P.O. Box 3040  
Vista, CA 92083  
MS-DOS

Graphcom  
1633 Babcock #190  
San Antonio, TX 78229  
MS-DOS  
Sells manual

Hanson-McBride Services/  
Club 100  
P.O. Box 23438  
Pleasant Hill, CA 94523  
Model 100  
Works with Danville Tigers Club

Lighthouse Software  
P.O. Box 8718  
Norfolk, VA 23503-0718  
MS-DOS

Long Island Computer  
Association  
Attn: Librarian  
Box 280  
Commack, NY 11725  
MS-DOS  
Publishes newsletter

MCSsystems  
6415 Shelterwood Drive  
Oakland, CA 94611-1601  
MS-DOS

Montezuma Micro  
P.O. Box 763009  
Dallas TX 75376-3009  
MS-DOS, CP/M  
Also sells commercial software

Table. List of PD software distributors.

Table continued.

# Can we talk? CP/M vs TRSDOS

By moving to CP/M on your Model 4 you achieve two things. First you open the door to a wealth of existing software. More 8-bit software runs under CP/M than any other operating system. This includes virtually all of the "big name" programs which have set the standards by which all others are measured. Programs like **WordStar**, **dBASE II**, and **Turbo Pascal** are available for CP/M, but not TRSDOS. Public domain software, almost unknown under TRSDOS, fills hundreds of megabytes of disk space. Valuable public domain programs like the **Small C Compiler** are just a toll-free phone call away. Most importantly, hundreds of applications programs are available from a multitude of vendors. Many include the source code. Wouldn't you like to be able to choose from scores of Accounts Receivable or General Ledger programs, instead of the meager selection you now have? Circle our special Reader Service number 600 on the Reader Service Card to receive our comprehensive free listing of suppliers of application programs that run under CP/M.

## What about the future?

When the time comes to move up to another computer it will almost certainly use MS-DOS. That's when CP/M users get a pleasant surprise. Since MS-DOS was a derivative of CP/M it operates in almost the same manner. Even better, most of the same software packages are available in 16-bit form and they operate in virtually the same way that they did under CP/M.

## Is it easy to use?

Montezuma Micro's CP/M has been carefully crafted to present a maximum of features while taking a minimum of memory. It supports all of the standard features of the Model 4/4P/4D computers, as well as most of the optional ones. Our CP/M has been consistently been awarded the highest ratings in industry magazines. It is version 2.2, the most popular and reliable of all the versions of CP/M produced. Our CP/M has been made as easy to use as possible. All customer-selected features are chosen from simple menus in our CONFIG utility. This includes the ability to configure a disk drive to run like that of scores of other CP/M com-

puters for maximum ease of software portability. Using the unique DBLCROSS program in our Monte's Toolkit utility package you can move files back and forth between CP/M, TRSDOS (1.3 and 6.x), and MS-DOS.

## Why use Montezuma CP/M?

We have already told you why our CP/M is the best for the Radio Shack Model 4 computer. The only question left to answer is "Why buy CP/M at all?" Radio Shack has abandoned TRSDOS — all of their new machines use MS-DOS. Most of the software producers have followed, leaving no new software development and saddling the TRSDOS user with whatever software "left-overs" he can find. Which DOS do you want to head into the future with: the one originally written for the Model I or the one that served as the basis for MS-DOS? Make the right choice right now for just \$169.

## If I need support?

We don't forget you after the sale. If you have a problem you will find our phones are answered by people, not answering machines or hold buttons. Our philosophy is very simple — we want you to be happy and satisfied with your purchase. If you have a problem then we have a problem, and we'll do whatever we can to resolve it.

## Cost to update?

Our owners are protected against instant obsolescence by our lifetime upgrade policy. At any time you can return your original CP/M disk to be upgraded to the latest version free of charge, except for a small shipping and handling fee. Periodically we publish **NEW STUFF**, a newsletter for registered users of Montezuma Micro CP/M. This publication carries news about new products, tips for getting more out of CP/M, and other valuable information for our users. It is sent free of charge to registered owners.

## Can I use a hard disk drive?

CP/M hard disk drivers are available for Radio Shack, Aerocomp, and most other popular brands of hard disk drives. These drivers allow the hard drive to be partitioned into one to four logical drives of varying sizes.

These drives may all be used by CP/M, or may be divided between CP/M and TRSDOS. A head-parking utility is included on the driver disk to minimize the risk of damage when the hard disk drive is not in use. Also included at no charge is a utility which will copy, compress, list, print, and delete files with ease. There isn't much you can say about a driver. It either works or it doesn't. Ours works supremely and it only costs \$30.

## Hard disk backup?

Unlike the high-priced, underpowered backup utilities available for backup of TRSDOS hard drives, our CP/M **HARDBACK** utility makes the backup of a hard disk to floppies quick and painless. Only **HARDBACK** gives you the choice of backing up the entire drive or only those files which it knows have been changed since the last backup. Daily backup is no longer a chore, since only new data must be copied. With **HARDBACK** you can quickly restore an entire drive, or only a single file if necessary. Only **HARDBACK** will perform a complete check of the hard disk drive and lock out tracks which have become flawed to prevent the use of those tracks for later data storage. Add this supreme program to your hard disk for just \$49. Isn't your time and data worth it?

## Specs?

**Size of Transient Program Area (TPA):** 56,070 bytes in a 64k system. 55,046 bytes in a 63k system (with optional hard disk driver). **CP/M IOBYTE:** Fully implemented. **Device Drivers:** Disk (35, 40, 77, & 80 track, single/double density single/double sided, 3, 5, or 8 inch. (More than 85 disk formats supported)) **Maximum Disk Capacity:** 40T SS=220k, 40T DS=440k, 80T DS=880k **RS-232:** All word lengths, parity, & baud rates. **Parallel Printer:** With or without line-feed and/or formfeed. **Video:** 24 by 80 with reverse video. **Keyboard:** Full ASCII with 9 function keys. **RAM Disk:** 64k, automatic on 128k systems. **Hard Disk:** Optional drivers available at extra cost for most popular models. Standard CP/M programs included: **ASM, DDT, DUMP, ED, LOAD, MOVCPM, PIP, STAT, SUBMIT, SYSGEN, and XSUB.**

## Order Information

Give us a call now with your order and we will ship immediately. Prices include delivery to your door in the lower 48 States including APO/FPO. All others please add an amount commensurate to shipping requested. Any excess will be refunded. Credit cards will not be charged before we ship your order. The suitability of software selected is the responsibility of the purchaser as there are **NO REFUNDS ON SOFTWARE**. Defective software will be replaced upon it's return, postpaid.

The toll-free lines are for orders only.  
Specifications/prices are subject to change without notice.



Montezuma CP/M: Model 4 version 2.32 .....	\$ 169
Hard Disk Driver: Specify exact hard drive .....	30
Hardback: Hard disk backup utility .....	49
Monte's BASIC: Converts TRSDOS BASIC to run under CP/M .....	49
Monte's Toolkit: Doublecross; Freeform; WSPR; Filefix; SYS2M; Auto .....	49
Monte's Window: Note pad, appointment calendar, calculator, data base .....	49

ORDER NOW ... TOLL-FREE

**800-527-0347** U.S.A.




**MONTENZUMA  
MICRO** "We Keep You Running"

For Information:  
214-631-7900  
P.O. Box 224767  
Dallas, Texas 75222  
U.S.A.



# 80micro Reader Service

TO RECEIVE MORE INFORMATION ON THE PRODUCTS  
AND SERVICES IN THIS ISSUE, PLEASE TURN TO  
READER SERVICE CARD.



## MEMORY MINDER

Memory Minder is the most comprehensive disk diagnostic program available for microcomputers. It quickly and easily checks the vital operating parameters on your floppy drives, including spindle speed, head alignment, read sensitivity and others. Early detection and correction of possible problems prevents loss of valuable data.

Use Memory Minder to align the drives without the use of an oscilloscope. The users manual helps interpret the screen graphics for each test, and where adjustment is possible, provides general guidelines for adjustment of the drive. No special tools required!

TRS-80 Model III/4 (48 tpi Single Side)	\$ 79
(48 or 96 tpi Double Side)	\$ 89
(Combo 48 & 96 tpi Double Side)	129
TRS-80 Model I (48 tpi Single Side Single Density)	\$ 89
TRS-80 Color Computer (48 tpi Single Side)	\$ 59
(48 tpi Double Side)	\$ 75
*IBM PC, XT, AT and Compatibles	\$ 70
*Program and Manual Only.	
Purchase Precision Alignment	
Diskettes Separately.	
508-400 (5 1/4" 40 Track Drives)	\$ 40
506-400 (5 1/4" 80 Track Drives)	\$ 40
516-400 (1.2 MB AT Drives)	\$ 40
305-400 (3.5" 80 Track Drives)	\$ 40

15100-A CENTRAL SE  
ALBUQUERQUE  
NEW MEXICO 87123  
505/292-4182

We accept Visa, MasterCard and  
prepayment. Or we can ship COD for cash  
or certified check via UPS ground within  
the continental U.S. Add \$4 for shipping.  
Blue Label and international orders extra.

# HOW To Get The ATTENTION YOU DESERVE:



# OR, You Could Advertise In The 80 Micro Classifieds.

For more information,  
put down the wolves  
and turn to the  
Classified page  
in this issue.

ter and more expanded documentation than you get off the disk, the next upgrade of the program, or a specified level of telephone support.

The cost is much less than buying a similar commercial program, and the quality of most user-supported software is as good or better than many commercial programs.

### Tax Alert

With taxes due soon, you might be interested in PD tax programs. In the Washington, DC, area Roger A. Stanley Accounting Ltd. has set up the Tax Assistance BBS as a public service to answer your tax questions. Roger says that he started the BBS to thank those who helped him with his computer.

There is no charge for using Roger's BBS, and he assumes no liability for the advice given. The phone number is 703-237-8430 (300/1,200/2,400 baud, 8-bit words, no parity, 1 stop bit). Turnaround

time for answers is 24 hours, but responses will slow down around tax time since Roger must take care of his paying clients first.


There are a few good PD MS-DOS programs to help you with your taxes. W4.ARC, by Roger A. Stanley, helps you fill out the W-4 withholding form. Roger has also written a Basic program called Rascom.BAS to estimate the effects of the new tax law by comparing your 1986, 1987, and 1988 taxes using the information you provide. Fedtax86.ARC is a 1-2-3, version 1 or 2, spreadsheet template that helps you fill out your tax form and make the necessary computations. Amtax86.ARC is a program that does the same task. These all are user-supported programs.

If you get these programs from somewhere other than the 80 Micro BBS, be sure to get Fedtax86.Bug if the Fedtax86 program is dated around Nov. 22, 1986. The ARC extension means that these

programs are compressed (archived) in a file. You need ARC.EXE (latest version ARC512.EXE) and ARC.DOC to uncompress these files. These are also on the 80 Micro BBS.

### Next Month

Next month I'll talk about PD and user-supported word-processing and text-editing software. I'll also include other programs to make your writing chores easier. ■



*Thomas Quindry has written for 80 Micro since 1980. Write Tom at 6237 Windward Drive, Burke, VA 22015. Enclose a stamped, self-addressed envelope for a reply.*

Table continued.

New York PC  
Disk Library SIG  
80 Wall St., Suite 614  
New York, NY 10005  
MS-DOS

Pan World International  
422 Halsey Road  
North Brunswick, NJ 08902  
MS-DOS, CP/M  
Runs free, 24-hour BBS  
(201-297-7399, 201-821-6164  
8 p.m.-8 a.m.  
300/1,200 baud, 8-bit words,  
no parity, 1 stop bit)

PC Arcade  
276 Morehouse Road  
Easton, CT 06612  
MS-DOS  
Specializes in games and leisure

The PC-Blue Users Group  
The New York Amateur Computer  
Club Inc.  
Box 10008, Church Street Station  
New York, NY 10008  
MS-DOS  
Publishes newsletter

PC-SIG  
1030D East Duane Ave.  
Sunnyvale, CA 94086  
MS-DOS  
Publishes newsletter

PC Software & Supply  
3319 S. Hennepin

Sioux City, IA 51106  
MS-DOS  
Sells full catalog for \$2

PD SIG, Inc.  
2400 S. Santa Rita Drive  
Las Vegas, NV 89104  
MS-DOS, CP/M

Public Brand Software  
P.O. Box 51315  
Indianapolis, IN 46251  
MS-DOS  
Also offers PD 1-2-3 templates

The Public Domain Software  
Copying Co.  
33 Gold St.  
New York, NY 10038  
MS-DOS, CP/M, Color Computer

Public Domain Software  
Duplicating Service  
P.O. Box 141  
Golden City, MO 64748  
MS-DOS

The Public (Software) Library  
Nelson Ford  
P.O. Box 35705  
Houston, TX 77235-5705  
MS-DOS  
Publishes newsletter

Rahfield  
809 6th Ave.  
Cleveland, MS 38732  
MS-DOS  
PCjr specific

Richard A. Higgins  
IBM Public Domain Software  
307 Park Ave.  
Clinton, TN 37716  
MS-DOS

Shareware Express  
31877 Del Obispo, Suite 102  
San Juan Capistrano, CA 92675  
MS-DOS  
Emphasizes user-supported  
software;  
Sells catalog for \$2

Sizzleware  
P.O. Box 6429  
Lake Charles, LA 70606  
MS-DOS  
Same owner as Disk-O-Mania

Software Distributors  
Clearinghouse  
3707 Brangus  
Georgetown, TX 78628  
MS-DOS

U.S./Disk Inc.  
International Software Library  
511-104 Encinitas Blvd.  
Encinitas, CA 92024  
MS-DOS, CP/M  
Offers free technical support  
to customers;  
also publishes newsletter

Westpenn Information Systems  
1556 King Albert Drive  
Pittsburgh, PA 15237  
MS-DOS  
Publishes newsletter



# Parse the Parameters

A lot happens when you type a program's name from the TRSDOS Ready prompt. The operating system searches through the disk drives looking for the appropriate CMD file, checks the file's passwords, opens the file, and begins to read it.

One of TRSDOS's last actions before it passes control to a program is setting the BC and HL registers to the TRSDOS command buffer, which still contains the command line that you (or a JCL file) typed. The BC register contains the address of the beginning of the buffer so that a program can determine its own name. The HL register points to the first non-blank character after the program name. If nothing follows the program name, the HL register points to the carriage return, which ends your command.

If a program expects you to add information on the command line—for example, a file name, a drive number, or a list of parameters—it usually starts searching at the address contained in HL when the program starts execution.

Most operating systems provide a program with access to the command line. However, TRSDOS 6.x (and LS-DOS 6.3) go much further. If a TRSDOS program expects a list of parameters, it can request the @PARAM supervisory call (SVC) to parse those parameters for it. This SVC makes a normally tedious programming task almost trivial. It parses the parameters that you have entered, places appropriate values inside the program, and reports the types of parameters used to the program.

TRSDOS recognizes three kinds of parameters. The simplest is a "flag" parameter that you can designate as "on," "off," "Y," "N," "yes," or "no." It assumes that if the parameter name is given without any parameter, you mean "on," and if the name is followed by an

equals sign (=) but no other information, you mean "off."

TRSDOS also understands value and string parameters. A value parameter can use either decimal or hexadecimal (hex) numbers and must be a value that can be represented in 2 bytes. A string parameter can be as long as space on the command line allows and must be enclosed in quotation marks.

To correctly parse the parameter list, TRSDOS makes three requirements of you: The list must begin with a left parenthesis (the closing parenthesis is optional), commas must separate parameters, and no extraneous spaces can be in the parameter list.

With the @PARAM SVC, it is almost easier to use parameters in a program than to enter them on the command line. On entrance to @PARAM, TRSDOS expects the HL register to point to the opening parenthesis or to a space before it. It also expects the DE register to contain the address of a parameter table inside your program.

TRSDOS accepts the parameter table in either of two forms: an older format compatible with LDOS 5.1.3 and a newer form unique to TRSDOS/LS-DOS 6. The latter is more flexible and is used by all the DOS library routines and utilities. It is also the form I used in this month's demonstration program.


The first byte of the TRSDOS-format

parameter table must be 80 hex, and the last byte must be a zero. In between is an entry for each possible parameter. The first byte of this entry contains 4 type bits plus the length of the parameter name.

If bit 7 of this byte is set, @PARAM expects a numeric value for the parameter. Bit 6 signals an expected flag value for the parameter, and bit 5 represents an expected string value. Unfortunately, @PARAM doesn't seem to use these type bits, but rather accepts any type of parameter value that you enter.

If bit 4 is set in the type byte, @PARAM accepts the first letter of the parameter name as an abbreviation. If you want to accept abbreviations, you must be certain that each parameter name begins with a different letter. Finally, the lower nibble of the type byte, bits zero-3, contains the length of the parameter name (no parameter name can be longer than 15 characters).

The next bytes of the table entry contain the actual parameter name in uppercase letters. A response byte follows the name. The @PARAM SVC uses this byte to report whether the parameter was entered; what type of value was given for the parameter; and, if a string was entered as a value, the length of that string. The last 2 bytes of a parameter-table entry point to the address in the program where TRSDOS should store the parameter



## Systems Requirements

**Model 4, 4P, 4D**  
**Assembly language**  
**Editor/assembler**  
**(Pro-Create 4.3a or MRAS)**

Program Listing 1. Code that directly manipulates the MOD flag.

```

00100 ;-----
00110 ; Model 4 Mod-Flag Modifier.
00120 ; Assemble as MODFLAG/CMD
00130 ; Invoke: MODFLAG :d (parm1,parm2,...)
00140 ;
00150 ; Parameters:
00160 ; INV Specifies whether invisible files should
00170 ; be included. Default INV=OFF.
00180 ;
00190 ; SYS Specifies whether system files should be
00200 ; included. Default SYS=OFF
00210 ;
00220 ; MOD Specifies whether files with the Mod flag
00230 ; set should be included. Default MOD=ON
00240 ;
00250 ; UNMOD Specifies whether files with the Mod flag
00260 ; reset should be included. Default UNMOD=ON
00270 ;
00280 ; QUERY Specifies whether user should be asked before
00290 ; each mod-flag change. Default QUERY=YES
00300 ;
00310 ; Abbreviations: I=INV, S=SYS, M=MOD, U=UNMOD, Q=QUERY
00320 ;
00330 ; Assembled with Pro-Create 4.3a. See Listing 2 for necessary
00340 ; macro commands from MACLIB/ASM.
00350 ;-----
00360 ;
00370 *LIST OFF
00380 *GET MACLIB/ASM
00390 *LIST ON
00400 ;
00410 CR EQU 0DH
00420 LF EQU 0AH
00430 ETX EQU 03H
00440 ;
00450 ;-----
00460 ; Sign on
00470 ;-----
00480 ORG 3000H
00490 START @DSPLY HELLO ;Print sign-on message
00500 @CKBRKC ;Does user want out?
00510 JR Z,START1 ;Begin if no <Break> key
00520 @EXIT -1 ;Else return error code to TRSDOS
00530 ;
00540 START1 CALL PARSE ;Parse command line
00550 CALL GET_INFO ;Get drive info
00560 CALL MODIFY ;Toggle mod flags
00570 EXIT @EXIT 0 ;And leave
00580 ;
00590 ;-----
00600 ; Parse the command line
00610 ;-----
00620 PARSE LD A,(HL) ;Get 1st non-blank char.
00630 IFNE_JR ':',BAD_DRIVE ;Go if not a colon
00640 INC HL ;Point to drive number
00650 LD A,(HL) ;Get number
00660 SUB '0' ;ASCII to hex
00670 IFLT_JR 0,BAD_DRIVE ;Go if too small
00680 IFGE_JR 8,BAD_DRIVE ;Go if too large
00690 LD (DRIVE),A ;Drive okay -- save
00700 INC HL ;Move past drive #
00710 @PARAM PARM_TBL ;Parse parameters
00720 RET
00730 ;
00740 BAD_DRIVE:
00750 @DSPLY DRIVE_BAD ;Display error message
00760 @EXIT -1 ;And leave
00770 ;
00780 ;-----
00790 ; Get drive info
00800 ;-----
00810 GET_INFO:
00820 @CKDRV (DRIVE) ;Does drive exist?
00830 @GTDCT ;Yes -- IY ==> drv. code table
00840 LD A,(IY+9) ;Get directory cylinder
00850 LD (DIRCYL),A ;And save it
00860 LD E,3 ;Read sector 3
00870 CALL READ_SEC ;Move sector to buffer
00880 LD A,(IX+20) ;Get sector count
00890 DEC A ;Offset from 0
00900 LD (SECTOR),A ;Save it
00910 RET
00920 ;
00930 ;-----
00940 ; Toggle Modify Flags
00950 ; Outer loop -- repeat for each sector
00960 ;-----
00970 MODIFY LD A,(SECTOR) ;Get highest unmodified sector
00980 CP 1 ;Ignore GAT & HIT sectors
00990 RET Z ;Return if done
01000 LD E,A ;Select this sector
01010 CALL READ_SEC ;Move sector to buffer
01020 ;-----
01030 ; Inner loop -- repeat 8 times for
01040 ; 8 entries per sector
01050 ;-----
01060 LD B,8 ;Setup for loop
01070 MOD2 PUSH BC ;Save loop counter

```

Listing 1 continued

value or, in the case of a string parameter, a pointer to the parameter.

## MOD Flag Program

Whenever a program writes to a TRSDOS file, a special bit in the directory is set to show that the file has been modified. The only way to turn off that MOD flag is to use Backup to copy the file to another disk or drive. The Backup, DIR, and CAT commands can all use the MOD flag as one of their parameters.

This month's program lets you directly manipulate the MOD flag. It demonstrates one method of using the @PARAM SVC and how to directly access directory entries in assembly language. Listing 1 is the source code for the program, and Listing 2 contains the macro commands necessary for the program to run correctly.

The program begins by displaying a sign-on message and then checking whether you have pressed the break key. If you have, the program exits with an error code so that the break also stops any currently running JCL program.

The program then makes three subroutine calls. The first subroutine parses the command line, the second gets information about the requested disk drive, and the third manipulates the MOD flags. After the third routine returns, the program returns to TRSDOS and reports that no error has occurred.

The parse subroutine (lines 620-760) begins by assuming that the HL register is pointing at either a carriage return or the first non-blank character on the command line following the program name. If that character is a colon, you are probably specifying a drive number. If not, the program aborts with an error message.

Next, the subroutine checks the character following the colon to be sure that it is a legal drive number between zero and 7. The parse routine then ends by calling the @PARAM SVC to read any of the five possible parameters that you might have entered.

Since all five parameters are flags, the program does no checking of the parameter types that you actually entered. This might seem dangerous, but it means that any parameter entry other than "no," "off," or "=" is the same as simply entering the parameter name: The parameter will be turned on.

The second major subroutine, Get\_Info, is short but does a lot of work. It begins by asking TRSDOS to log in the requested disk drive. If you have changed disks since the last time the drive was accessed, TRSDOS's tables are updated. If no disk is in the drive or the drive doesn't exist, the program aborts with a TRSDOS error message.

The program then asks TRSDOS for



the address of the drive code table (DCT) for this drive (see The Next Step, June 1986, p 106, for a discussion of the DCT). The DCT contains one vital piece of information for this program: the cylinder on the drive that contains the directory.

Finally, Get\_Info reads the directory's third sector (counting from zero), assumes that the first entry on that sector of the directory is for DIR/SYS (the directory itself), and extracts the length of the directory from the disk.

The program can make this assumption because of the structure of a TRSDOS 6 disk directory. The first sector (zero) always contains the granule-allocation table (GAT), the next sector always contains the hash index table (HIT), and the rest of the directory contains individual entries. The first entry on sector 2 must be for Boot/SYS, and the first entry on sector 3 must be for DIR/SYS.

The Modify routine and the subroutines that it calls do the real work of this program. Modify is composed of two loops: The outer loop reads each sector of the directory into a memory buffer by calling a subroutine named Read\_SEC. That subroutine also positions IX to point to the beginning of the memory buffer. The inner loop of the Modify routine looks at each of the eight possible directory entries in each sector. When the inner loop terminates, the sector is written back to disk and then returns to the outer loop to get the next sector.

Each time the IX register pair points to a new possible directory entry, the routine One\_File is called to determine the characteristics of that entry. The first 2 bytes of a directory entry contain several status flags that this program tests. If bit 4 of the first byte is zero, the directory entry is not in use and the routine ends immediately. If bit 7 is set, this is not a primary directory entry, so the routine ends immediately.

Finally, the program must check other status bits and compare them to parameter values—either those you entered or those the program uses as defaults. The Test\_PARM macro command (see Listing 2) loads a parameter value into the DE register, tests whether that value is zero, and sets the Z flag accordingly. Inside the macro is a label for storing a parameter value.

Expanded, the instructions for the first call of Test\_PARM look like this:

```

PUSH DE
LD DE,0000
SYS$ EQU $-2
LD A,D
OR E
POP DE

```

The label SYS\$ refers to the value 0000 that is loaded into the DE register pair. If you turned on the SYS parameter (and

## Listing 1 continued

```

01080 CALL ONE_FILE ;Work with one entry
01090 @CKBRK ;Does user want out?
01100 JR Z,MOD3 ;No -- go
01110 @EXIT -1 ;Else leave
01120 MOD3 LD BC,20H ;Offset to next entry
01130 ADD IX,BC ;Point to next entry
01140 POP BC ;Recover counter
01150 DJNZ MOD2 ;Repeat for all entries
01160 ;
01170 ; End inner loop -- terminate
01180 ; outer loop
01190 ;
01200 LD A,(SECTOR) ;Get current sector
01210 PUSH AF ;Save sector number
01220 LD E,A ;Select this sector
01230 CALL WRITE_SEC ;Put it back on disk
01240 POP AF ;Recover number
01250 DEC A ;Move down one
01260 LD (SECTOR),A ;Save next sector
01270 JR MODIFY ;Repeat until done
01280 ;
01290 ;
01300 ; Handle one directory entry
01310 ;
01320 ONE_FILE:
01330 BIT 4,(IX) ;File in use?
01340 RET Z ;No -- return
01350 BIT 7,(IX) ;FPDE?
01360 RET NZ ;No -- return
01370 BIT 6,(IX) ;SYSTEM file?
01380 JR Z,CHK_INV ;No -- go
01390 TEST_PARM SYS$,0 ;Test SYS$ parameter
01400 RET Z ;If SYS$ off, give up
01410 JR CHK_MOD ;Else check current MOD status
01420 ;
01430 CHK_INV BIT 3,(IX) ;Invisible file?
01440 JR Z,CHK_MOD ;No -- go
01450 TEST_PARM INV$,0 ;Test INV$ parameter
01460 RET Z ;If INV off, give up
01470 ;
01480 CHK_MOD BIT 6,(IX+1) ;Check MOD flag
01490 JR Z,NO_MOD ;Flag is off -- go
01500 TEST_PARM MOD$,-1 ;Test MOD$ parameter
01510 RET Z ;Go if parameter is off
01520 JR DO_THIS ;Else do this file
01530 ;
01540 NO_MOD TEST_PARM UNMOD$,-1 ;Test UNMOD$ parameter
01550 RET Z ;Go if parameter off
01560 ;
01570 ;
01580 ; Toggle MOD flag of
01590 ; this file
01600 ;
01610 DO_THIS CALL SHOW_NAME ;Display file name & status
01620 TEST_PARM QUERY$,-1 ;Ask to toggle?
01630 CALL NZ,ASK ;Yes -- prompt for change
01640 RET NZ ;Go if no toggle
01650 LD A,(IX+1) ;Get MOD flag
01660 XOR 01000000B ;Toggle MOD flag
01670 LD (IX+1),A ;Save new status
01680 CALL TOG_RPT ;Report change
01690 RET ;Done with this file
01700 ;
01710 ;
01720 ; Read Directory Sector
01730 ; On entry, sector number in E
01740 ; Return with IX=> sector buffer
01750 ;
01760 READ_SEC:
01770 RPUSH HL,DE,BC ;Save registers
01780 LD HL,SEC_BUF ;HL=> sector buffer
01790 LD A,(DIRCYL) ;Get directory cylinder
01800 LD D,A ;Set cylinder to read
01810 LD A,(DRIVE) ;Get drive number
01820 LD C,A ;Drive number to C
01830 @RDSSC ;Read the sector
01840 PUSH HL ;Transfer buffer addr
01850 POP IX ;To IX
01860 RPOP BC,DE,HL ;Restore registers
01870 RET
01880 ;
01890 ;
01900 ; Write director sector
01910 ; On entry, E = sector to write
01920 ;
01930 WRITE_SEC:
01940 RPUSH HL,DE,BC ;Save registers
01950 LD HL,SEC_BUF ;HL=> sector buffer
01960 LD A,(DIRCYL) ;Get directory cylinder
01970 LD D,A ;Cylinder to D
01980 LD A,(DRIVE) ;Get drive number
01990 LD C,A ;Drive number to C
02000 @WRSSC ;Put sector back in directory
02010 RPOP BC,DE,HL ;Restore registers
02020 RET
02030 ;
02040 ;
02050 ; Show filename and status
02060 ; of this directory entry
02070 ;

```

Listing 1 continued

therefore want to manipulate the MOD flags of SYS files), the @PARAM SVC places a value of -1, or OFFFF hex, into that location instead of 0000. If you did not specify the SYS parameter, the @PARAM SVC doesn't change the value

at the label SYSS\$, and 0000 is the default.

If I wanted to specify that the SYS parameter defaults to "on," I would have placed a value of -1 in that location instead of zero and let you turn off that parameter by entering (SYS=NO) as

part of the parameters.

If the program finds bit 6 of the first byte of the directory turned on, it knows that it is looking at an entry for a SYS file. Next, it checks the SYSS\$ parameter to find out whether it should include such files in the MOD flag manipulations. If not, the routine returns so that the next file can be examined. If so, it jumps to the tests for the MOD and UNMOD parameters. Essentially the same test is performed if the program finds bit 3 set, indicating an "invisible" file.

Normally, the program lets you manipulate the MOD flags of all files, whether the current MOD flag is set or not. However, you might decide to skip either those files that already have the MOD flag set or those that do not have the MOD flag set. The second two tests, CHK\_MOD and NO\_MOD, perform those tests, again by using the Test\_PARM macro command. In both of these cases, the parameter is set to default to -1, or "on."

Once a directory entry passes all tests, the routine Do\_This prints the file's name on the screen and then tests the last parameter, Query. If this parameter is on (the default), the subroutine Ask lets you specify whether the MOD flag should be flipped. If this parameter is off, the question is never asked, and the program simply changes the MOD flag and reports that change.

The remainder of the program is a series of support subroutines for Modify. Read\_SEC and Write\_SEC are unusual only in that they use the @RDSSC and @WRSSC SVCs to read and write system (directory) sectors from the disk, which TRSDOS can distinguish from standard data sectors.

The Show\_Name routine displays a file name by reading it, one character at a time, from the directory entry, skipping spaces, and inserting the slash (/) separator at the correct place in the name. It also reports whether the MOD flag is currently set to "on" or "off" by checking bit 6 of the second byte of the directory entry.

In the Show\_Name routine, the HL register is used as a pointer to the file name and is manipulated by adding values to L; it never checks to see if such an addition should also change the value of H. Normally, this is poor programming and will cause apparently random bugs to occur while a program is running.

In this case, however, the sector buffer is placed on a memory "page," which means that it uses space from address nn00 hex to nnFF hex. It makes no difference what value is used for nn in those addresses, but the program relies on being able to point to any address in the page by manipulating the value in the L register and assuming that the

## Listing 1 continued

```

02080 SHOW_NAME:
02090     PUSH    IX                ;Copy entry pointer
02100     POP     HL                ; to HL
02110     LD      A,5                ;Offset to file name
02120     ADD     A,L                ;Add to pointer
02130     LD      L,A                ;HL ==> file name
02140     LD      B,8                ;8 characters in name
02150     SHOW1  LD      A,(HL)      ;Get character
02160     IFEQ_JR ' ',SHOW2        ;Skip if a space
02170     @@DSP   A                ;Else display it
02180     SHOW2  INC     HL          ;Point to next character
02190     DJNZ   SHOW1            ;Repeat for full name
02200     @@DSP   '/'              ;Print extent separator
02210     LD      B,3              ;3 characters in extent
02220     SHOW3  LD      A,(HL)      ;Get character
02230     IFEQ_JR ' ',SHOW4        ;Skip if a space
02240     @@DSP   A                ;Else display it
02250     SHOW4  INC     HL          ;Point to next
02260     DJNZ   SHOW3            ;Repeat for full extent
02270     @@DSPLY STAT             ;"Mod flag is "
02280     BIT     6,(IX+1)          ;Test mod flag
02290     JR      Z,SHOWOFF        ;Go if off
02300     @@DSPLY ON$              ;"ON "
02310     RET
02320     SHOWOFF @@DSPLY OFF$      ;"OFF "
02330     RET
02340 ;
02350 ;-----
02360 ; Ask to Toggle Mod flag
02370 ; Return Z to toggle,
02380 ; NZ to leave unchanged
02390 ;-----
02400     ASK     @@DSPLY QUESTION   ;"Change flag (Y/N/Q) ? "
02410     ASK1    @@KEY              ;Wait for reply
02420     AND     0DFH               ;Force to upper case
02430     IFNE_JR 'Q',ASK2          ;Not 'Q' -- go
02440     @@DSP   'Q'                ;Show response
02450     CALL    WRITE_SEC         ;Else save previous changes
02460     @@EXIT  0                  ;And end program
02470     ASK2    IFNE_JR 'N',ASK3   ;Not 'N' -- go
02480     @@DSP   'N'                ;Show response
02490     @@DSP   CR                ;Move to next line
02500     XOR     A                  ;A = 0
02510     INC     A                  ;Set NZ
02520     RET                        ;And go
02530     ASK3    IFNE_JR 'Y',ASK1   ;Go if illegal entry
02540     @@DSP   'Y'                ;Show response
02550     XOR     A                  ;Set Z flag
02560     RET
02570 ;
02580 ;-----
02590 ; After toggle, report
02600 ; new MOD flag status
02610 ;-----
02620     TOG_RPT @@DSPLY SET$       ;General message
02630     BIT     6,(IX+1)          ;Test mod flag
02640     JR      Z,TOGOFF          ;Go if off
02650     @@DSPLY ON$              ;"ON "
02660     @@DSP   CR                ;Move to next line
02670     RET
02680     TOGOFF  @@DSPLY OFF$       ;"OFF "
02690     @@DSP   CR                ;Move to next line
02700     RET
02710 ;
02720 ;-----
02730 ; Data area & messages
02740 ;-----
02750     HELLO   DB      'MOD Flag Modifier',LF
02760           DB      'Written by Hardin Brothers',LF,CR
02770     DRIVE_BAD DB      'Illegal drive specified on command line',LF,CR
02780     STAT     DB      ' flag is ',ETX
02790     ON$      DB      'ON ',ETX
02800     OFF$     DB      'OFF ',ETX
02810     QUESTION DB      ' Change (Y/N/Q) ? ',ETX
02820     SET$     DB      ' MOD flag set ',ETX
02830 ;
02840     DRIVE   DB      0
02850     SECTOR  DB      0
02860     DIRCYL  DB      0
02870 ;
02880     PARM_TBL DB      80H
02890     IRP      XX,<SYS,INV,MOD,UNMOD,QUERY>
02900     PFLG_ENTRY XX
02910     ENDM
02920     DB      00                ;Mark end of table
02930 ;
02940     SEC_BUF EQU      $+255&0FF00H ;Put buffer on page boundary
02950 ;
02960     END      START

```

End



# How to Use 80 Micro Program Listings

Basic program listings in 80 Micro include a checksum value at the end of each line. This value is the sum of the ASCII values of all characters and spaces in the line, excluding remarks. You can use these values to test the accuracy of your typing after you copy listings from the magazine.

To check your typing, follow these steps:

- Type in program code *exactly* as listed, omitting the indentations (when program lines continue to a second or third magazine line). The '\*' characters and checksum values, and comments may be omitted.

- Save the program in ASCII format with the command SAVE "file name".A.

- Load and run Checksum (see Program Listing). The program will prompt you for the name of the file to be verified and give you the option of sending the line numbers and checksum values to the printer or to the screen. Enter P for printer, S for screen.

When printing to the screen, Checksum lists 20 lines and then waits for you to press the enter key.

- Compare the displayed line numbers and checksum values with the checksums shown in the listing. Find and correct errors in lines having checksum values that don't match.

—Beverly Woodbury  
Technical Editor

## Program Listing. Checksum.

```

10 CLEAR 1000:CLS:PRINT@140,"VERIFY CHECKSUMS ON PROGRAM"
20 PRINT:PRINT:INPUT "Enter Name of File to verify";F$
30 PRINT:PRINT:PRINT "List Checksums to:"
40 PRINT TAB(20) "<P>Printer";PRINT TAB(20) "<S>Screen"
50 PRINT:PRINT:PRINT TAB(30);"? ";
60 K$=INKEY$
70 IF K$="P" OR K$="p" OR K$="S" OR K$="s" THEN 80 ELSE 60
80 PRINT K$:IF K$="P" OR K$="p" THEN LP=1
90 OPEN "I",1,F$:B$=CHR$(34)
100 IF EOF(1) THEN CLOSE:GOTO 390
110 LINE INPUT L$,L$=VAL(LEFT$(L$,6))
120 IF Z=2 AND L=0 THEN 100 ELSE Z=2
130 A=VARPTR(L$):GOSUB 270:Q=PEEK(A)
140 L$=PEEK(A+1):M$=PEEK(A+2):A=M$*256+L$:GOSUB 270
150 IF INSTR(L$,"") THEN GOSUB 280
160 IF RIGHTS(L$,1)="" THEN IQ=Q:GOSUB 370
170 FOR K=1 TO Q:P=PEEK(A):CS=CS+P:A=A+1:NEXT K
180 IF CS=0 THEN 100
190 IF CS<100000 THEN D$=""
200 IF CS<100000 THEN D$=""
210 IF CS<1000 THEN D$=""
220 IF CS<100 THEN D$=""
230 IF LP=1 THEN LPRINT "Line";L;D$;CS;:CS=0:GOTO 100
240 PRINT "Line";L;D$;CS;:CS=0:X=X+1
250 IF X=20 THEN X=0:PRINT TAB(30) "Press <ENTER> to continue."
    ELSE 100
260 K$=INKEY$:IF K$<>CHR$(13) THEN 260 ELSE 100
270 IF A>32767 THEN A=(65536-A)*-1:RETURN:ELSE RETURN
280 I=INSTR(L$,""):IQ=I-1
290 IF LEN(L$)=INSTR(L$,"") THEN 100
300 LQ$=STR$(L):LQ=LEN(LQ$):IF LQ=2 THEN 100
310 Q1=INSTR(L$,B$):IF Q1>I OR Q1=0 THEN 370
320 Q2=INSTR(Q1+1,L$,B$):IF Q2>I THEN I=INSTR(Q2,L$,"")
330 IF I=0 THEN RETURN
340 Q3=INSTR(Q2+1,L$,B$):IF Q3>I OR Q3=0 THEN 370
350 Q4=INSTR(Q3+1,L$,B$):IF Q4>I THEN I=INSTR(Q4,L$,"")
360 IF I=0 THEN RETURN
370 FOR I=IQ TO 1 STEP -1:C=ASC(MID$(L$,I,1)):IF C<33 THEN NEXT I
380 RL$=LEFT$(L$,I):Q=LEN(RL$):RETURN
390 PRINT:PRINT "CHECKSUM/BAS now in Memory"
400 PRINT "Reload the PROGRAM that you are working on? (Y/N)";
410 INPUT Q$:IF Q$="Y" OR Q$="y" THEN CLS:LOAD F$

```

End

## 80 MICRO'S LIST of ADVERTISERS

April 1987

Reader Service Number	Page	Reader Service Number	Page	Reader Service Number	Page
82 Aerocomp	82	Dealer Sell	81, 123	Micro Smart	70, 71, 72, 73
82 Aerocomp	83	Foreign Dealers	111	Microdex	138
202 Aerocomp	145	Jesse Jones	53	Misosys, Inc.	39, 41, 45
302 Aerocomp	33, 34, 35, 36	Load 80 Best of 1986	74	Montezuma Micro	125
17 Alpha Products	15	80 Micro Disk Series	116	Montezuma Micro	112, 113
141 Anitek Software Products	7	Moving	81	National Computer Supply	18
378 ATD	17, 61, 121	PC Resource	69	Nocona Electronics	158
259 Atmospheres	120	Reader Service	45, 157	Perry Computers	80
152 BCCompo	148	Subscription	52	Powersoft	21
145 Beaman Porter	53	University Micro	27, 123, 161	Powersoft	4
301 Big D Computers	67	Electric Software Corp.	3	Prosoft (Dotwriter)	9
186 Blue Ridge Software	157	Electric Webster	1	Radio Shack RS 1-24	85-108
78 CompuServe	29, 31	Exec-PC, Inc.	157	Radio Shack	24, 25, 64, 65
133 CDA World of Computers	136	Ft. Worth Computers	59	Rockware Data	27
357 Computer Friends	137	Freedom Elec.	123	Seatronics	162
18 Computer Plus	41	GE Information Services	CII	SJS Engineering	32
142 Computer Supplies of Peterborough	117	H & E Computronics	CIV	Software Sales	1
45 Cornucopia Software	1	Hard Drive Specialists	40	Solar Systems Software	111
397 DAC Software	CIII	H.I. Tech	66	Southwestern Digital	160
282 DFW Computer Center	13	Howe Software	135	Spectra Tech	162
114 Digital Vision	107	Hypersoft	81	Telebyte Tech	148
204 DiskCount Data	2	House Software	135	Teletrends	146
452 Dresselhaus Computer Products	111	J & M Systems, Ltd.	126	Terasoft Inc.	41
85 Educational Micro Systems	47	Jameco Electronics	147	Total Access	55
80 Micro		Kalgaon Software	148		
Classified	45, 126, 159	Logical Systems	26		
549 Classified Ads	163	Marymac Industries, Inc.	79		
CW World	142, 143	Merritt Computer	120		
		Micro Labs, Inc.	120		

For further information from our advertisers, please use the Reader Service card.  
\*This advertiser prefers to be contacted directly.

Advertising Sales (603) 924-7138  
or (800) 441-4403  
West Coast Sales (415) 328-3470

value in H never changes.

The Ask subroutine prints a prompt, waits for your response, converts that response to uppercase, and takes appropriate action. If you want to quit, the current sector buffer is written back to disk and the program ends. Otherwise, the routine sets the Z flag to indicate whether you want to change the MOD flag of the current file and then returns. If you enter anything other than "Q," "Y," or "N," the program waits for a correct keystroke.

The TOG\_RPT routine examines the file after the MOD bit has been changed and reports on the new status of that bit. This gives you a final check to guarantee

that the bit has been set correctly.

Most of the data area at the end of the program is self-explanatory. Most of the message strings end with the ETX character, instead of a carriage return, to leave the cursor on the same line after the string is printed.

The first byte of a TRSDOS-style parameter table must be 80 hex. Instead of following that byte with several lines for each of the five parameters, I've used two macro commands to create the body of the parameter table. The first is one of the in-line repeating macros, IRP. That command repeats everything up to the ENDM in line 2910 for each of the strings shown between angle brackets in line

2890. Each time it does so, it replaces the XX on 2900 with a string from the list.

Inside the repeating macro, I've used another macro, PFLG\_Entry, to create the actual entry for a flag parameter. That second macro is defined in line 2080 of Listing 2. It begins by setting the type and length byte by using the macro operator represented by a percentage sign (%), which returns the length of a parameter string. Next, it creates the bytes of the macro name and inserts the response byte. Finally, it adds a dollar sign (\$) to the end of the macro name to create the label of the address at which the macro should be stored.

If I again use the SYS parameter as an example, this macro expands to these assembler instructions:

```
DB 0101000B+3 ;Flag parameter, accept
;abbreviations, name is 3
;characters long
DB 'SYS' ;Parameter name
DB 0 ;Response byte
DW SYS$ ;Location for value
```

The entire parameter table, after all macros have been expanded, ends with a final byte of zero to tell TRSDOS that there are no more parameters.

At the end of Listing 1, the sector buffer must be placed at a page boundary. The easiest way to do so is to manipulate the assembler's location counter, \$. In line 2940, the program adds 255 to the location counter (enough to move to the first unused page), then Ands this value with OFF00 hex to set the last two digits of the new address to zero. The result is that the location of SEC\_BUF will be the beginning of the first page of memory after the rest of the program.

The program relies heavily on a separate file of macro commands, which are part of the macro library I've discussed during the last several months. Listing 2 shows the macros that are used in this month's programs. Most of them have been described here before, but a couple are new. If you are building a library of macro commands, you will need to compare the macros already in that library with those shown in Listing 2 and add the new ones to your library. They will greatly simplify the logic of your own programs, as well as keep the length of your source code to a minimum. ■

Program Listing 2. Macro commands required by Listing 1.

```
00100 ;-----
00110 ; Sections of MACLIB/ASM needed for MODFLAGS/ASM (Listing 1)
00120 ; Save this file as MACLIB/ASM or add new macros to your
00130 ; present MACLIB/ASM library.
00140 ;-----
00150 ;
00160 ;-----
00170 ; Invoke a TRSDOS 6 SVC
00180 ; If "check" is specified, take exit
00190 ; through @ERROR when NZ flag is returned
00200 ; from TRSDOS.
00210 ;-----
00220 SVC MACRO #NUM,#CHECK
00230 LD A,#NUM ;;A = SVC number
00240 RST 28H ;;Perform SVC
00250 IFGT %%,1 ;;More than one argument?
00260 JR Z,$1? ;;Go if no error
00270 LD C,A ;;Put error code in C
00280 LD A,1AH ;;@ERROR SVC number
00290 RST 28H ;;Exit through @ERROR
00300 $1? EQU $ ;;Here if no error
00310 ENDF
00320 ENDM
00330 ;
00340 ;-----
00350 ; DEFINE -- Define a label unless it
00360 ; is already defined.
00370 ;-----
00380 DEFINE MACRO #LABEL,#VALUE
00390 IFNDEF #LABEL
00400 #LABEL EQU #VALUE
00410 ENDF
00420 ENDM
00430 ;
00440 ;-----
00450 ; @CKBRKC -- Check & clear <Break> bit
00460 ;-----
00470 @CKBRKC MACRO
00480 DEFINE @CKBRKC,6AH
00490 SVC @CKBRKC
00500 ENDM
00510 ;
00520 ;-----
00530 ; @CKDRV -- Check (and log) drive.
00540 ; If drive number not specified, defaults
00550 ; to value in C
00560 ;-----
00570 @CKDRV MACRO #DRIVE
00580 DEFINE @CKDRV,21H
00590 IFEQ %%,1
00600 LD A,#DRIVE
00610 LD C,A
00620 ENDF
00630 SVC @CKDRV,C,CHECK
00640 ENDM
00650 ;
00660 ;-----
00670 ; @DSP -- Display one character on the screen
00680 ; #char defaults to value in C register
00690 ;-----
00700 @DSP MACRO #CHAR
00710 DEFINE @DSP,02H
00720 PUSH DE
00730 IFEQ %%,1
00740 LD A,#CHAR
00750 LD C,A
00760 ENDF
00770 SVC @DSP,C,CHECK
00780 POP DE
00790 ENDM
00800 ;
00810 ;-----
```

Listing 2 continued



Write Hardin Brothers at 280 N. Campus Ave., Up-land, CA 91786. Enclose a stamped, self-addressed envelope for a reply. You can also contact Hardin on Compuserve's WE-SIG (PCS-117).



## Listing 2 continued

```

00820 ; @@DSPLY -- Displays line of text
00830 ; LINE defaults to value in HL
00840 ; -----
00850 @@DSPLY MACRO $LINE
00860     DEFINE @DSPLY,0AH
00870     IFEQ $,1
00880         RPUSH DE,HL
00890         LD HL,$LINE
00900         SVC @DSPLY,CHECK
00910         RPOP HL,DE
00920     ELSE
00930         PUSH DE
00940         SVC @DSPLY,CHECK
00950         POP DE
00960     ENDIF
00970     ENDM
00980 ; -----
00990 ;
01000 ; @@EXIT -- Exits program
01010 ; $RETCOD defaults to 0 (no error)
01020 ; -----
01030 @@EXIT MACRO $RETCOD
01040     DEFINE @EXIT,16H
01050     IFEQ $,1
01060         LD HL,$RETCOD
01070     ELSE
01080         LD HL,0
01090     ENDIF
01100     SVC @EXIT
01110     ENDM
01120 ; -----
01130 ;
01140 ; @@GTDCT -- Loads IY with address of drive's DC
01150 ; $Drive defaults to value in C
01160 ; -----
01170 @@GTDCT MACRO $DRIVE
01180     DEFINE @GTDCT,51H
01190     IFEQ $,1
01200         PUSH BC
01210         LD A,$DRIVE
01220         LD C,A
01230     ENDIF
01240     SVC @GTDCT
01250     IFEQ $,1
01260         POP BC
01270     ENDIF
01280     ENDM
01290 ; -----
01300 ;
01310 ; @@KEY -- Waits for key at *KI device
01320 ; keystroke returned in A
01330 ; -----
01340 @@KEY MACRO
01350     DEFINE @KEY,01H
01360     PUSH DE
01370     SVC @KEY,CHECK
01380     POP DE
01390     ENDM
01400 ; -----
01410 ;
01420 ; @@PARAM -- Uses TRSDOS to parse parameter string
01430 ; If $Table not specified, uses value in DE
01440 ; Assumes HL ==> command line
01450 ; -----
01460 @@PARAM MACRO $TABLE
01470     DEFINE @PARAM,11H
01480     IFEQ $,1
01490         LD DE,$TABLE
01500     ENDIF
01510     SVC @PARAM,CHECK
01520     ENDM
01530 ; -----
01540 ;
01550 ; @@RDSSC -- Read directory sector
01560 ; Assumes that all registers are set up
01570 ; -----
01580 @@RDSSC MACRO
01590     DEFINE @RDSSC,55H
01600     SVC @RDSSC,CHECK
01610     ENDM
01620 ; -----
01630 ;
01640 ; @@WRSSC -- Write directory sector
01650 ; Assumes that all registers are set up
01660 ; -----
01670 @@WRSSC MACRO
01680     DEFINE @WRSSC,36H
01690     SVC @WRSSC,CHECK
01700     ENDM
01710 ; -----
01720 ;
01730 ; IFEQ_JR -- Performs a JR if A = $Value
01740 ; -----
01750 IFEQ_JR MACRO $VALUE,$JUMP
01760     CP $VALUE
01770     JR Z,$JUMP
01780     ENDM
01790 ; -----
01800 ;
01810 ; IFGE_JR -- Performs a JR if A >= $Value
01820 ; -----
01830 IFGE_JR MACRO $VALUE,$JUMP
01840     CP $VALUE
01850     JR NC,$JUMP
01860     ENDM
01870 ; -----
01880 ;
01890 ; IFLT_JR -- Performs a JR if A < $Value
01900 ; -----
01910 IFLT_JR MACRO $VALUE,$JUMP
01920     CP $VALUE
01930     JR C,$JUMP
01940     ENDM
01950 ; -----
01960 ;
01970 ; IFNE_JR -- Performs a JR if A <> $Value
01980 ; -----
01990 IFNE_JR MACRO $VALUE,$JUMP
02000     CP $VALUE
02010     JR NZ,$JUMP
02020     ENDM
02030 ; -----
02040 ;
02050 ; PFLG_ENTRY -- Creates parameter-table
02060 ; entry for flag parameter.
02070 ; -----
02080 PFLG_ENTRY MACRO $PARAM
02090     DB 01010000B+$PARAM
02100     DB '$PARAM'
02110     DB 0
02120     DW $PARAM$$
02130     ENDM
02140 ; -----
02150 ;
02160 ; RPUSH -- Version 2
02170 ; Pushes 0 to 6 registers onto the stack
02180 ; Example: RPUSH BC,DE,HL,IX
02190 ; -----
02200 RPUSH MACRO $R1,$R2,$R3,$R4,$R5,$R6
02210     IFGT $,0
02220         PUSH $R1
02230     ENDIF
02240     IFGT $,1
02250         PUSH $R2
02260     ENDIF
02270     IFGT $,2
02280         PUSH $R3
02290     ENDIF
02300     IFGT $,3
02310         PUSH $R4
02320     ENDIF
02330     IFGT $,4
02340         PUSH $R5
02350     ENDIF
02360     IFGT $,5
02370         PUSH $R6
02380     ENDIF
02390     ENDM
02400 ; -----
02410 ;
02420 ; RPOP -- Version 2
02430 ; Pops 0 to 6 registers from the stack
02440 ; Example: RPOP BC,DE,HL,IX
02450 ; -----
02460 RPOP MACRO $R1,$R2,$R3,$R4,$R5,$R6
02470     IFGT $,0
02480         POP $R1
02490     ENDIF
02500     IFGT $,1
02510         POP $R2
02520     ENDIF
02530     IFGT $,2
02540         POP $R3
02550     ENDIF
02560     IFGT $,3
02570         POP $R4
02580     ENDIF
02590     IFGT $,4
02600         POP $R5
02610     ENDIF
02620     IFGT $,5
02630         POP $R6
02640     ENDIF
02650     ENDM
02660 ; -----
02670 ;
02680 ; TEST_PARM -- Tests a On/Off command-line
02690 ; parameter. Results: Z/NZ for Off/On.
02700 ; Note: parameter storage held inside this code
02710 ; $DEFAULT should be 0 or -1
02720 ; Changes A & flags
02730 ; -----
02740 TEST_PARM MACRO $PARAM,$DEFAULT
02750     PUSH DE ; Save register
02760     LD DE,$DEFAULT
02770     $PARAM EQU $-2
02780     LD A,D
02790     OR E
02800     POP DE
02810     ENDM
02820 ;

```

End

## TANDY Model 1000 & MS-DOS TRS-80™ Models 1, 3 & 4 SOFTWARE

### SMALL BUSINESS ACCOUNTING with PAYROLL \$99.95

This program is based on the **Dome Bookkeeping Record #612** and handles **bookkeeping** and **payroll** for a small business. Bookkeeper provides single entry ledgers with category breakdowns for both income and expenses. Monthly, through last month, and year-to-date summaries. Fiscal year can start with any month.

Payroll handles up to 99 employees with **automatic computation** of F.I.C.A. and federal income tax. State tax and three optional deductions also included. Prints both payroll and expense checks on same forms. Monthly, quarterly, and yearly summaries as well as automatic computation of Form 941 reports and W-2 forms. Simple and easy to learn — ideal for first-time computer users.

### MAILING LIST \$99.95

Build and maintain mailing lists of up to **32,767** names. Up to five-line labels including first and last names, optional second line, address, city, state, zip code, and optional fifth line. Optional lines can be used for telephone numbers, account numbers, or any data, and may be printed at your option. Sort or search names by **any** field. Each name record can be associated with up to 14 different **key groups**. File can be printed by any combination of key groups. Print labels in 1, 2, 3, or 4 adjustable columns, on envelopes or in master index format. Runs on floppies or hard disk, limited only by disk capacity.

### HOME BUDGET and CHECKBOOK ANALYST \$59.95

A complete checkbook program together with budgeting, income and expense analysis, comparisons, and projections. Enter and print checks, enter deposits, and compute your current checking balance. Program also handles non-check expenses, bank debits, and income. Monthly and year-to-date summaries and yearly projections based on data through a known month. Monthly expenses compared to a pre-established budget.

### SMALL BUSINESS MANAGEMENT SYSTEM \$299.95

A complete **point-of-sale** program for a small business. Handles **order entry**, **invoicing**, **inventory**, and **bookkeeping**, including general ledger, accounts receivable, and accounts payable.

**Order desk** handles order entry and invoicing. Items ordered are automatically deducted from inventory, accounts receivable updated. Includes up to 999 8-character part numbers (1,999 for MS-DOS). Handles both customer accounts and single orders. Invoices printed on forms or plain paper and include discounts, sales taxes, and shipping and handling charges.

**Bookkeeper** keeps general ledger, accounts receivable and payable, produces customer statements. General ledger produces monthly and year-to-date totals. Receivables tracked to invoices, automatically updated as income entered.

**Inventory** produces sales and inventory reports showing items in stock, amounts sold, monthly rates of sale, and profits.

**Installation** tailors program to your business.

## SOFTWARE FOR TRS-80™ MODELS 1, 3, and 4 Only

### TYPITALL Word Processor \$69.95 TYPITALL with Spelling Checker \$99.95

Word Processor upwardly compatible with SCRIPSIT — it reads your old SCRIPSIT files and uses the same formatting and cursor movement commands. But it is a completely new word processor with many features more advanced than SCRIPSIT, SUPERSCRIPSIT, or other word processors.

Send any control or graphic/special character to the printer. Control/graphic characters included in the text so that you have complete control of all features of your printer. Print the formatted text on the screen before going to the printer. Send formatted text to a disk file for later printing. Merge data from a file during printing. Names, addresses, and other text can be inserted during printing. No need for a separate program for "mail merge" capabilities. Print while editing (spooling). Assign any sequence of keystrokes to a single control key. Call up to 16 help screens at any time. Move cursor forwards or backwards by character, word, line, or page. Reenter the program with all text intact if you accidentally exit without saving the text. Optional spelling checker comes with 29,500 word dictionary. Verify a 3,500 word document in less than two minutes. This is a full-featured word processor — not a demonstration disk!

### SYSTEM DIAGNOSTIC \$69.95

Is your computer working correctly? **Are you sure?** System Diagnostic has complete tests for every component of your TRS-80 Model 1, 3, or 4 (separate versions for each model).

**ROM:** checksum test. **RAM:** three tests including every location and data value. **Video display:** character generator, video RAM, video signal. **Keyboard:** every key contact tested. **Line printer:** character tests with adjustable platen length. **Cassette recorder:** read, write, verify data. **Disk drives:** disk controller, drive select, track seek, read sectors, formatting, read/write/verify data with or without erasing, disk drive timer, disk head cleaner. Single or double density, 1-99 tracks. **RS-232-C interface:** connector fault, data transmission, framing, data loop, baud rate generator.

### SMART TERMINAL \$39.95

The **Intelligent** telecommunications program for your TRS-80 Model 1, 3, or 4, or Model 2 CP/M. **Memory buffer** for sending and receiving files. **Automatic transmission** of outgoing data. **Automatic storage** of incoming data. **Character translations.** True BREAK key. Help screens, line feed filters, echo and line printer toggle switches, and more.

### TRS-80 MODEL III ASSEMBLY LANGUAGE \$29.95

A complete course in assembly language, written for the **beginner**. Contents include: the Z-80 instruction set, ROM and RAM, Using the Editor/Assembler, reading, printing and moving data, arithmetic operations with integers, floating-point and BCD numbers, logical and bit operations, cassette input and output, USR subroutines in BASIC, RS-232-C data communications, disk input and output, and the TRSDOS 1.3 disk operating system.

With the book you also receive **Monitor #5**, a comprehensive machine language monitor and debugging program. **These are the last copies of the book in print.**

## HOWE SOFTWARE

64 Windmill Road  
Armonk, New York 10504-2832

Information and same day orders:

**(914) 273-3998**

**30-day Money Back Guarantee!**

**When ordering, please give your computer model number.**

TRS-80 is a trademark of Tandy Corp.

24-Hour TOLL-FREE Order Number:

Outside California call:

**(800) 428-7825, ext. 169**

Inside California call:

**(800) 428-7824, ext. 169**

**Please allow 2-3 weeks for delivery.**

Terms: checks, Visa, Master Card, or C.O.D.

Shipping and handling: \$3.00. Canada, Mexico, Hawaii: \$6.00

Air mail overseas: \$17.00. New York residents add sales tax.





## CDA COMPUTER SALES —TANDY 1000 SYSTEM—

### System includes:

- Tandy 1000 with 640K of RAM
- 360K Floppy Drive
- VM-4 Green Monitor
- Tandy DOS 3.2/Basic
- Tandy Deskmate
- Printer Cable
- Epson LX-86 Printer
- Epson Tractor Option
- Package of Paper
- Maxell MD-2 Diskettes (10)

### NOW ONLY

**\$1289.00**

List Price

**\$1699.00**

Save Over

**\$400!!**

**Internal Hard Drive Kits** — includes Segate hard drive mechanism and a Western Digital controller. Includes easy to install instructions and 1 Year warranty! List Now

20 Meg Kit for 1000	\$799	\$479
20 Meg Kit for 1000SX	\$799	\$479

\*SX Kits require you remove 1 drive, if you have installed a second floppy drive in your 1000 you must also remove the second drive.

Hard Cards —	List	Now
20 Meg Hard Card by Tandy	\$799	\$649
20 Meg Hard Card by Zucker	\$599	\$549

Memory Upgrades —	List	Now
by Zucker		Only
256K with DMA	\$109	\$ 89
512K with DMA	\$149	\$119
256K Chip Set/1000SX (With instructions)	\$ 49	\$ 32

MFB-1000 Multifunction — 512K with DMA, Clock/Calendar, battery backup, Serial Port, and RAMdisk software.	List	Now
	\$299	\$199

X-RAM — for memory above 640K the XRAM adds memory of up to 2 megabytes of Ram. Meets Lotus/ Intel Spec for extended memory. Includes Ram Disk! (1000/1000SX Compatible)	List	Now
X-RAM 256K	\$299	\$229
X-RAM 512K	\$379	\$265
X-RAM 1 MEG	\$499	\$329
X-RAM 2 MEG	\$599	\$449

EX Expansion — by MicroMainframe	List	Now
Complete with 2 Memory Plus Style Slots for adding Tandy Cards.		
128K	\$149	\$109
384K	\$219	\$159

**Apple Emulation Boards —**  
by Diamond  
Run Apple II, IIe on your Tandy 1000, 1000SX  
**NOW ONLY — \$369.00**

**ORDERS ONLY 800-526-5313**  
**IN NJ 201-728-8080**  
Inquiries & Customer Service 201-728-8082

*No-Risk 30 Day Satisfaction Guarantee*  
If you're not 100% satisfied with any hardware or accessories you've purchased from CDA Computer Sales we will refund your purchase price. 100% No questions asked!

Write or call for our 48 page catalog featuring  
• Tandy • Epson • IBM • Apple • Okidata  
• Diskettes • Software • Surge Protectors  
• Monitors • Modems • And More!

**CDA COMPUTER SALES**  
31 Marshall Hill Road West Milford, NJ 07480

## REVIEWS

Continued from p. 39

### You can compile and link subroutines into the main program once you have debugged them.

will be shown as they change. You can also separately compile and link subroutines into the main program once you have completely debugged them.

VP-Info makes a distinction between procedures and subroutines. A procedure is a sequence of commands that is wholly contained within a program file. A subroutine is a separate command file that you can call from within a program. The reason for this distinction is the manner in which the program compiler works. Procedures are compiled only once, before the main program is compiled. Subroutines, however, are separately compiled each time you call them. This makes no difference in the actual program operation in the immediate mode, but if programs are compiled and saved in the compiled form, those with multiple calls to subroutines contain redundant code.

VP-Info differs from Dbase in the manner in which it processes commands. Dbase, like Basic, is an interpreted language. Each line of code of Dbase is translated into "tokens," which are then translated into machine instructions. VP-Info compiles, or changes into machine instructions, the entire program file prior to running it. This results in a tremendous increase in the program's execution speed.

### Translation

Program lines are translated only once, when they are compiled. In an interpreted language, each line is translated every time that it is used in the program. The difference in speed is most noticeable when you are doing repeated screen access.

One application, a docket-control program for a law firm, uses multiple linked screens to create a menu-controlled program. Running under Dbase, this program has a noticeable pause while it creates each screen. With the screens converted to work with VP-Info, each screen seems to appear instantly.

VP-Info, when running in the immediate mode or when running very small

programs, is only slightly faster than Dbase III. Reading in 3,549 99-byte comma-delimited records took two minutes, 11 seconds with Dbase III and one minute, 50 seconds with VP-Info. Sorting the same file on a 20-character field took Dbase three minutes, 40 seconds and VP-Info three minutes, 18 seconds. Compiling the commands for the sort made no difference in the sort time.

Compiled programs still use the VP-Info program during execution. Unlike many compiled programs, VP-Info does not have a run-time module to allow the application independence from the original program. Thus, like templates for spreadsheet programs, any applications will require that the user have a copy of VP-Info.

### Bugs

VP-Info is not bug free. When you give the modify-structure command, a message requiring confirmation is supposed to appear. In actuality, the program briefly flashes the message and immediately enters the modify screen. If, while modifying a file structure, you leave the cursor anywhere within the structure definition when the file is saved, the last field in the definition is lost.

VP-Info also has some problems in the execution of commands. When you give a command to sort to a full disk, the error message, "Disk full or error in writing data to disk," appears. The program then freezes, requiring resetting the computer. Even more aggravating, the copy-protection often prevents the program from starting. It was occasionally necessary to issue as many as six tries to get VP-Info to run. VP-Info's error handling leaves something to be desired. Any disk error, including having a write-protect tab on a floppy disk, usually causes the program to stop and return to DOS.

### Conclusion

VP-Info is a fast and powerful data-base management program that has several valuable features not found in Dbase. Among these are some that are only convenient, such as recalling previously typed commands by pressing the up-arrow key; others are of great utility, such as using windows within programs.

VP-Info is somewhat compatible with Dbase files and can read and write to both Dbase II and III format. Dbase does not always recognize files created with VP-Info, returning the message, "not a Dbase file." VP-Info never failed to read a Dbase II file. Although the program is not completely bug free, the bugs I encountered, with one exception, were minor annoyances. Considering its low price, networking capability, and programming features for application developers, VP-Info rates a "must buy." ■

## EXPRESS CHECKOUTS

**Norton Commander**

★★★★★

The Norton Commander 1.0 runs on the Tandy 1000/1200/3000 (128K) and requires one disk drive. Peter Norton Computing, 2210 Wilshire Blvd., Santa Monica, CA 90403. 213-453-2361. \$75.

If you want to be polite, you can say that the name Peter Norton guarantees quality in MS-DOS accessories; if you want to be cynical, you can say that Mr. Utilities' name is The Norton Commander's main advantage in the glutted hard-disk-manager market.

Both statements apply: The Commander is a smooth combination of a directory navigator (like Bourbaki's IDir) and an application menu (like Delta Technology's Direct Access). It has several fine features for the shy user or someone who sets up systems for novice operators, but those who survive without a DOS shell needn't sacrifice 100K for The Commander.

To be fair, you only need 100K if you want The Commander on deck instantly as you exit an application; if you don't mind waiting for your hard disk, you can cut memory overhead to 14K by having The Commander unload and reload itself between programs. Either way, it supplements the DOS prompt with a deluxe control panel—built, like other shells', around a directory listing that lets you run a program or change to another directory by moving the cursor and pressing the enter key.

You can also "point and shoot" to open a data file, once you've set up an ASCII file that pairs extensions with programs (such as WK1 for Lotus's 1-2-3). Microsoft Windows fans can left-click and double-click through the menus with a mouse.

The function keys create directories or copy, delete, or rename a selected file or files. The insert key toggles individual entries, and the keypad plus and minus select and unselect groups of files with wild cards. You can view a file's contents or create or change text files with a built-in ASCII editor. The DOS prompt's still there, with control-E and -X to scroll through a Superkey-style stack of commands executed since start-up.

The Commander has the handy trick of moving files from one directory to another by renaming them, instead of copying and then deleting the originals. And it juggles files on two on-screen displays, letting you use the tab key to flip between DOS and Dbase or whatever—viewing two directories at once for file swaps, turning one directory panel off, or turning it into a CHKDSK-style status display of free memory and disk space.

For still more convenience, the F2 key pops up a customized menu of normal,

**Those who  
survive without  
a DOS shell  
needn't sacrifice  
100K for  
The Commander.**

control, or function keys and descriptions. Instead of in bulky batch files, menu choices are kept in an ASCII file in the current or root directory. (Between one or more menus and an optional summary in each directory, you can fill a bit of disk space with Commander ASCII files.)

The menus, like the other functions, work nicely, at the risk of making The Commander seem a little schizophrenic in trying to appeal to all users. Let the timid novice wander away from the one-keystroke menu and he or she'll be in the middle of an F7 MKDIR or F6 RENMOV, looking at the \*. \* prompt box.

That ambiguous target audience is my only real complaint with The Commander. The package promises "A control program for power users from Peter Norton;" the truth is that it's not really from Peter Norton ("created independently by John Socha," shout the help screens) and that power users don't use DOS shells.

They might like the ASCII editor but won't want to unload The Commander to change Path and Set variables or load and unload RAM-resident programs. They might admire the Rename/Move trick but can type file names and wild cards even faster than The Commander's quick highlighting. The Norton Commander is a first-class file manager for moderate use, but I'm more excited about my upgrade to DOS 3.2 and the XCopy command.

—Eric Grevstad

**Lunar Explorer**

★★★★★

Lunar Explorer runs on the Tandy 1000/1200/3000 and requires two disk drives. Electric Transit, 501 Marin St., Suite 116, Thousand Oaks, CA 91360. (805) 373-1960. \$39.95.

**Wilderness**

★★★★★

Wilderness runs on the Tandy 1000/1200/3000 and requires two disk drives. Electric Transit. \$49.95.

Lunar Explorer is a space-flight simulation game in the tradition of Micro-

**MAC INKER™**

Re-ink any Fabric Ribbon automatically for less than 5 cents.

**MAC INKER IM**

(Imagewriter ½) \$42.00

Universal Cartridge or Spool MAC INKER (specify) \$68.50

Multicolored MAC INKER (re-inks 4 color

Imagewriter cartridges) \$80.00

Heat Transfer

MAC INKER \$70.00



Shipping \$3.00


■ Lubricated, Dot Matrix Ink extends print-head life, \$3.00/bottle, available in black, brown, red, green, yellow, blue, purple, orange, gold and silver.

■ > 70,000 sold since 1982 (we are older than the MAC), > 8000 printers supported. ■ Imagwr. Cartridges top quality, life guaranteed, \$7.00. Heat Transfer \$9.00 (any color).

**MERCURY MODEM**

Really 100% Hayes\* compatible  
■ 300/1200 baud. Speaker. Front Panel Lights. ■ 24 months warranty.

Shipping \$4.00

**\$205.00**

\*Hayes is a trademark of Hayes Microproducts.


**DATA SWITCHES (any type) MACINTOSH MULTIPORT**

**SWITCH** (9 pin), (or 8 pin for MacPlus). Connect up to 4 peripherals to your printer or modem port.

Shipping \$3.00

**\$50.00**

Mac-to-Switch cable \$15.00

**Order Toll Free.**

Call or write for free brochure.

**1-800-547-3303**

In Oregon 503-626-2291 (24 hour line)


We are and always will be your

**Computer  
Friends®**

14250 N.W. Science Park Drive  
Portland, Oregon 97229 Telex 4949559  
Dealer inquiries welcome.



## EXPRESS CHECKOUTS

**xT.CAD cut \$100**

**xT.CAD Professional** by Microdex: Computer Aided Drafting software for technical production and education. Create, edit, modify precise drawings, details. Features include overlays, grids, cursor snap, zoom, pan, block copy, enlarge, reduce, rotate, mirror, clip, merge, text labels, more. Requires hi-res screen and RS-232 interface. Output to pen plotters. Input from keyboard, or optional digitizer or mouse (yes, also on Models III and 4, see below). Friendly, competent support since 1984. Software is backup-free. Was \$345 in 1986 catalog.

**MODEL III (48K)** \$245.00  
**MODEL 4 4p 4d (64K)** \$245.00  
**MS/DOS computers (256K, fast!)** \$195.00

**xT.CAD Bill of Materials** by Microdex: Software utilizes text labels from xT.CAD drawings in combination with user's master lists to automatically generate invoices, parts requests, shipping lists, etc. Includes a mini-editor for customizing of output to line printers.

**MODEL 4 4p 4d or MS/DOS** \$ 45.00

**Gratix Solution** by Micro-Labs: Easy to install board provides hi-res for Models III/4 4p/4d similar to Radio Shack boards. Includes popular GBASIC software and manual. In addition to xT.CAD supports many other graphic programs.

**MODEL III (512x192 pixels)** \$195.00  
**MODEL 4 4p 4d (640x240 pixels)** \$195.00

**Mouse Interface** by Micro-Labs: Black box connects to 50-pin I/O port and allows the use of Tandy Color Mouse 26-3025 (not included) with xT.CAD and other programs.

**MODEL III 4 4p 4d** \$125.00

Write or call for details.

MICRODEX CORPORATION  
 1212 N. Sawtelle  
 Tucson AZ 85716

602/326-3502

**MICRODEX**

soft's Flight Simulator, although on a lesser scale. You view everything from the cockpit of a lunar landing vehicle that shows your instrumented data, including an optional radar display at the bottom and scenes of the lunar surface.

Color graphics are good and provide a three-dimensional perspective. Control can be either by keyboard or joystick. You have five play options. Three of them start you off in situations that are best to use for the training exercises. All choices also give you your preference for flying the lunar explorer in solo excursions.

Only about one-third of the 90-page manual is devoted to instruction on using the game. The rest is full of facts about a space-colonization project, including diagrams and charts of lunar orbits, the Dakota space habitat, its lunar mining facility, and other believable information on the space shuttle and other equipment. The information on habitats and lunar exploration is based on facts in publications from The National Aeronautics and Space Administration. One chapter is devoted to using Lunar Explorer in the classroom to study astronomy, physics, and space sciences.

Lunar Explorer lives up to its claim that you can gain insight into the dynamics of space flight and some of the scientific principles and concepts involved in space exploration and colonization. For example, the concepts of inertial forces become evident as you try to slow down the lunar lander or change direction.

Of my two resident game experts, one preferred Lunar Explorer to Wilderness. He thought Lunar Explorer was fun and interesting, although slow: "sort of like watching the grass grow." My other son preferred Wilderness.

Wilderness is a survival-adventure simulation based on information provided by experts in the fields of toxic wild plants, human physiology, navigation, wilderness lore, thermal models, wildlife habitats, meteorology, and terrain models. The game establishes a detailed wilderness environment based on the training manual used by the United States Air Force Survival School; it is essentially an expert system. The degree of randomness with which the computer responds to your choices is based on traditional probabilities from real-life situations.

Wilderness provides three-dimensional color-graphics generation that gives you a 90-degree slice of a complete 360-degree panoramic view. You can turn to the right or left and pan through the entire circle to see where you are. Graphics are somewhat grainy and coarse with vertical lines on my red-green-blue (RGB) color monitor. Otherwise, they are detailed, with terrain in-

cluding trees, mountains, and an occasional animal that might threaten your survival. You can also select a topological map to further determine your location.

Like Lunar Explorer's, Wilderness' manual provides much detailed information: over 100 pages of charts, graphs, and diagrams on survival. A chapter on classroom use is also included.

Solving the adventure is not a one-shot deal. Experienced survivalists can create and select new conditions and describe such information as gender, height, weight, body frame, age, heart pulse rate, time of year, and frequency of weather conditions. All these factors can affect your chances of survival. You can save adventures to disk and resume the game later.

Wilderness is more intellectually stimulating than Lunar Explorer. One of the main complaints that my sons had about both games was that you have to read a lengthy manual. Although you can play both games without reading the manual, you lose many of the educational benefits. In my estimation, you cannot play Wilderness properly without thorough study, as you lose much of your ability to deal effectively with game situations and you nullify the educational benefits that the manual provides.

Both games are thoughtfully and professionally prepared, and both are excellent interactive simulations. They create a learning experience by using factual information as a basis for their models, and they are fun. Wilderness might provide good training toward a Scout badge. Depending on your interests, one of these games is well worth the price.

—Thomas L. Quindry

**BasicA Science And Graphics**

★ ★ ★

**The BasicA Science and Graphics Handbook** runs on the Tandy 1000/1200/3000 and requires one disk drive. Simplification Unlimited, P.O. Box 654, Menlo Park, CA 94026. 415-859-4244. \$79 (plus \$2 postage and handling).

One of the largest voids in software is personal graphics applications. Most of the time, you have to write your own or contract someone else to do it for you. I've recently found a package that helps fill this void.

BasicA Science and Graphics has a 165-page manual with a data disk containing graphics routines. You must already have Basic.

The software tries to cover a wide range of graphics applications. It is bro-

**This package  
is not designed  
as a tutorial.  
You need  
some prior  
knowledge. . .**

ken up into four main categories: graphics techniques, imaging and transforms, probability and statistics, and matrix operations. Each category contains 10 to 12 different routines.

BasicA Science and Graphics contains about 50 routines in all, and each one is written in Basic. The manual contains a description of what each one does, along with the source code and a sample picture of possible results. All graphs use a maximum of four colors to retain IBM compatibility.

You select the routine suitable for your application and then insert it into a Basic program as a subroutine. The manual lists all the necessary variables you have to manipulate to get the graphics function you require. All you do is assign values to the variables and perform a subroutine call.

If you are not sure whether the routine is the right one, you can load and run it without any support programs. All required variables either have default values or request that you assign values by answering input prompts.

This package was not designed as a tutorial. You might need some prior knowledge in graphics techniques. References in the manual at the end of each routine let you do more research. Be aware that the techniques might not be the same as those described in some of the references.

Since all the routines are in Basic, I found some of them slow. The speed depends on the routine's complexity. If this is a problem for you, a Basic compiler can speed up the routines.

I checked each routine as a stand-alone program, and they all appeared to work. This type of software package might be attractive to only a small group of users. If you fall into this group, I recommend BasicA Science and Graphics.

—David Engelhardt

## Jumpstart

★★★★

**Jumpstart 1.0** runs on the Tandy 1000/1200/3000 (256K); requires one disk drive; and supports Hayes 1200 and 2400 and Hayes-compatible modems,

and Popcom C100 and X100 modems. Ascent Inc., 190 Sobrante Way, Suite 201, Sunnyvale, CA 94086. 408-720-9200. \$66.

It's hard to know from appearances that Jumpstart is communications software. The manual's cover touts ease of use: "Productivity from day one." Inside, the introduction describes "a business software program which combines comprehensive telecommunications with an address book, appointment book, text editor, financial calculator, and file utilities." Given that description, those who use Tandy's MS-DOS computers can think only of Deskmate.

However, the comparison doesn't hold. Although the two programs share some functions, Deskmate is entry-level software that includes telecommunications, while Jumpstart is a potentially powerful terminal package with some nifty extras.

As advertised, the program is exceptionally easy to use. You move among its functions and make decisions from menus or by function key. Message lines explain each menu item; a help line identifies currently active function keys. When the program needs information, you see a clear prompt or a neatly organized data-entry screen. Often, you can choose your response from a submenu. Context-sensitive help screens are abundant, and 300 pages of patient documentation provide walk-throughs of every operation and more troubleshooting information than most people will use.

If you don't have a modem that the program supports directly, "...you can still use Jumpstart—Chapter 3 tells you how." Chapter 3 tells you to refer to your modem's manual. It's the one place where Jumpstart's ease of use fails. If you have neither the right modem nor experience with the one you have, you're in for a rough time.

If you get by that pitfall, Jumpstart is impressive. Its broad range of terminal configurations includes support for x-on/x-off, full or half duplex, and high-bit and line-feed filters. A debugging tool can make control characters visible or, alternately, display characters in hexadecimal. In addition to ASCII file transfer, Jumpstart supports x-modem error-checking protocol. You can set up a disk file for data capture. A keystroke toggles it on and off. Similarly, you can send data to a printer at the touch of a key.

Using Jumpstart, I had no trouble with either commercial information services or private BBSes, even over noisy rural phone lines. The program operated efficiently and did everything I asked, whether I was using a properly Hayes-compatible modem or an unsupported device.

What sets this program apart and gives it unusual power are its macros. I can think of no telecommunications operation you couldn't automate with Jumpstart. And they are delightfully easy to use.

The program makes you break up an operation into a series of small steps. Then you create a single-task macro for each step. Some tasks are predefined. For example, Waitnn effects a pause of nn seconds. Jumpstart treats other tasks by type. To set up an exchange of data, for instance, you select Transfer File from a menu; name the macro; select the type of transfer, direction, and protocol; and name the file. The macro is then stored in a special file.

To automate an entire operation, you construct a script by assembling macros in the order you want them performed. Once assembled, each script becomes a macro that you can use within another more complex script.

Jumpstart's other functions are meant to enhance your telecommunicating environment. The address and appointment books emulate their paper counterparts. Each page in the address book has room for a name, company name, address, three phone numbers, and comments. Appointment slips have places for name, date, time, duration, three phone numbers, and a note.

In spite of its limitations, the appointment book has some slick features. The calendar-month display indicates which days are busy. Highlight a date, and the daily display maps your schedule for 24 hours. By pointing to a time, you can look at an appointment, change it, or add another. The program prints your calendar by the year, month, week, or day, in useful formats with room for notes.

Because I started by thinking of Deskmate, the financial calculator surprised me. It is neither a calculator in the usual sense, nor a modified spreadsheet. Instead, it does 19 interrelated calculations of interest, investments, loans, and depreciation.

Although the text editor is a barebones affair with no provision for margins or pagination, it has a good selection of editing functions. Most of all, it's available at a keystroke from anywhere in the program and is especially useful for to-do lists, notes, and quick replies to on-line messages.

Jumpstart is telecommunications software worth anyone's consideration. Its ability to automate complex procedures makes it equal to your most demanding needs; its ease of use makes it fully accessible regardless of your level of experience.

—Harry Bee



Continued from p. 77

```

94659 JR
94660 GETCTL: LD
94661 A, (HL)
94662 Z, OUTRET
94663 ICH
94664 NZ, SAVCAR
94665 HL, OPTION
94666 8, (HL)
94667 Z, SAVCAR
94668 HL, STATUS
94669 6, (HL)
94670 SET
94671 OUTRET
94672 HL, (HEAD)
94673 (HL), A
94674 INC
94675 A, H
94676 LD
94677 OR
94678 H, 8
94679 LD
94680 BUFFUL: CP
94681 L
94682 A, (TAIL)
94683 NZ, SUPEND
94684 H, (HEAD)
94685 A, (TAIL+1)
94686 Z, BUFFUL
94687 (HEAD), HL
94688 A, C
94689 A
94690 RET
94691 SETFUT: LD
94692 LD
94693 OUTRET
94694 CTLCMD: CP
94695 NZ, BAUD3
94696 8, (HL)
94697 OUTRET
94698 'A'
94699 C, OUTRET
94700 NZ, BAUD12
94701 A, BR368
94702 LD
94703 (UBAUD), A
94704 OUTRET
94705 A
94706 NZ, BAUD24
94707 A, BR1288
94708 (UBAUD), A
94709 OUTRET
94710 A
94711 NZ, CTLCNG
94712 A, BR2488
94713 (UBAUD), A
94714 OUTRET
94715 A
94716 NZ, CTLCNG
94717 A, BR2488
94718 OUTRET
94719 A
94720 NZ, FLUSHI
94721 3, (HL)
94722 OUTRET
94723 A
94724 NZ, FLUSHO
94725 HL, (HEAD)
94726 (TAIL), HL
94727 OUTRET
94728 A
94729 NZ, BLKCLS
94730 HL, (HEAD)
94731 (TAIL), HL
94732 LD
94733 HL, STATUS
94734 3, (HL)
94735 OUTRET
94736 HL, OPTION
94737 A
94738 NZ, UNBCLS
94739 8, (HL)
94740 OUTRET

```

Listing 1 continued

Listing 1 continued

```

94828 UNBCLS: DEC
94829 JR
94830 NZ, OUTON
94831 8, (HL)
94832 OUTRET
94833 A
94834 NZ, OUTOFF
94835 1, (HL)
94836 SET
94837 OUTRET
94838 A
94839 NZ, CROMLY
94840 1, (HL)
94841 OUTRET
94842 A
94843 NZ, CRLF
94844 3, (HL)
94845 OUTRET
94846 A
94847 NZ, ENBRNG
94848 3, (HL)
94849 OUTRET
94850 A
94851 NZ, DISRNG
94852 4, (HL)
94853 OUTRET
94854 A
94855 NZ, ENBCTL
94856 4, (HL)
94857 OUTRET
94858 A
94859 NZ, DISCTL
94860 5, (HL)
94861 OUTRET
94862 A
94863 NZ, UPONLY
94864 5, (HL)
94865 OUTRET
94866 A
94867 NZ, UPLOWR
94868 2, (HL)
94869 OUTRET
94870 A
94871 NZ, DTRON
94872 2, (HL)
94873 OUTRET
94874 A
94875 HL, RSSTAT
94876 A
94877 NZ, DTROFF
94878 8, (HL)
94879 SETURT
94880 A
94881 NZ, WORD7
94882 1, (HL)
94883 SETURT
94884 8, (HL)
94885 A
94886 NZ, WORD8
94887 6, (HL)
94888 RES
94889 5, (HL)
94890 SETURT
94891 A
94892 NZ, STOP1
94893 6, (HL)
94894 SETURT
94895 5, (HL)
94896 A
94897 NZ, STOP2
94898 4, (HL)
94899 SETURT
94900 A
94901 NZ, RESET
94902 4, (HL)
94903 SETURT
94904 A
94905 NZ, OUTRET
94906 (OPTION), A
94907 A

```

;zero out all options  
;load a \$IH

Listing 1 continued

**Program Listing 2. Sample Basic BBS program.**

```

10 CLS:PRINT CHR$(1)"2"
20 PRINT "Press any key to set system time/date "
30 FOR A=1 TO 1200:AS=INKEY$:IF AS="" THEN NEXT:GOTO 60
40 LINE INPUT "Time (HH:MM:SS): ";AS:IF AS<>"" THEN AS=""TIME="+A
50 LINE INPUT "Date (MM/DD/YY): ";AS:IF AS<>"" THEN AS=""DATE="+A
60 LINE INPUT AS
70 SETUP DESIRED options, hang up for a second, then turn modem back on
80 PRINT CHR$(1)"2":FOR A=1 TO 1500:NEXT:PRINT CHR$(1)"HNPT"
90 Wait for incoming call. Clear screen to avoid burning image on CRT
100 CLS:LINE INPUT AS:IF AS<>"CONNECT" THEN 90
110 'Call came in, tell SYSOP. Enable output and send a couple of returns
120 PRINT "NOTICE TO SYSOP - INCOMING CALL!":SOUND 7,0
130 PRINT CHR$(1)"J":PRINT:FOR A=1 TO 1500:NEXT:PRINT
140 PRINT "Welcome to InfoNet:PRINT
150 LINE INPUT "Can your terminal handle lower-case (Y/N)? ";AS
160 IF AS=""NO CARRIER" THEN 70
170 IF INSTR("YESyes",AS)=0 THEN 100
180 PRINT CHR$(1)"S"
190 'Test caller's terminal for needing line-feed with carriage return, by
200 ' sending two asterisks separated by carriage return. If the caller only
210 ' sees one of them, his terminal did not line-feed and must be sent one.
220 PRINT CHR$(1)"L":PRINT "":PRINT "":PRINT CHR$(1)"M"
230 LINE INPUT "How many asterisks do you see, 1 or 2? ";A
240 $
250 IF AS=""NO CARRIER" THEN 70
260 'Terminal already line-feeds and doesn't need them, shut line-feeds off
270 IF AS="" THEN PRINT CHR$(1)"L"
280 IF AS="" THEN PRINT "Thank you."
290 PRINT "Press control S to pause, any key to continue."
300 PRINT "Press control X to exit InfoNet and disconnect."
310 PRINT "Press control T for the current time."
320 PRINT "Press <RETURN> to skip past text."
330 PRINT STRINGS(5,13):PRINT STRINGS(13,33,33,33);
340 PRINT "1 - Winning Lottery numbers";PRINT "6 - TV Listings
350 IF AS="" THEN PRINT CHR$(1)"L"
360 PRINT "Thank you."
370 PRINT "Press control S to pause, any key to continue."
380 PRINT "Press control X to exit InfoNet and disconnect."
390 PRINT "Press control T for the current time."
400 PRINT "Press <RETURN> to skip past text."
410 PRINT STRINGS(5,13):PRINT STRINGS(13,33,33,33);
420 PRINT "1 - Winning Lottery numbers";PRINT "6 - TV Listings
430 IF AS="" THEN 450
440 IF AS="" THEN 450
450 ON INSTR(" 0123456789")AS GOTO 370,270,500,510,520,530,540,
460 550,560,570,580
470 PRINT "Invalid entry, try again. Enter '0' for help."GOTO 370
480 PRINT "Please call again."FOR A=1 TO 2500:NEXT:GOTO 70
490 'display the current time in one spot on the screen, wait for any key.
500 PRINT:PRINT,"
510 IF AS="" THEN 450
520 BS=INKEY$:IF BS="" THEN 460 ELSE 310
530 'These are standard text files that can be created with most text editors
540 ' or the TRSDOS BUILD command ie. "BUILD LOTTERY.TXT"
550 SYSTEM "LIST LOTTERY.TXT":GOTO 590
560 SYSTEM "LIST DYNAMS.TXT":GOTO 590
570 SYSTEM "LIST TOPMUSIC.TXT":GOTO 590
580 SYSTEM "LIST STOCKS.TXT":GOTO 590
590 SYSTEM "LIST INFONET.TXT":GOTO 590
600 SYSTEM "LIST TVLIST.TXT":GOTO 590
610 SYSTEM "LIST TOPNEWS.TXT":GOTO 590
620 SYSTEM "LIST TOPNEWS.TXT":GOTO 590
630 SYSTEM "LIST FORECAST.TXT":GOTO 590
640 SYSTEM "LIST FORECAST.TXT":GOTO 590
650 PRINT "Press any key for main menu... ";AS=INPUT$(1):
660 GOTO 316

```

```

Listing I continued
05590 OUT (URSET),A
05600 LD A,(CTITBL),A
05610 LD LD
05620 LD (STATUS),A
05630 LD HL,INPRUF
05640 LD (IHEAD),HL
05650 LD (ITAIL),HL
05660 LD HL,OUTRUF
05670 LD (OHEAD),HL
05680 LD (OTAIL),HL
05690 LD A,BR300
05700 OUT (UBAUD),A
05710 LD A,0EFFH
05720 LD HL,RSSTAT
05730 LD (HL),A
05740 JF SETURT
05750 INPUT: LD HL,(ITAIL)
05760 LD A,(IHEAD)
05770 CP L
05780 JR NZ,INPCAR
05790 LD LD
05800 CP H
05810 JR Z,INPDON
05820 INPCAR: LD A,(HL)
05830 INC L
05840 LD (ITAIL),HL
05850 CP A
05860 RET
05870 INPDON: OR L
05880 LD A,0
05890 RET
-----CONTROL KEY TABLE-----
CTITBL: DEFB 1
05910 DEFB 02H
05920 DEFB 03H
05930 DEFB 04H
05940 DEFB 05H
05950 DEFB 06H
05960 DEFB 07H
05970 DEFB 08H
05980 DEFB 09H
05990 DEFB 0AH
06000 DEFB 0BH
06010 DEFB 0CH
06020 DEFB 0DH
06030 DEFB 0EH
06040 DEFB 0FH
06050 DEFB 10H
06060 DEFB 11H
06070 DEFB 12H
06080 DEFB 13H
06090 DEFB 14H
06100 DEFB 15H
06110 DEFB 16H
06120 DEFB 17H
06130 DEFB 18H
06140 DEFB 19H
06150 DEFB 1AH
06160 DEFB 1BH
06170 DEFB 1CH
06180 DEFB 1DH
06190 DEFB 1EH
06200 DEFB 1FH
06210 DEFB 0EFH
06220 DEFB 00H
06230 CTITVAL: DEFB 00H
06240 OPTION: DEFB 20H
06250 STATUS: DEFB DELAY
06260 COUNTR: DEFW OUTRUF
06270 OHEAD: DEFW OUTRUF
06280 OTAIL: DEFW INPRUF
06290 IHEAD: DEFW INPRUF
06300 ITAIL: DEFW INPRUF
06310 ;
06320 ORG 0F700H
06330 INPRUF: DEFS 256
06340 OUTRUF: DEFS 0800H
06350 ;
06360 END INIT

```



# If the space program had advanced as fast as the computer industry, this might be the view from your office.

And space stations, Martian colonies, and interstellar probes might already be commonplace. Does that sound outlandish? Then bear these facts in mind:

In 1946 ENIAC was the scientific marvel of the day. This computer weighed 30 tons, stood two stories high, covered 15,000 square feet, and cost \$486,840.22 in 1946 dollars. Today a \$2,000 kneetop portable can add and subtract more than 20 times faster. And, by 1990, the average digital watch will have as much computing power as ENIAC.

The collective brainpower of the computers sold in the next two years will equal that of all the computers sold from the beginning to now. Four years from now it will have doubled again.


It's hard to remember that this is science fact, not fiction. How do people keep pace

with change like this? That's where we come in. We're CW Communications, Inc.—the world's largest publisher of computer-related newspapers and magazines.

**Every month, over 9,000,000 people read one or more of our publications**

Nobody reaches more computer-involved people around the world than we do. And nobody covers as many markets. In the United States we publish three computer/business journals. *Micro Marketworld*, for businesses selling small computers and software. *On Communications*, the monthly publication covering the evolving communications scene. And *Computerworld*, the newsweekly for the computer community, is the largest specialized business publication of any kind in this country.





We also offer seven personal computer publications. *InfoWorld*, the personal computer weekly, is a general interest magazine for all personal computer users.

The other six are monthly magazines that concentrate on specific microcomputer systems. *PC World*, the comprehensive guide to IBM personal computers and compatibles. *inCider*, the Apple II journal. *Macworld*, the Macintosh magazine. *80 Micro*, the magazine for TRS-80 users. *HOT CoCo*, the magazine for TRS-80 Color Computer and MC-10 users. And *RUN*, the Commodore 64 & VIC-20 magazine.

And we have similar publications in every major computer market in the world. Our network of more than 55 periodicals serves 25 countries. Argentina, Australia, Brazil, Canada, Chile, Denmark, Finland, France, Greece, India, Italy, Japan, Korea, Mexico, The Netherlands, Norway, People's Repub-

lic of China, Saudi Arabia, Southeast Asia, South Africa, Spain, Sweden, United Kingdom, United States, and West Germany.

### The sooner we hear from you, the sooner you'll hear from our readers

Simply put, we'll make it easy for you to reach your target audience—and for them to reach you. Call today for more information. You'll find the number below.



**CW COMMUNICATIONS/INC.**

375 Cochituate Road, Box 880, Framingham, MA 01701  
(617) 879-0700



## MS-DOS

### The Natural Sound

The solid-state Model VP600 Voice Processor encodes sound digitally and records it on computer disk for superior fidelity and random playback. The single-channel unit is a half-size board, and its accompanying menu-driven software lets you select the sequences for playback in whatever order you want.

The board adjusts standard Electret microphone levels or 1 VRMS cassette levels for analog-to-digital conversion and adaptive differential pulse-code modulation digital encoding, which it then feeds through a buffer, memory, and a second buffer to the bus for disk storage. The Voice Processor reverses the process for playback and feeds the digital code to a digital-to-analog converter.

The 20-Hz to 3.5-kHz unit has a dynamic range of 48 dB and sampling rates of 4 or 8 kHz. One hour of recording at the 4-kHz sampling rate requires 7.2 megabytes (MB) of disk space. Eighty minutes requires 10MB.


The Voice Processor sells for \$345 from Antex Electronics Corp., 16100 South Figueroa St., Gardena, CA 90248, 213-532-30992.

Circle 558 on Reader Service card.

### CAD Class

New Riders Publishing has introduced three books to help you learn to use the Autocad drafting and design program. The updated edition of *Inside Autocad*, by D. Raker and H. Rice, teaches you how to use the program's more powerful features. New chapters cover advanced editing and three-dimensional drawing. The 320-page *Inside Autocad* is spiral-bound, contains over 325 illustrations, and sells for \$34.95.

Mark Merickel's *Stepping into CAD* is a curriculum



The Voice Processor digitally encodes sound and records it on computer disk.

workbook for use as a companion to *Inside Autocad*. It offers students and teachers a step-by-step approach to computer-aided design. This illustrated, 265-page book is spiral-bound and sells for \$24.95.

Martha Lubow's *Working Out with Autocad* is also a companion workbook to *Inside Autocad*. It was written to give the professional CAD user an understanding of CAD drawing strategies and increase his or her operational efficiency. *Working Out with Autocad* is spiral-bound and contains 300 illustrations and 280 pages and sells for \$27.95.

Contact New Riders Publishing, P.O. Box 4846, Thousand Oaks, CA 91360, 818-991-5392.

Circle 557 on Reader Service card.

### Desktop Publishing

The Cybertype Typesetting System offers advanced text manipulation and printing abilities for desktop publishing systems. The program operates from within Microsoft Word to provide sophisticated text-processing functions that let you integrate different typefaces and styles and lay out page formats. Features include multicolumn formatting, proportionally spaced text, centered columns, automatic spelling check, auto-

matic hyphenation, index and table-of-contents extraction, and storing complex formats for future use.

Cybertype uses any of the fonts available for Postscript printers and typesetters and offers many variations of each font. It also prints on Linotronic typesetters with up to 2,540 dots per square inch for true typeset quality. The program can print all graphics and text in any gray level, including white on black (or shaded), and it can scale all text and graphics to print them at any resolution.

The three Cybermerge software packages integrate graphics or halftone images from other software into documents prepared with Cybertype. Cybermerge-Targa uses 512- by 400-pixel images with 256 gray levels captured with a video camera or extracted from other video sources with the AT&T Targa system. Cybermerge-Scanner does the same with images up to 3,300 by 5,100 pixels captured with Data-copy scanners. Cybermerge-HIP inserts graphics from other software into Cybertype text. It translates graphics from any software that drives the Houston Instruments Plotters.

Cybermerge lets you insert up to 10 halftone images and

10 graphic drawings of any size, shape, or rotation on each page of a Cybertype document. You can adjust the contrast, brightness, and number of dots per inch and scale the horizontal and vertical axes to produce pictures of any size or aspect ratio.

The Cybertype and Cybermerge packages are \$495 each. Cybertype requires an IBM PC/XT/AT (or total compatible) with 384K, DOS 2.0 or higher, a Hercules (or compatible) monochrome graphics adapter, at least two floppy drives, and a Postscript-compatible laser printer or typesetter.

Contact Cyber Research Inc., 5 Science Park Center, P.O. Box 9565, New Haven, CT 06536, 203-786-5151.

Circle 553 on Reader Service card.

### Printer Enhancement

AMTWindows is a device driver that translates all text and graphics output from Microsoft Windows software applications into the AMT Office Printer's native text and graphics languages.

AMTWindows provides near-letter-quality, letter-, and draft-quality text; font flexibility; and black-and-white and full-color graphics at resolutions from 60 by 60 to 240 by 240 dots per inch. The driver supports all Windows text attributes, graphic modes, fonts, colors, lines, fills, and patterns. It's available for \$15 from Advanced Matrix Technology Inc., 1157 Tourmaline Drive, Newbury Park, CA 91320, 805-499-8741.

Circle 550 on Reader Service card.

### Menumate Update

Menumate generates source code for use with Dbase III Plus or the Clipper compiler. You can choose from a full range of colors and specify whether you want menus consisting of boxed menu choices or Sidekick-style menus.



Enhancements to the newest version, 3.0, let you pop menus onto the screen and add password protection to any menu. It comes with the assembly object modules for flipping video pages, saving and restoring screens in RAM memory, and hiding the cursor. The documentation includes examples of each function.

Menumate requires 384K and sells for \$39. There are no application royalty charges or copy-protection schemes. A free demonstration version is available; it is identical to the production version, but it will not write any new code to disk.

Contact Victory Computer Systems, P.O. Box 62227, Sunnyvale, CA 94088, 408-730-0384.

Circle 561 on Reader Service card.

### Time Keeper

Computer Communications Specialists' (CCS) Time and Attendance System is a programmable time clock

with menu-driven software.

The software lets your computer collect all employee time-clock transactions and, at the end of the pay period, automatically analyze and summarize each employee's record. This creates an accurate audit trail for each employee's time spent on the job, and the records can be reformatted and transmitted directly to a host-resident payroll system.

The CCS Time and Attendance System can generate work schedules based on customer-defined variables. Supervisors can add factors such as vacation eligibility, job premiums, and sick leave. The system monitors work hours and compares them against scheduled hours, charges departmental transfers to the proper departments, and tracks company and union pay policies to make sure they are both met and applied.

The CCS 700 Terminal

reads bar-coded badges, which you can print on most graphics/dot-matrix printers. It includes a lithium back-up battery that maintains data for up to five years of discontinued power. A sealed, lead-acid battery lets the CCS 700 operate up to 2½ hours after power loss.

The Time and Attendance System sells for \$5,995. Contact Computer Communications Specialists Inc., Peachtree Corners Business Park, 6683 Jimmy Carter Blvd., Norcross, GA 30071, 404-441-3114.

Circle 552 on Reader Service card.

### Checks from Lotus

Checks and Balances runs from within Lotus's 1-2-3 to let you pay bills and write checks. It remembers bills you pay regularly and automatically prints the check for you to sign.

Checks and Balances records your checks in a 1-2-3 file and automatically up-

dates them and balances your checkbook. It also organizes your expenses by type and totals tax deductions. You can arrange your own data tables and calculate special information. Personalized checks are also available.

Checks and Balances costs \$49.95. Contact Rational Designs, 22704 Ventura Blvd., Suite 500, Woodland Hills CA 91364, 401-683-5886.

Circle 560 on Reader Service card.

### Strategy in Space

Star Fleet I is a space-battle simulation in which players begin as rookie cadets in the Star Fleet Officers' Academy and work their way up through the ranks. After graduating from the Academy, players take command of a galactic heavy cruiser and prepare to defend the Alliance. They must rescue captured starbases, capture enemy vessels, lay mine fields, search for intruders, and repair damaged systems.

Circle 202 on Reader Service card.

## SAVE YOUR DATA...AND YOUR MONEY WITH OUR UNINTERRUPTABLE POWER SUPPLY

When the power goes off your data can be lost and that costs you money. Money to pay for the time it takes to find your latest backup (you do have a backup somewhere, don't you?) and money to pay the repairman for that blown hard drive. The SPS-300 provides protection from power outages and most all types of surges and spikes.

Simply plug your computer and display/printer (up to 300 Watts total load) into the SPS-300's two outlets. When power interruptions occur the SPS-300 switches to its own internal batteries allowing uninterrupted use for up to 30 minutes with a 300 Watt load. The operator has enough time to choose between continuing to use the computer or going through an orderly shutdown thereby preserving the work performed prior to the loss of line power. Operation is completely automatic with both audible and visual power failure alarms.

The SPS-300 is compact, maintenance free and can be located in most any out of the way place. Just plug it in and forget it. This heavy-duty unit is ruggedly constructed to give you years of unattended service. Our one year warranty includes both parts and labor. Our low price lets you give your data (and wallet) the protection they have been needing. Call us and we will ship yours right away. Please add \$20 for shipping and handling in the continental US.

### ORDER TOLL-FREE

800-527-0347 800-442-1310

USA Texas  
AEROCOMP 214-637-5400 FAX: 214-337-4981  
Telex: 882761 Dallas, Texas 75376

Prices and specifications subject to change without notice.

© 1986 by Aerocomp. All rights reserved.

2544 West Commerce Street  
P.O. Box 223657  
Dallas, Texas 75212

**AEROCOMP**  
**Clone enol**





Star Fleet I sells for \$49.95 from Electronic Arts, 1820 Gateway Drive, San Mateo, CA 94404, 415-571-7991. Circle 555 on Reader Service card.

## Pop Goes The Desk Utility

Pop-Up Deskset Plus is a set of RAM-resident productivity utilities that you can call up on your screen any time, even while you're working on another program.

Pop-Up Telecommunications lets you connect to a data service while you're within another application and feed text directly from a service to an application program, then return to the application program and remain logged on.

Pop-Up Word with Address Book and Appointment Scheduler is a full-function word processor that lets you cut and paste within or between applications. It also alerts you to a scheduled appointment.



*Datablocks' stackable hardware control blocks connected via the Altair II to PC Link add-on card.*

Standard and Financial Calculators provides you with interest, annuity, and statistical calculations that you can print out. It then feeds the results to an application program.

PopDOS and Pop-Anything DOS Utilities lets you run a program while within another.

Pop-Up Calendar displays

or prints from one to three months at a time and cycles and lists a total of 200 messages.

Pop-Up Alarm Clock sets alarms and displays messages and automatically starts a designated program at a specific time.

Pop-Up Voice automatically dials phone numbers

from your address book.

Pop-Up Deskset Plus sells for \$129.95 and requires one disk drive and 128K. It consumes from 16K to 183K. The Telecommunications utility requires a Hayes or compatible modem.

Contact Popular Programs Inc., 135 Lake St., Suite 210, Kirkland, WA 98033, 206-822-7065.

Circle 559 on Reader Service card.

## Increase Your I/O Ports

The Altair II to PC Link is an add-on card that provides control of real-world devices through Datablocks stackable hardware control blocks. The system adds a single Datablocks PC Expansion Board into the computer and connects to the Altair II Interface Block by cable. You then plug the interface block into other Altair II selected stackable hardware control modules.

A PC Expansion Board supports 256 Altair II input/out-

# MODEL 4P USERS!

## INTRODUCING THE TELETRENDS MODEL TT512P 300/1200 INTERNAL CARD MODEM

### TT512P

**Hayes Compatibility**  
**Adaptive Equalization**  
**High Speed Signal for Use with BBS**  
**Tone and Pulse Dialing**  
**FCC Part 68 and 15 Registration**

**Auto Answer-Dial-Speed Select**  
**Call Progress Messages**  
**Dual RJ11C Modular Telephone Plugs**  
**Full 2 Year Warranty**  
**\$179.95**

### TT512 EXTERNAL STANDALONE

**All the Features of the Model TT512P**  
**Speaker with Volume Control**

**7 LED Indicators**  
**\$199.95**

24 HOUR DATA INFORMATION/ORDER  
(714) 554-7400  
VOICE (714) 554-7401

All Teletrends parts and products  
manufactured in the USA.  
Circle 385 on Reader Service card.




**TELETRENDS  
CORPORATION**

P.O. Box 2198  
Garden Grove, CA 92642


\*Hayes is a trademark of Hayes Microcomputer Products

**Jameco**  
ELECTRONICS

**Mail Order Electronics • Worldwide • Since 1974**
**ZUCKERBOARD**

**20 MegaByte Hard Disk Drive Board for the Tandy 1000 and 1000SX 2 Year Warranty!**


**FEATURES:** A microprocessor-controlled servo mechanism guarantees high performance and maximum reliability • 20 MegaBytes formatted capacity • Compact design • DC power only (+12V and +5V) • Access time: 85ms • Pre-formatted with MSDOS • Uses only 1 slot • 2-year warranty • **Just Plug In and Go!**

<b>T20MB</b>	20 MegaByte Hard Card for TANDY 1000. . . . .	<b>\$579.95</b>
<b>SX20MB</b>	20 MegaByte Hard Card for TANDY 1000SX. . . . .	<b>\$589.95</b>

**ZUCKERBOARD**
**Expansion Memory Half Card and Clock/Calendar for the Tandy 1000**


The Zuckerboard Expansion Memory Board allows you to expand the memory on your Tandy 1000 (128K Version) as much as 640K. 256K DRAM chips increase your computer's memory by either 256K or 512K, bringing your total system memory up to either 384K or 640K. The memory board also includes a DMA controller chip. Optional clock/calendar plugs directly onto the memory board. Manual included. Made in the U.S.A.

<b>TAN-C</b>	Clock/Calendar Option (only). . . . .	<b>\$ 39.95</b>
<b>TAN-EM256K</b>	Includes 256K RAM. . . . .	<b>\$ 99.95</b>
<b>TAN-EM512K</b>	Includes 512K RAM. . . . .	<b>\$129.95 \$119.95</b>

**ZUCKERBOARD Multifunction Board for the Tandy 1000**

**Made in the U.S.A.!**

The Zuckerboard Multifunction Board allows you to expand the memory on your Tandy 1000 (128K Version) to as much as 640K. The Multifunction Board comes complete with an RS232 port, clock/calendar, RAM Disk Printer Spooler and an on-board DMA controller chip. The Zuckerboard Multifunction Board is made in the U.S.A. and comes with a standard 2-year warranty. Manual included.

<b>MTAN-256K</b>	Includes 256K RAM. . . . .	<b>\$179.95</b>
<b>MTAN-512K</b>	Includes 512K RAM. . . . .	<b>\$209.95 \$199.95</b>

**ZUCKERBOARD Expansion Memory Half Card for Tandy 1000SX**

The Zuckerboard Memory Half-Card provides an extra 256K of memory for the Model 1000SX, bringing your 384K Tandy 1000SX to 640K. Optional battery backed 20-year clock/calendar, TAN-C @ \$39.95 (see above). 2-year warranty.

<b>TSX256K</b>	Includes 256K RAM and Manual. . . . .	<b>\$119.95</b>
----------------	---------------------------------------	-----------------

**ZUCKERBOARD Multifunction Board with Clock Calendar for Tandy 1000SX**

The Zuckerboard Multifunction Board provides an extra 256K of memory bringing your 384K Tandy 1000SX to the maximum of 640K. Board comes complete with serial port (expandable to two, see below: TESP \$39.95) and is addressable up to 4 COM. RAM Disk Printer Spooler Software and 20-year battery backed clock/calendar are also included. The Zuckerboard Multifunction Board is made in the U.S.A. and comes with a 2-year warranty.

<b>M256K</b>	Includes 256K RAM and Manual. . . . .	<b>\$189.95</b>
<b>TESP</b>	Second Serial Port for M256K. . . . .	<b>\$ 39.95</b>

**Expansion Memory Secondary Card for Tandy 1000**

This board is designed for use with the Tandy 1000 that already has the DMA function built in or is equipped with an external DMA card.

<b>EMTAN-384K</b>	Includes 384K RAM and Manual. . . . .	<b>\$109.95</b>
-------------------	---------------------------------------	-----------------

**Jameco**  
ELECTRONICS

**E-X-P-A-N-D TRS-80 MEMORY**
**PURPLE COMPUTING**
**TRS-80 MODEL I, III** All kits come with complete documentation



<b>TRS-16K3 200ns (Model III)</b>	(8 ea. 5290N-3 Dynamic RAMs). . .	<b>\$5.95</b>
<b>TRS-16K4 250ns (Model I)</b>	(8 ea. 5290N-4 Dynamic RAMs). . . . .	<b>\$5.49</b>

**TRS-80 COLOR AND COLOR II**

<b>TRS-64K-2</b>	(8 each 4164-200 Dynamic RAMs). . . . .	<b>\$7.95</b>
<b>New Models only —</b>		
<b>TRS-Co-Co</b>	Includes (2) 50464's (41464's) Dynamic RAMs. . . . .	<b>\$10.95</b>

**TRS-80 MODEL 4, 4P AND 4D**

<b>TRS-64K-2</b>	Expands Model 4 from 16K to 64K or Model 4 (Gate Array Version), 4P & 4D from 64K to 128K (8 ea. 4164-200 Dyn. RAMs)	<b>\$7.95</b>
<b>TRS-64K-2PAL</b>	Expands Model 4 (Non-Gate Array Version). . . . .	<b>\$14.95</b>
	from 64K to 128K (8 ea. 4164-200 Dynamic RAMs + PAL Chip)	


**M1008K**

**M200R**
**TRS-80 Model 100 • NEC • Olivetti**

<b>TRS-80 Model 100 8K Expansion — M1008K. . . . .</b>	<b>\$19.95 ea. or 3/\$54.95</b>
<b>TRS-80 Model 102 8K Expansion — M1028K. . . . .</b>	<b>\$9.95</b>
<b>NEC Model PC8201A 8K Expansion — NEC8KR. . . . .</b>	<b>\$19.95 ea. or 3/\$54.95</b>
<b>Olivetti Model M10 8K Expansion — OM108K. . . . .</b>	<b>\$19.95 ea. or 3/\$54.95</b>

**TANDY 200**

<b>Tandy Model 200 24K Expansion — M200R. . . . .</b>	<b>\$59.95 ea. or 2/\$109.95</b>
---	----------------------------------

**\$20 Minimum Order — U.S. Funds Only**  
Shipping: Add 5% plus \$1.50 Insurance

California Residents: Add 6%, 6½% or 7% Sales Tax

Spec. Sheets — 50¢ each  
Prices Subject to Change

Send stamped,  
self-addressed envelope  
to receive a  
Sales Flyer — FREE!


**Jameco**  
ELECTRONICS


Send \$1.00 Postage for a  
FREE  
1987 JAMECO  
CATALOG

4/87

1355 SHOREWAY ROAD, BELMONT, CA 94002 • PHONE ORDERS WELCOME 415-592-8087 Telex: 176043

© 1987 Jameco Electronics



## POWER PROBLEM?



The Solution!

**KALGO** Power Protection Products

TRANSIENT VOLTAGE SURGE SUPPRESSORS  
POWER LINE FILTERS  
STANDBY UNINTERRUPTIBLE POWER SYSTEMS



1-800-524-0400, in PA 215-837-0700

CALL TODAY FOR FREE LITERATURE

Kalgo Electronics Co., Inc.  
6584 Ruch Road  
Bethlehem, PA 18017

DEALER - OEM  
DISTRIBUTOR  
INQUIRIES INVITED

## 9-TRACK 1/2" MAINFRAME TAPE SUBSYSTEM FOR THE IBM PC/XT/AT WITH FREE BACK-UP



# MAG TAPE



- Worldwide data interchange
- Automatic tape loading
- High-speed hard disk back-up FREE
- Dual density at 800 or 1600 BPI
- Allows direct tape access under any language supported by DOS 2.0 (A Telebyte exclusive)

**TELEBYTE** TECHNOLOGY INC. (800) 835-3298  
270 E. Pulaski Road A Public Company  
Greenlawn, NY 11740 TWX 510-226-0449 (516) 423-3232

Circle 152 on Reader Service card.

## NEW PRINTERS ADDED! FIND YOURS BELOW.

Good This Month

## RIBBON SALE

## EXACT REPLACEMENTS

PRINTER MAKE, MODEL NUMBER Contact us if your printer is not listed. We have many more in stock. We can probably RELOAD your old cartridges.	RIBBON SIZE Inches by Yards	NEW CARTRIDGES From the various manufacturers or made in our own shop. Ready to use.	RELOADS You SEND your used CARTRIDGES to us. WE put OUR NEW INSERTS in them.	INSERTS EZ-LOAD™ DROP IN, NO WINDING! EXACT REPLACEMENTS made in our own shop. Cartridges NOT included.
C ITOH Prowriter 1550-8510, NEC 8023-8025, APPLE DMP-IMAGEW	1/2 x 18	\$15/2 \$42/6 \$ 78/12	\$7/1 \$6 ea 2 or more	\$15/3 \$54/12 \$288/72
IBM PROPRINTER (Standard Paper) (4201)	7/16 x 20	\$18/2 \$51/6 \$ 96/12	\$8/1 \$7 ea 2 or more	\$18/3 \$66/12 \$360/72
PC (Standard Paper) (\$152)	1/2 x 20	\$14/2 \$36/6 \$ 66/12	\$7/1 \$6 ea 2 or more	\$15/3 \$54/12 \$288/72
RADIO SHACK-TOSHIBA-COMMODORE-PANASONIC-RICOH				
Carbon Film - DWP 210, DIABLO HYTYPE II Black (1445)	5/16 x 145	\$18/3 \$60/12 \$342/72	\$5 ea 3-11 \$4 ea 12 or more	\$24/6 \$42/12 \$234/72
DW II, DWP 410-510, RICOH 1200-1300-1600 Black (1419)	1/4 x 145	\$18/3 \$60/12 \$342/72	\$5 ea 3-11 \$4 ea 12 or more	\$24/6 \$42/12 \$234/72
Red, Green, Blue, Brown Colors (1419)	1/4 x 130	\$21/3 \$72/12 \$414/72	\$6 ea 3-11 \$5 ea 12 or more	\$30/6 \$54/12 \$234/72
Fabric (Long Life), DWP 210, DIABLO HYTYPE II Black (1458)	5/16 x 17 NOT EZ-LOAD 1/4 x 25	\$18/2 \$51/6 \$ 96/12	\$8/1 \$7 ea 2 or more	\$21/3 \$78/12 \$432/72
DW II, DWP 410-510, RICOH 1200-1300-1600 Black (1449)		\$18/2 \$51/6 \$ 96/12	\$8/1 \$7 ea 2 or more	\$21/3 \$78/12 \$432/72
DMP-100, LP VII, COMMODORE 1525, GORILLA BANANA (1424)	Inker Loop	\$18/2 \$51/6 \$ 96/12		
DMP-200, 120, (430 Inserts & Reloads Only) (1296) (1483)	1/2 x 20	\$20/2 \$57/6 \$108/12	\$7/1 \$6 ea 2 or more	\$15/3 \$54/12 \$288/72
DMP-400-420, LP VI-VIII, PANASONIC KXP-130-1093 (1418)	5/16 x 14	\$15/2 \$42/6 \$ 78/12	\$7/1 \$6 ea 2 or more	\$15/3 \$54/12 \$288/72
DMP-500 (130 Inserts & Reloads Only) (1236) (1482)	1/2 x 20	\$22/2 \$63/6 \$120/12	\$7/1 \$6 ea 2 or more	\$15/3 \$54/12 \$288/72
DMP-2100, TOSHIBA P1340-1350-1351-351 (1442)	1/2 x 20	\$15/2 \$42/6 \$ 78/12	\$7/1 \$6 ea 2 or more	\$15/3 \$54/12 \$288/72
DMP-2200, C ITOH 3500 (1233)	1/2 x 52	\$35 each	\$18/1 \$16 ea 2 or more	\$30/3 \$57/6 \$108/12
LP III-V, CANON A 1200 (New Only) (1/2 x 5) (1414)	1/2 x 15	\$15/2 \$42/6 \$ 78/12	\$7/1 \$6 ea 2 or more	\$15/3 \$54/12 \$288/72
EPSON LQ 1000	1/2 x 18	\$22/2 \$63/6 \$120/12	\$8/1 \$7 ea 2 or more	\$18/3 \$66/12 \$360/72
MX-FX-RX 70-80-85, LX 80-90 (5/16 x 7)	1/2 x 20	\$14/2 \$36/6 \$ 66/12	\$7/1 \$6 ea 2 or more	\$15/3 \$54/12 \$288/72
MX-FX-RX 100-185-286, LQ 800 (1/2 x 18) LQ 1500 (1/2 x 14)	1/2 x 30	\$18/2 \$51/6 \$ 96/12	\$8/1 \$7 ea 2 or more	\$18/3 \$66/12 \$360/72
DX 20-35 Carbon Film (Multistrike), OLIVETTI ET-121-221	5/16 x 290	\$21/3 \$72/12 \$414/72	(Call for Correctable Prices)	
NEC Spinwriter-Carbon Film - 2000-3500 (Reloads BCCOMPCO Only)	5/16 x 145	\$18/3 \$60/12 \$342/72	\$5 ea 3-11 \$4 ea 12 or more	\$24/6 \$42/12 \$234/72
- 5500-7700 (Can Reload Most Types)	NOT EZ-LOAD 1/4 x 145	\$18/3 \$60/12 \$342/72	\$5 ea 3-11 \$4 ea 12 or more	\$24/6 \$42/12 \$234/72
-Fabric - 2000-3500 (Can Reload All)	1/2 x 14	\$18/2 \$51/6 \$ 96/12	\$8/1 \$7 ea 2 or more	\$15/3 \$54/12 \$288/72
- 5500-7700 (Can Reload All)	1/2 x 13	\$15/2 \$42/6 \$ 78/12	\$8/1 \$7 ea 2 or more	\$15/3 \$54/12 \$288/72
Pinwriter P1-P2-P6, P-5 (1/2 x 14) P3-P7	1/2 x 20	\$25/2 \$69/6 \$126/12	\$7/1 \$6 ea 2 or more	\$15/3 \$54/12 \$288/72
	1/2 x 27	\$30/2 \$84/6 \$156/12	\$8/1 \$7 ea 2 or more	\$18/3 \$66/12 \$360/72
OKIDATA Pacemark 2350-2410 Black	1/2 x 100	\$25 each	\$20/1 \$18 ea 2 or more	\$36/3 \$132/12 \$720/72
Microline 182-183-192-193 (Call for 292-293 prices)	Inker Loop	\$20/2 \$57/6 \$108/12		
ML-80-82-83-92-93 (Call for ML-84 Prices)	1/2 x 16	\$21/6 \$36/12 \$198/72		
MANNESMAN-TALLY MT-160, RITEMAN INFORUNNER (Inker Loop)	9mm x 11	\$19/2 \$54/6 \$102/12		
MT-180-290	9mm x 13	\$20/2 \$57/6 \$108/12		
-SPIRIT 80 (SP80) COMMODORE 1526 (Multistrike)	1/2 x 35	\$16/2 \$45/6 \$ 84/12		
PANASONIC KXP-1080-1090-1091-1092-1592-1595	Inker Loop	\$20/2 \$57/6 \$108/12		
BROTHER HR-15-25-35 Carbon Film (Multistrike)	5/16 x 82	\$18/3 \$60/12 \$342/72		
COMREX DX-15, II Fabric (Call for Comrex 420 Prices)	5/16 x 17	\$15/2 \$42/6 \$ 78/12		

SEND CHECK, MONEY ORDER, OR C.O.D. TO:

**BCCOMPCO**  
800 South 17 Box 246  
Summersville, MO 65571 • (417) 932-4196  
WE PAY UPS GROUND SHIPPING ON PREPAID ORDERS.  
PLEASE INCLUDE STREET ADDRESS FOR UPS DELIVERY  
FOREIGN ADD 15% U.S. FUNDS.  
MISSOURI RESIDENTS ADD 5% SALES TAX



*Public  
Domain*

# SOFTWARE CATALOG



**MONTEZUMA  
MICRO**

*1987*



## WHAT IS PUBLIC DOMAIN SOFTWARE?

Public domain software is defined as programs whose authors have released the copyrights to their work so their programs may enjoy the broadest possible distribution to the public. Another form of "public domain" software is called shareware. Shareware, or "user supported" software, is a form of restricted public domain software. The author hopes many people will use the software and he makes an appeal for them to send a "contribution" to him if they like the program. The cost is usually modest and the author will usually, in return, supply the user with complete documentation and support from that point on.

Public domain software is usually written by those far-sighted individuals who wish to share their discoveries with their fellow computerists without pay. That's right, public domain software is free. We charge for the labor of love that goes into collecting, compiling, maintaining and copying the disks. Public domain software can be copied by anyone and freely exchanged without the fear of being labeled a pirate. That's what the original authors had in mind when they released their copyrights to the software. Some truly beneficial and exciting software has become a virtual standard by being placed in the public domain. You will find software of almost every classification and description listed on the following pages. Some are first class works worthy of distribution in retail stores and yet others may take quite a bit of work just to run without crashing. From simple games to a Small C compiler, such is the lot of public domain software. As the old saying goes, "You pays your money and you takes your chances."

## OUR CP/M® and MS-DOS® LIBRARIES

Montezuma's collection of public domain software is made up of programs from the very simple to the very complex that we have found eligible for inclusion in our library. Both CP/M and MS-DOS libraries are offered. The libraries consist of hundreds of disks filled with thousands of programs. These libraries have been compiled from many sources and have been reviewed for the most part by our crack team at our push offices deep in the heart of our luxurious headquarters. We have removed a lot of programs that exist in other public domain libraries for the sole purpose of increasing the number of disks that are available. For example, our team decided not to include the numerous early versions of modern programs that took up enormous amounts of disk space yet were of no particular value as long as the latest version is available. There are a lot of programs duplicated in the various CP/M and MS-DOS collections and we have pruned our library in an attempt to eliminate duplications and multiple versions of the same program. This was done in an attempt to provide selections based on quality rather than quantity.

## THE CP/M LIBRARY

In the beginning there was only one operating system and it was CP/M. Also in the beginning there were only eight inch single density floppy disk drives that had 75 data tracks each with 26 sectors containing 128 bytes of data for a total capacity of 243K. Then somebody figured out that you could stuff more data in the same space using double density and both sides of the diskette. As if the situation wasn't confusing enough, five and one-quarter inch drives were introduced and they slowly choked out their bigger brothers. That was great because the new drives took a lot less space and had lower and simpler power requirements. However, there was a catch. As each manufacturer introduced the new drives to their equipment, they also introduced their own disk format. On one hand it was kind of stupid because it made the interchange of data between different manufacturer's drives almost impossible. On the other hand it allowed people like us to make a little money because we figured out how the disks were constructed and then wrote software to exchange data between the different formats. Still one problem

remains. Five and one-quarter inch diskettes don't hold as much as the eight inch diskettes. This makes it necessary to split some disks up into volumes. You will find some disks with 180K of data on volume 1 and 60K on volume 2. You have to get two disks but they aren't full. Somehow seems as though you are getting cheated, doesn't it? So much for being fair.

Now to the point of all this. Our CP/M library consists of hundreds of disks in the Montezuma Micro Single Side 40tk 220K Super Data Format. You must have Montezuma Micro CP/M 2.2 version 2.30 or later in order to read this high capacity disk format. Those of you who already own Montezuma Micro CP/M can obtain the latest version by following the instructions listed in your owners manual. For those who want a copy of the public domain software on a non-standard format please specify the format and add the appropriate handling charge. See the details on the order blank located on the inside back cover.

A catalog disk is available for those of you who wish more detail about the specific contents of each CP/M library disk than is offered in our listing. The catalog disk, number C000, has a complete listing of the contents of each of the CP/M library disks along with the size of each file. Some of the CP/M library disks have the notation LBR (library) or SQ (squeeze) at the end of their descriptions. Disks with these notations require the LU/NULU program or the USQ/NSWEEP programs in order for the files to be read. Many disks contain a .DOC or a README file describing the programs or operation of the programs contained on the disk. Most BASIC programs that require the use of Microsoft BASIC (MBASIC) are usually indicated by a filename ending in .BAS however there are many versions of BASIC, such as CBASIC, and programs running under a different version of BASIC are usually, but not always, marked to inform you of this requirement. If you need MBASIC, and you already own TRSDOS, you can use Monte's BASCON.

## TRANSFERRING FILES

A word about moving files between CP/M, TRSDOS 1.3/6.x and MS-DOS 1.0 and later. Montezuma's DBLCROSS software included in Monte's Toolkit enables you to freely move files from any one of these formats to any other. You can strip control codes, add or remove linefeeds or do whatever is appropriate to the job at hand with simple menu options. This can be real handy when you want to convert all your Scripsit® files to either CP/M or MS-DOS format so you can use them on another word-processor without retyping them. It also works the other way enabling you to do whatever you want. The same holds true for many data files particularly between CP/M and MS-DOS. While we have taken most of the mystery and almost all of the pain out of moving files between CP/M - TRSDOS and MS-DOS one little fact remains. YOU CANNOT RUN 8-BIT PROGRAMS ON 16-BIT MACHINES. The same is true in reverse. Programs written to run under CP/M will not work on the IBM PC without special equipment on the IBM. Forget about TRSDOS. Don't confuse running PROGRAMS with moving DATA files. The data can be moved and accessed by a 16-bit version of a similar program. For example you can move your CP/M Wordstar files to MS-DOS and access them using IBM Wordstar with no problem. The same is true for most database data. Just remember the data will transfer but the program will not.

## THE MS-DOS LIBRARY

The MS-DOS library consists of many hundreds of disks in double-side 360K format. MS-DOS started out life as version 1.0 with a disk capacity of 320K. Thank goodness someone came to their senses and released version 2.0 which has a 360K capacity. You must have MS-DOS 2.0 or later in order to read this MS-DOS library disk format.

A catalog disk is available for those of you who wish more detail than offered in our listing about the specific contents of each disk. The catalog disk, number M000, has a complete listing of the contents of each of the MS-DOS library disks along with a description of each file.

## USING THE SOFTWARE

Follow the instructions in your DOS for listing the contents of the .DOC, READ.ME, etc. files on your screen or printer. For example, to list the contents of the file GOODTIME.DOC type this example from your keyboard. TYPE GOODTIME.DOC and press the return/enter key. If you would like to print the file on your printer, press the Control key and the P key just before you press the return/enter key. The file will list on the screen as well as on your printer.

## IN CASE OF TROUBLE

We guarantee the disk we send you to be machine readable. In the event something strange happens and your disk is imperfect please call us and we will remedy the problem straight-away. Please keep in mind that we do not guarantee the software contained on the disk to do anything in particular. We did not write the software and are only distributing it to you. Many times the original author will have his name on the disk and some of these persons do not mind talking to users of their work if you can track them down. We are unable to provide assistance of any kind in locating these people. On the other hand, some of them are quite vocal about not wishing to speak with anyone. In those cases user groups or online databases such as Compuserve or the Source may be able to provide assistance. If you find disk number XXX is a big disappointment to you, please do not ask for a refund or an exchange for another disk as neither is possible. All sales are final and we cannot assume any liability for damage of any kind, direct or consequential arising from the use of disks supplied.

We have made every reasonable effort to ensure these libraries contain only public domain software. In the event your copyrighted software is suspected of being a part of our library please write us with full particulars and we will investigate the matter and remove the software from the library if such action is warranted.

## "FREE" FREE SOFTWARE

We always welcome new additions to the CP/M and MS-DOS public domain libraries. We even pay for them, in kind. If you want to place one of your original programs in the public domain just send it to us and enclose a note authorizing its release. We will review it and if it is accepted we will send you a disk of your choice from the same library. Your program should be commented and include the source as well as a .DOC or READ.ME file explaining its operation and purpose.

## HOW TO ORDER

Look over the listings of the CP/M and MS-DOS libraries and make your selections. There are two ways to order. Use the handy order blank on the back cover (please make as many copies as you wish) or call us toll-free. We accept American Express, MasterCard and Visa credit cards. We welcome Cashier's Checks, Money Orders and we will ship COD. COD's require cash or a Cashier's Check on delivery. We welcome your personal or company check and we will ship immediately as long as it is bank imprinted, contains your street address (sorry but no PO Boxes or APO/FPO addresses), a telephone number where you can be reached, and your signature exactly agrees with the bank imprint. Otherwise your check will be held three weeks for clearance purposes. **All sales are made with the understanding that the disks are not returnable or refundable. If you cannot agree to this policy please do not buy from us. We will replace any defective item as long as we are informed by any means within thirty days after receipt of the disk.** We ship by US Mail, UPS ground, second day air, next day air, Federal Express (billed to customer's account only) or most any way you want. We do not ship COD's via air.



**800-527-0347** USA**ORDER NOW...TOLL-FREE****800-442-1310** TEXAS**CP/M® PUBLIC DOMAIN LIBRARY****Montezuma Micro SS 220K Super Data Format***Requires Montezuma Micro CP/M  
version 2.30 or later*

- ☐ C000 CATALOG DISK - DESCRIBES ALL PROGRAMS IN LIBRARY
- ☐ C001 The original ADVENTURE game. Vol. 1 of 2 Database files
- ☐ C002 The original ADVENTURE game. Vol. 2 of 2 FORTRAN source
- ☐ C003 Overflow from disk #C002
- ☐ C004 Utilities: Print allocation map; Sorted DIR; Bad block lockout
- ☐ C005 Overflow from disk #C004
- ☐ C006 6502 Simulator system from Dr. Dobbs October 1980
- ☐ C007 Overflow from disk #C006
- ☐ C008 Public domain version of the UCSD Pascal interpreter system
- ☐ C009 Overflow from disk #C008
- ☐ C010 Utilities: Sorted DIR; File search; Vol. sector display/update
- ☐ C011 Overflow from disk #C010
- ☐ C012 Assorted BASIC games, may need modification; RESOURCE disassembler
- ☐ C013 Overflow from disk #C012
- ☐ C014 An expanded version of the original ADVENTURE game — Data & subroutines
- ☐ C015 Overflow from disk #C014
- ☐ C016 Utilities: File encode/decode; Memory test; Sort variable length records
- ☐ C017 Overflow from disk #C016
- ☐ C018 The Yale catalog of bright stars: Vol. 1 of 8
- ☐ C019 Overflow from disk #C018
- ☐ C020 The Yale catalog of bright stars: Vol. 2 of 8
- ☐ C021 Overflow from disk #C020
- ☐ C022 The Yale catalog of bright stars: Vol. 3 of 8
- ☐ C023 Overflow from disk #C022
- ☐ C024 The Yale catalog of bright stars: Vol. 4 of 8
- ☐ C025 Overflow from disk #C024
- ☐ C026 The Yale catalog of bright stars: Vol. 5 of 8
- ☐ C027 The Yale catalog of bright stars: Vol. 6 of 8
- ☐ C028 Overflow from disk #C027
- ☐ C029 The Yale catalog of bright stars: Vol. 7 of 8
- ☐ C030 Overflow from disk #C029
- ☐ C031 The Yale catalog of bright stars: Vol. 8 of 8
- ☐ C032 Overflow from disk #C031
- ☐ C033 Extensive language analyzer in PL/I with doc & examples
- ☐ C034 Overflow from disk #C033
- ☐ C035 Original PDP-11 code for DUNGEON Vol. 1 of 3
- ☐ C036 Overflow from disk #C035
- ☐ C037 Original PDP-11 code for DUNGEON Vol. 2 of 3
- ☐ C038 Overflow from disk #C037
- ☐ C039 Original PDP-11 code for DUNGEON Vol. 3 of 3
- ☐ C040 Overflow from disk #C039
- ☐ C041 Accounts receivable/payable in PL/I and ASM; Database in PL/I
- ☐ C042 Volume cataloging system
- ☐ C043 Overflow from disk #C042
- ☐ C044 SAM76: An interactive text manipulation language
- ☐ C045 Utilities: File transfer; USER / assist; Remote Bulletin Board System
- ☐ C046 Overflow from disk #C045
- ☐ C047 DIMS: Dan's Information Management System database in BASIC
- ☐ C048 MODEM V7.6, BYE V7.8: Modem programs with source
- ☐ C049 Overflow from disk #C048
- ☐ C050 RESOURCE disassembler V7.3; Small FORTH; FINBAD volume flaw utility
- ☐ C051 Overflow from disk #C050
- ☐ C052 Full screen editor in C — originally developed for H19
- ☐ C053 Overflow from disk #C052
- ☐ C054 ZCPR V1.6: A Z80 replacement for the CP/M CCP (SQ)
- ☐ C055 Overflow from disk #C054
- ☐ C056 Benchmarks in C, Fortran, BASIC; Shell sort; CBASIC2 game
- ☐ C057 Overflow from disk #C056
- ☐ C058 A complete database system in PL/I-80
- ☐ C059 Overflow from disk #C058
- ☐ C060 In Context Editor in PL/I-80; Typing Tutor in BASIC (both for ADM-31)
- ☐ C061 Overflow from disk #C060
- ☐ C062 Remote Bulletin Board System in BASIC and ASM
- ☐ C063 Overflow from disk #C062
- ☐ C064 The FED: CBASIC2 program used by Fed Reserve to test money supply policy
- ☐ C065 Overflow from disk #C064
- ☐ C066 SYSLIB: A library of over 130 M80 ASM subroutines Vol. 1 of 3
- ☐ C067 Overflow from disk #C066
- ☐ C068 SYSLIB: A library of over 130 M80 ASM subroutines Vol. 2 of 3
- ☐ C069 Overflow from disk #C068
- ☐ C070 SYSLIB: A library of over 130 M80 ASM subroutines Vol. 3 of 3
- ☐ C071 Overflow from disk #C070
- ☐ C072 Disassembler for Z80; Translate Intel 8080 code to Zilog Z80
- ☐ C073 Overflow from disk #C072
- ☐ C074 68000 cross assembler; Tiny ADA compiler written for Polymorphic system
- ☐ C075 MODEM V7.98: Modem communications program with source
- ☐ C076 Overflow from disk #C075
- ☐ C077 ZCPR2: Improved CP/M command processor Vol. 1 of 10
- ☐ C078 Overflow from disk #C077
- ☐ C079 ZCPR2: Improved CP/M command processor Vol. 2 of 10
- ☐ C080 Overflow from disk #C079
- ☐ C081 ZCPR2: Improved CP/M command processor Vol. 3 of 10
- ☐ C082 Overflow from disk #C081
- ☐ C083 ZCPR2: Improved CP/M command processor Vol. 4 of 10
- ☐ C084 Overflow from disk #C083
- ☐ C085 ZCPR2: Improved CP/M command processor Vol. 5 of 10
- ☐ C086 Overflow from disk #C085
- ☐ C087 ZCPR2: Improved CP/M command processor Vol. 6 of 10
- ☐ C088 Overflow from disk #C087
- ☐ C089 ZCPR2: Improved CP/M command processor Vol. 7 of 10
- ☐ C090 Overflow from disk #C089
- ☐ C091 ZCPR2: Improved CP/M command processor Vol. 8 of 10
- ☐ C092 Overflow from disk #C091
- ☐ C093 ZCPR2: Improved CP/M command processor Vol. 9 of 10
- ☐ C094 ZCPR2: Improved CP/M command processor Vol. 10 of 10
- ☐ C095 ZCPR2 Update disk
- ☐ C096 Overflow from disk #C095
- ☐ C097 Simple word processor program in ASM with doc & source
- ☐ C098 Overflow from disk #C097
- ☐ C099 A demonstration system for dBASE II
- ☐ C100 Hard vol. backup programs (may be hardware-specific)
- ☐ C101 Remote Bulletin Board System in BASIC (SQ)
- ☐ C102 Overflow from disk #C101
- ☐ C103 KERMIT: Modem communications for CP/M to mainframe, source in C
- ☐ C104 Overflow from disk #C103
- ☐ C105 PISTOL: Portably Implemented Stack Oriented Language similar to FORTH
- ☐ C106 Overflow from disk #C105
- ☐ C107 XLISP: An Experimental LISP compiler in ASM & C
- ☐ C108 Overflow from disk #C107
- ☐ C109 LU, LDIR, LRUIN: Library filing and utility system for LBR files
- ☐ C110 Overflow from disk #C109
- ☐ C111 ZCPR2 Upgrades Vol. 1 of 2
- ☐ C112 Overflow from disk #C111
- ☐ C113 ZCPR2 Upgrades Vol. 2 of 2
- ☐ C114 Overflow from disk #C113
- ☐ C115 ROFF4 V1.50: A text formatting package in C
- ☐ C116 Overflow from disk #C115
- ☐ C117 Utilities: Communications program with XMODEM protocol; DIR sort & pack
- ☐ C118 Overflow from disk #C117
- ☐ C119 Mini Bulletin Board System in BASIC (SQ) from Australia
- ☐ C120 Overflow from disk #C119
- ☐ C121 A complete order and inventory system in dBASE II (LBR)
- ☐ C122 Overflow from disk #C121
- ☐ C123 SIGNON: A system of programs for running an RCP/M bulletin board
- ☐ C124 Overflow from disk #C123
- ☐ C125 Software Tools of Australia Vol. 17 - Programs in C, BAS, ASM
- ☐ C126 Overflow from disk #C125
- ☐ C127 California Energy Commission Building Energy Design Analysis Vol. 1 of 2
- ☐ C128 Overflow from disk #C127
- ☐ C129 California Energy Commission Building Energy Design Analysis Vol. 2 of 2
- ☐ C130 Overflow from disk #C129
- ☐ C131 68000 Cross Assembler from Dr. Dobbs Journal 6800 Cross Assembler
- ☐ C132 Overflow from disk #C131
- ☐ C133 BASIC games extracted from Software Tools of Australia
- ☐ C134 Overflow from disk #C133
- ☐ C135 Depreciation in BASIC; WordStar indexing program in Pascal
- ☐ C136 Overflow from disk #C135
- ☐ C137 Graphing ASM subroutines for MX80; Intel to Zilog source translator
- ☐ C138 Overflow from disk #C137
- ☐ C139 Utilities: Text display; Super DIR; VFILER - Screen-oriented file util.
- ☐ C140 Overflow from disk #C139
- ☐ C141 CITADEL: A complete bulletin board system in C
- ☐ C142 Overflow from disk #C141
- ☐ C143 FORTH-83: Editor, assembler, & documentation
- ☐ C144 Overflow from disk #C143
- ☐ C145 Atlanta Database User Group: Member records & banking systems
- ☐ C146 Overflow from disk #C145
- ☐ C147 Utilities: Extended ERASE; Cross ref from .PRN files (LBR)
- ☐ C148 Overflow from disk #C147
- ☐ C149 Compilers: Concurrent Pascal-S; PL/0 — written in Pascal (not Turbo)
- ☐ C150 Overflow from disk #C149
- ☐ C151 CBASIC Users Group: Assorted programs in CBASIC
- ☐ C152 Overflow from disk #C151
- ☐ C153 Regular Expression Compiler (REC) in ASM Vol. 1 of 4
- ☐ C154 Overflow from disk #C153
- ☐ C155 Regular Expression Compiler (REC) in ASM Vol. 2 of 4
- ☐ C156 Overflow from disk #C155
- ☐ C157 Regular Expression Compiler (REC) in ASM Vol. 3 of 4
- ☐ C158 Overflow from disk #C157
- ☐ C159 Regular Expression Compiler (REC) in ASM Vol. 4 of 4
- ☐ C160 Overflow from disk #C159
- ☐ C161 8080 to 8086 conversion utilities
- ☐ C162 Overflow from disk #C161
- ☐ C163 A/R template for SuperCalc; Bulk ERASE of BAK, HEX, etc.
- ☐ C164 Overflow from disk #C163
- ☐ C165 Programs for BDS C: Functions in ASM; Bulletin Board; CRT I/O (LBR)
- ☐ C166 Overflow from disk #C165
- ☐ C167 C programs: File archiver; Brace matcher; Calls for Artec C; More (LBR)
- ☐ C168 Overflow from disk #C167
- ☐ C169 Utilities: Forth to CP/M screen - file xfer; Synonyms for COM files (LBR)
- ☐ C170 Overflow from disk #C169
- ☐ C171 ZCPR3: Z80 replacement for CP/M command processor Vol. 1 of 9
- ☐ C172 Overflow from disk #C171
- ☐ C173 ZCPR3: Z80 repl. for CP/M command processor Vol. 2 of 9
- ☐ C174 Overflow from disk #C173
- ☐ C175 ZCPR3: Z80 repl. for CP/M command processor Vol. 3 of 9
- ☐ C176 Overflow from disk #C175
- ☐ C177 ZCPR3: Z80 repl. for CP/M command processor Vol. 4 of 9
- ☐ C178 Overflow from disk #C177
- ☐ C179 ZCPR3: Z80 repl. for CP/M command processor Vol. 5 of 9
- ☐ C180 Overflow from disk #C179
- ☐ C181 ZCPR3: Z80 repl. for CP/M command processor Vol. 6 of 9
- ☐ C182 Overflow from disk #C181
- ☐ C183 ZCPR3: Z80 repl. for CP/M command processor Vol. 7 of 9
- ☐ C184 Overflow from disk #C183
- ☐ C185 ZCPR3: Z80 repl. for CP/M command processor Vol. 8 of 9
- ☐ C186 Overflow from disk #C185
- ☐ C187 ZCPR3: Z80 repl. for CP/M command processor Vol. 9 of 9
- ☐ C188 Utilities: Paged file list; MX80; Passwords; Z80 debugger (LBR)
- ☐ C189 Overflow from disk #C188
- ☐ C190 Dot-matrix printer plotting package for C. Itoh, Epson, Okidata
- ☐ C191 Overflow from disk #C190
- ☐ C192 Fluff minimax algorithm Dr. Dobbs 7/84; Simplex algorithm Byte 5/84 (LBR)
- ☐ C193 Overflow from disk #C192
- ☐ C194 Utilities: LBR extract; SUBMIT replacement; Super DIR; DDT improved
- ☐ C195 Overflow from disk #C194
- ☐ C196 Utilities: FIND files; Squeeze/unsqueeze (SQ)
- ☐ C197 Overflow from disk #C196
- ☐ C198 A complete property management package using dBASE II Volume 1 of 2
- ☐ C199 Overflow from disk #C198
- ☐ C200 A complete property management package using dBASE II Volume 2 of 2
- ☐ C201 Overflow from disk #C200
- ☐ C202 Utilities for ZCPR3: DIR sort/pack; Vol. zap; File utility; More (SQ)
- ☐ C203 Overflow from disk #C202
- ☐ C204 Source code for ZCPR3 utilities (SQ)
- ☐ C205 Overflow from disk #C204
- ☐ C206 ZCPR3 macro library for video screen manipulation; Cryptography (LBR)
- ☐ C207 Overflow from disk #C206
- ☐ C208 CP/M-80 to CP/M-86 Xlate; FIND with cross reference capability
- ☐ C209 Overflow from disk #C208
- ☐ C210 Forth 83 system with example, documentation, & utilities
- ☐ C211 Overflow from disk #C210
- ☐ C212 Utilities: Columnar listings; Sort files; TYPE command improved (LBR)
- ☐ C213 Overflow from disk #C212
- ☐ C214 Utilities: ERASE improved; NSWP file handler; improved TYPE (LBR)
- ☐ C215 Overflow from disk #C214
- ☐ C216 Regular Expression Compiler with floating point (LBR)
- ☐ C217 Overflow from disk #C216
- ☐ C218 Regular Expression Compiler without floating point (LBR)
- ☐ C219 Overflow from disk #C218
- ☐ C220 MEX V1.12 modem communications program (SQ)
- ☐ C221 Overflow from disk #C220
- ☐ C222 Assorted overlays for use in constructing MEX system (SQ)
- ☐ C223 Overflow from disk #C222
- ☐ C224 Assorted overlays for use in constructing MEX system (SQ)
- ☐ C225 Overflow from disk #C224
- ☐ C226 Inventory system for dBASE II (LBR)
- ☐ C227 Overflow from disk #C226
- ☐ C228 dBASE patches; Area code lookup; 8080 disassembler; DIR repair
- ☐ C229 Overflow from disk #C228
- ☐ C230 Ron Cain's Small C compiler complete with floating point math package (LBR)
- ☐ C231 Overflow from disk #C230
- ☐ C232 Extra char set for WordStar/FX-80; Scientific font for MX-80
- ☐ C233 Overflow from disk #C232
- ☐ C234 dBASE II programs: Checkbook; Church management; Genealogy
- ☐ C235 Overflow from disk #C234
- ☐ C236 C programs: File append; Flow listing; Editor; FIND; Split files
- ☐ C237 Overflow from disk #C236
- ☐ C238 Databases: Article retrieval; Ref books; Ref material (LBR)
- ☐ C239 Overflow from disk #C238
- ☐ C240 Kermit communications V3.9; Updated 8080 to Z80 source translator
- ☐ C241 Overflow from disk #C240
- ☐ C242 Utilities: C cross ref; Super DIR V7.7; Print utility in C (LBR)
- ☐ C243 Overflow from disk #C242
- ☐ C244 Pilot system in Pascal/Z; Deductive reasoning helps (LBR)
- ☐ C245 Overflow from disk #C244

**800-527-0347** USA**ORDER NOW...TOLL-FREE****800-442-1310** TEXAS



**800-527-0347**

USA

**ORDER NOW...TOLL-FREE****800-442-1310**

TEXAS

- ☐ **C246** Full screen Z80 debugger. Lots of features, documentation (SQ)
- ☐ **C247** Overflow from disk #C246
- ☐ **C248** MEX V1.14: Update to XMODEM & MEX; Turbo Pascal Bulletin Board (LBR)
- ☐ **C249** Overflow from disk #C248
- ☐ **C250** Z80 small Prolog with doc; Z80 screen file manager (LBR)
- ☐ **C251** Package of statistical software: Utilities, game, etc.
- ☐ **C252** Overflow from disk #C251
- ☐ **C253** LINPAK single prec. in C, Pascal; Whetstone benchmarks; Turbo LIFE (LBR)
- ☐ **C254** Overflow from disk #C253
- ☐ **C255** CNVRT prog. language with example to solve mazes (LBR)
- ☐ **C256** Overflow from disk #C255
- ☐ **C257** CNVRT Runtime library; compiler, and help files
- ☐ **C258** Overflow from disk #C257
- ☐ **C259** Source programs in ASM for a variety of CP/M functions
- ☐ **C260** A complete General Ledger system in BASIC
- ☐ **C261** PILOT language interpreter with ASM source & examples
- ☐ **C262** Assorted games in Microsoft BASIC and BASIC-E, forerunner of CBASIC
- ☐ **C263** Z80 assemblers, with source; Simple editor
- ☐ **C264** Overflow from disk #C263
- ☐ **C265** Assorted BASIC games: Biorhythm; Chess; Maze; Star Trek; More
- ☐ **C266** Overflow from disk #C265
- ☐ **C267** CP/M STOIC: A threaded interpretive language like Forth
- ☐ **C268** Overflow from disk #C267
- ☐ **C269** Games in BASIC: Baseball; Civil war; Craps; Swarms; Etc.
- ☐ **C270** Overflow from disk #C269
- ☐ **C271** More BASIC games: Drag race; Football; Hangman; Mastermind; More
- ☐ **C272** Overflow from disk #C271
- ☐ **C273** Simple database system; ALGOLM compiler, a subset of the ALGOL language
- ☐ **C274** Search & Rescue programs in BASIC
- ☐ **C275** Educational programs in CBASIC
- ☐ **C276** Overflow from disk #C275
- ☐ **C277** Utilities: Quick SUBMIT; Vol. catalog; File compare; Checksum
- ☐ **C278** Overflow from disk #C277
- ☐ **C279** Assorted programs for Ham radio in BASIC
- ☐ **C280** Overflow from disk #C279
- ☐ **C281** The Osborne Accounts Receivable & Accounts Payable systems in BASIC
- ☐ **C282** Overflow from disk #C281
- ☐ **C283** The Osborne General Ledger system in BASIC
- ☐ **C284** The Osborne Payroll system in BASIC
- ☐ **C285** Overflow from disk #C284
- ☐ **C286** A complete adventure game in BDS C
- ☐ **C287** Overflow from disk #C286
- ☐ **C288** Another collection of games in BASIC
- ☐ **C289** Overflow from disk #C288
- ☐ **C290** Math package for Microsoft muMATH
- ☐ **C291** Overflow from disk #C290
- ☐ **C292** BusinessMaster II accounting package - Vol. 1 of 5 - Documentation
- ☐ **C293** Overflow from disk #C292
- ☐ **C294** BusinessMaster II accounting package - Vol. 2 of 5 - Initial, Startup
- ☐ **C295** Overflow from disk #C294
- ☐ **C296** BusinessMaster II accounting package - Vol. 3 of 5 - Sample files, Payroll
- ☐ **C297** Overflow from disk #C296
- ☐ **C298** BusinessMaster II accounting package - Vol. 4 of 5 - PO/AP, Order entry/AR

- ☐ **C299** BusinessMaster II accounting package - Vol. 5 of 5 - General ledger
- ☐ **C300** Utilities: Volume catalog & cross reference; ERAse/UNERASE; Vol. ZAP (SQ)
- ☐ **C301** Overflow from disk #C300
- ☐ **C302** More than 50 games in Microsoft BASIC
- ☐ **C303** Overflow from disk #C302
- ☐ **C304** Financial planning in CBASIC; AP & AR in CBASIC; Many BASIC games
- ☐ **C305** Overflow from disk #C304
- ☐ **C306** Original ADVENTURE and other games in BASIC (SQ)
- ☐ **C307** BASIC benchmark; Bibliography in BASIC; Many BASIC games
- ☐ **C308** Cross assemblers for the 6800 and 1802
- ☐ **C309** Utilities: File archive; Bad sector lockout; Help system; More
- ☐ **C310** Overflow from disk #C309
- ☐ **C311** Functions for BDS C: Floating point; Console I/O; Redirected I/O
- ☐ **C312** Assorted programs, functions for BDS C
- ☐ **C313** BDS C programs: Higher math functions; File directory; Floating point
- ☐ **C314** BDS C programs: DIR, Program list; File compression; Word Count program
- ☐ **C315** Overflow from disk #C314
- ☐ **C316** BDS C programs: File concatenation; File compare; Text processor
- ☐ **C317** Overflow from disk #C316
- ☐ **C318** BDS C programs: Benchmark; Curly brace matcher; Modem program
- ☐ **C319** Overflow from disk #C318
- ☐ **C320** BDS C programs: File squeeze/unsqueeze; TYPE for squeezed files
- ☐ **C321** Overflow from disk #C320
- ☐ **C322** Software Tools in RATFOR: Complete package in FORTRAN
- ☐ **C323** BDS C programs: File conversion; Text formatter; Software tools
- ☐ **C324** A large collection of games in BDS C
- ☐ **C325** Overflow from disk #C324
- ☐ **C326** Utilities: Bad sector lockout; Sorted DIR; Z80 disassembler (LBR)
- ☐ **C327** Utilities: Catalog; Simple vol. ZAP; Editor; File printer; BASIC cross reference
- ☐ **C328** Games in BASIC: Wizard's Castle; Eliza; Lost Gold; Zodiac (SQ)
- ☐ **C329** Games in Z80 code, written for Kaypro; Z80 Chess
- ☐ **C330** Printer art: Assorted pictures to print on your printer (SQ)
- ☐ **C331** Games and programs in BASIC -- a mixed bag
- ☐ **C332** BASIC games: DC10; Fireman; Kolossus; Rental property program
- ☐ **C333** Utilities: Fast SUBMIT; File FIND; File FIX; Password
- ☐ **C334** MYSTERY -- a large ADVENTURE type game (LBR)
- ☐ **C335** Utilities: A collection for creation/maintenance of libraries (LBR)
- ☐ **C336** ALGOLM compiler; FORTH interpreter; Ham programs; Key utility (LBR)
- ☐ **C337** Printer Spool & Despool (LBR)
- ☐ **C338** Utilities: Library; Help system; Super DIR; Improved TYPE (LBR)
- ☐ **C339** Ron Cain's Small C; A collection of WordStar notes & utilities (LBR)
- ☐ **C340** Extensive Help system (LBR)
- ☐ **C341** Games developed for the Kaypro 2 -- some video functions may not work
- ☐ **C342** Games developed for the Kaypro 2 -- some video functions may not work
- ☐ **C343** Original ADVENTURE as implemented for the Kaypro 2
- ☐ **C344** Utilities: Super DIR V8.8; TYPEL V3.1 (LBR)
- ☐ **C345** Utilities: Lower to upper case; CP/M POWER; Memory to vol. (LBR)

- ☐ **C346** Z80 assembler system (LBR)
- ☐ **C347** Utilities: String replacement in file; Turbo Pascal cross reference (LBR)
- ☐ **C348** Extensive graphic plotting package for Epson MX-80 (LBR)
- ☐ **C349** WordStar utilities: Footnotes; Document to non-document & back (LBR)
- ☐ **C350** Another comprehensive Help system (LBR)
- ☐ **C351** Utilities: MX-80 setup; Gothic letter banner; Word\* PS on Prowriter (LBR)
- ☐ **C352** HANDY V2.0: A collection of desktop tools in CBASIC (LBR)
- ☐ **C353** Turbo Pascal: Source code from 2 books, Montezuma cursor control (LBR)
- ☐ **C354** MODEM7 version 4: Program, source code, & utilities

### Monte's SELECT Disk #C900: Essential CP/M Utilities

This is a collection of utilities that Monte feels no CP/M user should be without. Each of these programs has been unsqueezed, de-librared, and installed as needed to be usable on your system immediately. Source code is included when available. Here's what you get:

**NSWEEP:** Probably the most-used CP/M program ever written, this handy utility will copy, erase, list, squeeze, and unsqueeze files either singly or in groups. You'll need this program for any public domain disk listed in the catalog with (SQ).

**UNERA:** Have you ever typed "ERA \*.BAS" when you meant to say "ERA \*.BAK"? For those terrifying moments when programs or data disappear right before your eyes you need UNERASE. This program will resurrect the lost file or files with the same amount of ease that it took to ERAse them in the first place.

**FINDBAD:** Now you can recycle all those diskettes you were too cheap to throw away. You know, the ones with one or two bad sectors on them. FINDBAD will scan a disk and put all of the bad sectors into a dummy file so that CP/M won't try to use them.

**NULU:** CP/M isn't all that thrifty with disk space when writing small files. NULU solves that problem by collecting a number of small files into a single library file. Many public domain programs are distributed in libraries. Disks that contain libraries are listed in our public domain catalog with (LBR). You'll need NULU to extract the programs so that they may be used.

### Monte's SELECT Disk #C901 MEX - The Modem Executive

There are a lot of modem programs in the public domain. This is the best one that we've found. On this disk we give you the MEX program (sorry, no source), a user's manual, an online help file, and the source code for the file that we used to tailor it to the Model 4/4P/4D. You'll need NSWEEP for the text files, which had to be squeezed so we could make everything fit.

# CP/M...The Software Key That Unlocks Your Model 4

CP/M is the standard 8-bit Z-80 operating system and many thousands of programs have been written to run under this system. With Montezuma Micro's CP/M you can run these programs on your Model 4/4P. Think about all those nationally known programs you've wanted to use. Programs like WordStar; dBASE II; SuperCalc; MultiPlan etc. With our version of CP/M 2.2 all those public domain programs on bulletin boards across the USA are available for free downloading. CP/M is the missing link that joins all this software to your Model 4/4P. Montezuma Micro's CP/M comes ready to use and requires no hardware modifications. This product has been awarded the best and highest ratings in the reviews and we are continuously improving it with you in mind. With our CP/M you get more than just a DOS. You get the other half of your Model 4/4P.

**AVAILABLE NOW FOR IMMEDIATE SHIPMENT - Less Hard Disk Drive Support..... \$169**  
Optional Hard Disk Drive Support ..... \$ 30

**800-527-0347**

USA

**ORDER NOW...TOLL-FREE****800-442-1310**

TEXAS



**MS-DOS® PUBLIC DOMAIN LIBRARY****MS-DOS DS 360K Disk Format***Requires MS-DOS 2.0 or later*

- ☐ **M000** CATALOG DISK - DESCRIBES ALL DISKS IN LIBRARY
- ☐ **M001** Games in BASIC; Print spoolers/utilities; Structured BASIC translator
- ☐ **M002** Database; Modem program; Financial programs in BASIC; DOS Help system
- ☐ **M003** Various financial programs in BASIC
- ☐ **M004** BASIC listing utility; BASIC cross-reference utility; Math tutor package
- ☐ **M005** Games; Utilities; Cheap Assembler (8086 assembler in BASIC)
- ☐ **M006** Disk speedup utility; Demo games in BASIC; Sound programs in BASIC
- ☐ **M007** StarTrek game; Drawing program; Bar graphs in BASIC; Word processor demo
- ☐ **M008** Games, some in color & using joysticks
- ☐ **M009** IQ builder series; Drawing programs; Music; Disk I/O for IBM Pascal
- ☐ **M010** Games; Package for bowling league secretary
- ☐ **M011** Games; Book indexing system in Pascal; Directory utility; File squeezer
- ☐ **M012** Graphic demo of sort; Disk Zap in BASIC; Text file formatter & utilities
- ☐ **M013** Assorted utilities: Directory, Batch file mgr., Screen
- ☐ **M014** Games; Drawing program; Keyboard utilities; Mini word processor
- ☐ **M015** Assorted Pascal utilities; Programmer's calculator; Batch language proc.
- ☐ **M016** Poor man's Flight Simulator; Stock market analysis; Communication util.
- ☐ **M017** Kermit Communications system - Disk 1 of 2: Program & source code
- ☐ **M018** Kermit Communication System - Disk 2 of 2: Documentation
- ☐ **M019** Various games in BASIC; Children's word processing system
- ☐ **M020** Games; various programs in BASIC; Hebrew character set system
- ☐ **M021** RUNOFF text formatter (in C); Many small utilities
- ☐ **M022** Many games & utilities; XMODEM communications program (ASM)
- ☐ **M023** Games; Text file utility; BASIC variable lister; History education prog.
- ☐ **M024** Text processing tools: Sort, Find, Change, Compare, etc.
- ☐ **M025** Print utilities; Keyboard template maker; Non-linear growth projection
- ☐ **M026** DESKTOP - A Lotus 1-2-3 worksheet implements some functions of a desktop
- ☐ **M027** Assorted games and utilities
- ☐ **M028** WordFlex Word processor V 1.34; DiskCat - a disk cataloging system
- ☐ **M029** Color graphics editing program; Games; PC Professor (BASIC tutorial)
- ☐ **M030** Three dimensional graphics; Modem communications program
- ☐ **M031** Pascal utilities demo
- ☐ **M032** Forms manager demo; Graphics; Printer art; Games & music
- ☐ **M033** Assorted utilities; Communications programs; PC music software
- ☐ **M034** Batch file utilities; Games; Screen & Epson printer utilities
- ☐ **M035** Assorted utilities in C and BASIC; Visicalc templates for taxes, etc.
- ☐ **M036** Assorted utilities; Adventure & other games
- ☐ **M037** Music & picture programs; Disassembler for 8086; BASIC conversion aids
- ☐ **M038** Ladybug game in a form of Logo; Form letters for business use
- ☐ **M039** Information and instructions for The Source; Assorted financial programs
- ☐ **M040** Source & CompuServe access numbers; Info about CompuServe IBM SIG
- ☐ **M041** Games with music & graphics; Diskette cataloging system
- ☐ **M042** dBASE II Ad agency accounting package; Home financial package
- ☐ **M043** CompuServe sampler - Instructions & information about various services
- ☐ **M044** APL programs (IBM APL req.); Assembler utilities, macros; Assorted stuff
- ☐ **M045** Utilities: Filters, printer setup, filing, text, memory, calculator
- ☐ **M046** Screen management; File compare; Keyboard redef.; Assembly lang. tutorial
- ☐ **M047** Utilities - keyboard & file compress; Pictures; ABC database system
- ☐ **M048** MicroGourmet - a dBASE II system dealing with foods
- ☐ **M049** DOS Menu & security package; Financial programs
- ☐ **M050** PC-Chess game; PC-DIAL modem communications program
- ☐ **M051** LETUS A-B-C Disk #1: PC-FILE III database of magazine articles
- ☐ **M052** LETUS A-B-C Disk #2: PC-FILE III database of magazine articles
- ☐ **M053** LETUS A-B-C Disk #3: PC-FILE III database of magazine articles
- ☐ **M054** HOST-III Public bulletin board package to set up your PC as a BBS
- ☐ **M055** dBASE II form letters, mailing labels, library, utilities; Easywrite WP
- ☐ **M056** Pascal tools Disk 1 of 3 - Adapted from "Software tools in Pascal"

- ☐ **M057** Pascal tools Disk 2 of 3 - Adapted from "Software tools in Pascal"
- ☐ **M058** Pascal tools Disk 3 of 3 - Adapted from "Software tools in Pascal"
- ☐ **M059** Essential utilities - Unerase, Disk Zap, Disk format
- ☐ **M060** Lisp interpreter; Find utility; 8087 macros; Library utility
- ☐ **M061** PC-Picture color graphics package; Extensive HANGMAN game
- ☐ **M062** Screen editor in C; C utilities with source; Keyboard utilities
- ☐ **M063** Assorted utilities (some exotic); 8087 software; file squeeze/unsqueeze
- ☐ **M064** Utilities for screen, dialing; Budget-Taskplan-Loan package
- ☐ **M065** Utilities - BASIC programming aid; DOS functions in BASIC
- ☐ **M066** Utilities - File compare, etc.; Program to maintain list of references
- ☐ **M067** Assorted file squeeze programs; Complete bulletin board system
- ☐ **M068** Simple Database System; C program to generate dBASE II screens
- ☐ **M069** XLisp interpreter written in C, with source, Math & statistics (BASIC)
- ☐ **M070** Finance manager; Printer art
- ☐ **M071** IBM Users Group newsletter #1; Personal Finance Manager package
- ☐ **M072** IBM Users Group Newsletter #2; IBM Macro Assembler tutorial
- ☐ **M073** IBM Users Group Newsletter #3; Assorted C utilities with source
- ☐ **M074** PC Firing Line & PC Underground #1 - Newsletters with some programs
- ☐ **M075** PC Firing Line Issue 2 Volume 1 - ADA reviews, DOS tutorial
- ☐ **M076** PC Firing Line Issue 2 Volume 2 - Forth compiler (Doc in Volume 1)
- ☐ **M077** Structured BASIC preprocessor; Personal General Ledger
- ☐ **M078** Music & Educational programs; Mailing list; dBASE III household inventory
- ☐ **M079** Spreadsheets: FREECALC V 1.00, PC-PAD V 1.3, MINICALC
- ☐ **M080** Assorted games and a few utilities
- ☐ **M081** Mixed bag of games: Civil War, Adventure, Baseball, Robot fight
- ☐ **M082** Arcade games, chess, StarTrek, etc.; Diskette utilities
- ☐ **M083** Pizza recipes, Check register system; Simple file manager systems
- ☐ **M084** Assorted DOS utilities, sorted directory, file squeeze/unsqueeze
- ☐ **M085** Data communications software & files; WordStar print for Epson FX
- ☐ **M086** Text editors; Pharmacist's program for IV electrolytes; Will prog. for CA
- ☐ **M087** Editor; Graphics software; WordStar convert; Financial software
- ☐ **M088** Health & risk appraisal program converted from Center for Disease Control
- ☐ **M089** ROFF Text processor (C); Integral calc (C & Pascal); Graph & sketch
- ☐ **M090** Utilities: Directory compare, rename, copy, delete; StarTrek w/ graphics
- ☐ **M091** Adventure game; RAM disk; Communications programs from MIT
- ☐ **M092** PC-CALC spreadsheet by the author of PC-FILE
- ☐ **M093** IBM Users Group Newsletter #4; Copy & delete utilities in Pascal
- ☐ **M094** Scott Adams Adventure; Games; Various DOS utilities
- ☐ **M095** BASIC programming aids; Sort; File compare; Lotus 1-2-3 templates/tools
- ☐ **M096** Games: Arcade & adventure; Address manager
- ☐ **M097** Speed reading demo; Adventure game compiler system
- ☐ **M098** Complete RBBS bulletin board system - more files on disk #191
- ☐ **M099** Database of Steel Volume 1 of 4: Spreadsheet, database, expert system
- ☐ **M100** Database of Steel Volume 2 of 4: Others on M140 & M141
- ☐ **M101** Directory lister; File dump; Turbo Pascal utilities; Screen print
- ☐ **M102** MapMaker: Program & data for Florida; PC-Font - Print special characters
- ☐ **M103** Utilities package for Prowriter printer; Improved disk copy utility
- ☐ **M104** NEC 8023A Utilities; Assorted games
- ☐ **M105** Utility programs with ASM and Pascal source; PC-CALC - small spreadsheet
- ☐ **M106** Games: Funnels & Buckets, Air Traffic Control; Printer utilities
- ☐ **M107** Data encryption system; Mini word processor; Math functions
- ☐ **M108** Fully interactive statistics package: Eriter, manage, analyze data
- ☐ **M109** Database system; Stock charting system
- ☐ **M110** Parts inventory control; BASIC development system for IBM, Compaq BASIC
- ☐ **M111** Complete General Ledger system for the PC
- ☐ **M112** Sprite generation; Unprotect info; Slide generation software
- ☐ **M113** Extensive genealogy system; Math complex function & others for Pascal
- ☐ **M114** Educational games; Data communications software
- ☐ **M115** Commodities trading system; A collection of the better utility programs
- ☐ **M116** Uta-Utility & Ultra-Mind (Intelligent database); Tax record keeping
- ☐ **M117** Complete business database system
- ☐ **M118** Educational programs for Math, Science, Finance
- ☐ **M119** Menu driven directory; Checkbook manager; Printer control; File finder
- ☐ **M120** Menu driven label producer; Program to determine phase, position of moon

- ☐ **M121** Assorted utilities; EAMON - fantasy, role-playing game
- ☐ **M122** Assorted utilities; Very good trivia game
- ☐ **M123** A fine D & D type adventure game written in C
- ☐ **M124** Extensive game disk, many in BASIC
- ☐ **M125** Personal datebook; Mailing list; File management
- ☐ **M126** Golf score analysis program; Trivia and other games in BASIC
- ☐ **M127** Laxon & Perry Forth: Disk 1 of 2
- ☐ **M128** Laxon & Perry Forth: Disk 2 of 2
- ☐ **M129** Mixed graphic & printer utilities; Utilities for EAMON game on disk #129
- ☐ **M130** Data from National Assessment of Education Prog. Int. Rel. System
- ☐ **M131** Database of Steel Volume 3 of 4: Spreadsheet, database, expert system
- ☐ **M132** Database of Steel Volume 4 of 4: Others on M104 & M105
- ☐ **M133** Collection of files and routines written in Turbo Pascal for the IBM-PC.
- ☐ **M134** SpaceWar game for color or Hercules graphics & other games
- ☐ **M135** A collection of some of the better games in the Public Domain
- ☐ **M136** PC Chess manager; Printer and font control; BASIC subroutine package
- ☐ **M137** List files on printer in columnar format
- ☐ **M138** File finder utility; Batch file extensions; Block print
- ☐ **M139** Pianoman - Playing, recording, editing music with many songs included
- ☐ **M140** Bibliography of various PC magazines
- ☐ **M141** Bibliography of 1800 recipes in women's magazines. Lotus 1-2-3 or dBASE
- ☐ **M142** Checkbook distribution program; Forecast/analyze costs of home ownership
- ☐ **M143** Utilities for file manipulation; Golf scorecard system
- ☐ **M144** Utilities: Label maker, Disk Zap and others
- ☐ **M145** High speed routines for screen I/O in BASIC
- ☐ **M146** Emulator which makes PC function like VT102 or VT100 terminal
- ☐ **M147** AdventureWare: Five text adventure games from mystery to horror film
- ☐ **M148** A prime collection of colorful arcade games
- ☐ **M149** EDIT V1.11 - A general purpose text editor and word processing program
- ☐ **M150** Pascal simulations; Adventure game in BASIC; Utilities for hackers
- ☐ **M151** Simple utilities; StarTrek game; Assorted tidbits
- ☐ **M152** Operating hints, tech notes, utilities, and templates for use with 1-2-3
- ☐ **M153** Assorted worksheets for use with 1-2-3: Amortization, depreciation, etc.
- ☐ **M154** Lotus 1-2-3 demo, tech notes, and worksheets
- ☐ **M155** Lotus 1-2-3 macro library and worksheets
- ☐ **M156** Symphony worksheets: Name & address notebook, appointment calendar, etc.
- ☐ **M157** Symphony worksheets; PC-STOCK finance program; PC-GL double entry acctg.
- ☐ **M158** Assembly language mystery disk - good for learning more about ASM
- ☐ **M159** Assembly language mysteries - mixed programs, try to figure them out
- ☐ **M160** Database of nearly 2,000 movies on videotape; Assorted BASIC games
- ☐ **M161** Program to design display screens to be called from BASIC, ASM, etc.
- ☐ **M162** Assorted business programs: Depreciation, calculator, project mgr., more
- ☐ **M163** Source programs in C: GREP, LUMP, XENIX Disk I/O
- ☐ **M164** Assorted C subroutines: Pascal programs for scientists & engineers
- ☐ **M165** Popular communications utilities; The Creator, a database management sys.
- ☐ **M166** Database programs: labels, schedules, etc.; Loan amort. & prospect list
- ☐ **M167** dBASE II programs: examples & collection of utilities (dBASE II required)
- ☐ **M168** Utilities: Find files, DOS shells, disk catalog, and much more
- ☐ **M169** Tutorial on IBM PC keyboard and a typewriter program
- ☐ **M170** Home applications: Currency exchange, Alarm clock, Area code finder, more
- ☐ **M171** Music utility in BASIC; Turbo Pascal graphic and window routines
- ☐ **M172** Programs for stock tracking and analysis
- ☐ **M173** Turbo Pascal programs: Hi-res graphics, calculator, tools, more
- ☐ **M174** Programs for PC user logging, timekeeping, job starting and ending
- ☐ **M175** Assorted Epson printer utilities
- ☐ **M176** Uniforth sampler: Assembler, editor, floating point, Forth-83 standard
- ☐ **M177** General ledger, check register, and two mailing list programs
- ☐ **M178** Kinetics Linear Programming System V 1.9
- ☐ **M179** The renowned FIDO Bulletin Board System
- ☐ **M180** Disk 2 of the RBBS system - first disk is #103
- ☐ **M181** ABC Design Disk 1 of 2: Design character graphics and edit color images
- ☐ **M182** ABC Design Disk 2 of 2: Documentation for disk #192
- ☐ **M183** Menu driven communications package
- ☐ **M184** Forms driven database management system with mailmerge capabilities



**800-527-0347** USA**ORDER NOW...TOLL-FREE****800-442-1310** TEXAS

- ☐ **M196** Programs and subroutines in C; Database of PC articles from 2nd qtr '84
- ☐ **M197** Programs for screen drawing, graphics printing, and slide show capability
- ☐ **M198** Demo files for disk #197
- ☐ **M199** Complete paint program for medium and high resolution graphics
- ☐ **M200** PC-FOIL: Generate & edit displays that combine words with diagrams
- ☐ **M201** LETUS A-B-C #4: Database of magazine articles about PC from 1st qtr '84
- ☐ **M202** LETUS A-B-C #5: Database of articles from 2nd qtr '84 about PC
- ☐ **M203** Turbo tools: A collection of handy tools for use with Turbo Pascal
- ☐ **M204** Forth interpreters: Three different versions for beginner or hacker
- ☐ **M205** Assorted Pascal programs for use with Turbo Pascal
- ☐ **M206** Games for PC Jr.
- ☐ **M207** PC-ZAP: Dump, verify, replace file data; NMR spectroscopy & statistics
- ☐ **M208** Replacement for IBM PC console software — faster screen I/O, ANSI codes
- ☐ **M209** BASIC cross reference utility
- ☐ **M210** Stock portfolio system demo; File conversion, copy, delete utilities
- ☐ **M211** Family history tracking system in BASIC
- ☐ **M212** Terminal simulation package — makes PC look like H-P terminal to Unix
- ☐ **M213** PC-INPUT: Screen generation program for use with BASIC
- ☐ **M214** Incomplete set of "Software Tools in Pascal" for Turbo Pascal
- ☐ **M215** Collection of Turbo Pascal routines: Asynch communication, Lister, etc.
- ☐ **M216** Basic programming aid: Structure & documentation aids, POKEs, PEEKs, more
- ☐ **M217** A collection of handy DOS programs and utilities to improve your system
- ☐ **M218** Turbo Pascal utilities: Very large collection
- ☐ **M220** Collection of printer utilities for some of the popular printers
- ☐ **M221** Word processing utilities: Screen editor, spelling checker, word count
- ☐ **M222** A collection of patches and utilities for the WordStar user
- ☐ **M224** BASIC aids: Useful programmer's utilities and tiny BASIC programs
- ☐ **M226** Text file condensation utility: Removes blanks, blank lines, etc.
- ☐ **M227** Phrase guessing game somewhat like "Wheel of Fortune" on TV
- ☐ **M228** Banner printing program that makes long, large-letter banners on printer
- ☐ **M229** Keep in Touch: Networking tool; Printer utilities for popular models
- ☐ **M230** Home budget template for Lotus 1-2-3
- ☐ **M231** Good selection of Educational, Adventure, and Arcade games
- ☐ **M232** Library of compiled Pascal routines for use with IBM Pascal
- ☐ **M233** Checkbook management system: Very complete, essentially a check register
- ☐ **M234** Home inventory system; Tektronix 4010 terminal emulator (text/graphics)
- ☐ **M235** PDS\*BASE Hierarchical database system: Series of BASIC program generators
- ☐ **M236** Checkbook system: Programs for maintenance of bank account records
- ☐ **M237** Expert System Inference Engine: Artificial Intelligence shell
- ☐ **M238** A User-friendly personal and/or business address book program
- ☐ **M239** PC Cross assembler for IBM 370: Assemble and run 370 programs on PC
- ☐ **M240** An educational package: Tutorials on use of IBM PC and DOS
- ☐ **M241** EZ-FORMS: Form generating program
- ☐ **M243** A variety of BASIC financial programs and 1-2-3 worksheet templates
- ☐ **M244** An educational game for teaching secondary school chemical valences
- ☐ **M246** SNOCREST BASIC: A BASIC interpreter made for multiusers
- ☐ **M247** Printer utilities: Banners, Sideways, Spoolers, Graphic dumps, etc.
- ☐ **M248** Desk-top utilities, similar to SideKick; Recipe filing, dBASE II Rolodex
- ☐ **M249** DOS Utilities to enhance and simplify MS/PC-DOS system command structure
- ☐ **M250** A gold mine of information about running copy-protected s/w on hard disk
- ☐ **M251** A small, easy to use editor for letters, word processing review
- ☐ **M252** ROFF text processing system in C with source code
- ☐ **M253** PROLOG Vers. 1.7: Artificial intelligence system
- ☐ **M254** PC-GRAPH: Create plots from database and report files from PC-FILE
- ☐ **M255** Public domain version of QPARSER: limited parsing rules, no sample tables
- ☐ **M256** Assorted file handling utilities, some new, some old
- ☐ **M257** A collection of DOS tools and aids
- ☐ **M259** Complete Project Management system using Critical Path Method
- ☐ **M260** P-Code compiler for an extended subset of Pascal, written in Turbo Pascal
- ☐ **M261** Turbo Pascal routines: Joystick & mouse I/O, Communications, Menus
- ☐ **M262** Turbo Pascal routines: String manipulation, Music, Directory, etc.
- ☐ **M263** A collection of C language routines to help a programmer learn C
- ☐ **M264** Complete spreadsheet/database/graphics/word proc — Disk 1 of 3
- ☐ **M265** Complete spreadsheet/database/graphics/word proc — Disk 2 of 3
- ☐ **M266** Complete spreadsheet/database/graphics/word proc — Disk 3 of 3
- ☐ **M267** Kermit communications system with ASM modules — Disk 1 of 2
- ☐ **M268** Kermit communications system with ASM modules — Disk 2 of 2
- ☐ **M269** Turbo Pascal routines for statistics, trig, and utilities
- ☐ **M270** Ham Radio Disk 1 of 2: Morse code, antenna design, find satellites, etc.
- ☐ **M271** Ham Radio Disk 2 of 2: Coil inductance, satellite tracking, etc.
- ☐ **M272** Communication programs: Xmodem protocol, terminal emulation, etc.
- ☐ **M273** Mixture of BASIC & Pascal programs: Amortization, Restaurant billing
- ☐ **M274** A tutorial on structured programming concepts & tool for program design
- ☐ **M275** T-scores educational grading system
- ☐ **M276** PC Calculator: Function key redefine; Menu; Alarm clock
- ☐ **M277** Willy the Worm and other games; Various utilities
- ☐ **M278** Zork tools and adventure games
- ☐ **M279** Aid for pilots in plotting flight plan data; Locate stars & planets
- ☐ **M280** Assorted games, medium to high quality, most require color graphics
- ☐ **M281** Generic adventure game
- ☐ **M283** BASIC program lister; Epson utilities; Rational BASIC (RATBAS); Adventure
- ☐ **M284** Assorted BASIC games, many requiring color graphics board
- ☐ **M285** 8087 demo programs; Miscellaneous BASIC programs, many utilities
- ☐ **M286** Various applications: Critical path, Mail list, Prog. compression, music
- ☐ **M287** Various BASIC utilities; IBM Keyboard drill system
- ☐ **M288** Modern7 modern program; Utilities; REMarks compression
- ☐ **M289** Editor; Simple word proc.; Educational drills
- ☐ **M290** Galaxy Trek game; RAM Disk; Sort directory
- ☐ **M291** Order entry/inventory system - requires dBASE II
- ☐ **M293** Asynchronous communications; PC-FILE II Database program
- ☐ **M294** Utilities: Software encipherment; Screen control; Graphics; Sorted DIR
- ☐ **M295** Portfolio valuation system; Graphics; Hi-res screen print; Print spooler
- ☐ **M296** Freecalc — a public domain spreadsheet program
- ☐ **M297** Utilities: Keyboard, Screen, Printer, TYPE, Sideways print, Big print
- ☐ **M298** PC-Dial modem program
- ☐ **M299** FIG-Forth Disk 1 of 2
- ☐ **M300** FIG-Forth Disk 2 of 2
- ☐ **M301** Utilities package for use with Lotus 1-2-3
- ☐ **M302** Ultra-Utility, File library system; Squeeze and Unsqueeze files
- ☐ **M304** EPSTAT V3.0 statistical package
- ☐ **M305** Assorted games in BASIC
- ☐ **M306** BATCH utility: Vol name change; VT100 emulator; POKE/PEEK data for IBM
- ☐ **M307** Assorted Lotus 1-2-3 templates; Programmer's calculator; Typing practice
- ☐ **M308** Home finances; Text editor; Program optimizer for BASIC; DOS Utilities
- ☐ **M309** Micro Accounting; Mailmen programs; Task planning program; Reminder
- ☐ **M310** Utilities: Area code; Banner; Keyboard; Word count; Find sub-directories
- ☐ **M311** File manager; General ledger for small business; COMFAX justify program
- ☐ **M312** DOS Menu program; Disassembler; Utilities
- ☐ **M313** Virtual Teaching Language interpreter
- ☐ **M314** Disk file cataloging system
- ☐ **M315** Encipherment system for use with PC-DOS
- ☐ **M316** Encipherment system for use with MS-DOS
- ☐ **M317** A large package of tips, notes, and techniques for using the IBM PC
- ☐ **M318** Property management system — requires dBASE II
- ☐ **M319** Modern7 modern program in FORTRAN
- ☐ **M320** Multi-function utility; Experimental LISP; Text analysis
- ☐ **M321** Utilities: Library Update; Poor man's mouse; Talking PC; DOS Help
- ☐ **M323** Finance manager system; Personal notebook
- ☐ **M324** An extensive set of power worksheets for the Lotus 1-2-3 user
- ☐ **M325** GLUDRAW — an extensive line drawing system with pictures
- ☐ **M326** Mail merge package for MultiMate; Check balancing system
- ☐ **M327** Family tree utility; Banner printing utility
- ☐ **M328** Desk copy utility; Small spreadsheet; Global PATH; Directory utility
- ☐ **M329** Super-Trek: StarTrek converted from 370 Disk 1 of 3
- ☐ **M330** Super-Trek: StarTrek converted from 370 Disk 2 of 3
- ☐ **M331** Super-Trek: StarTrek converted from 370 Disk 3 of 3
- ☐ **M332** Utilities: Programmer's calculator; DOS 2 Help; dBASE II Mailing list
- ☐ **M333** Word processor for kids; Checkbook ledger; File listing utility
- ☐ **M334** FIDO Bulletin Board System V10.0 Disk 1 of 2
- ☐ **M335** FIDO Bulletin Board System V10.0 Disk 2 of 2
- ☐ **M336** U.S. Census Utility County and City Databook Disk 1 of 2
- ☐ **M337** U.S. Census Utility County and City Databook Disk 2 of 2
- ☐ **M338** Assorted games — color graphics may be required for some
- ☐ **M339** Games in Pascal; 3D graphics system
- ☐ **M340** Assorted utilities: Backup; Library update; Pop-up window; RAM disk
- ☐ **M341** Assorted utilities: Disk utility; Unix terminal; Library utilities; dBASE
- ☐ **M342** Utilities: Extended DIR; dBASE phone directory; Time keeping; BATCH langua
- ☐ **M343** Utilities: ASCII to 1-2-3; File attribute; DOS Help; Turbo Pascal Help
- ☐ **M344** Utilities: Amortization; BASIC Menu; Function keys; Clock pop-up
- ☐ **M345** Time & Money V1.1B: A financial management system
- ☐ **M346** Screenwriter formatting program; PC Calculator V1.0
- ☐ **M347** Programs: Genealogy; Church (dBASE); Checkbook (dBASE)
- ☐ **M348** Key utility; System reset; Kermit communications package V2.27 (LBR)
- ☐ **M349** Investment record system; Checkbook reconciliation; Menu generator
- ☐ **M350** Symphony applications: Medical worksheets; Banking worksheets
- ☐ **M351** Lotus graphics printer library; Symphony insurance worksheet library
- ☐ **M352** Lotus 1-2-3 macro worksheets; Macro conversion aid
- ☐ **M353** 3x5 Information Management system — a database organized like 3x5 cards
- ☐ **M354** File Express V2.95 Information management Disk 1 of 2
- ☐ **M355** File Express V2.95 Information management Disk 2 of 2
- ☐ **M356** PC-DBMS V1.0: Database management system
- ☐ **M357** Origami - the art of Japanese paper folding (Programs in BASIC)
- ☐ **M358** PC Personal Management Systems: Deskmate V1.0, Partner V1.1
- ☐ **M360** PC Magazine's Laboratory Benchmark Series #1 — Benchmark programs
- ☐ **M361** PAMCHECK: Personal Accounts Manager V1.1 Disk 1 of 2
- ☐ **M362** PAMCHECK: Personal Accounts Manager V1.1 Disk 2 of 2
- ☐ **M363** Utilities: Archive; File encryption; File management; Disk cataloging; Mor
- ☐ **M364** PC-TALK III v2.6; Terminal emulator; Modem program
- ☐ **M365** Utilities: Scientific calculator; File encryption; Clock/calendar; More
- ☐ **M366** Hints, Tips, & Notes: Lotus 1-2-3; dBASE III; Macro ASM; Multimate; Turbo
- ☐ **M367** Experimental LISP (XLISP) V1.5
- ☐ **M368** A potpourri of games, some with graphics, some without
- ☐ **M369** Potomac Pacific Engineering Spreadsheet/database/expert system Disk 1 of 2
- ☐ **M370** Potomac Pacific Engineering Spreadsheet/database/expert system Disk 2 of 2
- ☐ **M371** Flow System organizer: Interpretive & interactive Pascal
- ☐ **M372** Confidant V2.0 file encryption system; Symphony macro conversion aid
- ☐ **M373** A collection of graphic and non-graphic games
- ☐ **M374** Small Database (SDB) V2.0; Ron Cain's Small C:PC V1.1
- ☐ **M375** Remote Bulletin Board System V12.5b (Requires ARC archive utility)
- ☐ **M376** Analytical integrated spreadsheet Disk 1 of 2
- ☐ **M377** Analytical integrated spreadsheet Disk 2 of 2
- ☐ **M378** Genealogy on Display V3.1 by Melvin Duke
- ☐ **M379** FANSI-CONSOLE V1.11.13: A Fast ANSI console driver for the IBM PC
- ☐ **M380** Text editor; DOS help system; Personal typing instructor; Memory display
- ☐ **M381** Program for simple algebra (Requires 8087 math processor)
- ☐ **M382** PC-Write word processor V2.55
- ☐ **M383** pBASE V1.02 database management system; PC recipe filing system
- ☐ **M384** LEARN V0.6: creates CAI courses; MAILMAN V2.0 mailing list manager
- ☐ **M385** PIBTERM V3.0 modem communications program
- ☐ **M386** ESCRENS: Utility for easy creation of interactive color graphic screens
- ☐ **M387** Utilities: Fast format; dBASE II screen generator; Color paint; File handi
- ☐ **M388** Multi-font printer support package: Epson, Okidata, C. Itoh
- ☐ **M389** The EXPERT Knowledge Based System; Church Management System
- ☐ **M390** Letter writer V2.0 address book; Multi-tasking DOS facility; Disk repair
- ☐ **M391** Cavequest - a D & D type game; Naval War Simulator
- ☐ **M392** PC Magazine's Laboratory Benchmark Series #2 - Benchmark programs
- ☐ **M394** Freeword word processor; Cut & Paste utility; Resident notepad
- ☐ **M395** Public Domain PROLOG system V1.8 with samples
- ☐ **M396** Z80 CP/M 2.2 Emulation package
- ☐ **M398** QMODEM V1.13 modem communications program; Tutorial on NEC V-20 chip
- ☐ **M399** Utilities from PC Magazine; Still River Shell: Easy DOS Interface
- ☐ **M400** 1986 Income Tax software
- ☐ **M401** One hour adventure games; Othello game; RPN calculator program

**800-527-0347** USA**ORDER NOW...TOLL-FREE****800-442-1310** TEXAS



800-527-0347

USA

ORDER NOW...TOLL-FREE

800-442-1310

TEXAS

- ☐ **M402** Bible trivia game with questions from the scriptures.
- ☐ **M403** PC-Calc, the well-known spreadsheet program.
- ☐ **M404** DANAL, an analysis tool for mathematically plotting various data.
- ☐ **M405** Disk 1 of 2, Corbin Handbook of Bullet Swaging, for gun buffs.
- ☐ **M406** Disk 2 of 2, Corbin Handbook of Bullet Swaging, for gun buffs.
- ☐ **M407** Foreign language tutorial for Fr., Span., Ger., Ital., & Hebrew.
- ☐ **M408** BlackBeard, a text editor suited for programmer's code editing.
- ☐ **M409** Assortment of text utilities.
- ☐ **M410** Polymath, a language similar to Fort.
- ☐ **M411** Disk 1 of 5, DREAM, a relational database program from PC-System.
- ☐ **M412** Disk 2 of 5, DREAM, a relational database system from PC-System.
- ☐ **M413** Disk 3 of 5, DREAM, a relational database system from PC-System.
- ☐ **M414** Disk 4 of 5, DREAM, a relational database system from PC-System.
- ☐ **M415** Disk 5 of 5, DREAM, a relational database system, from PC-System.
- ☐ **M416** Introduction to BASIC programming plus some BASIC games.
- ☐ **M417** TSHALL, a visual DOS shell for the PC.
- ☐ **M418** Nuclear Magnetic Resonance analysis program.
- ☐ **M419** Turbo Pascal tools for windows & more.
- ☐ **M420** Lotus Symphony worksheets for banking, insurance, & medical app.
- ☐ **M421** Tips on using Lotus SYMPHONY, macros, & more.
- ☐ **M422** Assorted worksheets for Lotus 123.
- ☐ **M423** The Whiterock Alternative, user-friendly front end for Lotus 123.
- ☐ **M424** Wordworker: Cross-reference for the New Testament, Disk 1 of 2.
- ☐ **M425** Wordworker: Cross-reference for the New Testament, Disk 2 of 2.
- ☐ **M426** Disk 1 of 2, Pascal tutorial.
- ☐ **M427** Disk 2 of 2, Pascal tutorial.
- ☐ **M428** Disk 1 of 2, C language tutorial.
- ☐ **M429** Disk 2 of 2, C language tutorial.
- ☐ **M430** XASM, a macro configured cross-assembler for various 8 bit chips.
- ☐ **M431** Utilities, some in Pascal, with source code.
- ☐ **M432** PC-CODE3 & 4, an analysis program for checking & encoding files.
- ☐ **M433** Various utilities for use with Lotus 1-2-3 (ARC).
- ☐ **M434** DND, a fantasy role game in the spirit of Dungeons & Dragons.
- ☐ **M435** A comprehensive surveying package with full documentation.
- ☐ **M436** PC-Payroll, a complete menu-driven payroll system.
- ☐ **M437** PC-HAM, various Amateur Radio database programs.
- ☐ **M438** Disk 1 of 2, PC-Accounting, general purpose business program.
- ☐ **M439** Disk 2 of 2, PC-Accounting, general purpose business system.
- ☐ **M440** Pinball, a selection of three games for the addict.
- ☐ **M441** A collection of FORTRAN and Assembly programs.
- ☐ **M442** Disk 1 of 2, Linear equation package in FORTRAN source code.
- ☐ **M443** Disk 2 of 2, Linear equation package in FORTRAN source code.
- ☐ **M444** An assortment of mathematical FORTRAN sub-programs.
- ☐ **M445** PC-SELL, a retail store point-of-sale pgm., requires BASRUN.EXE.
- ☐ **M446** Assorted utilities, some neat ones here.
- ☐ **M447** Hints & Tools for various commercial adventure games.
- ☐ **M448** A collection of astronomy programs.
- ☐ **M449** DBS-KAT, disk cataloging pgm. for hard-disk users.
- ☐ **M450** An assortment of useful utility programs, with source code.
- ☐ **M451** Disk 1 of 2, a collection of powerful utilities.
- ☐ **M452** Disk 2 of 2, a collection of powerful utilities.
- ☐ **M453** PDSQuote, prepares quotations based on user prepared databases.
- ☐ **M454** Alan's Editor and Calc, a nice text editor and a spreadsheet.
- ☐ **M455** FreeWord, menu-driven word processor with lots of features.
- ☐ **M456** Disk 1 of 2, sophisticated word processing package.
- ☐ **M457** Disk 2 of 2, sophisticated word processing package.
- ☐ **M458** B-Window, BASIC windowing, and C-Window, windows for the C prgrmr.
- ☐ **M459** WSMX80, utility to enhance the use of Epson ptrs. with Wordstar.
- ☐ **M460** Disk 1 of 2, ExpressCalc, easy-to-use spreadsheet program.
- ☐ **M461** Disk 2 of 2, ExpressCalc, easy-to-use spreadsheet program.
- ☐ **M462** SIDEWRITER, will output to printer sideways on paper.
- ☐ **M463** Instant Recall, memory-resident database program.
- ☐ **M464** FREEFILE, relational database system with on-line help.
- ☐ **M465** Disk 1 of 2, BUDGETRAK, an encumbrance accounting package.
- ☐ **M466** Disk 2 of 2, BUDGETRAK, an encumbrance accounting package.
- ☐ **M467** Expert System, an artificial intelligence type program.
- ☐ **M468** IMAGEPRINT, makes high quality characters on Epson/IBM printers.
- ☐ **M469** Disk 1 of 2, Draftsman, produces graphs, etc. from data files.
- ☐ **M470** Disk 2 of 2, Draftsman, produces graphs, etc. from data files.
- ☐ **M471** BMenu, a menu development program for building command menus.
- ☐ **M472** Programs, etc. from the book "The Complete Turbo Pascal".
- ☐ **M473** Turbo Sprites, series of prgms. for animation in Turbo Pascal.
- ☐ **M474** Visible-Pascal, a Pascal compiler for teaching and learning.
- ☐ **M475** Disk 1 of 2, PC-SIZE and PC-MULTI, statistical tools.
- ☐ **M476** Disk 2 of 2, STAT-SAK and PC-PITMAN, statistical tools.
- ☐ **M477** PC-SPRINT, instructions on how to build speed-up for IBM XT/AT.
- ☐ **M478** PC-STYLE, analyzes text files for style and readability.
- ☐ **M479** Assorted utilities, mailist, file examination, memory partition.
- ☐ **M480** Reliance Mailing List, great for small businesses, churches, etc.
- ☐ **M481** Disk 1 of 2, SALESEYE, sales lead processor, with tutorial.
- ☐ **M482** Disk 2 of 2, SALESEYE, sales lead processor, with tutorial.
- ☐ **M483** SOFT-TOUCH, memory resident utility for programming keys.
- ☐ **M484** ProComm, communications program with several terminal emulations.
- ☐ **M485** DOSamatic, utility to allow task switching between several prgms.
- ☐ **M486** NUTRIENT, BASIC program to analyze nutritional value of diet.
- ☐ **M487** CRYPTANALYSIS, decodes ciphers and secretly coded messages.
- ☐ **M488** PC-OUTLINE, allows re-arrangement of items in an outline.
- ☐ **M489** ENCODE/DECODE, maintains integrity of files sent by elec. mail.
- ☐ **M490** MAIL MONSTER, well documented mailing label manager.
- ☐ **M491** Graphics Font Design, makes fonts to be loaded into Turbo Pascal.
- ☐ **M492** Icon Maker & FX Matrix, makes your own characters for Epson ptr.
- ☐ **M493** TELISOLAR, an energy analysis program for the average homeowner.
- ☐ **M494** Reflex Point, BASIC freedom fighter against evil invaders game.
- ☐ **M495** LIGHTYEAR, designed to assist in optimizing & improving business.
- ☐ **M496** Utility assortment of particular use to the hard drive owner.
- ☐ **M497** Three word programs that are a lot of fun.
- ☐ **M498** A great selection of seven games, all time favorites.
- ☐ **M499** Monopoly P.C. (game) & Trivia Tune (plays music, you guess title).
- ☐ **M500** Disk 1 of 2, Trivia Towers, a trivia type game for 2 to 4 people.
- ☐ **M501** Disk 2 of 2, Trivia Towers, a trivia type game for 2 to 4 people.
- ☐ **M502** Business Bookkeeping program, with documentation.
- ☐ **M503** PRESENT, a slide presentation program for your computer.
- ☐ **M505** Disk 2 of 2, MR. BILL, generates invoices & bills, very flexible.
- ☐ **M506** Disk 1 of 3, CPA-LEDGER, accounting software in BASIC.
- ☐ **M507** Disk 2 of 3, CPA-LEDGER, accounting software in BASIC.
- ☐ **M508** Disk 3 of 3, CPA-LEDGER, accounting software in BASIC.
- ☐ **M509** FAMILY TIES, a genealogy program for organizing your roots.
- ☐ **M510** pBASE, a programmable relational database management system.
- ☐ **M511** Disk 1 of 2, CK SYSTEM, a program to track income and expenses.
- ☐ **M512** Disk 2 of 2, CK SYSTEM, a program to track income and expenses.
- ☐ **M513** Farm Management tools in BASIC.
- ☐ **M514** Disk 1 of 2, Agricultural programs for the farmer.
- ☐ **M515** Disk 2 of 2, Agricultural programs for the farmer.
- ☐ **M516** GAMES, a collection of very good arcade type computer games.
- ☐ **M517** Another selection of GAMES for the game addicts out there.
- ☐ **M518** Eight more GAMES for hours of fun and frivolity.
- ☐ **M519** AUTOMENU, easy menu system, & DISK SPOOL, spools ptr. to disk.
- ☐ **M520** PACKDISK, NEW YORK ADVENTURE, and MANAGING MONEY WITH IBM PC.
- ☐ **M521** ORACLE, for Tarot & I-Ching cards, plus MakeMyDay, time management.
- ☐ **M522** HOTBOOT & INSULTS, practical joke prgms., plus PC-DIAL for PC-jr.
- ☐ **M523** PC-ART, color drawing prgm., plus HDML, a DOS shell.
- ☐ **M524** DISK TOOL, file utility prgm., plus LANDING PARTY, adventure game.
- ☐ **M525** VCR Base, HOROSCOPE, COMPUTER DATA SECURITY, and JESUS SAYS.
- ☐ **M526** PC-MONEY, personal financial prgm., plus Polyglot & Letterfall.
- ☐ **M527** MAX, powerful text editor like EMACS.
- ☐ **M528** PC-PROMPT, DOS extension prgm., plus Building Life Cost prgm.
- ☐ **M529** PC-STOCK, stock tracking prgm., plus PC-TICKLE, appointment prgm.
- ☐ **M530** PC-TYPE wordprocessor, plus PC-LOG and WAGNER UTILITIES.
- ☐ **M531** CAPITAL MASTER Disk 1 of 4: A Business Accounting Evaluation Demo.
- ☐ **M532** CAPITAL MASTER Disk 2 of 4: A Business Accounting Evaluation Demo.
- ☐ **M533** CAPITAL MASTER Disk 3 of 4: A Business Accounting Evaluation Demo.
- ☐ **M534** CAPITAL MASTER Disk 4 of 4: A Business Accounting Evaluation Demo.

## NON-STANDARD CP/M DISK FORMATS

SS = Single Side — DS = Double Side — SD = Single Density — DD = Double Density — Add \$2 per disk

- ☐ Access Matrix (40T, SS, DD, 171K)
- ☐ Access Matrix (40T, DS, DD, 350K)
- ☐ Acorn (80T, SS, DD, 392K)
- ☐ Adler Textriter Series III (40T, SS, DD, 160K)
- ☐ Altertext Diskreader (40T, SS, DD, 144K)
- ☐ Ampro Little Board (40T, SS, DD, 190K)
- ☐ Ampro Little Board (40T, DS, DD, 390K)
- ☐ AOS/VT Basic 4 S-10 (80T, DS, DD, 626K)
- ☐ Archives Model III (80T, DS, DD, 790K)
- ☐ ATR-8000 512 byte sector (40T, SS, DD, 190K)
- ☐ ATR-8000 1024 byte sector (40T, SS, DD, 190K)
- ☐ Aust. Comp. & Telecomm. (40T, SS, DD, 171K)
- ☐ AVATAR TC1 Terminal Converter (40T, SS, DD, 184K)
- ☐ AVATAR TC1 Terminal Converter (40T, DS, DD, 384K)
- ☐ BMC #800/20 (40T, DS, DD, 384K)
- ☐ California Computer Systems (40T, DS, DD, 332K)
- ☐ Cifer 2683 (40T, DS, DD, 384K)
- ☐ Compustar Model 30 (35T, DS, DD, 340K)
- ☐ Computer Operation NCHQ (40T, SS, DD, 82K)
- ☐ Cromemco Z-2 (40T, SS, DD, 82K)
- ☐ Cromemco Z-2 (40T, SS, DD, 190K)
- ☐ DEC Rainbow 100e (80T, SS, DD, 390K)
- ☐ DEC RX50K (80T, SS, DD, 390K)
- ☐ DEC VT-180 (40T, SS, DD, 171K)
- ☐ Digital Research 8" CP/M Standard (77T, SS, DD, 243K)
- ☐ Digital Research 8" CP/M Standard (77T, DS, DD, 988K)
- ☐ Eagle (80T, SS, DD, 195K)
- ☐ Eagle (80T, DS, DD, 790K)
- ☐ ECB Bus (80T, DS, DD, 760K)
- ☐ Epson QX-10 (40T, DS, DD, 380K)
- ☐ Epson QX-10 MF (40T, DS, DD, 280K)
- ☐ Hewlett-Packard HP-125 (40T, DS, DD, 252K)
- ☐ Hewlett-Packard HP-87XM (35T, DS, DD, 244K)
- ☐ Holmes Engineering VIB80 (40T, SS, DD, 195K)
- ☐ Hurricane Labs Inc. Compactor I & II (40T, SS, DD, 190K)
- ☐ IBM PC using CP/M 86 (40T, SS, DD, 156K)
- ☐ IBM PC using CP/M 86 (40T, DS, DD, 316K)
- ☐ Intertec Superbrain (35T, SS, DD, 164K)
- ☐ Intertec Superbrain (35T, DS, DD, 340K)
- ☐ Kaypro 2 (40T, SS, DD, 195K)
- ☐ Kaypro 2X, 4, & 10 (40T, DS, DD, 392K)
- ☐ Lifeboat TRS-80 Mod 1 (40T, SS, DD, 72K)
- ☐ LNW Research LNW80 (40T, SS, DD, 166K)
- ☐ Lobo MAX-80 (40T, SS, DD, 166K)
- ☐ Lobo MAX-80 (40T, DS, DD, 346K)
- ☐ Lobo MAX-80 CP/M 3.0 (40T, SS, DD, 185K)
- ☐ Lobo MAX-80 CP/M 3.0 (40T, DS, DD, 384K)
- ☐ Memory Merchant Shuffle Board (40T, SS, DD, 190K)
- ☐ Micro-Abacus (80T, DS, DD, 624K)
- ☐ Monroe OC 8820 (40T, DS, DD, 308K)
- ☐ Monroe OC 8820 (80T, SS, DD, 308K)
- ☐ Morrow Micro Decision (40T, SS, DD, 190K)
- ☐ Morrow Micro Decision MD3 (40T, DS, DD, 390K)
- ☐ NCR Decision Mate V (40T, US, DD, 308K)
- ☐ NEC PC-8001A (40T, SS, DD, 148K)
- ☐ Octagon 8/16 CP/M-86 (40T, SS, DD, 156K)
- ☐ Octagon 8/16 CP/M-86 (40T, DS, DD, 316K)
- ☐ Omikron Mapper I, Model 1 & 3 (40T, SS, DD, 83K)
- ☐ Omikron Mapper II (40T, SS, DD, 134K)
- ☐ Omikron Mapper III (40T, SS, DD, 190K)
- ☐ Osborne 1 (40T, SS, DD, 90K)
- ☐ Osborne Executive (40T, SS, DD, 185K)
- ☐ Otrona 816A (40T, DS, DD, 364K)
- ☐ Otrona 816A (80T, DS, DD, 774K)
- ☐ Radio Shack TRS-80 Model 4 CP/M Plus (40T, SS, DD, 156K)
- ☐ Sanyo (40T, DS, DD, 312K)
- ☐ Sanyo MBC-1200/1250 (80T, DS, DD, 624K)
- ☐ Sperry UTS-30 (80T, DS, DD, 710K)
- ☐ Tecron TEF System 10 (80T, DS, DD, 790K)
- ☐ Tektronics 4170 CP/M 86 (40T, DS, DD, 316K)
- ☐ Teletex Systemmaster (80T, SS, DD, 72K)
- ☐ Teletex Systemmaster (40T, SS, DD, 144K)
- ☐ Televideo 802 (40T, DS, DD, 342K)
- ☐ Toshiba T-100 (40T, DS, DD, 256K)
- ☐ Video Genie III (80T, DS, DD, 692K)
- ☐ Visual 1050 (80T, SS, DD, 390K)
- ☐ Xerox 820-1 (40T, SS, DD, 82K)
- ☐ Xerox 820-2 (40T, SS, DD, 157K)
- ☐ XOR S100-4 (40T, SS, DD, 185K)
- ☐ Zenith H89 (40T, SS, DD, 94K)
- ☐ Zenith H89/H90 (40T, SS, DD, 152K)
- ☐ Zenith H90 (80T, DS, DD, 632K)
- ☐ Zenith Z100 (40T, SS, DD, 152K)
- ☐ Zenith Z100 (40T, DS, DD, 312K)
- ☐ Zorba GC200 (40T, DS, DD, 390K)

If you need a disk format not listed give us a call.



REMOVE HERE 

Dear Monte,

PLEASE MAKE COPIES OF THIS FORM

Please rush me all the disks I have listed on the form. I have very thoughtfully typed or printed all the information you requested so you will not have any trouble reading it. You promise to handle my order with great care and send the disks to me as soon as possible. I know you appreciate my business and you will jump on this order like a dog on a bone.

Thank you,

Signature: \_\_\_\_\_

Circle method of payment: **AMX MC VISA CHECK M.O. COD**

Credit Card #: \_\_\_\_\_

Expiration Date: \_\_\_\_\_

Write disk selections below

_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

NAME: \_\_\_\_\_

SHIP TO ADDRESS: \_\_\_\_\_


CITY: \_\_\_\_\_

STATE - ZIP: \_\_\_\_\_

DAY &amp; NITE TEL: \_\_\_\_\_

Name of Issuing Bank: \_\_\_\_\_

City and State: \_\_\_\_\_

Mail To: **Montezuma Micro**  
 **P.O. Box 224767**  
**Dallas, Texas 75222-4767**

**Telephone: 214-631-7900**  
**Facsimile: 214-634-8303**

Total number of disks ordered \_\_\_\_\_ × \$6 \$ \_\_\_\_\_

Charge for non-std format. \$2 × number of disks: \$ \_\_\_\_\_

If shipped to a Texas address add 7.25% Sales tax: \$ \_\_\_\_\_

**MONTE PAYS THE POSTAGE IN THE USA & CANADA**

(Elsewhere add \$0.50 per disk)

TOTAL AMOUNT (enclosed or charged to my card): \$ \_\_\_\_\_


PLEASE MAKE COPIES OF THIS FORM

THANK YOU

**800-527-0347 ORDER NOW . . . TOLL-FREE 800-527-0347**REMOVE HERE 

**MONTEZUMA**  
**MICRO**

P.O. Box 224767  
 Dallas, Texas 75222-4767

REMOVE HERE 

## NEW PRODUCTS

output (I/O) ports, and the Link address decoder recognizes up to eight separate expansion cards. This expands the addressable I/O space to let you use Link with other expansion devices without address interference.

The Altair II to PC Link operates with all PC software that allows control of the PC I/O ports. It sells for \$187 from Datablocks Inc., P.O. Box 579, Snowhill Road, Glenwood, GA 30428, 912-568-7101.

Circle 554 on Reader Service card.

### 3 1/2-Inch Floppy Drives

The Manzana MDQ host-powered, external, 3 1/2-inch floppy-disk-drive system lets you tie several different brands of MS-DOS computer together and read and write to most 3 1/2-inch MS-DOS formats. The system gives you access to the new 720K, 3 1/2-inch technology. For computers without an external drive port, Manzana provides a multiplexor adapter card that intercepts the signal and power from the controller drive card and sends it to the MDQ drive.

The MDQ sells for \$395 with the multiplexor adapter or \$355 without it. Contact Manzana Microsystems Inc., 7334 Hollister Ave., Suite B, Goleta, CA 93117, 805-968-1387.

Circle 556 on Reader Service card.

### Real Estate Investment Help

BNA Software, a division of the Bureau of National Affairs, has released version 86.1 of the BNA Real Estate Investment Spreadsheet, which incorporates all related provisions of the Tax Reform Act of 1986. The program can help you decide whether to buy, sell, or hold real estate investments, stocks, bonds, and small businesses. It can analyze alternative financing arrangements, income streams, or methods of depreciation.

The BNA Real Estate Investment Spreadsheet automatically handles the important new tax calculations such as the passive loss and credit limitations, 27.5-

year and 31.5-year depreciation, and the special gains and losses under the alternative minimum tax.

The BNA Real Estate Investment Spreadsheet sells for \$595, which includes six months of free updates, toll-free technical assistance, a quarterly newsletter, and a comprehensive manual and tutorial. Contact BNA Software, 2300 M St. NW, Suite 660, Washington, DC 20037, 202-452-4453.

Circle 551 on Reader Service card.

## TRS-80

### LDOS Upgrade

The LDOS 5.3 Upgrade Kit makes your Model III or 4 (in III mode) more compatible with LS-DOS 6.3. LDOS 5.3 now supports dates through 1999 for time stamping of files and adds 117 on-line help screens for DOS and Basic, a full-screen text editor, and Forms and Setcom commands for changing printer-filter and RS-232-driver parameters. The improved Basic supports an Input@ for screen-fielded input as well as single-line Copy and Move editing operations.

New features also include paged displays for List, DOS commands from LCOMM, directory display of terminate and stay-resident modules for Memory, and a flexible drive-swap facility for System.

The Upgrade Kit comes with a new system disk and documentation of the new features. It sells for \$24.95 from Misosys Inc., 1 Tyler Lane, P.O. Box 239, Sterling, VA 22170-0239, 703-450-4181.

Circle 563 on Reader Service card.

### Two for Education

Gamco Industries Inc. has released two programs for the Model III and 4 that should help in the classroom. Test Generator lets teachers enter up to 500 questions and then use them to design tests. Questions can be fill in the blank, matching, multiple choice, true/false, and short answer/essay. You can enter them according to classifica-

Circle 358 on Reader Service card.

## PC - SPRINT 1000

### SPEED FOR THE T1000!

PC-Sprint 1000 is the latest product from Exec-PC, the PC speedup specialists. Our newest product is designed exclusively for the Tandy® 1000. Why buy a faster PC when you can run your T1000 at 7.38 megahertz?

- Run your T1000 at 7.38 mhz.
- 280% speedup (Norton SI rating)
- Speeds up all software — you can see the difference
- "Slotless" plug-in installation
- External speed switch
- Change speed "on the fly"
- Includes two microprocessors, select the one best for your installation.

**\$99.95**

Includes: PC-Sprint circuit card, NEC V20 and 8088-2 microprocessors, cables, instructions, warranty, tool, remote mount switch, free BBS subscription.

**Exec-PC, Inc.** P.O. BOX 11268  
Shorewood, WI 53211  
ORDER HOTLINE (414) 242-2173 ORDER BY MODEM (414) 964-5160



Circle 186 on Reader Service card.

## PROfix \* IV™ RESTRUCTURE & TRANSFER UTILITY

NEW! For PROFILE® 4 PLUS Model 4 — TRSDOS® 6.2 NEW!

49.95  
For PROFILE® III PLUS Model III/4 ALSO For PROFILE® PLUS Model II/12  
LDOS® or TRSDOS® 1.3 \$89.95  
\$49.95

PROfix allows you to reorganize your data base TO MEET TODAY'S NEEDS, and then moves ALL or SELECTED fields and/or records of existing data into your new file structure.

### \*\*\* FEATURES \*\*\*

- WORKS WITH HARD DISK OR FLOPPY
- CREATE ENTIRELY NEW FILES — selected fields, records
- PROVIDES ARCHIVING — hard disk to floppy
- RE-ARRANGE FIELDS — even across segments
- DROP OR ADD FIELDS
- SHORTEN YOUR FILE — drop unused expansion records
- CHANGE FIELD LENGTHS — R/L justify data
- CHANGE NUMBER OF SEGMENTS
- CREATE SORTED FILE — drop deleted fields
- LITERAL INSERTION — specified fields
- COMPLETE USER MANUAL — with examples

### TO ORDER:

Send \$49.95 (Model III/4) or \$89.95 (Model II/12)  
Plus \$2.50 for Handling and Postage  
Check, M.O., VISA/MC or COD  
(for charge card, give expiration date, number)

-To- **BLUE RIDGE SOFTWARE**

230 Chesterfield Road  
Lynchburg, VA 24502

For phone orders or more information

Call (804) 239-0574

\$1.00 off on phone orders!

Virginia residents add 4% sales tax

Most orders filled within 24 hours

(allow 2 weeks for checks to clear)

PLEASE SPECIFY VERSION

Profile, TRSDOS are registered trademarks of Tandy Corp.


LDOS is a registered trademark of Logical Systems, Inc.







## ELECTRONICS



256K MOD 1000 EX 1 DR.....	529.00	10 MEG HARD DISK.....	499.00
384K MOD 1000 SX 2 DR.....	779.00	10 MEG BACK UP.....	1529.00
512K MOD 3000 HL 1 DR.....	1139.00	20 + 20 MEG B/U.....	2339.00
512K MOD 3000 1 DR.....	1629.00	20 MEG HARD CARD.....	569.00
512K MOD 3000 20 MEG 1 DR.....	2479.00	35 MEG HD PRIMARY.....	2049.00
640K MOD 3000 40 MEG 1 DR.....	2929.00	35 MEG HD SECOND.....	1829.00
512K MOD 6000 15 MEG 1 DR.....	2629.00	70 MEG HD PRIMARY.....	2679.00
24K MOD 102 PORTABLE.....	369.00	70 MEG HD SECOND.....	2239.00
24K MOD 200 PORTABLE.....	599.00	3 1/2 DRIVE MOD 102.....	149.00
32K MOD 600 PORTABLE.....	1149.00	3 1/2 DRIVE MOD 1000.....	225.00
64K MOD 4D 2 DR.....	839.00	5 1/2 DRIVE MOD 1000.....	170.00
VM-4 MONO MONITOR.....	94.00	360K DRIVE MOD 3000.....	135.00
VM-3 MONO MONITOR.....	155.00	1.2M DRIVE MOD 3000.....	209.00
VM-1 MONO MONITOR.....	149.00	128K COCO 3.....	159.00
CM-1 COLOR MONITOR.....	399.00	PRINTER SWITCH.....	80.00
CM-5 COLOR MONITOR.....	219.00	PRINTER CONTROLLER.....	179.00
CM-11 COLOR MONITOR.....	319.00	8 COLOR PLOTTER.....	569.00
DMP 105 PRINTER.....	145.00	STANDBY POWER.....	439.00
DMP 130 PRINTER.....	249.00	300/1200 MODEM BRD.....	155.00
DMP 430 PRINTER.....	479.00	CELLULAR PHONE.....	929.00
DMP 2110 PRINTER.....	889.00	SATELLITE ANTENNA.....	1519.00
DMP 2200 PRINTER.....	1149.00	ROBIE SR ROBOT.....	139.00
DWP 220 DAISY WHEEL.....	319.00	TRACTOR DWP 220.....	79.00
DWP 230 DAISY WHEEL.....	299.00	TRACTOR DWP 230.....	80.00
DWP 510 DAISY WHEEL.....	549.00	TRACTOR DWP 510.....	159.00
DWP 520 DAISY WHEEL.....	689.00	TRACTOR DWP 520.....	109.00

**100% RS COMPONENTS NO FOREIGN DRIVES OR MEMORY FULL WARRANTY**

**ALL RS SOFTWARE 20% OFF CATALOG PRICE**

**CASHIERS CHECK OR MONEY ORDER MUST ACCOMPANY ALL ORDERS**

# **(817) 825-4027**

**NOCONA ELECTRONICS • BOX 593 • NOCONA, TX 76255**

tions such as chapter, skill, or subject.

To design a test, you can choose specific questions or ask the computer to randomly select them. You can mix question types and classifications, and you can edit and print tests and questions.

Test Generator sells for \$49.95, or \$64.95 with back-up disk.

Main Idea Gold Rush is a two-player adventure game that provides drill in determining the main idea of a paragraph. It simulates a journey west during the Gold Rush; players move by correctly identifying the main idea of a paragraph they are given to read. The first player to reach San Francisco wins.

The program also includes a student-management system that records student names, raw scores, and the percentage correct. The system holds up to 200 student files in alphabetical order.

There are two versions of

the game: one written at the third- and fourth-grade level, and one for the fifth- and sixth-grades. Either version sells for \$39.95, or \$54.95 with back-up disk. A class pack or Network III/4 version costs \$164.95.

Contact Gamco Industries Inc., Box 1911, Big Spring, TX 79721, 800-351-1404 (in Texas, call 915-267-6327 collect).


Circle 562 on Reader Service card.

## The Gobbling Box

The Gobbling Box is a fast-paced pursuit game with sound effects. It plays on the Model I, III, or 4/4P/4D and features two skill levels and three playing screens. You control the action from the keyboard or with an Alpha Products joystick.

The Gobbling Box sells for \$14.95 (\$2 postage) from Misosys Inc., P.O. Box 239, Sterling, VA 22170-0239, 703-450-4181.

Circle 564 on Reader Service card.



ZXR+ provides bidirectional power protection.

## Etc.

### ZXR+ Goes Both Ways

The ZXR+ provides surge/spike and noise protection either at the output port from the host computer or multiplexor or at the input port of any RS-232 serial device. Putting a ZXR+ at either end of a data line gives bidirectional protection for the entire line.

The unit uses 11 high-capacity

metal-oxide varistors, providing protection for each of the 11 most frequently used data transmission lines (lines 1, 2, 3, 4, 5, 6, 7, 8, 11, 20, and 22). The circuit design also protects the other lines in a 25-pin RS-232 configuration.

The ZXR+ sells for \$89 from Sutton Designs Inc., 300 N. Tioga, Ithaca, NY 14850, 607-277-4301.

Circle 568 on Reader Service card.

### Word-Processor Translator

R-Doc/X converts document files between different word-processing programs on MS-DOS or CP/M machines. It also translates most print- and format-control codes, so you don't need to touch up the converted document. It translates multiple files in a single operation.

R-Doc-X 3.1 translates between 17 program formats, including Wordperfect, Displaywrite-3, Wordstar, Multi-

# 80micro Reader Service

TO RECEIVE MORE INFORMATION ON THE PRODUCTS AND SERVICES IN THIS ISSUE, PLEASE TURN TO READER SERVICE CARD.

NEW FROM 80 MICRO  
*Classifieds*

## GET THE ATTENTION YOU DESERVE

Tell more than 200,000 dedicated, interested TRS-80 users about your product or service with an efficient and economical **80 Micro** classified ad.

You'll reach the most people in the market for the least amount of money!

With **80 Micro's** well-established audience of involved buyers, sellers, and swappers, your ad is bound to get fast results!

For more information, write to:

**80 Micro**

Attn. Classified Manager

80 Elm Street

Peterborough, NH 03458



# Tandy 1000 Memory Card

another high quality product from Southwestern Digital


Why spend a bundle on a Tandy board?

Our Board is only

**\$135.**

**Features:**

- 512K of Memory
- DMA
- Expansion Port
- Gold Edge Cards
- Easy Installation
- 30 Day Satisfaction Guarantee Policy



The Southwestern Digital Memory Expansion Plus Card has all the features of the Radio Shack Board but the price; you save almost \$400. Features include 512K installed, burned in, and tested to give you a total of 640K, a DMA circuit that is fully tested for hard drive operation, and an expansion port that will work with any of the Radio Shack Memory Plus Expansion Card options. High quality manufacturing, and features such as gold plated card edges make this the logical choice in upgrading your memory.

## Tandy 1000 Add on Boards Serial, Clock, or Both

The Southwestern Digital new Add-On boards were developed for use with the Plus Card Port, ( a piggy-back type, add on port established by Tandy to eliminate the need for an additional card slot ). These cards are fully compatible with the Memory Expansion Plus Card from Southwestern Digital and the Memory Expansion Plus Board from Tandy.

### RS232C PLUS Option Board

Mounts on a PLUS expansion board, and features selectivity between COM Port 1 and COM Port 2. The RS232C output connector is the standard Tandy female DB25, and is fully compatible with the Tandy output. \$85.

### Clock/Calendar PLUS Option Board

Mounts on a Plus expansion board, and features selectivity between two ports so that you can run two clocks at one time. The Clock Calendar Board gives you perpetual time/date so that you don't have to re-input time and date into your application programs as part of your power up routine. \$85.

### RS232C-Clock/Calendar PLUS Option Board

Features options of both of the above boards on just one board. \$170.

#### Save on the Combination


512K, RS232C-Serial Port, and Clock ..... \$245.  
(Includes RAM DISK and PRINTER SPOOLER)

## NEW!

20 Megabyte Tandy 1000 HARD DRIVE ..... \$550.  
(for use with 1 or 2 Disk Drives)

### Tandy 1000 Computer System

Tandy 1000 with 640K, RS232 Serial Port, Clock/Calendar, and a 20 Meg Hard Drive ..... \$1450.



#### Order Line

1-713-480-3296

**Southwestern Digital**

17333 El Camino Real

Houston, TX 77058

#### Ordering Information

Call us or mail your order in. We accept Visa, Mastercard, and Certified Funds for quickest shipment. Personal checks are held for clearance. Add \$5. for ground shipment, or \$10 for UPS 2nd day air service. All products carry a 30 day satisfaction guarantee, and are warranted for a full year.

mate, Microsoft Word, OfficeWriter, Spellbinder, PFS: Write, Xywrite, Leading Edge WP, Volkswriter Deluxe, IBM Writing Assistant, PC-Write, IBM DCA/RFT, and standard ASCII. This menu-driven program is not copy-protected, and you can run it from a hard disk.

R-Doc/X costs \$149, which includes support for all 17 formats. It requires one floppy-disk drive and 128K for MS-DOS machines, or 56K on CP/M.

For more information contact Advanced Computer Innovations, 1227 Goler House, Rochester NY 14620, 716-454-3188.

Circle 565 on Reader Service card.

### Ready, Maestro?

The Music Theory Training Tool (MT3) helps beginning and intermediate musicians learn harmonic theory notation. Training can focus on one or all key signatures. During testing, you are given a chord for which you must provide the harmonic notation, or vice versa. The program supports diatonic and chromatic chords.

MT3 is available for the Models I/III/4, Color Computer, Tandy 1000/1200/3000, and CP/M machines. It sells for \$49.95.

Chordlord transposes music into any one of the 12 standard keys and presents it in a music language even those who don't read music can follow. All you need to

know is the chord positions on your instrument. (You don't need an instrument to use the program.)

Chordlord is designed for harmonic chord progressions that comprise a pattern. You can call each pattern into memory by the title you give it.

You can print a chord chart for the pattern in any of 12 keys, or you can print a Roman-numeral chart according to the rules of traditional harmonic theory.

Chordlord is available for the Models I/III/4, Tandy 1000/1200/3000, and CP/M machines. It sells for \$99 (when ordering, specify the machine you are using). For more information on either program, contact The Alternate Source, 704 North Pennsylvania Ave., Lansing, MI 48906, 517-482-8270.


Circle 566 on Reader Service card.

### Cleanup Duty

The Networkx Head & Screen Maintenance Kit helps you clean your CRT screen and 5 1/4-inch disk-drive heads. It includes a bottle of head-cleaning fluid, a head-cleaning disk that cleans both single- and double-sided drives, and 10 wet and 10 dry screen-cleaning pads.


The Head & Screen Maintenance Kit sells for \$29.95 from Networkx, 203 Harrison Place, Brooklyn, NY 11237-1587, 718-821-7555.

Circle 567 on Reader Service card.



The Head & Screen Maintenance Kit lets you clean your CRT screen and disk-drive heads.

## This Publication is available in Microform.



## University Microfilms International

Please send additional information

for \_\_\_\_\_  
(name of publication)

Name \_\_\_\_\_

Institution \_\_\_\_\_

Street \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_ Zip \_\_\_\_\_

300 North Zeeb Road  
Dept. P.R.  
Ann Arbor, Mi. 48106



## Model III, 4 & MS/DOS Stuff!

# Rembrandt

**\$39.95**
*Special Offer: Buy any two versions for just \$59.95*

**Complete Business Graphics Toolkit for the Model 4 (TRSDOS), Model 4 (CP/M) and the Model III.**

REMBRANDT is the only graphic software you'll ever need for your Model III or 4 computer. Hi-Res board not required!

**Freehand drawing:** Draw lines, boxes, circles, and write on the screen in large characters. Full block operations are supported — move, fill, copy and more!

**Business graphics:** Create horizontal and vertical bar charts, pie charts and xy plots.

Automatically chart spreadsheet files or use hand-entered data.

**Slide shows:** Sequence your graphics on-screen using eleven cinematic special effects like wipes, fades and spirals.

**Hard copy:** Print your graphic screens on most dot-matrix and daisy wheel printers.

REMBRANDT is only \$39.95 and is available for the Model 4 TRSDOS, Model 4 CP/M or Model III — please specify.

**Special offer** — buy any two versions at the same time for just \$59.95!

## TWIST & SHOUT!

Two great pieces of software at one low price! **TWIST** lets you print out your spreadsheets (or any file) sideways on your dot-matrix printer. No more cutting and pasting to put together a fragmented output. **SHOUT** prints giant banners in letters from two to eight inches high using four special type styles. Supports most printers including Anadex, Apple, C. Itoh, Centronics, DEC, Data Products, Epson, HP, IBM, IDS, MPI, NEC, Mannesman Tally, Okidata, Radio Shack, Smith Corona, Toshiba and more. Write for list!



SHOUT YOUR  
MESSAGE IN  
A BANNER!

**\$34.95**
*Special offer: buy any two versions for just \$49.95 available for all MSDOS, TRSDOS & CP/M computers*

**TECHNOLOGIES, INC.**  
22458 Ventura Blvd., Suite E  
Woodland Hills, CA 91364

We accept VISA, MasterCard and American Express. Order by mail or call our 24 hour toll-free order line from the US or Canada:  
**800-628-2828 (Ext. 918)**  
Technical questions, catalogs, orders call  
**818-716-1655 (9-5 PST)**  
Add \$4 per order postage. Overseas \$12

Circle 371 on Reader Service card.

## 8 MHZ SUPER SPEED-UP

**FASTEST SPEED-UP AVAILABLE**

(models 1, 3, 4, 4P, 4D—all versions)

**BESTSELLER!! MAKE YOUR COMPUTER THE FASTEST IN TOWN!**

No Wait-states ..... **\$129.00**

### SUPER-RAM

Ramdisk program to use 128K—1 megabyte memory, the most extended program on the market today. Newdos-80 or TRSDOS 6.X

**SPECIAL PRICE** ..... **\$25.00**

**SPECIAL (NEWDOS-80 + TRSDOS 6.X)**

**BOTH** ..... **\$40.00**

upgrade for older version \$4.00 + old diskette

### AUTOMATIC PDRIVE RECOGNIZER

(NO MORE PDRIVE HASSLE) ..... **\$25.00**

### ONE MEGABYTE MEMORY BOARD

(without 256-K chips)

**MODEL 4 NON GATE-ARRAY VERSION** ... **\$105.00**

**MODELS 4, 4P, 4D GATE ARRAY VERSION**

..... **\$135.00**

upgrade from 1/2 meg to 1 meg for price difference

### 1/2 MEGABYTE MEMORY BOARD

(without 256-K chips)

**MODEL 4 NON GATE-ARRAY** ..... **\$75.00**

**MODELS 4, 4P, 4D GATE ARRAY VERSION**

..... **\$105.00**

### SAVE MORE MONEY!!

**A) 8-Mhz-SPEED UP + Meg-board +**

**(NEWDOS-TRSDOS DRIVER) ..... \$247.50**

**B) 8-Mhz-SPEED UP + Meg-board +**

**(NEWDOS-TRSDOS DRIVER) ..... \$274.50**

## SEATRONICS

P.O.B. 4607 - 6202 ZA MAASTRICHT - HOLLAND

Please specify exact system configuration for orders. If not known, check with your dealer to see which type (gate-array or non-gate-array) you have. For P&H, add \$4.00 for software, \$6.50 for hardware.

### MONEY BACK GUARANTEE

VISA-MASTER CARD-ACCES-EUROCARD  
TRAVELERS CHEQUES-MONEY ORDER

## NEW PRODUCTS

## New Products Index

### MS-DOS

**Reader Service Number**

550  
558  
551  
552

**Company**

Advanced Matrix Technology, Inc.  
Antex Electronics Corp.  
BNA Software  
Computer Communications  
Specialists Inc.  
Cyber Research Inc.  
Datablocks Inc.  
Electronic Arts  
Manzana Microsystems Inc.  
New Riders Publishing  
Popular Programs Inc.  
Rational Designs  
Victory Computer Systems

**Page**

144  
144  
157  
  
145  
144  
146  
145  
157  
144  
146  
145  
144

### TRS-80

**Reader Service Number**

562  
563  
564

**Company**

Gamco Industries Inc.  
Misosys Inc.  
Misosys Inc.

**Page**

157  
157  
159

### Etc.

**Reader Service Number**

565  
  
566  
567  
568  
569

**Company**

Advanced Computer  
Innovations  
The Alternate Source  
Networx  
Sutton Designs Inc.  
Curtis Manufacturing Co. Inc.

**Page**


159  
161  
161  
159  
162

*New Products listings are based on information supplied in manufacturers' press releases. 80 Micro has not tested or reviewed these products and cannot guarantee any claims.*

## DIFFERENT TRACK

### Tooling Around

The Computer Tool Kit for upgrades and minor repairs includes two Phillips and two slotted screwdrivers, two nut drivers, one Torx screwdriver, one three-claw parts holder, one chip inserter with pin



*Computer Tool Kit features a special chip extractor.*

straightener, and one chip extractor. The tools are demagnetized and come in a zippered, vinyl case.

The kit costs \$29.95 from Curtis Manufacturing Co. Inc., 305 Union St., Peterborough, NH 03458, 603-924-3823.

Circle 569 on Reader Service card.

# THE CLASSIFIED

## 80micro

### BUSINESS OPPORTUNITIES

**PERSONAL COMPUTER OWNERS CAN EARN \$1000 to \$5000** monthly selling simple services performed by their computer. Work at home in spare time. Get free list of 100 best services to offer. Write: A.I.M.A.G., P.O. Box 60369, San Diego, CA 92106-8369.

### SOFTWARE

**Profile users! PROAID III+/4+** provides many features for reports from single or multiple files. Model III+/4's. \$49. Clay Watts Software, 68C North Loop, Cedar Hills, TX 75104. 214-291-1171.

**THE STOCK EXCHANGE** — The ultimate stock market challenge! 1000/1200/3000. . . \$34.95—NY add 8.25%. Praxis Software, PO Box 2307, Grd Ctl Sta, NY NY 10163. 1-800-PRAXIS-S, NY 1-212-365-2170.

**MERGE-MATE.** All-purpose mailmerge utility for Text/Filer. Full selection, formatting! MS-DOS. \$40. Free information (SASE). McAdams Associates, 109 Spanish Village Center, Dallas, TX 75248.

**GAMES** for IBM Compatible. Outstanding Selection of games. Only \$4.00 per disk. Send SASE for catalog. PC-ARCADE 276-M Morehouse Rd., Easton, CT 06612.

**TANDY ORIGINAL SOFTWARE** 60-90% off models 1/3/4, 2/12/16/160, 100, PC 1/2/3/4, CoCo, MC10. \$1.00/Large SASE for list: Software Box 1013, Brice, Ohio 43109

**WORD PROCESSING—EXPRESS**, comparable to all top-of-the-line word processors. . . \$49.95. Features: Indexing, Footnoting, Mailmerge, Spell-check, Graph Generation, Calculator and more! Easy! Call for info! 1000/1200/3000/PC/MS-DOS, NY add 8.25%. Praxis Software, PO Box 2307, Grand Central Station, NY, NY 10163. 1-800-PRAXIS-S, NY 1-212-365-2170.

**Macro Cross assemblers, disassemblers, simulators, communications**, for MS-DOS and COCO: 8-BIT AND 680X0, from \$50. Contact: CSC at (404) 483-4870 or 1454 Latta Lane, Conyers, GA 30207

**VALUABLE TRS-2-12-16 software FREE!!!** Send SASE to: 98046-0300

### HARDWARE

**Clone Kits, Modems, Hard Drive Kits, disk drives, printers, memory, and IC's.** Distributor pricing to end users and dealers. For catalog call 1-800-833-2800, in Ohio call 513-531-8866. FREE SHIPPING.

**BARCODE READERS** for IBM compatibles. Printing software included. Satisfaction guaranteed. \$349.00 OEM/DEALER inquiries invited. LAGADO SOFTWARE (916) 965-0856.

**MEGABYTE EXPANSION BOARD FOR MODELS 4/4P.** \$119.95 with RAM-Drive software. Memory, shipping extra. Details: RAI, Box 7084, Hampton, VA 23666.

**5MHz: SPEED UP FOR MODELS 4/4P.** \$24.95, (\$2 S&H). Non-gate array models. Details, contact: RAI, Box 7084, Hampton, VA 23666.

### HORSE RACING

**\$\$\$WIN with Thoroughbred, Harness, Greyhound Handicapping Software.** . . \$29.95, enhanced . . . \$49.95. Professional Football Handicapping System. . . \$39.95. Free information. Software Exchange, PO Box 5382M, W. Bloomfield, MI 48033. (313) 626-7208.

### COMMUNICATIONS

**NationServ BBS** (618) 847-2291.

### CONVERSION SERVICES

**Media Conversion for Tandy Models** to over 800 systems including Mag-tape, Micro Computers,

Mini Computers, Word Processors and Typesetters. Pivar Computing Services, Inc., 165 Arlington Hgts. Rd., Number 80, Buffalo Grove, IL 60089. 312-459-6010.

### MUSIC

**QUALITY MUSIC SOFTWARE** for Tandy 1000's and IBM PC's. Easy-to-use, fun, and educational. Introductory special: \$49 through 5/1/87. Please write or call for details. Questar Products Ltd., 1252 Westover Trake, Acworth, GA 30101, (404) 429-1196.

### NEWS LETTERS

**ONE THOUSAND**—"Especially for YOUR Tandy 1000!" 12 Monthly issues for \$20.00, or \$3.00 for a sample issue. Send to: ONE THOUSAND, 2153-A Muren Boulevard, Belleville, IL 62221 or call (618) 277-3526. MC/VISA accepted.

**Get the attention you deserve.** For only \$5 per word, your ad will be seen by over 100,000 dedicated TRS-80/Tandy users. Ads must be received by the 20th of the month 3 months prior to publication date. **Send yours today. Consecutive 3 month prepay Special \$5/Word.**

Name \_\_\_\_\_  
Address \_\_\_\_\_  
City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_  
Telephone \_\_\_\_\_  
**CATEGORY** \_\_\_\_\_

_____	(3 words)
_____	(6)
_____	(9)
_____	(12)
_____	(15)
_____	(18)
_____	(21)
_____	(24)

Total Number of Words x \$5/issue = \_\_\_\_\_  
For \_\_\_\_\_ issue

Makes Checks Payable to 80 Micro  
NO AD ACCEPTED WITHOUT PAYMENT  
Classifieds, c/o MC88  
11 Northeastern Blvd., Suite 210  
Nashua, NH 03062



# Between the Lines

"I didn't know that could be done until I started working on it." In the comments I get from readers, that's the sentiment expressed most often. It sums up the spirit of Fine Lines. You are exploring Basic and programming, and discovering often surprising possibilities.

## Diverse Solutions

Before I tell you what you taught me this month, let's recap the puzzle for anyone who has joined us since January. I started with line zero, which stated the program's constants

```
0 A$ = "SEASON'S GREETINGS":Z$ = CHR$(13)
```

and line 3, which displayed the program's results:

```
3 PRINT A$:Z$:B$:C$:Z$:D$:E$:Z$:F$:Z$:G$:Z$:H$:Z$:I$:Z$:J$
```

The output (the variable names are for reference) looked like:

SEASON'S GREETINGS	(A\$)
1220	(B)
SEASONGREETINGS	(C\$)
132121141	(D\$)
AEGINORST	(E\$)
SANG	(F\$)
SEA SON TIN	(G\$)
SGNITEERGSNOSAES	(H\$)
SREEAESTOINNSGGS	(I\$)
Season's Greetings	(J\$)

The object of the game was to reconstruct the missing lines, 1 and 2, that produced 3's result from zero's beginning.

Once again, you proved that there are as many ways to solve a problem as grains of sand on the beach. Well, maybe I exaggerate a little, but there were more different solutions than I have room to even mention. Bumper stickers are on the way to everyone who, within the rules, sent us a program that did the job.

After you recognized that H\$ is C\$ backwards, I\$ is C\$ cut in two and interleaved, E\$ and D\$ are the letters in A\$ and their frequency, respectively, and B is the sum of the ASCII values in C\$, you still had to get it all into two lines. Like a cook preparing a meal, you had to do several things at once. You also had to overcome the tendency to do things in alphabetical order.

David Talmage (Denver, CO) and Don Lindsley (Wheaton, IL) sent the fastest and shortest solutions, which took a more direct route to F\$ and G\$ than I had in mind. Good for them! Charlie Bos-

well (Farmers Branch, TX) poked data for D\$ and E\$ into Model I video memory, which gave me something interesting to watch. On a CoCo, Richard McCray (Huntington Beach, CA) showed me that, when turning a single-digit value into a string, HEX\$, unlike STR\$, doesn't have a leading space to get rid of. Clever!

You showed me two general ways to get F\$ and G\$. In Program Listing 1, Gordon Drews (Stoneville, NC) used a digital approach—the tack I favored. He built the strings by formulating progressions 1, 3, 6, 10... (applied to A\$) and 1, 4, 12... (applied to C\$). Julius Nadas (Chicago, IL) went analog in Program Listing 2.

I was surprised to learn that F\$ "contains the first letter and every letter that precedes a subsequent occurrence of the first letter," and that G\$ contains "the first three letters and every subsequent group of three adjacent letters whose first letter is at least as great as the first letter of the previous group." I'm impressed.

To look at either solution more closely, expand them over more than two lines (which you must do anyhow to type line 2 into a Model 4). Replace the MOD functions if you have to.

## Weather Report

As I write this, I'm looking at 4 feet of snow on the ground. From my front window, I can't see the road that goes by my house any more. The thermometer outside the kitchen window reads 4 degrees below Fahrenheit's zero.

These days every TV meteorologist boasts a computer, and there are many

interesting possibilities for weather-related programs.

Calculating the wind-chill factor comes to mind for obvious reasons. I also remember, from when I lived in balmy climes, a way to predict moisture and salt loss from heat and humidity. On the coasts, weather reports always mention the tides, which are related to the Moon's rising and setting. Every weatherperson seems compelled to note the times of sunrise and sunset for those of us who live too fast and loose to appreciate them.

That ought to be enough to get you thinking. Keep your programs to two lines of Basic so I can fit the winners on a T-shirt. Meanwhile, I'll load up the woodstove and wait for spring.

## The Rules:

1. Write your solution(s) in any TRS or Tandy Basic, except Pocket Computer Basic.
2. This month's entries must reach us by April 15, 1987. This doesn't give everyone the same amount of time, we know, and we apologize to our overseas readers especially.
3. This month's winners will appear in the July 1987 issue.
4. Employees of CW Communications are not eligible.
5. Send your entry to: 80 Micro, Fine Lines, 80 Elm St., Peterborough, NH 03458. We cannot return entries.
6. Specify your T-shirt size. Bumper size not required. ■

Harry Bee is a free-lance writer, puzzle creator, programmer, and dreamer. Contact him at P.O. Box 567, Cornish, ME 04020.

### Program Listing 1. Gordon Drews' digital solution for the Model 4.

```
1 DIM N(26),I$(22):L=32:A=LEN(A$):FOR K=1 TO A:X=ASC(MID$(A$,K,1)):P=-(X>64 AND
X<91):R=-(L=32):J$=J$+CHR$(X+32*(P AND NOT R)):L=X:C=C+P:B=B+X*P:C$=C$+STRING$(P
,X):H$=STRING$(P,X)+H$:T=P*(X-64):N(T)=N(T)+1:V=K*(K+1)/2:W=-(V<15):F$=F$+MID$(
A$,V,W):NEXT
2 FOR K=1 TO C:I$=((2*(K-3)MOD(C-1))+2)=MID$(C$,K,1):D$=K*2^(K-1):E=D$-(INT(D$/C
))*C:G$=G$+MID$(C$,-E*(E>0)-(E<0)),3*(E<0)):NEXT:FOR K=1 TO 26:U=-(N(K)>0):
D$=D$+STRING$(U,RIGHT$(STR$(N(K)),1)):E$=E$+STRING$(U,64+K):NEXT:FOR K=1 TO A:I$
=I$+I$(K):NEXT
```

### Program Listing 2. Julius Nadas's analog Model 4/1000 solution.

```
1 DEFINT A-Z:DIM D(255):FOR N=1 TO LEN(A$):X$=MID$(A$,N,1):X=ASC(X$):IF X<65 THE
N J$=J$+X$:J=(1+(X-32))*32 ELSE B=B+X:C$=C$+X$:J$=J$+CHR$(X OR J):J=32:H$=X$+H$:
D(X)=D(X)+1:IF X=Y AND MID$(A$,N+1,1)<>" THEN G$=G$+MID$(A$,N,3)+" :Y=X
2 NEXT N:FOR N=65 TO 90:D$=D$+LEFT$(CHR$(D(N)+48),D(N)):E$=E$+LEFT$(CHR$(N),D(N))
:NEXT N:C=LEN(C$):X=ASC(C$):F$=CHR$(X):FOR N=1 TO C:I$=I$+MID$(C$,INT((N+1)/2)+
C*(1-(N MOD 2))/2,1):F$=F$+MID$(C$,N-(ASC(MID$(C$+" ",N+1))=X)):NEXT N
```

End

# Dac-Easy Base Is An Incredible Value.



## A Powerful Relational Database That's Easy To Learn, Versatile, Very Affordable, And Much More.

Dac-Easy Base is indeed both powerful and easy to use. It offers a multitude of unique features to help you organize, locate, and sort all kinds of alphabetic and numeric data. Dac-Easy Base continues the low price/high performance tradition of the Dac-Easy Series. With worldwide sales of over 300,000 systems, Dac-Easy has become the new leader in software designed for small businesses.

### Flexible Menu System

Dac-Easy Base is actually two systems in one. If you are a novice you will appreciate the special Beginner Menu which contains the most commonly used features for creating, editing, and printing files. The more experienced database user will find the Advanced Menu allows instant access to each and every one of the powerful routines. In both menus, you are only a keystroke away from the context-sensitive help screens. The help screens in Dac-Easy Base are so complete you may never have to consult the accompanying 200 page manual.

### Easy File And Report Creation

Design professional-looking data input screens without leaving the menu structure. There is no need for complex programming. Once created, the edit screen allows you to input and edit your information in a matter of minutes. Also attach special notes to any of your records with the built-in MemoWriter. The MemoWriter is the perfect way to attach specific information to a single record. Custom reports are easy to create without using the available

programming language. Column or page-style reports can be created quickly, and viewed on your computer screen or printed to paper. As with all reports generated by Dac-Easy Base, you can select which records will be included in your report and how they will be sorted. Special headings and subtotals can be added to give you the exact information you need.

### Great For Advanced Users

Yes, Dac-Easy Base is easy to use, and it is also very powerful. An unlimited number of records with up to 60 fields per record, ability to access up to three files at a time, date arithmetic capability, formula fields for calculations within files, dynamic abbreviations, and keyboard macros are just a few of the powerful features available at your fingertips. Dac-Easy Base can read and convert dBASE II files and can run dBASE II programs.

### 30 Day Money-Back Guarantee

Dac offers a 30 day unconditional guarantee on all products bought directly from Dac Software (less shipping charges). There is a \$10.00 restocking fee if the disk envelope is opened.

### Minimum Hardware Requirements:

IBM or other compatibles, 256K memory, MS-DOS or PC-DOS 2.0 or later, two DSDD drives, color or monochrome monitor.

IBM and PC-DOS are registered trademarks of International Business Machines. MS-DOS is a trademark of Microsoft Corp. dBASE II is a trademark of Ashton-Tate, Inc.

Dac-Easy and Dac-Easy Base are trademarks of Dac Software, Inc.



### Great For The Home

There are unlimited uses for Dac-Easy Base around the home. Keep track of mailing lists, birthday lists, check-books, household inventories, stamp collections, recipes, client lists; and the list goes on and on. Dac-Easy Base is so easy to learn you will create your first database in no time. Call now and take advantage of the tremendous benefits of organized data.

### To Order

Call Toll Free

**1-800-992-7779**

(In Texas Call 1-214-458-0038)

Mail to: **dac software, inc.**  
4801 Spring Valley Rd., Bldg. 110-B  
Dallas, TX 75244 (Ph. 214-458-0038)

Yes, please rush me \_\_\_\_\_ copies of Dac-Easy Base today. I have enclosed \$49.95 (Texas residents add 7 1/4% sales tax) for each copy + \$7.50 for shipping.

Name \_\_\_\_\_

Company \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_ Zip \_\_\_\_\_

Phone \_\_\_\_\_

Computer Brand \_\_\_\_\_

★★★★ Method of Payment ★★★★★

☐ Check ☐ Money Order  
☐ VISA ☐ AMEX ☐ MC

Account # \_\_\_\_\_

Expires \_\_\_\_\_

Signature \_\_\_\_\_

**CODE 753**


Circle 397 on Reader Service card.



# Introducing the Most Powerful Business Software Ever!

FOR YOUR IBM • APPLE • MAC • TRS-80 • KAYPRO • COMMODORE • MSDOS OR CP/M COMPUTER\*

**50% OFF!**



## The VERSABUSINESS™ Series

Each VERSABUSINESS module can be purchased and used independently, or can be linked in any combination to form a complete, coordinated business system.

### VERSA RECEIVABLES™ \$99.95

VERSA RECEIVABLES™ is a complete menu-driven accounts receivable, invoicing, and monthly statement-generating system. It keeps track of all information related to who owes you or your company money, and can provide automatic billing for past due accounts. VERSA RECEIVABLES™ prints all necessary statements, invoices, and summary reports and can be linked with VERSA LEDGER II™ and VERSA INVENTORY™.

### VERSA PAYABLES™ \$99.95

VERSA PAYABLES™ is designed to keep track of current and aged payables, keeping you in touch with all information regarding how much money your company owes, and to whom. VERSA PAYABLES™ maintains a complete record on each vendor, prints checks, check registers, vouchers, transaction reports, aged payables reports, vendor reports, and more. With VERSA PAYABLES™, you can even let your computer automatically select which vouchers are to be paid.

### VERSA PAYROLL™ \$99.95

VERSA PAYROLL™ is a powerful and sophisticated, but easy to use payroll system that keeps track of all government-required payroll information. Complete employee records are maintained, and all necessary payroll calculations are performed automatically, with totals displayed on screen for operator approval. A payroll can be run totally, automatically, or the operator can intervene to prevent a check from being printed, or to alter information on it. If desired, totals may be posted to the VERSA LEDGER II™ system.

### VERSA INVENTORY™ \$99.95

VERSA INVENTORY™ is a complete inventory control system that gives you instant access to data on any item. VERSA INVENTORY™ keeps track of all information related to what items are in stock, out of stock, on backorder, etc., stores sales and pricing data, alerts you when an item falls below a preset reorder point, and allows you to enter and print invoices directly or to link with the VERSA RECEIVABLES™ system. VERSA INVENTORY™ prints all needed inventory listings, reports of items below reorder point, inventory value reports, period and year-to-date sales reports, price lists, inventory checklists, etc.

### VERSA LEDGER II™ \$149.95

VERSA LEDGER II™ is a complete accounting system that grows as your business grows. VERSA LEDGER II™ can be used as a simple personal checkbook register, expanded to a small business bookkeeping system or developed into a large corporate general ledger system without any additional software.

- VERSA LEDGER II™ gives you almost unlimited storage capacity (300 to 10,000 entries per month, depending on the system),
- stores all check and general ledger information forever,
- prints tractor-feed checks,
- handles multiple checkbooks and general ledgers,
- prints 17 customized accounting reports including check registers, balance sheets, income statements, transaction reports, account listings, etc.

VERSA LEDGER II™ comes with a professionally-written 160 page manual designed for first-time users. The VERSA LEDGER II™ manual will help you become quickly familiar with VERSA LEDGER II™, using complete sample data files supplied on diskette and more than 50 pages of sample printouts.

### FOR TRS-80 MODEL OWNERS ONLY!

TRS-80 owners only may now take 50% off our listed price of any module(s) from our VersaBusiness Series. All sales are final (our normal 30-day money back guarantee does not apply to sale items).

#### To Order:

Write or call Toll Free  
Other inquiries call 914-425-1635  
• add \$4.95 for shipping in UPS areas  
• add \$5.95 for C.O.D. or non-UPS areas  
• add \$6.95 to CANADA or MEXICO  
• add proper postage elsewhere  
**DEALER INQUIRIES WELCOME**

1-800-331-0362

(Inside NY State)

1-800-431-2818

(Outside NY State)

All prices and specifications subject to change / Delivery subject to availability.

# COMPUTRONICS

50 N. PASCACK ROAD, SPRING VALLEY, N.Y. 10977